

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
right							
dispenser							
's							
nozzle						•	
.							•

Segment 42

P: 0.609
R: 0.893
Frag: 0.467
Score: 0.445

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
right							
dispenser							
's							
nozzle						•	
.							•

Segment 43

P: 0.609
R: 0.893
Frag: 0.467
Score: 0.445

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
right							
dispenser							
's							
nozzle						•	
.							•

Segment 44

P: 0.609
R: 0.893
Frag: 0.467
Score: 0.445

	hold	the	cup	below	the	spout	.
hold	•						
the		•					
grind							
holder							
below				•			
the					•		
nozzle							
.							•

Segment 58

P: 0.500
R: 0.600
Frag: 0.542
Score: 0.267

	hold	the	cup	below	the	spout	.
hold	•						
the		•					
grind							
holder							
below				•			
the					•		
nozzle							
.							•

Segment 59

P: 0.500
R: 0.600
Frag: 0.542
Score: 0.267

	hold	the	cup	below	the	spout	.
hold	•						
the		•					
grind							
holder							
below				•			
the					•		
nozzle							
.							•

Segment 60

P: 0.500
R: 0.600
Frag: 0.542
Score: 0.267

	hold	the	cup	below	the	spout	.
hold	•						
the		•					
grind							
holder							
below				•			
the					•		
nozzle							
.							•

Segment 61

P: 0.500
R: 0.600
Frag: 0.542
Score: 0.267

	hold	the	cup	below	the	spout	.
hold	•						
the		•					
grind							
holder							
below				•			
the					•		
nozzle							
.							•

Segment 62

P: 0.500
R: 0.600
Frag: 0.542
Score: 0.267

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the							•		
cup								•	
below									
the		•							
whole									
milk									
nozzle									
.									•

Segment 39

P:	0.400
R:	0.494
Frag:	0.574
Score:	0.203

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the							•		
cup								•	
below									
the		•							
whole									
milk									
nozzle									
.									•

Segment 40

P: 0.400
R: 0.494
Frag: 0.574
Score: 0.203

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the							•		
cup								•	
below									
the		•							
whole									
milk									
nozzle									
.									•

Segment 41

P:	0.400
R:	0.494
Frag:	0.574
Score:	0.203

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 4

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 5

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 6

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 13

P: 0.318
 R: 0.368
 Frag: 0.600
 Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 14

P:	0.318
R:	0.368
Frag:	0.600
Score:	0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 15

P:

0.318

R:

0.368

Frag:

0.600

Score:

0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 16

P:	0.318
R:	0.368
Frag:	0.600
Score:	0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 17

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 30

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 31

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 32

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 33

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 34

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 35

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 36

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 37

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 38

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	open	the	lid	.
push								
on								
the		•						
bar								
below								
to				•				
fill								
the						•		
cup								
with								
a								
soda								
.								•

Segment 18

P: 0.160
R: 0.250
Frag: 0.600
Score: 0.092

	press	the	button	to	open	the	lid	.
push								
on								
the		•						
bar								
below								
to				•				
fill								
the						•		
cup								
with								
a								
soda								
.								•

Segment 19

P: 0.160
R: 0.250
Frag: 0.600
Score: 0.092

	press	the	button	to	open	the	lid	.
push								
on								
the		•						
bar								
below								
to				•				
fill								
the						•		
cup								
with								
a								
soda								
.								•

Segment 20

P: 0.160
R: 0.250
Frag: 0.600
Score: 0.092

	press	the	button	to	open	the	lid	.
push								
on								
the		•						
bar								
below								
to				•				
fill								
the						•		
cup								
with								
a								
soda								
.								•

Segment 21

P: 0.160
R: 0.250
Frag: 0.600
Score: 0.092

	press	the	button	to	open	the	lid	.	
push									
on									
the		•							
bar									
below									
to				•					
fill									
the						•			
cup									
with									
a									
soda									
.								•	

Segment 22

P: 0.160
R: 0.250
Frag: 0.600
Score: 0.092

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 7

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.	
pull										
up										
on										
the		•								
handle										
to					•					
fill										
the						•				
cup										
.										•

Segment 8

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 9

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 10

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 11

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 12

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 23

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 24

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 25

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 26

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 27

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 28

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 29

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
cup									
below									
the							•		
right									
dispenser									
's									
nozzle									
.									•

Segment 51

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
cup									
below									
the							•		
right									
dispenser									
's									
nozzle									
.									•

Segment 52

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
press													
the		•											
button													
on													
top													
of													
the											•		
tank													
to								•					
flush													
.													•

Segment 49

P: 0.190
R: 0.148
Frag: 0.600
Score: 0.061

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
press													
the		•											
button													
on													
top													
of													
the											•		
tank													
to									•				
flush													
.													•

Segment 50

P: 0.190
R: 0.148
Frag: 0.600
Score: 0.061

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
right						
dispenser						
's						
nozzle						
.						•

Segment 45

P: 0.091
R: 0.167
Frag: 0.600
Score: 0.059

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
right						
dispenser						
's						
nozzle						
.						•

Segment 46

P: 0.091
R: 0.167
Frag: 0.600
Score: 0.059

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
right						
dispenser						
's						
nozzle						
.						•

Segment 47

P: 0.091
R: 0.167
Frag: 0.600
Score: 0.059

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
right						
dispenser						
's						
nozzle						
.						•

Segment 48

P: 0.091
R: 0.167
Frag: 0.600
Score: 0.059

	press	the	button	on	top	of	the	tank	to	flush	.
hold											
the		•									
cup											
below											
the							•				
right											
dispenser											
's											
nozzle											
.											•

Segment 63

P: 0.136
R: 0.143
Frag: 0.600
Score: 0.057

	press	the	button	on	top	of	the	tank	to	flush	.
hold											
the		•									
cup											
below											
the							•				
right											
dispenser											
's											
nozzle											
.											•

Segment 64

P: 0.136
R: 0.143
Frag: 0.600
Score: 0.057

	press	the	button	on	top	of	the	tank	to	flush	.
hold											
the		•									
cup											
below											
the							•				
right											
dispenser											
's											
nozzle											
.											•

Segment 65

P: 0.136
R: 0.143
Frag: 0.600
Score: 0.057

	press	the	button	on	top	of	the	tank	to	flush	.
hold											
the		•									
cup											
below											
the							•				
right											
dispenser											
's											
nozzle											
.											•

Segment 66

P: 0.136
R: 0.143
Frag: 0.600
Score: 0.057

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
down											
on											
the		•									
lever											
to						•					
dispense											
paper											
towel											
.											•

Segment 53

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	turn	the	handle	towards	you	to	start	filling	the	cup	.	
pull												
down												
on												
the		•										
lever												
to						•						
dispense												
paper												
towel												
.											•	

Segment 54

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	turn	the	handle	towards	you	to	start	filling	the	cup	.	
pull												
down												
on												
the		•										
lever												
to						•						
dispense												
paper												
towel												
.											•	

Segment 55

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
down											
on											
the		•									
lever											
to						•					
dispense											
paper											
towel											
.											•

Segment 56

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
down											
on											
the		•									
lever											
to						•					
dispense											
paper											
towel											
.											•

Segment 57

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 1

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 2

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 3

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040