

# Meteor Alignments for System-1

Reference top row  
Hypothesis left column  
Matches identified by color and symbol  
  
Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
milk							
nozzle						•	
.							•

Segment 51

P: 0.744  
R: 0.893  
Frag: 0.467  
Score: 0.462

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
milk							
nozzle						•	
.							•

Segment 52

P: 0.744  
R: 0.893  
Frag: 0.467  
Score: 0.462

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
milk							
nozzle						•	
.							•

Segment 53

P: 0.744  
R: 0.893  
Frag: 0.467  
Score: 0.462

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 18

P: 0.526  
R: 0.526  
Frag: 0.522  
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 19

P: 0.526  
R: 0.526  
Frag: 0.522  
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 20

P: 0.526  
R: 0.526  
Frag: 0.522  
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 21

P: 0.526  
R: 0.526  
Frag: 0.522  
Score: 0.251



	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 22

P: 0.526  
R: 0.526  
Frag: 0.522  
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 23

P: 0.526  
R: 0.526  
Frag: 0.522  
Score: 0.251

	hold	paper	towel	in	front	of	the	nozzle	.
hold	•								
the									
cup									
below									
the							•		
nozzle								•	
.									•

Segment 1

P: 0.533  
R: 0.421  
Frag: 0.522  
Score: 0.208

	hold	paper	towel	in	front	of	the	nozzle	.
hold	•								
the									
cup									
below									
the							•		
nozzle								•	
.									•

Segment 2

P: 0.533  
R: 0.421  
Frag: 0.522  
Score: 0.208

	hold	paper	towel	in	front	of	the	nozzle	.
hold	•								
the									
cup									
below									
the							•		
nozzle								•	
.									•

Segment 3

P: 0.533  
R: 0.421  
Frag: 0.522  
Score: 0.208

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 39

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 40

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 41

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207



	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 42

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 43

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 44

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 45

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 46

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 47

P: 0.427  
R: 0.470  
Frag: 0.553  
Score: 0.207

	press	down	on	the	pump	.
press	•					
the				•		
button						
on			•			
top						
of						
the						
tank						
to						
flush						
.						•

Segment 54

P: 0.286  
R: 0.500  
Frag: 0.600  
Score: 0.180

	press	down	on	the	pump	.
press	•					
the				•		
button						
on			•			
top						
of						
the						
tank						
to						
flush						
.						•

Segment 55

P: 0.286  
R: 0.500  
Frag: 0.600  
Score: 0.180



	press	down	on	the	pump	.
press	•					
the				•		
button						
on			•			
top						
of						
the						
tank						
to						
flush						
.						•

Segment 56

P: 0.286  
R: 0.500  
Frag: 0.600  
Score: 0.180

	press	down	on	the	pump	.
press	•					
the				•		
button						
on			•			
top						
of						
the						
tank						
to						
flush						
.						•

Segment 57

P: 0.286  
R: 0.500  
Frag: 0.600  
Score: 0.180

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
push									
down									
on									
the		•							
handle			•						
to					•				
add									
hot									
water									
.									•

Segment 24

P: 0.273  
R: 0.316  
Frag: 0.566  
Score: 0.134

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
push									
down									
on									
the		•							
handle			•						
to					•				
add									
hot									
water									
.									•

Segment 25

P:

0.273

R:

0.316

Frag:

0.566

Score:

0.134

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
push									
down									
on									
the		•							
handle			•						
to					•				
add									
hot									
water									
.									•

Segment 26

---

P:	0.273
R:	0.316
Frag:	0.566
Score:	0.134

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
push									
down									
on									
the		•							
handle			•						
to					•				
add									
hot									
water									
.									•

Segment 27

P:

0.273

R:

0.316

Frag:

0.566

Score:

0.134

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
push									
down									
on									
the		•							
handle			•						
to					•				
add									
hot									
water									
.									•

Segment 28

---

P:	0.273
R:	0.316
Frag:	0.566
Score:	0.134

	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 7

P: 0.286  
R: 0.333  
Frag: 0.600  
Score: 0.130



	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 8

P: 0.286  
R: 0.333  
Frag: 0.600  
Score: 0.130

	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 9

---

P: 0.286  
 R: 0.333  
 Frag: 0.600  
 Score: 0.130

	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 10

P: 0.286  
R: 0.333  
Frag: 0.600  
Score: 0.130

	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 11

---

P: 0.286  
R: 0.333  
Frag: 0.600  
Score: 0.130

	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 12

P: 0.286  
R: 0.333  
Frag: 0.600  
Score: 0.130

	press	down	on	the	space	bar	once	.
press	•							
the				•				
button								
on			•					
top								
of								
the								
tank								
to								
flush								
.								•

Segment 13

---

P: 0.286  
R: 0.333  
Frag: 0.600  
Score: 0.130

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
squeeze													
the		•											
handle			•										
together													
to									•				
spray													
.													•

Segment 58

P: 0.400  
R: 0.222  
Frag: 0.566  
Score: 0.103

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
squeeze													
the		•											
handle			•										
together													
to									•				
spray													
.													•

Segment 59

P: 0.400  
R: 0.222  
Frag: 0.566  
Score: 0.103



	pull	the	handle	up	to	fill	the	cup	.
turn									
the		•							
switch									
clockwise									
to					•				
switch									
on									
the							•		
power									
supply									
.									•

Segment 48

P: 0.174  
R: 0.235  
Frag: 0.600  
Score: 0.089

	pull	the	handle	up	to	fill	the	cup	.
turn									
the		•							
switch									
clockwise									
to					•				
switch									
on									
the							•		
power									
supply									
.									•

Segment 49

P: 0.174  
R: 0.235  
Frag: 0.600  
Score: 0.089

	pull	the	handle	up	to	fill	the	cup	.
turn									
the		•							
switch									
clockwise									
to					•				
switch									
on									
the							•		
power									
supply									
.									•

Segment 50

P: 0.174  
R: 0.235  
Frag: 0.600  
Score: 0.089

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 29

---

P: 0.167  
R: 0.188  
Frag: 0.600  
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 30

---

P: 0.167  
R: 0.188  
Frag: 0.600  
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 31

P: 0.167  
R: 0.188  
Frag: 0.600  
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 32

---

P: 0.167  
R: 0.188  
Frag: 0.600  
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 33

---

P: 0.167  
R: 0.188  
Frag: 0.600  
Score: 0.074



	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
cup									
below									
the							•		
nozzle									
.									•

Segment 60

P: 0.200  
R: 0.158  
Frag: 0.600  
Score: 0.065

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
cup									
below									
the							•		
nozzle									
.									•

Segment 61

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	pull	the	trigger	to	spray	.
hold						
the		•				
cup						
below						
the						
nozzle						
.						•

Segment 4

P: 0.133  
R: 0.167  
Frag: 0.600  
Score: 0.064

	pull	the	trigger	to	spray	.
hold						
the		•				
cup						
below						
the						
nozzle						
.						•

Segment 5

P: 0.133  
R: 0.167  
Frag: 0.600  
Score: 0.064

	pull	the	trigger	to	spray	.
hold						
the		•				
cup						
below						
the						
nozzle						
.						•

Segment 6

P: 0.133  
R: 0.167  
Frag: 0.600  
Score: 0.064

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
whole									
milk									
nozzle									
.									•

Segment 34

P: 0.143  
R: 0.158  
Frag: 0.600  
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
whole									
milk									
nozzle									
.									•

Segment 35

P: 0.143  
R: 0.158  
Frag: 0.600  
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
whole									
milk									
nozzle									
.									•

Segment 36

P: 0.143  
R: 0.158  
Frag: 0.600  
Score: 0.062



	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
whole									
milk									
nozzle									
.									•

Segment 37

P: 0.143  
R: 0.158  
Frag: 0.600  
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
whole									
milk									
nozzle									
.									•

Segment 38

P: 0.143  
R: 0.158  
Frag: 0.600  
Score: 0.062

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
press									
the		•							
button									
on									
top									
of									
the									
tank									
to									
flush									
.									•

Segment 14

P: 0.095  
R: 0.095  
Frag: 0.600  
Score: 0.038

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
press									
the		•							
button									
on									
top									
of									
the									
tank									
to									
flush									
.									•

Segment 15

P: 0.095  
R: 0.095  
Frag: 0.600  
Score: 0.038

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
press									
the		•							
button									
on									
top									
of									
the									
tank									
to									
flush									
.									•

Segment 16

P: 0.095  
R: 0.095  
Frag: 0.600  
Score: 0.038

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
press									
the		•							
button									
on									
top									
of									
the									
tank									
to									
flush									
.									•

Segment 17

P: 0.095  
R: 0.095  
Frag: 0.600  
Score: 0.038