

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
nozzle						•	
.							•

Segment 42

P: 0.893
R: 0.893
Frag: 0.000
Score: 0.893

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
nozzle						•	
.							•

Segment 43

P: 0.893
R: 0.893
Frag: 0.000
Score: 0.893

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
below				o	o		
the				o	o		
nozzle						•	
.							•

Segment 44

P: 0.893
R: 0.893
Frag: 0.000
Score: 0.893

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 7

P: 0.526
R: 0.526
Frag: 0.522
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 8

P: 0.526
R: 0.526
Frag: 0.522
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 9

P: 0.526
R: 0.526
Frag: 0.522
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 10

P:

0.526

R:

0.526

Frag:

0.522

Score:

0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 11

P: 0.526
R: 0.526
Frag: 0.522
Score: 0.251

	turn	the	knob	clockwise	to	the	desired	heat	.
rotate									
the		•							
knob			•						
counterclockwise									
to					•				
the						•			
desired							•		
temperature									
.									•

Segment 12

P: 0.526
R: 0.526
Frag: 0.522
Score: 0.251

	hold	paper	towel	in	front	of	the	nozzle	.
hold	•								
the									
cup									
below									
the							•		
nozzle								•	
.									•

Segment 1

P: 0.533
R: 0.421
Frag: 0.522
Score: 0.208

	hold	paper	towel	in	front	of	the	nozzle	.
hold	•								
the									
cup									
below									
the							•		
nozzle								•	
.									•

Segment 2

P: 0.533
R: 0.421
Frag: 0.522
Score: 0.208

	hold	paper	towel	in	front	of	the	nozzle	.
hold	•								
the									
cup									
below									
the							•		
nozzle								•	
.									•

Segment 3

P: 0.533
R: 0.421
Frag: 0.522
Score: 0.208

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 30

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 31

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 32

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 33

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 34

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 35

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 36

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 37

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	press	the	button	to	turn	the	range	hood	on	.
push	o									
the		•								
diet										
pepsi										
button			•							
to				•						
fill										
the						•				
cup										
.										•

Segment 38

P: 0.427
R: 0.470
Frag: 0.553
Score: 0.207

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 53

P: 0.560
R: 0.365
Frag: 0.574
Score: 0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 54

P: 0.560
R: 0.365
Frag: 0.574
Score: 0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 55

P: 0.560
R: 0.365
Frag: 0.574
Score: 0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 56

P: 0.560
R: 0.365
Frag: 0.574
Score: 0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 57

P: 0.560
R: 0.365
Frag: 0.574
Score: 0.164

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 13

P: 0.360
R: 0.284
Frag: 0.600
Score: 0.117

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 14

P: 0.360
R: 0.284
Frag: 0.600
Score: 0.117

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 15

P: 0.360
R: 0.284
Frag: 0.600
Score: 0.117

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
below									
the							•		
nozzle									
.									•

Segment 16

P: 0.360
R: 0.284
Frag: 0.600
Score: 0.117

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 17

P:	0.360
R:	0.284
Frag:	0.600
Score:	0.117

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
squeeze													
the		•											
handle			•										
together													
to									•				
spray													
.													•

Segment 49

P: 0.400
R: 0.222
Frag: 0.566
Score: 0.103

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
squeeze													
the		•											
handle			•										
together													
to									•				
spray													
.													•

Segment 50

P: 0.400
R: 0.222
Frag: 0.566
Score: 0.103

	pull	the	handle	up	to	fill	the	cup	.
turn									
the		•							
switch									
clockwise									
to					•				
switch									
on									
the							•		
power									
supply									
.									•

Segment 39

P: 0.174
R: 0.235
Frag: 0.600
Score: 0.089

	pull	the	handle	up	to	fill	the	cup	.
turn									
the		•							
switch									
clockwise									
to					•				
switch									
on									
the							•		
power									
supply									
.									•

Segment 40

P: 0.174
R: 0.235
Frag: 0.600
Score: 0.089

	pull	the	handle	up	to	fill	the	cup	.
turn									
the		•							
switch									
clockwise									
to					•				
switch									
on									
the							•		
power									
supply									
.									•

Segment 41

P: 0.174
R: 0.235
Frag: 0.600
Score: 0.089

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
the		•									
knob											
to									•		
dispense											
the							•				
towels											
.											•

Segment 63

P: 0.211
R: 0.190
Frag: 0.600
Score: 0.077

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
the		•									
knob											
to									•		
dispense											
the							•				
towels											
.											•

Segment 64

P: 0.211
R: 0.190
Frag: 0.600
Score: 0.077

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
the		•									
knob											
to									•		
dispense											
the							•				
towels											
.											•

Segment 65

P: 0.211
R: 0.190
Frag: 0.600
Score: 0.077

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
the		•									
knob											
to									•		
dispense											
the							•				
towels											
.											•

Segment 66

P: 0.211
R: 0.190
Frag: 0.600
Score: 0.077

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 18

P: 0.167
R: 0.188
Frag: 0.600
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 19

P: 0.167
R: 0.188
Frag: 0.600
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 20

P: 0.167
R: 0.188
Frag: 0.600
Score: 0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 21

P:	0.167
R:	0.188
Frag:	0.600
Score:	0.074

	press	the	button	to	open	the	lid	.
hold								
the		•						
grind								
holder								
below								
the						•		
nozzle								
.								•

Segment 22

P:	0.167
R:	0.188
Frag:	0.600
Score:	0.074

	hold	the	cup	below	the	spout	.
select							
the		•					
darkness							
of							
food							
in							
toaster							
by							
turning							
the					•		
knob							
clockwise							
.							•

Segment 58

P: 0.111
R: 0.200
Frag: 0.600
Score: 0.071

	hold	the	cup	below	the	spout	.
select							
the		•					
darkness							
of							
food							
in							
toaster							
by							
turning							
the					•		
knob							
clockwise							
.							•

Segment 59

P: 0.111
R: 0.200
Frag: 0.600
Score: 0.071

	hold	the	cup	below	the	spout	.
select							
the		•					
darkness							
of							
food							
in							
toaster							
by							
turning							
the					•		
knob							
clockwise							
.							•

Segment 60

P: 0.111
R: 0.200
Frag: 0.600
Score: 0.071

	hold	the	cup	below	the	spout	.
select							
the		•					
darkness							
of							
food							
in							
toaster							
by							
turning							
the					•		
knob							
clockwise							
.							•

Segment 61

P: 0.111
R: 0.200
Frag: 0.600
Score: 0.071

	hold	the	cup	below	the	spout	.
select							
the		•					
darkness							
of							
food							
in							
toaster							
by							
turning							
the					•		
knob							
clockwise							
.							•

Segment 62

P: 0.111
R: 0.200
Frag: 0.600
Score: 0.071

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 23

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 24

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 25

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 26

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 27

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 28

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
the		•							
cup									
below									
the						•			
nozzle									
.									•

Segment 29

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	pull	the	trigger	to	spray	.
hold						
the		•				
cup						
below						
the						
nozzle						
.						•

Segment 4

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	pull	the	trigger	to	spray	.
hold						
the		•				
cup						
below						
the						
nozzle						
.						•

Segment 5

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	pull	the	trigger	to	spray	.
hold						
the		•				
cup						
below						
the						
nozzle						
.						•

Segment 6

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
grind									
holder									
below									
the							•		
nozzle									
.									•

Segment 51

P: 0.167
R: 0.158
Frag: 0.600
Score: 0.064

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
grind									
holder									
below									
the							•		
nozzle									
.									•

Segment 52

P:	0.167
R:	0.158
Frag:	0.600
Score:	0.064

	press	down	on	the	pump	.
hold						
the				•		
grind						
holder						
below						
the						
nozzle						
.						•

Segment 45

P: 0.111
R: 0.167
Frag: 0.600
Score: 0.062

	press	down	on	the	pump	.
hold						
the				•		
grind						
holder						
below						
the						
nozzle						
.						•

Segment 46

P: 0.111
R: 0.167
Frag: 0.600
Score: 0.062

	press	down	on	the	pump	.
hold						
the				•		
grind						
holder						
below						
the						
nozzle						
.						•

Segment 47

P: 0.111
R: 0.167
Frag: 0.600
Score: 0.062

	press	down	on	the	pump	.
hold						
the				•		
grind						
holder						
below						
the						
nozzle						
.						•

Segment 48

P: 0.111
R: 0.167
Frag: 0.600
Score: 0.062