Tugas ReactJS Lanjutan Pertemuan 2 (membuat fitur Update & Delete)
Fernando Adidya Marulitua Bong
Universitas Bhayangkara Jakarta Raya

Link Github Repository:

Tampilan hasil pembuatan fitur delete dan update:



Tampilan halaman Update


RJS-2024228: Tugas ReactJS La
Fullstack Web Developer - Goo
Edit Genre - Book Sales Admin
Daftar Author - Book Sales Ad
Tugas ReactJS Lanjutan Pertem
127.0.0.1:8000/admin/genres/1/edit
Chat
BookSales
Admin Dashboard
Genre
Author
Edit Genre
Perbarui informasi genre
Form Edit Genre
Nama Genre
Fantasy
Perbarui Genre
Kembali
Informasi
Genre Saat Ini:
Fantasy
Dibuat pada:
-
Diperbarui pada:
-
Type here to search
Prediksi keuntungan
ENG
19:07
30/04/2026


RJS-2024228: Tugas ReactJS La
Fullstack Web Developer - Goo
Edit Genre - Book Sales Admin
Daftar Author - Book Sales Ad
Tugas ReactJS Lanjutan Pertem
127.0.0.1:8000/admin/genres/1/edit
Chat
BookSales
Admin Dashboard
Genre
Author
Edit Genre
Perbarui informasi genre
Form Edit Genre
Nama Genre
comedy
Perbarui Genre
Kembali
Informasi
Genre Saat Ini:
Fantasy
Dibuat pada:
-
Diperbarui pada:
-
Type here to search
27°C Berawan
ENG
19:08
30/04/2026

Fitur Update berfungsi dengan baik



Fitur delete dengan pop up konfirmasi untuk menghapus



Genre Berhasil di Hapus



Tampilan halaman Author



Halaman update author berhasil tampil



Melakukan update nama author



Berhasil Update nama author



Untuk fitur delete sama seperti halaman genre, menampilkan pop up konfirmasi dan berhasil di delete



Berikut Source Code yang saya gunakan:

1. Routes (web.php) :

```php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\AuthorController;
use App\Http\Controllers\BookController;
use App\Http\Controllers\GenreController;
use App\Http\Controllers\AdminController;

Route::get('/', function () {
    return view('welcome');
});

// 🔹 Admin Routes
Route::prefix('admin')->group(function () {
    Route::get('/', [AdminController::class, 'dashboard'])->name('admin.dashboard');

    // Genre Routes
    Route::resource('genres', GenreController::class)->except(['show']);

    // Author Routes
    Route::resource('authors', AuthorController::class)->except(['show']);
});
```

2.1 Controllers (GenreController.php) :

```php
<?php

namespace App\Http\Controllers;

use App\Models\Genre;
use Illuminate\Http\Request;

class GenreController extends Controller
{
    public function index()
    {
        $genres = Genre::orderBy('created_at', 'desc')->paginate(10);
        return view('admin.genres.index', compact('genres'));
    }

    public function create()
    {
        return view('admin.genres.create');
    }

    public function store(Request $request)
    {
        $validated = $request->validate([
            'name' => 'required|string|min:2|max:100|unique:genres,name',
        ]);

        Genre::create($validated);

        return redirect()->route('genres.index')->with('success', 'Genre berhasil ditambahkan!');
    }

    public function edit(Genre $genre)
    {
        return view('admin.genres.edit', compact('genre'));
    }

    public function update(Request $request, Genre $genre)
    {
        $validated = $request->validate([
            'name' => 'required|string|min:2|max:100|unique:genres,name,' . $genre->id,
        ]);
```

```
        $genre->update($validated);

        return redirect()->route('genres.index')->with('success', 'Genre berhasil diperbarui!');
    }

    public function destroy(Genre $genre)
    {
        $genre->delete();
        return redirect()->route('genres.index')->with('success', 'Genre berhasil dihapus!');
    }
}
```

2.2 AuthorController.php :

```
<?php

namespace App\Http\Controllers;

use App\Models\Author;
use Illuminate\Http\Request;

class AuthorController extends Controller
{
    public function index()
    {
        $authors = Author::orderBy('created_at', 'desc')->paginate(10);
        return view('admin.authors.index', compact('authors'));
    }

    public function create()
    {
        return view('admin.authors.create');
    }

    public function store(Request $request)
    {
        $validated = $request->validate([
            'name' => 'required|string|min:2|max:100|unique:authors,name',
        ]);

        Author::create($validated);

        return redirect()->route('authors.index')->with('success', 'Author berhasil ditambahkan!');
```

```
    }

    public function edit(Author $author)
    {
        return view('admin.authors.edit', compact('author'));
    }

    public function update(Request $request, Author $author)
    {
        $validated = $request->validate([
            'name' => 'required|string|min:2|max:100|unique:authors,name,' . $author->id,
        ]);

        $author->update($validated);

        return redirect()->route('authors.index')->with('success', 'Author berhasil diperbarui!');
    }

    public function destroy(Author $author)
    {
        $author->delete();
        return redirect()->route('authors.index')->with('success', 'Author berhasil dihapus!');
    }
}
```

3.1 Models (Genre.php) :

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Genre extends Model
{
    use HasFactory;

    protected $fillable = ['name'];
}
```

3.2 Author.php :

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Author extends Model
{
    use HasFactory;

    protected $fillable = ['name'];
}
```

4.1 Migrations (2026_04_23_121331_create_genres_table.php) :

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        Schema::create('genres', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->timestamps();
        });
    }

    public function down(): void
    {
        Schema::dropIfExists('genres');
    }
};
```

4.2 2026_04_21_141539_create_authors_table.php :

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        Schema::create('authors', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->timestamps();
        });
    }

    public function down(): void
    {
        Schema::dropIfExists('authors');
    }
};
```

5. Seeders (GenreSeeder.php) :

```php
<?php

namespace Database\Seeders;

use Illuminate\Database\Seeder;
use App\Models\Genre;

use Illuminate\Support\Carbon\Carbon;

class GenreSeeder extends Seeder
{
    public function run(): void
    {
        $now = Carbon::now();
```

```
        Genre::insert([
            ['name' => 'Fiksi Ilmiah', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Fantasi', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Misteri Thriller', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Romantis', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Biografi', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Non-Fiksi', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Petualangan', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Horror', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Drama', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Komedi', 'created_at' => $now, 'updated_at' => $now],
        ]);
    }
}
```

5.2 AuthorSeeder.php :

```
<?php

namespace Database\Seeders;

use Illuminate\Database\Seeder;
use App\Models\Author;

use Illuminate\Support\Carbon\Carbon;

class AuthorSeeder extends Seeder
{
    public function run(): void
    {
        $now = Carbon::now();

        Author::insert([
            ['name' => 'J.K. Rowling', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'George R.R. Martin', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Haruki Murakami', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Paulo Coelho', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Agatha Christie', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Stephen King', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Ahmad Fuadi', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Habiburrahman El Shirazy', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Andrea Hirata', 'created_at' => $now, 'updated_at' => $now],
            ['name' => 'Leila S. Chudori', 'created_at' => $now, 'updated_at' => $now],
```

```
        ]);
    }
}
```

6. Views (Admin Genre) index.blade.php :

```
@extends('layouts.admin')

@section('title', 'Daftar Genre')

@section('content')
<div class="row mb-4">
    <div class="col-md-8">
        <h2><i class="bi bi-tag"></i> Manajemen Genre</h2>
        <p class="text-muted">Kelola kategori buku Anda dengan mudah</p>
    </div>
    <div class="col-md-4 text-end">
        <a href="{{ route('genres.create') }}" class="btn btn-primary">
            <i class="bi bi-plus-circle"></i> Tambah Genre
        </a>
    </div>
</div>

<div class="card">
    <div class="card-header">
        <h5 class="mb-0"><i class="bi bi-list-ul"></i> Daftar Genre</h5>
    </div>
    <div class="card-body">
        @if($genres->isEmpty())
            <div class="alert alert-info" role="alert">
                <i class="bi bi-info-circle"></i> Belum ada genre.
                <a href="{{ route('genres.create') }}">Tambah sekarang</a>
            </div>
        @else
            <div class="table-responsive">
                <table class="table table-hover">
                    <thead>
                        <tr>
                            <th width="5%">No</th>
                            <th>Nama Genre</th>
                            <th width="15%">Dibuat</th>
                            <th width="15%">Aksi</th>
                        </tr>
```

```
                </thead>
                <tbody>
                    @foreach($genres as $key => $genre)
                        <tr>
                            <td>{{ ($genres->currentPage() - 1) * $genres->perPage() + $key + 1
}}</td>
                            <td>
                                <span class="badge bg-primary badge-sm">{{ $genre->name }}</span>
                            </td>
                            <td>
                                <small class="text-muted">
                                    {{ optional($genre->created_at)->format('d M Y') ?? '-' }}
                                </small>
                            </td>
                            <td>
                                <a href="{{ route('genres.edit', $genre) }}" class="btn btn-warning
btn-sm">
                                    <i class="bi bi-pencil"></i> Edit
                                </a>
                                <form method="POST" action="{{ route('genres.destroy', $genre) }}"
style="display: inline;">
                                    @csrf
                                    @method('DELETE')
                                    <button type="submit" class="btn btn-danger btn-sm" onclick="return
confirm('Yakin ingin menghapus?')">
                                        <i class="bi bi-trash"></i> Hapus
                                    </button>
                                </form>
                            </td>
                        </tr>
                    @endforeach
                </tbody>
            </table>
        </div>

        <!-- Pagination -->
        <div class="d-flex justify-content-center mt-4">
            {{ $genres->links('pagination::bootstrap-5') }}
        </div>
    @endif
  </div>
</div>
@endsection
```

6.2 create.blade.php :

```
@extends('layouts.admin')

@section('title', 'Tambah Genre')

@section('content')
<div class="row mb-4">
   <div class="col-md-8">
      <h2><i class="bi bi-plus-circle"></i> Tambah Genre Baru</h2>
      <p class="text-muted">Tambahkan kategori buku baru ke sistem</p>
   </div>
</div>

<div class="row">
   <div class="col-md-8">
      <div class="card">
         <div class="card-header">
            <h5 class="mb-0"><i class="bi bi-form-check"></i> Form Input Genre</h5>
         </div>
         <div class="card-body">
            <form action="{{ route('genres.store') }}" method="POST">
               @csrf

               <div class="mb-3">
                  <label for="name" class="form-label">Nama Genre</label>
                  <input
                     type="text"
                     class="form-control @error('name') is-invalid @enderror"
                     id="name"
                     name="name"
                     placeholder="Contoh: Fiksi, Non-Fiksi, Misteri, dll"
                     value="{{ old('name') }}"
                     required
                  >
                  @error('name')
                     <div class="invalid-feedback">
                        {{ $message }}
                     </div>
                  @enderror
               </div>

               <div class="d-flex gap-2">
```

```
                <button type="submit" class="btn btn-primary">
                    <i class="bi bi-check-circle"></i> Simpan Genre
                </button>
                <a href="{{ route('genres.index') }}" class="btn btn-secondary">
                    <i class="bi bi-arrow-left"></i> Kembali
                </a>
            </div>
        </form>
    </div>
  </div>
</div>

<div class="col-md-4">
  <div class="card bg-light">
    <div class="card-header bg-info text-white">
      <h5 class="mb-0"><i class="bi bi-lightbulb"></i> Tips</h5>
    </div>
    <div class="card-body">
      <p class="small">
        <strong>Nama Genre harus:</strong>
      </p>
      <ul class="small">
        <li>Minimal 2 karakter</li>
        <li>Maksimal 100 karakter</li>
        <li>Unik (tidak ada yang sama)</li>
        <li>Deskriptif dan mudah dipahami</li>
      </ul>
      <p class="small mt-3">
        <strong>Contoh Genre yang baik:</strong><br>
        - Fiksi Ilmiah<br>
        - Misteri Thriller<br>
        - Romantis<br>
        - Biografi
      </p>
    </div>
  </div>
</div>
</div>
@endsection
```

6.3 edit.blade.php :

```
@extends('layouts.admin')

@section('title', 'Edit Genre')

@section('content')
<div class="row mb-4">
   <div class="col-md-8">
      <h2><i class="bi bi-pencil-square"></i> Edit Genre</h2>
      <p class="text-muted">Perbarui informasi genre</p>
   </div>
</div>

<div class="row">
   <div class="col-md-8">
      <div class="card">
         <div class="card-header">
            <h5 class="mb-0"><i class="bi bi-form-check"></i> Form Edit Genre</h5>
         </div>
         <div class="card-body">
            <form action="{{ route('genres.update', $genre) }}" method="POST">
               @csrf
               @method('PUT')

               <div class="mb-3">
                  <label for="name" class="form-label">Nama Genre</label>
                  <input
                     type="text"
                     class="form-control @error('name') is-invalid @enderror"
                     id="name"
                     name="name"
                     placeholder="Contoh: Fiksi, Non-Fiksi, Misteri, dll"
                     value="{{ old('name', $genre->name) }}"
                     required
                  >
                  @error('name')
                     <div class="invalid-feedback">
                        {{ $message }}
                     </div>
                  @enderror
               </div>

               <div class="d-flex gap-2">
```

```
                <button type="submit" class="btn btn-primary">
                    <i class="bi bi-check-circle"></i> Perbarui Genre
                </button>
                <a href="{{ route('genres.index') }}" class="btn btn-secondary">
                    <i class="bi bi-arrow-left"></i> Kembali
                </a>
            </div>
        </form>
    </div>
  </div>
</div>

<div class="col-md-4">
  <div class="card bg-light">
    <div class="card-header bg-info text-white">
      <h5 class="mb-0"><i class="bi bi-info-circle"></i> Informasi</h5>
    </div>
    <div class="card-body">
      <p class="small">
        <strong>Genre Saat Ini:</strong><br>
        <span class="badge bg-primary">{{ $genre->name }}</span>
      </p>
      <p class="small mt-3">
        <strong>Dibuat pada:</strong><br>
        {{ optional($genre->created_at)->format('d M Y H:i') ?? '-' }}
      </p>
      <p class="small mt-3">
        <strong>Diperbarui pada:</strong><br>
        {{ optional($genre->updated_at)->format('d M Y H:i') ?? '-' }}
      </p>
    </div>
  </div>
</div>
</div>
@endsection
```

7. Views (Admin Author) index.blade.php :

```
@extends('layouts.admin')

@section('title', 'Daftar Author')

@section('content')
<div class="row mb-4">
   <div class="col-md-8">
      <h2><i class="bi bi-person"></i> Manajemen Author</h2>
      <p class="text-muted">Kelola data penulis buku Anda</p>
   </div>
   <div class="col-md-4 text-end">
      <a href="{{ route('authors.create') }}" class="btn btn-primary">
         <i class="bi bi-plus-circle"></i> Tambah Author
      </a>
   </div>
</div>

<div class="card">
   <div class="card-header">
      <h5 class="mb-0"><i class="bi bi-list-ul"></i> Daftar Author</h5>
   </div>
   <div class="card-body">
      @if($authors->isEmpty())
         <div class="alert alert-info" role="alert">
            <i class="bi bi-info-circle"></i> Belum ada author.
            <a href="{{ route('authors.create') }}">Tambah sekarang</a>
         </div>
      @else
         <div class="table-responsive">
            <table class="table table-hover">
               <thead>
                  <tr>
                     <th width="5%">No</th>
                     <th>Nama Author</th>
                     <th width="15%">Dibuat</th>
                     <th width="15%">Aksi</th>
                  </tr>
               </thead>
               <tbody>
                  @foreach($authors as $key => $author)
                     <tr>
```

```
                        <td>{{ ($authors->currentPage() - 1) * $authors->perPage() + $key + 1
}}</td>
                        <td>
                            <span class="badge bg-success badge-sm">{{ $author->name }}</span>
                        </td>
                        <td>
                            <small class="text-muted">
                                {{ optional($author->created_at)->format('d M Y') ?? '-' }}
                            </small>
                        </td>
                        <td>
                            <a href="{{ route('authors.edit', $author) }}" class="btn btn-warning
btn-sm">
                                <i class="bi bi-pencil"></i> Edit
                            </a>
                            <form method="POST" action="{{ route('authors.destroy', $author) }}"
style="display: inline;">
                                @csrf
                                @method('DELETE')
                                <button type="submit" class="btn btn-danger btn-sm" onclick="return
confirm('Yakin ingin menghapus?')">
                                    <i class="bi bi-trash"></i> Hapus
                                </button>
                            </form>
                        </td>
                    </tr>
                @endforeach
            </tbody>
        </table>
    </div>

    <!-- Pagination -->
    <div class="d-flex justify-content-center mt-4">
        {{ $authors->links('pagination::bootstrap-5') }}
    </div>
  @endif
 </div>
</div>
@endsection
```

7.1 create.blade.php :

```
@extends('layouts.admin')

@section('title', 'Tambah Author')

@section('content')
<div class="row mb-4">
   <div class="col-md-8">
      <h2><i class="bi bi-plus-circle"></i> Tambah Author Baru</h2>
      <p class="text-muted">Tambahkan penulis baru ke sistem</p>
   </div>
</div>

<div class="row">
   <div class="col-md-8">
      <div class="card">
         <div class="card-header">
            <h5 class="mb-0"><i class="bi bi-form-check"></i> Form Input Author</h5>
         </div>
         <div class="card-body">
            <form action="{{ route('authors.store') }}" method="POST">
               @csrf

               <div class="mb-3">
                  <label for="name" class="form-label">Nama Author</label>
                  <input
                     type="text"
                     class="form-control @error('name') is-invalid @enderror"
                     id="name"
                     name="name"
                     placeholder="Contoh: Ahmad Fuadi, Habiburrahman El Shirazy, dll"
                     value="{{ old('name') }}"
                     required
                  >
                  @error('name')
                     <div class="invalid-feedback">
                        {{ $message }}
                     </div>
                  @enderror
               </div>

               <div class="d-flex gap-2">
                  <button type="submit" class="btn btn-primary">
```

```
                <i class="bi bi-check-circle"></i> Simpan Author
            </button>
            <a href="{{ route('authors.index') }}" class="btn btn-secondary">
                <i class="bi bi-arrow-left"></i> Kembali
            </a>
        </div>
    </form>
  </div>
 </div>
</div>

<div class="col-md-4">
 <div class="card bg-light">
  <div class="card-header bg-success text-white">
    <h5 class="mb-0"><i class="bi bi-lightbulb"></i> Tips</h5>
  </div>
  <div class="card-body">
    <p class="small">
      <strong>Nama Author harus:</strong>
    </p>
    <ul class="small">
      <li>Minimal 2 karakter</li>
      <li>Maksimal 100 karakter</li>
      <li>Unik (tidak ada yang sama)</li>
      <li>Nama lengkap penulis</li>
    </ul>
    <p class="small mt-3">
      <strong>Contoh nama yang baik:</strong><br>
      - J.K. Rowling<br>
      - Paulo Coelho<br>
      - Agatha Christie<br>
      - Stephen King
    </p>
  </div>
 </div>
</div>
</div>
@endsection
```

7.3 edit.blade.php :

```
@extends('layouts.admin')

@section('title', 'Edit Author')

@section('content')
<div class="row mb-4">
   <div class="col-md-8">
      <h2><i class="bi bi-pencil-square"></i> Edit Author</h2>
      <p class="text-muted">Perbarui informasi author</p>
   </div>
</div>

<div class="row">
   <div class="col-md-8">
      <div class="card">
         <div class="card-header">
            <h5 class="mb-0"><i class="bi bi-form-check"></i> Form Edit Author</h5>
         </div>
         <div class="card-body">
            <form action="{{ route('authors.update', $author) }}" method="POST">
               @csrf
               @method('PUT')

               <div class="mb-3">
                  <label for="name" class="form-label">Nama Author</label>
                  <input
                     type="text"
                     class="form-control @error('name') is-invalid @enderror"
                     id="name"
                     name="name"
                     placeholder="Contoh: Ahmad Fuadi, Habiburrahman El Shirazy, dll"
                     value="{{ old('name', $author->name) }}"
                     required
                  >
                  @error('name')
                     <div class="invalid-feedback">
                        {{ $message }}
                     </div>
                  @enderror
               </div>

               <div class="d-flex gap-2">
```

```
                <button type="submit" class="btn btn-primary">
                    <i class="bi bi-check-circle"></i> Perbarui Author
                </button>
                <a href="{{ route('authors.index') }}" class="btn btn-secondary">
                    <i class="bi bi-arrow-left"></i> Kembali
                </a>
            </div>
        </form>
    </div>
  </div>
</div>

<div class="col-md-4">
  <div class="card bg-light">
    <div class="card-header bg-success text-white">
      <h5 class="mb-0"><i class="bi bi-info-circle"></i> Informasi</h5>
    </div>
    <div class="card-body">
      <p class="small">
        <strong>Author Saat Ini:</strong><br>
        <span class="badge bg-success">{{ $author->name }}</span>
      </p>
      <p class="small mt-3">
        <strong>Dibuat pada:</strong><br>
        {{ optional($author->created_at)->format('d M Y H:i') ?? '-' }}
      </p>
      <p class="small mt-3">
        <strong>Diperbarui pada:</strong><br>
        {{ optional($author->updated_at)->format('d M Y H:i') ?? '-' }}
      </p>
    </div>
  </div>
</div>
</div>
@endsection
```

8. Layout Admin (Bagian Notifikasi) admin.blade.php :

```
@if(session('success'))
  <div class="alert alert-success alert-dismissible fade show" role="alert">
    <i class="bi bi-check-circle"></i> {{ session('success') }}
    <button type="button" class="btn-close" data-bs-dismiss="alert"
aria-label="Close"></button>
```

```
    </div>
@endif

@if(session('error'))
    <div class="alert alert-danger alert-dismissible fade show" role="alert">
        <i class="bi bi-exclamation-circle"></i> {{ session('error') }}
        <button type="button" class="btn-close" data-bs-dismiss="alert"
aria-label="Close"></button>
    </div>
@endif
```