

ReactJS Lanjutan Admin


Fernando Adidya Marulitua Bong

Universitas Bhayangkara Jakarta Raya

Github:

[Upload files · FernandoAdidyaMB/laravel-FernandoAdidyaMB](#)

tampilan:



Source Code:

GenreController

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\Genre;
```

```
use Illuminate\Http\Request;
```

```
class GenreController extends Controller
```

```
{
```

```
    public function index()
```

```
    {
```

```
        $genres = Genre::orderBy('created_at', 'desc')->paginate(10);
```

```
        return view('admin.genres.index', compact('genres'));
```

```
    }
```

```

public function create()
{
    return view('admin.genres.create');
}

public function store(Request $request)
{
    $validated = $request->validate([
        'name' => 'required|string|min:2|max:100|unique:genres,name',
    ]);

    Genre::create($validated);

    return redirect()->route('genres.index')->with('success', 'Genre berhasil ditambahkan!');
}

public function edit(Genre $genre)
{
    return view('admin.genres.edit', compact('genre'));
}

public function update(Request $request, Genre $genre)
{
    $validated = $request->validate([
        'name' => 'required|string|min:2|max:100|unique:genres,name,' . $genre->id,
    ]);

    $genre->update($validated);

    return redirect()->route('genres.index')->with('success', 'Genre berhasil diperbarui!');
}

public function destroy(Genre $genre)
{
    $genre->delete();
    return redirect()->route('genres.index')->with('success', 'Genre berhasil dihapus!');
}
}

```

Author Controller

```
<?php

namespace App\Http\Controllers;

use App\Models\Author;
use Illuminate\Http\Request;

class AuthorController extends Controller
{
    public function index()
    {
        $authors = Author::orderBy('created_at', 'desc')->paginate(10);
        return view('admin.authors.index', compact('authors'));
    }

    public function create()
    {
        return view('admin.authors.create');
    }

    public function store(Request $request)
    {
        $validated = $request->validate([
            'name' => 'required|string|min:2|max:100|unique:authors,name',
        ]);

        Author::create($validated);

        return redirect()->route('authors.index')->with('success', 'Author berhasil ditambahkan!');
    }

    public function edit(Author $author)
    {
        return view('admin.authors.edit', compact('author'));
    }

    public function update(Request $request, Author $author)
    {
        $validated = $request->validate([
            'name' => 'required|string|min:2|max:100|unique:authors,name,' . $author->id,
        ]);
    }
}
```

```

        $author->update($validated);

        return redirect()->route('authors.index')->with('success', 'Author berhasil diperbarui!');
    }

    public function destroy(Author $author)
    {
        $author->delete();
        return redirect()->route('authors.index')->with('success', 'Author berhasil dihapus!');
    }
}

```

AdminController

```
<?php
```

```
namespace App\Http\Controllers;
```

```

use App\Models\Genre;
use App\Models\Author;
use App\Models\Book;
use App\Models\Transaction;

```

```
class AdminController extends Controller
```

```

{
    public function dashboard()
    {
        $genreCount = Genre::count();
        $authorCount = Author::count();
        $bookCount = Book::count() ?? 0;
        $transactionCount = Transaction::count() ?? 0;

        return view('admin.dashboard', compact('genreCount', 'authorCount', 'bookCount',
'transactionCount'));
    }
}

```

Bagian 2: Routes

Web.php

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\AuthorController;
use App\Http\Controllers\BookController;
use App\Http\Controllers\GenreController;
use App\Http\Controllers\AdminController;

Route::get('/', function () {
    return view('welcome');
});

// ♦ Admin Routes
Route::prefix('admin')->group(function () {
    Route::get('/', [AdminController::class, 'dashboard'])->name('admin.dashboard');

    // Genre Routes
    Route::resource('genres', GenreController::class);

    // Author Routes
    Route::resource('authors', AuthorController::class);
});
```

Bagian : Layout

Admin.blade.php

```
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>@yield('title') - Book Sales Admin</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css">
<style>
    * {
        margin: 0;
        padding: 0;
        box-sizing: border-box;
    }

    body {
        background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
        min-height: 100vh;
        font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    }

    .sidebar {
        background: #2c3e50;
        min-height: 100vh;
        padding: 20px 0;
        position: fixed;
        width: 260px;
        left: 0;
        top: 0;
        overflow-y: auto;
    }

    .sidebar .nav-link {
        color: #ecf0f1;
        padding: 12px 25px;
        border-left: 4px solid transparent;
        transition: all 0.3s ease;
    }

    .sidebar .nav-link:hover,
    .sidebar .nav-link.active {
        background: rgba(255, 255, 255, 0.1);
        border-left-color: #667eea;
        color: #fff;
    }

    .sidebar .brand {
```

```
padding: 25px;
text-align: center;
border-bottom: 1px solid rgba(255, 255, 255, 0.1);
margin-bottom: 20px;
}

.sidebar .brand h5 {
  color: #667eea;
  font-weight: bold;
  margin-bottom: 5px;
}

.sidebar .brand p {
  color: #95a5a6;
  font-size: 12px;
}

.main-content {
  margin-left: 260px;
  padding: 30px;
}

.card {
  border: none;
  border-radius: 10px;
  box-shadow: 0 4px 15px rgba(0, 0, 0, 0.1);
  margin-bottom: 20px;
}

.card-header {
  background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
  color: white;
  border-radius: 10px 10px 0 0 !important;
  padding: 20px;
  border: none;
}

.btn-primary {
  background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
  border: none;
  border-radius: 8px;
  padding: 10px 20px;
  transition: all 0.3s ease;
}
```

```
.btn-primary:hover {  
    transform: translateY(-2px);  
    box-shadow: 0 6px 20px rgba(102, 126, 234, 0.4);  
}
```

```
.btn-sm {  
    border-radius: 6px;  
    padding: 6px 12px;  
    font-size: 12px;  
}
```

```
.table-responsive {  
    border-radius: 10px;  
    overflow: hidden;  
}
```

```
.table {  
    margin-bottom: 0;  
}
```

```
.table thead th {  
    background: #f8f9fa;  
    border-bottom: 2px solid #667eea;  
    font-weight: 600;  
    color: #2c3e50;  
}
```

```
.table tbody tr {  
    transition: all 0.3s ease;  
}
```

```
.table tbody tr:hover {  
    background: #f8f9ff;  
}
```

```
.alert {  
    border-radius: 8px;  
    border: none;  
}
```

```
.form-control, .form-select {  
    border-radius: 8px;  
    border: 1px solid #ddd;
```



```

padding: 12px;
}

.form-control:focus, .form-select:focus {
border-color: #667eea;
box-shadow: 0 0 0 0.2rem rgba(102, 126, 234, 0.25);
}

.form-label {
font-weight: 600;
color: #2c3e50;
margin-bottom: 8px;
}

.badge-sm {
padding: 5px 10px;
font-size: 11px;
}

@media (max-width: 768px) {
.sidebar {
width: 100%;
min-height: auto;
position: relative;
}

.main-content {
margin-left: 0;
}
}
</style>
</head>
<body>
<!-- Sidebar Navigation -->
<nav class="sidebar">
<div class="brand">
<h5><i class="bi bi-book"></i> BookSales</h5>
<p>Admin Dashboard</p>
</div>

<ul class="nav flex-column">
<li class="nav-item">
<a class="nav-link {{ request()->routeIs('genres.*') ? 'active' : '' }}" href="{{
route('genres.index') }}">

```

```

        <i class="bi bi-tag"></i> Genre
      </a>
    </li>
    <li class="nav-item">
      <a class="nav-link {{ request()->routeIs('authors.*') ? 'active' : '' }}" href="{{
route('authors.index') }}">
        <i class="bi bi-person"></i> Author
      </a>
    </li>
  </ul>
</nav>

<!-- Main Content -->
<div class="main-content">
  @if(session('success'))
    <div class="alert alert-success alert-dismissible fade show" role="alert">
      <i class="bi bi-check-circle"></i> {{ session('success') }}
      <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
    </div>
  @endif

  @if(session('error'))
    <div class="alert alert-danger alert-dismissible fade show" role="alert">
      <i class="bi bi-exclamation-circle"></i> {{ session('error') }}
      <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
    </div>
  @endif

  @yield('content')
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
  @yield('scripts')
</body>
</html>

```

Bagian 4: Views - Genre

Index.blade.php

```
@extends('layouts.admin')
```

```
@section('title', 'Daftar Genre')
```

```
@section('content')
```

```
<div class="row mb-4">
```

```
    <div class="col-md-8">
```

```
        <h2><i class="bi bi-tag"></i> Manajemen Genre</h2>
```

```
        <p class="text-muted">Kelola kategori buku Anda dengan mudah</p>
```

```
    </div>
```

```
    <div class="col-md-4 text-end">
```

```
        <a href="{{ route('genres.create') }}" class="btn btn-primary">
```

```
            <i class="bi bi-plus-circle"></i> Tambah Genre
```

```
        </a>
```

```
    </div>
```

```
</div>
```

```
<div class="card">
```

```
    <div class="card-header">
```

```
        <h5 class="mb-0"><i class="bi bi-list-ul"></i> Daftar Genre</h5>
```

```
    </div>
```

```
    <div class="card-body">
```

```
        @if($genres->isEmpty())
```

```
            <div class="alert alert-info" role="alert">
```

```
                <i class="bi bi-info-circle"></i> Belum ada genre.
```

```
                <a href="{{ route('genres.create') }}">Tambah sekarang</a>
```

```
            </div>
```

```
        @else
```

```
            <div class="table-responsive">
```

```
                <table class="table table-hover">
```

```
                    <thead>
```

```
                        <tr>
```

```
                            <th width="5%">No</th>
```

```
                            <th>Nama Genre</th>
```

```
                            <th width="15%">Dibuat</th>
```

```
                            <th width="15%">Aksi</th>
```

```
                        </tr>
```

```
                    </thead>
```

```
                    <tbody>
```

```

@foreach($genres as $key => $genre)
    <tr>
        <td>{{ ($genres->currentPage() - 1) * $genres->perPage() + $key + 1
}}</td>

        <td>
            <span class="badge bg-primary badge-sm">{{ $genre->name }}</span>
        </td>
        <td>
            <small class="text-muted">
                {{ $genre->created_at->format('d M Y') }}
            </small>
        </td>
        <td>
            <a href="{{ route('genres.edit', $genre) }}" class="btn btn-warning
btn-sm">
                <i class="bi bi-pencil"></i> Edit
            </a>
            <form method="POST" action="{{ route('genres.destroy', $genre) }}"
style="display: inline;">
                @csrf
                @method('DELETE')
                <button type="submit" class="btn btn-danger btn-sm" onclick="return
confirm('Yakin ingin menghapus?')">
                    <i class="bi bi-trash"></i> Hapus
                </button>
            </form>
        </td>
    </tr>
@endforeach
</tbody>
</table>
</div>

<!-- Pagination -->
<div class="d-flex justify-content-center mt-4">
    {{ $genres->links('pagination::bootstrap-5') }}
</div>
@endif
</div>
</div>
@endsection

```

Create.blade.php

@extends('layouts.admin')

@section('title', 'Tambah Genre')

@section('content')

<div class="row mb-4">

<div class="col-md-8">

<h2><i class="bi bi-plus-circle"></i> Tambah Genre Baru</h2>

<p class="text-muted">Tambahkan kategori buku baru ke sistem</p>

</div>

</div>

<div class="row">

<div class="col-md-8">

<div class="card">

<div class="card-header">

<h5 class="mb-0"><i class="bi bi-form-check"></i> Form Input Genre</h5>

</div>

<div class="card-body">

<form action="{{ route('genres.store') }}" method="POST">

@csrf

<div class="mb-3">

<label for="name" class="form-label">Nama Genre</label>

<input

type="text"

class="form-control @error('name') is-invalid @enderror"

id="name"

name="name"

placeholder="Contoh: Fiksi, Non-Fiksi, Misteri, dll"

value="{{ old('name') }}"

required

>

@error('name')

<div class="invalid-feedback">

{{ \$message }}

</div>

@enderror

</div>

<div class="d-flex gap-2">

```

        <button type="submit" class="btn btn-primary">
            <i class="bi bi-check-circle"></i> Simpan Genre
        </button>
        <a href="{{ route('genres.index') }}" class="btn btn-secondary">
            <i class="bi bi-arrow-left"></i> Kembali
        </a>
    </div>
</form>
</div>
</div>
</div>
</div>

<div class="col-md-4">
    <div class="card bg-light">
        <div class="card-header bg-info text-white">
            <h5 class="mb-0"><i class="bi bi-lightbulb"></i> Tips</h5>
        </div>
        <div class="card-body">
            <p class="small">
                <strong>Nama Genre harus:</strong>
            </p>
            <ul class="small">
                <li>Minimal 2 karakter</li>
                <li>Maksimal 100 karakter</li>
                <li>Unik (tidak ada yang sama)</li>
                <li>Deskriptif dan mudah dipahami</li>
            </ul>
            <p class="small mt-3">
                <strong>Contoh Genre yang baik:</strong><br>
                - Fiksi Ilmiah<br>
                - Misteri Thriller<br>
                - Romantis<br>
                - Biografi
            </p>
        </div>
    </div>
</div>
</div>
</div>
</div>
@endsection

```

Edit.blade.php

@extends('layouts.admin')

@section('title', 'Edit Genre')

@section('content')

<div class="row mb-4">

<div class="col-md-8">

<h2><i class="bi bi-pencil-square"></i> Edit Genre</h2>

<p class="text-muted">Perbarui informasi genre</p>

</div>

</div>

<div class="row">

<div class="col-md-8">

<div class="card">

<div class="card-header">

<h5 class="mb-0"><i class="bi bi-form-check"></i> Form Edit Genre</h5>

</div>

<div class="card-body">

<form action="{{ route('genres.update', \$genre) }}" method="POST">

@csrf

@method('PUT')

<div class="mb-3">

<label for="name" class="form-label">Nama Genre</label>

<input

type="text"

class="form-control @error('name') is-invalid @enderror"

id="name"

name="name"

placeholder="Contoh: Fiksi, Non-Fiksi, Misteri, dll"

value="{{ old('name', \$genre->name) }}"

required

>

@error('name')

<div class="invalid-feedback">

{{ \$message }}

</div>

@enderror

</div>

```

        <div class="d-flex gap-2">
            <button type="submit" class="btn btn-primary">
                <i class="bi bi-check-circle"></i> Perbarui Genre
            </button>
            <a href="{{ route('genres.index') }}" class="btn btn-secondary">
                <i class="bi bi-arrow-left"></i> Kembali
            </a>
        </div>
    </form>
</div>
</div>
</div>
</div>

<div class="col-md-4">
    <div class="card bg-light">
        <div class="card-header bg-info text-white">
            <h5 class="mb-0"><i class="bi bi-info-circle"></i> Informasi</h5>
        </div>
        <div class="card-body">
            <p class="small">
                <strong>Genre Saat Ini:</strong><br>
                <span class="badge bg-primary">{{ $genre->name }}</span>
            </p>
            <p class="small mt-3">
                <strong>Dibuat pada:</strong><br>
                {{ $genre->created_at->format('d M Y H:i') }}
            </p>
            <p class="small mt-3">
                <strong>Diperbarui pada:</strong><br>
                {{ $genre->updated_at->format('d M Y H:i') }}
            </p>
        </div>
    </div>
</div>
</div>
</div>
@endsection

```


Index.blade.php

@extends('layouts.admin')

@section('title', 'Daftar Author')

@section('content')

<div class="row mb-4">

<div class="col-md-8">

<h2><i class="bi bi-person"></i> Manajemen Author</h2>

<p class="text-muted">Kelola data penulis buku Anda</p>

</div>

<div class="col-md-4 text-end">

<i class="bi bi-plus-circle"></i> Tambah Author

</div>

</div>

<div class="card">

<div class="card-header">

<h5 class="mb-0"><i class="bi bi-list-ul"></i> Daftar Author</h5>

</div>

<div class="card-body">

@if(\$authors->isEmpty())

<div class="alert alert-info" role="alert">

<i class="bi bi-info-circle"></i> Belum ada author.

Tambah sekarang

</div>

@else

<div class="table-responsive">

<table class="table table-hover">

<thead>

<tr>

<th width="5%">No</th>

<th>Nama Author</th>

<th width="15%">Dibuat</th>

<th width="15%">Aksi</th>

</tr>

</thead>

<tbody>

@foreach(\$authors as \$key => \$author)

```

        <tr>
            <td>{{ ($authors->currentPage() - 1) * $authors->perPage() + $key + 1
        }}</td>

            <td>
                <span class="badge bg-success badge-sm">{{ $author->name
            }}</span>

            </td>
            <td>
                <small class="text-muted">
                    {{ $author->created_at->format('d M Y') }}
                </small>
            </td>
            <td>
                <a href="{{ route('authors.edit', $author) }}" class="btn btn-warning
            btn-sm">

                    <i class="bi bi-pencil"></i> Edit
                </a>
                <form method="POST" action="{{ route('authors.destroy', $author)
            }}" style="display: inline;">
                    @csrf
                    @method('DELETE')
                    <button type="submit" class="btn btn-danger btn-sm"
            onclick="return confirm('Yakin ingin menghapus?')">
                        <i class="bi bi-trash"></i> Hapus
                    </button>
                </form>
            </td>
        </tr>
    @endforeach
</tbody>
</table>
</div>

<!-- Pagination -->
<div class="d-flex justify-content-center mt-4">
    {{ $authors->links('pagination::bootstrap-5') }}
</div>
@endif
</div>
</div>
@endsection

```

Edit.blade.php

```
@extends('layouts.admin')
```

```
@section('title', 'Edit Author')
```

```
@section('content')
```

```
<div class="row mb-4">
```

```
    <div class="col-md-8">
```

```
        <h2><i class="bi bi-pencil-square"></i> Edit Author</h2>
```

```
        <p class="text-muted">Perbarui informasi author</p>
```

```
    </div>
```

```
</div>
```

```
<div class="row">
```

```
    <div class="col-md-8">
```

```
        <div class="card">
```

```
            <div class="card-header">
```

```
                <h5 class="mb-0"><i class="bi bi-form-check"></i> Form Edit Author</h5>
```

```
            </div>
```

```
            <div class="card-body">
```

```
                <form action="{{ route('authors.update', $author) }}" method="POST">
```

```
                    @csrf
```

```
                    @method('PUT')
```

```
                <div class="mb-3">
```

```
                    <label for="name" class="form-label">Nama Author</label>
```

```
                    <input
```

```
                        type="text"
```

```
                        class="form-control @error('name') is-invalid @enderror"
```

```
                        id="name"
```

```
                        name="name"
```

```
                        placeholder="Contoh: Ahmad Fuadi, Habiburrahman El Shirazy, dll"
```

```
                        value="{{ old('name', $author->name) }}"
```

```
                        required
```

```
                    >
```

```
                    @error('name')
```

```
                        <div class="invalid-feedback">
```

```
                            {{ $message }}
```

```
                        </div>
```

```
                    @enderror
```

```
                </div>
```

```

        <div class="d-flex gap-2">
            <button type="submit" class="btn btn-primary">
                <i class="bi bi-check-circle"></i> Perbarui Author
            </button>
            <a href="{{ route('authors.index') }}" class="btn btn-secondary">
                <i class="bi bi-arrow-left"></i> Kembali
            </a>
        </div>
    </form>
</div>
</div>
</div>
</div>

<div class="col-md-4">
    <div class="card bg-light">
        <div class="card-header bg-success text-white">
            <h5 class="mb-0"><i class="bi bi-info-circle"></i> Informasi</h5>
        </div>
        <div class="card-body">
            <p class="small">
                <strong>Author Saat Ini:</strong><br>
                <span class="badge bg-success">{{ $author->name }}</span>
            </p>
            <p class="small mt-3">
                <strong>Dibuat pada:</strong><br>
                {{ $author->created_at->format('d M Y H:i') }}
            </p>
            <p class="small mt-3">
                <strong>Diperbarui pada:</strong><br>
                {{ $author->updated_at->format('d M Y H:i') }}
            </p>
        </div>
    </div>
</div>
</div>
</div>
@endsection

```

```
@extends('layouts.admin')
```

```
@section('title', 'Dashboard Admin')
```

```
@section('content')
```

```
<div class="row mb-4">
```

```
  <div class="col-md-12">
```

```
    <h1><i class="bi bi-speedometer2"></i> Dashboard Admin</h1>
```

```
    <p class="text-muted">Selamat datang di panel administrasi BookSales</p>
```

```
  </div>
```

```
</div>
```

```
<div class="row">
```

```
  <!-- Genre Card -->
```

```
  <div class="col-md-6 col-lg-3">
```

```
    <div class="card text-center border-0 shadow-sm" style="background:
linear-gradient(135deg, #667eea 0%, #764ba2 100%); color: white;">
```

```
      <div class="card-body">
```

```
        <i class="bi bi-tag" style="font-size: 2.5rem; margin-bottom: 10px;"></i>
```

```
        <h5 class="card-title">Genre</h5>
```

```
        <p class="card-text" style="font-size: 1.5rem; font-weight: bold;">{{
$genreCount ?? 0 }}</p>
```

```
        <a href="{{ route('genres.index') }}" class="btn btn-light btn-sm">
          Kelola Genre
```

```
      </a>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
  <!-- Author Card -->
```

```
  <div class="col-md-6 col-lg-3">
```

```
    <div class="card text-center border-0 shadow-sm" style="background:
linear-gradient(135deg, #f093fb 0%, #f5576c 100%); color: white;">
```

```
      <div class="card-body">
```

```
        <i class="bi bi-person" style="font-size: 2.5rem; margin-bottom: 10px;"></i>
```

```
        <h5 class="card-title">Author</h5>
```

```
        <p class="card-text" style="font-size: 1.5rem; font-weight: bold;">{{
$authorCount ?? 0 }}</p>
```

```
        <a href="{{ route('authors.index') }}" class="btn btn-light btn-sm">
          Kelola Author
```

```
      </a>
```

```
    </div>
```

```
  </div>
```

</div>

<!-- Books Card -->

<div class="col-md-6 col-lg-3">

<div class="card text-center border-0 shadow-sm" style="background: linear-gradient(135deg, #4facfe 0%, #00f2fe 100%); color: white;">

<div class="card-body">

<i class="bi bi-book" style="font-size: 2.5rem; margin-bottom: 10px;"></i>

<h5 class="card-title">Buku</h5>

<p class="card-text" style="font-size: 1.5rem; font-weight: bold;">{{ \$bookCount ?? 0 }}</p>

Lihat Buku

</div>

</div>

</div>

<!-- Transactions Card -->

<div class="col-md-6 col-lg-3">

<div class="card text-center border-0 shadow-sm" style="background: linear-gradient(135deg, #43e97b 0%, #38f9d7 100%); color: white;">

<div class="card-body">

<i class="bi bi-cash-flow" style="font-size: 2.5rem; margin-bottom: 10px;"></i>

<h5 class="card-title">Transaksi</h5>

<p class="card-text" style="font-size: 1.5rem; font-weight: bold;">{{ \$transactionCount ?? 0 }}</p>

Lihat Transaksi

</div>

</div>

</div>

<!-- Quick Links Section -->

<div class="row mt-4">

<div class="col-12">

<div class="card">

<div class="card-header">

<h5 class="mb-0"><i class="bi bi-lightning"></i> Quick Actions</h5>

</div>

<div class="card-body">

<div class="row">

```

<div class="col-md-6 col-lg-3 mb-3">
  <a href="{{ route('genres.create') }}" class="btn btn-outline-primary
w-100">
    <i class="bi bi-plus"></i> Tambah Genre
  </a>
</div>
<div class="col-md-6 col-lg-3 mb-3">
  <a href="{{ route('authors.create') }}" class="btn btn-outline-danger
w-100">
    <i class="bi bi-plus"></i> Tambah Author
  </a>
</div>
<div class="col-md-6 col-lg-3 mb-3">
  <a href="#" class="btn btn-outline-success w-100">
    <i class="bi bi-plus"></i> Tambah Buku
  </a>
</div>
<div class="col-md-6 col-lg-3 mb-3">
  <a href="#" class="btn btn-outline-warning w-100">
    <i class="bi bi-plus"></i> Tambah Transaksi
  </a>
</div>
</div>
</div>
</div>
</div>
</div>
@endsection

```

Struktur file:

PROJECT ROOT

