
Modelo Entidad-Relación



Modelo Lógico

Modelo Logico			
PK Cedola N (N,N) Trombre N Edod S	Amigo-Bar Min Cedula N PMIN H-bar N Nomento IS	Direccion / n	Tel-bor U Telefion N
Telef-amig ((u,u	Por-cerve to	
PHEN Codula N Tela S	Amag-cervera (NIN	Corvera RK W-cerv N Norca N	
	PHIEN Id-ceru Gosto	Porc-alc N	

Crooks table Borl Crarte to ble Amigo (codda vordior(15) not null, K-bar nomber(4) not noll, nombre varchar (30) not noll, Dirección varchar (100) not null, Hombre varcher (40) notwell) constroint pk-bor-id primary vey (id-bor) Edad number (3), constant pK-Amgo-codula primary Key (codula) create table telefama (cedula vardor(5) not noll, tel-a number(8), create table Corneral constraint fx-tela foreign Key (cedule) references Ango (codule) Herry number (4) not noll, marca vardar(20) not noll, create table tel-bor porc-ole voichor (5) not will, 1d-bor number (4) not noll, constraint DK-cervezo-id primary Key (id-ceru) Telet-box number(8) not null, constroint fx tel-b foreign Key (id-bor) references Bor (id-bor) create toble Amigo-Bor (cedob vovelov (15) not noll, id bor number (4) not noll, constroint fx-codulo-ab foreign vey (cedula) references Amigo (cedula), constroint fx-id-ab foreign vey (id-bor) references Bor (id-bor), constraint PK-amig-bor primary Key (cedula, idbor)