

SPS Studio

User Manual

Structured Problem Solving Statistical Analysis Platform

Version 1.0

Sensata Technologies

Prepared by: Fernando de Jesus Jimenez

July 2026

About SPS Studio

Brief description of SPS Studio and its purpose.

Intended Audience

Quality Engineers, Black Belts, Process Engineers, Manufacturing Engineers, etc.


Main Capabilities

- Graphical Analysis
- Statistical Analysis
- Regression
- ANOVA
- DOE
- Control Charts
- Capability Studies
- Measurement System Analysis

Contents

Home Screen.....	4
Screen Elements	4
File Menu	6
Worksheet Menu	8
Graph Menu	9
Stat Menu.....	11
Worksheet Editor	13
SPS Graph Builder.....	14
Setup Tab	14
Graph Tab	16
Summary Tab	17
Debug Tab.....	18
Basic Statistics MODULE	19
Normality Test.....	19
Hypothesis Test	21
Regression MODULE.....	23
Multiple regression	25
ANOVA MODULE	27
One-way ANOVA	27
DOE MODULE.....	30
Factorial Desing	30
Control charts	32
Individual Charts.....	32
Quality Tools MODULE	34
Capability Study Builder.....	34
Gage R&R Study (Crossed).....	36

Home Screen



Home Screen

The main SPS Studio screen used to manage worksheets, access analysis modules, and review the project's Analysis Journal.

Screen Elements

1. Main Menu Bar

Provides access to SPS Studio functions, including file management, worksheets, graphing tools, statistical analysis, FTA tools, and help resources.

2. Home Button

Displays the project home page and the overall status of available SPS Studio modules.

3. Add Worksheet Button

Creates a new worksheet within the current project for data entry and analysis.

4. Rename Button

Changes the name of the selected worksheet.

5. Delete Button

Removes the selected worksheet from the project.

6. Worksheet List

Displays all worksheets available in the project and allows selection of the active worksheet.


7. Analysis Journal

Displays saved analyses within the project. Users can open, rename, or delete previously created analyses.

Typical Use

1. Create a new worksheet using **Add Worksheet**.
2. Select the worksheet from the **Worksheet List**.
3. Enter or import the required data.
4. Access analysis tools from the **Main Menu Bar**.
5. Review and manage saved results in the **Analysis Journal**.

File Menu



Provides access to project management functions, including creating, opening, saving, and closing SPS Studio projects.

Screen Elements

1. New Project

Creates a new SPS Studio project and initializes a new workspace.

2. Open Project

Opens an existing SPS Studio project file for editing or analysis.

3. Save Project

Saves all changes made to the current project.

4. Save Project As

Creates a copy of the current project with a new name or location.

5. Exit


Closes SPS Studio and exits the application.

Typical Use

1. Select **New Project** to start a new analysis or **Open Project** to continue an existing one.
2. Create or modify worksheets and analyses as needed.

3. Save progress using **Save Project**.
4. Use **Save Project As** when creating a new version of the project.
5. Select **Exit** to close the application when work is complete.

Worksheet Menu



Provides worksheet management functions for creating, renaming, and deleting worksheets within the current SPS Studio project.

Screen Elements

1. Add Worksheet

Creates a new worksheet for data entry, analysis, or calculations.

2. Rename Worksheet

Changes the name of the selected worksheet to improve organization and identification.


3. Delete Worksheet

Permanently removes the selected worksheet from the project.

Typical Use

1. Open the **Worksheet** menu.
2. Select **Add Worksheet** to create a new worksheet.
3. Enter or import data into the worksheet.
4. Use **Rename Worksheet** to assign a meaningful name.
5. Use **Delete Worksheet** to remove worksheets that are no longer needed.

Graph Menu



Provides access to graphing and data visualization tools used to explore, analyze, and present data within SPS Studio.

Screen Elements

1. Distribution / Exploratory

Opens charts used to examine data distribution, variation, and overall patterns.

2. Relationship

Provides graphing tools to analyze relationships and correlations between variables.

3. Comparison

Displays charts designed to compare values, groups, or categories.

4. Categorical / Others

Provides visualization options for categorical data and additional specialized chart types.

5. Time Based

Opens charts used to analyze data trends and changes over time.


6. Advanced

Provides access to advanced graphing and visualization tools for more complex analyses.

Typical Use

1. Select the **Graph** menu.
2. Choose the graph category that matches the analysis objective.
3. Select the desired chart type from the submenu.
4. Configure the required data and chart settings.
5. Generate and review the graph results.

Stat Menu



Provides access to statistical analysis tools used to evaluate data, identify relationships, assess process performance, and support decision-making.

Screen Elements

1. Basic Statistics

Provides statistical tools for summarizing, describing, and testing data.

2. Regression

Provides regression analysis tools to evaluate relationships between variables and develop predictive models.

3. ANOVA

Provides Analysis of Variance tools to compare means across multiple groups and determine statistical significance.

4. DOE

Provides Design of Experiments (DOE) tools to plan, execute, and analyze experimental studies.

5. Control Charts

Provides statistical process control charts for monitoring process stability and performance over time.

6. Quality Tools

Provides quality analysis tools such as capability studies and measurement system analysis.


7. Tables

Generates statistical tables and data summaries for reporting and analysis purposes.

Typical Use

1. Select the **Stat** menu.
2. Choose the statistical category that fits the analysis objective.
3. Select the desired analysis tool from the submenu.
4. Configure the required data and analysis parameters.
5. Run the analysis and review the results.

Worksheet Editor



The Worksheet Editor is the primary data entry and management screen in SPS Studio. It allows users to create, organize, and edit data that will be used in statistical analyses and graphical tools.

Screen Elements

1. Column Headers

Define the variables in the worksheet. Each column represents a data field and can be renamed to match the data being analyzed.

2. Data Grid

Displays worksheet data in a spreadsheet-style format. Users can enter, edit, copy, paste, and review data records.

3. Worksheet Controls

Provides options to add rows, add columns, or clear worksheet contents to adjust the worksheet structure as needed.


Typical Use

1. Create or open a worksheet.
2. Define variables using the column headers.
3. Enter or paste data into the data grid.
4. Add rows or columns as required.
5. Use the worksheet data as input for graphs and statistical analyses.

SPS Graph Builder

The SPS Graph Builder is used to configure, customize, and generate graphs from worksheet data. It provides options for graph selection, variable assignment, visualization settings, and graph creation.

Setup Tab



Graph Builder

SPS Graph Builder

1. Choose Graph

Graph Family: Distribution / Exploratory

Graph Type: Histogram

Histogram Scatterplot Boxplot Time Series Plot

2. Variables

Data arrangement: One Y - Simple

Y / Response

Chart Title: Histogram

Refresh Variables

3. Options

Show grid
Show mean
Show median
Auto conclusions
Auto journal save

Bins: 10

Palette: SPS Blue

4. Run

Create Graph

Create Graph auto-saves or updates the same Analysis Journal entry when enabled.

Screen Elements

1. Graph Builder Navigation

Provides access to the Graph Builder tabs, including Setup, Graph, Summary, and Debug.

2. Choose Graph

Allows users to select a graph family and graph type for the desired analysis and visualization.

3. Variables

Defines the data arrangement, assigns worksheet variables to the graph, and specifies the chart title.

4. Options

Provides customization settings such as grid display, statistical reference lines, automatic conclusions, journal saving, color palette, and graph-specific parameters.


5. Run

Executes the graph generation process and creates the selected visualization using the configured settings.

Typical Use

1. Select a graph family and graph type in **Choose Graph**.
2. Assign the required worksheet variables in **Variables**.
3. Configure visualization settings in **Options**.
4. Review the chart title and graph parameters.
5. Click **Create Graph** to generate and save the graph.

Graph Tab



The Graph tab displays the generated visualization and provides options to export, copy, or regenerate the graph using the current configuration.

Screen Elements

1. Export Figure

Exports the displayed graph as an image file for reporting, presentations, or documentation purposes.

2. Copy Graph

Copies the displayed graph to the clipboard for quick insertion into documents, spreadsheets, or presentations.


3. Re-run

Regenerates the graph using the current settings and data, updating the visualization if changes have been made.

Typical Use

1. Generate a graph from the **Setup** tab.
2. Review the graph in the **Graph** tab.
3. Verify that the visualization meets the analysis requirements.
4. Use **Re-run** if data or settings have changed.
5. Export or copy the graph for use in reports and presentations.

Summary Tab



The Summary tab displays the automatically generated interpretation and key findings for the selected graph. It provides a concise overview that can be copied for reporting and documentation purposes.

Screen Elements


1. Copy Summary

Copies the generated graph summary to the clipboard for easy inclusion in reports, presentations, or analysis documents.

Typical Use

1. Generate a graph in the **Setup** tab.
2. Review the graph in the **Graph** tab.
3. Open the **Summary** tab to view the generated interpretation.
4. Verify that the summary reflects the analysis results.
5. Click **Copy Summary** to paste the text into a report or presentation.

Debug Tab



The Debug tab provides diagnostic information about the Graph Builder environment, worksheet connection status, and data availability. It is primarily used for troubleshooting and validating graph generation requirements.

Screen Elements

1. Refresh Debug

Updates the diagnostic information and performs a new status check of the worksheet connection and Graph Builder components.

2. Clear Debug

Removes the current debug messages from the log window to simplify troubleshooting and review of new diagnostic events.

3. Debug Log

Displays system messages, connection status, worksheet information, data validation results, and error or warning messages related to graph generation.


Typical Use

1. Open the **Debug** tab when a graph does not generate as expected.

2. Click **Refresh Debug** to update system diagnostics.
3. Review the **Debug Log** for warnings, errors, or connection issues.
4. Correct any identified worksheet or data problems.
5. Re-run the graph and verify that the debug messages indicate a successful operation.

Basic Statistics MODULE

Normality Test



Normality Test

Shapiro-Wilk · Kolmogorov-Smirnov · Anderson-Darling · D'Agostino-Pearson — single or multiple samples.

1. Analysis Mode

Analysis mode

1 Sample — Single variable

Single variable: test one column for normality.
Multiple variables: compare 2 or more columns side by side.

2. Variables

Variable (Y)

Refresh Variables

3. Options

Significance level (α) 0.05

☐ Auto journal save

☐ Show charts (Histogram + Q-Q)

Tests applied per sample:

- Shapiro-Wilk ($n \leq 5000$)
- Kolmogorov-Smirnov
- Anderson-Darling
- D'Agostino-Pearson ($n \geq 8$)

4. Run

Run Normality Test

Export Summary

Run auto-saves or updates the same Analysis Journal entry when enabled.

Debug Worksheet Connection

The Normality Test Setup tab is used to configure and execute normality analyses on one or multiple variables. It supports several normality tests and provides options for visualization and result reporting.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Results**, **Summary**, and **Debug** tabs.

2. Analysis Mode

Allows users to define the analysis type, including testing a single variable or multiple variables simultaneously within the same analysis.

3. Variables

Allows users to select the worksheet variable(s) to be evaluated for normality and refresh the list of available variables.

4. Options

Provides analysis settings such as significance level (α), automatic journal saving, and display of supporting charts including Histograms and Q-Q Plots.

5. Run

Executes the normality test and provides access to result generation and summary export functions.

Typical Use

1. Select the desired analysis mode.
2. Choose one or multiple variables to evaluate in the same analysis.
3. Configure the significance level and optional chart settings.
4. Click **Run Normality Test** to execute the analysis.
5. Review the results and export the summary if needed.

Hypothesis Test

The Hypothesis Test Builder Setup tab is used to configure and execute hypothesis tests for means and proportions. Depending on the selected analysis, SPS Studio supports **1-Sample t**, **2-Sample t**, **Paired t**, and **Proportions** tests. Optional normality and variance tests can be run automatically as part of the analysis.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Step-by-Step**, **Graphs**, **Summary**, and **Debug** tabs.

2. Variables

Allows users to select the required worksheet variables and enter comparison values based on the selected hypothesis test.

3. Analysis Options

Defines test parameters such as significance levels (α), alternative hypotheses, decimal precision, and other analysis-specific settings.

4. Test Selection Options

Allows users to select which analyses to perform. Depending on the enabled options, SPS Studio can automatically run **Normality Tests**, **Variance Tests**, and the selected **Hypothesis Test** as part of the same workflow.

5. Run


Executes the configured analysis and generates the statistical results, graphs, and summary outputs.

Typical Use

1. Select the desired hypothesis test type (1-Sample t, 2-Sample t, Paired t, or Proportions).
2. Choose the required variable(s) and enter any comparison values.
3. Configure the significance level and alternative hypothesis settings.
4. Enable optional Normality and Variance Tests if required.
5. Click **Run Hypothesis Test** to execute the analysis and review the results.

Regression MODULE

Simple Regression Builder



The Simple Regression Builder Setup tab is used to configure and run regression models that evaluate the relationship between a predictor variable (X) and a response variable (Y). SPS Studio can automatically identify the best-fitting model or allow users to select a specific model manually.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Numerical Results**, **Relationship Graph**, **Residual Analysis**, **Summary**, and **Debug** tabs.

2. Variables

Allows users to select the **Response (Y)** variable and the **Predictor (X)** variable used in the regression analysis.

3. Options

Provides configuration settings such as significance level (α), decimal precision, grid display, journal saving, and available regression models.

4. Model Selection

Determines which regression model is evaluated. By default, **Linear** is selected. Users can manually select **Linear**, **Quadratic**, or **Cubic** models, or enable **Auto Model Selection** to allow SPS Studio to automatically identify the best-fitting model based on the data.


5. Run

Refreshes available worksheet variables and executes the regression analysis using the selected settings.

Typical Use

1. Select the response variable (Y) and predictor variable (X).
2. Configure analysis options such as significance level and reporting preferences.
3. Choose a specific regression model or enable **Auto Model Selection**.
4. Allow SPS Studio to evaluate the best-fitting model automatically, or use the manually selected model (default: Linear).
5. Click **Run Simple Regression** to generate the analysis results and diagnostic outputs.

Multiple regression



The Multiple Regression Builder Setup tab is used to evaluate the relationship between one response variable (Y) and two or more predictor variables (X). It generates model fit statistics, predictor coefficients, multicollinearity metrics, and residual diagnostics.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Numerical Results**, **Graphs**, **Prediction & Optimization**, **Residual Analysis**, **Summary**, and **Debug** tabs.

2. Variables

Allows users to select one numeric **Response (Y)** variable and two or more numeric **Predictor (X)** variables for the regression model.

3. Options

Provides analysis settings such as significance level (α), decimal precision, grid display, and automatic journal saving.

4. Run

Refreshes available worksheet variables and executes the multiple regression analysis using the selected variables and settings.

Typical Use

1. Select the numeric **Response (Y)** variable.
2. Select two or more numeric **Predictor (X)** variables.

3. Configure analysis options such as significance level and reporting preferences.
4. Refresh the variable list if worksheet data has been updated.
5. Click **Run Multiple Regression** to generate the regression model, diagnostics, and prediction outputs.

ANOVA MODULE

One-way ANOVA

The ANOVA Analysis Builder Setup tab is used to compare group means and determine whether statistically significant differences exist between groups. It supports both long and wide data formats and can automatically perform supporting statistical tests.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Numerical Results**, **Graphs**, **Residual Analysis**, **Summary**, and **Debug** tabs.

2. Data Structure

Allows users to define the dataset format and select the required variables for the ANOVA analysis. Users can choose either:

- **Long Format:** Response variable and factor variable.
- **Wide Format:** Multiple response columns, where each column represents a group.

3. Analysis Options

Provides configuration settings such as significance levels for normality, standard deviation, and means tests, as well as decimal precision and reporting preferences.

4. Automatic Statistical Tests

Allows users to enable supporting analyses that can be executed automatically as part of the ANOVA workflow, including:

- **Normality Tests**
- **Standard Deviation Tests**
- **Means Tests**
- Grid display and automatic journal saving options

When enabled, SPS Studio automatically runs the selected tests before or alongside the ANOVA analysis.

5. Run

Refreshes available worksheet variables and executes the ANOVA analysis using the selected data structure and analysis settings.

Typical Use

1. Select the appropriate data structure (Long Format or Wide Format).
2. Choose the response and grouping variables, or select the group columns.
3. Configure significance levels and reporting options.
4. Enable automatic Normality, Standard Deviation, and Means Tests if required.
5. Click **Run ANOVA Analysis** to generate the statistical results and supporting outputs.

DOE MODULE

Factorial Desing

The Factorial DOE Builder Setup tab is used to configure and run Factorial Design of Experiments (DOE) analyses. It helps identify the effects of multiple factors and their interactions on a response variable.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Design Matrix**, **Numerical Results**, **Graphs**, **Interaction Plots**, **Cube Plot**, **Residual Analysis**, **Optimization**, **Advanced DOE**, **Summary**, and **Debug** tabs.

2. Variables

Allows users to select the **Response (Y)** variable and the factors to be included in the experimental design.

3. DOE Options

Provides configuration settings for the experimental design, including:

- DOE type
- Significance level (α)
- Decimal precision
- Maximum interaction order

- Interaction inclusion
- Coded units
- Center point detection
- Automatic journal saving
- Fractional factorial generators

4. Run

Refreshes available worksheet variables and executes the DOE analysis using the selected factors and DOE settings.

Typical Use

1. Select the response variable (Y).
2. Select the factors to be included in the experiment.
3. Configure the DOE type and analysis options.
4. Define interaction settings, coding options, and advanced DOE parameters as needed.
5. Click **Run Factorial DOE** to generate the design analysis, interaction effects, and optimization results.

Control charts

Individual Charts

The screenshot shows the 'Control Charts Builder' window with the 'Setup' tab selected. The window has a top navigation bar with tabs: Setup, Graphs, Results, Summary, and Debug. The main area is divided into four sections:

- 1. Variables:** Contains a 'Measurement Y' text field and a 'Stage column' dropdown menu set to '(None)'.
- 2. Chart Options:** Contains a 'Decimals' dropdown set to '4', checkboxes for 'I Chart' (selected), 'MR Chart', 'Show grid', 'Show 1 sigma zone lines', and 'Show 2 sigma zone lines'. It also has a text field for 'Extra sigma limits' with the placeholder 'Optional extra sigma limits, e.g. 4, 4.5, 5' and an 'Auto journal save' checkbox.
- 3. I Chart Tests:** Contains a list of control tests with checkboxes and numerical values in dropdowns:
 - ☒ 1 point > K standard deviations from center line (dropdown: 3)
 - ☐ K points in a row on same side of center line (dropdown: 9)
 - ☐ K points in a row, all increasing or all decreasing (dropdown: 6)
 - ☐ K points in a row, alternating up and down (dropdown: 14)
 - ☐ K out of K+1 points > 2 standard deviations from center line (same side) (dropdown: 2)
 - ☐ K out of K+1 points > 1 standard deviation from center line (same side) (dropdown: 4)
 - ☐ K points in a row within 1 standard deviation from center line (either side) (dropdown: 15)
 - ☐ K points in a row > 1 standard deviation from center line (either side) (dropdown: 8)
- 4. Run:** Contains a 'Refresh Columns' button and a 'Run Control Chart' button.

The Control Charts Builder Setup tab is used to create Individual (I) and Moving Range (MR) control charts for monitoring process stability and detecting special-cause variation over time.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Graphs**, **Results**, **Summary**, and **Debug** tabs.

2. Variables

Allows users to select the measurement variable and an optional stage column for phase-based control chart analysis.

3. Chart Options

Provides configuration settings such as decimal precision, chart display options, sigma zone limits, grid display, and automatic journal saving.

4. Chart Selection and Display Options

Allows users to select the chart types to generate, including:

- **I Chart**
- **MR Chart**
- Sigma zone lines
- Additional sigma limits

These settings control the appearance and statistical limits displayed on the charts.

5. Control Test Configuration

Allows users to enable and configure control chart rules used to detect out-of-control conditions and non-random process behavior for both I Charts and MR Charts.

6. Run

Refreshes available worksheet variables and generates the selected control charts using the configured rules and display options.

Typical Use

1. Select the measurement variable and optional stage column.
2. Choose the chart types to generate (I Chart, MR Chart, or both).
3. Configure chart display settings and sigma limit options.
4. Enable the desired control tests and rule parameters.
5. Click **Run Control Chart** to generate the charts and evaluate process stability.

Quality Tools MODULE

Capability Study Builder

The Capability Study Builder Setup tab is used to evaluate process capability by comparing process performance against specification limits. It supports different subgrouping methods and calculates capability metrics such as Cp, Cpk, Pp, and Ppk.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Results**, **Graphs**, **Summary**, and **Debug** tabs.

2. Variables and Specification Limits

Allows users to define the measurement data, subgroup structure, and specification limits required for the capability analysis. Users can configure:

- Measurement column
- Data arrangement format
- Subgrouping method and size
- Subgroup ID column

- Lower Specification Limit (LSL)
- Upper Specification Limit (USL)
- Target value
- Decimal precision

3. Analysis Options

Provides capability analysis and reporting settings, including:

- Report title
- Capability tolerance factor ($K \times \sigma$)
- Within and Overall capability analysis
- Output format (Percent, PPM, Capability Statistics, or Benchmark Z)
- Confidence intervals
- Auto journal save

4. Run Capability Analysis

Allows users to refresh worksheet variables and execute the capability study using the configured data, specification limits, subgroup settings, and reporting options.

Typical Use

1. Select the measurement column containing the process data.
2. Define the subgroup structure and enter the applicable specification limits (LSL and/or USL).
3. Configure capability reporting options and select the desired outputs.
4. Choose the appropriate standard deviation estimation method based on the subgroup structure.
5. Click **Run Capability Analysis** to generate capability indices, graphical outputs, and performance summaries.

Gage R&R Study (Crossed)

Gage R&R Study (Crossed)
Analyze repeatability, reproducibility, part-to-part variation and ndc.

1. Variables

Part column

Operator column

Measurement column

2. Options

Method: ANOVA

Decimal places: 2

☐ Use specification limits

LSL: 0.000000

USL: 0.000000

Alpha for interaction: 0.050

Study variation multiplier: 6.00

☒ Auto journal save

3. Run

Run Gage R&R Study

Required structure: balanced crossed design with Part, Operator and Measurement columns.

The Gage R&R Study (Crossed) Setup tab is used to evaluate a measurement system by analyzing **Repeatability**, **Reproducibility**, **Part-to-Part Variation**, and **Number of Distinct Categories (NDC)** using a crossed study design.

Screen Elements

1. Analysis Navigation Tabs

Uses the same navigation structure described in the **Graph Builder** screen, providing access to the **Setup**, **Results**, **Graphs**, **Summary**, and **Debug** tabs.

2. Variables

Allows users to define the required dataset columns for the Gage R&R study:

- **Part Column** – Identifies the parts being measured.
- **Operator Column** – Identifies the operators performing the measurements.
- **Measurement Column** – Contains the measurement values used in the analysis.

3. Options

Provides configuration settings for the study, including:

- Analysis method

- Decimal precision
- Specification limits (LSL and USL)
- Interaction significance level (α)
- Study variation multiplier
- Automatic journal saving

4. Run

Executes the Gage R&R study using the selected variables and analysis settings, generating measurement system evaluation results.

Typical Use

1. Select the **Part**, **Operator**, and **Measurement** columns.
2. Choose the desired analysis method and reporting settings.
3. Optionally define specification limits and study variation parameters.
4. Verify that the dataset follows a balanced crossed design structure.
5. Click **Run Gage R&R Study** to generate measurement system performance results and supporting graphs.