



Programación de base de datos

Avance 3.

Estudiante:

Carlos Andrés Cruz Calvo

Luis Fernando Solano Montoya


Profesor:

Ing. Luis Alberto Monge Fuentes


Universidad Cenfotec

II Cuatrimestre – 2023

Diseño de base de datos: Modelo lógico



Modelo entidad-relación



Diccionario de datos

Design Name	Transmideo
Version Date	15.08.2023 01:36:21
Version Comment	
Model Name	Relational_1

Table Name	account_status
Functional Name	account_status
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para conocer el estado de un cliente.
Notes	Ejemplos: Activo o Inactivo

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	status			Y	VARCHAR (10)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber el estado del cliente.	Ejemplos: 1,2,3
2	status	Nombre del estado del cliente.	Ejemplos: Activo o Inactivo

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
account_status_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
client_account_status_FK	client	Y	Y		account_status_id	id	

Table Name	account_type
Functional Name	account_type
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para conocer el tipo de cuenta que se utiliza.
Notes	Ejemplos: Individual o Pareja

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	type			Y	VARCHAR (15)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber el tipo de cuenta por la que paga el cliente.	Ejemplos: 1,2,3
2	type	Nombre del tipo de cuenta que se está utilizando.	Ejemplos: Individual y Pareja

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
account_type_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
client_account_type_FK	client	Y	Y		account_type_id	id	

Table Name	artist
Functional Name	artist
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa el artista.
Notes	Ejemplos: Leo DiCaprio, Robert De Niro

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				
3	last_name			Y	VARCHAR (20)	LT				
4	birth			Y	Date	LT				
5	country_id		F	Y	Integer	LT				
6	gender_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
4	birth	Representa el año de nacimiento del artista.	Ejemplos: 16/11/75 o 06/01/94
5	country_id	Llave foránea que representa el país del artista.	Ejemplos: 1,2,3 representando los países.
6	gender_id	Llave foránea que representa el sexo del artista.	Ejemplos: 1,2
1	id	Llave primaria del artista, representa un número único para identificarlo	Ejemplos: 1,2,3
3	last_name	Representa el apellido del artista.	Ejemplos: DiCaprio o De Niro
2	name	Representa el nombre del artista.	Ejemplos: Leonardo o Robert

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
artist_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
artist_gender_FK	gender	Y	Y		gender_id	id	
artist_country_FK	country	Y	Y		country_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_doc_artist_FK	cast_documentary	Y	Y		artist_id	id	
cast_movie_artist_FK	cast_movie	Y	Y		artist_id	id	
cast_serie_artist_FK	cast_serie	Y	Y		artist_id	id	

Table Name	based
Functional Name	based
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para conocer que está basado una docuserie, macroserie y saga.
Notes	Ejemplos: Cuento, Novela

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber de lo que está basada un saga, docuserie o macroserie	Ejemplos: 1 representa a novela y 2 representa a cuento
2	name	Representa el nombre en lo que está basada.	Ejemplos: Novela, Cuento

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
based_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
docuserie_based_FK	docuserie	Y	Y		based_id	id	
macroserie_based_FK	macroserie	Y	Y		based_id	id	
saga_based_FK	saga	Y	Y		based_id	id	

Table Name	cast_documentary
Functional Name	cast_documentary
Abbreviation	cast_doc
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de documentales con el reparto
Notes	Ejemplos: Planet Earth con Leonardo DiCaprio, Blackfish con Robert De Niro

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	artist_id		F	Y	Integer	LT				
3	documentary_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	artist_id	Llave foránea que representa el artista que se va a relacionar con el documental.	Ejemplos: 1,2,3
3	documentary_id	Llave foránea que representa el documental.	Ejemplos: 1,2,3
1	id	Llave primaria del reparto y el documental, representa un número único para identificarla	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cast_documentary_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_doc_artist_FK	artist	Y	Y		artist_id	id	
cast_doc_doc_FK	documentary	Y	Y		documentary_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_doc_role_cast_doc_FK	cast_documentary_role	Y	Y		cast_documentary_id	id	

Table Name	cast_documentary_role
Functional Name	cast_documentary_role
Abbreviation	cast_doc_role
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de documentales, reparto y role
Notes	Ejemplos: Planet Earth con Leonardo DiCaprio como director y actor, Blackfish con Robert De Niro como actor

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	cast_documentary_id	P	F	Y	Integer	LT				
2	role_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	cast_documentary_id	Llave primaria del reparto, documental y role, representa un número único para identificarla	Ejemplos: 1,2,3 representando el id del reparto y documental.
2	role_id	Llave primaria del reparto, documental y role, representa un número único para identificarla	Ejemplos: 1,2,3 representando el role

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cast_documentary_role_PK	PK				role_id	ASC
					cast_documentary_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_doc_role_cast_doc_FK	cast_documentary	Y	Y		cast_documentary_id	id	
cast_doc_role_role_FK	role	Y	Y		role_id	id	

Table Name	cast_movie
Functional Name	cast_movie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de películas con el reparto
Notes	Ejemplos: Titanic con Leonardo DiCaprio, Avatar con Robert De Niro

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	artist_id		F	Y	Integer	LT				
3	movie_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	artist_id	Llave foránea que representa el artista que se va a relacionar con la película.	Ejemplos: 1,2,3
1	id	Llave primaria del reparto y la película, representa un número único para identificarla	Ejemplos: 1,2,3
3	movie_id	Llave foránea que representa la película.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cast_movie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_movie_artist_FK	artist	Y	Y		artist_id	id	
cast_movie_movie_FK	movie	Y	Y		movie_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_movie_role_cast_movie_FK	cast_movie_role	Y	Y		cast_movie_id	id	

Table Name	cast_movie_role
Functional Name	cast_movie_role
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de películas, reparto y role
Notes	Ejemplos: Titanic con Leonardo DiCaprio como director y actor, Avatar con Robert De Niro como actor

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	cast_movie_id	P	F	Y	Integer	LT				
2	role_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	cast_movie_id	Llave primaria del reparto, película y role, representa un número único para identificarla	Ejemplos: 1,2,3 representando el id del reparto y película.
2	role_id	Llave primaria del reparto, película y role, representa un número único para identificarla	Ejemplos: 1,2,3 representando el role

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cast_movie_role_PK	PK				cast_movie_id	ASC
					role_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_movie_role_cast_movie_FK	cast_movie	Y	Y		cast_movie_id	id	
cast_movie_role_role_FK	role	Y	Y		role_id	id	

Table Name	cast_serie
Functional Name	cast_serie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de series con el reparto
Notes	Ejemplos: Juego de Tronos con Leonardo DiCaprio, Breaking Bad con Robert De Niro

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	artist_id		F	Y	Integer	LT				
3	serie_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	artist_id	Llave foránea que representa el artista que se va a relacionar con la serie.	Ejemplos: 1,2,3
1	id	Llave primaria del reparto y la serie, representa un número único para identificarla	Ejemplos: 1,2,3
3	serie_id	Llave foránea que representa la serie.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cast_serie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_serie_serie_FK	serie	Y	Y		serie_id	id	
cast_serie_artist_FK	artist	Y	Y		artist_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_serie_role_cast_serie_FK	cast_serie_role	Y	Y		cast_serie_id	id	

Table Name	cast_serie_role
Functional Name	cast_serie_role
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de series, reparto y role
Notes	Ejemplos: Juego de Tronos con Leonardo DiCaprio como director y actor, Breaking Bad con Robert De Niro como actor

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	cast_serie_id	P	F	Y	Integer	LT				
2	role_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	cast_serie_id	Llave primaria del reparto, serie y role, representa un número único para identificarla	Ejemplos: 1,2,3 representando el id del reparto y serie.
2	role_id	Llave primaria del reparto, serie y role, representa un número único para identificarla	Ejemplos: 1,2,3 representando el role

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cast_serie_role_PK	PK				role_id	ASC
					cast_serie_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_serie_role_role_FK	role	Y	Y		role_id	id	
cast_serie_role_cast_serie_FK	cast_serie	Y	Y		cast_serie_id	id	

Table Name	client
Functional Name	client
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa al cliente.
Notes	Ejemplos: Armida o Miriam

Number Of Columns	11
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (30)	LT				
3	last_name			Y	VARCHAR (30)	LT				
4	direction			Y	VARCHAR (20)	LT				
5	phone			Y	VARCHAR (15)	LT				
6	birth			Y	Date	LT				
7	email			Y	VARCHAR (60)	LT				
8	inclusion			Y	Date	LT				
9	country_id		F	Y	Integer	LT				
10	account_type_id		F	Y	Integer	LT				
11	account_status_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
11	account_status_id	Llave foránea que representa el estado del cliente.	Ejemplos: 1,2 representando los estados de la cuenta.
10	account_type_id	Llave foránea que representa el tipo de cuenta del cliente.	Ejemplos: 1,2,3 representando los tipos de cuenta.
6	birth	Representa el año de nacimiento del cliente.	Ejemplos: 16/11/75 o 06/01/94
9	country_id	Llave foránea que representa el país del	Ejemplos: 1,2,3 representando los países.

No	Column Name	Description	Notes
		cliente.	
4	direction	Representa la dirección del cliente.	Ejemplos: 123 Main St. o 456 Elm Ave.
7	email	Representa el correo electrónico del cliente.	Ejemplos: armidagalianovélez@gmail.com o miriambrionescalvet@gmail.com
1	id	Llave primaria del cliente, representa un número único para identificarlo	Ejemplos: 1,2,3
8	inclusion	Representa la fecha cuando el cliente ingreso a la plataforma.	Ejemplos: 10/08/12 o 10/11/11
3	last_name	Representa el apellido del cliente.	Ejemplos: Galiano Vélez o Briones Calvet
2	name	Representa el nombre del cliente.	Ejemplos: Armida o Miriam
5	phone	Representa el teléfono del cliente.	Ejemplos: (428)9877-1622 o (524)5782-3212

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
client_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
client_account_status_FK	account_status	Y	Y		account_status_id	id	
client_account_type_FK	account_type	Y	Y		account_type_id	id	
client_country_FK	country	Y	Y		country_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
device_client_FK	device	Y	Y		client_id	id	
down_doc_client_FK	download_documentary	Y	Y		client_id	id	
download_movie_client_FK	download_movie	Y	Y		client_id	id	
download_serie_client_FK	download_serie	Y	Y		client_id	id	
membership_client_FK	membership	Y	Y		client_id	id	
repr_doc_client_FK	reproduction_documentary	Y	Y		client_id	id	
repr_movie_client_FK	reproduction_movie	Y	Y		client_id	id	
repr_serie_client_FK	reproduction_serie	Y	Y		client_id	id	

Table Name	country
Functional Name	country
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para los países
Notes	Ejemplos: Costa Rica y Estados Unidos

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber el país.	Ejemplos: 1,2,3
2	name	Representa el nombre del país.	Ejemplos: Costa Rica, Estados Unidos

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
country_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
artist_country_FK	artist	Y	Y		country_id	id	
client_country_FK	client	Y	Y		country_id	id	

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_country_FK	movie	Y	Y		country_id	id	
serie_country_FK	serie	Y	Y		country_id	id	

Table Name	device
Functional Name	device
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa los dispositivos electrónicos con acceso a la plataforma
Notes	Ejemplos: iPhone 13 y TV Samsung

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (45)	LT				
3	client_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
3	client_id	Llave foránea que representa a que cliente pertenece ese dispositivo.	Ejemplos: 1,2,3 representando los IDs de los clientes
1	id	Llave primaria del dispositivo del cliente, representa un número único para identificar los dispositivos asociados al cliente.	Ejemplos: 1,2,3
2	name	Nombre del dispositivo del cliente.	Ejemplos: TV Samsung y iPhone 13

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
device_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
device_client_FK	client	Y	Y		client_id	id	

Table Name	documentary
Functional Name	documentary
Abbreviation	doc
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa el documental.
Notes	Ejemplos: Planet Earth y Blackfish

Number Of Columns	9
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	title			Y	VARCHAR (50)	LT				
3	abstract			Y	VARCHAR (70)	LT				
4	begin_date			Y	Date	LT				
5	length			Y	Integer	LT				
6	seasons			Y	Integer	LT				
7	chapters			Y	Integer	LT				
8	rated_id		F	Y	Integer	LT				
9	docuserie_id		F		Integer	LT				

Columns Comments

No	Column Name	Description	Notes
3	abstract	Representa la descripción y breve resumen del documental.	Ejemplos: Naturaleza en HD o Orcas en cautiverio.
4	begin_date	Representa el año de lanzamiento del documental.	Ejemplos: 23/06/67 o 01/10/85
7	chapters	Representa la cantidad de capítulos del documental.	Ejemplos: 83 o 118
9	docuserie_id	Llave foránea que representa si el documental es parte de una docuserie.	Ejemplos: 1,2,3 representando las docuseries.

No	Column Name	Description	Notes
1	id	Llave primaria del documental, representa un número único para identificarla	Ejemplos: 1,2,3
5	length	Representa la duración en minutos del documental.	Ejemplos: 142 y 161
8	rated_id	Llave foránea que representa la clasificación de los documentales.	Ejemplos: 1,2,3 representando las clasificaciones.
6	seasons	Representa la cantidad de temporadas del documental.	Ejemplos: 7 o 2
2	title	Representa el título del documental.	Ejemplos: Planet Earth o Blackfish

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
documentary_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_docuserie_FK	docuserie		Y		docuserie_id	id	
doc_rated_FK	rated	Y	Y		rated_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_doc_doc_FK	cast_documentary	Y	Y		documentary_id	id	
doc_form_doc_FK	documentary_format	Y	Y		documentary_id	id	
doc_gen_doc_FK	documentary_genre	Y	Y		documentary_id	id	
doc_lang_doc_FK	documentary_language	Y	Y		documentary_id	id	

Table Name	documentary_format
Functional Name	documentary_format
Abbreviation	doc_form
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de documentales con formatos
Notes	Ejemplos: Planet Earth con mp4, avi, Blackfish con vtv y mov

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	format_id	P	F	Y	Integer	LT				
2	documentary_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	documentary_id	Llave foránea que representa el documental.	Ejemplos: 1,2,3
1	format_id	Llave foránea que representa el formato que se va a relacionar con el documental.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
documentary_format_PK	PK				format_id	ASC
					documentary_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_form_format_FK	format	Y	Y		format_id	id	
doc_form_doc_FK	documentary	Y	Y		documentary_id	id	

Table Name	documentary_genre
Functional Name	documentary_genre
Abbreviation	doc_gen
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de documentales con géneros
Notes	Ejemplos: Planet Earth con romance y aventura, Blackfish con aventura y acción

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	genre_id	P	F	Y	Integer	LT				
2	documentary_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	documentary_id	Llave foránea que representa el documental.	Ejemplos: 1,2,3
1	genre_id	Llave foránea que representa el género que se va a relacionar con el documental.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
documentary_genre_PK	PK				documentary_id	ASC
					genre_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_gen_doc_FK	documentary	Y	Y		documentary_id	id	
doc_gen_genre_FK	genre	Y	Y		genre_id	id	

Table Name	documentary_language
Functional Name	documentary_language
Abbreviation	doc_lang
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de documentales con el lenguaje
Notes	Ejemplos: Planet Earth con audio inglés y subtítulo español, Blackfish con audio portugués y subtítulo español

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	audio_id		F	Y	Integer	LT				
3	subtitles_id		F		Integer	LT				
4	documentary_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	audio_id	Llave foránea que representa el audio que se va a relacionar con el documental.	Ejemplos: 1,2,3
4	documentary_id	Llave foránea que representa el documental.	Ejemplos: 1,2,3
1	id	Llave primaria del lenguaje del documental, representa un número único para identificarla	Ejemplos: 1,2,3
3	subtitles_id	Llave foránea que representa si el documental tiene subtítulos.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
documentary_language_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_lang_language_FKv2	language		Y		subtitles_id	id	
doc_lang_doc_FK	documentary	Y	Y		documentary_id	id	
doc_lang_language_FK	language	Y	Y		audio_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
down_doc_doc_lang_FK	download_documentary	Y	Y		documentary_language_id	id	
repr_doc_doc_lang_FK	reproduction_documentary	Y	Y		documentary_language_id	id	

Table Name	docuserie
Functional Name	docuserie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la docuserie, un grupo de documentales relacionadas entre ellas.
Notes	Ejemplos: Documentales de cosmos y Documentales de UFO

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	title			Y	VARCHAR (50)	LT				
3	abstract			Y	VARCHAR (70)	LT				
4	based_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
3	abstract	Representa la descripción y breve resumen de la docuserie.	Ejemplos: Exploración del universo y sus misterios y Investigación de avistamientos de OVNI's
4	based_id	Llave foránea que representa lo que está basada la docuserie.	Ejemplos: 1 representando novela, 2 representando cuento
1	id	Llave primaria de la docuserie, representa un número único para identificarla	Ejemplos: 1,2,3
2	title	Representa el título de la docuserie.	Ejemplos: Documentales de cosmos y Documentales de UFO

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
docuserie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
docuserie_based_FK	based	Y	Y		based_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_docuserie_FK	documentary		Y		docuserie_id	id	

Table Name	download_documentary
Functional Name	download_documentary
Abbreviation	down_doc
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la acción de descargar un documental
Notes	Ejemplos: Documental Planet Earth descargada por cliente Carlos o Documental Blackfish descargada por cliente Miriam

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	begin_date			Y	Date	LT				
3	recent_minute			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				
5	state_id		F	Y	Integer	LT				
6	documentary_language_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	begin_date	Representa la fecha de inicio de la descarga	Ejemplos: 21/01/23 o 14/12/22
4	client_id	Llave foránea que representa que cliente realiza la descarga.	Ejemplos: 1,2,3
6	documentary_language_id	Llave foránea que representa que el documental idioma en la que se está haciendo la descarga.	Ejemplos: 1,2,3
1	id	Llave primaria de la descarga del documental, representa un número único para identificarla	Ejemplos: 1,2,3
3	recent_minute	Representa el último minuto de la descarga.	Ejemplos: 23 o 11

No	Column Name	Description	Notes
5	state_id	Llave foránea que representa a el estado actual de la descarga, si esta pausada o terminada.	Ejemplos: 1,2

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
download_documentary_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
down_doc_client_FK	client	Y	Y		client_id	id	
down_doc_doc_lang_FK	documentary_language	Y	Y		documentary_language_id	id	
down_doc_state_FK	state	Y	Y		state_id	id	

Table Name	download_movie
Functional Name	download_movie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la acción de descargar una película
Notes	Ejemplos: Película Titanic descargada por cliente Carlos o Película Avatar descargada por cliente Miriam

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	begin_date			Y	Date	LT				
3	recent_minute			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				
5	state_id		F	Y	Integer	LT				
6	movie_language_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	begin_date	Representa la fecha de inicio de la descarga	Ejemplos: 21/01/23 o 14/12/22
4	client_id	Llave foránea que representa que cliente realiza la descarga.	Ejemplos: 1,2,3
1	id	Llave primaria de la descarga de la película, representa un número único para identificarla	Ejemplos: 1,2,3
6	movie_language_id	Llave foránea que representa que la película e idioma en la que se esta haciendo la descarga.	Ejemplos: 1,2,3
3	recent_minute	Representa el último minuto de la descarga.	Ejemplos: 23 o 11

No	Column Name	Description	Notes
5	state_id	Llave foránea que representa a el estado actual de la descarga, si esta pausada o terminada.	Ejemplos: 1,2

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
download_movie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
download_movie_movie_lang_FK	movie_language	Y	Y		movie_language_id	id	
download_movie_client_FK	client	Y	Y		client_id	id	
download_movie_state_FK	state	Y	Y		state_id	id	

Table Name	download_serie
Functional Name	download_serie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la acción de descargar una serie
Notes	Ejemplos: Serie Juego de Tronos descargada por cliente Carlos o Serie Breaking Bad descargada por cliente Miriam

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	begin_date			Y	Date	LT				
3	recent_minute			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				
5	state_id		F	Y	Integer	LT				
6	serie_language_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	begin_date	Representa la fecha de inicio de la descarga	Ejemplos: 21/01/23 o 14/12/22
4	client_id	Llave foránea que representa que cliente realiza la descarga.	Ejemplos: 1,2,3
1	id	Llave primaria de la descarga de la serie, representa un número único para identificarla	Ejemplos: 1,2,3
3	recent_minute	Representa el último minuto de la descarga.	Ejemplos: 23 o 11
6	serie_language_id	Llave foránea que representa que la serie e idioma en la que se esta haciendo la descarga.	Ejemplos: 1,2,3

No	Column Name	Description	Notes
5	state_id	Llave foránea que representa a el estado actual de la descarga, si esta pausada o terminada.	Ejemplos: 1,2

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
download_serie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
download_serie_client_FK	client	Y	Y		client_id	id	
download_serie_serie_lang_FK	serie_language	Y	Y		serie_language_id	id	
download_serie_state_FK	state	Y	Y		state_id	id	

Table Name	format
Functional Name	format
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa los formatos de video
Notes	Ejemplos: MP4 y TVT

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	type			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para representar los formatos.	Ejemplos: 1,2,3
2	type	Representa el nombre del formato de los videos.	Ejemplos: TVT o MP4

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
format_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_form_format_FK	documentary_format	Y	Y		format_id	id	

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_format_format_FK	movie_format	Y	Y		format_id	id	
serie_format_format_FK	serie_format	Y	Y		format_id	id	

Table Name	gender
Functional Name	gender
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para los sexos
Notes	Ejemplos: Masculino y Femenino

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber el sexo	Ejemplos: 1,2
2	name	Representa el nombre del sexo.	Ejemplos: Masculino, Femenino

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
gender_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
artist_gender_FK	artist	Y	Y		gender_id	id	

Table Name	genre
Functional Name	genre
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para los géneros del video
Notes	Ejemplos: Romance y Acción

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber el género del video	Ejemplos: 1,2,3
2	name	Representa el nombre del género del video.	Ejemplos: Comedia y Acción

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
genre_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_gen_genre_FK	documentary_genre	Y	Y		genre_id	id	
movie_genre_genre_FK	movie_genre	Y	Y		genre_id	id	
serie_genre_genre_FK	serie_genre	Y	Y		genre_id	id	

Table Name	language
Functional Name	language
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para conocer los idiomas del video
Notes	Ejemplos: Inglés y Español

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para representar los lenguajes.	Ejemplos: 1,2,3
2	name	Representa el nombre del idioma de los videos.	Ejemplos: Inglés o Español

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
language_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc_lang_language_FK	documentary_language	Y	Y		audio_id	id	
doc_lang_language_FKv2	documentary_language		Y		subtitles_id	id	
movie_lang_language_FK	movie_language		Y		subtitles_id	id	
movie_lang_language_FKv2	movie_language	Y	Y		audio_id	id	
serie_lang_language_FK	serie_language	Y	Y		audio_id	id	
serie_lang_language_FKv2	serie_language		Y		subtitles_id	id	

Table Name	macroserie
Functional Name	macroserie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la macroserie, un grupo de series relacionadas entre ellas.
Notes	Ejemplos: Star Trek y Arrowverse

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	title			Y	VARCHAR (50)	LT				
3	abstract			Y	VARCHAR (70)	LT				
4	based_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
3	abstract	Representa la descripción y breve resumen de la macroserie.	Ejemplos: Exploración espacial y conflictos en el futuro y Superhéroes de DC Comics en un universo compartido.
4	based_id	Llave foránea que representa lo que está basada la macroserie.	Ejemplos: 1 representando novela, 2 representando cuento
1	id	Llave primaria de la saga, representa un número único para identificarla	Ejemplos: 1,2,3
2	title	Representa el título de la macroserie.	Ejemplos: Star Trek y Arrowverse

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
macroserie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
macroserie_based_FK	based	Y	Y		based_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
serie_macroserie_FK	serie		Y		macroserie_id	id	

Table Name	membership
Functional Name	membership
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa el pago de la membresía del cliente
Notes	Ejemplos: 09/10/22 a 10000 o 11/05/21 15000

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	expiration_day			Y	Date	LT				
3	price			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
4	client_id	Llave foránea que representa a que cliente pertenece esa membresía.	Ejemplos: 1,2,3 representando los IDs de los clientes.
2	expiration_day	Representa la fecha de expiración de la membresía.	Ejemplos: 09/10/22 y 11/05/21
1	id	Llave primaria de la membresía, representa un número único para identificarla	Ejemplos: 1,2,3
3	price	Representa el precio que se pagó por la membresía.	Ejemplos: 20727 y 15078

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
membership_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
membership_client_FK	client	Y	Y		client_id	id	

Table Name	movie
Functional Name	movie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la película.
Notes	Ejemplos: Titanic y Avatar

Number Of Columns	8
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	title			Y	VARCHAR (50)	LT				
3	year			Y	Date	LT				
4	length			Y	Integer	LT				
5	country_id		F	Y	Integer	LT				
6	studio_id		F	Y	Integer	LT				
7	rated_id		F	Y	Integer	LT				
8	saga_id		F		Integer	LT				

Columns Comments

No	Column Name	Description	Notes
5	country_id	Llave foránea que representa el país de origen de la película.	Ejemplos: 1,2,3 representando los países.
1	id	Llave primaria de la película, representa un número único para identificarla	Ejemplos: 1,2,3
4	length	Representa la duración en minutos de la película.	Ejemplos: 142 y 161
7	rated_id	Llave foránea que representa la clasificación de la película.	Ejemplos: 1,2,3 representando las clasificaciones.
8	saga_id	Llave foránea que representa si la película es	Ejemplos: 1,2,3 representando las sagas.

No	Column Name	Description	Notes
		parte de una saga.	
6	studio_id	Llave foránea que representa estudio cinematográfico de la película.	Ejemplos: 1,2,3 representando los estudios cinematográficos.
2	title	Representa el título de la película.	Ejemplos: Titanic y Avatar
3	year	Representa el año de lanzamiento de la película.	Ejemplos: 07/07/82 y 14/08/76

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
movie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_country_FK	country	Y	Y		country_id	id	
movie Rated_FK	rated	Y	Y		rated_id	id	
movie_studio_FK	studio	Y	Y		studio_id	id	
movie_saga_FK	saga		Y		saga_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_movie_movie_FK	cast_movie	Y	Y		movie_id	id	
movie_format_movie_FK	movie_format	Y	Y		movie_id	id	
movie_genre_movie_FK	movie_genre	Y	Y		movie_id	id	
movie_lang_movie_FK	movie_language	Y	Y		movie_id	id	

Table Name	movie_format
Functional Name	movie_format
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de películas con formatos
Notes	Ejemplos: Titanic con mp4, avi, Avatar con vtv y mov

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	format_id	P	F	Y	Integer	LT				
2	movie_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	format_id	Llave foránea que representa el formato que se va a relacionar con la película.	Ejemplos: 1,2,3
2	movie_id	Llave foránea que representa la película.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
movie_format_PK	PK				format_id	ASC
					movie_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_format_format_FK	format	Y	Y		format_id	id	

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_format_movie_FK	movie	Y	Y		movie_id	id	

Table Name	movie_genre
Functional Name	movie_genre
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de películas con géneros
Notes	Ejemplos: Titanic con romance y aventura, Avatar con aventura y acción

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	genre_id	P	F	Y	Integer	LT				
2	movie_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	genre_id	Llave foránea que representa el género que se va a relacionar con la película.	Ejemplos: 1,2,3
2	movie_id	Llave foránea que representa la película.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
movie_genre_PK	PK				genre_id	ASC
					movie_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_genre_genre_FK	genre	Y	Y		genre_id	id	
movie_genre_movie_FK	movie	Y	Y		movie_id	id	

Table Name	movie_language
Functional Name	movie_language
Abbreviation	movie_lang
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de películas con el lenguaje
Notes	Ejemplos: Titanic con audio inglés y subtítulo español, Avatar con audio portugués y subtítulo español

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	audio_id		F	Y	Integer	LT				
3	subtitles_id		F		Integer	LT				
4	movie_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	audio_id	Llave foránea que representa el audio que se va a relacionar con la película.	Ejemplos: 1,2,3
1	id	Llave primaria del lenguaje de la película, representa un número único para identificarla	Ejemplos: 1,2,3
4	movie_id	Llave foránea que representa la película.	Ejemplos: 1,2,3
3	subtitles_id	Llave foránea que representa si la película tiene subtítulos.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
movie_language_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_lang_movie_FK	movie	Y	Y		movie_id	id	
movie_lang_language_FK	language		Y		subtitles_id	id	
movie_lang_language_FKv2	language	Y	Y		audio_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
download_movie_movie_lang_FK	download_movie	Y	Y		movie_language_id	id	
repr_movie_movie_lang_FK	reproduction_movie	Y	Y		movie_language_id	id	

Table Name	rated
Functional Name	rated
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para conocer la clasificación del video
Notes	Ejemplos: P y PG

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber la clasificación de un video	Ejemplos: 1 representa a G y 2 representa a PG
2	name	Representa el nombre en la clasificación del video.	Ejemplos: G y PG

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
rated_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
doc Rated_FK	documentary	Y	Y		rated_id	id	
movie Rated_FK	movie	Y	Y		rated_id	id	
serie Rated_FK	serie	Y	Y		rated_id	id	

Table Name	reproduction_documentary
Functional Name	reproduction_documentary
Abbreviation	repr_doc
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la acción de reproducir un documental
Notes	Ejemplos: Documental Planet Earth reproducida por cliente Carlos o Documental Blackfish reproducida por cliente Miriam

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	begin_date			Y	Date	LT				
3	recent_minute			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				
5	state_id		F	Y	Integer	LT				
6	documentary_language_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	begin_date	Representa la fecha de inicio de la reproducción	Ejemplos: 21/01/23 o 14/12/22
4	client_id	Llave foránea que representa que cliente realiza la reproducción.	Ejemplos: 1,2,3
6	documentary_language_id	Llave foránea que representa que la serie e idioma en la que se está haciendo la reproducción.	Ejemplos: 1,2,3
1	id	Llave primaria de la reproducción del documental, representa un número único para identificarla	Ejemplos: 1,2,3

No	Column Name	Description	Notes
3	recent_minute	Representa el último minuto de la reproducción	Ejemplos: 23 o 11
5	state_id	Llave foránea que representa a el estado actual de la reproducción, si esta pausada o terminada.	Ejemplos: 1,2

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
reproduction_documentary_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
repr_doc_state_FK	state	Y	Y		state_id	id	
repr_doc_doc_lang_FK	documentary_language	Y	Y		documentary_language_id	id	
repr_doc_client_FK	client	Y	Y		client_id	id	

Table Name	reproduction_movie
Functional Name	reproduction_movie
Abbreviation	repr_movie
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la acción de reproducir una película
Notes	Ejemplos: Película Titanic reproducida por cliente Carlos o Película Avatar reproducida por cliente Miriam

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	begin_date			Y	Date	LT				
3	recent_minute			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				
5	state_id		F	Y	Integer	LT				
6	movie_language_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	begin_date	Representa la fecha de inicio de la reproducción	Ejemplos: 21/01/23 o 14/12/22
4	client_id	Llave foránea que representa que cliente realiza la reproducción.	Ejemplos: 1,2,3
1	id	Llave primaria de la reproducción de la película, representa un número único para identificarla	Ejemplos: 1,2,3
6	movie_language_id	Llave foránea que representa que la película e idioma en la que se está haciendo la reproducción.	Ejemplos: 1,2,3

No	Column Name	Description	Notes
3	recent_minute	Representa el último minuto de la reproducción	Ejemplos: 23 o 11
5	state_id	Llave foránea que representa a el estado actual de la reproducción, si esta pausada o terminada.	Ejemplos: 1,2

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
reproduction_movie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
repr_movie_client_FK	client	Y	Y		client_id	id	
repr_movie_state_FK	state	Y	Y		state_id	id	
repr_movie_movie_lang_FK	movie_language	Y	Y		movie_language_id	id	

Table Name	reproduction_serie
Functional Name	reproduction_serie
Abbreviation	repr_serie
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la acción de reproducir una serie
Notes	Ejemplos: Serie Juego de Tronos reproducida por cliente Carlos o Seire Breaking Bad reproducida por cliente Miriam

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	begin_date			Y	Date	LT				
3	recent_minute			Y	Integer	LT				
4	client_id		F	Y	Integer	LT				
5	state_id		F	Y	Integer	LT				
6	serie_language_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	begin_date	Representa la fecha de inicio de la reproducción	Ejemplos: 21/01/23 o 14/12/22
4	client_id	Llave foránea que representa que cliente realiza la reproducción.	Ejemplos: 1,2,3
1	id	Llave primaria de la reproducción de la serie, representa un número único para identificarla	Ejemplos: 1,2,3
3	recent_minute	Representa el último minuto de la reproducción	Ejemplos: 23 o 11
6	serie_language_id	Llave foránea que representa que la serie e	Ejemplos: 1,2,3

No	Column Name	Description	Notes
		idioma en la que se está haciendo la reproducción.	
5	state_id	Llave foránea que representa a el estado actual de la reproducción, si esta pausada o terminada.	Ejemplos: 1,2

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
reproduction_serie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
repr_serie_state_FK	state	Y	Y		state_id	id	
repr_serie_serie_lang_FK	serie_language	Y	Y		serie_language_id	id	
repr_serie_client_FK	client	Y	Y		client_id	id	

Table Name	role
Functional Name	role
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para conocer los roles de los artistas
Notes	Ejemplos: Actor o Director

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para representar los roles.	Ejemplos: 1,2,3
2	name	Representa el nombre del role de los artistas.	Ejemplos: Actor o Director

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
role_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_doc_role_role_FK	cast_documentary_role	Y	Y		role_id	id	
cast_movie_role_role_FK	cast_movie_role	Y	Y		role_id	id	
cast_serie_role_role_FK	cast_serie_role	Y	Y		role_id	id	

Table Name	saga
Functional Name	saga
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la saga, un grupo de películas relacionadas entre ellas.
Notes	Ejemplos: Saga de Marvel y Saga de DC.

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	title			Y	VARCHAR (50)	LT				
3	abstract			Y	VARCHAR (70)	LT				
4	based_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
3	abstract	Representa la descripción y breve resumen de la saga	Ejemplos: Magia y aventuras en Hogwarts, Batallas galácticas y la lucha entre el bien y el mal.
4	based_id	Llave foránea que representa lo que está basada la saga.	Ejemplos: 1 representando novela, 2 representando cuento
1	id	Llave primaria de la saga, representa un número único para identificarla	Ejemplos: 1,2,3
2	title	Representa el título de la saga.	Ejemplos: Saga de Harry Potter y Saga de Star Wars

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
saga_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
saga_based_FK	based	Y	Y		based_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_saga_FK	movie		Y		saga_id	id	

Table Name	serie
Functional Name	serie
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la serie.
Notes	Ejemplos: Juego de Tronos y Breaking Bad

Number Of Columns	10
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	title			Y	VARCHAR (50)	LT				
3	abstract			Y	VARCHAR (70)	LT				
4	begin_date			Y	Date	LT				
5	length			Y	Integer	LT				
6	seasons			Y	Integer	LT				
7	chapters			Y	Integer	LT				
8	rated_id		F	Y	Integer	LT				
9	macroserie_id		F		Integer	LT				
10	country_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
3	abstract	Representa la descripción y breve resumen de la serie.	Ejemplos: Intrigas y batallas por el trono o Profesor de química se convierte en narcotraficante.
4	begin_date	Representa el año de lanzamiento de la serie.	Ejemplos: 23/06/67 o 01/10/85
7	chapters	Representa la cantidad de capítulos de la serie.	Ejemplos: 83 o 118
10	country_id	Llave foránea que representa el país de origen de la serie.	Ejemplos: 1,2,3 representando los países.

No	Column Name	Description	Notes
1	id	Llave primaria de la serie, representa un número único para identificarla	Ejemplos: 1,2,3
5	length	Representa la duración en minutos de la serie.	Ejemplos: 142 y 161
9	macroserie_id	Llave foránea que representa si la serie es parte de una macroserie.	Ejemplos: 1,2,3 representando las macroserie.
8	rated_id	Llave foránea que representa la clasificación de las series.	Ejemplos: 1,2,3 representando las clasificaciones.
6	seasons	Representa la cantidad de temporadas de la serie.	Ejemplos: 7 o 2
2	title	Representa el título de la serie.	Ejemplos: Juego de Tronos o Breaking Bad

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
serie_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
serie_rated_FK	rated	Y	Y		rated_id	id	

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
serie_country_FK	country	Y	Y		country_id	id	
serie_macroserie_FK	macroserie		Y		macroserie_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cast_serie_serie_FK	cast_serie	Y	Y		serie_id	id	
serie_format_serie_FK	serie_format	Y	Y		serie_id	id	
serie_genre_serie_FK	serie_genre	Y	Y		serie_id	id	
serie_lang_serie_FK	serie_language	Y	Y		serie_id	id	

Table Name	serie_format
Functional Name	serie_format
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de series con formatos
Notes	Ejemplos: Juego de Tronos con mp4, avi, Breaking Bad con vtv y mov

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	format_id	P	F	Y	Integer	LT				
2	serie_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	format_id	Llave foránea que representa el formato que se va a relacionar con la serie.	Ejemplos: 1,2,3
2	serie_id	Llave foránea que representa la serie.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
serie_format_PK	PK				format_id	ASC
					serie_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
serie_format_serie_FK	serie	Y	Y		serie_id	id	
serie_format_format_FK	format	Y	Y		format_id	id	

Table Name	serie_genre
Functional Name	serie_genre
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de series con géneros
Notes	Ejemplos: Juego de Tronos con romance y aventura, Breaking Bad con aventura y acción

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	genre_id	P	F	Y	Integer	LT				
2	serie_id	P	F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
1	genre_id	Llave foránea que representa el género que se va a relacionar con la serie.	Ejemplos: 1,2,3
2	serie_id	Llave foránea que representa la serie.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
serie_genre_PK	PK				genre_id	ASC
					serie_id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
serie_genre_serie_FK	serie	Y	Y		serie_id	id	
serie_genre_genre_FK	genre	Y	Y		genre_id	id	

Table Name	serie_language
Functional Name	serie_language
Abbreviation	serie_lang
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa la unión de series con el lenguaje
Notes	Ejemplos: Juego de Tronos con audio inglés y subtítulo español, Breaking Bad con audio portugués y subtítulo español

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0

Growth Interval	Year
-----------------	------

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	audio_id		F	Y	Integer	LT				
3	subtitles_id		F		Integer	LT				
4	serie_id		F	Y	Integer	LT				

Columns Comments

No	Column Name	Description	Notes
2	audio_id	Llave foránea que representa el audio que se va a relacionar con la serie.	Ejemplos: 1,2,3
1	id	Llave primaria del lenguaje de la serie, representa un número único para identificarla	Ejemplos: 1,2,3
4	serie_id	Llave foránea que representa la serie.	Ejemplos: 1,2,3
3	subtitles_id	Llave foránea que representa si la serie tiene subtítulos.	Ejemplos: 1,2,3

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
serie_language_PK	PK				id	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
serie_lang_language_FKv2	language		Y		subtitles_id	id	
serie_lang_serie_FK	serie	Y	Y		serie_id	id	
serie_lang_language_FK	language	Y	Y		audio_id	id	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
download_serie_serie_lang_FK	download_serie	Y	Y		serie_language_id	id	
repr_serie_serie_lang_FK	reproduction_serie	Y	Y		serie_language_id	id	

Table Name	state
Functional Name	state
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que funciona como catálogo para los estados.
Notes	Ejemplos: Pausado y Terminado

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	state			Y	VARCHAR (20)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria que es un número único para saber el estado del video	Ejemplos: 1,2
2	state	Representa el nombre del estado del video.	Ejemplos: Pausado o Terminado

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
state_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
down_doc_state_FK	download_documentary	Y	Y		state_id	id	
download_movie_state_FK	download_movie	Y	Y		state_id	id	

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
download_serie_state_FK	download_serie	Y	Y		state_id	id	
repr_doc_state_FK	reproduction_documentary	Y	Y		state_id	id	
repr_movie_state_FK	reproduction_movie	Y	Y		state_id	id	
repr_serie_state_FK	reproduction_serie	Y	Y		state_id	id	

Table Name	studio
Functional Name	studio
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	Entidad que representa el estudio de cine y televisión.
Notes	Ejemplos: Universal Pictures y Paramount Pictures

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	id	P		Y	Integer	LT				
2	name			Y	VARCHAR (30)	LT				

Columns Comments

No	Column Name	Description	Notes
1	id	Llave primaria del estudio, representa un número único para identificarla	Ejemplos: 1,2,3
2	name	Representa el nombre del estudio	Ejemplos: Warner Bros. Pictures y Universal Pictures

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
studio_PK	PK				id	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
movie_studio_FK	movie	Y	Y		studio_id	id	

Script de la base de datos

```
-- Generated by Oracle SQL Developer Data Modeler 20.2.0.167.1538
--   at:      2023-08-10 12:58:50 CST
--   site:    Oracle Database 11g
--   type:    Oracle Database 11g

-- predefined type, no DDL - MDSYS.SDO_GEOMETRY

-- predefined type, no DDL - XMLTYPE

CREATE TABLE account_status (
  id      INTEGER NOT NULL,
  status  VARCHAR2(10) NOT NULL
);

ALTER TABLE account_status ADD CONSTRAINT account_status_pk PRIMARY KEY ( id );

CREATE TABLE account_type (
  id      INTEGER NOT NULL,
  type    VARCHAR2(15) NOT NULL
);

ALTER TABLE account_type ADD CONSTRAINT account_type_pk PRIMARY KEY ( id );

CREATE TABLE artist (
  id          INTEGER NOT NULL,
  name        VARCHAR2(20) NOT NULL,
  last_name   VARCHAR2(20) NOT NULL,
  birth       DATE NOT NULL,
  country_id  INTEGER NOT NULL,
  gender_id   INTEGER NOT NULL
);
```



```
ALTER TABLE artist ADD CONSTRAINT artist_pk PRIMARY KEY ( id );

CREATE TABLE based (
    id      INTEGER NOT NULL,
    name    VARCHAR2(20) NOT NULL
);

ALTER TABLE based ADD CONSTRAINT based_pk PRIMARY KEY ( id );

CREATE TABLE cast_documentary (
    id                INTEGER NOT NULL,
    artist_id         INTEGER NOT NULL,
    documentary_id     INTEGER NOT NULL
);

ALTER TABLE cast_documentary ADD CONSTRAINT cast_documentary_pk PRIMARY KEY ( id );

CREATE TABLE cast_documentary_role (
    cast_documentary_id INTEGER NOT NULL,
    role_id              INTEGER NOT NULL
);

ALTER TABLE cast_documentary_role ADD CONSTRAINT cast_documentary_role_pk PRIMARY KEY ( role_id,
                                                cast_documentary_id );

CREATE TABLE cast_movie (
    id            INTEGER NOT NULL,
    artist_id     INTEGER NOT NULL,
    movie_id      INTEGER NOT NULL
);

ALTER TABLE cast_movie ADD CONSTRAINT cast_movie_pk PRIMARY KEY ( id );

CREATE TABLE cast_movie_role (
    cast_movie_id  INTEGER NOT NULL,
    role_id        INTEGER NOT NULL
);
```

```
ALTER TABLE cast_movie_role ADD CONSTRAINT cast_movie_role_pk PRIMARY KEY ( cast_movie_id,
                                                                    role_id );

CREATE TABLE cast_series (
    id            INTEGER NOT NULL,
    artist_id     INTEGER NOT NULL,
    serie_id      INTEGER NOT NULL
);

ALTER TABLE cast_series ADD CONSTRAINT cast_series_pk PRIMARY KEY ( id );

CREATE TABLE cast_series_role (
    cast_series_id INTEGER NOT NULL,
    role_id        INTEGER NOT NULL
);

ALTER TABLE cast_series_role ADD CONSTRAINT cast_series_role_pk PRIMARY KEY ( role_id,
                                                                    cast_series_id );

CREATE TABLE client (
    id                INTEGER NOT NULL,
    name              VARCHAR2(30) NOT NULL,
    last_name         VARCHAR2(30) NOT NULL,
    direction         VARCHAR2(20) NOT NULL,
    phone             VARCHAR2(15) NOT NULL,
    birth             DATE NOT NULL,
    email             VARCHAR2(60) NOT NULL,
    inclusion         DATE NOT NULL,
    country_id        INTEGER NOT NULL,
    account_type_id   INTEGER NOT NULL,
    account_status_id INTEGER NOT NULL
);

ALTER TABLE client ADD CONSTRAINT client_pk PRIMARY KEY ( id );

CREATE TABLE country (
```

```

    id    INTEGER NOT NULL,
    name  VARCHAR2(20) NOT NULL
);

ALTER TABLE country ADD CONSTRAINT country_pk PRIMARY KEY ( id );

CREATE TABLE device (
    id            INTEGER NOT NULL,
    name          VARCHAR2(45) NOT NULL,
    client_id     INTEGER NOT NULL
);

ALTER TABLE device ADD CONSTRAINT device_pk PRIMARY KEY ( id );

CREATE TABLE documentary (
    id            INTEGER NOT NULL,
    title         VARCHAR2(50) NOT NULL,
    abstract      VARCHAR2(70) NOT NULL,
    begin_date    DATE NOT NULL,
    length        INTEGER NOT NULL,
    seasons       INTEGER NOT NULL,
    chapters      INTEGER NOT NULL,
    rated_id      INTEGER NOT NULL,
    docuserie_id  INTEGER
);

ALTER TABLE documentary ADD CONSTRAINT documentary_pk PRIMARY KEY ( id );

CREATE TABLE documentary_format (
    format_id     INTEGER NOT NULL,
    documentary_id INTEGER NOT NULL
);

ALTER TABLE documentary_format ADD CONSTRAINT documentary_format_pk PRIMARY KEY ( format_id,
                                                documentary_id );

CREATE TABLE documentary_genre (

```

```

genre_id      INTEGER NOT NULL,
documentary_id INTEGER NOT NULL
);

ALTER TABLE documentary_genre ADD CONSTRAINT documentary_genre_pk PRIMARY KEY ( documentary_id,
                                                                    genre_id );

CREATE TABLE documentary_language (
    id            INTEGER NOT NULL,
    audio_id      INTEGER NOT NULL,
    subtitles_id  INTEGER,
    documentary_id INTEGER NOT NULL
);

ALTER TABLE documentary_language ADD CONSTRAINT documentary_language_pk PRIMARY KEY ( id );

CREATE TABLE docuserie (
    id            INTEGER NOT NULL,
    title         VARCHAR2(50) NOT NULL,
    abstract      VARCHAR2(70) NOT NULL,
    based_id      INTEGER NOT NULL
);

ALTER TABLE docuserie ADD CONSTRAINT docuserie_pk PRIMARY KEY ( id );

CREATE TABLE download_documentary (
    id                INTEGER NOT NULL,
    begin_date        DATE NOT NULL,
    recent_minute     INTEGER NOT NULL,
    client_id         INTEGER NOT NULL,
    state_id          INTEGER NOT NULL,
    documentary_language_id INTEGER NOT NULL
);

ALTER TABLE download_documentary ADD CONSTRAINT download_documentary_pk PRIMARY KEY ( id );

CREATE TABLE download_movie (

```

```

        id            INTEGER NOT NULL,
        begin_date     DATE NOT NULL,
        recent_minute  INTEGER NOT NULL,
        client_id      INTEGER NOT NULL,
        state_id       INTEGER NOT NULL,
        movie_language_id INTEGER NOT NULL
    );

ALTER TABLE download_movie ADD CONSTRAINT download_movie_pk PRIMARY KEY ( id );

CREATE TABLE download_serie (
    id            INTEGER NOT NULL,
    begin_date     DATE NOT NULL,
    recent_minute  INTEGER NOT NULL,
    client_id      INTEGER NOT NULL,
    state_id       INTEGER NOT NULL,
    serie_language_id INTEGER NOT NULL
);

ALTER TABLE download_serie ADD CONSTRAINT download_serie_pk PRIMARY KEY ( id );

CREATE TABLE format (
    id      INTEGER NOT NULL,
    type    VARCHAR2(20) NOT NULL
);

ALTER TABLE format ADD CONSTRAINT format_pk PRIMARY KEY ( id );

CREATE TABLE gender (
    id      INTEGER NOT NULL,
    name    VARCHAR2(20) NOT NULL
);

ALTER TABLE gender ADD CONSTRAINT gender_pk PRIMARY KEY ( id );

CREATE TABLE genre (
    id      INTEGER NOT NULL,

```

```
    name VARCHAR2(20) NOT NULL
);

ALTER TABLE genre ADD CONSTRAINT genre_pk PRIMARY KEY ( id );

CREATE TABLE language (
    id      INTEGER NOT NULL,
    name    VARCHAR2(20) NOT NULL
);

ALTER TABLE language ADD CONSTRAINT language_pk PRIMARY KEY ( id );

CREATE TABLE macroserie (
    id          INTEGER NOT NULL,
    title       VARCHAR2(50) NOT NULL,
    abstract    VARCHAR2(70) NOT NULL,
    based_id    INTEGER NOT NULL
);

ALTER TABLE macroserie ADD CONSTRAINT macroserie_pk PRIMARY KEY ( id );

CREATE TABLE membership (
    id          INTEGER NOT NULL,
    expiration_day DATE NOT NULL,
    price       INTEGER NOT NULL,
    client_id   INTEGER NOT NULL
);

ALTER TABLE membership ADD CONSTRAINT membership_pk PRIMARY KEY ( id );

CREATE TABLE movie (
    id          INTEGER NOT NULL,
    title       VARCHAR2(50) NOT NULL,
    year        DATE NOT NULL,
    length      INTEGER NOT NULL,
    country_id  INTEGER NOT NULL,
    studio_id   INTEGER NOT NULL,
```

```
        rated_id    INTEGER NOT NULL,
        saga_id     INTEGER
    );

ALTER TABLE movie ADD CONSTRAINT movie_pk PRIMARY KEY ( id );

CREATE TABLE movie_format (
    format_id  INTEGER NOT NULL,
    movie_id   INTEGER NOT NULL
);

ALTER TABLE movie_format ADD CONSTRAINT movie_format_pk PRIMARY KEY ( format_id,
                                                                    movie_id );

CREATE TABLE movie_genre (
    genre_id  INTEGER NOT NULL,
    movie_id  INTEGER NOT NULL
);

ALTER TABLE movie_genre ADD CONSTRAINT movie_genre_pk PRIMARY KEY ( genre_id,
                                                                    movie_id );

CREATE TABLE movie_language (
    id          INTEGER NOT NULL,
    audio_id    INTEGER NOT NULL,
    subtitles_id INTEGER,
    movie_id    INTEGER NOT NULL
);

ALTER TABLE movie_language ADD CONSTRAINT movie_language_pk PRIMARY KEY ( id );

CREATE TABLE rated (
    id    INTEGER NOT NULL,
    name  VARCHAR2(20) NOT NULL
);

ALTER TABLE rated ADD CONSTRAINT rated_pk PRIMARY KEY ( id );
```

```
CREATE TABLE reproduction_documentary (
    id                INTEGER NOT NULL,
    begin_date        DATE NOT NULL,
    recent_minute     INTEGER NOT NULL,
    client_id         INTEGER NOT NULL,
    state_id          INTEGER NOT NULL,
    documentary_language_id  INTEGER NOT NULL
);

ALTER TABLE reproduction_documentary ADD CONSTRAINT reproduction_documentary_pk PRIMARY KEY ( id );

CREATE TABLE reproduction_movie (
    id                INTEGER NOT NULL,
    begin_date        DATE NOT NULL,
    recent_minute     INTEGER NOT NULL,
    client_id         INTEGER NOT NULL,
    state_id          INTEGER NOT NULL,
    movie_language_id INTEGER NOT NULL
);

ALTER TABLE reproduction_movie ADD CONSTRAINT reproduction_movie_pk PRIMARY KEY ( id );

CREATE TABLE reproduction_serie (
    id                INTEGER NOT NULL,
    begin_date        DATE NOT NULL,
    recent_minute     INTEGER NOT NULL,
    client_id         INTEGER NOT NULL,
    state_id          INTEGER NOT NULL,
    serie_language_id INTEGER NOT NULL
);

ALTER TABLE reproduction_serie ADD CONSTRAINT reproduction_serie_pk PRIMARY KEY ( id );

CREATE TABLE role (
    id    INTEGER NOT NULL,
    name  VARCHAR2(20) NOT NULL
```



```
);

ALTER TABLE role ADD CONSTRAINT role_pk PRIMARY KEY ( id );

CREATE TABLE saga (
    id            INTEGER NOT NULL,
    title         VARCHAR2(50) NOT NULL,
    abstract      VARCHAR2(70) NOT NULL,
    based_id      INTEGER NOT NULL
);

ALTER TABLE saga ADD CONSTRAINT saga_pk PRIMARY KEY ( id );

CREATE TABLE serie (
    id            INTEGER NOT NULL,
    title         VARCHAR2(50) NOT NULL,
    abstract      VARCHAR2(70) NOT NULL,
    begin_date    DATE NOT NULL,
    length        INTEGER NOT NULL,
    seasons       INTEGER NOT NULL,
    chapters      INTEGER NOT NULL,
    rated_id      INTEGER NOT NULL,
    macroserie_id INTEGER,
    country_id    INTEGER NOT NULL
);

ALTER TABLE serie ADD CONSTRAINT serie_pk PRIMARY KEY ( id );

CREATE TABLE serie_format (
    format_id     INTEGER NOT NULL,
    serie_id      INTEGER NOT NULL
);

ALTER TABLE serie_format ADD CONSTRAINT serie_format_pk PRIMARY KEY ( format_id,
                                                                    serie_id );

CREATE TABLE serie_genre (
```

```
genre_id  INTEGER NOT NULL,
serie_id  INTEGER NOT NULL
);

ALTER TABLE serie_genre ADD CONSTRAINT serie_genre_pk PRIMARY KEY ( genre_id,
                                                                    serie_id );

CREATE TABLE serie_language (
    id            INTEGER NOT NULL,
    audio_id      INTEGER NOT NULL,
    subtitles_id  INTEGER,
    serie_id      INTEGER NOT NULL
);

ALTER TABLE serie_language ADD CONSTRAINT serie_language_pk PRIMARY KEY ( id );

CREATE TABLE state (
    id      INTEGER NOT NULL,
    state   VARCHAR2(20) NOT NULL
);

ALTER TABLE state ADD CONSTRAINT state_pk PRIMARY KEY ( id );

CREATE TABLE studio (
    id      INTEGER NOT NULL,
    name    VARCHAR2(30) NOT NULL
);

ALTER TABLE studio ADD CONSTRAINT studio_pk PRIMARY KEY ( id );

ALTER TABLE artist
    ADD CONSTRAINT artist_country_fk FOREIGN KEY ( country_id )
        REFERENCES country ( id );

ALTER TABLE artist
    ADD CONSTRAINT artist_gender_fk FOREIGN KEY ( gender_id )
        REFERENCES gender ( id );
```

```
ALTER TABLE cast_documentary
  ADD CONSTRAINT cast_doc_artist_fk FOREIGN KEY ( artist_id )
    REFERENCES artist ( id );

ALTER TABLE cast_documentary
  ADD CONSTRAINT cast_doc_doc_fk FOREIGN KEY ( documentary_id )
    REFERENCES documentary ( id );

ALTER TABLE cast_documentary_role
  ADD CONSTRAINT cast_doc_role_cast_doc_fk FOREIGN KEY ( cast_documentary_id )
    REFERENCES cast_documentary ( id );

ALTER TABLE cast_documentary_role
  ADD CONSTRAINT cast_doc_role_role_fk FOREIGN KEY ( role_id )
    REFERENCES role ( id );

ALTER TABLE cast_movie
  ADD CONSTRAINT cast_movie_artist_fk FOREIGN KEY ( artist_id )
    REFERENCES artist ( id );

ALTER TABLE cast_movie
  ADD CONSTRAINT cast_movie_movie_fk FOREIGN KEY ( movie_id )
    REFERENCES movie ( id );

ALTER TABLE cast_movie_role
  ADD CONSTRAINT cast_movie_role_cast_movie_fk FOREIGN KEY ( cast_movie_id )
    REFERENCES cast_movie ( id );

ALTER TABLE cast_movie_role
  ADD CONSTRAINT cast_movie_role_role_fk FOREIGN KEY ( role_id )
    REFERENCES role ( id );

ALTER TABLE cast_serie
  ADD CONSTRAINT cast_serie_artist_fk FOREIGN KEY ( artist_id )
    REFERENCES artist ( id );
```

```
ALTER TABLE cast_serie_role
    ADD CONSTRAINT cast_serie_role_cast_serie_fk FOREIGN KEY ( cast_serie_id )
        REFERENCES cast_serie ( id );
```

```
ALTER TABLE cast_serie_role
    ADD CONSTRAINT cast_serie_role_role_fk FOREIGN KEY ( role_id )
        REFERENCES role ( id );
```

```
ALTER TABLE cast_serie
    ADD CONSTRAINT cast_serie_serie_fk FOREIGN KEY ( serie_id )
        REFERENCES serie ( id );
```

```
ALTER TABLE client
    ADD CONSTRAINT client_account_status_fk FOREIGN KEY ( account_status_id )
        REFERENCES account_status ( id );
```

```
ALTER TABLE client
    ADD CONSTRAINT client_account_type_fk FOREIGN KEY ( account_type_id )
        REFERENCES account_type ( id );
```

```
ALTER TABLE client
    ADD CONSTRAINT client_country_fk FOREIGN KEY ( country_id )
        REFERENCES country ( id );
```

```
ALTER TABLE device
    ADD CONSTRAINT device_client_fk FOREIGN KEY ( client_id )
        REFERENCES client ( id );
```

```
ALTER TABLE documentary
    ADD CONSTRAINT doc_docuserie_fk FOREIGN KEY ( docuserie_id )
        REFERENCES docuserie ( id );
```

```
ALTER TABLE documentary_format
    ADD CONSTRAINT doc_form_doc_fk FOREIGN KEY ( documentary_id )
        REFERENCES documentary ( id );
```

```
ALTER TABLE documentary_format
```

```
ADD CONSTRAINT doc_form_format_fk FOREIGN KEY ( format_id )
REFERENCES format ( id );

ALTER TABLE documentary_genre
ADD CONSTRAINT doc_gen_doc_fk FOREIGN KEY ( documentary_id )
REFERENCES documentary ( id );

ALTER TABLE documentary_genre
ADD CONSTRAINT doc_gen_genre_fk FOREIGN KEY ( genre_id )
REFERENCES genre ( id );

ALTER TABLE documentary_language
ADD CONSTRAINT doc_lang_doc_fk FOREIGN KEY ( documentary_id )
REFERENCES documentary ( id );

ALTER TABLE documentary_language
ADD CONSTRAINT doc_lang_language_fk FOREIGN KEY ( audio_id )
REFERENCES language ( id );

ALTER TABLE documentary_language
ADD CONSTRAINT doc_lang_language_fkv2 FOREIGN KEY ( subtitles_id )
REFERENCES language ( id );

ALTER TABLE documentary
ADD CONSTRAINT doc Rated_fk FOREIGN KEY ( rated_id )
REFERENCES rated ( id );

ALTER TABLE docuserie
ADD CONSTRAINT docuserie_based_fk FOREIGN KEY ( based_id )
REFERENCES based ( id );

ALTER TABLE download_documentary
ADD CONSTRAINT down_doc_client_fk FOREIGN KEY ( client_id )
REFERENCES client ( id );

ALTER TABLE download_documentary
ADD CONSTRAINT down_doc_doc_lang_fk FOREIGN KEY ( documentary_language_id )
```

```
REFERENCES documentary_language ( id );

ALTER TABLE download_documentary
ADD CONSTRAINT down_doc_state_fk FOREIGN KEY ( state_id )
REFERENCES state ( id );

ALTER TABLE download_movie
ADD CONSTRAINT download_movie_client_fk FOREIGN KEY ( client_id )
REFERENCES client ( id );

ALTER TABLE download_movie
ADD CONSTRAINT download_movie_movie_lang_fk FOREIGN KEY ( movie_language_id )
REFERENCES movie_language ( id );

ALTER TABLE download_movie
ADD CONSTRAINT download_movie_state_fk FOREIGN KEY ( state_id )
REFERENCES state ( id );

ALTER TABLE download_serie
ADD CONSTRAINT download_serie_client_fk FOREIGN KEY ( client_id )
REFERENCES client ( id );

ALTER TABLE download_serie
ADD CONSTRAINT download_serie_serie_lang_fk FOREIGN KEY ( serie_language_id )
REFERENCES serie_language ( id );

ALTER TABLE download_serie
ADD CONSTRAINT download_serie_state_fk FOREIGN KEY ( state_id )
REFERENCES state ( id );

ALTER TABLE macroserie
ADD CONSTRAINT macroserie_based_fk FOREIGN KEY ( based_id )
REFERENCES based ( id );

ALTER TABLE membership
ADD CONSTRAINT membership_client_fk FOREIGN KEY ( client_id )
REFERENCES client ( id );
```

```
ALTER TABLE movie
  ADD CONSTRAINT movie_country_fk FOREIGN KEY ( country_id )
    REFERENCES country ( id );

ALTER TABLE movie_format
  ADD CONSTRAINT movie_format_format_fk FOREIGN KEY ( format_id )
    REFERENCES format ( id );

ALTER TABLE movie_format
  ADD CONSTRAINT movie_format_movie_fk FOREIGN KEY ( movie_id )
    REFERENCES movie ( id );

ALTER TABLE movie_genre
  ADD CONSTRAINT movie_genre_genre_fk FOREIGN KEY ( genre_id )
    REFERENCES genre ( id );

ALTER TABLE movie_genre
  ADD CONSTRAINT movie_genre_movie_fk FOREIGN KEY ( movie_id )
    REFERENCES movie ( id );

ALTER TABLE movie_language
  ADD CONSTRAINT movie_lang_language_fk FOREIGN KEY ( subtitles_id )
    REFERENCES language ( id );

ALTER TABLE movie_language
  ADD CONSTRAINT movie_lang_language_fkv2 FOREIGN KEY ( audio_id )
    REFERENCES language ( id );

ALTER TABLE movie_language
  ADD CONSTRAINT movie_lang_movie_fk FOREIGN KEY ( movie_id )
    REFERENCES movie ( id );

ALTER TABLE movie
  ADD CONSTRAINT movie Rated_fk FOREIGN KEY ( rated_id )
    REFERENCES rated ( id );
```

```
ALTER TABLE movie
  ADD CONSTRAINT movie_saga_fk FOREIGN KEY ( saga_id )
    REFERENCES saga ( id );

ALTER TABLE movie
  ADD CONSTRAINT movie_studio_fk FOREIGN KEY ( studio_id )
    REFERENCES studio ( id );

ALTER TABLE reproduction_documentary
  ADD CONSTRAINT repr_doc_client_fk FOREIGN KEY ( client_id )
    REFERENCES client ( id );

ALTER TABLE reproduction_documentary
  ADD CONSTRAINT repr_doc_doc_lang_fk FOREIGN KEY ( documentary_language_id )
    REFERENCES documentary_language ( id );

ALTER TABLE reproduction_documentary
  ADD CONSTRAINT repr_doc_state_fk FOREIGN KEY ( state_id )
    REFERENCES state ( id );

ALTER TABLE reproduction_movie
  ADD CONSTRAINT repr_movie_client_fk FOREIGN KEY ( client_id )
    REFERENCES client ( id );

ALTER TABLE reproduction_movie
  ADD CONSTRAINT repr_movie_movie_lang_fk FOREIGN KEY ( movie_language_id )
    REFERENCES movie_language ( id );

ALTER TABLE reproduction_movie
  ADD CONSTRAINT repr_movie_state_fk FOREIGN KEY ( state_id )
    REFERENCES state ( id );

ALTER TABLE reproduction_serie
  ADD CONSTRAINT repr_serie_client_fk FOREIGN KEY ( client_id )
    REFERENCES client ( id );

ALTER TABLE reproduction_serie
```



```
ADD CONSTRAINT repr_serie_serie_lang_fk FOREIGN KEY ( serie_language_id )
REFERENCES serie_language ( id );

ALTER TABLE reproduction_serie
ADD CONSTRAINT repr_serie_state_fk FOREIGN KEY ( state_id )
REFERENCES state ( id );

ALTER TABLE saga
ADD CONSTRAINT saga_based_fk FOREIGN KEY ( based_id )
REFERENCES based ( id );

ALTER TABLE serie
ADD CONSTRAINT serie_country_fk FOREIGN KEY ( country_id )
REFERENCES country ( id );

ALTER TABLE serie_format
ADD CONSTRAINT serie_format_format_fk FOREIGN KEY ( format_id )
REFERENCES format ( id );

ALTER TABLE serie_format
ADD CONSTRAINT serie_format_serie_fk FOREIGN KEY ( serie_id )
REFERENCES serie ( id );

ALTER TABLE serie_genre
ADD CONSTRAINT serie_genre_genre_fk FOREIGN KEY ( genre_id )
REFERENCES genre ( id );

ALTER TABLE serie_genre
ADD CONSTRAINT serie_genre_serie_fk FOREIGN KEY ( serie_id )
REFERENCES serie ( id );

ALTER TABLE serie_language
ADD CONSTRAINT serie_lang_language_fk FOREIGN KEY ( audio_id )
REFERENCES language ( id );

ALTER TABLE serie_language
ADD CONSTRAINT serie_lang_language_fkv2 FOREIGN KEY ( subtitles_id )
```

```
REFERENCES language ( id );
```

```
ALTER TABLE serie_language
```

```
ADD CONSTRAINT serie_lang_serie_fk FOREIGN KEY ( serie_id )  
REFERENCES serie ( id );
```

```
ALTER TABLE serie
```

```
ADD CONSTRAINT serie_macroserie_fk FOREIGN KEY ( macroserie_id )  
REFERENCES macroserie ( id );
```

```
ALTER TABLE serie
```

```
ADD CONSTRAINT serie_rated_fk FOREIGN KEY ( rated_id )  
REFERENCES rated ( id );
```

```
-- Oracle SQL Developer Data Modeler Summary Report:
```

```
--
```

```
-- CREATE TABLE          43  
-- CREATE INDEX            0  
-- ALTER TABLE           113  
-- CREATE VIEW             0  
-- ALTER VIEW             0  
-- CREATE PACKAGE          0  
-- CREATE PACKAGE BODY     0  
-- CREATE PROCEDURE        0  
-- CREATE FUNCTION         0  
-- CREATE TRIGGER          0  
-- ALTER TRIGGER           0  
-- CREATE COLLECTION TYPE  0  
-- CREATE STRUCTURED TYPE  0  
-- CREATE STRUCTURED TYPE BODY 0  
-- CREATE CLUSTER          0  
-- CREATE CONTEXT          0  
-- CREATE DATABASE         0  
-- CREATE DIMENSION        0  
-- CREATE DIRECTORY        0
```

```
-- CREATE DISK GROUP          0
-- CREATE ROLE                 0
-- CREATE ROLLBACK SEGMENT     0
-- CREATE SEQUENCE             0
-- CREATE MATERIALIZED VIEW     0
-- CREATE MATERIALIZED VIEW LOG 0
-- CREATE SYNONYM              0
-- CREATE TABLESPACE          0
-- CREATE USER                 0
--
-- DROP TABLESPACE            0
-- DROP DATABASE               0
--
-- REDACTION POLICY            0
--
-- ORDS DROP SCHEMA            0
-- ORDS ENABLE SCHEMA          0
-- ORDS ENABLE OBJECT          0
--
-- ERRORS                      0
-- WARNINGS                    0
```

Inserts

```
INSERT INTO account_type VALUES (1,'Individual');
INSERT INTO account_type VALUES (2,'Pareja');
INSERT INTO account_type VALUES (3,'Familiar 5');
INSERT INTO account_type VALUES (4,'Familiar 10');
```

```
INSERT INTO country VALUES (1,'Costa Rica');
INSERT INTO country VALUES (2,'Estados Unidos');
INSERT INTO country VALUES (3,'Brasil');
INSERT INTO country VALUES (4,'Panamá');
```

```
INSERT INTO account_status VALUES (1,'Activo');
INSERT INTO account_status VALUES (2,'Inactivo');
```

```
INSERT INTO client VALUES (1, 'Armida', 'Galiano Vélez', '123 Main St.', '(428)9877-1622',
to_date('16/11/75','DD/MM/RR'), 'armidagalianovélez@gmail.com', to_date('10/08/12','DD/MM/RR'), 3, 4, 2);
INSERT INTO client VALUES (2, 'Miriam', 'Briones Calvet', '456 Elm Ave.', '(524)5782-3212',
to_date('06/01/94','DD/MM/RR'), 'miriambrionescalvet@gmail.com', to_date('10/11/11','DD/MM/RR'), 1, 1, 2);
INSERT INTO client VALUES (3, 'Maricela', 'Duque Pomares', '789 Oak Rd.', '(454)6888-7630',
to_date('24/03/77','DD/MM/RR'), 'mariceladuquepomares@gmail.com', to_date('21/09/16','DD/MM/RR'), 2, 3, 1);
INSERT INTO client VALUES (4, 'Haydée', 'Martin Pou', '321 Pine Ln.', '(911)8152-1577', to_date('24/03/97','DD/MM/RR'),
'haydéemartinpou@gmail.com', to_date('03/05/13','DD/MM/RR'), 3, 3, 1);
INSERT INTO client VALUES (5, 'Vilma', 'Galindo Riba', '654 Maple Dr.', '(323)6746-8985',
to_date('05/07/82','DD/MM/RR'), 'vilmagalindoriba@gmail.com', to_date('24/06/19','DD/MM/RR'), 1, 3, 1);
INSERT INTO client VALUES (6, 'Modesto', 'Botella Campo', '987 Cedar Ct.', '(959)3901-6827',
to_date('22/07/83','DD/MM/RR'), 'modestobotellacampo@gmail.com', to_date('25/03/09','DD/MM/RR'), 4, 3, 1);
INSERT INTO client VALUES (7, 'Jesús', 'Leal Jaume', '654 Birch St.', '(956)3897-7852', to_date('10/11/93','DD/MM/RR'),
'jesúslealjaume@gmail.com', to_date('23/09/15','DD/MM/RR'), 2, 1, 2);
INSERT INTO client VALUES (8, 'Gerardo', 'Salas Valenzuela', '321 Willow Ave.', '(432)9115-8852',
to_date('20/06/88','DD/MM/RR'), 'gerardosalasvalenzuela@gmail.com', to_date('01/10/16','DD/MM/RR'), 3, 4, 2);
INSERT INTO client VALUES (9, 'Teodosio', 'Américo Trillo Neira', '789 Ash Rd.', '(432)6708-1471',
to_date('13/11/94','DD/MM/RR'), 'teodosioaméricotrilloneira@gmail.com', to_date('10/06/12','DD/MM/RR'), 1, 1, 1);
INSERT INTO client VALUES (10, 'Magdalena', 'Bermúdez Prat', '123 Spruce Ln.', '(311)2620-4541',
to_date('07/03/95','DD/MM/RR'), 'magdalenabermúdezprat@gmail.com', to_date('17/05/16','DD/MM/RR'), 2, 4, 1);
INSERT INTO client VALUES (11, 'Sandra', 'Plana Salazar', '456 Poplar Dr.', '(124)3867-6179',
to_date('21/07/90','DD/MM/RR'), 'sandrplanasalazar@gmail.com', to_date('26/03/19','DD/MM/RR'), 2, 4, 2);
INSERT INTO client VALUES (12, 'Nando', 'Amo Pol', '789 Juniper Ct.', '(390)8595-6516', to_date('23/10/72','DD/MM/RR'),
'nandoamopol@gmail.com', to_date('24/01/14','DD/MM/RR'), 1, 3, 2);
INSERT INTO client VALUES (13, 'María', 'Ángeles Bonilla-Río', '321 Fir St.', '(929)8394-3733',
to_date('18/05/74','DD/MM/RR'), 'maríaángelesbonillario@gmail.com', to_date('13/03/17','DD/MM/RR'), 3, 4, 1);
INSERT INTO client VALUES (14, 'Francisca', 'Esther Solís Guzman', '654 Sycamore Ave.', '(587)1868-6983',
to_date('13/10/74','DD/MM/RR'), 'franciscaesthersolisguzman@gmail.com', to_date('07/01/15','DD/MM/RR'), 4, 4, 1);
INSERT INTO client VALUES (15, 'Adelaida', 'Borrás Rosado', '987 Palm Rd.', '(145)5930-8920',
to_date('06/01/88','DD/MM/RR'), 'adelaidaborrásrosado@gmail.com', to_date('05/05/14','DD/MM/RR'), 4, 3, 1);
INSERT INTO client VALUES (16, 'José', 'María Oller Carrera', '654 Magnolia Ln.', '(364)3992-2196',
to_date('12/08/70','DD/MM/RR'), 'josemaríaollercarrera@gmail.com', to_date('10/03/12','DD/MM/RR'), 1, 1, 2);
```

```
INSERT INTO client VALUES (17, 'Celso', 'España Somoza', '321 Cherry Dr.', '(679)6601-2221',  
to_date('09/11/79','DD/MM/RR'), 'celsoespañasomoza@gmail.com', to_date('12/05/20','DD/MM/RR'), 4, 4, 2);  
INSERT INTO client VALUES (18, 'Chus', 'Gomez Martín', '789 Hawthorn Ct.', '(984)5013-5316',  
to_date('18/09/77','DD/MM/RR'), 'chusgomezmartín@gmail.com', to_date('26/06/18','DD/MM/RR'), 1, 1, 1);  
INSERT INTO client VALUES (19, 'Ángel', 'Castellanos Heras', '123 Chestnut St.', '(981)4726-1064',  
to_date('05/03/94','DD/MM/RR'), 'ángelcastellanosheras@gmail.com', to_date('24/05/10','DD/MM/RR'), 2, 1, 1);  
INSERT INTO client VALUES (20, 'Jesús', 'Castells Flor', '456 Walnut Ave.', '(360)5636-1453',  
to_date('10/08/89','DD/MM/RR'), 'jesúscastellsflor@gmail.com', to_date('24/07/21','DD/MM/RR'), 2, 2, 2);  
INSERT INTO client VALUES (21, 'Fátima', 'de Company', '789 Pine Rd.', '(824)5776-4903', to_date('05/02/90','DD/MM/RR'),  
'fátimadecompany@gmail.com', to_date('03/05/19','DD/MM/RR'), 4, 4, 2);  
INSERT INTO client VALUES (22, 'Alejandra', 'Susanita Franch Casal', '321 Oak Ln.', '(721)5242-3367',  
to_date('08/08/85','DD/MM/RR'), 'alejandrasusanitafranchcasal@gmail.com', to_date('24/11/10','DD/MM/RR'), 2, 3, 1);  
INSERT INTO client VALUES (23, 'Candelaria', 'Tamarit', '654 Birch St.', '(482)5493-1954',  
to_date('05/04/88','DD/MM/RR'), 'candelariatamarit@gmail.com', to_date('21/08/15','DD/MM/RR'), 3, 4, 1);  
INSERT INTO client VALUES (24, 'Reyes', 'Matas Morales', '987 Elm Ave.', '(854)8326-7598',  
to_date('04/07/93','DD/MM/RR'), 'reyesmatasmorales@gmail.com', to_date('09/08/20','DD/MM/RR'), 1, 2, 2);  
INSERT INTO client VALUES (25, 'Fulgencio', 'Sebastián Santiago', '654 Maple Rd.', '(696)7879-1789',  
to_date('11/06/91','DD/MM/RR'), 'fulgenciosebastiánsantiago@gmail.com', to_date('09/01/09','DD/MM/RR'), 4, 2, 1);  
INSERT INTO client VALUES (26, 'José', 'Antonio Carbó Sierra', '321 Cedar Ln.', '(677)1322-3730',  
to_date('25/10/77','DD/MM/RR'), 'joséantoniocarbósierra@gmail.com', to_date('25/05/14','DD/MM/RR'), 3, 3, 1);  
INSERT INTO client VALUES (27, 'Jeremías', 'Pérez-Vilalta', '789 Willow Dr.', '(452)6832-1592',  
to_date('24/01/84','DD/MM/RR'), 'jeremíaspérezvilalta@gmail.com', to_date('04/09/20','DD/MM/RR'), 3, 1, 1);  
INSERT INTO client VALUES (28, 'Porfirio', 'de Calatayud', '123 Ash Ct.', '(522)6288-1901',  
to_date('20/06/74','DD/MM/RR'), 'porfiriodecalatayud@gmail.com', to_date('01/08/13','DD/MM/RR'), 4, 3, 1);  
INSERT INTO client VALUES (29, 'Haroldo', 'Grande Ballesteros', '456 Spruce St.', '(626)5226-2916',  
to_date('09/03/90','DD/MM/RR'), 'haroldograndeballesteros@gmail.com', to_date('10/06/16','DD/MM/RR'), 3, 2, 1);  
INSERT INTO client VALUES (30, 'Javiera', 'Bermudez', '789 Poplar Ave.', '(486)1219-5827',  
to_date('22/09/71','DD/MM/RR'), 'javierabermudez@gmail.com', to_date('13/06/18','DD/MM/RR'), 3, 4, 1);  
INSERT INTO client VALUES (31, 'Wálter', 'Abella', '321 Juniper Rd.', '(418)1538-3152', to_date('11/10/97','DD/MM/RR'),  
'wálterabella@gmail.com', to_date('01/06/13','DD/MM/RR'), 1, 2, 1);  
INSERT INTO client VALUES (32, 'Flavia', 'Dominguez Mínguez', '654 Fir Ln.', '(365)5352-4749',  
to_date('11/03/88','DD/MM/RR'), 'flaviadominguezmínguez@gmail.com', to_date('01/09/17','DD/MM/RR'), 4, 2, 2);  
INSERT INTO client VALUES (33, 'Maricela', 'Abril Millán Molins', '987 Sycamore Dr.', '(588)3451-3426',  
to_date('11/08/78','DD/MM/RR'), 'maricelaabrilmillánmolins@gmail.com', to_date('08/03/09','DD/MM/RR'), 2, 2, 2);  
INSERT INTO client VALUES (34, 'Victor', 'Manuel Urrutia-Baquero', '654 Palm Ct.', '(488)2739-5255',  
to_date('17/01/74','DD/MM/RR'), 'victormanuelurrutiabaquero@gmail.com', to_date('16/05/14','DD/MM/RR'), 1, 1, 2);
```

```

INSERT INTO client VALUES (35, 'Francisco', 'Moreno Acedo', '321 Magnolia St.', '(839)1270-9056',
to_date('24/06/73','DD/MM/RR'), 'franciscomorenoacedo@gmail.com', to_date('20/04/12','DD/MM/RR'), 1, 4, 2);
INSERT INTO client VALUES (36, 'Alejandra', 'Barrera Neira', '789 Cherry Ave.', '(753)9441-8045',
to_date('12/11/74','DD/MM/RR'), 'alejandrabarreraneira@gmail.com', to_date('24/03/09','DD/MM/RR'), 4, 3, 1);
INSERT INTO client VALUES (37, 'Plácido', 'Asensio Arteaga', '123 Hawthorn Rd.', '(221)5634-7555',
to_date('03/03/78','DD/MM/RR'), 'plácidoasensioarteaga@gmail.com', to_date('18/09/11','DD/MM/RR'), 1, 2, 1);
INSERT INTO client VALUES (38, 'Visitación', 'Malena Cuervo Bravo', '456 Chestnut Ln.', '(124)6220-2816',
to_date('19/06/71','DD/MM/RR'), 'visitaciónmalenacuervobravo@gmail.com', to_date('06/09/22','DD/MM/RR'), 3, 2, 2);
INSERT INTO client VALUES (39, 'Carlos', 'Rey Martí', '789 Walnut Dr.', '(789)6071-5673',
to_date('26/10/83','DD/MM/RR'), 'carlosreymartí@gmail.com', to_date('13/05/17','DD/MM/RR'), 2, 1, 2);
INSERT INTO client VALUES (40, 'Abilio', 'Nadal Contreras', '321 Pine Ct.', '(228)4185-1906',
to_date('06/11/93','DD/MM/RR'), 'abilionadalcontreras@gmail.com', to_date('10/04/14','DD/MM/RR'), 3, 3, 2);
INSERT INTO client VALUES (41, 'Paola', 'Bartolomé-Ferrer', '654 Oak St.', '(878)2305-9497',
to_date('02/10/74','DD/MM/RR'), 'paolabartoloméferrer@gmail.com', to_date('14/05/21','DD/MM/RR'), 2, 1, 2);
INSERT INTO client VALUES (42, 'Caridad', 'Clemente Lara', '987 Birch Ave.', '(660)8199-2047',
to_date('16/08/82','DD/MM/RR'), 'caridadclementelara@gmail.com', to_date('23/04/22','DD/MM/RR'), 4, 4, 1);
INSERT INTO client VALUES (43, 'Pelayo', 'Rovira Baeza', '654 Maple Rd.', '(405)8912-6733',
to_date('17/01/89','DD/MM/RR'), 'pelayorovirabaeza@gmail.com', to_date('05/04/18','DD/MM/RR'), 4, 1, 1);
INSERT INTO client VALUES (44, 'Anna', 'Bernal Jover', '321 Cedar Ln.', '(742)7979-4418',
to_date('25/04/95','DD/MM/RR'), 'annabernaljover@gmail.com', to_date('13/01/17','DD/MM/RR'), 3, 4, 2);
INSERT INTO client VALUES (45, 'Fabiola', 'Bustamante Valbuena', '789 Willow Dr.', '(709)9207-8719',
to_date('18/06/93','DD/MM/RR'), 'fabiolabustamantevalbuena@gmail.com', to_date('23/04/11','DD/MM/RR'), 1, 1, 1);
INSERT INTO client VALUES (46, 'Nélida', 'Moles Pavón', '123 Ash Ct.', '(787)2780-8040', to_date('24/09/88','DD/MM/RR'),
'nélidamolespavón@gmail.com', to_date('18/10/18','DD/MM/RR'), 4, 4, 2);
INSERT INTO client VALUES (47, 'Vidal', 'Carbonell Almansa', '456 Spruce St.', '(155)1974-8437',
to_date('13/08/85','DD/MM/RR'), 'vidalcarbonellalmansa@gmail.com', to_date('01/08/09','DD/MM/RR'), 3, 4, 2);
INSERT INTO client VALUES (48, 'Julián', 'Cervantes', '789 Poplar Ave.', '(631)8828-6862',
to_date('05/04/71','DD/MM/RR'), 'juliáncervantes@gmail.com', to_date('10/05/19','DD/MM/RR'), 3, 1, 1);
INSERT INTO client VALUES (49, 'Maxi', 'Nerea Salas Morante', '321 Juniper Rd.', '(496)2381-5842',
to_date('19/09/70','DD/MM/RR'), 'maxinereasalasmorante@gmail.com', to_date('21/03/11','DD/MM/RR'), 3, 3, 1);
INSERT INTO client VALUES (50, 'Olegario', 'Prieto-Quevedo', '654 Fir Ln.', '(839)5009-9083',
to_date('19/02/89','DD/MM/RR'), 'olegarioprietoquevedo@gmail.com', to_date('11/04/19','DD/MM/RR'), 2, 4, 1);

INSERT INTO membership VALUES (1, to_date('09/10/22', 'DD/MM/RR'), 20376, 1);
INSERT INTO membership VALUES (2, to_date('11/05/21', 'DD/MM/RR'), 18147, 2);
INSERT INTO membership VALUES (3, to_date('22/12/21', 'DD/MM/RR'), 15078, 3);

```

```
INSERT INTO membership VALUES (4, to_date('20/11/21', 'DD/MM/RR'), 20727, 4);
INSERT INTO membership VALUES (5, to_date('15/04/21', 'DD/MM/RR'), 23187, 5);
INSERT INTO membership VALUES (6, to_date('05/05/23', 'DD/MM/RR'), 18333, 6);
INSERT INTO membership VALUES (7, to_date('24/11/22', 'DD/MM/RR'), 10318, 7);
INSERT INTO membership VALUES (8, to_date('13/03/23', 'DD/MM/RR'), 22747, 8);
INSERT INTO membership VALUES (9, to_date('23/07/22', 'DD/MM/RR'), 21787, 9);
INSERT INTO membership VALUES (10, to_date('09/09/22', 'DD/MM/RR'), 13356, 10);
INSERT INTO membership VALUES (11, to_date('14/12/22', 'DD/MM/RR'), 19222, 11);
INSERT INTO membership VALUES (12, to_date('08/07/23', 'DD/MM/RR'), 10986, 12);
INSERT INTO membership VALUES (13, to_date('15/10/21', 'DD/MM/RR'), 20804, 13);
INSERT INTO membership VALUES (14, to_date('16/05/22', 'DD/MM/RR'), 18287, 14);
INSERT INTO membership VALUES (15, to_date('12/01/23', 'DD/MM/RR'), 16987, 15);
INSERT INTO membership VALUES (16, to_date('10/05/22', 'DD/MM/RR'), 16351, 16);
INSERT INTO membership VALUES (17, to_date('14/02/23', 'DD/MM/RR'), 14870, 17);
INSERT INTO membership VALUES (18, to_date('05/03/23', 'DD/MM/RR'), 11865, 18);
INSERT INTO membership VALUES (19, to_date('13/12/23', 'DD/MM/RR'), 20392, 19);
INSERT INTO membership VALUES (20, to_date('25/07/21', 'DD/MM/RR'), 10871, 20);
INSERT INTO membership VALUES (21, to_date('27/05/21', 'DD/MM/RR'), 23156, 21);
INSERT INTO membership VALUES (22, to_date('24/10/21', 'DD/MM/RR'), 11849, 22);
INSERT INTO membership VALUES (23, to_date('16/01/21', 'DD/MM/RR'), 13214, 23);
INSERT INTO membership VALUES (24, to_date('25/07/22', 'DD/MM/RR'), 16262, 24);
INSERT INTO membership VALUES (25, to_date('01/08/21', 'DD/MM/RR'), 24098, 25);
INSERT INTO membership VALUES (26, to_date('08/07/21', 'DD/MM/RR'), 20639, 26);
INSERT INTO membership VALUES (27, to_date('24/01/22', 'DD/MM/RR'), 21343, 27);
INSERT INTO membership VALUES (28, to_date('07/12/23', 'DD/MM/RR'), 13658, 28);
INSERT INTO membership VALUES (29, to_date('02/07/23', 'DD/MM/RR'), 12239, 29);
INSERT INTO membership VALUES (30, to_date('03/07/23', 'DD/MM/RR'), 10630, 30);
INSERT INTO membership VALUES (31, to_date('23/09/21', 'DD/MM/RR'), 24087, 31);
INSERT INTO membership VALUES (32, to_date('22/09/23', 'DD/MM/RR'), 20089, 32);
INSERT INTO membership VALUES (33, to_date('21/05/23', 'DD/MM/RR'), 18712, 33);
INSERT INTO membership VALUES (34, to_date('16/01/21', 'DD/MM/RR'), 22341, 34);
INSERT INTO membership VALUES (35, to_date('18/11/21', 'DD/MM/RR'), 20325, 35);
INSERT INTO membership VALUES (36, to_date('14/09/22', 'DD/MM/RR'), 18191, 36);
INSERT INTO membership VALUES (37, to_date('16/11/22', 'DD/MM/RR'), 18068, 37);
INSERT INTO membership VALUES (38, to_date('12/01/23', 'DD/MM/RR'), 18060, 38);
INSERT INTO membership VALUES (39, to_date('22/09/23', 'DD/MM/RR'), 12904, 39);
INSERT INTO membership VALUES (40, to_date('11/10/21', 'DD/MM/RR'), 22578, 40);
```

```
INSERT INTO membership VALUES (41, to_date('13/02/21', 'DD/MM/RR'), 19555, 41);
INSERT INTO membership VALUES (42, to_date('11/11/22', 'DD/MM/RR'), 14418, 42);
INSERT INTO membership VALUES (43, to_date('19/09/23', 'DD/MM/RR'), 21042, 43);
INSERT INTO membership VALUES (44, to_date('27/02/23', 'DD/MM/RR'), 20370, 44);
INSERT INTO membership VALUES (45, to_date('08/10/23', 'DD/MM/RR'), 15156, 45);
INSERT INTO membership VALUES (46, to_date('02/02/23', 'DD/MM/RR'), 11202, 46);
INSERT INTO membership VALUES (47, to_date('23/08/23', 'DD/MM/RR'), 18502, 47);
INSERT INTO membership VALUES (48, to_date('16/04/22', 'DD/MM/RR'), 18045, 48);
INSERT INTO membership VALUES (49, to_date('04/02/21', 'DD/MM/RR'), 15930, 49);
INSERT INTO membership VALUES (50, to_date('20/09/23', 'DD/MM/RR'), 13558, 50);
```

```
INSERT INTO device VALUES (1, 'TV Samsung', 8);
INSERT INTO device VALUES (2, 'iPhone 13', 44);
INSERT INTO device VALUES (3, 'MacBook Pro', 32);
INSERT INTO device VALUES (4, 'iPad Pro', 39);
INSERT INTO device VALUES (5, 'LG Smart TV', 26);
INSERT INTO device VALUES (6, 'Samsung Galaxy S21', 39);
INSERT INTO device VALUES (7, 'Dell Desktop', 28);
INSERT INTO device VALUES (8, 'Microsoft Surface Pro', 9);
INSERT INTO device VALUES (9, 'Sony Bravia TV', 30);
INSERT INTO device VALUES (10, 'Google Pixel 6', 48);
INSERT INTO device VALUES (11, 'HP Envy Laptop', 20);
INSERT INTO device VALUES (12, 'Amazon Fire Tablet', 12);
INSERT INTO device VALUES (13, 'Vizio Smart TV', 18);
INSERT INTO device VALUES (14, 'OnePlus 9', 29);
INSERT INTO device VALUES (15, 'Lenovo ThinkCentre Desktop', 34);
INSERT INTO device VALUES (16, 'Huawei MatePad', 29);
INSERT INTO device VALUES (17, 'TCL Roku TV', 6);
INSERT INTO device VALUES (18, 'Samsung Galaxy Note 20', 33);
INSERT INTO device VALUES (19, 'Asus ROG Gaming Laptop', 22);
INSERT INTO device VALUES (20, 'Microsoft Surface Go', 1);
INSERT INTO device VALUES (21, 'Philips Smart TV', 34);
INSERT INTO device VALUES (22, 'Xiaomi Mi 11', 27);
INSERT INTO device VALUES (23, 'Acer Aspire Desktop', 33);
INSERT INTO device VALUES (24, 'Apple iPad Air', 14);
INSERT INTO device VALUES (25, 'Sony Xperia 1 III', 17);
```



```
INSERT INTO device VALUES (26, 'Dell XPS Laptop', 39);
INSERT INTO device VALUES (27, 'Lenovo Tab M10', 32);
INSERT INTO device VALUES (28, 'Hisense Smart TV', 47);
INSERT INTO device VALUES (29, 'Google Pixelbook', 24);
INSERT INTO device VALUES (30, 'Amazon Kindle Fire', 32);
INSERT INTO device VALUES (31, 'Toshiba Fire TV', 33);
INSERT INTO device VALUES (32, 'Motorola Edge+', 12);
INSERT INTO device VALUES (33, 'HP Pavilion Desktop', 36);
INSERT INTO device VALUES (34, 'Samsung Galaxy Tab S7', 22);
INSERT INTO device VALUES (35, 'LG OLED TV', 49);
INSERT INTO device VALUES (36, 'iPhone 12', 31);
INSERT INTO device VALUES (37, 'Asus ZenBook Laptop', 9);
INSERT INTO device VALUES (38, 'Microsoft Surface Laptop', 5);
INSERT INTO device VALUES (39, 'Huawei MediaPad', 18);
INSERT INTO device VALUES (40, 'Sony X900H TV', 6);
INSERT INTO device VALUES (41, 'OnePlus 8 Pro', 42);
INSERT INTO device VALUES (42, 'Dell Inspiron Desktop', 14);
INSERT INTO device VALUES (43, 'Lenovo Yoga Tablet', 31);
INSERT INTO device VALUES (44, 'TCL QLED TV', 35);
INSERT INTO device VALUES (45, 'Samsung Galaxy A52', 24);
INSERT INTO device VALUES (46, 'Acer Predator Gaming Laptop', 15);
INSERT INTO device VALUES (47, 'Amazon Echo Show', 8);
INSERT INTO device VALUES (48, 'Vizio Quantum TV', 43);
INSERT INTO device VALUES (49, 'Google Pixel 5', 7);
INSERT INTO device VALUES (50, 'HP EliteBook Laptop', 13);
INSERT INTO device VALUES (51, 'Apple iPad Mini', 42);
INSERT INTO device VALUES (52, 'Sony Xperia 5 II', 13);
INSERT INTO device VALUES (53, 'Lenovo Legion Gaming Desktop', 44);
INSERT INTO device VALUES (54, 'Microsoft Surface Book', 9);
INSERT INTO device VALUES (55, 'Huawei MatePad Pro', 28);
INSERT INTO device VALUES (56, 'Philips Ambilight TV', 27);
INSERT INTO device VALUES (57, 'Xiaomi Redmi Note 10', 11);
INSERT INTO device VALUES (58, 'Dell Alienware Gaming Laptop', 23);
INSERT INTO device VALUES (59, 'Samsung Galaxy Tab A7', 25);
INSERT INTO device VALUES (60, 'LG NanoCell TV', 22);
INSERT INTO device VALUES (61, 'iPhone SE', 45);
INSERT INTO device VALUES (62, 'Asus VivoBook Laptop', 25);
```

```
INSERT INTO device VALUES (63, 'Amazon Fire HD Tablet', 19);
INSERT INTO device VALUES (64, 'Toshiba Smart TV', 17);
INSERT INTO device VALUES (65, 'Motorola Moto G Power', 39);
INSERT INTO device VALUES (66, 'HP Spectre x360', 48);
INSERT INTO device VALUES (67, 'Lenovo Chromebook Duet', 16);
INSERT INTO device VALUES (68, 'Hisense ULED TV', 28);
INSERT INTO device VALUES (69, 'Google Pixel 4a', 3);
INSERT INTO device VALUES (70, 'Acer Swift Laptop', 43);
INSERT INTO device VALUES (71, 'Microsoft Surface Studio', 46);
INSERT INTO device VALUES (72, 'Huawei MateBook Laptop', 49);
INSERT INTO device VALUES (73, 'Sony X950H TV', 3);
INSERT INTO device VALUES (74, 'OnePlus Nord', 9);
INSERT INTO device VALUES (75, 'Dell OptiPlex Desktop', 40);
INSERT INTO device VALUES (76, 'Samsung Galaxy Tab S6', 32);
INSERT INTO device VALUES (77, 'LG UHD TV', 50);
INSERT INTO device VALUES (78, 'iPhone 11', 35);
INSERT INTO device VALUES (79, 'Asus ROG Zephyrus Gaming Laptop', 15);
INSERT INTO device VALUES (80, 'Amazon Echo Spot', 35);
INSERT INTO device VALUES (81, 'Vizio P-Series TV', 43);
INSERT INTO device VALUES (82, 'Google Pixelbook Go', 10);
INSERT INTO device VALUES (83, 'HP Chromebook', 21);
INSERT INTO device VALUES (84, 'Lenovo IdeaPad Laptop', 26);
INSERT INTO device VALUES (85, 'TCL 4K Roku TV', 4);
INSERT INTO device VALUES (86, 'Samsung Galaxy Tab S7+', 48);
INSERT INTO device VALUES (87, 'Sony A8H TV', 20);
INSERT INTO device VALUES (88, 'Xiaomi Mi 10', 42);
INSERT INTO device VALUES (89, 'Dell Precision Workstation', 26);
INSERT INTO device VALUES (90, 'Huawei MateBook X Pro', 29);
INSERT INTO device VALUES (91, 'Philips 4K TV', 31);
INSERT INTO device VALUES (92, 'Motorola Razr', 29);
INSERT INTO device VALUES (93, 'Acer Chromebook', 36);
INSERT INTO device VALUES (94, 'Microsoft Surface Hub', 1);
INSERT INTO device VALUES (95, 'LG Signature OLED TV', 50);
INSERT INTO device VALUES (96, 'iPhone XR', 18);
INSERT INTO device VALUES (97, 'Asus Chromebook', 48);
INSERT INTO device VALUES (98, 'Amazon Echo Dot', 16);
INSERT INTO device VALUES (99, 'Toshiba DynaEdge AR Smart Glasses', 37);
```

```
INSERT INTO device VALUES (100, 'Sony PlayStation 5 (PS5)', 27);
```

```
INSERT INTO rated VALUES (1, 'G');
```

```
INSERT INTO rated VALUES (2, 'PG');
```

```
INSERT INTO rated VALUES (3, 'PG-13');
```

```
INSERT INTO rated VALUES (4, 'R');
```

```
INSERT INTO rated VALUES (5, 'NC-17');
```

```
INSERT INTO studio VALUES (1, 'Warner Bros. Pictures');
```

```
INSERT INTO studio VALUES (2, 'Universal Pictures');
```

```
INSERT INTO studio VALUES (3, 'Paramount Pictures');
```

```
INSERT INTO studio VALUES (4, 'Walt Disney Studios');
```

```
INSERT INTO studio VALUES (5, '20th Century Studios');
```

```
INSERT INTO studio VALUES (6, 'Sony Pictures Entertainment');
```

```
INSERT INTO studio VALUES (7, 'Lionsgate Films');
```

```
INSERT INTO studio VALUES (8, 'Metro-Goldwyn-Mayer (MGM)');
```

```
INSERT INTO studio VALUES (9, 'New Line Cinema');
```

```
INSERT INTO studio VALUES (10, 'Columbia Pictures');
```

```
INSERT INTO studio VALUES (11, 'DreamWorks Pictures');
```

```
INSERT INTO studio VALUES (12, 'A24');
```

```
INSERT INTO studio VALUES (13, 'Focus Features');
```

```
INSERT INTO studio VALUES (14, 'Miramax Films');
```

```
INSERT INTO studio VALUES (15, 'Studio Ghibli');
```

```
INSERT INTO studio VALUES (16, 'Pixar Animation Studios');
```

```
INSERT INTO studio VALUES (17, 'Legendary Pictures');
```

```
INSERT INTO studio VALUES (18, 'Fox Searchlight Pictures');
```

```
INSERT INTO studio VALUES (19, 'The Weinstein Company');
```

```
INSERT INTO studio VALUES (20, 'Summit Entertainment');
```

```
INSERT INTO studio VALUES (21, 'Blumhouse Productions');
```

```
INSERT INTO studio VALUES (22, 'Working Title Films');
```

```
INSERT INTO studio VALUES (23, 'Amblin Entertainment');
```

```
INSERT INTO studio VALUES (24, 'Warner Animation Group');
```

```
INSERT INTO studio VALUES (25, 'Touchstone Pictures');
```

```
INSERT INTO studio VALUES (26, 'Dimension Films');
```

```
INSERT INTO studio VALUES (27, 'STX Entertainment');
```

```
INSERT INTO studio VALUES (28, 'Lakeshore Entertainment');
INSERT INTO studio VALUES (29, 'Participant Media');
INSERT INTO studio VALUES (30, 'Miramax Films');
INSERT INTO studio VALUES (31, 'FilmDistrict');
INSERT INTO studio VALUES (32, 'Regency Enterprises');
INSERT INTO studio VALUES (33, 'Roadshow Entertainment');
INSERT INTO studio VALUES (34, 'Village Roadshow Pictures');
INSERT INTO studio VALUES (35, 'EuropaCorp');
INSERT INTO studio VALUES (36, 'Orion Pictures');
INSERT INTO studio VALUES (37, 'Constantin Film');
INSERT INTO studio VALUES (38, 'Screen Gems');
INSERT INTO studio VALUES (39, 'Gaumont Film Company');
INSERT INTO studio VALUES (40, 'Legendary Entertainmen');
```

```
INSERT INTO based VALUES (1, 'Novela');
INSERT INTO based VALUES (2, 'Cuento');
INSERT INTO based VALUES (3, 'Comic');
```

```
INSERT INTO saga VALUES (1, 'Saga de Harry Potter', 'Magia y aventuras en Hogwarts.', 1);
INSERT INTO saga VALUES (2, 'Saga de Star Wars', 'Batallas galácticas y la lucha entre el bien y el mal.', 2);
INSERT INTO saga VALUES (3, 'Saga de El Señor de los Anillos', 'Épica batalla por el destino de la Tierra Media.', 2);
INSERT INTO saga VALUES (4, 'Saga de Marvel Cinematic Universe (MCU)', 'Superhéroes unen fuerzas para salvar el mundo.', 3);
INSERT INTO saga VALUES (5, 'Saga de James Bond', 'Agente secreto en misiones peligrosas.', 2);
INSERT INTO saga VALUES (6, 'Saga de Fast and Furious', 'Carreras y acción a toda velocidad.', 2);
INSERT INTO saga VALUES (7, 'Saga de Jurassic Park / Jurassic World', 'Aventuras con dinosaurios.', 1);
INSERT INTO saga VALUES (8, 'Saga de The Hunger Games', 'Jóvenes luchan por sobrevivir en un futuro distópico', 2);
```

```
INSERT INTO movie VALUES (1, 'Titanic', to_date('07/07/82','DD/MM/RR'), 142, 3, 10, 1, null);
INSERT INTO movie VALUES (2, 'Avatar', to_date('14/08/76','DD/MM/RR'), 161, 3, 23, 3, null);
INSERT INTO movie VALUES (3, 'El padrino', to_date('05/05/82','DD/MM/RR'), 191, 1, 3, 4, null);
INSERT INTO movie VALUES (4, 'Pulp Fiction', to_date('07/01/67','DD/MM/RR'), 184, 1, 22, 1, null);
INSERT INTO movie VALUES (5, 'La forma del agua', to_date('19/04/82','DD/MM/RR'), 160, 1, 28, 1, null);
INSERT INTO movie VALUES (6, 'La lista de Schindler', to_date('18/05/90','DD/MM/RR'), 198, 2, 35, 2, null);
```

```
INSERT INTO movie VALUES (7, 'Forrest Gump', to_date('19/04/97','DD/MM/RR'), 173, 3, 22, 4, null);
INSERT INTO movie VALUES (8, 'El caballero oscuro', to_date('02/03/82','DD/MM/RR'), 191, 1, 22, 2, null);
INSERT INTO movie VALUES (9, 'El gran Lebowski', to_date('25/11/63','DD/MM/RR'), 171, 1, 30, 3, null);
INSERT INTO movie VALUES (10, 'La vida es bella', to_date('22/11/75','DD/MM/RR'), 179, 4, 30, 3, null);
INSERT INTO movie VALUES (11, 'Ciudadano Kane', to_date('02/01/84','DD/MM/RR'), 167, 1, 19, 4, null);
INSERT INTO movie VALUES (12, 'Casablanca', to_date('07/08/64','DD/MM/RR'), 174, 1, 39, 2, null);
INSERT INTO movie VALUES (13, 'El Padrino II', to_date('22/01/87','DD/MM/RR'), 195, 2, 37, 2, null);
INSERT INTO movie VALUES (14, 'El laberinto del fauno', to_date('25/10/70','DD/MM/RR'), 160, 2, 31, 1, null);
INSERT INTO movie VALUES (15, 'Indiana Jones: En busca del arca perdida', to_date('08/04/76','DD/MM/RR'), 127, 1, 3, 4, null);
INSERT INTO movie VALUES (16, 'Los juegos del hambre', to_date('21/11/97','DD/MM/RR'), 151, 1, 23, 4, 8);
INSERT INTO movie VALUES (17, 'En llamas', to_date('23/04/97','DD/MM/RR'), 184, 3, 39, 3, 8);
INSERT INTO movie VALUES (18, 'Sinsajo - Parte 1', to_date('12/07/77','DD/MM/RR'), 175, 4, 8, 3, 8);
INSERT INTO movie VALUES (19, 'Jurassic Park', to_date('19/05/79','DD/MM/RR'), 190, 4, 32, 2, 7);
INSERT INTO movie VALUES (20, 'The Lost World: Jurassic Park', to_date('20/02/69','DD/MM/RR'), 165, 1, 25, 4, 7);
INSERT INTO movie VALUES (21, 'The Fast and the Furious', to_date('10/02/76','DD/MM/RR'), 142, 4, 33, 1, 6);
INSERT INTO movie VALUES (22, 'Fast Five', to_date('01/02/64','DD/MM/RR'), 182, 1, 16, 3, 6);
INSERT INTO movie VALUES (23, 'Fast and Furious 6', to_date('18/01/67','DD/MM/RR'), 166, 1, 15, 1, 6);
INSERT INTO movie VALUES (24, 'Dr. No', to_date('04/02/69','DD/MM/RR'), 188, 3, 8, 1, 5);
INSERT INTO movie VALUES (25, 'Goldfinger', to_date('14/01/88','DD/MM/RR'), 166, 2, 6, 4, 5);
INSERT INTO movie VALUES (26, 'Thunderball', to_date('12/06/71','DD/MM/RR'), 158, 1, 39, 3, 5);
INSERT INTO movie VALUES (27, 'Avengers: Infinity War', to_date('26/01/95','DD/MM/RR'), 197, 2, 5, 4, 4);
INSERT INTO movie VALUES (28, 'Iron Man', to_date('23/05/96','DD/MM/RR'), 141, 4, 11, 4, 4);
INSERT INTO movie VALUES (29, 'Avengers: Endgame', to_date('13/07/85','DD/MM/RR'), 183, 4, 17, 3, 4);
INSERT INTO movie VALUES (30, 'El Señor de los Anillos: La Comunidad del Anillo', to_date('26/08/89','DD/MM/RR'), 134, 4, 8, 4, 3);
INSERT INTO movie VALUES (31, 'El Señor de los Anillos: Las dos torres', to_date('03/01/70','DD/MM/RR'), 196, 2, 10, 4, 3);
INSERT INTO movie VALUES (32, 'El Señor de los Anillos: El retorno del rey', to_date('23/05/62','DD/MM/RR'), 137, 2, 38, 3, 3);
INSERT INTO movie VALUES (33, 'Star Wars: Episodio IV', to_date('14/07/78','DD/MM/RR'), 131, 1, 11, 3, 2);
INSERT INTO movie VALUES (34, 'Star Wars: Episodio V', to_date('24/01/79','DD/MM/RR'), 132, 3, 15, 1, 2);
INSERT INTO movie VALUES (35, 'Star Wars: Episodio VI', to_date('14/06/75','DD/MM/RR'), 185, 3, 22, 2, 2);
INSERT INTO movie VALUES (36, 'Star Wars: Episodio I', to_date('23/01/97','DD/MM/RR'), 143, 1, 11, 3, 2);
INSERT INTO movie VALUES (37, 'Harry Potter', to_date('09/10/89','DD/MM/RR'), 122, 2, 29, 2, 1);
INSERT INTO movie VALUES (38, 'La Piedra Filosofal', to_date('25/10/74','DD/MM/RR'), 151, 2, 33, 3, 1);
INSERT INTO movie VALUES (39, 'La Cámara Secreta', to_date('25/01/86','DD/MM/RR'), 163, 3, 12, 4, 1);
```

```
INSERT INTO movie VALUES (40, 'El Prisionero de Azkaban', to_date('20/04/63','DD/MM/RR'), 125, 1, 27, 1, 1);

INSERT INTO macroserie VALUES (1, 'Star Trek', 'Exploración espacial y conflictos en el futuro.', 2);
INSERT INTO macroserie VALUES (2, 'Arrowverse', 'Superhéroes de DC Comics en un universo compartido.', 3);
INSERT INTO macroserie VALUES (3, 'The Walking Dead', 'Supervivencia en un mundo postapocalíptico de zombies.', 2);
INSERT INTO macroserie VALUES (4, 'CSI: Crime Scene Investigation', 'Investigación forense de crímenes.', 2);
INSERT INTO macroserie VALUES (5, 'Law and Order', 'Drama legal y policial.', 2);
INSERT INTO macroserie VALUES (6, 'Marvel Disney+ Series', 'Superhéroes de Marvel Comics.', 3);

INSERT INTO serie VALUES (1, 'Juego de Tronos', 'Intrigas y batallas por el trono.', to_date('23/06/67','DD/MM/RR'),
214, 7, 83, 1, null, 4);
INSERT INTO serie VALUES (2, 'Breaking Bad', 'Profesor de química se convierte en narcotraficante.',
to_date('01/10/85','DD/MM/RR'), 229, 2, 118, 3, null, 3);
INSERT INTO serie VALUES (3, 'Mindhunter', 'Agentes del FBI investigan mentes criminales.',
to_date('22/01/67','DD/MM/RR'), 426, 2, 85, 4, null, 3);
INSERT INTO serie VALUES (4, 'Stranger Things', 'Misterios sobrenaturales en un pequeño pueblo.',
to_date('07/05/77','DD/MM/RR'), 225, 8, 76, 1, null, 2);
INSERT INTO serie VALUES (5, 'The Crown', 'La vida de la reina Isabel II.', to_date('03/04/82','DD/MM/RR'), 481, 9, 28,
1, null, 2);
INSERT INTO serie VALUES (6, 'The Good Place', 'Comedia filosófica sobre la vida después de la muerte.',
to_date('07/08/75','DD/MM/RR'), 390, 9, 43, 2, null, 2);
INSERT INTO serie VALUES (7, 'Black Mirror', 'Distopías tecnológicas y su impacto en la sociedad.',
to_date('22/08/68','DD/MM/RR'), 315, 1, 30, 4, null, 2);
INSERT INTO serie VALUES (8, 'The Big Bang Theory', 'Genios de la ciencia y sus peripecias.',
to_date('19/05/95','DD/MM/RR'), 181, 9, 71, 2, null, 2);
INSERT INTO serie VALUES (9, 'Peaky Blinders', 'Pandilla criminal en el Londres de los 20.',
to_date('13/05/93','DD/MM/RR'), 526, 9, 18, 3, null, 2);
INSERT INTO serie VALUES (10, 'Narcos', 'El auge y caída de los carteles de la droga.', to_date('16/07/68','DD/MM/RR'),
265, 1, 97, 3, null, 1);
INSERT INTO serie VALUES (11, 'Westworld', 'Parque temático de robots con conciencia propia.',
to_date('17/06/65','DD/MM/RR'), 402, 7, 89, 4, null, 2);
INSERT INTO serie VALUES (12, 'Friends', 'Seis amigos en Nueva York.', to_date('01/03/87','DD/MM/RR'), 375, 5, 71, 2,
null, 1);
INSERT INTO serie VALUES (13, 'Game of Thrones', 'Luchas por el Trono de Hierro.', to_date('11/06/86','DD/MM/RR'), 298,
2, 17, 2, null, 2);
```

```
INSERT INTO serie VALUES (14, 'The Office', 'Locuras en una oficina de papel.', to_date('01/03/79','DD/MM/RR'), 526, 1, 50, 1, null, 3);
INSERT INTO serie VALUES (15, 'True Detective', 'Detectives investigan casos perturbadores.', to_date('10/04/76','DD/MM/RR'), 450, 7, 112, 4, null, 1);
INSERT INTO serie VALUES (16, 'The Mandalorian', 'Cazarrecompensas en el universo de Star Wars.', to_date('12/08/68','DD/MM/RR'), 113, 4, 30, 4, null, 1);
INSERT INTO serie VALUES (17, 'Money Heist', 'Un grupo planea el robo perfecto.', to_date('13/10/69','DD/MM/RR'), 464, 6, 102, 3, null, 3);
INSERT INTO serie VALUES (18, 'The Witcher', 'Cazador de monstruos en un mundo fantástico.', to_date('22/03/92','DD/MM/RR'), 582, 7, 6, 3, null, 2);
INSERT INTO serie VALUES (19, 'Lost', 'Supervivientes de un accidente de avión.', to_date('04/01/66','DD/MM/RR'), 151, 7, 114, 2, null, 2);
INSERT INTO serie VALUES (20, 'Greys Anatomy', 'Drama y romance en un hospital.', to_date('02/05/95','DD/MM/RR'), 446, 8, 19, 4, null, 2);
INSERT INTO serie VALUES (21, 'Chernobyl', 'El desastre nuclear de 1986.', to_date('07/07/65','DD/MM/RR'), 194, 9, 50, 1, null, 3);
INSERT INTO serie VALUES (22, 'The Simpsons', 'Aventuras de una familia disfuncional.', to_date('04/09/67','DD/MM/RR'), 109, 8, 102, 3, null, 4);
INSERT INTO serie VALUES (23, 'The Sopranos', 'Jefe de la mafia en terapia.', to_date('06/07/76','DD/MM/RR'), 468, 3, 93, 1, null, 2);
INSERT INTO serie VALUES (24, 'How I Met Your Mother', 'Un hombre cuenta cómo conoció a la madre de sus hijos.', to_date('15/01/89','DD/MM/RR'), 595, 9, 79, 1, null, 1);
INSERT INTO serie VALUES (25, 'Vikings', 'Guerreros y exploradores nórdicos.', to_date('04/03/63','DD/MM/RR'), 182, 3, 32, 4, null, 2);
INSERT INTO serie VALUES (26, 'WandaVision', 'Realidad alterna y secretos oscuros.', to_date('22/09/89','DD/MM/RR'), 193, 10, 98, 3, 6, 2);
INSERT INTO serie VALUES (27, 'Loki', 'Aventura en tiempo y espacio.', to_date('10/07/93','DD/MM/RR'), 424, 8, 16, 4, 6, 2);
INSERT INTO serie VALUES (28, 'Hawkeye', 'Protección familiar y amenazas peligrosas.', to_date('24/01/67','DD/MM/RR'), 247, 5, 104, 4, 6, 2);
INSERT INTO serie VALUES (29, 'Law and Order', 'Crimen y justicia en Nueva York.', to_date('05/01/80','DD/MM/RR'), 523, 1, 82, 3, 5, 3);
INSERT INTO serie VALUES (30, 'Law and Order: Special Victims Unit', 'Delitos sexuales.', to_date('06/03/97','DD/MM/RR'), 470, 5, 95, 4, 5, 1);
INSERT INTO serie VALUES (31, 'CSI: Las Vegas', 'Resuelve crímenes en la Ciudad del Pecado.', to_date('21/06/90','DD/MM/RR'), 450, 1, 44, 4, 4, 3);
```

```
INSERT INTO serie VALUES (32, 'CSI: Miami', 'Crímenes en el soleado Miami.', to_date('20/04/73','DD/MM/RR'), 340, 5, 13, 3, 4, 4);
INSERT INTO serie VALUES (33, 'The Walking Dead', 'Grupo lucha contra caminantes', to_date('08/01/11','DD/MM/RR'), 476, 4, 87, 3, 3, 4);
INSERT INTO serie VALUES (34, 'Fear the Walking Dead', 'Orígenes del apocalipsis zombi.', to_date('01/02/15','DD/MM/RR'), 279, 9, 113, 1, 3, 3);
INSERT INTO serie VALUES (35, 'Arrow', 'Un arquero vigilante lucha contra el crimen.', to_date('08/08/67','DD/MM/RR'), 247, 4, 40, 2, 2, 4);
INSERT INTO serie VALUES (36, 'The Flash', 'Un velocista protege la ciudad.', to_date('09/01/68','DD/MM/RR'), 139, 4, 8, 3, 2, 3);
INSERT INTO serie VALUES (37, 'Legends of Tomorrow', 'Héroes viajan en el tiempo.', to_date('13/04/74','DD/MM/RR'), 577, 6, 116, 1, 2, 4);
INSERT INTO serie VALUES (38, 'Star Trek The Original Series', 'Viajes de la nave estelar Enterprise.', to_date('10/09/74','DD/MM/RR'), 184, 5, 75, 3, 1, 1);
INSERT INTO serie VALUES (39, 'Star Trek The Next Generation', 'Aventuras del Enterprise-D.', to_date('10/07/66','DD/MM/RR'), 469, 4, 9, 3, 1, 4);
INSERT INTO serie VALUES (40, 'Star Trek Deep Space Nine', 'Estación espacial en el borde de la galaxia.', to_date('01/04/62','DD/MM/RR'), 363, 6, 111, 2, 1, 2);

INSERT INTO docuserie VALUES (1, 'Documentales de cosmos', 'Exploración del universo y sus misterios.', 2);
INSERT INTO docuserie VALUES (2, 'Documentales de UFO', 'Investigación de avistamientos de OVNI's', 2);
INSERT INTO docuserie VALUES (3, 'Documentales de Naturaleza', 'Exploración en todo el mundo', 2);
INSERT INTO docuserie VALUES (4, 'Documentales de casas', 'Exploración de casas en todo el mundo', 2);

INSERT INTO documentary VALUES (1, 'Planet Earth', 'Naturaleza en HD.', to_date('22/01/92','DD/MM/RR'), 342, 1, 5, 1, 3);
INSERT INTO documentary VALUES (2, 'Blackfish', 'Orcas en cautiverio.', to_date('14/09/79','DD/MM/RR'), 457, 2, 5, 3, null);
INSERT INTO documentary VALUES (3, 'Supersize Me', 'Comida rápida.', to_date('15/04/82','DD/MM/RR'), 474, 2, 12, 4, null);
INSERT INTO documentary VALUES (4, 'Cosmos', 'Astronomía épica.', to_date('16/09/85','DD/MM/RR'), 549, 3, 10, 1, null);
INSERT INTO documentary VALUES (5, 'The Cove', 'Delfines en peligro.', to_date('17/09/90','DD/MM/RR'), 552, 3, 8, 1, null);
INSERT INTO documentary VALUES (6, 'Amy', 'Vida de Amy Winehouse.', to_date('16/08/62','DD/MM/RR'), 373, 1, 6, 2, null);
```



```
INSERT INTO documentary VALUES (7, 'Senna', 'Leyenda del automovilismo.', to_date('24/10/71','DD/MM/RR'), 424, 1, 7, 4, null);
INSERT INTO documentary VALUES (8, 'Exit Through the Gift Shop', 'Arte callejero.', to_date('23/02/70','DD/MM/RR'), 271, 4, 9, 2, null);
INSERT INTO documentary VALUES (9, '13th', 'Sistema de justicia.', to_date('14/11/60','DD/MM/RR'), 599, 4, 14, 3, null);
INSERT INTO documentary VALUES (10, 'Man on Wire', 'Hombre equilibrista.', to_date('04/07/92','DD/MM/RR'), 294, 3, 12, 3, null);
INSERT INTO documentary VALUES (11, 'Free Solo', 'Escalada sin cuerda.', to_date('12/02/64','DD/MM/RR'), 245, 4, 11, 4, null);
INSERT INTO documentary VALUES (12, 'March of the Penguins', 'Viaje de los pingüinos.', to_date('19/06/74','DD/MM/RR'), 358, 2, 7, 2, null);
INSERT INTO documentary VALUES (13, 'Jiro Dreams of Sushi', 'Maestro del sushi.', to_date('23/07/73','DD/MM/RR'), 544, 1, 9, 2, null);
INSERT INTO documentary VALUES (14, 'O.J.', 'Made in America: Caso O.J. Simpson.', to_date('11/02/85','DD/MM/RR'), 526, 4, 12, 1, null);
INSERT INTO documentary VALUES (15, 'Grizzly Man', 'Vida con osos.', to_date('11/04/69','DD/MM/RR'), 546, 1, 13, 4, null);
INSERT INTO documentary VALUES (16, 'The Act of Killing', 'Genocidio en Indonesia.', to_date('20/02/91','DD/MM/RR'), 373, 3, 8, 4, null);
INSERT INTO documentary VALUES (17, 'RBG', 'Jueza Ruth Bader Ginsburg.', to_date('04/11/61','DD/MM/RR'), 235, 4, 9, 3, null);
INSERT INTO documentary VALUES (18, 'Hoop Dreams', 'Sueños de baloncesto.', to_date('05/03/92','DD/MM/RR'), 585, 2, 12, 3, null);
INSERT INTO documentary VALUES (19, 'The Fog of War', 'Guerra de Vietnam.', to_date('25/02/95','DD/MM/RR'), 259, 2, 6, 2, null);
INSERT INTO documentary VALUES (20, 'Icarus', 'Dopaje en el deporte.', to_date('04/05/67','DD/MM/RR'), 334, 4, 8, 4, null);
INSERT INTO documentary VALUES (21, 'Searching for Sugar Man', 'Músico desconocido.', to_date('09/02/93','DD/MM/RR'), 401, 3, 10, 1, null);
INSERT INTO documentary VALUES (22, 'Citizenfour', 'Edward Snowden.', to_date('22/11/74','DD/MM/RR'), 549, 4, 8, 3, null);
INSERT INTO documentary VALUES (23, 'The Architecture of Happiness:', 'El poder de los espacios para influir en nuestra felicidad.',to_date('26/10/93','DD/MM/RR'), 395, 3, 6, 1, 4);
INSERT INTO documentary VALUES (24, 'Tiny House Nation', 'El encanto de vivir en espacios diminutos.', to_date('19/11/78','DD/MM/RR'), 584, 3, 6, 1, 4);
INSERT INTO documentary VALUES (25, 'Planet Earth II:', 'Maravillas naturales y supervivencia animal.', to_date('14/11/64','DD/MM/RR'), 420, 2, 7, 4, 3);
```

```
INSERT INTO documentary VALUES (26, 'Blue Planet II:', 'Secretos ocultos y belleza submarina.',  
to_date('18/08/85','DD/MM/RR'), 110, 2, 14, 3, 3);  
INSERT INTO documentary VALUES (27, 'UFO', 'Enigma de avistamientos inexplicables.', to_date('09/07/60','DD/MM/RR'),  
538, 2, 9, 4, 2);  
INSERT INTO documentary VALUES (28, 'The Phenomenon', 'Revelaciones sobre la presencia extraterrestre.',  
to_date('10/03/74','DD/MM/RR'), 344, 3, 10, 4, 2);  
INSERT INTO documentary VALUES (29, 'A Spacetime Odyssey', 'Viaje cósmico por la ciencia y la maravilla.',  
to_date('14/10/94','DD/MM/RR'), 107, 3, 12, 3, 1);  
INSERT INTO documentary VALUES (30, 'Voyager in Space', 'Explorando los límites del sistema solar.',  
to_date('02/09/93','DD/MM/RR'), 164, 3, 13, 4, 1);
```

```
INSERT INTO genre VALUES (1, 'Acción');  
INSERT INTO genre VALUES (2, 'Aventura');  
INSERT INTO genre VALUES (3, 'Comedia');  
INSERT INTO genre VALUES (4, 'Drama');  
INSERT INTO genre VALUES (5, 'Terror');  
INSERT INTO genre VALUES (6, 'Ciencia ficción');  
INSERT INTO genre VALUES (7, 'Romance');  
INSERT INTO genre VALUES (8, 'Crimen');  
INSERT INTO genre VALUES (9, 'Naturaleza');  
INSERT INTO genre VALUES (10, 'Historia');  
INSERT INTO genre VALUES (11, 'Ciencia');  
INSERT INTO genre VALUES (12, 'Biografía');
```

```
INSERT INTO movie_genre VALUES (2, 1);  
INSERT INTO movie_genre VALUES (2, 2);  
INSERT INTO movie_genre VALUES (3, 3);  
INSERT INTO movie_genre VALUES (2, 4);  
INSERT INTO movie_genre VALUES (3, 5);  
INSERT INTO movie_genre VALUES (3, 6);  
INSERT INTO movie_genre VALUES (2, 7);  
INSERT INTO movie_genre VALUES (2, 8);  
INSERT INTO movie_genre VALUES (3, 9);  
INSERT INTO movie_genre VALUES (2, 10);  
INSERT INTO movie_genre VALUES (3, 11);
```

```
INSERT INTO movie_genre VALUES (3, 12);
INSERT INTO movie_genre VALUES (1, 13);
INSERT INTO movie_genre VALUES (3, 14);
INSERT INTO movie_genre VALUES (3, 15);
INSERT INTO movie_genre VALUES (3, 16);
INSERT INTO movie_genre VALUES (3, 17);
INSERT INTO movie_genre VALUES (2, 18);
INSERT INTO movie_genre VALUES (1, 19);
INSERT INTO movie_genre VALUES (1, 20);
INSERT INTO movie_genre VALUES (1, 21);
INSERT INTO movie_genre VALUES (3, 22);
INSERT INTO movie_genre VALUES (3, 23);
INSERT INTO movie_genre VALUES (2, 24);
INSERT INTO movie_genre VALUES (1, 25);
INSERT INTO movie_genre VALUES (3, 26);
INSERT INTO movie_genre VALUES (1, 27);
INSERT INTO movie_genre VALUES (3, 28);
INSERT INTO movie_genre VALUES (3, 29);
INSERT INTO movie_genre VALUES (1, 30);
INSERT INTO movie_genre VALUES (3, 31);
INSERT INTO movie_genre VALUES (3, 32);
INSERT INTO movie_genre VALUES (2, 33);
INSERT INTO movie_genre VALUES (3, 34);
INSERT INTO movie_genre VALUES (2, 35);
INSERT INTO movie_genre VALUES (3, 36);
INSERT INTO movie_genre VALUES (3, 37);
INSERT INTO movie_genre VALUES (3, 38);
INSERT INTO movie_genre VALUES (2, 39);
INSERT INTO movie_genre VALUES (2, 40);
INSERT INTO movie_genre VALUES (4, 1);
INSERT INTO movie_genre VALUES (5, 2);
INSERT INTO movie_genre VALUES (5, 3);
INSERT INTO movie_genre VALUES (6, 4);
INSERT INTO movie_genre VALUES (5, 5);
INSERT INTO movie_genre VALUES (4, 6);
INSERT INTO movie_genre VALUES (6, 7);
INSERT INTO movie_genre VALUES (5, 8);
```

```
INSERT INTO movie_genre VALUES (6, 9);
INSERT INTO movie_genre VALUES (5, 10);
INSERT INTO movie_genre VALUES (6, 11);
INSERT INTO movie_genre VALUES (4, 12);
INSERT INTO movie_genre VALUES (6, 13);
INSERT INTO movie_genre VALUES (5, 14);
INSERT INTO movie_genre VALUES (4, 15);
INSERT INTO movie_genre VALUES (4, 16);
INSERT INTO movie_genre VALUES (4, 17);
INSERT INTO movie_genre VALUES (5, 18);
INSERT INTO movie_genre VALUES (6, 19);
INSERT INTO movie_genre VALUES (4, 20);
INSERT INTO movie_genre VALUES (6, 21);
INSERT INTO movie_genre VALUES (4, 22);
INSERT INTO movie_genre VALUES (5, 23);
INSERT INTO movie_genre VALUES (4, 24);
INSERT INTO movie_genre VALUES (5, 25);
INSERT INTO movie_genre VALUES (4, 26);
INSERT INTO movie_genre VALUES (4, 27);
INSERT INTO movie_genre VALUES (6, 28);
INSERT INTO movie_genre VALUES (5, 29);
INSERT INTO movie_genre VALUES (5, 30);
INSERT INTO movie_genre VALUES (4, 31);
INSERT INTO movie_genre VALUES (6, 32);
INSERT INTO movie_genre VALUES (4, 33);
INSERT INTO movie_genre VALUES (4, 34);
INSERT INTO movie_genre VALUES (6, 35);
INSERT INTO movie_genre VALUES (4, 36);
INSERT INTO movie_genre VALUES (5, 37);
INSERT INTO movie_genre VALUES (5, 38);
INSERT INTO movie_genre VALUES (6, 39);
INSERT INTO movie_genre VALUES (4, 40);
INSERT INTO movie_genre VALUES (8, 1);
INSERT INTO movie_genre VALUES (7, 2);
INSERT INTO movie_genre VALUES (8, 3);
INSERT INTO movie_genre VALUES (7, 4);
INSERT INTO movie_genre VALUES (7, 5);
```

```
INSERT INTO movie_genre VALUES (8, 6);
INSERT INTO movie_genre VALUES (9, 7);
INSERT INTO movie_genre VALUES (7, 8);
INSERT INTO movie_genre VALUES (8, 9);
INSERT INTO movie_genre VALUES (8, 10);
INSERT INTO movie_genre VALUES (9, 11);
INSERT INTO movie_genre VALUES (8, 12);
INSERT INTO movie_genre VALUES (7, 13);
INSERT INTO movie_genre VALUES (8, 14);
INSERT INTO movie_genre VALUES (9, 15);
INSERT INTO movie_genre VALUES (9, 16);
INSERT INTO movie_genre VALUES (8, 17);
INSERT INTO movie_genre VALUES (7, 18);
INSERT INTO movie_genre VALUES (7, 19);
INSERT INTO movie_genre VALUES (8, 20);
INSERT INTO movie_genre VALUES (7, 21);
INSERT INTO movie_genre VALUES (7, 22);
INSERT INTO movie_genre VALUES (7, 23);
INSERT INTO movie_genre VALUES (8, 24);
INSERT INTO movie_genre VALUES (9, 25);
INSERT INTO movie_genre VALUES (7, 26);
INSERT INTO movie_genre VALUES (7, 27);
INSERT INTO movie_genre VALUES (8, 28);
INSERT INTO movie_genre VALUES (8, 29);
INSERT INTO movie_genre VALUES (9, 30);
INSERT INTO movie_genre VALUES (8, 31);
INSERT INTO movie_genre VALUES (9, 32);
INSERT INTO movie_genre VALUES (7, 33);
INSERT INTO movie_genre VALUES (8, 34);
INSERT INTO movie_genre VALUES (8, 35);
INSERT INTO movie_genre VALUES (7, 36);
INSERT INTO movie_genre VALUES (8, 37);
INSERT INTO movie_genre VALUES (7, 38);
INSERT INTO movie_genre VALUES (7, 39);
INSERT INTO movie_genre VALUES (8, 40);
INSERT INTO movie_genre VALUES (11, 1);
INSERT INTO movie_genre VALUES (12, 2);
```

```
INSERT INTO movie_genre VALUES (11, 3);
INSERT INTO movie_genre VALUES (11, 4);
INSERT INTO movie_genre VALUES (10, 5);
INSERT INTO movie_genre VALUES (11, 6);
INSERT INTO movie_genre VALUES (10, 7);
INSERT INTO movie_genre VALUES (12, 8);
INSERT INTO movie_genre VALUES (11, 9);
INSERT INTO movie_genre VALUES (11, 10);
INSERT INTO movie_genre VALUES (10, 11);
INSERT INTO movie_genre VALUES (11, 12);
INSERT INTO movie_genre VALUES (10, 13);
INSERT INTO movie_genre VALUES (12, 14);
INSERT INTO movie_genre VALUES (10, 15);
INSERT INTO movie_genre VALUES (12, 16);
INSERT INTO movie_genre VALUES (10, 17);
INSERT INTO movie_genre VALUES (12, 18);
INSERT INTO movie_genre VALUES (11, 19);
INSERT INTO movie_genre VALUES (11, 20);
INSERT INTO movie_genre VALUES (12, 21);
INSERT INTO movie_genre VALUES (11, 22);
INSERT INTO movie_genre VALUES (11, 23);
INSERT INTO movie_genre VALUES (11, 24);
INSERT INTO movie_genre VALUES (12, 25);
INSERT INTO movie_genre VALUES (10, 26);
INSERT INTO movie_genre VALUES (11, 27);
INSERT INTO movie_genre VALUES (12, 28);
INSERT INTO movie_genre VALUES (10, 29);
INSERT INTO movie_genre VALUES (11, 30);
INSERT INTO movie_genre VALUES (10, 31);
INSERT INTO movie_genre VALUES (11, 32);
INSERT INTO movie_genre VALUES (10, 33);
INSERT INTO movie_genre VALUES (10, 34);
INSERT INTO movie_genre VALUES (10, 35);
INSERT INTO movie_genre VALUES (10, 36);
INSERT INTO movie_genre VALUES (12, 37);
INSERT INTO movie_genre VALUES (11, 38);
INSERT INTO movie_genre VALUES (10, 39);
```

```
INSERT INTO movie_genre VALUES (12, 40);
```

```
INSERT INTO serie_genre VALUES (3, 1);
```

```
INSERT INTO serie_genre VALUES (1, 2);
```

```
INSERT INTO serie_genre VALUES (2, 3);
```

```
INSERT INTO serie_genre VALUES (1, 4);
```

```
INSERT INTO serie_genre VALUES (3, 5);
```

```
INSERT INTO serie_genre VALUES (2, 6);
```

```
INSERT INTO serie_genre VALUES (3, 7);
```

```
INSERT INTO serie_genre VALUES (3, 8);
```

```
INSERT INTO serie_genre VALUES (3, 9);
```

```
INSERT INTO serie_genre VALUES (3, 10);
```

```
INSERT INTO serie_genre VALUES (3, 11);
```

```
INSERT INTO serie_genre VALUES (3, 12);
```

```
INSERT INTO serie_genre VALUES (1, 13);
```

```
INSERT INTO serie_genre VALUES (3, 14);
```

```
INSERT INTO serie_genre VALUES (1, 15);
```

```
INSERT INTO serie_genre VALUES (3, 16);
```

```
INSERT INTO serie_genre VALUES (3, 17);
```

```
INSERT INTO serie_genre VALUES (2, 18);
```

```
INSERT INTO serie_genre VALUES (3, 19);
```

```
INSERT INTO serie_genre VALUES (3, 20);
```

```
INSERT INTO serie_genre VALUES (3, 21);
```

```
INSERT INTO serie_genre VALUES (3, 22);
```

```
INSERT INTO serie_genre VALUES (3, 23);
```

```
INSERT INTO serie_genre VALUES (1, 24);
```

```
INSERT INTO serie_genre VALUES (2, 25);
```

```
INSERT INTO serie_genre VALUES (1, 26);
```

```
INSERT INTO serie_genre VALUES (2, 27);
```

```
INSERT INTO serie_genre VALUES (1, 28);
```

```
INSERT INTO serie_genre VALUES (3, 29);
```

```
INSERT INTO serie_genre VALUES (2, 30);
```

```
INSERT INTO serie_genre VALUES (1, 31);
```

```
INSERT INTO serie_genre VALUES (2, 32);
```

```
INSERT INTO serie_genre VALUES (1, 33);
```

```
INSERT INTO serie_genre VALUES (1, 34);
```

```
INSERT INTO serie_genre VALUES (3, 35);
INSERT INTO serie_genre VALUES (1, 36);
INSERT INTO serie_genre VALUES (2, 37);
INSERT INTO serie_genre VALUES (3, 38);
INSERT INTO serie_genre VALUES (2, 39);
INSERT INTO serie_genre VALUES (3, 40);
INSERT INTO serie_genre VALUES (6, 1);
INSERT INTO serie_genre VALUES (6, 2);
INSERT INTO serie_genre VALUES (4, 3);
INSERT INTO serie_genre VALUES (6, 4);
INSERT INTO serie_genre VALUES (4, 5);
INSERT INTO serie_genre VALUES (4, 6);
INSERT INTO serie_genre VALUES (6, 7);
INSERT INTO serie_genre VALUES (6, 8);
INSERT INTO serie_genre VALUES (4, 9);
INSERT INTO serie_genre VALUES (6, 10);
INSERT INTO serie_genre VALUES (4, 11);
INSERT INTO serie_genre VALUES (5, 12);
INSERT INTO serie_genre VALUES (6, 13);
INSERT INTO serie_genre VALUES (5, 14);
INSERT INTO serie_genre VALUES (6, 15);
INSERT INTO serie_genre VALUES (4, 16);
INSERT INTO serie_genre VALUES (5, 17);
INSERT INTO serie_genre VALUES (5, 18);
INSERT INTO serie_genre VALUES (5, 19);
INSERT INTO serie_genre VALUES (5, 20);
INSERT INTO serie_genre VALUES (6, 21);
INSERT INTO serie_genre VALUES (5, 22);
INSERT INTO serie_genre VALUES (4, 23);
INSERT INTO serie_genre VALUES (5, 24);
INSERT INTO serie_genre VALUES (5, 25);
INSERT INTO serie_genre VALUES (5, 26);
INSERT INTO serie_genre VALUES (5, 27);
INSERT INTO serie_genre VALUES (5, 28);
INSERT INTO serie_genre VALUES (6, 29);
INSERT INTO serie_genre VALUES (6, 30);
INSERT INTO serie_genre VALUES (6, 31);
```



```
INSERT INTO serie_genre VALUES (4, 32);
INSERT INTO serie_genre VALUES (6, 33);
INSERT INTO serie_genre VALUES (4, 34);
INSERT INTO serie_genre VALUES (4, 35);
INSERT INTO serie_genre VALUES (4, 36);
INSERT INTO serie_genre VALUES (6, 37);
INSERT INTO serie_genre VALUES (5, 38);
INSERT INTO serie_genre VALUES (4, 39);
INSERT INTO serie_genre VALUES (5, 40);
INSERT INTO serie_genre VALUES (8, 1);
INSERT INTO serie_genre VALUES (8, 2);
INSERT INTO serie_genre VALUES (9, 3);
INSERT INTO serie_genre VALUES (9, 4);
INSERT INTO serie_genre VALUES (9, 5);
INSERT INTO serie_genre VALUES (9, 6);
INSERT INTO serie_genre VALUES (8, 7);
INSERT INTO serie_genre VALUES (8, 8);
INSERT INTO serie_genre VALUES (9, 9);
INSERT INTO serie_genre VALUES (8, 10);
INSERT INTO serie_genre VALUES (8, 11);
INSERT INTO serie_genre VALUES (9, 12);
INSERT INTO serie_genre VALUES (9, 13);
INSERT INTO serie_genre VALUES (8, 14);
INSERT INTO serie_genre VALUES (8, 15);
INSERT INTO serie_genre VALUES (7, 16);
INSERT INTO serie_genre VALUES (9, 17);
INSERT INTO serie_genre VALUES (7, 18);
INSERT INTO serie_genre VALUES (9, 19);
INSERT INTO serie_genre VALUES (9, 20);
INSERT INTO serie_genre VALUES (9, 21);
INSERT INTO serie_genre VALUES (8, 22);
INSERT INTO serie_genre VALUES (9, 23);
INSERT INTO serie_genre VALUES (9, 24);
INSERT INTO serie_genre VALUES (8, 25);
INSERT INTO serie_genre VALUES (8, 26);
INSERT INTO serie_genre VALUES (8, 27);
INSERT INTO serie_genre VALUES (8, 28);
```

```
INSERT INTO serie_genre VALUES (9, 29);
INSERT INTO serie_genre VALUES (9, 30);
INSERT INTO serie_genre VALUES (8, 31);
INSERT INTO serie_genre VALUES (9, 32);
INSERT INTO serie_genre VALUES (7, 33);
INSERT INTO serie_genre VALUES (9, 34);
INSERT INTO serie_genre VALUES (9, 35);
INSERT INTO serie_genre VALUES (7, 36);
INSERT INTO serie_genre VALUES (8, 37);
INSERT INTO serie_genre VALUES (9, 38);
INSERT INTO serie_genre VALUES (7, 39);
INSERT INTO serie_genre VALUES (8, 40);
INSERT INTO serie_genre VALUES (11, 1);
INSERT INTO serie_genre VALUES (11, 2);
INSERT INTO serie_genre VALUES (10, 3);
INSERT INTO serie_genre VALUES (12, 4);
INSERT INTO serie_genre VALUES (10, 5);
INSERT INTO serie_genre VALUES (11, 6);
INSERT INTO serie_genre VALUES (10, 7);
INSERT INTO serie_genre VALUES (11, 8);
INSERT INTO serie_genre VALUES (12, 9);
INSERT INTO serie_genre VALUES (11, 10);
INSERT INTO serie_genre VALUES (12, 11);
INSERT INTO serie_genre VALUES (10, 12);
INSERT INTO serie_genre VALUES (11, 13);
INSERT INTO serie_genre VALUES (12, 14);
INSERT INTO serie_genre VALUES (12, 15);
INSERT INTO serie_genre VALUES (12, 16);
INSERT INTO serie_genre VALUES (12, 17);
INSERT INTO serie_genre VALUES (12, 18);
INSERT INTO serie_genre VALUES (12, 19);
INSERT INTO serie_genre VALUES (12, 20);
INSERT INTO serie_genre VALUES (12, 21);
INSERT INTO serie_genre VALUES (10, 22);
INSERT INTO serie_genre VALUES (10, 23);
INSERT INTO serie_genre VALUES (12, 24);
INSERT INTO serie_genre VALUES (12, 25);
```

```
INSERT INTO serie_genre VALUES (10, 26);
INSERT INTO serie_genre VALUES (12, 27);
INSERT INTO serie_genre VALUES (10, 28);
INSERT INTO serie_genre VALUES (10, 29);
INSERT INTO serie_genre VALUES (12, 30);
INSERT INTO serie_genre VALUES (10, 31);
INSERT INTO serie_genre VALUES (12, 32);
INSERT INTO serie_genre VALUES (10, 33);
INSERT INTO serie_genre VALUES (11, 34);
INSERT INTO serie_genre VALUES (10, 35);
INSERT INTO serie_genre VALUES (11, 36);
INSERT INTO serie_genre VALUES (11, 37);
INSERT INTO serie_genre VALUES (12, 38);
INSERT INTO serie_genre VALUES (11, 39);
INSERT INTO serie_genre VALUES (10, 40);
```

```
INSERT INTO documentary_genre VALUES (1, 1);
INSERT INTO documentary_genre VALUES (2, 2);
INSERT INTO documentary_genre VALUES (1, 3);
INSERT INTO documentary_genre VALUES (1, 4);
INSERT INTO documentary_genre VALUES (3, 5);
INSERT INTO documentary_genre VALUES (3, 6);
INSERT INTO documentary_genre VALUES (3, 7);
INSERT INTO documentary_genre VALUES (2, 8);
INSERT INTO documentary_genre VALUES (2, 9);
INSERT INTO documentary_genre VALUES (2, 10);
INSERT INTO documentary_genre VALUES (1, 11);
INSERT INTO documentary_genre VALUES (1, 12);
INSERT INTO documentary_genre VALUES (3, 13);
INSERT INTO documentary_genre VALUES (3, 14);
INSERT INTO documentary_genre VALUES (3, 15);
INSERT INTO documentary_genre VALUES (1, 16);
INSERT INTO documentary_genre VALUES (3, 17);
INSERT INTO documentary_genre VALUES (2, 18);
INSERT INTO documentary_genre VALUES (2, 19);
INSERT INTO documentary_genre VALUES (2, 20);
```

```
INSERT INTO documentary_genre VALUES (3, 21);
INSERT INTO documentary_genre VALUES (1, 22);
INSERT INTO documentary_genre VALUES (3, 23);
INSERT INTO documentary_genre VALUES (2, 24);
INSERT INTO documentary_genre VALUES (3, 25);
INSERT INTO documentary_genre VALUES (1, 26);
INSERT INTO documentary_genre VALUES (3, 27);
INSERT INTO documentary_genre VALUES (1, 28);
INSERT INTO documentary_genre VALUES (1, 29);
INSERT INTO documentary_genre VALUES (3, 30);
INSERT INTO documentary_genre VALUES (5, 1);
INSERT INTO documentary_genre VALUES (5, 2);
INSERT INTO documentary_genre VALUES (5, 3);
INSERT INTO documentary_genre VALUES (4, 4);
INSERT INTO documentary_genre VALUES (6, 5);
INSERT INTO documentary_genre VALUES (6, 6);
INSERT INTO documentary_genre VALUES (4, 7);
INSERT INTO documentary_genre VALUES (5, 8);
INSERT INTO documentary_genre VALUES (4, 9);
INSERT INTO documentary_genre VALUES (5, 10);
INSERT INTO documentary_genre VALUES (5, 11);
INSERT INTO documentary_genre VALUES (4, 12);
INSERT INTO documentary_genre VALUES (6, 13);
INSERT INTO documentary_genre VALUES (5, 14);
INSERT INTO documentary_genre VALUES (4, 15);
INSERT INTO documentary_genre VALUES (6, 16);
INSERT INTO documentary_genre VALUES (5, 17);
INSERT INTO documentary_genre VALUES (4, 18);
INSERT INTO documentary_genre VALUES (6, 19);
INSERT INTO documentary_genre VALUES (5, 20);
INSERT INTO documentary_genre VALUES (4, 21);
INSERT INTO documentary_genre VALUES (5, 22);
INSERT INTO documentary_genre VALUES (4, 23);
INSERT INTO documentary_genre VALUES (4, 24);
INSERT INTO documentary_genre VALUES (5, 25);
INSERT INTO documentary_genre VALUES (4, 26);
INSERT INTO documentary_genre VALUES (4, 27);
```

```
INSERT INTO documentary_genre VALUES (6, 28);
INSERT INTO documentary_genre VALUES (4, 29);
INSERT INTO documentary_genre VALUES (5, 30);
INSERT INTO documentary_genre VALUES (8, 1);
INSERT INTO documentary_genre VALUES (9, 2);
INSERT INTO documentary_genre VALUES (9, 3);
INSERT INTO documentary_genre VALUES (8, 4);
INSERT INTO documentary_genre VALUES (9, 5);
INSERT INTO documentary_genre VALUES (8, 6);
INSERT INTO documentary_genre VALUES (9, 7);
INSERT INTO documentary_genre VALUES (7, 8);
INSERT INTO documentary_genre VALUES (7, 9);
INSERT INTO documentary_genre VALUES (8, 10);
INSERT INTO documentary_genre VALUES (7, 11);
INSERT INTO documentary_genre VALUES (9, 12);
INSERT INTO documentary_genre VALUES (9, 13);
INSERT INTO documentary_genre VALUES (9, 14);
INSERT INTO documentary_genre VALUES (8, 15);
INSERT INTO documentary_genre VALUES (8, 16);
INSERT INTO documentary_genre VALUES (7, 17);
INSERT INTO documentary_genre VALUES (9, 18);
INSERT INTO documentary_genre VALUES (7, 19);
INSERT INTO documentary_genre VALUES (7, 20);
INSERT INTO documentary_genre VALUES (9, 21);
INSERT INTO documentary_genre VALUES (7, 22);
INSERT INTO documentary_genre VALUES (9, 23);
INSERT INTO documentary_genre VALUES (7, 24);
INSERT INTO documentary_genre VALUES (7, 25);
INSERT INTO documentary_genre VALUES (8, 26);
INSERT INTO documentary_genre VALUES (7, 27);
INSERT INTO documentary_genre VALUES (8, 28);
INSERT INTO documentary_genre VALUES (9, 29);
INSERT INTO documentary_genre VALUES (7, 30);
INSERT INTO documentary_genre VALUES (12, 1);
INSERT INTO documentary_genre VALUES (11, 2);
INSERT INTO documentary_genre VALUES (12, 3);
INSERT INTO documentary_genre VALUES (11, 4);
```

```
INSERT INTO documentary_genre VALUES (10, 5);
INSERT INTO documentary_genre VALUES (12, 6);
INSERT INTO documentary_genre VALUES (10, 7);
INSERT INTO documentary_genre VALUES (10, 8);
INSERT INTO documentary_genre VALUES (11, 9);
INSERT INTO documentary_genre VALUES (10, 10);
INSERT INTO documentary_genre VALUES (12, 11);
INSERT INTO documentary_genre VALUES (10, 12);
INSERT INTO documentary_genre VALUES (10, 13);
INSERT INTO documentary_genre VALUES (12, 14);
INSERT INTO documentary_genre VALUES (12, 15);
INSERT INTO documentary_genre VALUES (12, 16);
INSERT INTO documentary_genre VALUES (11, 17);
INSERT INTO documentary_genre VALUES (11, 18);
INSERT INTO documentary_genre VALUES (10, 19);
INSERT INTO documentary_genre VALUES (11, 20);
INSERT INTO documentary_genre VALUES (12, 21);
INSERT INTO documentary_genre VALUES (10, 22);
INSERT INTO documentary_genre VALUES (12, 23);
INSERT INTO documentary_genre VALUES (12, 24);
INSERT INTO documentary_genre VALUES (10, 25);
INSERT INTO documentary_genre VALUES (11, 26);
INSERT INTO documentary_genre VALUES (10, 27);
INSERT INTO documentary_genre VALUES (11, 28);
INSERT INTO documentary_genre VALUES (11, 29);
INSERT INTO documentary_genre VALUES (12, 30);
```

```
INSERT INTO format VALUES (1, 'mp4');
INSERT INTO format VALUES (2, 'vtr');
INSERT INTO format VALUES (3, 'avi');
INSERT INTO format VALUES (4, 'mov');
INSERT INTO format VALUES (5, 'wmv');
INSERT INTO format VALUES (6, 'webm');
```

```
INSERT INTO movie_format VALUES (2, 1);
```

```
INSERT INTO movie_format VALUES (1, 2);
INSERT INTO movie_format VALUES (1, 3);
INSERT INTO movie_format VALUES (1, 4);
INSERT INTO movie_format VALUES (1, 5);
INSERT INTO movie_format VALUES (1, 6);
INSERT INTO movie_format VALUES (2, 7);
INSERT INTO movie_format VALUES (2, 8);
INSERT INTO movie_format VALUES (1, 9);
INSERT INTO movie_format VALUES (1, 10);
INSERT INTO movie_format VALUES (1, 11);
INSERT INTO movie_format VALUES (2, 12);
INSERT INTO movie_format VALUES (2, 13);
INSERT INTO movie_format VALUES (2, 14);
INSERT INTO movie_format VALUES (1, 15);
INSERT INTO movie_format VALUES (2, 16);
INSERT INTO movie_format VALUES (2, 17);
INSERT INTO movie_format VALUES (1, 18);
INSERT INTO movie_format VALUES (2, 19);
INSERT INTO movie_format VALUES (2, 20);
INSERT INTO movie_format VALUES (1, 21);
INSERT INTO movie_format VALUES (1, 22);
INSERT INTO movie_format VALUES (2, 23);
INSERT INTO movie_format VALUES (1, 24);
INSERT INTO movie_format VALUES (1, 25);
INSERT INTO movie_format VALUES (2, 26);
INSERT INTO movie_format VALUES (2, 27);
INSERT INTO movie_format VALUES (2, 28);
INSERT INTO movie_format VALUES (2, 29);
INSERT INTO movie_format VALUES (1, 30);
INSERT INTO movie_format VALUES (1, 31);
INSERT INTO movie_format VALUES (1, 32);
INSERT INTO movie_format VALUES (2, 33);
INSERT INTO movie_format VALUES (1, 34);
INSERT INTO movie_format VALUES (1, 35);
INSERT INTO movie_format VALUES (2, 36);
INSERT INTO movie_format VALUES (2, 37);
INSERT INTO movie_format VALUES (2, 38);
```

```
INSERT INTO movie_format VALUES (1, 39);
INSERT INTO movie_format VALUES (2, 40);
INSERT INTO movie_format VALUES (4, 1);
INSERT INTO movie_format VALUES (4, 2);
INSERT INTO movie_format VALUES (4, 3);
INSERT INTO movie_format VALUES (3, 4);
INSERT INTO movie_format VALUES (4, 5);
INSERT INTO movie_format VALUES (3, 6);
INSERT INTO movie_format VALUES (4, 7);
INSERT INTO movie_format VALUES (3, 8);
INSERT INTO movie_format VALUES (4, 9);
INSERT INTO movie_format VALUES (4, 10);
INSERT INTO movie_format VALUES (4, 11);
INSERT INTO movie_format VALUES (3, 12);
INSERT INTO movie_format VALUES (3, 13);
INSERT INTO movie_format VALUES (3, 14);
INSERT INTO movie_format VALUES (4, 15);
INSERT INTO movie_format VALUES (4, 16);
INSERT INTO movie_format VALUES (3, 17);
INSERT INTO movie_format VALUES (4, 18);
INSERT INTO movie_format VALUES (3, 19);
INSERT INTO movie_format VALUES (4, 20);
INSERT INTO movie_format VALUES (3, 21);
INSERT INTO movie_format VALUES (3, 22);
INSERT INTO movie_format VALUES (3, 23);
INSERT INTO movie_format VALUES (4, 24);
INSERT INTO movie_format VALUES (4, 25);
INSERT INTO movie_format VALUES (3, 26);
INSERT INTO movie_format VALUES (3, 27);
INSERT INTO movie_format VALUES (3, 28);
INSERT INTO movie_format VALUES (3, 29);
INSERT INTO movie_format VALUES (3, 30);
INSERT INTO movie_format VALUES (4, 31);
INSERT INTO movie_format VALUES (4, 32);
INSERT INTO movie_format VALUES (3, 33);
INSERT INTO movie_format VALUES (4, 34);
INSERT INTO movie_format VALUES (3, 35);
```



```
INSERT INTO movie_format VALUES (3, 36);
INSERT INTO movie_format VALUES (3, 37);
INSERT INTO movie_format VALUES (4, 38);
INSERT INTO movie_format VALUES (3, 39);
INSERT INTO movie_format VALUES (3, 40);
INSERT INTO movie_format VALUES (6, 1);
INSERT INTO movie_format VALUES (5, 2);
INSERT INTO movie_format VALUES (5, 3);
INSERT INTO movie_format VALUES (5, 4);
INSERT INTO movie_format VALUES (6, 5);
INSERT INTO movie_format VALUES (5, 6);
INSERT INTO movie_format VALUES (5, 7);
INSERT INTO movie_format VALUES (5, 8);
INSERT INTO movie_format VALUES (6, 9);
INSERT INTO movie_format VALUES (5, 10);
INSERT INTO movie_format VALUES (6, 11);
INSERT INTO movie_format VALUES (5, 12);
INSERT INTO movie_format VALUES (6, 13);
INSERT INTO movie_format VALUES (6, 14);
INSERT INTO movie_format VALUES (6, 15);
INSERT INTO movie_format VALUES (6, 16);
INSERT INTO movie_format VALUES (5, 17);
INSERT INTO movie_format VALUES (6, 18);
INSERT INTO movie_format VALUES (6, 19);
INSERT INTO movie_format VALUES (6, 20);
INSERT INTO movie_format VALUES (6, 21);
INSERT INTO movie_format VALUES (6, 22);
INSERT INTO movie_format VALUES (5, 23);
INSERT INTO movie_format VALUES (6, 24);
INSERT INTO movie_format VALUES (5, 25);
INSERT INTO movie_format VALUES (5, 26);
INSERT INTO movie_format VALUES (6, 27);
INSERT INTO movie_format VALUES (5, 28);
INSERT INTO movie_format VALUES (6, 29);
INSERT INTO movie_format VALUES (6, 30);
INSERT INTO movie_format VALUES (5, 31);
INSERT INTO movie_format VALUES (6, 32);
```

```
INSERT INTO movie_format VALUES (6, 33);
INSERT INTO movie_format VALUES (5, 34);
INSERT INTO movie_format VALUES (6, 35);
INSERT INTO movie_format VALUES (6, 36);
INSERT INTO movie_format VALUES (6, 37);
INSERT INTO movie_format VALUES (5, 38);
INSERT INTO movie_format VALUES (6, 39);
INSERT INTO movie_format VALUES (5, 40);
```

```
INSERT INTO serie_format VALUES (2, 1);
INSERT INTO serie_format VALUES (2, 2);
INSERT INTO serie_format VALUES (2, 3);
INSERT INTO serie_format VALUES (2, 4);
INSERT INTO serie_format VALUES (2, 5);
INSERT INTO serie_format VALUES (1, 6);
INSERT INTO serie_format VALUES (2, 7);
INSERT INTO serie_format VALUES (2, 8);
INSERT INTO serie_format VALUES (2, 9);
INSERT INTO serie_format VALUES (2, 10);
INSERT INTO serie_format VALUES (1, 11);
INSERT INTO serie_format VALUES (1, 12);
INSERT INTO serie_format VALUES (1, 13);
INSERT INTO serie_format VALUES (1, 14);
INSERT INTO serie_format VALUES (2, 15);
INSERT INTO serie_format VALUES (1, 16);
INSERT INTO serie_format VALUES (1, 17);
INSERT INTO serie_format VALUES (2, 18);
INSERT INTO serie_format VALUES (2, 19);
INSERT INTO serie_format VALUES (2, 20);
INSERT INTO serie_format VALUES (2, 21);
INSERT INTO serie_format VALUES (1, 22);
INSERT INTO serie_format VALUES (1, 23);
INSERT INTO serie_format VALUES (2, 24);
INSERT INTO serie_format VALUES (2, 25);
INSERT INTO serie_format VALUES (1, 26);
INSERT INTO serie_format VALUES (1, 27);
```

```
INSERT INTO serie_format VALUES (2, 28);
INSERT INTO serie_format VALUES (1, 29);
INSERT INTO serie_format VALUES (1, 30);
INSERT INTO serie_format VALUES (2, 31);
INSERT INTO serie_format VALUES (2, 32);
INSERT INTO serie_format VALUES (1, 33);
INSERT INTO serie_format VALUES (1, 34);
INSERT INTO serie_format VALUES (1, 35);
INSERT INTO serie_format VALUES (1, 36);
INSERT INTO serie_format VALUES (1, 37);
INSERT INTO serie_format VALUES (1, 38);
INSERT INTO serie_format VALUES (2, 39);
INSERT INTO serie_format VALUES (1, 40);
INSERT INTO serie_format VALUES (3, 1);
INSERT INTO serie_format VALUES (4, 2);
INSERT INTO serie_format VALUES (3, 3);
INSERT INTO serie_format VALUES (3, 4);
INSERT INTO serie_format VALUES (3, 5);
INSERT INTO serie_format VALUES (3, 6);
INSERT INTO serie_format VALUES (3, 7);
INSERT INTO serie_format VALUES (3, 8);
INSERT INTO serie_format VALUES (3, 9);
INSERT INTO serie_format VALUES (3, 10);
INSERT INTO serie_format VALUES (4, 11);
INSERT INTO serie_format VALUES (3, 12);
INSERT INTO serie_format VALUES (4, 13);
INSERT INTO serie_format VALUES (3, 14);
INSERT INTO serie_format VALUES (4, 15);
INSERT INTO serie_format VALUES (4, 16);
INSERT INTO serie_format VALUES (3, 17);
INSERT INTO serie_format VALUES (4, 18);
INSERT INTO serie_format VALUES (4, 19);
INSERT INTO serie_format VALUES (3, 20);
INSERT INTO serie_format VALUES (3, 21);
INSERT INTO serie_format VALUES (4, 22);
INSERT INTO serie_format VALUES (4, 23);
INSERT INTO serie_format VALUES (4, 24);
```

```
INSERT INTO serie_format VALUES (4, 25);
INSERT INTO serie_format VALUES (4, 26);
INSERT INTO serie_format VALUES (3, 27);
INSERT INTO serie_format VALUES (3, 28);
INSERT INTO serie_format VALUES (4, 29);
INSERT INTO serie_format VALUES (4, 30);
INSERT INTO serie_format VALUES (4, 31);
INSERT INTO serie_format VALUES (3, 32);
INSERT INTO serie_format VALUES (4, 33);
INSERT INTO serie_format VALUES (4, 34);
INSERT INTO serie_format VALUES (3, 35);
INSERT INTO serie_format VALUES (3, 36);
INSERT INTO serie_format VALUES (3, 37);
INSERT INTO serie_format VALUES (3, 38);
INSERT INTO serie_format VALUES (3, 39);
INSERT INTO serie_format VALUES (4, 40);
INSERT INTO serie_format VALUES (6, 1);
INSERT INTO serie_format VALUES (6, 2);
INSERT INTO serie_format VALUES (6, 3);
INSERT INTO serie_format VALUES (6, 4);
INSERT INTO serie_format VALUES (6, 5);
INSERT INTO serie_format VALUES (6, 6);
INSERT INTO serie_format VALUES (5, 7);
INSERT INTO serie_format VALUES (6, 8);
INSERT INTO serie_format VALUES (6, 9);
INSERT INTO serie_format VALUES (6, 10);
INSERT INTO serie_format VALUES (6, 11);
INSERT INTO serie_format VALUES (5, 12);
INSERT INTO serie_format VALUES (5, 13);
INSERT INTO serie_format VALUES (5, 14);
INSERT INTO serie_format VALUES (5, 15);
INSERT INTO serie_format VALUES (5, 16);
INSERT INTO serie_format VALUES (5, 17);
INSERT INTO serie_format VALUES (5, 18);
INSERT INTO serie_format VALUES (5, 19);
INSERT INTO serie_format VALUES (5, 20);
INSERT INTO serie_format VALUES (6, 21);
```

```
INSERT INTO serie_format VALUES (5, 22);
INSERT INTO serie_format VALUES (5, 23);
INSERT INTO serie_format VALUES (6, 24);
INSERT INTO serie_format VALUES (5, 25);
INSERT INTO serie_format VALUES (5, 26);
INSERT INTO serie_format VALUES (5, 27);
INSERT INTO serie_format VALUES (5, 28);
INSERT INTO serie_format VALUES (5, 29);
INSERT INTO serie_format VALUES (5, 30);
INSERT INTO serie_format VALUES (5, 31);
INSERT INTO serie_format VALUES (5, 32);
INSERT INTO serie_format VALUES (6, 33);
INSERT INTO serie_format VALUES (5, 34);
INSERT INTO serie_format VALUES (6, 35);
INSERT INTO serie_format VALUES (5, 36);
INSERT INTO serie_format VALUES (5, 37);
INSERT INTO serie_format VALUES (6, 38);
INSERT INTO serie_format VALUES (6, 39);
INSERT INTO serie_format VALUES (6, 40);
```

```
INSERT INTO documentary_format VALUES (2, 1);
INSERT INTO documentary_format VALUES (2, 2);
INSERT INTO documentary_format VALUES (1, 3);
INSERT INTO documentary_format VALUES (1, 4);
INSERT INTO documentary_format VALUES (1, 5);
INSERT INTO documentary_format VALUES (1, 6);
INSERT INTO documentary_format VALUES (1, 7);
INSERT INTO documentary_format VALUES (2, 8);
INSERT INTO documentary_format VALUES (1, 9);
INSERT INTO documentary_format VALUES (1, 10);
INSERT INTO documentary_format VALUES (2, 11);
INSERT INTO documentary_format VALUES (1, 12);
INSERT INTO documentary_format VALUES (2, 13);
INSERT INTO documentary_format VALUES (1, 14);
INSERT INTO documentary_format VALUES (1, 15);
INSERT INTO documentary_format VALUES (1, 16);
```

```
INSERT INTO documentary_format VALUES (1, 17);
INSERT INTO documentary_format VALUES (2, 18);
INSERT INTO documentary_format VALUES (2, 19);
INSERT INTO documentary_format VALUES (2, 20);
INSERT INTO documentary_format VALUES (1, 21);
INSERT INTO documentary_format VALUES (2, 22);
INSERT INTO documentary_format VALUES (2, 23);
INSERT INTO documentary_format VALUES (1, 24);
INSERT INTO documentary_format VALUES (2, 25);
INSERT INTO documentary_format VALUES (2, 26);
INSERT INTO documentary_format VALUES (2, 27);
INSERT INTO documentary_format VALUES (2, 28);
INSERT INTO documentary_format VALUES (2, 29);
INSERT INTO documentary_format VALUES (1, 30);
INSERT INTO documentary_format VALUES (4, 1);
INSERT INTO documentary_format VALUES (4, 2);
INSERT INTO documentary_format VALUES (4, 3);
INSERT INTO documentary_format VALUES (3, 4);
INSERT INTO documentary_format VALUES (4, 5);
INSERT INTO documentary_format VALUES (4, 6);
INSERT INTO documentary_format VALUES (4, 7);
INSERT INTO documentary_format VALUES (3, 8);
INSERT INTO documentary_format VALUES (4, 9);
INSERT INTO documentary_format VALUES (3, 10);
INSERT INTO documentary_format VALUES (3, 11);
INSERT INTO documentary_format VALUES (3, 12);
INSERT INTO documentary_format VALUES (4, 13);
INSERT INTO documentary_format VALUES (4, 14);
INSERT INTO documentary_format VALUES (3, 15);
INSERT INTO documentary_format VALUES (3, 16);
INSERT INTO documentary_format VALUES (3, 17);
INSERT INTO documentary_format VALUES (3, 18);
INSERT INTO documentary_format VALUES (3, 19);
INSERT INTO documentary_format VALUES (4, 20);
INSERT INTO documentary_format VALUES (4, 21);
INSERT INTO documentary_format VALUES (3, 22);
INSERT INTO documentary_format VALUES (3, 23);
```

```
INSERT INTO documentary_format VALUES (3, 24);
INSERT INTO documentary_format VALUES (4, 25);
INSERT INTO documentary_format VALUES (3, 26);
INSERT INTO documentary_format VALUES (3, 27);
INSERT INTO documentary_format VALUES (4, 28);
INSERT INTO documentary_format VALUES (4, 29);
INSERT INTO documentary_format VALUES (4, 30);
INSERT INTO documentary_format VALUES (5, 1);
INSERT INTO documentary_format VALUES (5, 2);
INSERT INTO documentary_format VALUES (6, 3);
INSERT INTO documentary_format VALUES (6, 4);
INSERT INTO documentary_format VALUES (6, 5);
INSERT INTO documentary_format VALUES (5, 6);
INSERT INTO documentary_format VALUES (5, 7);
INSERT INTO documentary_format VALUES (5, 8);
INSERT INTO documentary_format VALUES (5, 9);
INSERT INTO documentary_format VALUES (6, 10);
INSERT INTO documentary_format VALUES (6, 11);
INSERT INTO documentary_format VALUES (5, 12);
INSERT INTO documentary_format VALUES (6, 13);
INSERT INTO documentary_format VALUES (6, 14);
INSERT INTO documentary_format VALUES (5, 15);
INSERT INTO documentary_format VALUES (5, 16);
INSERT INTO documentary_format VALUES (6, 17);
INSERT INTO documentary_format VALUES (6, 18);
INSERT INTO documentary_format VALUES (6, 19);
INSERT INTO documentary_format VALUES (6, 20);
INSERT INTO documentary_format VALUES (6, 21);
INSERT INTO documentary_format VALUES (6, 22);
INSERT INTO documentary_format VALUES (5, 23);
INSERT INTO documentary_format VALUES (6, 24);
INSERT INTO documentary_format VALUES (5, 25);
INSERT INTO documentary_format VALUES (6, 26);
INSERT INTO documentary_format VALUES (5, 27);
INSERT INTO documentary_format VALUES (6, 28);
INSERT INTO documentary_format VALUES (6, 29);
INSERT INTO documentary_format VALUES (5, 30);
```

```
INSERT INTO language VALUES (1, 'Español');
INSERT INTO language VALUES (2, 'Inglés');
INSERT INTO language VALUES (3, 'Portugués');
```

```
INSERT INTO movie_language VALUES (1, 2, null, 1);
INSERT INTO movie_language VALUES (2, 1, null, 2);
INSERT INTO movie_language VALUES (3, 1, null, 3);
INSERT INTO movie_language VALUES (4, 2, null, 4);
INSERT INTO movie_language VALUES (5, 3, null, 5);
INSERT INTO movie_language VALUES (6, 1, null, 6);
INSERT INTO movie_language VALUES (7, 3, null, 7);
INSERT INTO movie_language VALUES (8, 3, null, 8);
INSERT INTO movie_language VALUES (9, 2, null, 9);
INSERT INTO movie_language VALUES (10, 2, null, 10);
INSERT INTO movie_language VALUES (11, 1, null, 11);
INSERT INTO movie_language VALUES (12, 1, null, 12);
INSERT INTO movie_language VALUES (13, 2, null, 13);
INSERT INTO movie_language VALUES (14, 2, null, 14);
INSERT INTO movie_language VALUES (15, 1, null, 15);
INSERT INTO movie_language VALUES (16, 1, null, 16);
INSERT INTO movie_language VALUES (17, 3, null, 17);
INSERT INTO movie_language VALUES (18, 2, null, 18);
INSERT INTO movie_language VALUES (19, 1, null, 19);
INSERT INTO movie_language VALUES (20, 2, null, 20);
INSERT INTO movie_language VALUES (21, 3, null, 21);
INSERT INTO movie_language VALUES (22, 2, null, 22);
INSERT INTO movie_language VALUES (23, 1, null, 23);
INSERT INTO movie_language VALUES (24, 1, null, 24);
INSERT INTO movie_language VALUES (25, 2, null, 25);
INSERT INTO movie_language VALUES (26, 2, null, 26);
INSERT INTO movie_language VALUES (27, 2, null, 27);
INSERT INTO movie_language VALUES (28, 3, null, 28);
INSERT INTO movie_language VALUES (29, 2, null, 29);
INSERT INTO movie_language VALUES (30, 2, null, 30);
```



```
INSERT INTO movie_language VALUES (31, 3, null, 31);
INSERT INTO movie_language VALUES (32, 2, null, 32);
INSERT INTO movie_language VALUES (33, 1, null, 33);
INSERT INTO movie_language VALUES (34, 3, null, 34);
INSERT INTO movie_language VALUES (35, 3, null, 35);
INSERT INTO movie_language VALUES (36, 2, null, 36);
INSERT INTO movie_language VALUES (37, 2, null, 37);
INSERT INTO movie_language VALUES (38, 3, null, 38);
INSERT INTO movie_language VALUES (39, 2, null, 39);
INSERT INTO movie_language VALUES (40, 2, null, 40);
INSERT INTO movie_language VALUES (41, 3, 2, 1);
INSERT INTO movie_language VALUES (42, 3, 1, 2);
INSERT INTO movie_language VALUES (43, 3, 1, 3);
INSERT INTO movie_language VALUES (44, 3, 1, 4);
INSERT INTO movie_language VALUES (45, 1, 3, 5);
INSERT INTO movie_language VALUES (46, 2, 2, 6);
INSERT INTO movie_language VALUES (47, 1, 1, 7);
INSERT INTO movie_language VALUES (48, 3, 1, 8);
INSERT INTO movie_language VALUES (49, 2, 2, 9);
INSERT INTO movie_language VALUES (50, 1, 2, 10);
INSERT INTO movie_language VALUES (51, 1, 1, 11);
INSERT INTO movie_language VALUES (52, 2, 3, 12);
INSERT INTO movie_language VALUES (53, 1, 2, 13);
INSERT INTO movie_language VALUES (54, 3, 1, 14);
INSERT INTO movie_language VALUES (55, 2, 1, 15);
INSERT INTO movie_language VALUES (56, 2, 1, 16);
INSERT INTO movie_language VALUES (57, 1, 1, 17);
INSERT INTO movie_language VALUES (58, 1, 2, 18);
INSERT INTO movie_language VALUES (59, 3, 1, 19);
INSERT INTO movie_language VALUES (60, 2, 3, 20);
INSERT INTO movie_language VALUES (61, 2, 1, 21);
INSERT INTO movie_language VALUES (62, 1, 2, 22);
INSERT INTO movie_language VALUES (63, 2, 3, 23);
INSERT INTO movie_language VALUES (64, 1, 3, 24);
INSERT INTO movie_language VALUES (65, 1, 2, 25);
INSERT INTO movie_language VALUES (66, 2, 3, 26);
INSERT INTO movie_language VALUES (67, 2, 3, 27);
```

```
INSERT INTO movie_language VALUES (68, 1, 3, 28);
INSERT INTO movie_language VALUES (69, 1, 2, 29);
INSERT INTO movie_language VALUES (70, 3, 3, 30);
INSERT INTO movie_language VALUES (71, 3, 2, 31);
INSERT INTO movie_language VALUES (72, 2, 2, 32);
INSERT INTO movie_language VALUES (73, 1, 1, 33);
INSERT INTO movie_language VALUES (74, 1, 3, 34);
INSERT INTO movie_language VALUES (75, 1, 3, 35);
INSERT INTO movie_language VALUES (76, 2, 1, 36);
INSERT INTO movie_language VALUES (77, 1, 2, 37);
INSERT INTO movie_language VALUES (78, 1, 2, 38);
INSERT INTO movie_language VALUES (79, 2, 3, 39);
INSERT INTO movie_language VALUES (80, 1, 2, 40);
```

```
INSERT INTO serie_language VALUES (1, 3, null, 1);
INSERT INTO serie_language VALUES (2, 1, null, 2);
INSERT INTO serie_language VALUES (3, 3, null, 3);
INSERT INTO serie_language VALUES (4, 1, null, 4);
INSERT INTO serie_language VALUES (5, 1, null, 5);
INSERT INTO serie_language VALUES (6, 3, null, 6);
INSERT INTO serie_language VALUES (7, 3, null, 7);
INSERT INTO serie_language VALUES (8, 2, null, 8);
INSERT INTO serie_language VALUES (9, 2, null, 9);
INSERT INTO serie_language VALUES (10, 3, null, 10);
INSERT INTO serie_language VALUES (11, 2, null, 11);
INSERT INTO serie_language VALUES (12, 2, null, 12);
INSERT INTO serie_language VALUES (13, 3, null, 13);
INSERT INTO serie_language VALUES (14, 2, null, 14);
INSERT INTO serie_language VALUES (15, 2, null, 15);
INSERT INTO serie_language VALUES (16, 3, null, 16);
INSERT INTO serie_language VALUES (17, 3, null, 17);
INSERT INTO serie_language VALUES (18, 2, null, 18);
INSERT INTO serie_language VALUES (19, 3, null, 19);
INSERT INTO serie_language VALUES (20, 3, null, 20);
INSERT INTO serie_language VALUES (21, 2, null, 21);
INSERT INTO serie_language VALUES (22, 3, null, 22);
```

```
INSERT INTO serie_language VALUES (23, 1, null, 23);
INSERT INTO serie_language VALUES (24, 1, null, 24);
INSERT INTO serie_language VALUES (25, 3, null, 25);
INSERT INTO serie_language VALUES (26, 1, null, 26);
INSERT INTO serie_language VALUES (27, 1, null, 27);
INSERT INTO serie_language VALUES (28, 3, null, 28);
INSERT INTO serie_language VALUES (29, 1, null, 29);
INSERT INTO serie_language VALUES (30, 3, null, 30);
INSERT INTO serie_language VALUES (31, 2, null, 31);
INSERT INTO serie_language VALUES (32, 2, null, 32);
INSERT INTO serie_language VALUES (33, 1, null, 33);
INSERT INTO serie_language VALUES (34, 3, null, 34);
INSERT INTO serie_language VALUES (35, 2, null, 35);
INSERT INTO serie_language VALUES (36, 2, null, 36);
INSERT INTO serie_language VALUES (37, 1, null, 37);
INSERT INTO serie_language VALUES (38, 3, null, 38);
INSERT INTO serie_language VALUES (39, 1, null, 39);
INSERT INTO serie_language VALUES (40, 2, null, 40);
INSERT INTO serie_language VALUES (41, 2, 3, 1);
INSERT INTO serie_language VALUES (42, 2, 3, 2);
INSERT INTO serie_language VALUES (43, 3, 1, 3);
INSERT INTO serie_language VALUES (44, 1, 3, 4);
INSERT INTO serie_language VALUES (45, 1, 1, 5);
INSERT INTO serie_language VALUES (46, 3, 1, 6);
INSERT INTO serie_language VALUES (47, 3, 1, 7);
INSERT INTO serie_language VALUES (48, 1, 2, 8);
INSERT INTO serie_language VALUES (49, 1, 1, 9);
INSERT INTO serie_language VALUES (50, 1, 1, 10);
INSERT INTO serie_language VALUES (51, 2, 1, 11);
INSERT INTO serie_language VALUES (52, 2, 1, 12);
INSERT INTO serie_language VALUES (53, 1, 2, 13);
INSERT INTO serie_language VALUES (54, 2, 2, 14);
INSERT INTO serie_language VALUES (55, 2, 2, 15);
INSERT INTO serie_language VALUES (56, 1, 3, 16);
INSERT INTO serie_language VALUES (57, 3, 2, 17);
INSERT INTO serie_language VALUES (58, 3, 1, 18);
INSERT INTO serie_language VALUES (59, 1, 3, 19);
```

```
INSERT INTO serie_language VALUES (60, 1, 3, 20);
INSERT INTO serie_language VALUES (61, 1, 1, 21);
INSERT INTO serie_language VALUES (62, 3, 2, 22);
INSERT INTO serie_language VALUES (63, 3, 2, 23);
INSERT INTO serie_language VALUES (64, 1, 3, 24);
INSERT INTO serie_language VALUES (65, 3, 1, 25);
INSERT INTO serie_language VALUES (66, 3, 2, 26);
INSERT INTO serie_language VALUES (67, 3, 2, 27);
INSERT INTO serie_language VALUES (68, 1, 2, 28);
INSERT INTO serie_language VALUES (69, 1, 3, 29);
INSERT INTO serie_language VALUES (70, 1, 2, 30);
INSERT INTO serie_language VALUES (71, 1, 1, 31);
INSERT INTO serie_language VALUES (72, 2, 1, 32);
INSERT INTO serie_language VALUES (73, 2, 2, 33);
INSERT INTO serie_language VALUES (74, 3, 2, 34);
INSERT INTO serie_language VALUES (75, 2, 3, 35);
INSERT INTO serie_language VALUES (76, 3, 2, 36);
INSERT INTO serie_language VALUES (77, 2, 1, 37);
INSERT INTO serie_language VALUES (78, 1, 3, 38);
INSERT INTO serie_language VALUES (79, 3, 2, 39);
INSERT INTO serie_language VALUES (80, 2, 2, 40);
```

```
INSERT INTO documentary_language VALUES (1, 1, null, 1);
INSERT INTO documentary_language VALUES (2, 1, null, 2);
INSERT INTO documentary_language VALUES (3, 3, null, 3);
INSERT INTO documentary_language VALUES (4, 1, null, 4);
INSERT INTO documentary_language VALUES (5, 2, null, 5);
INSERT INTO documentary_language VALUES (6, 3, null, 6);
INSERT INTO documentary_language VALUES (7, 2, null, 7);
INSERT INTO documentary_language VALUES (8, 1, null, 8);
INSERT INTO documentary_language VALUES (9, 3, null, 9);
INSERT INTO documentary_language VALUES (10, 2, null, 10);
INSERT INTO documentary_language VALUES (11, 2, null, 11);
INSERT INTO documentary_language VALUES (12, 3, null, 12);
INSERT INTO documentary_language VALUES (13, 2, null, 13);
INSERT INTO documentary_language VALUES (14, 1, null, 14);
```

```
INSERT INTO documentary_language VALUES (15, 2, null, 15);
INSERT INTO documentary_language VALUES (16, 3, null, 16);
INSERT INTO documentary_language VALUES (17, 1, null, 17);
INSERT INTO documentary_language VALUES (18, 2, null, 18);
INSERT INTO documentary_language VALUES (19, 3, null, 19);
INSERT INTO documentary_language VALUES (20, 1, null, 20);
INSERT INTO documentary_language VALUES (21, 2, null, 21);
INSERT INTO documentary_language VALUES (22, 3, null, 22);
INSERT INTO documentary_language VALUES (23, 2, null, 23);
INSERT INTO documentary_language VALUES (24, 1, null, 24);
INSERT INTO documentary_language VALUES (25, 2, null, 25);
INSERT INTO documentary_language VALUES (26, 1, null, 26);
INSERT INTO documentary_language VALUES (27, 2, null, 27);
INSERT INTO documentary_language VALUES (28, 1, null, 28);
INSERT INTO documentary_language VALUES (29, 2, null, 29);
INSERT INTO documentary_language VALUES (30, 2, null, 30);
INSERT INTO documentary_language VALUES (31, 3, 2, 1);
INSERT INTO documentary_language VALUES (32, 1, 2, 2);
INSERT INTO documentary_language VALUES (33, 2, 3, 3);
INSERT INTO documentary_language VALUES (34, 1, 3, 4);
INSERT INTO documentary_language VALUES (35, 2, 2, 5);
INSERT INTO documentary_language VALUES (36, 1, 1, 6);
INSERT INTO documentary_language VALUES (37, 1, 1, 7);
INSERT INTO documentary_language VALUES (38, 1, 3, 8);
INSERT INTO documentary_language VALUES (39, 1, 1, 9);
INSERT INTO documentary_language VALUES (40, 1, 1, 10);
INSERT INTO documentary_language VALUES (41, 2, 3, 11);
INSERT INTO documentary_language VALUES (42, 2, 1, 12);
INSERT INTO documentary_language VALUES (43, 3, 2, 13);
INSERT INTO documentary_language VALUES (44, 1, 3, 14);
INSERT INTO documentary_language VALUES (45, 1, 2, 15);
INSERT INTO documentary_language VALUES (46, 2, 1, 16);
INSERT INTO documentary_language VALUES (47, 3, 2, 17);
INSERT INTO documentary_language VALUES (48, 2, 2, 18);
INSERT INTO documentary_language VALUES (49, 3, 1, 19);
INSERT INTO documentary_language VALUES (50, 2, 2, 20);
INSERT INTO documentary_language VALUES (51, 2, 2, 21);
```

```
INSERT INTO documentary_language VALUES (52, 3, 3, 22);
INSERT INTO documentary_language VALUES (53, 1, 3, 23);
INSERT INTO documentary_language VALUES (54, 2, 2, 24);
INSERT INTO documentary_language VALUES (55, 1, 2, 25);
INSERT INTO documentary_language VALUES (56, 3, 3, 26);
INSERT INTO documentary_language VALUES (57, 3, 3, 27);
INSERT INTO documentary_language VALUES (58, 1, 1, 28);
INSERT INTO documentary_language VALUES (59, 1, 1, 29);
INSERT INTO documentary_language VALUES (60, 2, 2, 30);
```

```
INSERT INTO state VALUES (1, 'Pausado');
INSERT INTO state VALUES (2, 'Terminado');
```

```
INSERT INTO reproduction_movie VALUES (1, to_date('21/01/23', 'DD/MM/RR'), 23, 2, 2, 16);
INSERT INTO reproduction_movie VALUES (2, to_date('14/12/22', 'DD/MM/RR'), 23, 1, 2, 32);
INSERT INTO reproduction_movie VALUES (3, to_date('20/04/22', 'DD/MM/RR'), 12, 28, 1, 24);
INSERT INTO reproduction_movie VALUES (4, to_date('07/09/22', 'DD/MM/RR'), 30, 43, 1, 20);
INSERT INTO reproduction_movie VALUES (5, to_date('24/11/21', 'DD/MM/RR'), 44, 27, 2, 58);
INSERT INTO reproduction_movie VALUES (6, to_date('13/04/23', 'DD/MM/RR'), 31, 7, 1, 6);
INSERT INTO reproduction_movie VALUES (7, to_date('22/09/23', 'DD/MM/RR'), 23, 32, 1, 25);
INSERT INTO reproduction_movie VALUES (8, to_date('14/01/22', 'DD/MM/RR'), 27, 15, 1, 59);
INSERT INTO reproduction_movie VALUES (9, to_date('05/10/21', 'DD/MM/RR'), 44, 14, 2, 4);
INSERT INTO reproduction_movie VALUES (10, to_date('14/08/22', 'DD/MM/RR'), 12, 8, 1, 56);
INSERT INTO reproduction_movie VALUES (11, to_date('15/10/23', 'DD/MM/RR'), 19, 31, 2, 64);
INSERT INTO reproduction_movie VALUES (12, to_date('01/09/21', 'DD/MM/RR'), 31, 49, 1, 51);
INSERT INTO reproduction_movie VALUES (13, to_date('02/12/22', 'DD/MM/RR'), 13, 30, 2, 1);
INSERT INTO reproduction_movie VALUES (14, to_date('27/12/21', 'DD/MM/RR'), 19, 40, 1, 64);
INSERT INTO reproduction_movie VALUES (15, to_date('02/06/21', 'DD/MM/RR'), 36, 46, 2, 64);
INSERT INTO reproduction_movie VALUES (16, to_date('19/07/23', 'DD/MM/RR'), 22, 50, 2, 5);
INSERT INTO reproduction_movie VALUES (17, to_date('12/02/21', 'DD/MM/RR'), 32, 40, 2, 18);
INSERT INTO reproduction_movie VALUES (18, to_date('05/12/21', 'DD/MM/RR'), 16, 9, 1, 3);
INSERT INTO reproduction_movie VALUES (19, to_date('01/01/21', 'DD/MM/RR'), 21, 39, 1, 49);
INSERT INTO reproduction_movie VALUES (20, to_date('25/01/21', 'DD/MM/RR'), 10, 5, 1, 54);
INSERT INTO reproduction_movie VALUES (21, to_date('12/02/23', 'DD/MM/RR'), 13, 26, 2, 18);
INSERT INTO reproduction_movie VALUES (22, to_date('13/11/22', 'DD/MM/RR'), 16, 3, 1, 64);
```

```
INSERT INTO reproduction_movie VALUES (23, to_date('09/05/21', 'DD/MM/RR'), 26, 10, 1, 50);
INSERT INTO reproduction_movie VALUES (24, to_date('01/11/22', 'DD/MM/RR'), 37, 26, 1, 15);
INSERT INTO reproduction_movie VALUES (25, to_date('24/06/21', 'DD/MM/RR'), 23, 28, 1, 21);
INSERT INTO reproduction_movie VALUES (26, to_date('21/12/23', 'DD/MM/RR'), 31, 47, 1, 65);
INSERT INTO reproduction_movie VALUES (27, to_date('08/03/23', 'DD/MM/RR'), 32, 24, 1, 32);
INSERT INTO reproduction_movie VALUES (28, to_date('18/01/21', 'DD/MM/RR'), 30, 44, 2, 2);
INSERT INTO reproduction_movie VALUES (29, to_date('12/06/22', 'DD/MM/RR'), 26, 39, 2, 66);
INSERT INTO reproduction_movie VALUES (30, to_date('24/05/21', 'DD/MM/RR'), 22, 15, 1, 12);
INSERT INTO reproduction_movie VALUES (31, to_date('05/02/21', 'DD/MM/RR'), 14, 21, 1, 11);
INSERT INTO reproduction_movie VALUES (32, to_date('05/03/22', 'DD/MM/RR'), 23, 20, 2, 25);
INSERT INTO reproduction_movie VALUES (33, to_date('26/06/23', 'DD/MM/RR'), 31, 49, 1, 50);
INSERT INTO reproduction_movie VALUES (34, to_date('17/12/23', 'DD/MM/RR'), 35, 39, 2, 23);
INSERT INTO reproduction_movie VALUES (35, to_date('19/04/22', 'DD/MM/RR'), 34, 1, 2, 36);
INSERT INTO reproduction_movie VALUES (36, to_date('04/10/21', 'DD/MM/RR'), 39, 15, 2, 15);
INSERT INTO reproduction_movie VALUES (37, to_date('10/03/22', 'DD/MM/RR'), 43, 46, 2, 80);
INSERT INTO reproduction_movie VALUES (38, to_date('12/12/22', 'DD/MM/RR'), 22, 36, 2, 28);
INSERT INTO reproduction_movie VALUES (39, to_date('06/08/23', 'DD/MM/RR'), 21, 42, 1, 27);
INSERT INTO reproduction_movie VALUES (40, to_date('19/09/23', 'DD/MM/RR'), 39, 47, 2, 8);
INSERT INTO reproduction_movie VALUES (41, to_date('18/04/21', 'DD/MM/RR'), 43, 35, 2, 71);
INSERT INTO reproduction_movie VALUES (42, to_date('26/09/22', 'DD/MM/RR'), 29, 1, 2, 51);
INSERT INTO reproduction_movie VALUES (43, to_date('19/06/23', 'DD/MM/RR'), 10, 49, 1, 68);
INSERT INTO reproduction_movie VALUES (44, to_date('09/01/22', 'DD/MM/RR'), 38, 14, 2, 33);
INSERT INTO reproduction_movie VALUES (45, to_date('11/10/23', 'DD/MM/RR'), 21, 36, 2, 61);
INSERT INTO reproduction_movie VALUES (46, to_date('11/03/21', 'DD/MM/RR'), 38, 13, 2, 41);
INSERT INTO reproduction_movie VALUES (47, to_date('18/06/23', 'DD/MM/RR'), 23, 29, 2, 63);
INSERT INTO reproduction_movie VALUES (48, to_date('19/08/21', 'DD/MM/RR'), 14, 35, 1, 37);
INSERT INTO reproduction_movie VALUES (49, to_date('20/04/23', 'DD/MM/RR'), 18, 1, 2, 26);
INSERT INTO reproduction_movie VALUES (50, to_date('24/08/22', 'DD/MM/RR'), 18, 47, 2, 65);
INSERT INTO reproduction_movie VALUES (51, to_date('25/12/23', 'DD/MM/RR'), 29, 25, 1, 41);
INSERT INTO reproduction_movie VALUES (52, to_date('27/10/22', 'DD/MM/RR'), 17, 1, 2, 57);
INSERT INTO reproduction_movie VALUES (53, to_date('11/02/21', 'DD/MM/RR'), 43, 16, 2, 39);
INSERT INTO reproduction_movie VALUES (54, to_date('23/12/21', 'DD/MM/RR'), 41, 22, 2, 52);
INSERT INTO reproduction_movie VALUES (55, to_date('25/09/22', 'DD/MM/RR'), 32, 13, 1, 4);
INSERT INTO reproduction_movie VALUES (56, to_date('25/07/23', 'DD/MM/RR'), 21, 44, 1, 29);
INSERT INTO reproduction_movie VALUES (57, to_date('14/07/23', 'DD/MM/RR'), 41, 38, 1, 71);
INSERT INTO reproduction_movie VALUES (58, to_date('20/12/22', 'DD/MM/RR'), 18, 29, 1, 19);
INSERT INTO reproduction_movie VALUES (59, to_date('12/02/22', 'DD/MM/RR'), 44, 4, 1, 30);
```

```
INSERT INTO reproduction_movie VALUES (60, to_date('17/12/21', 'DD/MM/RR'), 18, 8, 2, 23);
INSERT INTO reproduction_movie VALUES (61, to_date('18/03/21', 'DD/MM/RR'), 22, 17, 2, 60);
INSERT INTO reproduction_movie VALUES (62, to_date('22/06/23', 'DD/MM/RR'), 22, 12, 1, 50);
INSERT INTO reproduction_movie VALUES (63, to_date('20/01/21', 'DD/MM/RR'), 25, 41, 1, 10);
INSERT INTO reproduction_movie VALUES (64, to_date('05/05/21', 'DD/MM/RR'), 44, 27, 2, 68);
INSERT INTO reproduction_movie VALUES (65, to_date('01/12/21', 'DD/MM/RR'), 43, 33, 2, 15);
INSERT INTO reproduction_movie VALUES (66, to_date('06/08/22', 'DD/MM/RR'), 11, 47, 2, 52);
INSERT INTO reproduction_movie VALUES (67, to_date('12/10/23', 'DD/MM/RR'), 34, 11, 2, 51);
INSERT INTO reproduction_movie VALUES (68, to_date('04/05/23', 'DD/MM/RR'), 34, 25, 2, 75);
INSERT INTO reproduction_movie VALUES (69, to_date('08/08/22', 'DD/MM/RR'), 13, 4, 2, 68);
INSERT INTO reproduction_movie VALUES (70, to_date('23/01/22', 'DD/MM/RR'), 28, 7, 2, 16);
INSERT INTO reproduction_movie VALUES (71, to_date('16/03/23', 'DD/MM/RR'), 27, 3, 1, 71);
INSERT INTO reproduction_movie VALUES (72, to_date('09/05/23', 'DD/MM/RR'), 11, 6, 2, 29);
INSERT INTO reproduction_movie VALUES (73, to_date('23/06/23', 'DD/MM/RR'), 42, 29, 1, 70);
INSERT INTO reproduction_movie VALUES (74, to_date('12/12/21', 'DD/MM/RR'), 21, 45, 2, 65);
INSERT INTO reproduction_movie VALUES (75, to_date('25/03/22', 'DD/MM/RR'), 26, 5, 1, 68);
INSERT INTO reproduction_movie VALUES (76, to_date('27/12/21', 'DD/MM/RR'), 35, 7, 1, 17);
INSERT INTO reproduction_movie VALUES (77, to_date('09/07/22', 'DD/MM/RR'), 33, 8, 1, 76);
INSERT INTO reproduction_movie VALUES (78, to_date('18/01/23', 'DD/MM/RR'), 29, 10, 2, 56);
INSERT INTO reproduction_movie VALUES (79, to_date('10/03/21', 'DD/MM/RR'), 22, 47, 1, 6);
INSERT INTO reproduction_movie VALUES (80, to_date('21/09/22', 'DD/MM/RR'), 10, 28, 2, 56);
```

```
INSERT INTO reproduction_serie VALUES (1, to_date('01/02/23', 'DD/MM/RR'), 16, 11, 1, 50);
INSERT INTO reproduction_serie VALUES (2, to_date('22/03/21', 'DD/MM/RR'), 11, 8, 1, 68);
INSERT INTO reproduction_serie VALUES (3, to_date('07/11/23', 'DD/MM/RR'), 20, 42, 2, 60);
INSERT INTO reproduction_serie VALUES (4, to_date('17/07/21', 'DD/MM/RR'), 11, 10, 1, 57);
INSERT INTO reproduction_serie VALUES (5, to_date('07/12/23', 'DD/MM/RR'), 40, 8, 1, 25);
INSERT INTO reproduction_serie VALUES (6, to_date('04/11/21', 'DD/MM/RR'), 12, 44, 2, 67);
INSERT INTO reproduction_serie VALUES (7, to_date('05/09/23', 'DD/MM/RR'), 40, 32, 1, 65);
INSERT INTO reproduction_serie VALUES (8, to_date('03/04/23', 'DD/MM/RR'), 38, 27, 1, 54);
INSERT INTO reproduction_serie VALUES (9, to_date('14/02/23', 'DD/MM/RR'), 42, 46, 1, 50);
INSERT INTO reproduction_serie VALUES (10, to_date('08/01/21', 'DD/MM/RR'), 27, 43, 1, 7);
INSERT INTO reproduction_serie VALUES (11, to_date('05/07/21', 'DD/MM/RR'), 36, 15, 2, 76);
INSERT INTO reproduction_serie VALUES (12, to_date('17/04/21', 'DD/MM/RR'), 21, 24, 2, 11);
INSERT INTO reproduction_serie VALUES (13, to_date('08/05/22', 'DD/MM/RR'), 32, 3, 1, 66);
INSERT INTO reproduction_serie VALUES (14, to_date('09/10/23', 'DD/MM/RR'), 35, 47, 1, 34);
```



```
INSERT INTO reproduction_serie VALUES (15, to_date('25/09/22', 'DD/MM/RR'), 42, 46, 1, 37);
INSERT INTO reproduction_serie VALUES (16, to_date('21/11/23', 'DD/MM/RR'), 13, 19, 2, 39);
INSERT INTO reproduction_serie VALUES (17, to_date('01/03/23', 'DD/MM/RR'), 34, 30, 1, 44);
INSERT INTO reproduction_serie VALUES (18, to_date('07/07/21', 'DD/MM/RR'), 22, 48, 1, 71);
INSERT INTO reproduction_serie VALUES (19, to_date('09/04/21', 'DD/MM/RR'), 40, 49, 2, 50);
INSERT INTO reproduction_serie VALUES (20, to_date('06/06/23', 'DD/MM/RR'), 30, 11, 1, 71);
INSERT INTO reproduction_serie VALUES (21, to_date('18/06/22', 'DD/MM/RR'), 33, 33, 2, 29);
INSERT INTO reproduction_serie VALUES (22, to_date('15/08/22', 'DD/MM/RR'), 13, 10, 1, 69);
INSERT INTO reproduction_serie VALUES (23, to_date('06/01/23', 'DD/MM/RR'), 38, 7, 1, 47);
INSERT INTO reproduction_serie VALUES (24, to_date('23/12/21', 'DD/MM/RR'), 25, 19, 1, 27);
INSERT INTO reproduction_serie VALUES (25, to_date('17/07/21', 'DD/MM/RR'), 30, 18, 1, 9);
INSERT INTO reproduction_serie VALUES (26, to_date('01/07/22', 'DD/MM/RR'), 20, 33, 2, 67);
INSERT INTO reproduction_serie VALUES (27, to_date('13/08/21', 'DD/MM/RR'), 24, 14, 2, 79);
INSERT INTO reproduction_serie VALUES (28, to_date('27/05/22', 'DD/MM/RR'), 12, 38, 1, 60);
INSERT INTO reproduction_serie VALUES (29, to_date('20/04/23', 'DD/MM/RR'), 14, 21, 2, 64);
INSERT INTO reproduction_serie VALUES (30, to_date('03/07/21', 'DD/MM/RR'), 33, 33, 1, 73);
INSERT INTO reproduction_serie VALUES (31, to_date('05/04/22', 'DD/MM/RR'), 10, 50, 2, 54);
INSERT INTO reproduction_serie VALUES (32, to_date('16/12/22', 'DD/MM/RR'), 16, 41, 1, 77);
INSERT INTO reproduction_serie VALUES (33, to_date('19/11/23', 'DD/MM/RR'), 28, 20, 1, 28);
INSERT INTO reproduction_serie VALUES (34, to_date('26/08/21', 'DD/MM/RR'), 42, 24, 2, 30);
INSERT INTO reproduction_serie VALUES (35, to_date('15/08/22', 'DD/MM/RR'), 26, 2, 2, 1);
INSERT INTO reproduction_serie VALUES (36, to_date('22/07/21', 'DD/MM/RR'), 25, 7, 2, 26);
INSERT INTO reproduction_serie VALUES (37, to_date('11/03/23', 'DD/MM/RR'), 16, 21, 1, 24);
INSERT INTO reproduction_serie VALUES (38, to_date('04/01/22', 'DD/MM/RR'), 40, 33, 2, 69);
INSERT INTO reproduction_serie VALUES (39, to_date('27/02/23', 'DD/MM/RR'), 39, 27, 2, 20);
INSERT INTO reproduction_serie VALUES (40, to_date('20/08/23', 'DD/MM/RR'), 31, 15, 2, 62);
INSERT INTO reproduction_serie VALUES (41, to_date('15/09/23', 'DD/MM/RR'), 39, 40, 1, 79);
INSERT INTO reproduction_serie VALUES (42, to_date('27/09/21', 'DD/MM/RR'), 18, 23, 2, 78);
INSERT INTO reproduction_serie VALUES (43, to_date('27/09/22', 'DD/MM/RR'), 27, 23, 2, 45);
INSERT INTO reproduction_serie VALUES (44, to_date('09/02/21', 'DD/MM/RR'), 16, 5, 2, 50);
INSERT INTO reproduction_serie VALUES (45, to_date('03/06/21', 'DD/MM/RR'), 38, 17, 2, 60);
INSERT INTO reproduction_serie VALUES (46, to_date('15/10/23', 'DD/MM/RR'), 24, 9, 1, 64);
INSERT INTO reproduction_serie VALUES (47, to_date('26/11/23', 'DD/MM/RR'), 37, 34, 1, 41);
INSERT INTO reproduction_serie VALUES (48, to_date('09/01/21', 'DD/MM/RR'), 42, 40, 1, 64);
INSERT INTO reproduction_serie VALUES (49, to_date('15/01/23', 'DD/MM/RR'), 29, 29, 2, 69);
INSERT INTO reproduction_serie VALUES (50, to_date('03/11/22', 'DD/MM/RR'), 16, 33, 1, 34);
INSERT INTO reproduction_serie VALUES (51, to_date('10/09/21', 'DD/MM/RR'), 44, 25, 1, 1);
```

```
INSERT INTO reproduction_serie VALUES (52, to_date('09/08/23', 'DD/MM/RR'), 34, 43, 1, 75);
INSERT INTO reproduction_serie VALUES (53, to_date('14/08/22', 'DD/MM/RR'), 23, 10, 1, 69);
INSERT INTO reproduction_serie VALUES (54, to_date('15/04/21', 'DD/MM/RR'), 33, 32, 2, 56);
INSERT INTO reproduction_serie VALUES (55, to_date('05/06/23', 'DD/MM/RR'), 26, 6, 2, 17);
INSERT INTO reproduction_serie VALUES (56, to_date('11/09/23', 'DD/MM/RR'), 38, 40, 1, 7);
INSERT INTO reproduction_serie VALUES (57, to_date('21/01/23', 'DD/MM/RR'), 44, 48, 1, 55);
INSERT INTO reproduction_serie VALUES (58, to_date('14/06/22', 'DD/MM/RR'), 25, 50, 1, 21);
INSERT INTO reproduction_serie VALUES (59, to_date('22/07/22', 'DD/MM/RR'), 29, 27, 1, 79);
INSERT INTO reproduction_serie VALUES (60, to_date('13/03/23', 'DD/MM/RR'), 37, 46, 1, 45);
INSERT INTO reproduction_serie VALUES (61, to_date('04/09/22', 'DD/MM/RR'), 43, 5, 1, 35);
INSERT INTO reproduction_serie VALUES (62, to_date('02/05/23', 'DD/MM/RR'), 38, 47, 2, 54);
INSERT INTO reproduction_serie VALUES (63, to_date('12/11/23', 'DD/MM/RR'), 39, 39, 2, 4);
INSERT INTO reproduction_serie VALUES (64, to_date('05/02/21', 'DD/MM/RR'), 23, 17, 2, 1);
INSERT INTO reproduction_serie VALUES (65, to_date('27/12/21', 'DD/MM/RR'), 40, 31, 2, 54);
INSERT INTO reproduction_serie VALUES (66, to_date('13/12/22', 'DD/MM/RR'), 38, 16, 1, 45);
INSERT INTO reproduction_serie VALUES (67, to_date('08/05/21', 'DD/MM/RR'), 42, 8, 2, 47);
INSERT INTO reproduction_serie VALUES (68, to_date('08/05/23', 'DD/MM/RR'), 11, 1, 1, 73);
INSERT INTO reproduction_serie VALUES (69, to_date('22/05/22', 'DD/MM/RR'), 24, 10, 2, 34);
INSERT INTO reproduction_serie VALUES (70, to_date('17/11/23', 'DD/MM/RR'), 12, 2, 1, 45);
```

```
INSERT INTO reproduction_documentary VALUES (1, to_date('15/10/22', 'DD/MM/RR'), 31, 50, 2, 14);
INSERT INTO reproduction_documentary VALUES (2, to_date('20/08/23', 'DD/MM/RR'), 42, 14, 2, 32);
INSERT INTO reproduction_documentary VALUES (3, to_date('27/05/21', 'DD/MM/RR'), 33, 5, 2, 48);
INSERT INTO reproduction_documentary VALUES (4, to_date('23/08/22', 'DD/MM/RR'), 19, 6, 2, 24);
INSERT INTO reproduction_documentary VALUES (5, to_date('10/09/23', 'DD/MM/RR'), 22, 28, 1, 4);
INSERT INTO reproduction_documentary VALUES (6, to_date('05/08/21', 'DD/MM/RR'), 15, 7, 1, 12);
INSERT INTO reproduction_documentary VALUES (7, to_date('14/07/22', 'DD/MM/RR'), 29, 30, 2, 7);
INSERT INTO reproduction_documentary VALUES (8, to_date('23/07/21', 'DD/MM/RR'), 28, 20, 1, 12);
INSERT INTO reproduction_documentary VALUES (9, to_date('19/07/21', 'DD/MM/RR'), 26, 33, 2, 39);
INSERT INTO reproduction_documentary VALUES (10, to_date('18/11/22', 'DD/MM/RR'), 19, 10, 2, 57);
INSERT INTO reproduction_documentary VALUES (11, to_date('12/11/23', 'DD/MM/RR'), 39, 31, 1, 55);
INSERT INTO reproduction_documentary VALUES (12, to_date('18/10/21', 'DD/MM/RR'), 35, 21, 1, 52);
INSERT INTO reproduction_documentary VALUES (13, to_date('26/10/21', 'DD/MM/RR'), 40, 34, 1, 35);
INSERT INTO reproduction_documentary VALUES (14, to_date('10/04/22', 'DD/MM/RR'), 34, 37, 1, 54);
INSERT INTO reproduction_documentary VALUES (15, to_date('05/04/21', 'DD/MM/RR'), 35, 4, 1, 12);
INSERT INTO reproduction_documentary VALUES (16, to_date('10/08/22', 'DD/MM/RR'), 41, 49, 2, 22);
```

```
INSERT INTO reproduction_documentary VALUES (17, to_date('02/12/21', 'DD/MM/RR'), 26, 16, 1, 5);
INSERT INTO reproduction_documentary VALUES (18, to_date('01/06/23', 'DD/MM/RR'), 32, 6, 1, 5);
INSERT INTO reproduction_documentary VALUES (19, to_date('04/08/23', 'DD/MM/RR'), 11, 11, 2, 46);
INSERT INTO reproduction_documentary VALUES (20, to_date('09/10/21', 'DD/MM/RR'), 23, 40, 1, 26);
INSERT INTO reproduction_documentary VALUES (21, to_date('09/08/22', 'DD/MM/RR'), 36, 14, 2, 6);
INSERT INTO reproduction_documentary VALUES (22, to_date('01/01/21', 'DD/MM/RR'), 43, 23, 2, 5);
INSERT INTO reproduction_documentary VALUES (23, to_date('12/01/23', 'DD/MM/RR'), 23, 13, 2, 4);
INSERT INTO reproduction_documentary VALUES (24, to_date('01/11/22', 'DD/MM/RR'), 17, 15, 2, 31);
INSERT INTO reproduction_documentary VALUES (25, to_date('02/02/21', 'DD/MM/RR'), 15, 20, 2, 31);
INSERT INTO reproduction_documentary VALUES (26, to_date('21/04/22', 'DD/MM/RR'), 39, 29, 2, 13);
INSERT INTO reproduction_documentary VALUES (27, to_date('27/10/22', 'DD/MM/RR'), 41, 6, 2, 41);
INSERT INTO reproduction_documentary VALUES (28, to_date('07/06/21', 'DD/MM/RR'), 10, 15, 1, 29);
INSERT INTO reproduction_documentary VALUES (29, to_date('12/09/22', 'DD/MM/RR'), 20, 50, 1, 54);
INSERT INTO reproduction_documentary VALUES (30, to_date('27/02/21', 'DD/MM/RR'), 39, 8, 1, 30);
INSERT INTO reproduction_documentary VALUES (31, to_date('12/11/21', 'DD/MM/RR'), 24, 24, 1, 6);
INSERT INTO reproduction_documentary VALUES (32, to_date('09/09/22', 'DD/MM/RR'), 39, 14, 1, 47);
INSERT INTO reproduction_documentary VALUES (33, to_date('13/09/23', 'DD/MM/RR'), 13, 38, 1, 60);
INSERT INTO reproduction_documentary VALUES (34, to_date('02/09/23', 'DD/MM/RR'), 21, 13, 2, 12);
INSERT INTO reproduction_documentary VALUES (35, to_date('18/10/23', 'DD/MM/RR'), 34, 12, 1, 16);
INSERT INTO reproduction_documentary VALUES (36, to_date('10/08/23', 'DD/MM/RR'), 41, 40, 2, 24);
INSERT INTO reproduction_documentary VALUES (37, to_date('01/08/23', 'DD/MM/RR'), 18, 29, 2, 4);
INSERT INTO reproduction_documentary VALUES (38, to_date('19/03/21', 'DD/MM/RR'), 30, 29, 2, 59);
INSERT INTO reproduction_documentary VALUES (39, to_date('08/07/22', 'DD/MM/RR'), 42, 4, 2, 60);
INSERT INTO reproduction_documentary VALUES (40, to_date('08/03/23', 'DD/MM/RR'), 14, 48, 1, 32);
INSERT INTO reproduction_documentary VALUES (41, to_date('12/03/23', 'DD/MM/RR'), 23, 35, 2, 21);
INSERT INTO reproduction_documentary VALUES (42, to_date('10/10/22', 'DD/MM/RR'), 31, 27, 1, 2);
INSERT INTO reproduction_documentary VALUES (43, to_date('09/08/23', 'DD/MM/RR'), 44, 23, 2, 50);
INSERT INTO reproduction_documentary VALUES (44, to_date('26/09/22', 'DD/MM/RR'), 18, 38, 2, 35);
INSERT INTO reproduction_documentary VALUES (45, to_date('20/08/23', 'DD/MM/RR'), 33, 29, 1, 50);
INSERT INTO reproduction_documentary VALUES (46, to_date('06/06/23', 'DD/MM/RR'), 21, 40, 1, 26);
INSERT INTO reproduction_documentary VALUES (47, to_date('12/10/23', 'DD/MM/RR'), 20, 6, 2, 46);
INSERT INTO reproduction_documentary VALUES (48, to_date('26/01/22', 'DD/MM/RR'), 22, 15, 1, 56);
INSERT INTO reproduction_documentary VALUES (49, to_date('04/06/21', 'DD/MM/RR'), 38, 21, 2, 14);
INSERT INTO reproduction_documentary VALUES (50, to_date('13/10/23', 'DD/MM/RR'), 19, 16, 1, 7);
```

```
INSERT INTO download_movie VALUES (1, to_date('19/11/23', 'DD/MM/RR'), 36, 10, 1, 29);
```

```
INSERT INTO download_movie VALUES (2, to_date('14/02/22', 'DD/MM/RR'), 10, 20, 2, 32);
INSERT INTO download_movie VALUES (3, to_date('23/12/23', 'DD/MM/RR'), 43, 26, 1, 54);
INSERT INTO download_movie VALUES (4, to_date('06/06/21', 'DD/MM/RR'), 24, 36, 1, 69);
INSERT INTO download_movie VALUES (5, to_date('07/08/21', 'DD/MM/RR'), 19, 28, 1, 43);
INSERT INTO download_movie VALUES (6, to_date('22/10/21', 'DD/MM/RR'), 41, 29, 2, 77);
INSERT INTO download_movie VALUES (7, to_date('14/02/22', 'DD/MM/RR'), 38, 18, 1, 5);
INSERT INTO download_movie VALUES (8, to_date('19/09/23', 'DD/MM/RR'), 30, 40, 1, 11);
INSERT INTO download_movie VALUES (9, to_date('17/11/23', 'DD/MM/RR'), 25, 48, 1, 75);
INSERT INTO download_movie VALUES (10, to_date('19/06/21', 'DD/MM/RR'), 31, 26, 1, 1);
INSERT INTO download_movie VALUES (11, to_date('24/01/21', 'DD/MM/RR'), 44, 35, 2, 37);
INSERT INTO download_movie VALUES (12, to_date('01/05/21', 'DD/MM/RR'), 10, 20, 2, 62);
INSERT INTO download_movie VALUES (13, to_date('10/07/22', 'DD/MM/RR'), 22, 6, 2, 18);
INSERT INTO download_movie VALUES (14, to_date('24/06/23', 'DD/MM/RR'), 36, 34, 2, 8);
INSERT INTO download_movie VALUES (15, to_date('09/08/21', 'DD/MM/RR'), 20, 16, 1, 62);
INSERT INTO download_movie VALUES (16, to_date('08/01/22', 'DD/MM/RR'), 11, 19, 1, 66);
INSERT INTO download_movie VALUES (17, to_date('06/03/23', 'DD/MM/RR'), 22, 15, 1, 52);
INSERT INTO download_movie VALUES (18, to_date('14/08/22', 'DD/MM/RR'), 16, 46, 1, 13);
INSERT INTO download_movie VALUES (19, to_date('14/03/23', 'DD/MM/RR'), 32, 33, 2, 39);
INSERT INTO download_movie VALUES (20, to_date('15/02/23', 'DD/MM/RR'), 14, 39, 2, 7);
INSERT INTO download_movie VALUES (21, to_date('27/01/23', 'DD/MM/RR'), 35, 10, 1, 59);
INSERT INTO download_movie VALUES (22, to_date('16/02/22', 'DD/MM/RR'), 13, 24, 2, 2);
INSERT INTO download_movie VALUES (23, to_date('26/06/23', 'DD/MM/RR'), 28, 23, 2, 59);
INSERT INTO download_movie VALUES (24, to_date('02/03/22', 'DD/MM/RR'), 37, 16, 2, 46);
INSERT INTO download_movie VALUES (25, to_date('13/04/23', 'DD/MM/RR'), 35, 20, 2, 23);
INSERT INTO download_movie VALUES (26, to_date('05/04/22', 'DD/MM/RR'), 11, 37, 2, 26);
INSERT INTO download_movie VALUES (27, to_date('13/02/21', 'DD/MM/RR'), 12, 50, 1, 10);
INSERT INTO download_movie VALUES (28, to_date('09/04/23', 'DD/MM/RR'), 25, 24, 1, 69);
INSERT INTO download_movie VALUES (29, to_date('04/02/23', 'DD/MM/RR'), 21, 45, 2, 32);
INSERT INTO download_movie VALUES (30, to_date('17/08/23', 'DD/MM/RR'), 19, 9, 2, 58);
INSERT INTO download_movie VALUES (31, to_date('04/11/23', 'DD/MM/RR'), 39, 26, 2, 28);
INSERT INTO download_movie VALUES (32, to_date('26/10/22', 'DD/MM/RR'), 35, 39, 2, 50);
INSERT INTO download_movie VALUES (33, to_date('25/07/21', 'DD/MM/RR'), 36, 31, 1, 28);
INSERT INTO download_movie VALUES (34, to_date('08/03/21', 'DD/MM/RR'), 29, 17, 1, 1);
INSERT INTO download_movie VALUES (35, to_date('03/03/21', 'DD/MM/RR'), 13, 44, 1, 64);
INSERT INTO download_movie VALUES (36, to_date('24/06/21', 'DD/MM/RR'), 26, 46, 1, 77);
INSERT INTO download_movie VALUES (37, to_date('10/11/23', 'DD/MM/RR'), 13, 2, 1, 9);
INSERT INTO download_movie VALUES (38, to_date('10/01/23', 'DD/MM/RR'), 20, 15, 2, 1);
```

```
INSERT INTO download_movie VALUES (39, to_date('01/03/22', 'DD/MM/RR'), 24, 37, 1, 56);
INSERT INTO download_movie VALUES (40, to_date('11/06/22', 'DD/MM/RR'), 14, 6, 2, 24);
```

```
INSERT INTO download_serie VALUES (1, to_date('14/06/21', 'DD/MM/RR'), 14, 30, 1, 66);
INSERT INTO download_serie VALUES (2, to_date('23/05/22', 'DD/MM/RR'), 11, 28, 1, 31);
INSERT INTO download_serie VALUES (3, to_date('02/11/22', 'DD/MM/RR'), 17, 6, 2, 19);
INSERT INTO download_serie VALUES (4, to_date('03/04/22', 'DD/MM/RR'), 17, 42, 2, 24);
INSERT INTO download_serie VALUES (5, to_date('12/03/21', 'DD/MM/RR'), 24, 7, 2, 35);
INSERT INTO download_serie VALUES (6, to_date('22/04/22', 'DD/MM/RR'), 22, 6, 2, 14);
INSERT INTO download_serie VALUES (7, to_date('08/09/23', 'DD/MM/RR'), 18, 11, 2, 67);
INSERT INTO download_serie VALUES (8, to_date('06/09/22', 'DD/MM/RR'), 11, 12, 2, 42);
INSERT INTO download_serie VALUES (9, to_date('05/09/23', 'DD/MM/RR'), 10, 4, 1, 41);
INSERT INTO download_serie VALUES (10, to_date('10/09/23', 'DD/MM/RR'), 32, 33, 1, 73);
INSERT INTO download_serie VALUES (11, to_date('01/04/22', 'DD/MM/RR'), 10, 40, 1, 12);
INSERT INTO download_serie VALUES (12, to_date('20/09/23', 'DD/MM/RR'), 35, 19, 1, 11);
INSERT INTO download_serie VALUES (13, to_date('27/08/21', 'DD/MM/RR'), 37, 43, 2, 17);
INSERT INTO download_serie VALUES (14, to_date('09/02/21', 'DD/MM/RR'), 22, 9, 1, 52);
INSERT INTO download_serie VALUES (15, to_date('24/01/23', 'DD/MM/RR'), 37, 12, 1, 60);
INSERT INTO download_serie VALUES (16, to_date('18/02/21', 'DD/MM/RR'), 28, 11, 2, 31);
INSERT INTO download_serie VALUES (17, to_date('05/04/21', 'DD/MM/RR'), 33, 10, 1, 73);
INSERT INTO download_serie VALUES (18, to_date('18/07/21', 'DD/MM/RR'), 34, 48, 1, 4);
INSERT INTO download_serie VALUES (19, to_date('06/06/22', 'DD/MM/RR'), 12, 19, 1, 17);
INSERT INTO download_serie VALUES (20, to_date('04/03/22', 'DD/MM/RR'), 40, 15, 2, 32);
```

```
INSERT INTO download_documentary VALUES (1, to_date('25/11/22', 'DD/MM/RR'), 23, 32, 1, 20);
INSERT INTO download_documentary VALUES (2, to_date('21/05/21', 'DD/MM/RR'), 33, 21, 1, 2);
INSERT INTO download_documentary VALUES (3, to_date('04/07/21', 'DD/MM/RR'), 38, 7, 1, 60);
INSERT INTO download_documentary VALUES (4, to_date('02/10/22', 'DD/MM/RR'), 13, 41, 2, 56);
INSERT INTO download_documentary VALUES (5, to_date('15/05/22', 'DD/MM/RR'), 10, 6, 1, 58);
INSERT INTO download_documentary VALUES (6, to_date('17/07/21', 'DD/MM/RR'), 25, 50, 1, 5);
INSERT INTO download_documentary VALUES (7, to_date('06/09/21', 'DD/MM/RR'), 30, 23, 1, 24);
INSERT INTO download_documentary VALUES (8, to_date('16/10/23', 'DD/MM/RR'), 20, 50, 2, 37);
INSERT INTO download_documentary VALUES (9, to_date('14/01/21', 'DD/MM/RR'), 18, 5, 1, 6);
INSERT INTO download_documentary VALUES (10, to_date('22/03/23', 'DD/MM/RR'), 12, 11, 1, 51);
```

```
INSERT INTO gender VALUES (1, 'Masculino');
INSERT INTO gender VALUES (2, 'Femenino');
```

```
INSERT INTO artist VALUES (1, 'Robert', 'De Niro', to_date('18/05/30', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (2, 'Meryl', 'Streep', to_date('19/05/48', 'DD/MM/RR'), 3, 2);
INSERT INTO artist VALUES (3, 'Tom', 'Hanks', to_date('15/09/58', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (4, 'Julia', 'Roberts', to_date('06/01/30', 'DD/MM/RR'), 4, 2);
INSERT INTO artist VALUES (5, 'Denzel', 'Washington', to_date('16/02/73', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (6, 'Nicole', 'Kidman', to_date('18/07/49', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (7, 'Leonardo', 'DiCaprio', to_date('12/03/67', 'DD/MM/RR'), 2, 1);
INSERT INTO artist VALUES (8, 'Charlize', 'Theron', to_date('21/05/64', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (9, 'Brad', 'Pitt', to_date('16/06/39', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (10, 'Jennifer', 'Lawrence', to_date('05/03/46', 'DD/MM/RR'), 2, 2);
INSERT INTO artist VALUES (11, 'Johnny', 'Depp', to_date('21/05/61', 'DD/MM/RR'), 3, 1);
INSERT INTO artist VALUES (12, 'Cate', 'Blanchett', to_date('05/08/43', 'DD/MM/RR'), 2, 2);
INSERT INTO artist VALUES (13, 'Will', 'Smith', to_date('01/11/75', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (14, 'Sandra', 'Bullock', to_date('16/01/48', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (15, 'Daniel', 'Day-Lewis', to_date('24/02/35', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (16, 'Natalie', 'Portman', to_date('24/09/51', 'DD/MM/RR'), 3, 2);
INSERT INTO artist VALUES (17, 'Anthony', 'Hopkins', to_date('04/03/71', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (18, 'Emma', 'Stone', to_date('16/10/52', 'DD/MM/RR'), 3, 2);
INSERT INTO artist VALUES (19, 'Al', 'Pacino', to_date('25/10/46', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (20, 'Anne', 'Hathaway', to_date('22/05/44', 'DD/MM/RR'), 4, 2);
INSERT INTO artist VALUES (21, 'Ryan', 'Gosling', to_date('03/08/66', 'DD/MM/RR'), 3, 1);
INSERT INTO artist VALUES (22, 'Kate', 'Winslet', to_date('09/05/49', 'DD/MM/RR'), 2, 2);
INSERT INTO artist VALUES (23, 'Morgan', 'Freeman', to_date('18/11/78', 'DD/MM/RR'), 2, 1);
INSERT INTO artist VALUES (24, 'Jennifer', 'Aniston', to_date('19/07/79', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (25, 'Hugh', 'Jackman', to_date('22/02/32', 'DD/MM/RR'), 3, 1);
INSERT INTO artist VALUES (26, 'Angelina', 'Jolie', to_date('01/07/30', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (27, 'George', 'Clooney', to_date('03/09/77', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (28, 'Viola', 'Davis', to_date('07/07/76', 'DD/MM/RR'), 2, 2);
INSERT INTO artist VALUES (29, 'Christian', 'Bale', to_date('25/02/73', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (30, 'Scarlett', 'Johansson', to_date('12/06/66', 'DD/MM/RR'), 4, 2);
INSERT INTO artist VALUES (31, 'Matt', 'Damon', to_date('02/03/53', 'DD/MM/RR'), 2, 1);
INSERT INTO artist VALUES (32, 'Julianne', 'Moore', to_date('23/09/51', 'DD/MM/RR'), 3, 2);
```

```
INSERT INTO artist VALUES (33, 'Mark', 'Wahlberg', to_date('23/06/61', 'DD/MM/RR'), 2, 1);
INSERT INTO artist VALUES (34, 'Halle', 'Berry', to_date('13/04/30', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (35, 'Sean', 'Penn', to_date('03/05/53', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (36, 'Jessica', 'Chastain', to_date('21/09/49', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (37, 'Russell', 'Crowe', to_date('16/01/46', 'DD/MM/RR'), 3, 1);
INSERT INTO artist VALUES (38, 'Lupita', 'Nyongo', to_date('19/07/66', 'DD/MM/RR'), 4, 2);
INSERT INTO artist VALUES (39, 'Denzel', 'Curry', to_date('12/07/79', 'DD/MM/RR'), 3, 1);
INSERT INTO artist VALUES (40, 'Penélope', 'Cruz', to_date('25/04/48', 'DD/MM/RR'), 1, 2);
INSERT INTO artist VALUES (41, 'Jake', 'Gyllenhaal', to_date('02/10/73', 'DD/MM/RR'), 4, 1);
INSERT INTO artist VALUES (42, 'Rachel', 'McAdams', to_date('25/07/50', 'DD/MM/RR'), 3, 2);
INSERT INTO artist VALUES (43, 'Samuel', 'L. Jackson', to_date('17/11/40', 'DD/MM/RR'), 2, 1);
INSERT INTO artist VALUES (44, 'Amy', 'Adams', to_date('21/04/36', 'DD/MM/RR'), 2, 2);
INSERT INTO artist VALUES (45, 'Joaquin', 'Phoenix', to_date('06/04/48', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (46, 'Reese', 'Witherspoon', to_date('16/07/46', 'DD/MM/RR'), 3, 2);
INSERT INTO artist VALUES (47, 'Michael', 'Fassbender', to_date('23/03/35', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (48, 'Charlize', 'Theron', to_date('12/05/42', 'DD/MM/RR'), 1, 1);
INSERT INTO artist VALUES (49, 'Tom', 'Hardy', to_date('12/02/65', 'DD/MM/RR'), 2, 1);
INSERT INTO artist VALUES (50, 'Eddie', 'Redmayne', to_date('12/10/35', 'DD/MM/RR'), 1, 1);
```

```
INSERT INTO cast_movie VALUES (1, 4, 1);
INSERT INTO cast_movie VALUES (2, 3, 2);
INSERT INTO cast_movie VALUES (3, 4, 3);
INSERT INTO cast_movie VALUES (4, 1, 4);
INSERT INTO cast_movie VALUES (5, 2, 5);
INSERT INTO cast_movie VALUES (6, 4, 6);
INSERT INTO cast_movie VALUES (7, 3, 7);
INSERT INTO cast_movie VALUES (8, 4, 8);
INSERT INTO cast_movie VALUES (9, 2, 9);
INSERT INTO cast_movie VALUES (10, 5, 10);
INSERT INTO cast_movie VALUES (11, 2, 11);
INSERT INTO cast_movie VALUES (12, 2, 12);
INSERT INTO cast_movie VALUES (13, 3, 13);
INSERT INTO cast_movie VALUES (14, 4, 14);
INSERT INTO cast_movie VALUES (15, 5, 15);
INSERT INTO cast_movie VALUES (16, 2, 16);
INSERT INTO cast_movie VALUES (17, 2, 17);
```

```
INSERT INTO cast_movie VALUES (18, 1, 18);
INSERT INTO cast_movie VALUES (19, 3, 19);
INSERT INTO cast_movie VALUES (20, 2, 20);
INSERT INTO cast_movie VALUES (21, 3, 21);
INSERT INTO cast_movie VALUES (22, 1, 22);
INSERT INTO cast_movie VALUES (23, 1, 23);
INSERT INTO cast_movie VALUES (24, 1, 24);
INSERT INTO cast_movie VALUES (25, 5, 25);
INSERT INTO cast_movie VALUES (26, 3, 26);
INSERT INTO cast_movie VALUES (27, 4, 27);
INSERT INTO cast_movie VALUES (28, 4, 28);
INSERT INTO cast_movie VALUES (29, 2, 29);
INSERT INTO cast_movie VALUES (30, 2, 30);
INSERT INTO cast_movie VALUES (31, 2, 31);
INSERT INTO cast_movie VALUES (32, 3, 32);
INSERT INTO cast_movie VALUES (33, 5, 33);
INSERT INTO cast_movie VALUES (34, 4, 34);
INSERT INTO cast_movie VALUES (35, 2, 35);
INSERT INTO cast_movie VALUES (36, 3, 36);
INSERT INTO cast_movie VALUES (37, 4, 37);
INSERT INTO cast_movie VALUES (38, 1, 38);
INSERT INTO cast_movie VALUES (39, 4, 39);
INSERT INTO cast_movie VALUES (40, 1, 40);
INSERT INTO cast_movie VALUES (41, 9, 1);
INSERT INTO cast_movie VALUES (42, 10, 2);
INSERT INTO cast_movie VALUES (43, 7, 3);
INSERT INTO cast_movie VALUES (44, 9, 4);
INSERT INTO cast_movie VALUES (45, 9, 5);
INSERT INTO cast_movie VALUES (46, 8, 6);
INSERT INTO cast_movie VALUES (47, 10, 7);
INSERT INTO cast_movie VALUES (48, 7, 8);
INSERT INTO cast_movie VALUES (49, 9, 9);
INSERT INTO cast_movie VALUES (50, 7, 10);
INSERT INTO cast_movie VALUES (51, 7, 11);
INSERT INTO cast_movie VALUES (52, 10, 12);
INSERT INTO cast_movie VALUES (53, 9, 13);
INSERT INTO cast_movie VALUES (54, 8, 14);
```



```
INSERT INTO cast_movie VALUES (55, 9, 15);
INSERT INTO cast_movie VALUES (56, 6, 16);
INSERT INTO cast_movie VALUES (57, 7, 17);
INSERT INTO cast_movie VALUES (58, 10, 18);
INSERT INTO cast_movie VALUES (59, 10, 19);
INSERT INTO cast_movie VALUES (60, 7, 20);
INSERT INTO cast_movie VALUES (61, 9, 21);
INSERT INTO cast_movie VALUES (62, 7, 22);
INSERT INTO cast_movie VALUES (63, 9, 23);
INSERT INTO cast_movie VALUES (64, 6, 24);
INSERT INTO cast_movie VALUES (65, 6, 25);
INSERT INTO cast_movie VALUES (66, 9, 26);
INSERT INTO cast_movie VALUES (67, 10, 27);
INSERT INTO cast_movie VALUES (68, 8, 28);
INSERT INTO cast_movie VALUES (69, 10, 29);
INSERT INTO cast_movie VALUES (70, 8, 30);
INSERT INTO cast_movie VALUES (71, 8, 31);
INSERT INTO cast_movie VALUES (72, 8, 32);
INSERT INTO cast_movie VALUES (73, 10, 33);
INSERT INTO cast_movie VALUES (74, 10, 34);
INSERT INTO cast_movie VALUES (75, 8, 35);
INSERT INTO cast_movie VALUES (76, 10, 36);
INSERT INTO cast_movie VALUES (77, 9, 37);
INSERT INTO cast_movie VALUES (78, 8, 38);
INSERT INTO cast_movie VALUES (79, 8, 39);
INSERT INTO cast_movie VALUES (80, 7, 40);
INSERT INTO cast_movie VALUES (81, 11, 1);
INSERT INTO cast_movie VALUES (82, 13, 2);
INSERT INTO cast_movie VALUES (83, 15, 3);
INSERT INTO cast_movie VALUES (84, 14, 4);
INSERT INTO cast_movie VALUES (85, 15, 5);
INSERT INTO cast_movie VALUES (86, 15, 6);
INSERT INTO cast_movie VALUES (87, 13, 7);
INSERT INTO cast_movie VALUES (88, 11, 8);
INSERT INTO cast_movie VALUES (89, 13, 9);
INSERT INTO cast_movie VALUES (90, 11, 10);
INSERT INTO cast_movie VALUES (91, 15, 11);
```

```
INSERT INTO cast_movie VALUES (92, 14, 12);
INSERT INTO cast_movie VALUES (93, 13, 13);
INSERT INTO cast_movie VALUES (94, 12, 14);
INSERT INTO cast_movie VALUES (95, 12, 15);
INSERT INTO cast_movie VALUES (96, 13, 16);
INSERT INTO cast_movie VALUES (97, 11, 17);
INSERT INTO cast_movie VALUES (98, 15, 18);
INSERT INTO cast_movie VALUES (99, 12, 19);
INSERT INTO cast_movie VALUES (100, 14, 20);
INSERT INTO cast_movie VALUES (101, 14, 21);
INSERT INTO cast_movie VALUES (102, 13, 22);
INSERT INTO cast_movie VALUES (103, 12, 23);
INSERT INTO cast_movie VALUES (104, 14, 24);
INSERT INTO cast_movie VALUES (105, 12, 25);
INSERT INTO cast_movie VALUES (106, 13, 26);
INSERT INTO cast_movie VALUES (107, 13, 27);
INSERT INTO cast_movie VALUES (108, 12, 28);
INSERT INTO cast_movie VALUES (109, 13, 29);
INSERT INTO cast_movie VALUES (110, 15, 30);
INSERT INTO cast_movie VALUES (111, 12, 31);
INSERT INTO cast_movie VALUES (112, 12, 32);
INSERT INTO cast_movie VALUES (113, 12, 33);
INSERT INTO cast_movie VALUES (114, 13, 34);
INSERT INTO cast_movie VALUES (115, 13, 35);
INSERT INTO cast_movie VALUES (116, 15, 36);
INSERT INTO cast_movie VALUES (117, 15, 37);
INSERT INTO cast_movie VALUES (118, 11, 38);
INSERT INTO cast_movie VALUES (119, 11, 39);
INSERT INTO cast_movie VALUES (120, 12, 40);
INSERT INTO cast_movie VALUES (121, 20, 1);
INSERT INTO cast_movie VALUES (122, 20, 2);
INSERT INTO cast_movie VALUES (123, 18, 3);
INSERT INTO cast_movie VALUES (124, 16, 4);
INSERT INTO cast_movie VALUES (125, 18, 5);
INSERT INTO cast_movie VALUES (126, 16, 6);
INSERT INTO cast_movie VALUES (127, 18, 7);
INSERT INTO cast_movie VALUES (128, 19, 8);
```

```
INSERT INTO cast_movie VALUES (129, 16, 9);
INSERT INTO cast_movie VALUES (130, 20, 10);
INSERT INTO cast_movie VALUES (131, 17, 11);
INSERT INTO cast_movie VALUES (132, 18, 12);
INSERT INTO cast_movie VALUES (133, 16, 13);
INSERT INTO cast_movie VALUES (134, 16, 14);
INSERT INTO cast_movie VALUES (135, 19, 15);
INSERT INTO cast_movie VALUES (136, 19, 16);
INSERT INTO cast_movie VALUES (137, 20, 17);
INSERT INTO cast_movie VALUES (138, 18, 18);
INSERT INTO cast_movie VALUES (139, 17, 19);
INSERT INTO cast_movie VALUES (140, 20, 20);
INSERT INTO cast_movie VALUES (141, 17, 21);
INSERT INTO cast_movie VALUES (142, 19, 22);
INSERT INTO cast_movie VALUES (143, 18, 23);
INSERT INTO cast_movie VALUES (144, 20, 24);
INSERT INTO cast_movie VALUES (145, 16, 25);
INSERT INTO cast_movie VALUES (146, 18, 26);
INSERT INTO cast_movie VALUES (147, 18, 27);
INSERT INTO cast_movie VALUES (148, 18, 28);
INSERT INTO cast_movie VALUES (149, 17, 29);
INSERT INTO cast_movie VALUES (150, 20, 30);
INSERT INTO cast_movie VALUES (151, 18, 31);
INSERT INTO cast_movie VALUES (152, 17, 32);
INSERT INTO cast_movie VALUES (153, 20, 33);
INSERT INTO cast_movie VALUES (154, 19, 34);
INSERT INTO cast_movie VALUES (155, 19, 35);
INSERT INTO cast_movie VALUES (156, 18, 36);
INSERT INTO cast_movie VALUES (157, 20, 37);
INSERT INTO cast_movie VALUES (158, 16, 38);
INSERT INTO cast_movie VALUES (159, 19, 39);
INSERT INTO cast_movie VALUES (160, 18, 40);
INSERT INTO cast_movie VALUES (161, 24, 1);
INSERT INTO cast_movie VALUES (162, 24, 2);
INSERT INTO cast_movie VALUES (163, 25, 3);
INSERT INTO cast_movie VALUES (164, 25, 4);
INSERT INTO cast_movie VALUES (165, 21, 5);
```

```
INSERT INTO cast_movie VALUES (166, 21, 6);
INSERT INTO cast_movie VALUES (167, 24, 7);
INSERT INTO cast_movie VALUES (168, 23, 8);
INSERT INTO cast_movie VALUES (169, 24, 9);
INSERT INTO cast_movie VALUES (170, 23, 10);
INSERT INTO cast_movie VALUES (171, 25, 11);
INSERT INTO cast_movie VALUES (172, 24, 12);
INSERT INTO cast_movie VALUES (173, 25, 13);
INSERT INTO cast_movie VALUES (174, 23, 14);
INSERT INTO cast_movie VALUES (175, 23, 15);
INSERT INTO cast_movie VALUES (176, 24, 16);
INSERT INTO cast_movie VALUES (177, 23, 17);
INSERT INTO cast_movie VALUES (178, 25, 18);
INSERT INTO cast_movie VALUES (179, 23, 19);
INSERT INTO cast_movie VALUES (180, 22, 20);
INSERT INTO cast_movie VALUES (181, 25, 21);
INSERT INTO cast_movie VALUES (182, 22, 22);
INSERT INTO cast_movie VALUES (183, 21, 23);
INSERT INTO cast_movie VALUES (184, 24, 24);
INSERT INTO cast_movie VALUES (185, 23, 25);
INSERT INTO cast_movie VALUES (186, 23, 26);
INSERT INTO cast_movie VALUES (187, 22, 27);
INSERT INTO cast_movie VALUES (188, 24, 28);
INSERT INTO cast_movie VALUES (189, 23, 29);
INSERT INTO cast_movie VALUES (190, 24, 30);
INSERT INTO cast_movie VALUES (191, 24, 31);
INSERT INTO cast_movie VALUES (192, 23, 32);
INSERT INTO cast_movie VALUES (193, 24, 33);
INSERT INTO cast_movie VALUES (194, 23, 34);
INSERT INTO cast_movie VALUES (195, 23, 35);
INSERT INTO cast_movie VALUES (196, 22, 36);
INSERT INTO cast_movie VALUES (197, 25, 37);
INSERT INTO cast_movie VALUES (198, 23, 38);
INSERT INTO cast_movie VALUES (199, 25, 39);
INSERT INTO cast_movie VALUES (200, 25, 40);
INSERT INTO cast_movie VALUES (201, 30, 1);
INSERT INTO cast_movie VALUES (202, 26, 2);
```

```
INSERT INTO cast_movie VALUES (203, 27, 3);
INSERT INTO cast_movie VALUES (204, 29, 4);
INSERT INTO cast_movie VALUES (205, 29, 5);
INSERT INTO cast_movie VALUES (206, 27, 6);
INSERT INTO cast_movie VALUES (207, 27, 7);
INSERT INTO cast_movie VALUES (208, 28, 8);
INSERT INTO cast_movie VALUES (209, 26, 9);
INSERT INTO cast_movie VALUES (210, 29, 10);
INSERT INTO cast_movie VALUES (211, 28, 11);
INSERT INTO cast_movie VALUES (212, 26, 12);
INSERT INTO cast_movie VALUES (213, 28, 13);
INSERT INTO cast_movie VALUES (214, 29, 14);
INSERT INTO cast_movie VALUES (215, 30, 15);
INSERT INTO cast_movie VALUES (216, 29, 16);
INSERT INTO cast_movie VALUES (217, 28, 17);
INSERT INTO cast_movie VALUES (218, 28, 18);
INSERT INTO cast_movie VALUES (219, 29, 19);
INSERT INTO cast_movie VALUES (220, 30, 20);
INSERT INTO cast_movie VALUES (221, 29, 21);
INSERT INTO cast_movie VALUES (222, 29, 22);
INSERT INTO cast_movie VALUES (223, 26, 23);
INSERT INTO cast_movie VALUES (224, 26, 24);
INSERT INTO cast_movie VALUES (225, 26, 25);
INSERT INTO cast_movie VALUES (226, 30, 26);
INSERT INTO cast_movie VALUES (227, 26, 27);
INSERT INTO cast_movie VALUES (228, 29, 28);
INSERT INTO cast_movie VALUES (229, 30, 29);
INSERT INTO cast_movie VALUES (230, 26, 30);
INSERT INTO cast_movie VALUES (231, 26, 31);
INSERT INTO cast_movie VALUES (232, 26, 32);
INSERT INTO cast_movie VALUES (233, 28, 33);
INSERT INTO cast_movie VALUES (234, 29, 34);
INSERT INTO cast_movie VALUES (235, 27, 35);
INSERT INTO cast_movie VALUES (236, 28, 36);
INSERT INTO cast_movie VALUES (237, 30, 37);
INSERT INTO cast_movie VALUES (238, 30, 38);
INSERT INTO cast_movie VALUES (239, 27, 39);
```

```
INSERT INTO cast_movie VALUES (240, 29, 40);
INSERT INTO cast_movie VALUES (241, 31, 1);
INSERT INTO cast_movie VALUES (242, 35, 2);
INSERT INTO cast_movie VALUES (243, 35, 3);
INSERT INTO cast_movie VALUES (244, 34, 4);
INSERT INTO cast_movie VALUES (245, 33, 5);
INSERT INTO cast_movie VALUES (246, 34, 6);
INSERT INTO cast_movie VALUES (247, 31, 7);
INSERT INTO cast_movie VALUES (248, 34, 8);
INSERT INTO cast_movie VALUES (249, 33, 9);
INSERT INTO cast_movie VALUES (250, 32, 10);
INSERT INTO cast_movie VALUES (251, 32, 11);
INSERT INTO cast_movie VALUES (252, 32, 12);
INSERT INTO cast_movie VALUES (253, 34, 13);
INSERT INTO cast_movie VALUES (254, 32, 14);
INSERT INTO cast_movie VALUES (255, 33, 15);
INSERT INTO cast_movie VALUES (256, 32, 16);
INSERT INTO cast_movie VALUES (257, 33, 17);
INSERT INTO cast_movie VALUES (258, 35, 18);
INSERT INTO cast_movie VALUES (259, 33, 19);
INSERT INTO cast_movie VALUES (260, 33, 20);
INSERT INTO cast_movie VALUES (261, 34, 21);
INSERT INTO cast_movie VALUES (262, 34, 22);
INSERT INTO cast_movie VALUES (263, 33, 23);
INSERT INTO cast_movie VALUES (264, 31, 24);
INSERT INTO cast_movie VALUES (265, 33, 25);
INSERT INTO cast_movie VALUES (266, 32, 26);
INSERT INTO cast_movie VALUES (267, 31, 27);
INSERT INTO cast_movie VALUES (268, 33, 28);
INSERT INTO cast_movie VALUES (269, 31, 29);
INSERT INTO cast_movie VALUES (270, 33, 30);
INSERT INTO cast_movie VALUES (271, 33, 31);
INSERT INTO cast_movie VALUES (272, 34, 32);
INSERT INTO cast_movie VALUES (273, 34, 33);
INSERT INTO cast_movie VALUES (274, 35, 34);
INSERT INTO cast_movie VALUES (275, 33, 35);
INSERT INTO cast_movie VALUES (276, 34, 36);
```

```
INSERT INTO cast_movie VALUES (277, 33, 37);
INSERT INTO cast_movie VALUES (278, 34, 38);
INSERT INTO cast_movie VALUES (279, 34, 39);
INSERT INTO cast_movie VALUES (280, 31, 40);
INSERT INTO cast_movie VALUES (281, 39, 1);
INSERT INTO cast_movie VALUES (282, 39, 2);
INSERT INTO cast_movie VALUES (283, 37, 3);
INSERT INTO cast_movie VALUES (284, 36, 4);
INSERT INTO cast_movie VALUES (285, 38, 5);
INSERT INTO cast_movie VALUES (286, 37, 6);
INSERT INTO cast_movie VALUES (287, 39, 7);
INSERT INTO cast_movie VALUES (288, 39, 8);
INSERT INTO cast_movie VALUES (289, 38, 9);
INSERT INTO cast_movie VALUES (290, 38, 10);
INSERT INTO cast_movie VALUES (291, 37, 11);
INSERT INTO cast_movie VALUES (292, 37, 12);
INSERT INTO cast_movie VALUES (293, 36, 13);
INSERT INTO cast_movie VALUES (294, 38, 14);
INSERT INTO cast_movie VALUES (295, 40, 15);
INSERT INTO cast_movie VALUES (296, 40, 16);
INSERT INTO cast_movie VALUES (297, 39, 17);
INSERT INTO cast_movie VALUES (298, 38, 18);
INSERT INTO cast_movie VALUES (299, 39, 19);
INSERT INTO cast_movie VALUES (300, 36, 20);
INSERT INTO cast_movie VALUES (301, 36, 21);
INSERT INTO cast_movie VALUES (302, 38, 22);
INSERT INTO cast_movie VALUES (303, 37, 23);
INSERT INTO cast_movie VALUES (304, 39, 24);
INSERT INTO cast_movie VALUES (305, 37, 25);
INSERT INTO cast_movie VALUES (306, 38, 26);
INSERT INTO cast_movie VALUES (307, 36, 27);
INSERT INTO cast_movie VALUES (308, 36, 28);
INSERT INTO cast_movie VALUES (309, 37, 29);
INSERT INTO cast_movie VALUES (310, 38, 30);
INSERT INTO cast_movie VALUES (311, 36, 31);
INSERT INTO cast_movie VALUES (312, 37, 32);
INSERT INTO cast_movie VALUES (313, 36, 33);
```

```
INSERT INTO cast_movie VALUES (314, 36, 34);
INSERT INTO cast_movie VALUES (315, 39, 35);
INSERT INTO cast_movie VALUES (316, 37, 36);
INSERT INTO cast_movie VALUES (317, 40, 37);
INSERT INTO cast_movie VALUES (318, 37, 38);
INSERT INTO cast_movie VALUES (319, 38, 39);
INSERT INTO cast_movie VALUES (320, 38, 40);
INSERT INTO cast_movie VALUES (321, 45, 1);
INSERT INTO cast_movie VALUES (322, 41, 2);
INSERT INTO cast_movie VALUES (323, 44, 3);
INSERT INTO cast_movie VALUES (324, 41, 4);
INSERT INTO cast_movie VALUES (325, 44, 5);
INSERT INTO cast_movie VALUES (326, 45, 6);
INSERT INTO cast_movie VALUES (327, 41, 7);
INSERT INTO cast_movie VALUES (328, 43, 8);
INSERT INTO cast_movie VALUES (329, 45, 9);
INSERT INTO cast_movie VALUES (330, 44, 10);
INSERT INTO cast_movie VALUES (331, 45, 11);
INSERT INTO cast_movie VALUES (332, 41, 12);
INSERT INTO cast_movie VALUES (333, 41, 13);
INSERT INTO cast_movie VALUES (334, 43, 14);
INSERT INTO cast_movie VALUES (335, 43, 15);
INSERT INTO cast_movie VALUES (336, 44, 16);
INSERT INTO cast_movie VALUES (337, 45, 17);
INSERT INTO cast_movie VALUES (338, 45, 18);
INSERT INTO cast_movie VALUES (339, 43, 19);
INSERT INTO cast_movie VALUES (340, 41, 20);
INSERT INTO cast_movie VALUES (341, 44, 21);
INSERT INTO cast_movie VALUES (342, 45, 22);
INSERT INTO cast_movie VALUES (343, 44, 23);
INSERT INTO cast_movie VALUES (344, 44, 24);
INSERT INTO cast_movie VALUES (345, 42, 25);
INSERT INTO cast_movie VALUES (346, 45, 26);
INSERT INTO cast_movie VALUES (347, 43, 27);
INSERT INTO cast_movie VALUES (348, 45, 28);
INSERT INTO cast_movie VALUES (349, 45, 29);
INSERT INTO cast_movie VALUES (350, 41, 30);
```



```
INSERT INTO cast_movie VALUES (351, 43, 31);
INSERT INTO cast_movie VALUES (352, 41, 32);
INSERT INTO cast_movie VALUES (353, 44, 33);
INSERT INTO cast_movie VALUES (354, 41, 34);
INSERT INTO cast_movie VALUES (355, 44, 35);
INSERT INTO cast_movie VALUES (356, 44, 36);
INSERT INTO cast_movie VALUES (357, 43, 37);
INSERT INTO cast_movie VALUES (358, 43, 38);
INSERT INTO cast_movie VALUES (359, 45, 39);
INSERT INTO cast_movie VALUES (360, 42, 40);
INSERT INTO cast_movie VALUES (361, 46, 1);
INSERT INTO cast_movie VALUES (362, 49, 2);
INSERT INTO cast_movie VALUES (363, 49, 3);
INSERT INTO cast_movie VALUES (364, 47, 4);
INSERT INTO cast_movie VALUES (365, 49, 5);
INSERT INTO cast_movie VALUES (366, 46, 6);
INSERT INTO cast_movie VALUES (367, 48, 7);
INSERT INTO cast_movie VALUES (368, 50, 8);
INSERT INTO cast_movie VALUES (369, 49, 9);
INSERT INTO cast_movie VALUES (370, 46, 10);
INSERT INTO cast_movie VALUES (371, 47, 11);
INSERT INTO cast_movie VALUES (372, 49, 12);
INSERT INTO cast_movie VALUES (373, 49, 13);
INSERT INTO cast_movie VALUES (374, 50, 14);
INSERT INTO cast_movie VALUES (375, 50, 15);
INSERT INTO cast_movie VALUES (376, 48, 16);
INSERT INTO cast_movie VALUES (377, 49, 17);
INSERT INTO cast_movie VALUES (378, 47, 18);
INSERT INTO cast_movie VALUES (379, 47, 19);
INSERT INTO cast_movie VALUES (380, 49, 20);
INSERT INTO cast_movie VALUES (381, 50, 21);
INSERT INTO cast_movie VALUES (382, 47, 22);
INSERT INTO cast_movie VALUES (383, 50, 23);
INSERT INTO cast_movie VALUES (384, 46, 24);
INSERT INTO cast_movie VALUES (385, 48, 25);
INSERT INTO cast_movie VALUES (386, 48, 26);
INSERT INTO cast_movie VALUES (387, 48, 27);
```

```
INSERT INTO cast_movie VALUES (388, 47, 28);
INSERT INTO cast_movie VALUES (389, 47, 29);
INSERT INTO cast_movie VALUES (390, 48, 30);
INSERT INTO cast_movie VALUES (391, 50, 31);
INSERT INTO cast_movie VALUES (392, 48, 32);
INSERT INTO cast_movie VALUES (393, 46, 33);
INSERT INTO cast_movie VALUES (394, 47, 34);
INSERT INTO cast_movie VALUES (395, 50, 35);
INSERT INTO cast_movie VALUES (396, 50, 36);
INSERT INTO cast_movie VALUES (397, 48, 37);
INSERT INTO cast_movie VALUES (398, 47, 38);
INSERT INTO cast_movie VALUES (399, 46, 39);
INSERT INTO cast_movie VALUES (400, 49, 40);
```

```
INSERT INTO cast_serie VALUES (1, 4, 1);
INSERT INTO cast_serie VALUES (2, 4, 2);
INSERT INTO cast_serie VALUES (3, 2, 3);
INSERT INTO cast_serie VALUES (4, 1, 4);
INSERT INTO cast_serie VALUES (5, 5, 5);
INSERT INTO cast_serie VALUES (6, 2, 6);
INSERT INTO cast_serie VALUES (7, 3, 7);
INSERT INTO cast_serie VALUES (8, 3, 8);
INSERT INTO cast_serie VALUES (9, 1, 9);
INSERT INTO cast_serie VALUES (10, 2, 10);
INSERT INTO cast_serie VALUES (11, 4, 11);
INSERT INTO cast_serie VALUES (12, 4, 12);
INSERT INTO cast_serie VALUES (13, 2, 13);
INSERT INTO cast_serie VALUES (14, 5, 14);
INSERT INTO cast_serie VALUES (15, 2, 15);
INSERT INTO cast_serie VALUES (16, 4, 16);
INSERT INTO cast_serie VALUES (17, 4, 17);
INSERT INTO cast_serie VALUES (18, 4, 18);
INSERT INTO cast_serie VALUES (19, 5, 19);
INSERT INTO cast_serie VALUES (20, 3, 20);
INSERT INTO cast_serie VALUES (21, 1, 21);
INSERT INTO cast_serie VALUES (22, 5, 22);
```

```
INSERT INTO cast_serie VALUES (23, 1, 23);
INSERT INTO cast_serie VALUES (24, 2, 24);
INSERT INTO cast_serie VALUES (25, 1, 25);
INSERT INTO cast_serie VALUES (26, 2, 26);
INSERT INTO cast_serie VALUES (27, 5, 27);
INSERT INTO cast_serie VALUES (28, 2, 28);
INSERT INTO cast_serie VALUES (29, 2, 29);
INSERT INTO cast_serie VALUES (30, 2, 30);
INSERT INTO cast_serie VALUES (31, 4, 31);
INSERT INTO cast_serie VALUES (32, 1, 32);
INSERT INTO cast_serie VALUES (33, 3, 33);
INSERT INTO cast_serie VALUES (34, 5, 34);
INSERT INTO cast_serie VALUES (35, 1, 35);
INSERT INTO cast_serie VALUES (36, 1, 36);
INSERT INTO cast_serie VALUES (37, 5, 37);
INSERT INTO cast_serie VALUES (38, 2, 38);
INSERT INTO cast_serie VALUES (39, 5, 39);
INSERT INTO cast_serie VALUES (40, 2, 40);
INSERT INTO cast_serie VALUES (41, 10, 1);
INSERT INTO cast_serie VALUES (42, 9, 2);
INSERT INTO cast_serie VALUES (43, 8, 3);
INSERT INTO cast_serie VALUES (44, 10, 4);
INSERT INTO cast_serie VALUES (45, 6, 5);
INSERT INTO cast_serie VALUES (46, 9, 6);
INSERT INTO cast_serie VALUES (47, 8, 7);
INSERT INTO cast_serie VALUES (48, 8, 8);
INSERT INTO cast_serie VALUES (49, 7, 9);
INSERT INTO cast_serie VALUES (50, 6, 10);
INSERT INTO cast_serie VALUES (51, 6, 11);
INSERT INTO cast_serie VALUES (52, 8, 12);
INSERT INTO cast_serie VALUES (53, 6, 13);
INSERT INTO cast_serie VALUES (54, 10, 14);
INSERT INTO cast_serie VALUES (55, 7, 15);
INSERT INTO cast_serie VALUES (56, 10, 16);
INSERT INTO cast_serie VALUES (57, 10, 17);
INSERT INTO cast_serie VALUES (58, 7, 18);
INSERT INTO cast_serie VALUES (59, 8, 19);
```

```
INSERT INTO cast_serie VALUES (60, 6, 20);
INSERT INTO cast_serie VALUES (61, 9, 21);
INSERT INTO cast_serie VALUES (62, 10, 22);
INSERT INTO cast_serie VALUES (63, 6, 23);
INSERT INTO cast_serie VALUES (64, 7, 24);
INSERT INTO cast_serie VALUES (65, 6, 25);
INSERT INTO cast_serie VALUES (66, 9, 26);
INSERT INTO cast_serie VALUES (67, 10, 27);
INSERT INTO cast_serie VALUES (68, 8, 28);
INSERT INTO cast_serie VALUES (69, 9, 29);
INSERT INTO cast_serie VALUES (70, 10, 30);
INSERT INTO cast_serie VALUES (71, 9, 31);
INSERT INTO cast_serie VALUES (72, 9, 32);
INSERT INTO cast_serie VALUES (73, 6, 33);
INSERT INTO cast_serie VALUES (74, 8, 34);
INSERT INTO cast_serie VALUES (75, 10, 35);
INSERT INTO cast_serie VALUES (76, 9, 36);
INSERT INTO cast_serie VALUES (77, 6, 37);
INSERT INTO cast_serie VALUES (78, 10, 38);
INSERT INTO cast_serie VALUES (79, 9, 39);
INSERT INTO cast_serie VALUES (80, 6, 40);
INSERT INTO cast_serie VALUES (81, 13, 1);
INSERT INTO cast_serie VALUES (82, 12, 2);
INSERT INTO cast_serie VALUES (83, 14, 3);
INSERT INTO cast_serie VALUES (84, 12, 4);
INSERT INTO cast_serie VALUES (85, 13, 5);
INSERT INTO cast_serie VALUES (86, 14, 6);
INSERT INTO cast_serie VALUES (87, 15, 7);
INSERT INTO cast_serie VALUES (88, 15, 8);
INSERT INTO cast_serie VALUES (89, 14, 9);
INSERT INTO cast_serie VALUES (90, 14, 10);
INSERT INTO cast_serie VALUES (91, 12, 11);
INSERT INTO cast_serie VALUES (92, 14, 12);
INSERT INTO cast_serie VALUES (93, 15, 13);
INSERT INTO cast_serie VALUES (94, 15, 14);
INSERT INTO cast_serie VALUES (95, 11, 15);
INSERT INTO cast_serie VALUES (96, 11, 16);
```

```
INSERT INTO cast_serie VALUES (97, 12, 17);
INSERT INTO cast_serie VALUES (98, 12, 18);
INSERT INTO cast_serie VALUES (99, 11, 19);
INSERT INTO cast_serie VALUES (100, 12, 20);
INSERT INTO cast_serie VALUES (101, 15, 21);
INSERT INTO cast_serie VALUES (102, 13, 22);
INSERT INTO cast_serie VALUES (103, 14, 23);
INSERT INTO cast_serie VALUES (104, 13, 24);
INSERT INTO cast_serie VALUES (105, 11, 25);
INSERT INTO cast_serie VALUES (106, 14, 26);
INSERT INTO cast_serie VALUES (107, 12, 27);
INSERT INTO cast_serie VALUES (108, 12, 28);
INSERT INTO cast_serie VALUES (109, 13, 29);
INSERT INTO cast_serie VALUES (110, 11, 30);
INSERT INTO cast_serie VALUES (111, 14, 31);
INSERT INTO cast_serie VALUES (112, 13, 32);
INSERT INTO cast_serie VALUES (113, 14, 33);
INSERT INTO cast_serie VALUES (114, 14, 34);
INSERT INTO cast_serie VALUES (115, 12, 35);
INSERT INTO cast_serie VALUES (116, 14, 36);
INSERT INTO cast_serie VALUES (117, 12, 37);
INSERT INTO cast_serie VALUES (118, 13, 38);
INSERT INTO cast_serie VALUES (119, 14, 39);
INSERT INTO cast_serie VALUES (120, 15, 40);
INSERT INTO cast_serie VALUES (121, 18, 1);
INSERT INTO cast_serie VALUES (122, 19, 2);
INSERT INTO cast_serie VALUES (123, 20, 3);
INSERT INTO cast_serie VALUES (124, 17, 4);
INSERT INTO cast_serie VALUES (125, 16, 5);
INSERT INTO cast_serie VALUES (126, 16, 6);
INSERT INTO cast_serie VALUES (127, 18, 7);
INSERT INTO cast_serie VALUES (128, 19, 8);
INSERT INTO cast_serie VALUES (129, 19, 9);
INSERT INTO cast_serie VALUES (130, 16, 10);
INSERT INTO cast_serie VALUES (131, 16, 11);
INSERT INTO cast_serie VALUES (132, 17, 12);
INSERT INTO cast_serie VALUES (133, 18, 13);
```

```
INSERT INTO cast_serie VALUES (134, 20, 14);
INSERT INTO cast_serie VALUES (135, 19, 15);
INSERT INTO cast_serie VALUES (136, 19, 16);
INSERT INTO cast_serie VALUES (137, 19, 17);
INSERT INTO cast_serie VALUES (138, 17, 18);
INSERT INTO cast_serie VALUES (139, 18, 19);
INSERT INTO cast_serie VALUES (140, 18, 20);
INSERT INTO cast_serie VALUES (141, 17, 21);
INSERT INTO cast_serie VALUES (142, 17, 22);
INSERT INTO cast_serie VALUES (143, 17, 23);
INSERT INTO cast_serie VALUES (144, 19, 24);
INSERT INTO cast_serie VALUES (145, 19, 25);
INSERT INTO cast_serie VALUES (146, 19, 26);
INSERT INTO cast_serie VALUES (147, 19, 27);
INSERT INTO cast_serie VALUES (148, 20, 28);
INSERT INTO cast_serie VALUES (149, 16, 29);
INSERT INTO cast_serie VALUES (150, 20, 30);
INSERT INTO cast_serie VALUES (151, 20, 31);
INSERT INTO cast_serie VALUES (152, 18, 32);
INSERT INTO cast_serie VALUES (153, 19, 33);
INSERT INTO cast_serie VALUES (154, 19, 34);
INSERT INTO cast_serie VALUES (155, 16, 35);
INSERT INTO cast_serie VALUES (156, 19, 36);
INSERT INTO cast_serie VALUES (157, 17, 37);
INSERT INTO cast_serie VALUES (158, 19, 38);
INSERT INTO cast_serie VALUES (159, 20, 39);
INSERT INTO cast_serie VALUES (160, 18, 40);
INSERT INTO cast_serie VALUES (161, 21, 1);
INSERT INTO cast_serie VALUES (162, 23, 2);
INSERT INTO cast_serie VALUES (163, 22, 3);
INSERT INTO cast_serie VALUES (164, 23, 4);
INSERT INTO cast_serie VALUES (165, 23, 5);
INSERT INTO cast_serie VALUES (166, 24, 6);
INSERT INTO cast_serie VALUES (167, 23, 7);
INSERT INTO cast_serie VALUES (168, 22, 8);
INSERT INTO cast_serie VALUES (169, 24, 9);
INSERT INTO cast_serie VALUES (170, 23, 10);
```

```
INSERT INTO cast_serie VALUES (171, 22, 11);
INSERT INTO cast_serie VALUES (172, 21, 12);
INSERT INTO cast_serie VALUES (173, 24, 13);
INSERT INTO cast_serie VALUES (174, 21, 14);
INSERT INTO cast_serie VALUES (175, 21, 15);
INSERT INTO cast_serie VALUES (176, 25, 16);
INSERT INTO cast_serie VALUES (177, 24, 17);
INSERT INTO cast_serie VALUES (178, 23, 18);
INSERT INTO cast_serie VALUES (179, 23, 19);
INSERT INTO cast_serie VALUES (180, 25, 20);
INSERT INTO cast_serie VALUES (181, 22, 21);
INSERT INTO cast_serie VALUES (182, 24, 22);
INSERT INTO cast_serie VALUES (183, 25, 23);
INSERT INTO cast_serie VALUES (184, 21, 24);
INSERT INTO cast_serie VALUES (185, 24, 25);
INSERT INTO cast_serie VALUES (186, 24, 26);
INSERT INTO cast_serie VALUES (187, 23, 27);
INSERT INTO cast_serie VALUES (188, 25, 28);
INSERT INTO cast_serie VALUES (189, 22, 29);
INSERT INTO cast_serie VALUES (190, 21, 30);
INSERT INTO cast_serie VALUES (191, 21, 31);
INSERT INTO cast_serie VALUES (192, 22, 32);
INSERT INTO cast_serie VALUES (193, 24, 33);
INSERT INTO cast_serie VALUES (194, 23, 34);
INSERT INTO cast_serie VALUES (195, 24, 35);
INSERT INTO cast_serie VALUES (196, 21, 36);
INSERT INTO cast_serie VALUES (197, 21, 37);
INSERT INTO cast_serie VALUES (198, 24, 38);
INSERT INTO cast_serie VALUES (199, 25, 39);
INSERT INTO cast_serie VALUES (200, 22, 40);
INSERT INTO cast_serie VALUES (201, 27, 1);
INSERT INTO cast_serie VALUES (202, 29, 2);
INSERT INTO cast_serie VALUES (203, 29, 3);
INSERT INTO cast_serie VALUES (204, 29, 4);
INSERT INTO cast_serie VALUES (205, 26, 5);
INSERT INTO cast_serie VALUES (206, 27, 6);
INSERT INTO cast_serie VALUES (207, 27, 7);
```

```
INSERT INTO cast_serie VALUES (208, 29, 8);
INSERT INTO cast_serie VALUES (209, 30, 9);
INSERT INTO cast_serie VALUES (210, 28, 10);
INSERT INTO cast_serie VALUES (211, 30, 11);
INSERT INTO cast_serie VALUES (212, 27, 12);
INSERT INTO cast_serie VALUES (213, 26, 13);
INSERT INTO cast_serie VALUES (214, 28, 14);
INSERT INTO cast_serie VALUES (215, 30, 15);
INSERT INTO cast_serie VALUES (216, 28, 16);
INSERT INTO cast_serie VALUES (217, 28, 17);
INSERT INTO cast_serie VALUES (218, 30, 18);
INSERT INTO cast_serie VALUES (219, 26, 19);
INSERT INTO cast_serie VALUES (220, 27, 20);
INSERT INTO cast_serie VALUES (221, 26, 21);
INSERT INTO cast_serie VALUES (222, 26, 22);
INSERT INTO cast_serie VALUES (223, 28, 23);
INSERT INTO cast_serie VALUES (224, 30, 24);
INSERT INTO cast_serie VALUES (225, 26, 25);
INSERT INTO cast_serie VALUES (226, 26, 26);
INSERT INTO cast_serie VALUES (227, 29, 27);
INSERT INTO cast_serie VALUES (228, 28, 28);
INSERT INTO cast_serie VALUES (229, 27, 29);
INSERT INTO cast_serie VALUES (230, 26, 30);
INSERT INTO cast_serie VALUES (231, 26, 31);
INSERT INTO cast_serie VALUES (232, 29, 32);
INSERT INTO cast_serie VALUES (233, 28, 33);
INSERT INTO cast_serie VALUES (234, 26, 34);
INSERT INTO cast_serie VALUES (235, 29, 35);
INSERT INTO cast_serie VALUES (236, 26, 36);
INSERT INTO cast_serie VALUES (237, 26, 37);
INSERT INTO cast_serie VALUES (238, 30, 38);
INSERT INTO cast_serie VALUES (239, 28, 39);
INSERT INTO cast_serie VALUES (240, 26, 40);
INSERT INTO cast_serie VALUES (241, 32, 1);
INSERT INTO cast_serie VALUES (242, 33, 2);
INSERT INTO cast_serie VALUES (243, 32, 3);
INSERT INTO cast_serie VALUES (244, 32, 4);
```



```
INSERT INTO cast_serie VALUES (245, 33, 5);
INSERT INTO cast_serie VALUES (246, 31, 6);
INSERT INTO cast_serie VALUES (247, 35, 7);
INSERT INTO cast_serie VALUES (248, 31, 8);
INSERT INTO cast_serie VALUES (249, 31, 9);
INSERT INTO cast_serie VALUES (250, 31, 10);
INSERT INTO cast_serie VALUES (251, 33, 11);
INSERT INTO cast_serie VALUES (252, 31, 12);
INSERT INTO cast_serie VALUES (253, 31, 13);
INSERT INTO cast_serie VALUES (254, 32, 14);
INSERT INTO cast_serie VALUES (255, 34, 15);
INSERT INTO cast_serie VALUES (256, 31, 16);
INSERT INTO cast_serie VALUES (257, 34, 17);
INSERT INTO cast_serie VALUES (258, 33, 18);
INSERT INTO cast_serie VALUES (259, 35, 19);
INSERT INTO cast_serie VALUES (260, 34, 20);
INSERT INTO cast_serie VALUES (261, 34, 21);
INSERT INTO cast_serie VALUES (262, 35, 22);
INSERT INTO cast_serie VALUES (263, 34, 23);
INSERT INTO cast_serie VALUES (264, 35, 24);
INSERT INTO cast_serie VALUES (265, 32, 25);
INSERT INTO cast_serie VALUES (266, 31, 26);
INSERT INTO cast_serie VALUES (267, 31, 27);
INSERT INTO cast_serie VALUES (268, 32, 28);
INSERT INTO cast_serie VALUES (269, 33, 29);
INSERT INTO cast_serie VALUES (270, 35, 30);
INSERT INTO cast_serie VALUES (271, 33, 31);
INSERT INTO cast_serie VALUES (272, 35, 32);
INSERT INTO cast_serie VALUES (273, 32, 33);
INSERT INTO cast_serie VALUES (274, 34, 34);
INSERT INTO cast_serie VALUES (275, 33, 35);
INSERT INTO cast_serie VALUES (276, 35, 36);
INSERT INTO cast_serie VALUES (277, 35, 37);
INSERT INTO cast_serie VALUES (278, 32, 38);
INSERT INTO cast_serie VALUES (279, 35, 39);
INSERT INTO cast_serie VALUES (280, 35, 40);
INSERT INTO cast_serie VALUES (281, 40, 1);
```

```
INSERT INTO cast_serie VALUES (282, 38, 2);
INSERT INTO cast_serie VALUES (283, 36, 3);
INSERT INTO cast_serie VALUES (284, 36, 4);
INSERT INTO cast_serie VALUES (285, 39, 5);
INSERT INTO cast_serie VALUES (286, 39, 6);
INSERT INTO cast_serie VALUES (287, 37, 7);
INSERT INTO cast_serie VALUES (288, 38, 8);
INSERT INTO cast_serie VALUES (289, 36, 9);
INSERT INTO cast_serie VALUES (290, 40, 10);
INSERT INTO cast_serie VALUES (291, 40, 11);
INSERT INTO cast_serie VALUES (292, 38, 12);
INSERT INTO cast_serie VALUES (293, 37, 13);
INSERT INTO cast_serie VALUES (294, 40, 14);
INSERT INTO cast_serie VALUES (295, 38, 15);
INSERT INTO cast_serie VALUES (296, 38, 16);
INSERT INTO cast_serie VALUES (297, 36, 17);
INSERT INTO cast_serie VALUES (298, 40, 18);
INSERT INTO cast_serie VALUES (299, 37, 19);
INSERT INTO cast_serie VALUES (300, 36, 20);
INSERT INTO cast_serie VALUES (301, 39, 21);
INSERT INTO cast_serie VALUES (302, 38, 22);
INSERT INTO cast_serie VALUES (303, 39, 23);
INSERT INTO cast_serie VALUES (304, 38, 24);
INSERT INTO cast_serie VALUES (305, 39, 25);
INSERT INTO cast_serie VALUES (306, 39, 26);
INSERT INTO cast_serie VALUES (307, 39, 27);
INSERT INTO cast_serie VALUES (308, 37, 28);
INSERT INTO cast_serie VALUES (309, 39, 29);
INSERT INTO cast_serie VALUES (310, 37, 30);
INSERT INTO cast_serie VALUES (311, 38, 31);
INSERT INTO cast_serie VALUES (312, 38, 32);
INSERT INTO cast_serie VALUES (313, 39, 33);
INSERT INTO cast_serie VALUES (314, 40, 34);
INSERT INTO cast_serie VALUES (315, 36, 35);
INSERT INTO cast_serie VALUES (316, 40, 36);
INSERT INTO cast_serie VALUES (317, 38, 37);
INSERT INTO cast_serie VALUES (318, 38, 38);
```

```
INSERT INTO cast_serie VALUES (319, 37, 39);
INSERT INTO cast_serie VALUES (320, 39, 40);
INSERT INTO cast_serie VALUES (321, 41, 1);
INSERT INTO cast_serie VALUES (322, 42, 2);
INSERT INTO cast_serie VALUES (323, 43, 3);
INSERT INTO cast_serie VALUES (324, 42, 4);
INSERT INTO cast_serie VALUES (325, 42, 5);
INSERT INTO cast_serie VALUES (326, 45, 6);
INSERT INTO cast_serie VALUES (327, 41, 7);
INSERT INTO cast_serie VALUES (328, 43, 8);
INSERT INTO cast_serie VALUES (329, 42, 9);
INSERT INTO cast_serie VALUES (330, 45, 10);
INSERT INTO cast_serie VALUES (331, 43, 11);
INSERT INTO cast_serie VALUES (332, 43, 12);
INSERT INTO cast_serie VALUES (333, 45, 13);
INSERT INTO cast_serie VALUES (334, 44, 14);
INSERT INTO cast_serie VALUES (335, 42, 15);
INSERT INTO cast_serie VALUES (336, 44, 16);
INSERT INTO cast_serie VALUES (337, 43, 17);
INSERT INTO cast_serie VALUES (338, 42, 18);
INSERT INTO cast_serie VALUES (339, 41, 19);
INSERT INTO cast_serie VALUES (340, 43, 20);
INSERT INTO cast_serie VALUES (341, 43, 21);
INSERT INTO cast_serie VALUES (342, 45, 22);
INSERT INTO cast_serie VALUES (343, 45, 23);
INSERT INTO cast_serie VALUES (344, 44, 24);
INSERT INTO cast_serie VALUES (345, 41, 25);
INSERT INTO cast_serie VALUES (346, 43, 26);
INSERT INTO cast_serie VALUES (347, 45, 27);
INSERT INTO cast_serie VALUES (348, 44, 28);
INSERT INTO cast_serie VALUES (349, 42, 29);
INSERT INTO cast_serie VALUES (350, 42, 30);
INSERT INTO cast_serie VALUES (351, 43, 31);
INSERT INTO cast_serie VALUES (352, 44, 32);
INSERT INTO cast_serie VALUES (353, 45, 33);
INSERT INTO cast_serie VALUES (354, 41, 34);
INSERT INTO cast_serie VALUES (355, 42, 35);
```

```
INSERT INTO cast_serie VALUES (356, 42, 36);
INSERT INTO cast_serie VALUES (357, 45, 37);
INSERT INTO cast_serie VALUES (358, 45, 38);
INSERT INTO cast_serie VALUES (359, 45, 39);
INSERT INTO cast_serie VALUES (360, 43, 40);
INSERT INTO cast_serie VALUES (361, 49, 1);
INSERT INTO cast_serie VALUES (362, 48, 2);
INSERT INTO cast_serie VALUES (363, 50, 3);
INSERT INTO cast_serie VALUES (364, 48, 4);
INSERT INTO cast_serie VALUES (365, 47, 5);
INSERT INTO cast_serie VALUES (366, 48, 6);
INSERT INTO cast_serie VALUES (367, 46, 7);
INSERT INTO cast_serie VALUES (368, 48, 8);
INSERT INTO cast_serie VALUES (369, 50, 9);
INSERT INTO cast_serie VALUES (370, 49, 10);
INSERT INTO cast_serie VALUES (371, 46, 11);
INSERT INTO cast_serie VALUES (372, 50, 12);
INSERT INTO cast_serie VALUES (373, 47, 13);
INSERT INTO cast_serie VALUES (374, 50, 14);
INSERT INTO cast_serie VALUES (375, 47, 15);
INSERT INTO cast_serie VALUES (376, 48, 16);
INSERT INTO cast_serie VALUES (377, 50, 17);
INSERT INTO cast_serie VALUES (378, 47, 18);
INSERT INTO cast_serie VALUES (379, 46, 19);
INSERT INTO cast_serie VALUES (380, 48, 20);
INSERT INTO cast_serie VALUES (381, 47, 21);
INSERT INTO cast_serie VALUES (382, 48, 22);
INSERT INTO cast_serie VALUES (383, 46, 23);
INSERT INTO cast_serie VALUES (384, 47, 24);
INSERT INTO cast_serie VALUES (385, 48, 25);
INSERT INTO cast_serie VALUES (386, 47, 26);
INSERT INTO cast_serie VALUES (387, 48, 27);
INSERT INTO cast_serie VALUES (388, 50, 28);
INSERT INTO cast_serie VALUES (389, 46, 29);
INSERT INTO cast_serie VALUES (390, 50, 30);
INSERT INTO cast_serie VALUES (391, 48, 31);
INSERT INTO cast_serie VALUES (392, 50, 32);
```

```
INSERT INTO cast_serie VALUES (393, 48, 33);
INSERT INTO cast_serie VALUES (394, 48, 34);
INSERT INTO cast_serie VALUES (395, 46, 35);
INSERT INTO cast_serie VALUES (396, 47, 36);
INSERT INTO cast_serie VALUES (397, 46, 37);
INSERT INTO cast_serie VALUES (398, 48, 38);
INSERT INTO cast_serie VALUES (399, 47, 39);
INSERT INTO cast_serie VALUES (400, 48, 40);
```

```
INSERT INTO cast_documentary VALUES (1, 5, 1);
INSERT INTO cast_documentary VALUES (2, 4, 2);
INSERT INTO cast_documentary VALUES (3, 4, 3);
INSERT INTO cast_documentary VALUES (4, 3, 4);
INSERT INTO cast_documentary VALUES (5, 2, 5);
INSERT INTO cast_documentary VALUES (6, 2, 6);
INSERT INTO cast_documentary VALUES (7, 4, 7);
INSERT INTO cast_documentary VALUES (8, 4, 8);
INSERT INTO cast_documentary VALUES (9, 1, 9);
INSERT INTO cast_documentary VALUES (10, 5, 10);
INSERT INTO cast_documentary VALUES (11, 1, 11);
INSERT INTO cast_documentary VALUES (12, 1, 12);
INSERT INTO cast_documentary VALUES (13, 3, 13);
INSERT INTO cast_documentary VALUES (14, 3, 14);
INSERT INTO cast_documentary VALUES (15, 4, 15);
INSERT INTO cast_documentary VALUES (16, 5, 16);
INSERT INTO cast_documentary VALUES (17, 3, 17);
INSERT INTO cast_documentary VALUES (18, 3, 18);
INSERT INTO cast_documentary VALUES (19, 5, 19);
INSERT INTO cast_documentary VALUES (20, 1, 20);
INSERT INTO cast_documentary VALUES (21, 1, 21);
INSERT INTO cast_documentary VALUES (22, 1, 22);
INSERT INTO cast_documentary VALUES (23, 5, 23);
INSERT INTO cast_documentary VALUES (24, 5, 24);
INSERT INTO cast_documentary VALUES (25, 4, 25);
INSERT INTO cast_documentary VALUES (26, 5, 26);
INSERT INTO cast_documentary VALUES (27, 5, 27);
```

```
INSERT INTO cast_documentary VALUES (28, 4, 28);
INSERT INTO cast_documentary VALUES (29, 3, 29);
INSERT INTO cast_documentary VALUES (30, 2, 30);
INSERT INTO cast_documentary VALUES (31, 8, 1);
INSERT INTO cast_documentary VALUES (32, 7, 2);
INSERT INTO cast_documentary VALUES (33, 10, 3);
INSERT INTO cast_documentary VALUES (34, 10, 4);
INSERT INTO cast_documentary VALUES (35, 8, 5);
INSERT INTO cast_documentary VALUES (36, 6, 6);
INSERT INTO cast_documentary VALUES (37, 6, 7);
INSERT INTO cast_documentary VALUES (38, 10, 8);
INSERT INTO cast_documentary VALUES (39, 9, 9);
INSERT INTO cast_documentary VALUES (40, 8, 10);
INSERT INTO cast_documentary VALUES (41, 8, 11);
INSERT INTO cast_documentary VALUES (42, 10, 12);
INSERT INTO cast_documentary VALUES (43, 8, 13);
INSERT INTO cast_documentary VALUES (44, 9, 14);
INSERT INTO cast_documentary VALUES (45, 6, 15);
INSERT INTO cast_documentary VALUES (46, 7, 16);
INSERT INTO cast_documentary VALUES (47, 7, 17);
INSERT INTO cast_documentary VALUES (48, 9, 18);
INSERT INTO cast_documentary VALUES (49, 7, 19);
INSERT INTO cast_documentary VALUES (50, 7, 20);
INSERT INTO cast_documentary VALUES (51, 8, 21);
INSERT INTO cast_documentary VALUES (52, 6, 22);
INSERT INTO cast_documentary VALUES (53, 7, 23);
INSERT INTO cast_documentary VALUES (54, 8, 24);
INSERT INTO cast_documentary VALUES (55, 6, 25);
INSERT INTO cast_documentary VALUES (56, 9, 26);
INSERT INTO cast_documentary VALUES (57, 10, 27);
INSERT INTO cast_documentary VALUES (58, 10, 28);
INSERT INTO cast_documentary VALUES (59, 7, 29);
INSERT INTO cast_documentary VALUES (60, 8, 30);
INSERT INTO cast_documentary VALUES (61, 14, 1);
INSERT INTO cast_documentary VALUES (62, 14, 2);
INSERT INTO cast_documentary VALUES (63, 15, 3);
INSERT INTO cast_documentary VALUES (64, 13, 4);
```

```
INSERT INTO cast_documentary VALUES (65, 13, 5);
INSERT INTO cast_documentary VALUES (66, 15, 6);
INSERT INTO cast_documentary VALUES (67, 12, 7);
INSERT INTO cast_documentary VALUES (68, 14, 8);
INSERT INTO cast_documentary VALUES (69, 14, 9);
INSERT INTO cast_documentary VALUES (70, 14, 10);
INSERT INTO cast_documentary VALUES (71, 13, 11);
INSERT INTO cast_documentary VALUES (72, 12, 12);
INSERT INTO cast_documentary VALUES (73, 15, 13);
INSERT INTO cast_documentary VALUES (74, 12, 14);
INSERT INTO cast_documentary VALUES (75, 13, 15);
INSERT INTO cast_documentary VALUES (76, 11, 16);
INSERT INTO cast_documentary VALUES (77, 12, 17);
INSERT INTO cast_documentary VALUES (78, 12, 18);
INSERT INTO cast_documentary VALUES (79, 14, 19);
INSERT INTO cast_documentary VALUES (80, 14, 20);
INSERT INTO cast_documentary VALUES (81, 12, 21);
INSERT INTO cast_documentary VALUES (82, 14, 22);
INSERT INTO cast_documentary VALUES (83, 12, 23);
INSERT INTO cast_documentary VALUES (84, 14, 24);
INSERT INTO cast_documentary VALUES (85, 14, 25);
INSERT INTO cast_documentary VALUES (86, 12, 26);
INSERT INTO cast_documentary VALUES (87, 11, 27);
INSERT INTO cast_documentary VALUES (88, 13, 28);
INSERT INTO cast_documentary VALUES (89, 14, 29);
INSERT INTO cast_documentary VALUES (90, 11, 30);
INSERT INTO cast_documentary VALUES (91, 16, 1);
INSERT INTO cast_documentary VALUES (92, 18, 2);
INSERT INTO cast_documentary VALUES (93, 17, 3);
INSERT INTO cast_documentary VALUES (94, 19, 4);
INSERT INTO cast_documentary VALUES (95, 18, 5);
INSERT INTO cast_documentary VALUES (96, 16, 6);
INSERT INTO cast_documentary VALUES (97, 19, 7);
INSERT INTO cast_documentary VALUES (98, 16, 8);
INSERT INTO cast_documentary VALUES (99, 19, 9);
INSERT INTO cast_documentary VALUES (100, 19, 10);
INSERT INTO cast_documentary VALUES (101, 20, 11);
```

```
INSERT INTO cast_documentary VALUES (102, 18, 12);
INSERT INTO cast_documentary VALUES (103, 20, 13);
INSERT INTO cast_documentary VALUES (104, 19, 14);
INSERT INTO cast_documentary VALUES (105, 20, 15);
INSERT INTO cast_documentary VALUES (106, 20, 16);
INSERT INTO cast_documentary VALUES (107, 17, 17);
INSERT INTO cast_documentary VALUES (108, 20, 18);
INSERT INTO cast_documentary VALUES (109, 16, 19);
INSERT INTO cast_documentary VALUES (110, 20, 20);
INSERT INTO cast_documentary VALUES (111, 18, 21);
INSERT INTO cast_documentary VALUES (112, 20, 22);
INSERT INTO cast_documentary VALUES (113, 20, 23);
INSERT INTO cast_documentary VALUES (114, 19, 24);
INSERT INTO cast_documentary VALUES (115, 16, 25);
INSERT INTO cast_documentary VALUES (116, 16, 26);
INSERT INTO cast_documentary VALUES (117, 18, 27);
INSERT INTO cast_documentary VALUES (118, 16, 28);
INSERT INTO cast_documentary VALUES (119, 16, 29);
INSERT INTO cast_documentary VALUES (120, 16, 30);
INSERT INTO cast_documentary VALUES (121, 23, 1);
INSERT INTO cast_documentary VALUES (122, 22, 2);
INSERT INTO cast_documentary VALUES (123, 23, 3);
INSERT INTO cast_documentary VALUES (124, 21, 4);
INSERT INTO cast_documentary VALUES (125, 24, 5);
INSERT INTO cast_documentary VALUES (126, 23, 6);
INSERT INTO cast_documentary VALUES (127, 22, 7);
INSERT INTO cast_documentary VALUES (128, 22, 8);
INSERT INTO cast_documentary VALUES (129, 21, 9);
INSERT INTO cast_documentary VALUES (130, 25, 10);
INSERT INTO cast_documentary VALUES (131, 24, 11);
INSERT INTO cast_documentary VALUES (132, 22, 12);
INSERT INTO cast_documentary VALUES (133, 24, 13);
INSERT INTO cast_documentary VALUES (134, 22, 14);
INSERT INTO cast_documentary VALUES (135, 25, 15);
INSERT INTO cast_documentary VALUES (136, 25, 16);
INSERT INTO cast_documentary VALUES (137, 25, 17);
INSERT INTO cast_documentary VALUES (138, 22, 18);
```



```
INSERT INTO cast_documentary VALUES (139, 25, 19);
INSERT INTO cast_documentary VALUES (140, 22, 20);
INSERT INTO cast_documentary VALUES (141, 22, 21);
INSERT INTO cast_documentary VALUES (142, 24, 22);
INSERT INTO cast_documentary VALUES (143, 23, 23);
INSERT INTO cast_documentary VALUES (144, 25, 24);
INSERT INTO cast_documentary VALUES (145, 23, 25);
INSERT INTO cast_documentary VALUES (146, 22, 26);
INSERT INTO cast_documentary VALUES (147, 24, 27);
INSERT INTO cast_documentary VALUES (148, 24, 28);
INSERT INTO cast_documentary VALUES (149, 23, 29);
INSERT INTO cast_documentary VALUES (150, 24, 30);
INSERT INTO cast_documentary VALUES (151, 28, 1);
INSERT INTO cast_documentary VALUES (152, 26, 2);
INSERT INTO cast_documentary VALUES (153, 30, 3);
INSERT INTO cast_documentary VALUES (154, 29, 4);
INSERT INTO cast_documentary VALUES (155, 27, 5);
INSERT INTO cast_documentary VALUES (156, 29, 6);
INSERT INTO cast_documentary VALUES (157, 28, 7);
INSERT INTO cast_documentary VALUES (158, 27, 8);
INSERT INTO cast_documentary VALUES (159, 30, 9);
INSERT INTO cast_documentary VALUES (160, 28, 10);
INSERT INTO cast_documentary VALUES (161, 26, 11);
INSERT INTO cast_documentary VALUES (162, 29, 12);
INSERT INTO cast_documentary VALUES (163, 27, 13);
INSERT INTO cast_documentary VALUES (164, 26, 14);
INSERT INTO cast_documentary VALUES (165, 28, 15);
INSERT INTO cast_documentary VALUES (166, 29, 16);
INSERT INTO cast_documentary VALUES (167, 29, 17);
INSERT INTO cast_documentary VALUES (168, 29, 18);
INSERT INTO cast_documentary VALUES (169, 29, 19);
INSERT INTO cast_documentary VALUES (170, 29, 20);
INSERT INTO cast_documentary VALUES (171, 26, 21);
INSERT INTO cast_documentary VALUES (172, 29, 22);
INSERT INTO cast_documentary VALUES (173, 28, 23);
INSERT INTO cast_documentary VALUES (174, 27, 24);
INSERT INTO cast_documentary VALUES (175, 27, 25);
```

```
INSERT INTO cast_documentary VALUES (176, 26, 26);
INSERT INTO cast_documentary VALUES (177, 27, 27);
INSERT INTO cast_documentary VALUES (178, 29, 28);
INSERT INTO cast_documentary VALUES (179, 30, 29);
INSERT INTO cast_documentary VALUES (180, 26, 30);
INSERT INTO cast_documentary VALUES (181, 35, 1);
INSERT INTO cast_documentary VALUES (182, 32, 2);
INSERT INTO cast_documentary VALUES (183, 35, 3);
INSERT INTO cast_documentary VALUES (184, 34, 4);
INSERT INTO cast_documentary VALUES (185, 31, 5);
INSERT INTO cast_documentary VALUES (186, 35, 6);
INSERT INTO cast_documentary VALUES (187, 32, 7);
INSERT INTO cast_documentary VALUES (188, 31, 8);
INSERT INTO cast_documentary VALUES (189, 33, 9);
INSERT INTO cast_documentary VALUES (190, 34, 10);
INSERT INTO cast_documentary VALUES (191, 35, 11);
INSERT INTO cast_documentary VALUES (192, 33, 12);
INSERT INTO cast_documentary VALUES (193, 35, 13);
INSERT INTO cast_documentary VALUES (194, 31, 14);
INSERT INTO cast_documentary VALUES (195, 33, 15);
INSERT INTO cast_documentary VALUES (196, 33, 16);
INSERT INTO cast_documentary VALUES (197, 35, 17);
INSERT INTO cast_documentary VALUES (198, 33, 18);
INSERT INTO cast_documentary VALUES (199, 35, 19);
INSERT INTO cast_documentary VALUES (200, 31, 20);
INSERT INTO cast_documentary VALUES (201, 33, 21);
INSERT INTO cast_documentary VALUES (202, 34, 22);
INSERT INTO cast_documentary VALUES (203, 31, 23);
INSERT INTO cast_documentary VALUES (204, 31, 24);
INSERT INTO cast_documentary VALUES (205, 35, 25);
INSERT INTO cast_documentary VALUES (206, 34, 26);
INSERT INTO cast_documentary VALUES (207, 32, 27);
INSERT INTO cast_documentary VALUES (208, 35, 28);
INSERT INTO cast_documentary VALUES (209, 32, 29);
INSERT INTO cast_documentary VALUES (210, 33, 30);
INSERT INTO cast_documentary VALUES (211, 38, 1);
INSERT INTO cast_documentary VALUES (212, 37, 2);
```

```
INSERT INTO cast_documentary VALUES (213, 37, 3);
INSERT INTO cast_documentary VALUES (214, 38, 4);
INSERT INTO cast_documentary VALUES (215, 36, 5);
INSERT INTO cast_documentary VALUES (216, 37, 6);
INSERT INTO cast_documentary VALUES (217, 37, 7);
INSERT INTO cast_documentary VALUES (218, 40, 8);
INSERT INTO cast_documentary VALUES (219, 39, 9);
INSERT INTO cast_documentary VALUES (220, 39, 10);
INSERT INTO cast_documentary VALUES (221, 39, 11);
INSERT INTO cast_documentary VALUES (222, 36, 12);
INSERT INTO cast_documentary VALUES (223, 39, 13);
INSERT INTO cast_documentary VALUES (224, 38, 14);
INSERT INTO cast_documentary VALUES (225, 36, 15);
INSERT INTO cast_documentary VALUES (226, 38, 16);
INSERT INTO cast_documentary VALUES (227, 37, 17);
INSERT INTO cast_documentary VALUES (228, 37, 18);
INSERT INTO cast_documentary VALUES (229, 38, 19);
INSERT INTO cast_documentary VALUES (230, 37, 20);
INSERT INTO cast_documentary VALUES (231, 38, 21);
INSERT INTO cast_documentary VALUES (232, 40, 22);
INSERT INTO cast_documentary VALUES (233, 40, 23);
INSERT INTO cast_documentary VALUES (234, 39, 24);
INSERT INTO cast_documentary VALUES (235, 39, 25);
INSERT INTO cast_documentary VALUES (236, 36, 26);
INSERT INTO cast_documentary VALUES (237, 37, 27);
INSERT INTO cast_documentary VALUES (238, 39, 28);
INSERT INTO cast_documentary VALUES (239, 38, 29);
INSERT INTO cast_documentary VALUES (240, 39, 30);
INSERT INTO cast_documentary VALUES (241, 41, 1);
INSERT INTO cast_documentary VALUES (242, 41, 2);
INSERT INTO cast_documentary VALUES (243, 41, 3);
INSERT INTO cast_documentary VALUES (244, 43, 4);
INSERT INTO cast_documentary VALUES (245, 44, 5);
INSERT INTO cast_documentary VALUES (246, 41, 6);
INSERT INTO cast_documentary VALUES (247, 44, 7);
INSERT INTO cast_documentary VALUES (248, 44, 8);
INSERT INTO cast_documentary VALUES (249, 41, 9);
```

```
INSERT INTO cast_documentary VALUES (250, 42, 10);
INSERT INTO cast_documentary VALUES (251, 43, 11);
INSERT INTO cast_documentary VALUES (252, 44, 12);
INSERT INTO cast_documentary VALUES (253, 45, 13);
INSERT INTO cast_documentary VALUES (254, 43, 14);
INSERT INTO cast_documentary VALUES (255, 44, 15);
INSERT INTO cast_documentary VALUES (256, 43, 16);
INSERT INTO cast_documentary VALUES (257, 44, 17);
INSERT INTO cast_documentary VALUES (258, 45, 18);
INSERT INTO cast_documentary VALUES (259, 41, 19);
INSERT INTO cast_documentary VALUES (260, 45, 20);
INSERT INTO cast_documentary VALUES (261, 42, 21);
INSERT INTO cast_documentary VALUES (262, 41, 22);
INSERT INTO cast_documentary VALUES (263, 43, 23);
INSERT INTO cast_documentary VALUES (264, 43, 24);
INSERT INTO cast_documentary VALUES (265, 45, 25);
INSERT INTO cast_documentary VALUES (266, 43, 26);
INSERT INTO cast_documentary VALUES (267, 44, 27);
INSERT INTO cast_documentary VALUES (268, 41, 28);
INSERT INTO cast_documentary VALUES (269, 42, 29);
INSERT INTO cast_documentary VALUES (270, 41, 30);
INSERT INTO cast_documentary VALUES (271, 46, 1);
INSERT INTO cast_documentary VALUES (272, 48, 2);
INSERT INTO cast_documentary VALUES (273, 49, 3);
INSERT INTO cast_documentary VALUES (274, 48, 4);
INSERT INTO cast_documentary VALUES (275, 48, 5);
INSERT INTO cast_documentary VALUES (276, 50, 6);
INSERT INTO cast_documentary VALUES (277, 46, 7);
INSERT INTO cast_documentary VALUES (278, 50, 8);
INSERT INTO cast_documentary VALUES (279, 49, 9);
INSERT INTO cast_documentary VALUES (280, 48, 10);
INSERT INTO cast_documentary VALUES (281, 47, 11);
INSERT INTO cast_documentary VALUES (282, 46, 12);
INSERT INTO cast_documentary VALUES (283, 50, 13);
INSERT INTO cast_documentary VALUES (284, 47, 14);
INSERT INTO cast_documentary VALUES (285, 50, 15);
INSERT INTO cast_documentary VALUES (286, 48, 16);
```

```
INSERT INTO cast_documentary VALUES (287, 48, 17);
INSERT INTO cast_documentary VALUES (288, 48, 18);
INSERT INTO cast_documentary VALUES (289, 48, 19);
INSERT INTO cast_documentary VALUES (290, 50, 20);
INSERT INTO cast_documentary VALUES (291, 50, 21);
INSERT INTO cast_documentary VALUES (292, 46, 22);
INSERT INTO cast_documentary VALUES (293, 49, 23);
INSERT INTO cast_documentary VALUES (294, 47, 24);
INSERT INTO cast_documentary VALUES (295, 49, 25);
INSERT INTO cast_documentary VALUES (296, 48, 26);
INSERT INTO cast_documentary VALUES (297, 50, 27);
INSERT INTO cast_documentary VALUES (298, 46, 28);
INSERT INTO cast_documentary VALUES (299, 49, 29);
INSERT INTO cast_documentary VALUES (300, 48, 30);
```

```
INSERT INTO role VALUES (1, 'Narrador');
INSERT INTO role VALUES (2, 'Actor');
INSERT INTO role VALUES (3, 'Director');
INSERT INTO role VALUES (4, 'Productor');
```

```
INSERT INTO cast_movie_role VALUES (1, 3);
INSERT INTO cast_movie_role VALUES (2, 3);
INSERT INTO cast_movie_role VALUES (3, 3);
INSERT INTO cast_movie_role VALUES (4, 3);
INSERT INTO cast_movie_role VALUES (5, 3);
INSERT INTO cast_movie_role VALUES (6, 3);
INSERT INTO cast_movie_role VALUES (7, 3);
INSERT INTO cast_movie_role VALUES (8, 3);
INSERT INTO cast_movie_role VALUES (9, 3);
INSERT INTO cast_movie_role VALUES (10, 3);
INSERT INTO cast_movie_role VALUES (11, 3);
INSERT INTO cast_movie_role VALUES (12, 3);
INSERT INTO cast_movie_role VALUES (13, 3);
INSERT INTO cast_movie_role VALUES (14, 3);
INSERT INTO cast_movie_role VALUES (15, 3);
```

```
INSERT INTO cast_movie_role VALUES (16, 3);
INSERT INTO cast_movie_role VALUES (17, 3);
INSERT INTO cast_movie_role VALUES (18, 3);
INSERT INTO cast_movie_role VALUES (19, 3);
INSERT INTO cast_movie_role VALUES (20, 3);
INSERT INTO cast_movie_role VALUES (21, 3);
INSERT INTO cast_movie_role VALUES (22, 3);
INSERT INTO cast_movie_role VALUES (23, 3);
INSERT INTO cast_movie_role VALUES (24, 3);
INSERT INTO cast_movie_role VALUES (25, 3);
INSERT INTO cast_movie_role VALUES (26, 3);
INSERT INTO cast_movie_role VALUES (27, 3);
INSERT INTO cast_movie_role VALUES (28, 3);
INSERT INTO cast_movie_role VALUES (29, 3);
INSERT INTO cast_movie_role VALUES (30, 3);
INSERT INTO cast_movie_role VALUES (31, 3);
INSERT INTO cast_movie_role VALUES (32, 3);
INSERT INTO cast_movie_role VALUES (33, 3);
INSERT INTO cast_movie_role VALUES (34, 3);
INSERT INTO cast_movie_role VALUES (35, 3);
INSERT INTO cast_movie_role VALUES (36, 3);
INSERT INTO cast_movie_role VALUES (37, 3);
INSERT INTO cast_movie_role VALUES (38, 3);
INSERT INTO cast_movie_role VALUES (39, 3);
INSERT INTO cast_movie_role VALUES (40, 3);
INSERT INTO cast_movie_role VALUES (41, 4);
INSERT INTO cast_movie_role VALUES (42, 4);
INSERT INTO cast_movie_role VALUES (43, 4);
INSERT INTO cast_movie_role VALUES (44, 4);
INSERT INTO cast_movie_role VALUES (45, 4);
INSERT INTO cast_movie_role VALUES (46, 4);
INSERT INTO cast_movie_role VALUES (47, 4);
INSERT INTO cast_movie_role VALUES (48, 4);
INSERT INTO cast_movie_role VALUES (49, 4);
INSERT INTO cast_movie_role VALUES (50, 4);
INSERT INTO cast_movie_role VALUES (51, 4);
INSERT INTO cast_movie_role VALUES (52, 4);
```

```
INSERT INTO cast_movie_role VALUES (53, 4);
INSERT INTO cast_movie_role VALUES (54, 4);
INSERT INTO cast_movie_role VALUES (55, 4);
INSERT INTO cast_movie_role VALUES (56, 4);
INSERT INTO cast_movie_role VALUES (57, 4);
INSERT INTO cast_movie_role VALUES (58, 4);
INSERT INTO cast_movie_role VALUES (59, 4);
INSERT INTO cast_movie_role VALUES (60, 4);
INSERT INTO cast_movie_role VALUES (61, 4);
INSERT INTO cast_movie_role VALUES (62, 4);
INSERT INTO cast_movie_role VALUES (63, 4);
INSERT INTO cast_movie_role VALUES (64, 4);
INSERT INTO cast_movie_role VALUES (65, 4);
INSERT INTO cast_movie_role VALUES (66, 4);
INSERT INTO cast_movie_role VALUES (67, 4);
INSERT INTO cast_movie_role VALUES (68, 4);
INSERT INTO cast_movie_role VALUES (69, 4);
INSERT INTO cast_movie_role VALUES (70, 4);
INSERT INTO cast_movie_role VALUES (71, 4);
INSERT INTO cast_movie_role VALUES (72, 4);
INSERT INTO cast_movie_role VALUES (73, 4);
INSERT INTO cast_movie_role VALUES (74, 4);
INSERT INTO cast_movie_role VALUES (75, 4);
INSERT INTO cast_movie_role VALUES (76, 4);
INSERT INTO cast_movie_role VALUES (77, 4);
INSERT INTO cast_movie_role VALUES (78, 4);
INSERT INTO cast_movie_role VALUES (79, 4);
INSERT INTO cast_movie_role VALUES (80, 4);
INSERT INTO cast_movie_role VALUES (81, 2);
INSERT INTO cast_movie_role VALUES (82, 1);
INSERT INTO cast_movie_role VALUES (83, 2);
INSERT INTO cast_movie_role VALUES (84, 2);
INSERT INTO cast_movie_role VALUES (85, 2);
INSERT INTO cast_movie_role VALUES (86, 2);
INSERT INTO cast_movie_role VALUES (87, 2);
INSERT INTO cast_movie_role VALUES (88, 1);
INSERT INTO cast_movie_role VALUES (89, 2);
```

```
INSERT INTO cast_movie_role VALUES (90, 1);
INSERT INTO cast_movie_role VALUES (91, 1);
INSERT INTO cast_movie_role VALUES (92, 1);
INSERT INTO cast_movie_role VALUES (93, 1);
INSERT INTO cast_movie_role VALUES (94, 2);
INSERT INTO cast_movie_role VALUES (95, 1);
INSERT INTO cast_movie_role VALUES (96, 2);
INSERT INTO cast_movie_role VALUES (97, 1);
INSERT INTO cast_movie_role VALUES (98, 2);
INSERT INTO cast_movie_role VALUES (99, 2);
INSERT INTO cast_movie_role VALUES (100, 1);
INSERT INTO cast_movie_role VALUES (101, 1);
INSERT INTO cast_movie_role VALUES (102, 2);
INSERT INTO cast_movie_role VALUES (103, 2);
INSERT INTO cast_movie_role VALUES (104, 1);
INSERT INTO cast_movie_role VALUES (105, 2);
INSERT INTO cast_movie_role VALUES (106, 2);
INSERT INTO cast_movie_role VALUES (107, 1);
INSERT INTO cast_movie_role VALUES (108, 1);
INSERT INTO cast_movie_role VALUES (109, 1);
INSERT INTO cast_movie_role VALUES (110, 1);
INSERT INTO cast_movie_role VALUES (111, 1);
INSERT INTO cast_movie_role VALUES (112, 1);
INSERT INTO cast_movie_role VALUES (113, 2);
INSERT INTO cast_movie_role VALUES (114, 1);
INSERT INTO cast_movie_role VALUES (115, 2);
INSERT INTO cast_movie_role VALUES (116, 1);
INSERT INTO cast_movie_role VALUES (117, 1);
INSERT INTO cast_movie_role VALUES (118, 2);
INSERT INTO cast_movie_role VALUES (119, 2);
INSERT INTO cast_movie_role VALUES (120, 2);
INSERT INTO cast_movie_role VALUES (121, 2);
INSERT INTO cast_movie_role VALUES (122, 2);
INSERT INTO cast_movie_role VALUES (123, 1);
INSERT INTO cast_movie_role VALUES (124, 2);
INSERT INTO cast_movie_role VALUES (125, 2);
INSERT INTO cast_movie_role VALUES (126, 1);
```



```
INSERT INTO cast_movie_role VALUES (127, 2);
INSERT INTO cast_movie_role VALUES (128, 1);
INSERT INTO cast_movie_role VALUES (129, 2);
INSERT INTO cast_movie_role VALUES (130, 1);
INSERT INTO cast_movie_role VALUES (131, 1);
INSERT INTO cast_movie_role VALUES (132, 2);
INSERT INTO cast_movie_role VALUES (133, 1);
INSERT INTO cast_movie_role VALUES (134, 1);
INSERT INTO cast_movie_role VALUES (135, 1);
INSERT INTO cast_movie_role VALUES (136, 2);
INSERT INTO cast_movie_role VALUES (137, 2);
INSERT INTO cast_movie_role VALUES (138, 2);
INSERT INTO cast_movie_role VALUES (139, 1);
INSERT INTO cast_movie_role VALUES (140, 2);
INSERT INTO cast_movie_role VALUES (141, 1);
INSERT INTO cast_movie_role VALUES (142, 1);
INSERT INTO cast_movie_role VALUES (143, 1);
INSERT INTO cast_movie_role VALUES (144, 1);
INSERT INTO cast_movie_role VALUES (145, 1);
INSERT INTO cast_movie_role VALUES (146, 2);
INSERT INTO cast_movie_role VALUES (147, 2);
INSERT INTO cast_movie_role VALUES (148, 2);
INSERT INTO cast_movie_role VALUES (149, 2);
INSERT INTO cast_movie_role VALUES (150, 1);
INSERT INTO cast_movie_role VALUES (151, 1);
INSERT INTO cast_movie_role VALUES (152, 1);
INSERT INTO cast_movie_role VALUES (153, 2);
INSERT INTO cast_movie_role VALUES (154, 2);
INSERT INTO cast_movie_role VALUES (155, 1);
INSERT INTO cast_movie_role VALUES (156, 1);
INSERT INTO cast_movie_role VALUES (157, 1);
INSERT INTO cast_movie_role VALUES (158, 2);
INSERT INTO cast_movie_role VALUES (159, 1);
INSERT INTO cast_movie_role VALUES (160, 1);
INSERT INTO cast_movie_role VALUES (161, 1);
INSERT INTO cast_movie_role VALUES (162, 2);
INSERT INTO cast_movie_role VALUES (163, 1);
```

```
INSERT INTO cast_movie_role VALUES (164, 2);
INSERT INTO cast_movie_role VALUES (165, 1);
INSERT INTO cast_movie_role VALUES (166, 2);
INSERT INTO cast_movie_role VALUES (167, 1);
INSERT INTO cast_movie_role VALUES (168, 1);
INSERT INTO cast_movie_role VALUES (169, 1);
INSERT INTO cast_movie_role VALUES (170, 1);
INSERT INTO cast_movie_role VALUES (171, 2);
INSERT INTO cast_movie_role VALUES (172, 1);
INSERT INTO cast_movie_role VALUES (173, 1);
INSERT INTO cast_movie_role VALUES (174, 2);
INSERT INTO cast_movie_role VALUES (175, 1);
INSERT INTO cast_movie_role VALUES (176, 2);
INSERT INTO cast_movie_role VALUES (177, 2);
INSERT INTO cast_movie_role VALUES (178, 1);
INSERT INTO cast_movie_role VALUES (179, 1);
INSERT INTO cast_movie_role VALUES (180, 2);
INSERT INTO cast_movie_role VALUES (181, 1);
INSERT INTO cast_movie_role VALUES (182, 2);
INSERT INTO cast_movie_role VALUES (183, 1);
INSERT INTO cast_movie_role VALUES (184, 2);
INSERT INTO cast_movie_role VALUES (185, 2);
INSERT INTO cast_movie_role VALUES (186, 2);
INSERT INTO cast_movie_role VALUES (187, 2);
INSERT INTO cast_movie_role VALUES (188, 1);
INSERT INTO cast_movie_role VALUES (189, 2);
INSERT INTO cast_movie_role VALUES (190, 2);
INSERT INTO cast_movie_role VALUES (191, 2);
INSERT INTO cast_movie_role VALUES (192, 1);
INSERT INTO cast_movie_role VALUES (193, 2);
INSERT INTO cast_movie_role VALUES (194, 2);
INSERT INTO cast_movie_role VALUES (195, 1);
INSERT INTO cast_movie_role VALUES (196, 2);
INSERT INTO cast_movie_role VALUES (197, 2);
INSERT INTO cast_movie_role VALUES (198, 1);
INSERT INTO cast_movie_role VALUES (199, 1);
INSERT INTO cast_movie_role VALUES (200, 1);
```

```
INSERT INTO cast_movie_role VALUES (201, 2);
INSERT INTO cast_movie_role VALUES (202, 2);
INSERT INTO cast_movie_role VALUES (203, 1);
INSERT INTO cast_movie_role VALUES (204, 2);
INSERT INTO cast_movie_role VALUES (205, 2);
INSERT INTO cast_movie_role VALUES (206, 1);
INSERT INTO cast_movie_role VALUES (207, 2);
INSERT INTO cast_movie_role VALUES (208, 2);
INSERT INTO cast_movie_role VALUES (209, 1);
INSERT INTO cast_movie_role VALUES (210, 2);
INSERT INTO cast_movie_role VALUES (211, 1);
INSERT INTO cast_movie_role VALUES (212, 1);
INSERT INTO cast_movie_role VALUES (213, 2);
INSERT INTO cast_movie_role VALUES (214, 1);
INSERT INTO cast_movie_role VALUES (215, 1);
INSERT INTO cast_movie_role VALUES (216, 2);
INSERT INTO cast_movie_role VALUES (217, 1);
INSERT INTO cast_movie_role VALUES (218, 1);
INSERT INTO cast_movie_role VALUES (219, 2);
INSERT INTO cast_movie_role VALUES (220, 1);
INSERT INTO cast_movie_role VALUES (221, 2);
INSERT INTO cast_movie_role VALUES (222, 1);
INSERT INTO cast_movie_role VALUES (223, 2);
INSERT INTO cast_movie_role VALUES (224, 1);
INSERT INTO cast_movie_role VALUES (225, 2);
INSERT INTO cast_movie_role VALUES (226, 1);
INSERT INTO cast_movie_role VALUES (227, 1);
INSERT INTO cast_movie_role VALUES (228, 2);
INSERT INTO cast_movie_role VALUES (229, 2);
INSERT INTO cast_movie_role VALUES (230, 2);
INSERT INTO cast_movie_role VALUES (231, 1);
INSERT INTO cast_movie_role VALUES (232, 1);
INSERT INTO cast_movie_role VALUES (233, 1);
INSERT INTO cast_movie_role VALUES (234, 1);
INSERT INTO cast_movie_role VALUES (235, 2);
INSERT INTO cast_movie_role VALUES (236, 2);
INSERT INTO cast_movie_role VALUES (237, 2);
```

```
INSERT INTO cast_movie_role VALUES (238, 2);
INSERT INTO cast_movie_role VALUES (239, 2);
INSERT INTO cast_movie_role VALUES (240, 1);
INSERT INTO cast_movie_role VALUES (241, 2);
INSERT INTO cast_movie_role VALUES (242, 2);
INSERT INTO cast_movie_role VALUES (243, 2);
INSERT INTO cast_movie_role VALUES (244, 2);
INSERT INTO cast_movie_role VALUES (245, 1);
INSERT INTO cast_movie_role VALUES (246, 2);
INSERT INTO cast_movie_role VALUES (247, 1);
INSERT INTO cast_movie_role VALUES (248, 1);
INSERT INTO cast_movie_role VALUES (249, 1);
INSERT INTO cast_movie_role VALUES (250, 2);
INSERT INTO cast_movie_role VALUES (251, 1);
INSERT INTO cast_movie_role VALUES (252, 2);
INSERT INTO cast_movie_role VALUES (253, 2);
INSERT INTO cast_movie_role VALUES (254, 1);
INSERT INTO cast_movie_role VALUES (255, 2);
INSERT INTO cast_movie_role VALUES (256, 1);
INSERT INTO cast_movie_role VALUES (257, 1);
INSERT INTO cast_movie_role VALUES (258, 2);
INSERT INTO cast_movie_role VALUES (259, 1);
INSERT INTO cast_movie_role VALUES (260, 2);
INSERT INTO cast_movie_role VALUES (261, 2);
INSERT INTO cast_movie_role VALUES (262, 2);
INSERT INTO cast_movie_role VALUES (263, 1);
INSERT INTO cast_movie_role VALUES (264, 1);
INSERT INTO cast_movie_role VALUES (265, 2);
INSERT INTO cast_movie_role VALUES (266, 2);
INSERT INTO cast_movie_role VALUES (267, 1);
INSERT INTO cast_movie_role VALUES (268, 2);
INSERT INTO cast_movie_role VALUES (269, 1);
INSERT INTO cast_movie_role VALUES (270, 1);
INSERT INTO cast_movie_role VALUES (271, 1);
INSERT INTO cast_movie_role VALUES (272, 1);
INSERT INTO cast_movie_role VALUES (273, 1);
INSERT INTO cast_movie_role VALUES (274, 2);
```

```
INSERT INTO cast_movie_role VALUES (275, 2);
INSERT INTO cast_movie_role VALUES (276, 2);
INSERT INTO cast_movie_role VALUES (277, 2);
INSERT INTO cast_movie_role VALUES (278, 1);
INSERT INTO cast_movie_role VALUES (279, 1);
INSERT INTO cast_movie_role VALUES (280, 2);
INSERT INTO cast_movie_role VALUES (281, 2);
INSERT INTO cast_movie_role VALUES (282, 2);
INSERT INTO cast_movie_role VALUES (283, 2);
INSERT INTO cast_movie_role VALUES (284, 1);
INSERT INTO cast_movie_role VALUES (285, 1);
INSERT INTO cast_movie_role VALUES (286, 1);
INSERT INTO cast_movie_role VALUES (287, 2);
INSERT INTO cast_movie_role VALUES (288, 1);
INSERT INTO cast_movie_role VALUES (289, 2);
INSERT INTO cast_movie_role VALUES (290, 1);
INSERT INTO cast_movie_role VALUES (291, 2);
INSERT INTO cast_movie_role VALUES (292, 2);
INSERT INTO cast_movie_role VALUES (293, 1);
INSERT INTO cast_movie_role VALUES (294, 1);
INSERT INTO cast_movie_role VALUES (295, 2);
INSERT INTO cast_movie_role VALUES (296, 2);
INSERT INTO cast_movie_role VALUES (297, 2);
INSERT INTO cast_movie_role VALUES (298, 1);
INSERT INTO cast_movie_role VALUES (299, 1);
INSERT INTO cast_movie_role VALUES (300, 1);
INSERT INTO cast_movie_role VALUES (301, 1);
INSERT INTO cast_movie_role VALUES (302, 2);
INSERT INTO cast_movie_role VALUES (303, 1);
INSERT INTO cast_movie_role VALUES (304, 2);
INSERT INTO cast_movie_role VALUES (305, 1);
INSERT INTO cast_movie_role VALUES (306, 2);
INSERT INTO cast_movie_role VALUES (307, 2);
INSERT INTO cast_movie_role VALUES (308, 1);
INSERT INTO cast_movie_role VALUES (309, 1);
INSERT INTO cast_movie_role VALUES (310, 1);
INSERT INTO cast_movie_role VALUES (311, 2);
```

```
INSERT INTO cast_movie_role VALUES (312, 1);
INSERT INTO cast_movie_role VALUES (313, 2);
INSERT INTO cast_movie_role VALUES (314, 1);
INSERT INTO cast_movie_role VALUES (315, 2);
INSERT INTO cast_movie_role VALUES (316, 1);
INSERT INTO cast_movie_role VALUES (317, 2);
INSERT INTO cast_movie_role VALUES (318, 2);
INSERT INTO cast_movie_role VALUES (319, 1);
INSERT INTO cast_movie_role VALUES (320, 1);
INSERT INTO cast_movie_role VALUES (321, 1);
INSERT INTO cast_movie_role VALUES (322, 1);
INSERT INTO cast_movie_role VALUES (323, 1);
INSERT INTO cast_movie_role VALUES (324, 2);
INSERT INTO cast_movie_role VALUES (325, 1);
INSERT INTO cast_movie_role VALUES (326, 1);
INSERT INTO cast_movie_role VALUES (327, 1);
INSERT INTO cast_movie_role VALUES (328, 2);
INSERT INTO cast_movie_role VALUES (329, 1);
INSERT INTO cast_movie_role VALUES (330, 2);
INSERT INTO cast_movie_role VALUES (331, 1);
INSERT INTO cast_movie_role VALUES (332, 2);
INSERT INTO cast_movie_role VALUES (333, 2);
INSERT INTO cast_movie_role VALUES (334, 2);
INSERT INTO cast_movie_role VALUES (335, 2);
INSERT INTO cast_movie_role VALUES (336, 1);
INSERT INTO cast_movie_role VALUES (337, 2);
INSERT INTO cast_movie_role VALUES (338, 2);
INSERT INTO cast_movie_role VALUES (339, 1);
INSERT INTO cast_movie_role VALUES (340, 2);
INSERT INTO cast_movie_role VALUES (341, 1);
INSERT INTO cast_movie_role VALUES (342, 2);
INSERT INTO cast_movie_role VALUES (343, 1);
INSERT INTO cast_movie_role VALUES (344, 1);
INSERT INTO cast_movie_role VALUES (345, 2);
INSERT INTO cast_movie_role VALUES (346, 1);
INSERT INTO cast_movie_role VALUES (347, 2);
INSERT INTO cast_movie_role VALUES (348, 2);
```

```
INSERT INTO cast_movie_role VALUES (349, 2);
INSERT INTO cast_movie_role VALUES (350, 1);
INSERT INTO cast_movie_role VALUES (351, 2);
INSERT INTO cast_movie_role VALUES (352, 2);
INSERT INTO cast_movie_role VALUES (353, 2);
INSERT INTO cast_movie_role VALUES (354, 1);
INSERT INTO cast_movie_role VALUES (355, 2);
INSERT INTO cast_movie_role VALUES (356, 2);
INSERT INTO cast_movie_role VALUES (357, 2);
INSERT INTO cast_movie_role VALUES (358, 2);
INSERT INTO cast_movie_role VALUES (359, 2);
INSERT INTO cast_movie_role VALUES (360, 2);
INSERT INTO cast_movie_role VALUES (361, 1);
INSERT INTO cast_movie_role VALUES (362, 2);
INSERT INTO cast_movie_role VALUES (363, 2);
INSERT INTO cast_movie_role VALUES (364, 1);
INSERT INTO cast_movie_role VALUES (365, 1);
INSERT INTO cast_movie_role VALUES (366, 2);
INSERT INTO cast_movie_role VALUES (367, 1);
INSERT INTO cast_movie_role VALUES (368, 1);
INSERT INTO cast_movie_role VALUES (369, 1);
INSERT INTO cast_movie_role VALUES (370, 2);
INSERT INTO cast_movie_role VALUES (371, 2);
INSERT INTO cast_movie_role VALUES (372, 2);
INSERT INTO cast_movie_role VALUES (373, 1);
INSERT INTO cast_movie_role VALUES (374, 1);
INSERT INTO cast_movie_role VALUES (375, 1);
INSERT INTO cast_movie_role VALUES (376, 1);
INSERT INTO cast_movie_role VALUES (377, 1);
INSERT INTO cast_movie_role VALUES (378, 2);
INSERT INTO cast_movie_role VALUES (379, 1);
INSERT INTO cast_movie_role VALUES (380, 2);
INSERT INTO cast_movie_role VALUES (381, 2);
INSERT INTO cast_movie_role VALUES (382, 2);
INSERT INTO cast_movie_role VALUES (383, 2);
INSERT INTO cast_movie_role VALUES (384, 1);
INSERT INTO cast_movie_role VALUES (385, 2);
```

```
INSERT INTO cast_movie_role VALUES (386, 1);
INSERT INTO cast_movie_role VALUES (387, 2);
INSERT INTO cast_movie_role VALUES (388, 1);
INSERT INTO cast_movie_role VALUES (389, 1);
INSERT INTO cast_movie_role VALUES (390, 2);
INSERT INTO cast_movie_role VALUES (391, 1);
INSERT INTO cast_movie_role VALUES (392, 2);
INSERT INTO cast_movie_role VALUES (393, 2);
INSERT INTO cast_movie_role VALUES (394, 2);
INSERT INTO cast_movie_role VALUES (395, 1);
INSERT INTO cast_movie_role VALUES (396, 2);
INSERT INTO cast_movie_role VALUES (397, 2);
INSERT INTO cast_movie_role VALUES (398, 1);
INSERT INTO cast_movie_role VALUES (399, 1);
INSERT INTO cast_movie_role VALUES (400, 2);
INSERT INTO cast_movie_role VALUES (367, 3);
INSERT INTO cast_movie_role VALUES (83, 3);
INSERT INTO cast_movie_role VALUES (332, 3);
INSERT INTO cast_movie_role VALUES (369, 3);
INSERT INTO cast_movie_role VALUES (172, 3);
INSERT INTO cast_movie_role VALUES (335, 3);
INSERT INTO cast_movie_role VALUES (364, 3);
INSERT INTO cast_movie_role VALUES (394, 3);
INSERT INTO cast_movie_role VALUES (243, 3);
INSERT INTO cast_movie_role VALUES (257, 3);
```

```
INSERT INTO cast_serie_role VALUES (1, 3);
INSERT INTO cast_serie_role VALUES (2, 3);
INSERT INTO cast_serie_role VALUES (3, 3);
INSERT INTO cast_serie_role VALUES (4, 3);
INSERT INTO cast_serie_role VALUES (5, 3);
INSERT INTO cast_serie_role VALUES (6, 3);
INSERT INTO cast_serie_role VALUES (7, 3);
INSERT INTO cast_serie_role VALUES (8, 3);
INSERT INTO cast_serie_role VALUES (9, 3);
INSERT INTO cast_serie_role VALUES (10, 3);
```



```
INSERT INTO cast_serie_role VALUES (11, 3);
INSERT INTO cast_serie_role VALUES (12, 3);
INSERT INTO cast_serie_role VALUES (13, 3);
INSERT INTO cast_serie_role VALUES (14, 3);
INSERT INTO cast_serie_role VALUES (15, 3);
INSERT INTO cast_serie_role VALUES (16, 3);
INSERT INTO cast_serie_role VALUES (17, 3);
INSERT INTO cast_serie_role VALUES (18, 3);
INSERT INTO cast_serie_role VALUES (19, 3);
INSERT INTO cast_serie_role VALUES (20, 3);
INSERT INTO cast_serie_role VALUES (21, 3);
INSERT INTO cast_serie_role VALUES (22, 3);
INSERT INTO cast_serie_role VALUES (23, 3);
INSERT INTO cast_serie_role VALUES (24, 3);
INSERT INTO cast_serie_role VALUES (25, 3);
INSERT INTO cast_serie_role VALUES (26, 3);
INSERT INTO cast_serie_role VALUES (27, 3);
INSERT INTO cast_serie_role VALUES (28, 3);
INSERT INTO cast_serie_role VALUES (29, 3);
INSERT INTO cast_serie_role VALUES (30, 3);
INSERT INTO cast_serie_role VALUES (31, 3);
INSERT INTO cast_serie_role VALUES (32, 3);
INSERT INTO cast_serie_role VALUES (33, 3);
INSERT INTO cast_serie_role VALUES (34, 3);
INSERT INTO cast_serie_role VALUES (35, 3);
INSERT INTO cast_serie_role VALUES (36, 3);
INSERT INTO cast_serie_role VALUES (37, 3);
INSERT INTO cast_serie_role VALUES (38, 3);
INSERT INTO cast_serie_role VALUES (39, 3);
INSERT INTO cast_serie_role VALUES (40, 3);
INSERT INTO cast_serie_role VALUES (41, 4);
INSERT INTO cast_serie_role VALUES (42, 4);
INSERT INTO cast_serie_role VALUES (43, 4);
INSERT INTO cast_serie_role VALUES (44, 4);
INSERT INTO cast_serie_role VALUES (45, 4);
INSERT INTO cast_serie_role VALUES (46, 4);
INSERT INTO cast_serie_role VALUES (47, 4);
```

```
INSERT INTO cast_serie_role VALUES (48, 4);
INSERT INTO cast_serie_role VALUES (49, 4);
INSERT INTO cast_serie_role VALUES (50, 4);
INSERT INTO cast_serie_role VALUES (51, 4);
INSERT INTO cast_serie_role VALUES (52, 4);
INSERT INTO cast_serie_role VALUES (53, 4);
INSERT INTO cast_serie_role VALUES (54, 4);
INSERT INTO cast_serie_role VALUES (55, 4);
INSERT INTO cast_serie_role VALUES (56, 4);
INSERT INTO cast_serie_role VALUES (57, 4);
INSERT INTO cast_serie_role VALUES (58, 4);
INSERT INTO cast_serie_role VALUES (59, 4);
INSERT INTO cast_serie_role VALUES (60, 4);
INSERT INTO cast_serie_role VALUES (61, 4);
INSERT INTO cast_serie_role VALUES (62, 4);
INSERT INTO cast_serie_role VALUES (63, 4);
INSERT INTO cast_serie_role VALUES (64, 4);
INSERT INTO cast_serie_role VALUES (65, 4);
INSERT INTO cast_serie_role VALUES (66, 4);
INSERT INTO cast_serie_role VALUES (67, 4);
INSERT INTO cast_serie_role VALUES (68, 4);
INSERT INTO cast_serie_role VALUES (69, 4);
INSERT INTO cast_serie_role VALUES (70, 4);
INSERT INTO cast_serie_role VALUES (71, 4);
INSERT INTO cast_serie_role VALUES (72, 4);
INSERT INTO cast_serie_role VALUES (73, 4);
INSERT INTO cast_serie_role VALUES (74, 4);
INSERT INTO cast_serie_role VALUES (75, 4);
INSERT INTO cast_serie_role VALUES (76, 4);
INSERT INTO cast_serie_role VALUES (77, 4);
INSERT INTO cast_serie_role VALUES (78, 4);
INSERT INTO cast_serie_role VALUES (79, 4);
INSERT INTO cast_serie_role VALUES (80, 4);
INSERT INTO cast_serie_role VALUES (81, 2);
INSERT INTO cast_serie_role VALUES (82, 1);
INSERT INTO cast_serie_role VALUES (83, 2);
INSERT INTO cast_serie_role VALUES (84, 2);
```

```
INSERT INTO cast_serie_role VALUES (85, 2);
INSERT INTO cast_serie_role VALUES (86, 1);
INSERT INTO cast_serie_role VALUES (87, 2);
INSERT INTO cast_serie_role VALUES (88, 1);
INSERT INTO cast_serie_role VALUES (89, 1);
INSERT INTO cast_serie_role VALUES (90, 1);
INSERT INTO cast_serie_role VALUES (91, 1);
INSERT INTO cast_serie_role VALUES (92, 2);
INSERT INTO cast_serie_role VALUES (93, 1);
INSERT INTO cast_serie_role VALUES (94, 2);
INSERT INTO cast_serie_role VALUES (95, 2);
INSERT INTO cast_serie_role VALUES (96, 2);
INSERT INTO cast_serie_role VALUES (97, 1);
INSERT INTO cast_serie_role VALUES (98, 1);
INSERT INTO cast_serie_role VALUES (99, 1);
INSERT INTO cast_serie_role VALUES (100, 2);
INSERT INTO cast_serie_role VALUES (101, 2);
INSERT INTO cast_serie_role VALUES (102, 1);
INSERT INTO cast_serie_role VALUES (103, 1);
INSERT INTO cast_serie_role VALUES (104, 1);
INSERT INTO cast_serie_role VALUES (105, 2);
INSERT INTO cast_serie_role VALUES (106, 2);
INSERT INTO cast_serie_role VALUES (107, 2);
INSERT INTO cast_serie_role VALUES (108, 1);
INSERT INTO cast_serie_role VALUES (109, 2);
INSERT INTO cast_serie_role VALUES (110, 2);
INSERT INTO cast_serie_role VALUES (111, 1);
INSERT INTO cast_serie_role VALUES (112, 2);
INSERT INTO cast_serie_role VALUES (113, 1);
INSERT INTO cast_serie_role VALUES (114, 2);
INSERT INTO cast_serie_role VALUES (115, 2);
INSERT INTO cast_serie_role VALUES (116, 1);
INSERT INTO cast_serie_role VALUES (117, 2);
INSERT INTO cast_serie_role VALUES (118, 2);
INSERT INTO cast_serie_role VALUES (119, 2);
INSERT INTO cast_serie_role VALUES (120, 2);
INSERT INTO cast_serie_role VALUES (121, 2);
```

```
INSERT INTO cast_serie_role VALUES (122, 1);
INSERT INTO cast_serie_role VALUES (123, 1);
INSERT INTO cast_serie_role VALUES (124, 2);
INSERT INTO cast_serie_role VALUES (125, 1);
INSERT INTO cast_serie_role VALUES (126, 2);
INSERT INTO cast_serie_role VALUES (127, 1);
INSERT INTO cast_serie_role VALUES (128, 1);
INSERT INTO cast_serie_role VALUES (129, 2);
INSERT INTO cast_serie_role VALUES (130, 1);
INSERT INTO cast_serie_role VALUES (131, 1);
INSERT INTO cast_serie_role VALUES (132, 1);
INSERT INTO cast_serie_role VALUES (133, 1);
INSERT INTO cast_serie_role VALUES (134, 1);
INSERT INTO cast_serie_role VALUES (135, 2);
INSERT INTO cast_serie_role VALUES (136, 1);
INSERT INTO cast_serie_role VALUES (137, 2);
INSERT INTO cast_serie_role VALUES (138, 1);
INSERT INTO cast_serie_role VALUES (139, 2);
INSERT INTO cast_serie_role VALUES (140, 2);
INSERT INTO cast_serie_role VALUES (141, 2);
INSERT INTO cast_serie_role VALUES (142, 1);
INSERT INTO cast_serie_role VALUES (143, 2);
INSERT INTO cast_serie_role VALUES (144, 2);
INSERT INTO cast_serie_role VALUES (145, 2);
INSERT INTO cast_serie_role VALUES (146, 1);
INSERT INTO cast_serie_role VALUES (147, 1);
INSERT INTO cast_serie_role VALUES (148, 2);
INSERT INTO cast_serie_role VALUES (149, 1);
INSERT INTO cast_serie_role VALUES (150, 2);
INSERT INTO cast_serie_role VALUES (151, 1);
INSERT INTO cast_serie_role VALUES (152, 1);
INSERT INTO cast_serie_role VALUES (153, 1);
INSERT INTO cast_serie_role VALUES (154, 1);
INSERT INTO cast_serie_role VALUES (155, 2);
INSERT INTO cast_serie_role VALUES (156, 1);
INSERT INTO cast_serie_role VALUES (157, 1);
INSERT INTO cast_serie_role VALUES (158, 1);
```

```
INSERT INTO cast_serie_role VALUES (159, 1);
INSERT INTO cast_serie_role VALUES (160, 2);
INSERT INTO cast_serie_role VALUES (161, 2);
INSERT INTO cast_serie_role VALUES (162, 2);
INSERT INTO cast_serie_role VALUES (163, 1);
INSERT INTO cast_serie_role VALUES (164, 2);
INSERT INTO cast_serie_role VALUES (165, 2);
INSERT INTO cast_serie_role VALUES (166, 1);
INSERT INTO cast_serie_role VALUES (167, 1);
INSERT INTO cast_serie_role VALUES (168, 1);
INSERT INTO cast_serie_role VALUES (169, 1);
INSERT INTO cast_serie_role VALUES (170, 1);
INSERT INTO cast_serie_role VALUES (171, 2);
INSERT INTO cast_serie_role VALUES (172, 1);
INSERT INTO cast_serie_role VALUES (173, 1);
INSERT INTO cast_serie_role VALUES (174, 2);
INSERT INTO cast_serie_role VALUES (175, 2);
INSERT INTO cast_serie_role VALUES (176, 1);
INSERT INTO cast_serie_role VALUES (177, 2);
INSERT INTO cast_serie_role VALUES (178, 1);
INSERT INTO cast_serie_role VALUES (179, 2);
INSERT INTO cast_serie_role VALUES (180, 1);
INSERT INTO cast_serie_role VALUES (181, 2);
INSERT INTO cast_serie_role VALUES (182, 1);
INSERT INTO cast_serie_role VALUES (183, 1);
INSERT INTO cast_serie_role VALUES (184, 1);
INSERT INTO cast_serie_role VALUES (185, 2);
INSERT INTO cast_serie_role VALUES (186, 1);
INSERT INTO cast_serie_role VALUES (187, 2);
INSERT INTO cast_serie_role VALUES (188, 1);
INSERT INTO cast_serie_role VALUES (189, 2);
INSERT INTO cast_serie_role VALUES (190, 1);
INSERT INTO cast_serie_role VALUES (191, 2);
INSERT INTO cast_serie_role VALUES (192, 2);
INSERT INTO cast_serie_role VALUES (193, 2);
INSERT INTO cast_serie_role VALUES (194, 1);
INSERT INTO cast_serie_role VALUES (195, 2);
```

```
INSERT INTO cast_serie_role VALUES (196, 1);
INSERT INTO cast_serie_role VALUES (197, 1);
INSERT INTO cast_serie_role VALUES (198, 1);
INSERT INTO cast_serie_role VALUES (199, 2);
INSERT INTO cast_serie_role VALUES (200, 2);
INSERT INTO cast_serie_role VALUES (201, 2);
INSERT INTO cast_serie_role VALUES (202, 1);
INSERT INTO cast_serie_role VALUES (203, 1);
INSERT INTO cast_serie_role VALUES (204, 2);
INSERT INTO cast_serie_role VALUES (205, 1);
INSERT INTO cast_serie_role VALUES (206, 1);
INSERT INTO cast_serie_role VALUES (207, 2);
INSERT INTO cast_serie_role VALUES (208, 2);
INSERT INTO cast_serie_role VALUES (209, 2);
INSERT INTO cast_serie_role VALUES (210, 1);
INSERT INTO cast_serie_role VALUES (211, 2);
INSERT INTO cast_serie_role VALUES (212, 2);
INSERT INTO cast_serie_role VALUES (213, 2);
INSERT INTO cast_serie_role VALUES (214, 2);
INSERT INTO cast_serie_role VALUES (215, 2);
INSERT INTO cast_serie_role VALUES (216, 1);
INSERT INTO cast_serie_role VALUES (217, 2);
INSERT INTO cast_serie_role VALUES (218, 2);
INSERT INTO cast_serie_role VALUES (219, 1);
INSERT INTO cast_serie_role VALUES (220, 1);
INSERT INTO cast_serie_role VALUES (221, 1);
INSERT INTO cast_serie_role VALUES (222, 2);
INSERT INTO cast_serie_role VALUES (223, 2);
INSERT INTO cast_serie_role VALUES (224, 2);
INSERT INTO cast_serie_role VALUES (225, 1);
INSERT INTO cast_serie_role VALUES (226, 2);
INSERT INTO cast_serie_role VALUES (227, 1);
INSERT INTO cast_serie_role VALUES (228, 2);
INSERT INTO cast_serie_role VALUES (229, 1);
INSERT INTO cast_serie_role VALUES (230, 2);
INSERT INTO cast_serie_role VALUES (231, 2);
INSERT INTO cast_serie_role VALUES (232, 2);
```

```
INSERT INTO cast_serie_role VALUES (233, 2);
INSERT INTO cast_serie_role VALUES (234, 2);
INSERT INTO cast_serie_role VALUES (235, 1);
INSERT INTO cast_serie_role VALUES (236, 2);
INSERT INTO cast_serie_role VALUES (237, 1);
INSERT INTO cast_serie_role VALUES (238, 1);
INSERT INTO cast_serie_role VALUES (239, 1);
INSERT INTO cast_serie_role VALUES (240, 1);
INSERT INTO cast_serie_role VALUES (241, 1);
INSERT INTO cast_serie_role VALUES (242, 2);
INSERT INTO cast_serie_role VALUES (243, 1);
INSERT INTO cast_serie_role VALUES (244, 2);
INSERT INTO cast_serie_role VALUES (245, 2);
INSERT INTO cast_serie_role VALUES (246, 1);
INSERT INTO cast_serie_role VALUES (247, 1);
INSERT INTO cast_serie_role VALUES (248, 2);
INSERT INTO cast_serie_role VALUES (249, 1);
INSERT INTO cast_serie_role VALUES (250, 1);
INSERT INTO cast_serie_role VALUES (251, 2);
INSERT INTO cast_serie_role VALUES (252, 1);
INSERT INTO cast_serie_role VALUES (253, 1);
INSERT INTO cast_serie_role VALUES (254, 2);
INSERT INTO cast_serie_role VALUES (255, 1);
INSERT INTO cast_serie_role VALUES (256, 1);
INSERT INTO cast_serie_role VALUES (257, 2);
INSERT INTO cast_serie_role VALUES (258, 1);
INSERT INTO cast_serie_role VALUES (259, 2);
INSERT INTO cast_serie_role VALUES (260, 1);
INSERT INTO cast_serie_role VALUES (261, 1);
INSERT INTO cast_serie_role VALUES (262, 2);
INSERT INTO cast_serie_role VALUES (263, 1);
INSERT INTO cast_serie_role VALUES (264, 1);
INSERT INTO cast_serie_role VALUES (265, 2);
INSERT INTO cast_serie_role VALUES (266, 1);
INSERT INTO cast_serie_role VALUES (267, 2);
INSERT INTO cast_serie_role VALUES (268, 2);
INSERT INTO cast_serie_role VALUES (269, 1);
```

```
INSERT INTO cast_serie_role VALUES (270, 2);
INSERT INTO cast_serie_role VALUES (271, 1);
INSERT INTO cast_serie_role VALUES (272, 1);
INSERT INTO cast_serie_role VALUES (273, 2);
INSERT INTO cast_serie_role VALUES (274, 1);
INSERT INTO cast_serie_role VALUES (275, 1);
INSERT INTO cast_serie_role VALUES (276, 2);
INSERT INTO cast_serie_role VALUES (277, 1);
INSERT INTO cast_serie_role VALUES (278, 2);
INSERT INTO cast_serie_role VALUES (279, 1);
INSERT INTO cast_serie_role VALUES (280, 1);
INSERT INTO cast_serie_role VALUES (281, 2);
INSERT INTO cast_serie_role VALUES (282, 2);
INSERT INTO cast_serie_role VALUES (283, 1);
INSERT INTO cast_serie_role VALUES (284, 2);
INSERT INTO cast_serie_role VALUES (285, 1);
INSERT INTO cast_serie_role VALUES (286, 2);
INSERT INTO cast_serie_role VALUES (287, 1);
INSERT INTO cast_serie_role VALUES (288, 1);
INSERT INTO cast_serie_role VALUES (289, 2);
INSERT INTO cast_serie_role VALUES (290, 2);
INSERT INTO cast_serie_role VALUES (291, 1);
INSERT INTO cast_serie_role VALUES (292, 1);
INSERT INTO cast_serie_role VALUES (293, 1);
INSERT INTO cast_serie_role VALUES (294, 2);
INSERT INTO cast_serie_role VALUES (295, 1);
INSERT INTO cast_serie_role VALUES (296, 1);
INSERT INTO cast_serie_role VALUES (297, 2);
INSERT INTO cast_serie_role VALUES (298, 1);
INSERT INTO cast_serie_role VALUES (299, 1);
INSERT INTO cast_serie_role VALUES (300, 2);
INSERT INTO cast_serie_role VALUES (301, 2);
INSERT INTO cast_serie_role VALUES (302, 2);
INSERT INTO cast_serie_role VALUES (303, 1);
INSERT INTO cast_serie_role VALUES (304, 1);
INSERT INTO cast_serie_role VALUES (305, 2);
INSERT INTO cast_serie_role VALUES (306, 1);
```



```
INSERT INTO cast_serie_role VALUES (307, 1);
INSERT INTO cast_serie_role VALUES (308, 2);
INSERT INTO cast_serie_role VALUES (309, 1);
INSERT INTO cast_serie_role VALUES (310, 1);
INSERT INTO cast_serie_role VALUES (311, 1);
INSERT INTO cast_serie_role VALUES (312, 2);
INSERT INTO cast_serie_role VALUES (313, 2);
INSERT INTO cast_serie_role VALUES (314, 1);
INSERT INTO cast_serie_role VALUES (315, 1);
INSERT INTO cast_serie_role VALUES (316, 1);
INSERT INTO cast_serie_role VALUES (317, 2);
INSERT INTO cast_serie_role VALUES (318, 1);
INSERT INTO cast_serie_role VALUES (319, 1);
INSERT INTO cast_serie_role VALUES (320, 2);
INSERT INTO cast_serie_role VALUES (321, 2);
INSERT INTO cast_serie_role VALUES (322, 2);
INSERT INTO cast_serie_role VALUES (323, 2);
INSERT INTO cast_serie_role VALUES (324, 1);
INSERT INTO cast_serie_role VALUES (325, 2);
INSERT INTO cast_serie_role VALUES (326, 1);
INSERT INTO cast_serie_role VALUES (327, 2);
INSERT INTO cast_serie_role VALUES (328, 2);
INSERT INTO cast_serie_role VALUES (329, 1);
INSERT INTO cast_serie_role VALUES (330, 1);
INSERT INTO cast_serie_role VALUES (331, 2);
INSERT INTO cast_serie_role VALUES (332, 1);
INSERT INTO cast_serie_role VALUES (333, 1);
INSERT INTO cast_serie_role VALUES (334, 2);
INSERT INTO cast_serie_role VALUES (335, 2);
INSERT INTO cast_serie_role VALUES (336, 1);
INSERT INTO cast_serie_role VALUES (337, 2);
INSERT INTO cast_serie_role VALUES (338, 2);
INSERT INTO cast_serie_role VALUES (339, 1);
INSERT INTO cast_serie_role VALUES (340, 1);
INSERT INTO cast_serie_role VALUES (341, 1);
INSERT INTO cast_serie_role VALUES (342, 2);
INSERT INTO cast_serie_role VALUES (343, 1);
```

```
INSERT INTO cast_serie_role VALUES (344, 2);
INSERT INTO cast_serie_role VALUES (345, 2);
INSERT INTO cast_serie_role VALUES (346, 2);
INSERT INTO cast_serie_role VALUES (347, 1);
INSERT INTO cast_serie_role VALUES (348, 1);
INSERT INTO cast_serie_role VALUES (349, 1);
INSERT INTO cast_serie_role VALUES (350, 2);
INSERT INTO cast_serie_role VALUES (351, 1);
INSERT INTO cast_serie_role VALUES (352, 1);
INSERT INTO cast_serie_role VALUES (353, 2);
INSERT INTO cast_serie_role VALUES (354, 2);
INSERT INTO cast_serie_role VALUES (355, 1);
INSERT INTO cast_serie_role VALUES (356, 2);
INSERT INTO cast_serie_role VALUES (357, 2);
INSERT INTO cast_serie_role VALUES (358, 1);
INSERT INTO cast_serie_role VALUES (359, 1);
INSERT INTO cast_serie_role VALUES (360, 2);
INSERT INTO cast_serie_role VALUES (361, 2);
INSERT INTO cast_serie_role VALUES (362, 1);
INSERT INTO cast_serie_role VALUES (363, 2);
INSERT INTO cast_serie_role VALUES (364, 1);
INSERT INTO cast_serie_role VALUES (365, 2);
INSERT INTO cast_serie_role VALUES (366, 1);
INSERT INTO cast_serie_role VALUES (367, 2);
INSERT INTO cast_serie_role VALUES (368, 1);
INSERT INTO cast_serie_role VALUES (369, 1);
INSERT INTO cast_serie_role VALUES (370, 1);
INSERT INTO cast_serie_role VALUES (371, 2);
INSERT INTO cast_serie_role VALUES (372, 2);
INSERT INTO cast_serie_role VALUES (373, 2);
INSERT INTO cast_serie_role VALUES (374, 2);
INSERT INTO cast_serie_role VALUES (375, 1);
INSERT INTO cast_serie_role VALUES (376, 2);
INSERT INTO cast_serie_role VALUES (377, 1);
INSERT INTO cast_serie_role VALUES (378, 2);
INSERT INTO cast_serie_role VALUES (379, 2);
INSERT INTO cast_serie_role VALUES (380, 1);
```

```
INSERT INTO cast_serie_role VALUES (381, 2);
INSERT INTO cast_serie_role VALUES (382, 1);
INSERT INTO cast_serie_role VALUES (383, 1);
INSERT INTO cast_serie_role VALUES (384, 1);
INSERT INTO cast_serie_role VALUES (385, 1);
INSERT INTO cast_serie_role VALUES (386, 2);
INSERT INTO cast_serie_role VALUES (387, 1);
INSERT INTO cast_serie_role VALUES (388, 2);
INSERT INTO cast_serie_role VALUES (389, 1);
INSERT INTO cast_serie_role VALUES (390, 1);
INSERT INTO cast_serie_role VALUES (391, 2);
INSERT INTO cast_serie_role VALUES (392, 1);
INSERT INTO cast_serie_role VALUES (393, 1);
INSERT INTO cast_serie_role VALUES (394, 1);
INSERT INTO cast_serie_role VALUES (395, 1);
INSERT INTO cast_serie_role VALUES (396, 2);
INSERT INTO cast_serie_role VALUES (397, 2);
INSERT INTO cast_serie_role VALUES (398, 2);
INSERT INTO cast_serie_role VALUES (399, 1);
INSERT INTO cast_serie_role VALUES (400, 2);
INSERT INTO cast_serie_role VALUES (156, 3);
INSERT INTO cast_serie_role VALUES (97, 3);
INSERT INTO cast_serie_role VALUES (171, 3);
INSERT INTO cast_serie_role VALUES (203, 3);
INSERT INTO cast_serie_role VALUES (286, 3);
INSERT INTO cast_serie_role VALUES (308, 3);
INSERT INTO cast_serie_role VALUES (391, 3);
INSERT INTO cast_serie_role VALUES (233, 3);
INSERT INTO cast_serie_role VALUES (147, 3);
INSERT INTO cast_serie_role VALUES (220, 3);
```

```
INSERT INTO cast_documentary_role VALUES (1, 3);
INSERT INTO cast_documentary_role VALUES (2, 3);
INSERT INTO cast_documentary_role VALUES (3, 3);
INSERT INTO cast_documentary_role VALUES (4, 3);
INSERT INTO cast_documentary_role VALUES (5, 3);
```

```
INSERT INTO cast_documentary_role VALUES (6, 3);
INSERT INTO cast_documentary_role VALUES (7, 3);
INSERT INTO cast_documentary_role VALUES (8, 3);
INSERT INTO cast_documentary_role VALUES (9, 3);
INSERT INTO cast_documentary_role VALUES (10, 3);
INSERT INTO cast_documentary_role VALUES (11, 3);
INSERT INTO cast_documentary_role VALUES (12, 3);
INSERT INTO cast_documentary_role VALUES (13, 3);
INSERT INTO cast_documentary_role VALUES (14, 3);
INSERT INTO cast_documentary_role VALUES (15, 3);
INSERT INTO cast_documentary_role VALUES (16, 3);
INSERT INTO cast_documentary_role VALUES (17, 3);
INSERT INTO cast_documentary_role VALUES (18, 3);
INSERT INTO cast_documentary_role VALUES (19, 3);
INSERT INTO cast_documentary_role VALUES (20, 3);
INSERT INTO cast_documentary_role VALUES (21, 3);
INSERT INTO cast_documentary_role VALUES (22, 3);
INSERT INTO cast_documentary_role VALUES (23, 3);
INSERT INTO cast_documentary_role VALUES (24, 3);
INSERT INTO cast_documentary_role VALUES (25, 3);
INSERT INTO cast_documentary_role VALUES (26, 3);
INSERT INTO cast_documentary_role VALUES (27, 3);
INSERT INTO cast_documentary_role VALUES (28, 3);
INSERT INTO cast_documentary_role VALUES (29, 3);
INSERT INTO cast_documentary_role VALUES (30, 3);
INSERT INTO cast_documentary_role VALUES (31, 4);
INSERT INTO cast_documentary_role VALUES (32, 4);
INSERT INTO cast_documentary_role VALUES (33, 4);
INSERT INTO cast_documentary_role VALUES (34, 4);
INSERT INTO cast_documentary_role VALUES (35, 4);
INSERT INTO cast_documentary_role VALUES (36, 4);
INSERT INTO cast_documentary_role VALUES (37, 4);
INSERT INTO cast_documentary_role VALUES (38, 4);
INSERT INTO cast_documentary_role VALUES (39, 4);
INSERT INTO cast_documentary_role VALUES (40, 4);
INSERT INTO cast_documentary_role VALUES (41, 4);
INSERT INTO cast_documentary_role VALUES (42, 4);
```

```
INSERT INTO cast_documentary_role VALUES (43, 4);
INSERT INTO cast_documentary_role VALUES (44, 4);
INSERT INTO cast_documentary_role VALUES (45, 4);
INSERT INTO cast_documentary_role VALUES (46, 4);
INSERT INTO cast_documentary_role VALUES (47, 4);
INSERT INTO cast_documentary_role VALUES (48, 4);
INSERT INTO cast_documentary_role VALUES (49, 4);
INSERT INTO cast_documentary_role VALUES (50, 4);
INSERT INTO cast_documentary_role VALUES (51, 4);
INSERT INTO cast_documentary_role VALUES (52, 4);
INSERT INTO cast_documentary_role VALUES (53, 4);
INSERT INTO cast_documentary_role VALUES (54, 4);
INSERT INTO cast_documentary_role VALUES (55, 4);
INSERT INTO cast_documentary_role VALUES (56, 4);
INSERT INTO cast_documentary_role VALUES (57, 4);
INSERT INTO cast_documentary_role VALUES (58, 4);
INSERT INTO cast_documentary_role VALUES (59, 4);
INSERT INTO cast_documentary_role VALUES (60, 4);
INSERT INTO cast_documentary_role VALUES (61, 1);
INSERT INTO cast_documentary_role VALUES (62, 1);
INSERT INTO cast_documentary_role VALUES (63, 1);
INSERT INTO cast_documentary_role VALUES (64, 2);
INSERT INTO cast_documentary_role VALUES (65, 2);
INSERT INTO cast_documentary_role VALUES (66, 2);
INSERT INTO cast_documentary_role VALUES (67, 1);
INSERT INTO cast_documentary_role VALUES (68, 1);
INSERT INTO cast_documentary_role VALUES (69, 1);
INSERT INTO cast_documentary_role VALUES (70, 2);
INSERT INTO cast_documentary_role VALUES (71, 1);
INSERT INTO cast_documentary_role VALUES (72, 2);
INSERT INTO cast_documentary_role VALUES (73, 1);
INSERT INTO cast_documentary_role VALUES (74, 2);
INSERT INTO cast_documentary_role VALUES (75, 2);
INSERT INTO cast_documentary_role VALUES (76, 1);
INSERT INTO cast_documentary_role VALUES (77, 2);
INSERT INTO cast_documentary_role VALUES (78, 2);
INSERT INTO cast_documentary_role VALUES (79, 1);
```

```
INSERT INTO cast_documentary_role VALUES (80, 2);
INSERT INTO cast_documentary_role VALUES (81, 1);
INSERT INTO cast_documentary_role VALUES (82, 1);
INSERT INTO cast_documentary_role VALUES (83, 1);
INSERT INTO cast_documentary_role VALUES (84, 2);
INSERT INTO cast_documentary_role VALUES (85, 1);
INSERT INTO cast_documentary_role VALUES (86, 2);
INSERT INTO cast_documentary_role VALUES (87, 2);
INSERT INTO cast_documentary_role VALUES (88, 2);
INSERT INTO cast_documentary_role VALUES (89, 1);
INSERT INTO cast_documentary_role VALUES (90, 1);
INSERT INTO cast_documentary_role VALUES (91, 1);
INSERT INTO cast_documentary_role VALUES (92, 2);
INSERT INTO cast_documentary_role VALUES (93, 1);
INSERT INTO cast_documentary_role VALUES (94, 1);
INSERT INTO cast_documentary_role VALUES (95, 1);
INSERT INTO cast_documentary_role VALUES (96, 1);
INSERT INTO cast_documentary_role VALUES (97, 1);
INSERT INTO cast_documentary_role VALUES (98, 2);
INSERT INTO cast_documentary_role VALUES (99, 2);
INSERT INTO cast_documentary_role VALUES (100, 1);
INSERT INTO cast_documentary_role VALUES (101, 2);
INSERT INTO cast_documentary_role VALUES (102, 2);
INSERT INTO cast_documentary_role VALUES (103, 1);
INSERT INTO cast_documentary_role VALUES (104, 2);
INSERT INTO cast_documentary_role VALUES (105, 1);
INSERT INTO cast_documentary_role VALUES (106, 1);
INSERT INTO cast_documentary_role VALUES (107, 2);
INSERT INTO cast_documentary_role VALUES (108, 1);
INSERT INTO cast_documentary_role VALUES (109, 1);
INSERT INTO cast_documentary_role VALUES (110, 2);
INSERT INTO cast_documentary_role VALUES (111, 2);
INSERT INTO cast_documentary_role VALUES (112, 1);
INSERT INTO cast_documentary_role VALUES (113, 2);
INSERT INTO cast_documentary_role VALUES (114, 2);
INSERT INTO cast_documentary_role VALUES (115, 2);
INSERT INTO cast_documentary_role VALUES (116, 2);
```

```
INSERT INTO cast_documentary_role VALUES (117, 2);
INSERT INTO cast_documentary_role VALUES (118, 2);
INSERT INTO cast_documentary_role VALUES (119, 2);
INSERT INTO cast_documentary_role VALUES (120, 2);
INSERT INTO cast_documentary_role VALUES (121, 1);
INSERT INTO cast_documentary_role VALUES (122, 2);
INSERT INTO cast_documentary_role VALUES (123, 2);
INSERT INTO cast_documentary_role VALUES (124, 1);
INSERT INTO cast_documentary_role VALUES (125, 2);
INSERT INTO cast_documentary_role VALUES (126, 1);
INSERT INTO cast_documentary_role VALUES (127, 2);
INSERT INTO cast_documentary_role VALUES (128, 1);
INSERT INTO cast_documentary_role VALUES (129, 2);
INSERT INTO cast_documentary_role VALUES (130, 1);
INSERT INTO cast_documentary_role VALUES (131, 2);
INSERT INTO cast_documentary_role VALUES (132, 1);
INSERT INTO cast_documentary_role VALUES (133, 2);
INSERT INTO cast_documentary_role VALUES (134, 2);
INSERT INTO cast_documentary_role VALUES (135, 2);
INSERT INTO cast_documentary_role VALUES (136, 1);
INSERT INTO cast_documentary_role VALUES (137, 1);
INSERT INTO cast_documentary_role VALUES (138, 2);
INSERT INTO cast_documentary_role VALUES (139, 1);
INSERT INTO cast_documentary_role VALUES (140, 1);
INSERT INTO cast_documentary_role VALUES (141, 1);
INSERT INTO cast_documentary_role VALUES (142, 2);
INSERT INTO cast_documentary_role VALUES (143, 2);
INSERT INTO cast_documentary_role VALUES (144, 1);
INSERT INTO cast_documentary_role VALUES (145, 2);
INSERT INTO cast_documentary_role VALUES (146, 2);
INSERT INTO cast_documentary_role VALUES (147, 2);
INSERT INTO cast_documentary_role VALUES (148, 2);
INSERT INTO cast_documentary_role VALUES (149, 2);
INSERT INTO cast_documentary_role VALUES (150, 1);
INSERT INTO cast_documentary_role VALUES (151, 2);
INSERT INTO cast_documentary_role VALUES (152, 1);
INSERT INTO cast_documentary_role VALUES (153, 1);
```

```
INSERT INTO cast_documentary_role VALUES (154, 1);
INSERT INTO cast_documentary_role VALUES (155, 1);
INSERT INTO cast_documentary_role VALUES (156, 2);
INSERT INTO cast_documentary_role VALUES (157, 1);
INSERT INTO cast_documentary_role VALUES (158, 1);
INSERT INTO cast_documentary_role VALUES (159, 1);
INSERT INTO cast_documentary_role VALUES (160, 2);
INSERT INTO cast_documentary_role VALUES (161, 1);
INSERT INTO cast_documentary_role VALUES (162, 1);
INSERT INTO cast_documentary_role VALUES (163, 1);
INSERT INTO cast_documentary_role VALUES (164, 1);
INSERT INTO cast_documentary_role VALUES (165, 1);
INSERT INTO cast_documentary_role VALUES (166, 2);
INSERT INTO cast_documentary_role VALUES (167, 2);
INSERT INTO cast_documentary_role VALUES (168, 2);
INSERT INTO cast_documentary_role VALUES (169, 1);
INSERT INTO cast_documentary_role VALUES (170, 1);
INSERT INTO cast_documentary_role VALUES (171, 1);
INSERT INTO cast_documentary_role VALUES (172, 2);
INSERT INTO cast_documentary_role VALUES (173, 1);
INSERT INTO cast_documentary_role VALUES (174, 2);
INSERT INTO cast_documentary_role VALUES (175, 2);
INSERT INTO cast_documentary_role VALUES (176, 1);
INSERT INTO cast_documentary_role VALUES (177, 2);
INSERT INTO cast_documentary_role VALUES (178, 1);
INSERT INTO cast_documentary_role VALUES (179, 1);
INSERT INTO cast_documentary_role VALUES (180, 1);
INSERT INTO cast_documentary_role VALUES (181, 2);
INSERT INTO cast_documentary_role VALUES (182, 1);
INSERT INTO cast_documentary_role VALUES (183, 1);
INSERT INTO cast_documentary_role VALUES (184, 1);
INSERT INTO cast_documentary_role VALUES (185, 1);
INSERT INTO cast_documentary_role VALUES (186, 2);
INSERT INTO cast_documentary_role VALUES (187, 1);
INSERT INTO cast_documentary_role VALUES (188, 1);
INSERT INTO cast_documentary_role VALUES (189, 1);
INSERT INTO cast_documentary_role VALUES (190, 1);
```



```
INSERT INTO cast_documentary_role VALUES (191, 2);
INSERT INTO cast_documentary_role VALUES (192, 1);
INSERT INTO cast_documentary_role VALUES (193, 1);
INSERT INTO cast_documentary_role VALUES (194, 1);
INSERT INTO cast_documentary_role VALUES (195, 2);
INSERT INTO cast_documentary_role VALUES (196, 1);
INSERT INTO cast_documentary_role VALUES (197, 1);
INSERT INTO cast_documentary_role VALUES (198, 1);
INSERT INTO cast_documentary_role VALUES (199, 1);
INSERT INTO cast_documentary_role VALUES (200, 2);
INSERT INTO cast_documentary_role VALUES (201, 2);
INSERT INTO cast_documentary_role VALUES (202, 2);
INSERT INTO cast_documentary_role VALUES (203, 2);
INSERT INTO cast_documentary_role VALUES (204, 1);
INSERT INTO cast_documentary_role VALUES (205, 2);
INSERT INTO cast_documentary_role VALUES (206, 1);
INSERT INTO cast_documentary_role VALUES (207, 2);
INSERT INTO cast_documentary_role VALUES (208, 2);
INSERT INTO cast_documentary_role VALUES (209, 2);
INSERT INTO cast_documentary_role VALUES (210, 2);
INSERT INTO cast_documentary_role VALUES (211, 1);
INSERT INTO cast_documentary_role VALUES (212, 2);
INSERT INTO cast_documentary_role VALUES (213, 2);
INSERT INTO cast_documentary_role VALUES (214, 1);
INSERT INTO cast_documentary_role VALUES (215, 2);
INSERT INTO cast_documentary_role VALUES (216, 1);
INSERT INTO cast_documentary_role VALUES (217, 1);
INSERT INTO cast_documentary_role VALUES (218, 2);
INSERT INTO cast_documentary_role VALUES (219, 2);
INSERT INTO cast_documentary_role VALUES (220, 1);
INSERT INTO cast_documentary_role VALUES (221, 1);
INSERT INTO cast_documentary_role VALUES (222, 1);
INSERT INTO cast_documentary_role VALUES (223, 1);
INSERT INTO cast_documentary_role VALUES (224, 1);
INSERT INTO cast_documentary_role VALUES (225, 1);
INSERT INTO cast_documentary_role VALUES (226, 2);
INSERT INTO cast_documentary_role VALUES (227, 2);
```

```
INSERT INTO cast_documentary_role VALUES (228, 2);
INSERT INTO cast_documentary_role VALUES (229, 2);
INSERT INTO cast_documentary_role VALUES (230, 1);
INSERT INTO cast_documentary_role VALUES (231, 2);
INSERT INTO cast_documentary_role VALUES (232, 2);
INSERT INTO cast_documentary_role VALUES (233, 1);
INSERT INTO cast_documentary_role VALUES (234, 2);
INSERT INTO cast_documentary_role VALUES (235, 2);
INSERT INTO cast_documentary_role VALUES (236, 1);
INSERT INTO cast_documentary_role VALUES (237, 2);
INSERT INTO cast_documentary_role VALUES (238, 2);
INSERT INTO cast_documentary_role VALUES (239, 1);
INSERT INTO cast_documentary_role VALUES (240, 2);
INSERT INTO cast_documentary_role VALUES (241, 1);
INSERT INTO cast_documentary_role VALUES (242, 2);
INSERT INTO cast_documentary_role VALUES (243, 1);
INSERT INTO cast_documentary_role VALUES (244, 2);
INSERT INTO cast_documentary_role VALUES (245, 2);
INSERT INTO cast_documentary_role VALUES (246, 1);
INSERT INTO cast_documentary_role VALUES (247, 1);
INSERT INTO cast_documentary_role VALUES (248, 2);
INSERT INTO cast_documentary_role VALUES (249, 1);
INSERT INTO cast_documentary_role VALUES (250, 2);
INSERT INTO cast_documentary_role VALUES (251, 1);
INSERT INTO cast_documentary_role VALUES (252, 2);
INSERT INTO cast_documentary_role VALUES (253, 1);
INSERT INTO cast_documentary_role VALUES (254, 2);
INSERT INTO cast_documentary_role VALUES (255, 1);
INSERT INTO cast_documentary_role VALUES (256, 2);
INSERT INTO cast_documentary_role VALUES (257, 2);
INSERT INTO cast_documentary_role VALUES (258, 1);
INSERT INTO cast_documentary_role VALUES (259, 1);
INSERT INTO cast_documentary_role VALUES (260, 2);
INSERT INTO cast_documentary_role VALUES (261, 1);
INSERT INTO cast_documentary_role VALUES (262, 2);
INSERT INTO cast_documentary_role VALUES (263, 2);
INSERT INTO cast_documentary_role VALUES (264, 1);
```

```
INSERT INTO cast_documentary_role VALUES (265, 2);
INSERT INTO cast_documentary_role VALUES (266, 2);
INSERT INTO cast_documentary_role VALUES (267, 1);
INSERT INTO cast_documentary_role VALUES (268, 1);
INSERT INTO cast_documentary_role VALUES (269, 2);
INSERT INTO cast_documentary_role VALUES (270, 2);
INSERT INTO cast_documentary_role VALUES (271, 1);
INSERT INTO cast_documentary_role VALUES (272, 2);
INSERT INTO cast_documentary_role VALUES (273, 1);
INSERT INTO cast_documentary_role VALUES (274, 1);
INSERT INTO cast_documentary_role VALUES (275, 1);
INSERT INTO cast_documentary_role VALUES (276, 2);
INSERT INTO cast_documentary_role VALUES (277, 2);
INSERT INTO cast_documentary_role VALUES (278, 1);
INSERT INTO cast_documentary_role VALUES (279, 2);
INSERT INTO cast_documentary_role VALUES (280, 2);
INSERT INTO cast_documentary_role VALUES (281, 2);
INSERT INTO cast_documentary_role VALUES (282, 2);
INSERT INTO cast_documentary_role VALUES (283, 2);
INSERT INTO cast_documentary_role VALUES (284, 1);
INSERT INTO cast_documentary_role VALUES (285, 1);
INSERT INTO cast_documentary_role VALUES (286, 2);
INSERT INTO cast_documentary_role VALUES (287, 2);
INSERT INTO cast_documentary_role VALUES (288, 1);
INSERT INTO cast_documentary_role VALUES (289, 2);
INSERT INTO cast_documentary_role VALUES (290, 2);
INSERT INTO cast_documentary_role VALUES (291, 1);
INSERT INTO cast_documentary_role VALUES (292, 2);
INSERT INTO cast_documentary_role VALUES (293, 1);
INSERT INTO cast_documentary_role VALUES (294, 1);
INSERT INTO cast_documentary_role VALUES (295, 1);
INSERT INTO cast_documentary_role VALUES (296, 1);
INSERT INTO cast_documentary_role VALUES (297, 2);
INSERT INTO cast_documentary_role VALUES (298, 1);
INSERT INTO cast_documentary_role VALUES (299, 2);
INSERT INTO cast_documentary_role VALUES (300, 1);
INSERT INTO cast_documentary_role VALUES (159, 3);
```

```

INSERT INTO cast_documentary_role VALUES (210, 3);
INSERT INTO cast_documentary_role VALUES (82, 3);
INSERT INTO cast_documentary_role VALUES (137, 3);
INSERT INTO cast_documentary_role VALUES (213, 3);
INSERT INTO cast_documentary_role VALUES (167, 3);
INSERT INTO cast_documentary_role VALUES (232, 3);
INSERT INTO cast_documentary_role VALUES (103, 3);
INSERT INTO cast_documentary_role VALUES (254, 3);
INSERT INTO cast_documentary_role VALUES (86, 3);

commit;

```

Reportes

Reporte #1

```

SELECT * FROM (
  SELECT 'Película' Tipo, m.title Titulo,
  EXTRACT(YEAR FROM m.year) Lanzamiento,
  c.name Pais,
  (SELECT LISTAGG(g.name, ', ') WITHIN GROUP (ORDER BY g.name) FROM genre g
   INNER JOIN movie_genre mg ON mg.genre_id = g.id
   WHERE mg.movie_id = m.id
  ) Generos,
  (SELECT LISTAGG(a.name || ' ' || a.last_name, ', ') WITHIN GROUP (ORDER BY a.name || ' ' || a.last_name) FROM artist a
   INNER JOIN cast_movie cm ON cm.artist_id = a.id
   INNER JOIN cast_movie_role cmr ON cmr.cast_movie_id = cm.id
   WHERE cm.movie_id = m.id AND cmr.role_id = 3
  ) Directores
  FROM movie m
  INNER JOIN country c ON c.id = m.country_id
  UNION
  SELECT 'Serie' Tipo, s.title Titulo,
  EXTRACT(YEAR FROM s.begin_date) Lanzamiento,
  c.name Pais,
  (SELECT LISTAGG(g.name, ', ') WITHIN GROUP (ORDER BY g.name) FROM genre g

```

```

    INNER JOIN serie_genre sg ON sg.genre_id = g.id
    WHERE sg.serie_id = s.id
) Generos,
(SELECT LISTAGG(a.name || ' ' || a.last_name, ', ') WITHIN GROUP (ORDER BY a.name || ' ' || a.last_name) FROM artist a
    INNER JOIN cast_serie cs ON cs.artist_id = a.id
    INNER JOIN cast_serie_role csr ON csr.cast_serie_id = cs.id
    WHERE cs.serie_id = s.id AND csr.role_id = 3
) Directores
FROM serie s
    INNER JOIN country c ON c.id = s.country_id
);

```

Resultado:

TIPO	TITULO	LANZAMIENTO	PAIS	GENEROS	DIRECTORES

Pelicula	Avatar	1976	Brasil	Aventura, Biograf[ia], Romance, Terror	Tom Hanks
Pelicula	Avengers: Endgame	1985	Panam[i]	Comedia, Crimen, Historia, Terror	Meryl Streep
Pelicula	Avengers: Infinity War	1995	Estados Unidos	Acci[on], Ciencia, Drama, Romance	Julia Roberts
Pelicula	Casablanca	1964	Costa Rica	Ciencia, Comedia, Crimen, Drama	Jake Gyllenhaal, Jennifer Aniston, Meryl Streep
Pelicula	Ciudadano Kane	1984	Costa Rica	Ciencia ficci[on], Comedia, Historia, Naturaleza	Meryl Streep
Pelicula	Dr. No	1969	Brasil	Aventura, Ciencia, Crimen, Drama	Robert De Niro
Pelicula	El Padrino II	1987	Estados Unidos	Acci[on], Ciencia ficci[on], Historia, Romance	Tom Hanks
Pelicula	El Prisionero de Azkaban	1963	Costa Rica	Aventura, Biograf[ia], Crimen, Drama	Robert De Niro
Pelicula	El Señor de los Anillos: La Comunidad del Anillo	1989	Panam[i]	Acci[on], Ciencia, Naturaleza, Terror	Meryl Streep
Pelicula	El Señor de los Anillos: El retorno del rey	1962	Estados Unidos	Ciencia, Ciencia ficci[on], Comedia, Naturaleza	Tom Hanks
Pelicula	El Señor de los Anillos: Las dos torres	1970	Estados Unidos	Comedia, Crimen, Drama, Historia	Meryl Streep
Pelicula	El caballero oscuro	1982	Costa Rica	Aventura, Biograf[ia], Romance, Terror	Julia Roberts
Pelicula	El gran Lebowski	1963	Costa Rica	Ciencia, Ciencia ficci[on], Comedia, Crimen	Meryl Streep, Tom Hardy
Pelicula	El laberinto del fauno	1970	Estados Unidos	Biograf[ia], Comedia, Crimen, Terror	Julia Roberts
Pelicula	El padrino	1982	Costa Rica	Ciencia, Comedia, Crimen, Terror	Daniel Day-Lewis, Julia Roberts, Sean Penn
Pelicula	En llamas	1997	Brasil	Comedia, Crimen, Drama, Historia	Mark Wahlberg, Meryl Streep
Pelicula	Fast Five	1964	Costa Rica	Ciencia, Comedia, Drama, Romance	Robert De Niro
Pelicula	Fast and Furious 6	1967	Costa Rica	Ciencia, Comedia, Romance, Terror	Robert De Niro
Pelicula	Forrest Gump	1997	Brasil	Aventura, Ciencia ficci[on], Historia, Naturaleza	Charlize Theron, Tom Hanks
Pelicula	Goldfinger	1988	Estados Unidos	Acci[on], Biograf[ia], Naturaleza, Terror	Denzel Washington
Pelicula	Harry Potter	1988	Estados Unidos	Biograf[ia], Comedia, Crimen, Terror	Julia Roberts
Pelicula	Indiana Jones: En busca del arca perdida	1976	Costa Rica	Comedia, Drama, Historia, Naturaleza	Denzel Washington, Samuel L. Jackson
Pelicula	Iron Man	1996	Panam[i]	Biograf[ia], Ciencia ficci[on], Comedia, Crimen	Julia Roberts
Pelicula	Jurassic Park	1979	Panam[i]	Acci[on], Ciencia, Ciencia ficci[on], Romance	Tom Hanks
Pelicula	La Chimara Secreta	1986	Brasil	Aventura, Ciencia ficci[on], Historia, Romance	Julia Roberts
Pelicula	La Piedra Filosofal	1974	Estados Unidos	Ciencia, Comedia, Romance, Terror	Robert De Niro
Pelicula	La forma del agua	1982	Costa Rica	Comedia, Historia, Romance, Terror	Meryl Streep
Pelicula	La lista de Schindler	1990	Estados Unidos	Ciencia, Comedia, Crimen, Drama	Julia Roberts
Pelicula	La vida es bella	1975	Panam[i]	Aventura, Ciencia, Crimen, Terror	Denzel Washington
Pelicula	Los juegos del hambre	1997	Costa Rica	Biograf[ia], Comedia, Drama, Naturaleza	Meryl Streep
Pelicula	Pulp Fiction	1967	Costa Rica	Aventura, Ciencia, Ciencia ficci[on], Romance	Michael Fassbender, Robert De Niro
Pelicula	Sinsajo - Parte 1	1977	Panam[i]	Aventura, Biograf[ia], Romance, Terror	Robert De Niro
Pelicula	Star Wars: Episodio I	1997	Costa Rica	Comedia, Drama, Historia, Romance	Tom Hanks
Pelicula	Star Wars: Episodio IV	1978	Costa Rica	Aventura, Drama, Historia, Romance	Denzel Washington
Pelicula	Star Wars: Episodio V	1979	Brasil	Comedia, Crimen, Drama, Historia	Julia Roberts, Michael Fassbender
Pelicula	Star Wars: Episodio VI	1975	Brasil	Aventura, Ciencia ficci[on], Crimen, Historia	Meryl Streep
Pelicula	The Fast and the Furious	1976	Panam[i]	Acci[on], Biograf[ia], Ciencia ficci[on], Romance	Tom Hanks

TIPO	TITULO	LANZAMIENTO	PAIS	GENEROS	DIRECTORES

Pelicula	The Lost World: Jurassic Park	1969	Costa Rica	Acci[on], Ciencia, Crimen, Drama	Meryl Streep
Pelicula	Thunderball	1971	Costa Rica	Comedia, Drama, Historia, Romance	Tom Hanks
Pelicula	Titanic	1982	Brasil	Aventura, Ciencia, Crimen, Drama	Julia Roberts
Serie	Arrow	1967	Panam[i]	Comedia, Drama, Historia, Naturaleza	Robert De Niro
Serie	Black Mirror	1968	Estados Unidos	Ciencia ficci[on], Comedia, Crimen, Historia	Tom Hanks
Serie	Breaking Bad	1985	Brasil	Acci[on], Ciencia, Ciencia ficci[on], Crimen	Julia Roberts
Serie	CSI: Las Vegas	1990	Brasil	Acci[on], Ciencia ficci[on], Crimen, Historia	Charlize Theron, Julia Roberts
Serie	CSI: Miami	1973	Panam[i]	Aventura, Biograf[ia], Drama, Naturaleza	Robert De Niro
Serie	Chernobyl	1965	Brasil	Biograf[ia], Ciencia ficci[on], Comedia, Naturaleza	Robert De Niro
Serie	Fear the Walking Dead	2015	Brasil	Acci[on], Ciencia, Drama, Naturaleza	Denzel Washington
Serie	Friends	1987	Costa Rica	Comedia, Historia, Naturaleza, Terror	Julia Roberts
Serie	Game of Thrones	1986	Estados Unidos	Acci[on], Ciencia, Ciencia ficci[on], Naturaleza	Meryl Streep
Serie	Greys Anatomy	1995	Estados Unidos	Biograf[ia], Comedia, Naturaleza, Terror	George Clooney, Tom Hanks
Serie	Hawkeye	1967	Estados Unidos	Acci[on], Crimen, Historia, Terror	Meryl Streep, Russell Crowe
Serie	How I Met Your Mother	1989	Costa Rica	Acci[on], Biograf[ia], Naturaleza, Terror	Meryl Streep
Serie	Juego de Tronos	1967	Panam[i]	Ciencia, Ciencia ficci[on], Comedia, Crimen	Julia Roberts
Serie	Law and Order	1980	Brasil	Ciencia ficci[on], Comedia, Historia, Naturaleza	Meryl Streep
Serie	Law and Order: Special Victims Unit	1997	Costa Rica	Aventura, Biograf[ia], Ciencia ficci[on], Naturaleza	Meryl Streep
Serie	Legends of Tomorrow	1974	Panam[i]	Aventura, Ciencia, Ciencia ficci[on], Crimen	Denzel Washington
Serie	Loki	1993	Estados Unidos	Aventura, Biograf[ia], Crimen, Terror	Al Pacino, Denzel Washington
Serie	Lost	1966	Estados Unidos	Biograf[ia], Comedia, Naturaleza, Terror	Denzel Washington
Serie	Mindhunter	1967	Brasil	Aventura, Drama, Historia, Naturaleza	Christian Bale, Meryl Streep
Serie	Money Heist	1969	Brasil	Biograf[ia], Comedia, Naturaleza, Terror	Cate Blanchett, Julia Roberts
Serie	Narcos	1968	Costa Rica	Ciencia, Ciencia ficci[on], Comedia, Crimen	Meryl Streep
Serie	Peaky Blinders	1993	Estados Unidos	Biograf[ia], Comedia, Drama, Naturaleza	Robert De Niro
Serie	Star Trek Deep Space Nine	1962	Estados Unidos	Comedia, Crimen, Historia, Terror	Meryl Streep
Serie	Star Trek The Next Generation	1966	Panam[i]	Aventura, Ciencia, Drama, Romance	Denzel Washington
Serie	Star Trek The Original Series	1974	Costa Rica	Biograf[ia], Comedia, Naturaleza, Terror	Meryl Streep
Serie	Stranger Things	1977	Estados Unidos	Acci[on], Biograf[ia], Ciencia ficci[on], Naturaleza	Robert De Niro
Serie	The Big Bang Theory	1995	Estados Unidos	Ciencia, Ciencia ficci[on], Comedia, Crimen	Tom Hanks
Serie	The Crown	1982	Estados Unidos	Comedia, Drama, Historia, Naturaleza	Denzel Washington
Serie	The Flash	1968	Brasil	Acci[on], Ciencia, Drama, Romance	Al Pacino, Robert De Niro
Serie	The Good Place	1975	Estados Unidos	Aventura, Ciencia, Drama, Naturaleza	Denzel Curry, Meryl Streep
Serie	The Mandalorian	1968	Costa Rica	Biograf[ia], Comedia, Drama, Romance	Julia Roberts
Serie	The Office	1979	Brasil	Biograf[ia], Comedia, Crimen, Terror	Denzel Washington
Serie	The Simpsons	1967	Panam[i]	Comedia, Crimen, Historia, Terror	Denzel Washington
Serie	The Sopranos	1976	Estados Unidos	Comedia, Drama, Historia, Naturaleza	Robert De Niro

TIPO	TITULO	LANZAMIENTO	PAIS	GENEROS	DIRECTORES

Serie	The Walking Dead	2011	Panam[i]	Acci[on], Ciencia ficci[on], Historia, Romance	Tom Hanks, Viola Davis
Serie	The Witcher	1992	Estados Unidos	Aventura, Biograf[ia], Romance, Terror	Julia Roberts
Serie	True Detective	1971	Costa Rica	Acci[on], Biograf[ia], Ciencia ficci[on], Crimen	Meryl Streep
Serie	Vikings	1963	Estados Unidos	Aventura, Biograf[ia], Crimen, Terror	Robert De Niro
Serie	WandaVision	1989	Estados Unidos	Acci[on], Crimen, Historia, Terror	Meryl Streep
Serie	Westworld	1965	Estados Unidos	Biograf[ia], Comedia, Crimen, Drama	Julia Roberts, Kate Winslet

80 rows selected.

Reporte #2

```
SELECT * FROM (
  SELECT 'Serie' Tipo, s.title Titulo,
  EXTRACT(YEAR FROM s.begin_date) Lanzamiento,
  s.seasons Temporadas,
  (SELECT LISTAGG(g.name, ', ' ) WITHIN GROUP (ORDER BY g.name) FROM genre g
    INNER JOIN serie_genre sg ON sg.genre_id = g.id
    WHERE sg.serie_id = s.id
  ) Generos,
  (SELECT LISTAGG(a.name || ' ' || a.last_name, ', ' ) WITHIN GROUP (ORDER BY a.name || ' ' || a.last_name) FROM artist a
    INNER JOIN cast_serie cs ON cs.artist_id = a.id
    INNER JOIN cast_serie_role csr ON csr.cast_serie_id = cs.id
    WHERE cs.serie_id = s.id AND csr.role_id = 3
  ) Directores
FROM serie s
UNION
  SELECT 'Documental' Tipo, d.title Titulo,
  EXTRACT(YEAR FROM d.begin_date) Lanzamiento,
  d.seasons Temporadas,
  (SELECT LISTAGG(g.name, ', ' ) WITHIN GROUP (ORDER BY g.name) FROM genre g
    INNER JOIN documentary_genre dg ON dg.genre_id = g.id
    WHERE dg.documentary_id = d.id
  ) Generos,
  (SELECT LISTAGG(a.name || ' ' || a.last_name, ', ' ) WITHIN GROUP (ORDER BY a.name || ' ' || a.last_name) FROM artist a
    INNER JOIN cast_documentary cd ON cd.artist_id = a.id
    INNER JOIN cast_documentary_role cdr ON cdr.cast_documentary_id = cd.id
    WHERE cd.documentary_id = d.id AND cdr.role_id = 3
  ) Directores
FROM documentary d
);
```

Resultado:

TIPO	TITULO	LANZAMIENTO	TEMPORADAS	GENEROS	DIRECTORES
Documental	13th	1960	4	Aventura, Ciencia, Drama, Romance	Robert De Niro, Scarlett Johansson
Documental	A Spacetime Odyssey	1994	3	Acci n, Ciencia, Drama, Naturaleza	Tom Hanks
Documental	Amy	1962	1	Biograf a, Ciencia ficci n, Comedia, Crimen	Meryl Streep
Documental	Blackfish	1979	2	Aventura, Ciencia, Naturaleza, Terror	Julia Roberts
Documental	Blue Planet II:	1985	2	Acci n, Ciencia, Crimen, Drama	Cate Blanchett, Denzel Washington
Documental	Citizenfour	1974	4	Acci n, Historia, Romance, Terror	Pen lope Cruz, Robert De Niro, Sandra Bullock
Documental	Cosmos	1985	3	Acci n, Ciencia, Crimen, Drama	Tom Hanks
Documental	Exit Through the Gift Shop	1970	4	Aventura, Historia, Romance, Terror	Julia Roberts
Documental	Free Solo	1964	4	Acci n, Biograf a, Romance, Terror	Robert De Niro
Documental	Grizzly Man	1969	1	Biograf a, Comedia, Crimen, Drama	Julia Roberts
Documental	Hoop Dreams	1992	2	Aventura, Ciencia, Drama, Naturaleza	Tom Hanks
Documental	Icarus	1967	4	Aventura, Ciencia, Romance, Terror	Robert De Niro
Documental	Jiro Dreams of Sushi	1973	1	Ciencia ficci n, Comedia, Historia, Naturaleza	Anne Hathaway, Tom Hanks
Documental	Man on Wire	1992	3	Aventura, Crimen, Historia, Terror	Denzel Washington
Documental	March of the Penguins	1974	2	Acci n, Drama, Historia, Naturaleza	Robert De Niro
Documental	O.J.	1985	4	Biograf a, Comedia, Naturaleza, Terror	Samuel L. Jackson, Tom Hanks
Documental	Planet Earth	1992	1	Acci n, Biograf a, Crimen, Terror	Denzel Washington
Documental	Planet Earth II:	1964	2	Comedia, Historia, Romance, Terror	Julia Roberts
Documental	RBG	1961	4	Ciencia, Comedia, Romance, Terror	Christian Bale, Hugh Jackman, Tom Hanks
Documental	Searching for Sugar Man	1993	3	Biograf a, Comedia, Drama, Naturaleza	Robert De Niro
Documental	Senna	1971	1	Comedia, Drama, Historia, Naturaleza	Julia Roberts
Documental	Supersize Me	1982	2	Acci n, Biograf a, Naturaleza, Terror	Julia Roberts, Russell Crowe
Documental	The Act of Killing	1991	3	Acci n, Biograf a, Ciencia ficci n, Crimen	Denzel Washington
Documental	The Architecture of Happiness:	1993	3	Biograf a, Comedia, Drama, Naturaleza	Denzel Washington
Documental	The Cove	1990	3	Ciencia ficci n, Comedia, Historia, Naturaleza	Meryl Streep
Documental	The Fog of War	1995	2	Aventura, Ciencia ficci n, Historia, Romance	Denzel Washington
Documental	The Phenomenon	1974	3	Acci n, Ciencia, Ciencia ficci n, Crimen	Julia Roberts
Documental	Tiny House Nation	1978	3	Aventura, Biograf a, Drama, Romance	Denzel Washington
Documental	UFO	1960	2	Comedia, Drama, Historia, Romance	Denzel Washington
Documental	Voyager in Space	1993	3	Biograf a, Comedia, Romance, Terror	Mark Wahlberg, Meryl Streep
Serie	Arrow	1967	4	Comedia, Drama, Historia, Naturaleza	Robert De Niro
Serie	Black Mirror	1968	1	Ciencia ficci n, Comedia, Crimen, Historia	Tom Hanks
Serie	Breaking Bad	1985	2	Acci n, Ciencia, Ciencia ficci n, Crimen	Julia Roberts
Serie	CSI: Las Vegas	1990	1	Acci n, Ciencia ficci n, Crimen, Historia	Charlize Theron, Julia Roberts
Serie	CSI: Miami	1973	5	Aventura, Biograf a, Drama, Naturaleza	Robert De Niro
Serie	Chernobyl	1965	9	Biograf a, Ciencia ficci n, Comedia, Naturaleza	Robert De Niro
Serie	Fear the Walking Dead	2015	9	Acci n, Ciencia, Drama, Naturaleza	Denzel Washington

TIPO	TITULO	LANZAMIENTO	TEMPORADAS	GENEROS	DIRECTORES
Serie	Friends	1987	5	Comedia, Historia, Naturaleza, Terror	Julia Roberts
Serie	Game of Thrones	1986	2	Acci n, Ciencia, Ciencia ficci n, Naturaleza	Meryl Streep
Serie	Greys Anatomy	1995	8	Biograf a, Comedia, Naturaleza, Terror	George Clooney, Tom Hanks
Serie	Hawkeye	1967	5	Acci n, Crimen, Historia, Terror	Meryl Streep, Russell Crowe
Serie	How I Met Your Mother	1989	9	Acci n, Biograf a, Naturaleza, Terror	Meryl Streep
Serie	Juego de Tronos	1967	7	Ciencia, Ciencia ficci n, Comedia, Crimen	Julia Roberts
Serie	Law and Order	1980	1	Ciencia ficci n, Comedia, Historia, Naturaleza	Meryl Streep
Serie	Law and Order: Special Victims Unit	1997	5	Aventura, Biograf a, Ciencia ficci n, Naturaleza	Meryl Streep
Serie	Legends of Tomorrow	1974	6	Aventura, Ciencia, Ciencia ficci n, Crimen	Denzel Washington
Serie	Loki	1993	8	Aventura, Biograf a, Crimen, Terror	Al Pacino, Denzel Washington
Serie	Lost	1966	7	Biograf a, Comedia, Naturaleza, Terror	Denzel Washington
Serie	Mindhunter	1967	2	Aventura, Drama, Historia, Naturaleza	Christian Bale, Meryl Streep
Serie	Money Heist	1969	6	Biograf a, Comedia, Naturaleza, Terror	Cate Blanchett, Julia Roberts
Serie	Narcos	1968	1	Ciencia, Ciencia ficci n, Comedia, Crimen	Meryl Streep
Serie	Peaky Blinders	1993	9	Biograf a, Comedia, Drama, Naturaleza	Robert De Niro
Serie	Star Trek Deep Space Nine	1962	6	Comedia, Crimen, Historia, Terror	Meryl Streep
Serie	Star Trek The Next Generation	1966	4	Aventura, Ciencia, Drama, Romance	Denzel Washington
Serie	Star Trek The Original Series	1974	5	Biograf a, Comedia, Naturaleza, Terror	Meryl Streep
Serie	Stranger Things	1977	8	Acci n, Biograf a, Ciencia ficci n, Naturaleza	Robert De Niro
Serie	The Big Bang Theory	1995	9	Ciencia, Ciencia ficci n, Comedia, Crimen	Tom Hanks
Serie	The Crown	1982	9	Comedia, Drama, Historia, Naturaleza	Denzel Washington
Serie	The Flash	1968	4	Acci n, Ciencia, Drama, Romance	Al Pacino, Robert De Niro
Serie	The Good Place	1975	9	Aventura, Ciencia, Drama, Naturaleza	Denzel Curry, Meryl Streep
Serie	The Mandalorian	1968	4	Biograf a, Comedia, Drama, Romance	Julia Roberts
Serie	The Office	1979	1	Biograf a, Comedia, Crimen, Terror	Denzel Washington
Serie	The Simpsons	1967	8	Comedia, Crimen, Historia, Terror	Denzel Washington
Serie	The Sopranos	1976	3	Comedia, Drama, Historia, Naturaleza	Robert De Niro
Serie	The Walking Dead	2011	4	Acci n, Ciencia ficci n, Historia, Romance	Tom Hanks, Viola Davis
Serie	The Witcher	1992	7	Aventura, Biograf a, Romance, Terror	Julia Roberts
Serie	True Detective	1976	7	Acci n, Biograf a, Ciencia ficci n, Crimen	Meryl Streep
Serie	Vikings	1963	3	Aventura, Biograf a, Crimen, Terror	Robert De Niro
Serie	WandaVision	1989	10	Acci n, Crimen, Historia, Terror	Meryl Streep
Serie	Westworld	1965	7	Biograf a, Comedia, Crimen, Drama	Julia Roberts, Kate Winslet

70 rows selected.

Reporte #3

```
SELECT c.name Nombre, c.last_name Apellidos, COUNT(DISTINCT rd.id) Documentales, COUNT(DISTINCT rm.id) Peliculas,
COUNT(DISTINCT rs.id) Series
FROM client c
INNER JOIN reproduction_documentary rd ON rd.client_id = c.id
INNER JOIN reproduction_movie rm ON rm.client_id = c.id
INNER JOIN reproduction_serie rs ON rs.client_id = c.id
GROUP BY c.name, c.last_name;
```

Resultado:

NOMBRE	APELLIDOS	DOCUMENTALES	PELICULAS	SERIES
Maxi	Nerea Salas Morante	1	3	1
Reyes	Matas Morales	1	1	2
Vilma	Galindo Riba	1	2	2
Abilio	Nadal Contreras	3	2	3
Sandra	Plana Salazar	1	1	2
Gerardo	Salas Valenzuela	1	3	3
Haroldo	Grande Ballesteros	4	3	1
Javiera	Bermudez	1	1	1
José	Martíja Oller Carrera	2	1	1
Modesto	Botella Campo	4	1	1
Adelaida	Borrás Rosado	3	3	2
Jesús	Leal Jaume	1	3	2
Jesús	Castells Flor	2	1	1
Maricela	Abril Millán Molins	1	1	5
Olegario	Prieto-Quevedo	2	1	2
Francisca	Esther Solís Guzman	3	2	1
Fátima	de Company	2	1	2
Magdalena	Bermúdez Prat	1	2	4
Walter	Abella	1	1	1
Jeremías	Pérez-Vilalta	1	2	3
Visitación	Malena Cuervo Bravo	2	1	1

21 rows selected.

Reporte #4

```
WITH movie_genres_cte AS (  
    SELECT mg.movie_id, LISTAGG(g.name, ', ') WITHIN GROUP (ORDER BY g.name) AS generos  
    FROM movie_genre mg  
    INNER JOIN genre g ON g.id = mg.genre_id  
    GROUP BY mg.movie_id  
)  
SELECT  
    m.title AS Titulo,  
    EXTRACT(YEAR FROM m.year) AS Lanzamiento,  
    mgc.generos AS Generos,  
    COUNT(DISTINCT rm.id) AS Reproducciones  
FROM movie m  
INNER JOIN movie_language ml ON ml.movie_id = m.id  
INNER JOIN reproduction_movie rm ON rm.movie_language_id = ml.id  
INNER JOIN client c ON c.id = rm.client_id  
LEFT JOIN movie_genres_cte mgc ON mgc.movie_id = m.id  
GROUP BY m.title, mgc.generos, EXTRACT(YEAR FROM m.year);
```

Resultado:

TITULO	LANZAMIENTO	GENEROS	REPRODUCCIONES
En llamas	1997	Comedia, Crimen, Drama, Historia	2
El gran Lebowski	1963	Ciencia, Ciencia ficción, Comedia, Crimen	1
Star Wars: Episodio IV	1978	Aventura, Drama, Historia, Romance	1
Avengers: Endgame	1985	Comedia, Crimen, Historia, Terror	2
La lista de Schindler	1990	Ciencia, Comedia, Crimen, Drama	2
Iron Man	1996	Biografía, Ciencia ficción, Comedia, Crimen	5
Titanic	1982	Aventura, Ciencia, Crimen, Drama	3
The Lost World: Jurassic Park	1969	Acción, Ciencia, Crimen, Drama	2
El Señor de los Anillos: El retorno del rey	1962	Ciencia, Ciencia ficción, Comedia, Naturaleza	2
Star Wars: Episodio I	1997	Comedia, Drama, Historia, Romance	2
Ciudadano Kane	1984	Ciencia ficción, Comedia, Historia, Naturaleza	4
Fast and Furious 6	1967	Ciencia, Comedia, Romance, Terror	3
Avatar	1976	Aventura, Biografía, Romance, Terror	1
El caballero oscuro	1982	Aventura, Biografía, Romance, Terror	1
Los juegos del hambre	1997	Biografía, Comedia, Drama, Naturaleza	5
The Fast and the Furious	1976	Acción, Biografía, Ciencia ficción, Romance	2
Thunderball	1971	Comedia, Drama, Historia, Romance	2
La Címbra Secreta	1986	Aventura, Ciencia ficción, Historia, Romance	1
Dr. No	1969	Aventura, Ciencia, Crimen, Drama	5
Star Wars: Episodio VI	1975	Aventura, Ciencia ficción, Crimen, Historia	1
Sinsajo - Parte 1	1977	Aventura, Biografía, Romance, Terror	3
Avengers: Infinity War	1995	Acción, Ciencia, Drama, Romance	1
El padrino	1982	Ciencia, Comedia, Crimen, Terror	1
El Señor de los Anillos: Las dos torres	1970	Comedia, Crimen, Drama, Historia	3
Goldfinger	1988	Acción, Biografía, Naturaleza, Terror	5
Casablanca	1964	Ciencia, Comedia, Crimen, Drama	3
La vida es bella	1975	Aventura, Ciencia, Crimen, Terror	4
Pulp Fiction	1967	Aventura, Ciencia, Ciencia ficción, Romance	2
Harry Potter	1989	Biografía, Comedia, Crimen, Terror	1
Indiana Jones: En busca del arca perdida	1976	Comedia, Drama, Historia, Naturaleza	3
Jurassic Park	1979	Acción, Ciencia, Ciencia ficción, Romance	2
La forma del agua	1982	Comedia, Historia, Romance, Terror	1
El Señor de los Anillos: La Comunidad del Anillo	1989	Acción, Ciencia, Naturaleza, Terror	2
El Prisionero de Azkaban	1963	Aventura, Biografía, Crimen, Drama	1
El laberinto del fauno	1970	Biografía, Comedia, Crimen, Terror	1

35 rows selected.

Reporte #5

```
SELECT s.title Titulo, EXTRACT(YEAR FROM s.begin_date) Lanzamiento, s.seasons Temporadas, COUNT(DISTINCT rs.id)
Reproducciones
FROM serie s
INNER JOIN serie_language sl ON sl.serie_id = s.id
INNER JOIN reproduction_serie rs ON rs.serie_language_id = sl.id
INNER JOIN client c ON c.id = rs.client_id
GROUP BY s.title, s.seasons, s.begin_date
ORDER BY Lanzamiento, Titulo;
```

Resultado:

TITULO	LANZAMIENTO	TEMPORADAS	REPRODUCCIONES
Vikings	1963	3	2
Chernobyl	1965	9	1
Westworld	1965	7	1
Star Trek The Next Generation	1966	4	4
Arrow	1967	4	2
Hawkeye	1967	5	2
Juego de Tronos	1967	7	4
The Simpsons	1967	8	1
Black Mirror	1968	1	4
Narcos	1968	1	4
The Flash	1968	4	1
The Mandalorian	1968	4	1
Money Heist	1969	6	2
Legends of Tomorrow	1974	6	2
Star Trek The Original Series	1974	5	1
True Detective	1976	7	1
Stranger Things	1977	8	2
The Office	1979	1	4
Law and Order	1980	1	5
The Crown	1982	9	4
How I Met Your Mother	1989	9	4
WandaVision	1989	10	2
CSI: Las Vegas	1990	1	2
Loki	1993	8	3
Peaky Blinders	1993	9	1
Greys Anatomy	1995	8	4
Law and Order: Special Victims Unit	1997	5	1
The Walking Dead	2011	4	2
Fear the Walking Dead	2015	9	3

29 rows selected.

Reporte #6

```
SELECT d.title Titulo, EXTRACT(YEAR FROM d.begin_date) Lanzamiento, d.seasons Temporadas, COUNT(DISTINCT rd.id)
Reproducciones
FROM documentary d
INNER JOIN documentary_language dl ON dl.documentary_id = d.id
INNER JOIN reproduction_documentary rd ON rd.documentary_language_id = dl.id
INNER JOIN client c ON c.id = rd.client_id
GROUP BY d.title, d.seasons, d.begin_date
ORDER BY Lanzamiento, Titulo;
```

Resultado:

TITULO	LANZAMIENTO	TEMPORADAS	REPRODUCCIONES
13th	1960	4	1
UFO	1960	2	1
RBG	1961	4	1
Amy	1962	1	2
Free Solo	1964	4	1
Planet Earth II:	1964	2	1
Icarus	1967	4	2
Senna	1971	1	2
Jiro Dreams of Sushi	1973	1	1
Citizenfour	1974	4	2
March of the Penguins	1974	2	4
Tiny House Nation	1978	3	4
Blackfish	1979	2	3
Blue Planet II:	1985	2	3
Cosmos	1985	3	3
O.J.	1985	4	2
The Cove	1990	3	5
The Act of Killing	1991	3	3
Hoop Dreams	1992	2	1
Planet Earth	1992	1	2
Searching for Sugar Man	1993	3	1
Voyager in Space	1993	3	3
A Spacetime Odyssey	1994	3	2

23 rows selected.

Reporte #7

```
SELECT * FROM (
  SELECT 'Película' Tipo, m.title Titulo, EXTRACT(YEAR FROM m.year) Lazamiento, m.length Duracion, COUNT(1) Descargas,
  MAX(dm.begin_date) "ULT. DESC."
  FROM download_movie dm
  INNER JOIN movie_language ml ON ml.id = dm.movie_language_id
  INNER JOIN movie m ON m.id = ml.movie_id
  GROUP BY m.title, m.year, m.length
  UNION
  SELECT 'Serie' Tipo, s.title Titulo, EXTRACT(YEAR FROM s.begin_date) Lazamiento, s.length Duracion, COUNT(1)
  Descargas, MAX(ds.begin_date) "ULT. DESC."
  FROM download_serie ds
  INNER JOIN serie_language sl ON sl.id = ds.serie_language_id
  INNER JOIN serie s ON s.id = sl.serie_id
  GROUP BY s.title, s.begin_date, s.length
  UNION
  SELECT 'Documental' Tipo, d.title Titulo, EXTRACT(YEAR FROM d.begin_date) Lazamiento, d.length Duracion, COUNT(1)
  Descargas, MAX(dd.begin_date) "ULT. DESC."
  FROM download_documentary dd
  INNER JOIN documentary_language dl ON dl.id = dd.documentary_language_id
  INNER JOIN documentary d ON d.id = dl.documentary_id
  GROUP BY d.title, d.begin_date, d.length
)
ORDER BY Descargas DESC;
```

Resultado:

TIPO	TITULO	LAZAMIENTO	DURACION	DESCARGAS	ULT. DESC
Pelicula	Harry Potter	1989	122	3	22-OCT-21
Pelicula	Titanic	1982	142	3	10-JAN-23
Pelicula	Avengers: Endgame	1985	183	3	19-NOV-23
Pelicula	Sinsajo - Parte 1	1977	175	2	17-AUG-23
Pelicula	El Señor de los Anillos: El retorno del rey	1962	137	2	04-FEB-23
Pelicula	La vida es bella	1975	179	2	26-OCT-22
Pelicula	Fast Five	1964	182	2	09-AUG-21
Serie	Friends	1987	375	2	01-APR-22
Pelicula	Dr. No	1969	188	2	11-JUN-22
Serie	CSI: Las Vegas	1990	450	2	23-MAY-22
Pelicula	Jurassic Park	1979	190	2	26-JUN-23
Serie	Money Heist	1969	464	2	06-JUN-22
Pelicula	Thunderball	1971	158	2	05-APR-22
Pelicula	Iron Man	1996	141	2	04-NOV-23
Serie	The Walking Dead	2011	476	2	10-SEP-23
Pelicula	El gran Lebowski	1963	171	1	10-NOV-23
Pelicula	El laberinto del fauno	1970	160	1	23-DEC-23
Pelicula	El padrino	1982	191	1	07-AUG-21
Pelicula	Fast and Furious 6	1967	166	1	13-APR-23
Pelicula	Forrest Gump	1997	173	1	15-FEB-23
Pelicula	La Cíimara Secreta	1986	163	1	14-MAR-23
Pelicula	La forma del agua	1982	160	1	14-FEB-22
Pelicula	La lista de Schindler	1990	198	1	02-MAR-22
Pelicula	Los juegos del hambre	1997	151	1	01-MAR-22
Pelicula	Star Wars: Episodio VI	1975	185	1	17-NOV-23
Serie	Arrow	1967	247	1	12-MAR-21
Serie	Breaking Bad	1985	229	1	06-SEP-22
Serie	CSI: Miami	1973	340	1	04-MAR-22
Serie	Greys Anatomy	1995	446	1	24-JAN-23
Serie	How I Met Your Mother	1989	595	1	03-APR-22
Serie	Juego de Tronos	1967	214	1	05-SEP-23
Serie	Loki	1993	424	1	08-SEP-23
Serie	Lost	1966	151	1	02-NOV-22
Serie	Stranger Things	1977	225	1	18-JUL-21
Serie	The Office	1979	526	1	22-APR-22
Serie	WandaVision	1989	193	1	14-JUN-21
Pelicula	El caballero oscuro	1982	191	1	24-JUN-23
TIPO	TITULO	LAZAMIENTO	DURACION	DESCARGAS	ULT. DESC
Pelicula	El Padrino II	1987	195	1	14-AUG-22
Pelicula	Ciudadano Kane	1984	167	1	19-SEP-23
Pelicula	Casablanca	1964	174	1	06-MAR-23
Pelicula	Avatar	1976	161	1	16-FEB-22
Documental	Voyager in Space	1993	164	1	04-JUL-21
Documental	Tiny House Nation	1978	584	1	06-SEP-21
Documental	The Phenomenon	1974	344	1	15-MAY-22
Documental	The Cove	1990	552	1	17-JUL-21
Documental	Senna	1971	424	1	16-OCT-23
Documental	Searching for Sugar Man	1993	401	1	22-MAR-23
Documental	Icarus	1967	334	1	25-NOV-22
Documental	Blue Planet II:	1985	110	1	02-OCT-22
Serie	Westworld	1965	402	1	20-SEP-23
Documental	Amy	1962	373	1	14-JAN-21
Documental	Blackfish	1979	457	1	21-MAY-21

52 rows selected.

Reporte #8

```
SELECT name || ' ' || last_name "NOMBRE COMPLETO",
EXTRACT(YEAR FROM inclusion) Suscripcion,
SUM(repro) "PELICULAS REPRODUCIDAS",
SUM(downloads) "TOTAL DESC.",
last_movie_title "TITULO ULT. PELICULA.",
MAX(last_reproduction) "ULT. REPR."
FROM (
  SELECT c.id, c.name, c.last_name, c.inclusion,
  COUNT(DISTINCT CASE WHEN dm.client_id = c.id THEN dm.id END) downloads,
  COUNT(DISTINCT CASE WHEN rm.client_id = c.id THEN rm.id END) repro,
  MAX(rm.begin_date) last_reproduction
  FROM client c
  LEFT JOIN download_movie dm ON dm.client_id = c.id
  LEFT JOIN reproduction_movie rm ON rm.client_id = c.id
  GROUP BY c.id, c.name, c.last_name, c.inclusion
  UNION
  SELECT c.id, c.name, c.last_name, c.inclusion,
  COUNT(DISTINCT CASE WHEN ds.client_id = c.id THEN ds.id END) downloads, 0,
  MAX(rs.begin_date) last_reproduction
  FROM client c
  LEFT JOIN download_serie ds ON ds.client_id = c.id
  LEFT JOIN reproduction_serie rs ON rs.client_id = c.id
  GROUP BY c.id, c.name, c.last_name, c.inclusion
  UNION
  SELECT c.id, c.name, c.last_name, c.inclusion,
  COUNT(DISTINCT CASE WHEN dd.client_id = c.id THEN dd.id END) downloads, 0,
  MAX(rd.begin_date) last_reproduction
  FROM client c
  LEFT JOIN download_documentary dd ON dd.client_id = c.id
  LEFT JOIN reproduction_documentary rd ON rd.client_id = c.id
  GROUP BY c.id, c.name, c.last_name, c.inclusion
) t
LEFT JOIN (
  SELECT rm.client_id, m.title AS last_movie_title
  FROM reproduction_movie rm
```



```
INNER JOIN movie_language ml ON ml.id = rm.movie_language_id
INNER JOIN movie m ON m.id = ml.movie_id
WHERE rm.begin_date = (
    SELECT MAX(rm_inner.begin_date)
    FROM reproduction_movie rm_inner
    WHERE rm_inner.client_id = rm.client_id
)
) r ON r.client_id = t.id
GROUP BY name, last_name, EXTRACT(YEAR FROM inclusion), last_movie_title
ORDER BY last_name;
```

Resultado:

NOMBRE COMPLETO	SUSCRIPCION	PELICULAS REPRODUCIDAS	TOTAL DESC.	TITULO ULT. PELICULA.	ULT. REPR
Walter Abella	2013	1	1	Dr. No	12-NOV-23
Maricela Abril Millán Molins	2009	1	2	Indiana Jones: En busca del arca perdida	03-NOV-22
Nando Amo Pol	2014	1	2	La vida es bella	18-OCT-23
Teodosio Américo Trillo Neira	2012	1	2	El padrino	15-OCT-23
Dosir Antonio Carbajal Sierra	2014	2	3	Sinsajo - Parte 1	12-FEB-23
Plácido Asensio Arteaga	2011	0	2		10-APR-22
Alejandra Barrera Neira	2009	2	1	The Fast and the Furious	11-OCT-23
Paola Bartolomé Ferrer	2021	1	1	La vida es bella	16-DEC-22
Daviera Bermudez	2018	1	1	Titanic	01-MAR-23
Magdalena Bermúdez Prat	2016	2	3	Los juegos del hambre	18-JAN-23
Anna Bernal Jover	2017	2	1	Avengers: Endgame	25-JUL-23
Adelaida Borrás Rosado	2014	3	3	Jurassic Park	20-AUG-23
Modesto Botella Campo	2009	1	5	Avengers: Endgame	12-OCT-23
Miriam Briones Calvet	2011	1	1	Los juegos del hambre	17-NOV-23
Fabiola Bustamante Valbuena	2011	1	1	Goldfinger	12-DEC-21
Vidal Carbonell Almansa	2009	5	0	Goldfinger	21-DEC-23
Hügel Castellanos Heras	2010	0	3		21-NOV-23
Desfilis Castells Flor	2021	1	3	Goldfinger	19-NOV-23
Dulcín Cervantes	2019	0	2		08-MAR-23
Caridad Clemente Lara	2022	1	1	Avengers: Infinity War	07-NOV-23
Flavia Domínguez Martínez	2017	1	1	Goldfinger	22-SEP-23
Maricela Duque Pomares	2016	2	0	El Señor de los Anillos: Las dos torres	16-MAR-23
Celso España Somoza	2020	1	1	The Lost World: Jurassic Park	03-JUN-21
Francisca Esther Solís Guzman	2015	2	0	Star Wars: Episodio IV	20-AUG-23
Armida Galiano Vázquez	2012	5	0	Thunderball	08-MAY-23
Vilma Galindo Riba	2019	2	1	Iron Man	04-SEP-22
Chus Gomez Martínez	2018	0	1		17-JUL-21
Haroldo Grande Ballesteros	2016	3	1	El Señor de los Anillos: La Comunidad del Anillo	20-AUG-23
Desfilis Leal Jaume	2015	3	2	La lista de Schindler	13-APR-23
Visitación Malena Cuervo Bravo	2022	1	0	El Señor de los Anillos: Las dos torres	13-SEP-23
Victor Manuel Urrutia-Baquero	2014	0	1		26-NOV-23
Haydée Martín Pou	2013	2	1	Iron Man	08-AUG-22
Dosir María Oller Carrera	2012	1	2	La Cámara Secreta	13-OCT-23
Reyes Matas Morales	2020	1	2	El Señor de los Anillos: El retorno del rey	08-MAR-23
Natalia Moles Pavón	2018	2	2	El Prisionero de Azkaban	13-MAR-23
Francisco Moreno Acedo	2012	2	1	Harry Potter	12-MAR-23
Abilio Nadal Contreras	2014	2	2	Dr. No	15-SEP-23
NOMBRE COMPLETO	SUSCRIPCION	PELICULAS REPRODUCIDAS	TOTAL DESC.	TITULO ULT. PELICULA.	ULT. REPR
Maxi Nerea Salas Morante	2011	3	0	La vida es bella	26-JUN-23
Sandra Plana Salazar	2019	1	3	Ciudadano Kane	12-OCT-23
Olegario Prieto-Quevedo	2019	1	3	La forma del agua	19-JUL-23
Deremías Pérez-Vilalta	2020	2	0	Sinsajo - Parte 1	03-APR-23
Carlos Rey Martínez	2017	3	2	Fast and Furious 6	17-DEC-23
Pelayo Rovira Baeza	2018	1	1	The Lost World: Jurassic Park	09-AUG-23
Gerardo Salas Valenzuela	2016	3	0	Los juegos del hambre	07-DEC-23
Fulgencio Sebastián Santiago	2009	2	0	Titanic	25-DEC-23
Alejandra Susanita Franch Casal	2010	1	0	Casablanca	23-DEC-21
Candelaria Tamarit	2015	0	2		09-AUG-23
Porfirio de Calatayud	2013	3	2	Los juegos del hambre	10-SEP-23
Fátima de Company	2019	1	1	Ciudadano Kane	20-APR-23
María Ángeles Bonilla-Rijo	2017	2	0	Pulp Fiction	02-SEP-23

50 rows selected.

Reporte #9

```
SELECT ROWNUM Top, r.* FROM (
  SELECT Titulo, Tipo, Reproducciones, Descargas, last_reproduction "ULT. REPR.", last_download "ULT. DESC." FROM (
    SELECT 'Película' Tipo, m.title Titulo,
      COUNT(DISTINCT dm.id) Descargas,
      COUNT(DISTINCT rm.id) Reproducciones,
      MAX(rm.begin_date) last_reproduction,
      MAX(dm.begin_date) last_download,
      COUNT(DISTINCT dm.id) + COUNT(DISTINCT rm.id) Total
    FROM movie m
    LEFT JOIN movie_language ml ON ml.movie_id = m.id
    LEFT JOIN download_movie dm ON dm.movie_language_id = ml.id
    LEFT JOIN reproduction_movie rm ON rm.movie_language_id = ml.id
    HAVING COUNT(DISTINCT dm.id) > 0 OR COUNT(DISTINCT rm.id) > 0
    GROUP BY m.title
  )
  UNION
  SELECT 'Serie' Tipo, s.title Titulo,
    COUNT(DISTINCT ds.id) Descargas,
    COUNT(DISTINCT rs.id) Reproducciones,
    MAX(rs.begin_date) last_reproduction,
    MAX(ds.begin_date) last_download,
    COUNT(DISTINCT ds.id) + COUNT(DISTINCT rs.id) Total
  FROM serie s
  LEFT JOIN serie_language sl ON sl.serie_id = s.id
  LEFT JOIN download_serie ds ON ds.serie_language_id = sl.id
  LEFT JOIN reproduction_serie rs ON rs.serie_language_id = sl.id
  HAVING COUNT(DISTINCT ds.id) > 0 OR COUNT(DISTINCT rs.id) > 0
  GROUP BY s.title
  UNION
  SELECT 'Documental' Tipo, d.title Titulo,
    COUNT(DISTINCT dd.id) Descargas,
    COUNT(DISTINCT rd.id) Reproducciones,
    MAX(rd.begin_date) last_reproduction,
    MAX(dd.begin_date) last_download,
    COUNT(DISTINCT dd.id) + COUNT(DISTINCT rd.id) Total
  FROM documentary d
```

```

LEFT JOIN documentary_language dl ON dl.documentary_id = d.id
LEFT JOIN download_documentary dd ON dd.documentary_language_id = dl.id
LEFT JOIN reproduction_documentary rd ON rd.documentary_language_id = dl.id
GROUP BY d.title
)
ORDER BY Total DESC
) r
WHERE ROWNUM <= 10;

```

Resultado:

TOP	TITULO	TIPO	REPRODUCCIONES	DESCARGAS	ULT. REPR	ULT. DESC
1	Dr. No	Pelicula	5	2	15-OCT-23	11-JUN-22
2	Iron Man	Pelicula	5	2	19-JUN-23	04-NOV-23
3	The Cove	Documental	5	1	01-JUN-23	17-JUL-21
4	Titanic	Pelicula	3	3	25-DEC-23	10-JAN-23
5	Los juegos del hambre	Pelicula	5	1	21-JAN-23	01-MAR-22
6	La vida es bella	Pelicula	4	2	26-JUN-23	26-OCT-22
7	Tiny House Nation	Documental	4	1	10-AUG-23	06-SEP-21
8	Goldfinger	Pelicula	5	0	21-DEC-23	
9	Ciudadano Kane	Pelicula	4	1	12-OCT-23	19-SEP-23
10	Avengers: Endgame	Pelicula	2	3	25-JUL-23	19-NOV-23

10 rows selected.

Reporte #10

```
SELECT g.name Genero,
COUNT(DISTINCT m.id) Peliculas,
COUNT(DISTINCT s.id) Series,
EXTRACT(YEAR FROM MIN(m.year)) "PRIMER PELICULA",
EXTRACT(YEAR FROM MIN(s.begin_date)) "PRIMER SERIE"
FROM genre g
LEFT JOIN movie_genre mg ON mg.genre_id = g.id
LEFT JOIN movie m ON m.id = mg.movie_id
LEFT JOIN serie_genre sg ON sg.genre_id = g.id
LEFT JOIN serie s ON s.id = sg.serie_id
GROUP BY g.name
ORDER BY MIN(m.year) ASC;
```

Resultado:

GENERO	PELICULAS	SERIES	PRIMER PELICULA	PRIMER SERIE
Comedia	21	20	1962	1962
Naturaleza	7	19	1962	1965
Ciencia ficci n	11	14	1962	1965
Ciencia	16	10	1962	1966
Crimen	17	16	1963	1962
Drama	16	12	1963	1965
Biograf ia	10	17	1963	1963
Aventura	12	9	1963	1963
Romance	16	5	1964	1966
Terror	13	14	1967	1962
Acci n	7	11	1969	1967
Historia	14	13	1970	1962

12 rows selected.

Programas.

Types

```
CREATE OR REPLACE TYPE number_list AS TABLE OF NUMBER;
/

CREATE OR REPLACE TYPE language_data AS OBJECT (
    audio_id NUMBER,
    subtitles_id NUMBER
);
/

CREATE OR REPLACE TYPE language_list AS TABLE OF language_data;
/

CREATE OR REPLACE TYPE casting_data AS OBJECT (
    artist_id NUMBER,
    roles number_list
);
/

CREATE OR REPLACE TYPE casting_list AS TABLE OF casting_data;
/
```

Package specification

```
CREATE OR REPLACE PACKAGE transmideo IS
    FUNCTION Get_Client_Id_By_Name(client_name VARCHAR2) RETURN NUMBER;
    FUNCTION Get_Movie_Lng_By_Name(movie_name VARCHAR2) RETURN NUMBER;
    FUNCTION Get_Serie_Lng_By_Name(serie_name VARCHAR2) RETURN NUMBER;
    PROCEDURE Update_Client_Status(client_id NUMBER, client_status NUMBER);
    PROCEDURE Add_Documentary_To_Docuserie(docuserie_id NUMBER, documentary_id NUMBER);
    PROCEDURE Add_Movie_To_Saga(saga_id NUMBER, movie_id NUMBER);
    PROCEDURE Add_Serie_To_Macroserie(macroserie_id NUMBER, serie_id NUMBER);
    PROCEDURE Insert_Download_Doc(documentary_language_id NUMBER, client_id NUMBER);
    PROCEDURE Insert_Download_Movie(movie_language_id NUMBER, client_id NUMBER);
    PROCEDURE Insert_Download_Serie(serie_language_id NUMBER, client_id NUMBER);
    PROCEDURE Insert_Membership(price NUMBER, client_id NUMBER);
END;
```

```
PROCEDURE Insert_Reproduction_Doc(documentary_language_id NUMBER, client_id NUMBER);
PROCEDURE Insert_Reproduction_Movie(movie_language_id NUMBER, client_id NUMBER);
PROCEDURE Insert_Reproduction_Serie(serie_language_id NUMBER, client_id NUMBER);
PROCEDURE Insert_Client(
    name VARCHAR2,
    last_name VARCHAR2,
    direction VARCHAR2,
    phone VARCHAR2,
    birth Date,
    email VARCHAR2,
    country_id NUMBER,
    account_type_id NUMBER
);
PROCEDURE Insert_Documentary(
    title VARCHAR2,
    abstract VARCHAR2,
    begin_date Date,
    length NUMBER,
    seasons NUMBER,
    chapters NUMBER,
    rated_id NUMBER,
    genres number_list,
    formats number_list,
    languages language_list,
    castings casting_list,
    docuserie_id NUMBER DEFAULT NULL
);
PROCEDURE Insert_Movie(
    title VARCHAR2,
    year Date,
    length NUMBER,
    country_id NUMBER,
    studio_id NUMBER,
    rated_id NUMBER,
    genres number_list,
    formats number_list,
    languages language_list,
```

```

    castings casting_list,
    saga_id NUMBER DEFAULT NULL
);
PROCEDURE Insert_Serie(
    title VARCHAR2,
    abstract VARCHAR2,
    begin_date Date,
    length NUMBER,
    seasons NUMBER,
    chapters NUMBER,
    rated_id NUMBER,
    country_id NUMBER,
    genres number_list,
    formats number_list,
    languages language_list,
    castings casting_list,
    macroserie_id NUMBER DEFAULT NULL
);
END transideo;
/

```

Package body

```

CREATE OR REPLACE PACKAGE BODY transideo IS
    FOREIGN_VIOLATED EXCEPTION;
    PRAGMA EXCEPTION_INIT(FOREIGN_VIOLATED, -2291);
    INACTIVE_CLIENT EXCEPTION;
    PRAGMA EXCEPTION_INIT(INACTIVE_CLIENT, -20501);
    EXPIRED_MEMBERSHIP EXCEPTION;
    PRAGMA EXCEPTION_INIT(EXPIRED_MEMBERSHIP, -20502);
    NOT_EXPIRED_MEMBERSHIP EXCEPTION;
    PRAGMA EXCEPTION_INIT(NOT_EXPIRED_MEMBERSHIP, -20503);
    NOT_PAY_YET EXCEPTION;
    PRAGMA EXCEPTION_INIT(NOT_PAY_YET, -20504);
    CLIENT_NOT_FOUND EXCEPTION;
    PRAGMA EXCEPTION_INIT(CLIENT_NOT_FOUND, -20505);

```



```
MOVIE_NOT_FOUND EXCEPTION;
PRAGMA EXCEPTION_INIT(MOVIE_NOT_FOUND, -20506);
SERIE_NOT_FOUND EXCEPTION;
PRAGMA EXCEPTION_INIT(SERIE_NOT_FOUND, -20507);
DOCUMENTARY_NOT_FOUND EXCEPTION;
PRAGMA EXCEPTION_INIT(DOCUMENTARY_NOT_FOUND, -20508);
SAGA_NOT_FOUND EXCEPTION;
PRAGMA EXCEPTION_INIT(SAGA_NOT_FOUND, -20509);
DOCUSERIE_NOT_FOUND EXCEPTION;
PRAGMA EXCEPTION_INIT(DOCUSERIE_NOT_FOUND, -20510);
MACROSERIE_NOT_FOUND EXCEPTION;
PRAGMA EXCEPTION_INIT(MACROSERIE_NOT_FOUND, -20511);

FUNCTION Get_Client_Name_By_Id(client_id NUMBER) RETURN VARCHAR2 IS
    client_name client.name%TYPE := NULL;
BEGIN
    SELECT c.name into client_name
    FROM client c
    where c.id = client_id;
    RETURN client_name;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE CLIENT_NOT_FOUND;
END Get_Client_Name_By_Id;

FUNCTION Get_Movie_Title_By_Id(movie_id NUMBER) RETURN VARCHAR2 IS
    movie_title movie.title%TYPE := NULL;
BEGIN
    SELECT m.title into movie_title
    FROM movie m
    where m.id = movie_id;
    RETURN movie_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE MOVIE_NOT_FOUND;
```

```

END Get_Movie_Title_By_Id;

FUNCTION Get_Serie_Title_By_Id(serie_id NUMBER) RETURN VARCHAR2 IS
    serie_title serie.title%TYPE := NULL;
BEGIN
    SELECT s.title into serie_title
    FROM serie s
    where s.id = serie_id;
    RETURN serie_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE SERIE_NOT_FOUND;
END Get_Serie_Title_By_Id;

FUNCTION Get_Documentary_Title_By_Id(documentary_id NUMBER) RETURN VARCHAR2 IS
    documentary_title documentary.title%TYPE := NULL;
BEGIN
    SELECT d.title into documentary_title
    FROM documentary d
    where d.id = documentary_id;
    RETURN documentary_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE DOCUMENTARY_NOT_FOUND;
END Get_Documentary_Title_By_Id;

FUNCTION Get_Saga_Title_By_Id(saga_id NUMBER) RETURN VARCHAR2 IS
    saga_title saga.title%TYPE := NULL;
BEGIN
    SELECT s.title into saga_title
    FROM saga s
    where s.id = saga_id;
    RETURN saga_title;

    EXCEPTION

```

```

        WHEN NO_DATA_FOUND THEN
            RAISE SAGA_NOT_FOUND;
END Get_Saga_Title_By_Id;

FUNCTION Get_Macroserie_Title_By_Id(macroserie_id NUMBER) RETURN VARCHAR2 IS
    macroserie_title macroserie.title%TYPE := NULL;
BEGIN
    SELECT m.title into macroserie_title
    FROM macroserie m
    where m.id = macroserie_id;
    RETURN macroserie_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE MACROSERIE_NOT_FOUND;
END Get_Macroserie_Title_By_Id;

FUNCTION Get_Docuserie_Title_By_Id(docuserie_id NUMBER) RETURN VARCHAR2 IS
    docuserie_title docuserie.title%TYPE := NULL;
BEGIN
    SELECT d.title into docuserie_title
    FROM docuserie d
    where d.id = docuserie_id;
    RETURN docuserie_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE DOCUSERIE_NOT_FOUND;
END Get_Docuserie_Title_By_Id;

FUNCTION Get_Doc_Title_By_Language(documentary_language_id NUMBER) RETURN VARCHAR2 IS
    documentary_title documentary.title%TYPE := NULL;
BEGIN
    SELECT d.title into documentary_title
    FROM documentary d
    INNER JOIN documentary_language dl ON dl.documentary_id = d.id
    where dl.id = documentary_language_id;

```

```

RETURN documentary_title;

EXCEPTION
    WHEN NO_DATA_FOUND THEN
        RAISE DOCUMENTARY_NOT_FOUND;
END Get_Doc_Title_By_Language;

FUNCTION Get_Movie_Title_By_Language(movie_language_id NUMBER) RETURN VARCHAR2 IS
    movie_title movie.title%TYPE := NULL;
BEGIN
    SELECT m.title into movie_title
    FROM movie m
    INNER JOIN movie_language ml ON ml.movie_id = m.id
    where ml.id = movie_language_id;
    RETURN movie_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE MOVIE_NOT_FOUND;
END Get_Movie_Title_By_Language;

FUNCTION Get_Serie_Title_By_Language(serie_language_id NUMBER) RETURN VARCHAR2 IS
    serie_title serie.title%TYPE := NULL;
BEGIN
    SELECT s.title into serie_title
    FROM serie s
    INNER JOIN serie_language sl ON sl.serie_id = s.id
    where sl.id = serie_language_id;
    RETURN serie_title;

    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            RAISE SERIE_NOT_FOUND;
END Get_Serie_Title_By_Language;

FUNCTION Get_Last_Id(last_id NUMBER) RETURN NUMBER IS
BEGIN

```

```

    IF last_id IS NULL THEN
        RETURN 1;
    ELSE
        RETURN last_id + 1;
    END IF;
END Get_Last_Id;

PROCEDURE Update_Client_Status(
    client_id NUMBER,
    client_status NUMBER
) IS
    PRAGMA AUTONOMOUS_TRANSACTION;

    CURSOR status_cursor IS
        SELECT status
        FROM account_status
        where id = client_status;
        status_name account_status.status%TYPE := NULL;
        client_name client.name%TYPE := NULL;
BEGIN
    OPEN status_cursor;
    FETCH status_cursor INTO status_name;
    CLOSE status_cursor;

    client_name := Get_Client_Name_By_Id(client_id);

    UPDATE client
        SET account_status_id = client_status
        WHERE id = client_id;
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' ahora esta ' || status_name);

    EXCEPTION
        WHEN FOREIGN_VIOLATED THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Ocurrio un error el estado no existe, no se actualizo el estado del cliente ' ||
client_name);

```

```
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se realizo la transaccion.');
```

WHEN OTHERS THEN

```
    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error, no se actualizo el estado del cliente ' || client_name);
END Update_Client_Status;
```

```
PROCEDURE Insert_Documentary_Genres(documentary_id NUMBER, genres number_list) IS
BEGIN
    FOR i IN 1..genres.COUNT LOOP
        INSERT INTO documentary_genre VALUES (genres(i), documentary_id);
    END LOOP;
    COMMIT;
    EXCEPTION
        WHEN FOREIGN_VIOLATED THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Los generos no fueron relacionados con documental con exito.');
```

WHEN OTHERS THEN

```
    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de generos y documental.');
```

END Insert_Documentary_Genres;

```
PROCEDURE Insert_Documentary_Formats(documentary_id NUMBER, formats number_list) IS
BEGIN
    FOR i IN 1..formats.COUNT LOOP
        INSERT INTO documentary_format VALUES (formats(i), documentary_id);
    END LOOP;
    COMMIT;
    EXCEPTION
        WHEN FOREIGN_VIOLATED THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Los formatos no fueron relacionados con documental con exito.');
```

WHEN OTHERS THEN

```
    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de formatos y documental.');
```

END Insert_Documentary_Formats;

```

PROCEDURE Insert_Documentary_Languages(documentary_id NUMBER, languages language_list) IS
    CURSOR max_id_language_cursor IS
    SELECT MAX(id) FROM documentary_language;
    last_documentary_language_id documentary_language.id%TYPE := NULL;
    new_documentary_language_id documentary_language.id%TYPE := NULL;
BEGIN
    OPEN max_id_language_cursor;
    FETCH max_id_language_cursor INTO last_documentary_language_id;
    CLOSE max_id_language_cursor;

    new_documentary_language_id := Get_Last_Id(last_documentary_language_id);

    FOR i IN 1..languages.COUNT LOOP
        INSERT INTO documentary_language VALUES (new_documentary_language_id, languages(i).audio_id,
languages(i).subtitles_id, documentary_id);
        new_documentary_language_id := new_documentary_language_id + 1;
    END LOOP;
    COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Los lenguajes no fueron relacionados con documental con exito.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de lenguajes y documental.');
```

```

END Insert_Documentary_Languages;

PROCEDURE Insert_Documentary_Castings(documentary_id NUMBER, castings casting_list) IS
    CURSOR max_id_casting_cursor IS
    SELECT MAX(id) FROM cast_documentary;
    last_documentary_casting_id cast_documentary.id%TYPE := NULL;
    new_documentary_casting_id cast_documentary.id%TYPE := NULL;
BEGIN
    OPEN max_id_casting_cursor;
    FETCH max_id_casting_cursor INTO last_documentary_casting_id;
    CLOSE max_id_casting_cursor;

```

```

new_documentary_casting_id := Get_Last_Id(last_documentary_casting_id);

FOR i IN 1..castings.COUNT LOOP
    INSERT INTO cast_documentary VALUES (new_documentary_casting_id, castings(i).artist_id, documentary_id);
    FOR j in 1..castings(i).roles.COUNT LOOP
        INSERT INTO cast_documentary_role VALUES (new_documentary_casting_id, castings(i).roles(j));
    END LOOP;
    new_documentary_casting_id := new_documentary_casting_id + 1;
END LOOP;
COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El reparto no fueron relacionados con documental con exito.');
```

WHEN OTHERS THEN

```

        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de reparto y documental.');
```

END Insert_Documentary_Castings;


```

PROCEDURE Insert_Movie_Genres(movie_id NUMBER, genres number_list) IS
BEGIN
    FOR i IN 1..genres.COUNT LOOP
        INSERT INTO movie_genre VALUES (genres(i), movie_id);
    END LOOP;
    COMMIT;
    EXCEPTION
        WHEN FOREIGN_VIOLATED THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Los generos no fueron relacionados con pelicula con exito.');
```

WHEN OTHERS THEN

```

            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de generos y pelicula.');
```

END Insert_Movie_Genres;


```

PROCEDURE Insert_Movie_Formats(movie_id NUMBER, formats number_list) IS
BEGIN
```



```

FOR i IN 1..formats.COUNT LOOP
    INSERT INTO movie_format VALUES (formats(i), movie_id);
END LOOP;
COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Los formatos no fueron relacionados con pelicula con exito.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de formatos y pelicula.');
```

```

END Insert_Movie_Formats;

PROCEDURE Insert_Movie_Languages(movie_id NUMBER, languages language_list) IS
    CURSOR max_id_language_cursor IS
        SELECT MAX(id) FROM movie_language;
    last_movie_language_id movie_language.id%TYPE := NULL;
    new_movie_language_id movie_language.id%TYPE := NULL;
BEGIN
    OPEN max_id_language_cursor;
    FETCH max_id_language_cursor INTO last_movie_language_id;
    CLOSE max_id_language_cursor;

    new_movie_language_id := Get_Last_Id(last_movie_language_id);

    FOR i IN 1..languages.COUNT LOOP
        INSERT INTO movie_language VALUES (new_movie_language_id, languages(i).audio_id, languages(i).subtitles_id,
movie_id);
        new_movie_language_id := new_movie_language_id + 1;
    END LOOP;
    COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Los lenguajes no fueron relacionados con pelicula con exito.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;

```

```

        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de lenguajes y pelicula.');
```

END Insert_Movie_Languages;

```

PROCEDURE Insert_Movie_Castings(movie_id NUMBER, castings casting_list) IS
    CURSOR max_id_casting_cursor IS
    SELECT MAX(id) FROM cast_movie;
    last_movie_casting_id cast_movie.id%TYPE := NULL;
    new_movie_casting_id cast_movie.id%TYPE := NULL;
BEGIN
    OPEN max_id_casting_cursor;
    FETCH max_id_casting_cursor INTO last_movie_casting_id;
    CLOSE max_id_casting_cursor;

    new_movie_casting_id := Get_Last_Id(last_movie_casting_id);

    FOR i IN 1..castings.COUNT LOOP
        INSERT INTO cast_movie VALUES (new_movie_casting_id, castings(i).artist_id, movie_id);
        FOR j IN 1..castings(i).roles.COUNT LOOP
            INSERT INTO cast_movie_role VALUES (new_movie_casting_id, castings(i).roles(j));
        END LOOP;
        new_movie_casting_id := new_movie_casting_id + 1;
    END LOOP;
    COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El reparto no fueron relacionados con pelicula con exito.');
```

WHEN OTHERS THEN

```

        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de reparto y pelicula.');
```

END Insert_Movie_Castings;

```

PROCEDURE Insert_Serie_Genres(serie_id NUMBER, genres number_list) IS
BEGIN
    FOR i IN 1..genres.COUNT LOOP
        INSERT INTO serie_genre VALUES (genres(i), serie_id);
    END LOOP;

```

```

COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Los generos no fueron relacionados con serie con exito.');
```

WHEN OTHERS THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de generos y serie.');
```

END Insert_Serie_Genres;


```

PROCEDURE Insert_Serie_Formats(serie_id NUMBER, formats number_list) IS
BEGIN
    FOR i IN 1..formats.COUNT LOOP
        INSERT INTO serie_format VALUES (formats(i), serie_id);
    END LOOP;
    COMMIT;
    EXCEPTION
        WHEN FOREIGN_VIOLATED THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Los formatos no fueron relacionados con serie con exito.');
```

WHEN OTHERS THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de formatos y serie.');
```

END Insert_Serie_Formats;


```

PROCEDURE Insert_Serie_Language(serie_id NUMBER, languages language_list) IS
    CURSOR max_id_language_cursor IS
    SELECT MAX(id) FROM serie_language;
    last_serie_language_id serie_language.id%TYPE := NULL;
    new_serie_language_id serie_language.id%TYPE := NULL;
BEGIN
    OPEN max_id_language_cursor;
    FETCH max_id_language_cursor INTO last_serie_language_id;
    CLOSE max_id_language_cursor;

    new_serie_language_id := Get_Last_Id(last_serie_language_id);
```

```

FOR i IN 1..languages.COUNT LOOP
    INSERT INTO serie_language VALUES (new_serie_language_id, languages(i).audio_id, languages(i).subtitles_id,
serie_id);
    new_serie_language_id := new_serie_language_id + 1;
END LOOP;
COMMIT;
EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Los lenguajes no fueron relacionados con serie con exito.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de lenguajes y serie.');
```

```

END Insert_Serie_Language;
```

```

PROCEDURE Insert_Serie_Castings(serie_id NUMBER, castings casting_list) IS
    CURSOR max_id_casting_cursor IS
    SELECT MAX(id) FROM cast_serie;
    last_serie_casting_id cast_serie.id%TYPE := NULL;
    new_serie_casting_id cast_serie.id%TYPE := NULL;
BEGIN
    OPEN max_id_casting_cursor;
    FETCH max_id_casting_cursor INTO last_serie_casting_id;
    CLOSE max_id_casting_cursor;

    new_serie_casting_id := Get_Last_Id(last_serie_casting_id);

    FOR i IN 1..castings.COUNT LOOP
        INSERT INTO cast_serie VALUES (new_serie_casting_id, castings(i).artist_id, serie_id);
        FOR j in 1..castings(i).roles.COUNT LOOP
            INSERT INTO cast_serie_role VALUES (new_serie_casting_id, castings(i).roles(j));
        END LOOP;
        new_serie_casting_id := new_serie_casting_id + 1;
    END LOOP;
    COMMIT;
    EXCEPTION
        WHEN FOREIGN_VIOLATED THEN
```

```

        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El reparto no fueron relacionados con serie con exito.');
```

WHEN OTHERS THEN

```

        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con la relacion de reparto y serie.');
```

END Insert_Serie_Castings;

FUNCTION Get_Client_Id_By_Name(client_name VARCHAR2) RETURN NUMBER IS

```

    client_id client.id%TYPE := NULL;
BEGIN
    SELECT id INTO client_id
    FROM client
    WHERE name = client_name;

    RETURN client_id;

EXCEPTION
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE ('No se encontro el cliente');
        RETURN NULL;
    WHEN TOO_MANY_ROWS THEN
        DBMS_OUTPUT.PUT_LINE ('Muchos clientes con ese nombre');
        RETURN NULL;
END Get_Client_Id_By_Name;
```


FUNCTION Get_Movie_Lng_By_Name(movie_name VARCHAR2) RETURN NUMBER IS

```

    movie_language_id movie_language.id%TYPE := NULL;
BEGIN
    SELECT ml.id INTO movie_language_id
    FROM movie m
    INNER JOIN movie_language ml ON ml.movie_id = m.id
    WHERE m.title = movie_name AND ROWNUM = 1;

    RETURN movie_language_id;

EXCEPTION
    WHEN NO_DATA_FOUND THEN
```

```

        DBMS_OUTPUT.PUT_LINE ('No se encontro la pelicula');
        RETURN NULL;
    WHEN TOO_MANY_ROWS THEN
        DBMS_OUTPUT.PUT_LINE ('Muchas peliculas con ese nombre');
        RETURN NULL;
END Get_Movie_Lng_By_Name;

FUNCTION Get_Serie_Lng_By_Name(serie_name VARCHAR2) RETURN NUMBER IS
    serie_language_id serie_language.id%TYPE := NULL;
BEGIN
    SELECT sl.id INTO serie_language_id
    FROM serie s
    INNER JOIN serie_language sl ON sl.serie_id = s.id
    WHERE s.title = serie_name AND ROWNUM = 1;

    RETURN serie_language_id;

EXCEPTION
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE ('No se encontro la serie');
        RETURN NULL;
    WHEN TOO_MANY_ROWS THEN
        DBMS_OUTPUT.PUT_LINE ('Muchos series con ese nombre');
        RETURN NULL;
END Get_Serie_Lng_By_Name;

PROCEDURE Add_Documentary_To_Docuserie(
    docuserie_id NUMBER,
    documentary_id NUMBER
) IS
    documentary_title documentary.title%TYPE := NULL;
    docuserie_title docuserie.title%TYPE := NULL;
BEGIN
    documentary_title := Get_Documentary_Title_By_Id(documentary_id);
    docuserie_title := Get_Docuserie_Title_By_Id(docuserie_id);
    UPDATE documentary
    SET docuserie_id = docuserie_id

```

```

        WHERE id = documentary_id;
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Documental ' || documentary_title || ' relacionado con la docuserie ' || docuserie_title || '
con éxito.');
```

EXCEPTION

```

    WHEN FOREIGN_VIOLATED THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la docuserie no existe.');
```

ROLLBACK;

```

    WHEN DOCUMENTARY_NOT_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, el documental no existe.');
```

ROLLBACK;

```

    WHEN DOCUSERIE_NOT_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la docuserie no existe.');
```

ROLLBACK;

```

    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, no se realizo la transaccion, no se agrego documental ' ||
documentary_title || ' a la docuserie ' || docuserie_title);
```

ROLLBACK;

```

END Add_Documentary_To_Docuserie;
```

PROCEDURE Add_Movie_To_Saga(

```

    saga_id NUMBER,
    movie_id NUMBER
) IS
    movie_title movie.title%TYPE := NULL;
    saga_title saga.title%TYPE := NULL;
BEGIN
    movie_title := Get_Movie_Title_By_Id(movie_id);
    saga_title := Get_Saga_Title_By_Id(saga_id);
    UPDATE movie
        SET saga_id = saga_id
        WHERE id = movie_id;
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Película ' || movie_title || ' relacionado con la saga ' || saga_title || ' con éxito.');
```

EXCEPTION

```

    WHEN FOREIGN_VIOLATED THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la saga no existe.');
```

ROLLBACK;

```

    WHEN MOVIE_NOT_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la pelicula no existe.');
```

ROLLBACK;

```

    WHEN SAGA_NOT_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la saga no existe.');
```

ROLLBACK;

```

    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, no se realizo la transaccion, no se agrego la pelicula ' || movie_title
|| ' a la saga ' || saga_title);
```

ROLLBACK;

```

END Add_Movie_To_Saga;
```



```

PROCEDURE Add_Serie_To_Macroserie(
    macroserie_id NUMBER,
    serie_id NUMBER
) IS
    serie_title serie.title%TYPE := NULL;
    macroserie_title macroserie.title%TYPE := NULL;
BEGIN
    serie_title := Get_Serie_Title_By_Id(serie_id);
    macroserie_title := Get_Macroserie_Title_By_Id(macroserie_id);
    UPDATE serie
        SET macroserie_id = macroserie_id
        WHERE id = serie_id;
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Serie ' || serie_title || ' relacionado con la macroserie ' || macroserie_title || ' con
exito.');
```



```

EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la macroserie no existe.');
```

ROLLBACK;

```

    WHEN SERIE_NOT_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la serie no existe.');
```



```

        ROLLBACK;
    WHEN MACROSERIE_NOT_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la macroserie no existe.');
```

ROLLBACK;

```

    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, no se realizo la transaccion, no se agrego la serie ' || serie_title ||
'a la macroserie ' || macroserie_title);
        ROLLBACK;
END Add_Serie_To_Macroserie;

PROCEDURE Insert_Download_Doc(
    documentary_language_id NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_rm_cursor IS
    SELECT MAX(id) FROM download_documentary;
    last_id download_documentary.id%TYPE := NULL;

    documentary_title documentary.title%TYPE := NULL;
    client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_rm_cursor;
    FETCH max_id_rm_cursor INTO last_id;
    CLOSE max_id_rm_cursor;

    last_id := Get_Last_Id(last_id);
    client_name := Get_Client_Name_By_Id(client_id);
    documentary_title := Get_Doc_Title_By_Language(documentary_language_id);

    INSERT INTO download_documentary VALUES (last_id, SYSDATE, 0, client_id, 1, documentary_language_id);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Solicitud de descarga exitosa de ' || client_name || ' para el documental ' ||
documentary_title);

EXCEPTION
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;

```

```

        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha procesado la solicitud de descarga.');
```

WHEN DOCUMENTARY_NOT_FOUND THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error, el documental no existe, no se ha procesado la solicitud de descarga.');
```

WHEN FOREIGN_VIOLATED THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Error con las llaves foraneas al insertar, no se ha procesado la solicitud de descarga.');
```

WHEN EXPIRED_MEMBERSHIP THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' tiene la membresia expirada, no se ha procesado la
solicitud de descarga de ' || documentary_title);
```

WHEN INACTIVE_CLIENT THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' esta inactivo, no se ha procesado la solicitud de
descarga de ' || documentary_title);
```

WHEN NOT_PAY_YET THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' no ha echo su primer pago, no se ha procesado la
solicitud de descarga ' || documentary_title);
```

WHEN OTHERS THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error, solicitud de descarga de ' || client_name || ' para el documental ' ||
documentary_title || ' no fue existosa.');
```

END Insert_Download_Doc;


```

PROCEDURE Insert_Download_Movie(
    movie_language_id NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_rm_cursor IS
    SELECT MAX(id) FROM download_movie;
    last_id download_movie.id%TYPE := NULL;

    movie_title movie.title%TYPE := NULL;
    client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_rm_cursor;
```

```

FETCH max_id_rm_cursor INTO last_id;
CLOSE max_id_rm_cursor;

last_id := Get_Last_Id(last_id);
client_name := Get_Client_Name_By_Id(client_id);
movie_title := Get_Movie_Title_By_Language(movie_language_id);

INSERT INTO download_movie VALUES (last_id, SYSDATE, 0, client_id, 1, movie_language_id);
COMMIT;
DBMS_OUTPUT.PUT_LINE('Solicitud de descarga exitosa de ' || client_name || ' para la pelicula ' || movie_title);

EXCEPTION
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha procesado la solicitud de descarga.');
```

```

    WHEN MOVIE_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la pelicula no existe, no se ha procesado la solicitud de descarga.');
```

```

    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Error con las llaves foraneas al insertar, no se ha procesado la solicitud de descarga.');
```

```

    WHEN EXPIRED_MEMBERSHIP THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' tiene la membresia expirada, no se ha procesado la
solicitud de descarga de ' || movie_title);
```

```

    WHEN INACTIVE_CLIENT THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' esta inactivo, no se ha procesado la solicitud de
descarga de ' || movie_title);
```

```

    WHEN NOT_PAY_YET THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' no ha echo su primer pago, no se ha procesado la
solicitud de descarga ' || movie_title);
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, solicitud de descarga exitosa de ' || client_name || ' para la pelicula
' || movie_title);
```

```

END Insert_Download_Movie;

PROCEDURE Insert_Download_Serie(
    serie_language_id NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_rm_cursor IS
    SELECT MAX(id) FROM download_serie;
    last_id download_serie.id%TYPE := NULL;

    serie_title documentary.title%TYPE := NULL;
    client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_rm_cursor;
    FETCH max_id_rm_cursor INTO last_id;
    CLOSE max_id_rm_cursor;

    last_id := Get_Last_Id(last_id);
    client_name := Get_Client_Name_By_Id(client_id);
    serie_title := Get_Serie_Title_By_Language(serie_language_id);

    INSERT INTO download_serie VALUES (last_id, SYSDATE, 0, client_id, 1, serie_language_id);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Solicitud de descarga exitosa de ' || client_name || ' para la serie ' || serie_title);

EXCEPTION
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha procesado la solicitud de descarga.');
```

```

    WHEN SERIE_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la serie no existe, no se ha procesado la solicitud de descarga.');
```

```

    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Error con las llaves foraneas al insertar, no se ha procesado la solicitud de descarga.');
```

```

    WHEN EXPIRED_MEMBERSHIP THEN
        ROLLBACK;

```

```

        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' tiene la membresia expirada, no se ha procesado la
solicitud de descarga de ' || serie_title);
    WHEN INACTIVE_CLIENT THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' esta inactivo, no se ha procesado la solicitud de
descarga de ' || serie_title);
    WHEN NOT_PAY_YET THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' no ha echo su primer pago, no se ha procesado la
solicitud de descarga ' || serie_title);
    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, solicitud de descarga de ' || client_name || ' para la serie ' ||
serie_title || ' no fue existosa.');
```

```

    END Insert_Download_Serie;

PROCEDURE Insert_Membership(
    price NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_membership_cursor IS
    SELECT MAX(id) FROM membership;
    last_id membership.id%TYPE := NULL;
    client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_membership_cursor;
    FETCH max_id_membership_cursor INTO last_id;
    CLOSE max_id_membership_cursor;

    last_id := Get_Last_Id(last_id);
    client_name := Get_Client_Name_By_Id(client_id);

    INSERT INTO membership VALUES (last_id, ADD_MONTHS(SYSDATE, 12), price, client_id);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('La membresia del cliente ' || client_name || ' ha sido pagada con existo.');
```

```

EXCEPTION
```

```

    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha pagado al membresia.');
```

```

    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error el id del client no existe, no se ha pagado al membresia.');
```

```

    WHEN NOT_EXPIRED_MEMBERSHIP THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('La membresia del cliente ' || client_name || ' no ha expirado aun.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, no se ha pagado al membresia de ' || client_name);
END Insert_Membership;
```

```

PROCEDURE Insert_Reproduction_Doc(
    documentary_language_id NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_rm_cursor IS
    SELECT MAX(id) FROM reproduction_documentary;
    last_id reproduction_documentary.id%TYPE := NULL;

    documentary_title documentary.title%TYPE := NULL;
    client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_rm_cursor;
    FETCH max_id_rm_cursor INTO last_id;
    CLOSE max_id_rm_cursor;

    last_id := Get_Last_Id(last_id);
    client_name := Get_Client_Name_By_Id(client_id);
    documentary_title := Get_Doc_Title_By_Language(documentary_language_id);

    INSERT INTO reproduction_documentary VALUES (last_id, SYSDATE, 0, client_id, 1, documentary_language_id);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Solicitud de reproduccion exitosa de ' || client_name || ' para el documental ' ||
documentary_title);

```

```

EXCEPTION
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha procesado la solicitud de reproduccion.');
```

reproduccion.');

```

    WHEN DOCUMENTARY_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, el documental no existe, no se ha procesado la solicitud de
reproduccion.');
```

reproduccion.');

```

    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Error con las llaves foraneas al insertar, no se ha procesado la solicitud de
reproduccion.');
```

reproduccion.');

```

    WHEN EXPIRED_MEMBERSHIP THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' tiene la membresia expirada, no se ha procesado la
solicitud de reproduccion de ' || documentary_title);
```

solicitud de reproduccion de ' || documentary_title);

```

    WHEN INACTIVE_CLIENT THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' esta inactivo, no se ha procesado la solicitud de
reproduccion de ' || documentary_title);
```

reproduccion de ' || documentary_title);

```

    WHEN NOT_PAY_YET THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' no ha echo su primer pago, no se ha procesado la
solicitud de reproduccion ' || documentary_title);
```

solicitud de reproduccion ' || documentary_title);

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, solicitud de reproduccion de ' || client_name || ' para el documental '
|| documentary_title || ' no fue existosa.');
```

|| documentary_title || ' no fue existosa.');

```

END Insert_Reproduction_Doc;

PROCEDURE Insert_Reproduction_Movie(
    movie_language_id NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_rm_cursor IS
    SELECT MAX(id) FROM reproduction_movie;
```

```

last_id reproduction_movie.id%TYPE := NULL;

movie_title movie.title%TYPE := NULL;
client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_rm_cursor;
    FETCH max_id_rm_cursor INTO last_id;
    CLOSE max_id_rm_cursor;

    last_id := Get_Last_Id(last_id);
    client_name := Get_Client_Name_By_Id(client_id);
    movie_title := Get_Movie_Title_By_Language(movie_language_id);

    INSERT INTO reproduction_movie VALUES (last_id, SYSDATE, 0, client_id, 1, movie_language_id);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Solicitud de reproduccion exitosa de ' || client_name || ' para la pelicula ' || movie_title);

EXCEPTION
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha procesado la solicitud de reproduccion.');
```

```

    WHEN MOVIE_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la pelicula no existe, no se ha procesado la solicitud de
reproduccion.');
```

```

    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Error con las llaves foraneas al insertar, no se ha procesado la solicitud de
reproduccion.');
```

```

    WHEN EXPIRED_MEMBERSHIP THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' tiene la membresia expirada, no se ha procesado la
solicitud de reproduccion de ' || movie_title);
```

```

    WHEN INACTIVE_CLIENT THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' esta inactivo, no se ha procesado la solicitud de
reproduccion de ' || movie_title);
```



```

        WHEN NOT_PAY_YET THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' no ha echo su primer pago, no se ha procesado la
solicitud de reproduccion ' || movie_title);
        WHEN OTHERS THEN
            ROLLBACK;
            DBMS_OUTPUT.PUT_LINE('Ocurrio un error, solicitud de reproduccion exitosa de ' || client_name || ' para la
pelicula ' || movie_title);
    END Insert_Reproduction_Movie;

PROCEDURE Insert_Reproduction_Serie(
    serie_language_id NUMBER,
    client_id NUMBER
) IS
    CURSOR max_id_rm_cursor IS
    SELECT MAX(id) FROM reproduction_serie;
    last_id reproduction_serie.id%TYPE := NULL;

    serie_title serie.title%TYPE := NULL;
    client_name client.name%TYPE := NULL;
BEGIN
    OPEN max_id_rm_cursor;
    FETCH max_id_rm_cursor INTO last_id;
    CLOSE max_id_rm_cursor;

    last_id := Get_Last_Id(last_id);
    client_name := Get_Client_Name_By_Id(client_id);
    serie_title := Get_Serie_Title_By_Language(serie_language_id);

    INSERT INTO reproduction_serie VALUES (last_id, SYSDATE, 0, client_id, 1, serie_language_id);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Solicitud de reproduccion exitosa de ' || client_name || ' para la serie ' || serie_title);

EXCEPTION
    WHEN CLIENT_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('No se encontro al cliente, no se ha procesado la solicitud de reproduccion.');
```

```

    WHEN SERIE_NOT_FOUND THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, la serie no existe, no se ha procesado la solicitud de reproduccion.');
```

WHEN FOREIGN_VIOLATED THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Error con las llaves foraneas al insertar, no se ha procesado la solicitud de
reproduccion.');
```

WHEN EXPIRED_MEMBERSHIP THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' tiene la membresia expirada, no se ha procesado la
solicitud de reproduccion de ' || serie_title);
```

WHEN INACTIVE_CLIENT THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' esta inactivo, no se ha procesado la solicitud de
reproduccion de ' || serie_title);
```

WHEN NOT_PAY_YET THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('El cliente ' || client_name || ' no ha echo su primer pago, no se ha procesado la
solicitud de reproduccion ' || serie_title);
```

WHEN OTHERS THEN

```

    ROLLBACK;
    DBMS_OUTPUT.PUT_LINE('Ocurrio un error, solicitud de reproduccion de ' || client_name || ' para la serie ' ||
serie_title || ' no fue existosa.');
```

END Insert_Reproduction_Serie;


```

PROCEDURE Insert_Client(
    name VARCHAR2,
    last_name VARCHAR2,
    direction VARCHAR2,
    phone VARCHAR2,
    birth Date,
    email VARCHAR2,
    country_id NUMBER,
    account_type_id NUMBER
) IS
    CURSOR max_id_client_cursor IS
    SELECT MAX(id) FROM client;
```

```

    last_id client.id%TYPE := NULL;
BEGIN
    OPEN max_id_client_cursor;
    FETCH max_id_client_cursor INTO last_id;
    CLOSE max_id_client_cursor;

    last_id := Get_Last_Id(last_id);

    INSERT INTO client VALUES (last_id, name, last_name, direction, phone, birth, email, SYSDATE, country_id,
account_type_id, 2);
    COMMIT;
    DBMS_OUTPUT.PUT_LINE('Cliente ' || name || ' agregado con exito.');
```

```

EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error al insertar al cliente con las llaves foraneas.');
```

```

    ROLLBACK;
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error, no se realizo la transaccion.');
```

```

    ROLLBACK;
END Insert_Client;
```

```

PROCEDURE Insert_Documentary(
    title VARCHAR2,
    abstract VARCHAR2,
    begin_date Date,
    length NUMBER,
    seasons NUMBER,
    chapters NUMBER,
    rated_id NUMBER,
    genres number_list,
    formats number_list,
    languages language_list,
    castings casting_list,
    docuserie_id NUMBER DEFAULT NULL
) IS
    CURSOR max_id_documentary_cursor IS
```

```

SELECT MAX(id) FROM documentary;
last_documentary_id documentary.id%TYPE := NULL;
new_documentary_id documentary.id%TYPE := NULL;
BEGIN
    OPEN max_id_documentary_cursor;
    FETCH max_id_documentary_cursor INTO last_documentary_id;
    CLOSE max_id_documentary_cursor;

    new_documentary_id := Get_Last_Id(last_documentary_id);

    INSERT INTO documentary VALUES (new_documentary_id, title, abstract, begin_date, length, seasons, chapters,
rated_id, docuserie_id);
    COMMIT;

    Insert_Documentary_Genres(new_documentary_id, genres);
    Insert_Documentary_Formats(new_documentary_id, formats);
    Insert_Documentary_Languages(new_documentary_id, languages);
    Insert_Documentary_Castings(new_documentary_id, castings);

    DBMS_OUTPUT.PUT_LINE('Documental agregado exito.');
```

EXCEPTION

```

    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('El documental no fue creado con exito, revise las llaves foraneas.');
```

WHEN OTHERS THEN

```

        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con documental, no se realizo la transaccion.');
```

END Insert_Documentary;

```

PROCEDURE Insert_Movie(
    title VARCHAR2,
    year Date,
    length NUMBER,
    country_id NUMBER,
    studio_id NUMBER,
    rated_id NUMBER,
```

```

    genres number_list,
    formats number_list,
    languages language_list,
    castings casting_list,
    saga_id NUMBER DEFAULT NULL
) IS

CURSOR max_id_movie_cursor IS
SELECT MAX(id) FROM movie;
last_movie_id movie.id%TYPE := NULL;
new_movie_id movie.id%TYPE := NULL;
BEGIN
    OPEN max_id_movie_cursor;
    FETCH max_id_movie_cursor INTO last_movie_id;
    CLOSE max_id_movie_cursor;

    new_movie_id := Get_Last_Id(last_movie_id);

    INSERT INTO movie VALUES (new_movie_id, title, year, length, country_id, studio_id, rated_id, saga_id);
    COMMIT;

    Insert_Movie_Genres(new_movie_id, genres);
    Insert_Movie_Formats(new_movie_id, formats);
    Insert_Movie_Languages(new_movie_id, languages);
    Insert_Movie_Castings(new_movie_id, castings);

    DBMS_OUTPUT.PUT_LINE('Película agregada con éxito.');
```

```

EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('La película no fue creada con éxito, revise las llaves foráneas.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrió un error con película, no se realizó la transacción.');
```

```

END Insert_Movie;
```

```

PROCEDURE Insert_Serie(
    title VARCHAR2,
    abstract VARCHAR2,
    begin_date Date,
    length NUMBER,
    seasons NUMBER,
    chapters NUMBER,
    rated_id NUMBER,
    country_id NUMBER,
    genres number_list,
    formats number_list,
    languages language_list,
    castings casting_list,
    macroserie_id NUMBER DEFAULT NULL
) IS
    CURSOR max_id_serie_cursor IS
    SELECT MAX(id) FROM serie;
    last_serie_id serie.id%TYPE := NULL;
    new_serie_id serie.id%TYPE := NULL;
BEGIN
    OPEN max_id_serie_cursor;
    FETCH max_id_serie_cursor INTO last_serie_id;
    CLOSE max_id_serie_cursor;

    new_serie_id := Get_Last_Id(last_serie_id);

    INSERT INTO serie VALUES (new_serie_id, title, abstract, begin_date, length, seasons, chapters, rated_id,
macroserie_id, country_id);
    COMMIT;

    Insert_Serie_Genres(new_serie_id, genres);
    Insert_Serie_Formats(new_serie_id, formats);
    Insert_Serie_Language(new_serie_id, languages);
    Insert_Serie_Castings(new_serie_id, castings);

    DBMS_OUTPUT.PUT_LINE('Serie agregada con existo.');
```

```

EXCEPTION
    WHEN FOREIGN_VIOLATED THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('La serie no fue creado con exito, revise las llaves foraneas.');
```

```

    WHEN OTHERS THEN
        ROLLBACK;
        DBMS_OUTPUT.PUT_LINE('Ocurrio un error con serie, no se realizo la transaccion.');
```

```

END Insert_Serie;

END transmideo;
/
```

Tiggers:

Validación de reproducción de documentales.

```

CREATE OR REPLACE TRIGGER insert_reproduction_doc_trg
BEFORE INSERT ON reproduction_documentary
FOR EACH ROW
DECLARE
    CURSOR client_cursor IS
        SELECT MAX(m.expiration_day), c.account_status_id
        FROM membership m
        INNER JOIN client c ON c.id = m.client_id
        WHERE client_id = :NEW.client_id
        GROUP BY c.account_status_id;

    max_expiration_day DATE;
    account_status NUMBER;
BEGIN
    OPEN client_cursor;
    FETCH client_cursor INTO max_expiration_day, account_status;
    CLOSE client_cursor;

    IF max_expiration_day < SYSDATE THEN
        IF account_status = 1 THEN
            transmideo.Update_Client_Status(:NEW.client_id, 2);
```

```

    END IF;
    RAISE_APPLICATION_ERROR(-20502,'Su membresia ha expirado.');
```

END IF;

```

IF max_expiration_day IS NULL THEN
    RAISE_APPLICATION_ERROR(-20504,'No ha pagado su membresia.');
```

END IF;

```

IF account_status = 2 THEN
    RAISE_APPLICATION_ERROR(-20501,'Su cuenta esta inactiva.');
```

END IF;

```

END;
/
```

Validación de reproducción de películas.

```

CREATE OR REPLACE TRIGGER insert_reproduction_movie_trg
BEFORE INSERT ON reproduction_movie
FOR EACH ROW
DECLARE
    CURSOR client_cursor IS
    SELECT MAX(m.expiration_day), c.account_status_id
    FROM membership m
    INNER JOIN client c ON c.id = m.client_id
    WHERE client_id = :NEW.client_id
    GROUP BY c.account_status_id;

    max_expiration_day DATE;
    account_status NUMBER;
BEGIN
    OPEN client_cursor;
    FETCH client_cursor INTO max_expiration_day, account_status;
    CLOSE client_cursor;

    IF max_expiration_day < SYSDATE THEN
        IF account_status = 1 THEN
```



```

        transmideo.Update_Client_Status(:NEW.client_id, 2);
    END IF;
    RAISE_APPLICATION_ERROR(-20502,'Su membresia ha expirado.');
```

END IF;

```

    IF max_expiration_day IS NULL THEN
        RAISE_APPLICATION_ERROR(-20504,'No ha pagado su membresia.');
```

END IF;

```

    IF account_status = 2 THEN
        RAISE_APPLICATION_ERROR(-20501,'Su cuenta esta inactiva.');
```

END IF;

```

END;
/
```

Validación de reproducción de serie.

```

CREATE OR REPLACE TRIGGER insert_reproduction_serie_trg
BEFORE INSERT ON reproduction_serie
FOR EACH ROW
DECLARE
    CURSOR client_cursor IS
    SELECT MAX(m.expiration_day), c.account_status_id
    FROM membership m
    INNER JOIN client c ON c.id = m.client_id
    WHERE client_id = :NEW.client_id
    GROUP BY c.account_status_id;

    max_expiration_day DATE;
    account_status NUMBER;
BEGIN
    OPEN client_cursor;
    FETCH client_cursor INTO max_expiration_day, account_status;
    CLOSE client_cursor;

    IF max_expiration_day < SYSDATE THEN
```

```

    IF account_status = 1 THEN
        transmideo.Update_Client_Status(:NEW.client_id, 2);
    END IF;
    RAISE_APPLICATION_ERROR(-20502,'Su membresia ha expirado.');
```

```

END IF;

IF max_expiration_day IS NULL THEN
    RAISE_APPLICATION_ERROR(-20504,'No ha pagado su membresia.');
```

```

END IF;

IF account_status = 2 THEN
    RAISE_APPLICATION_ERROR(-20501,'Su cuenta esta inactiva.');
```

```

END IF;
END;
/
```

Validación de descarga de documental.

```

CREATE OR REPLACE TRIGGER insert_download_doc_trg
BEFORE INSERT ON download_documentary
FOR EACH ROW
DECLARE
    CURSOR client_cursor IS
        SELECT MAX(m.expiration_day), c.account_status_id
        FROM membership m
        INNER JOIN client c ON c.id = m.client_id
        WHERE client_id = :NEW.client_id
        GROUP BY c.account_status_id;

    max_expiration_day DATE;
    account_status NUMBER;
BEGIN
    OPEN client_cursor;
    FETCH client_cursor INTO max_expiration_day, account_status;
    CLOSE client_cursor;
```

```

IF max_expiration_day < SYSDATE THEN
    IF account_status = 1 THEN
        transmideo.Update_Client_Status(:NEW.client_id, 2);
    END IF;
    RAISE_APPLICATION_ERROR(-20502,'Su membresia ha expirado.');
```



```

END IF;

IF max_expiration_day IS NULL THEN
    RAISE_APPLICATION_ERROR(-20504,'No ha pagado su membresia.');
```



```

END IF;

IF account_status = 2 THEN
    RAISE_APPLICATION_ERROR(-20501,'Su cuenta esta inactiva.');
```



```

END IF;
END;
/
```

Validación de descarga de película.

```

CREATE OR REPLACE TRIGGER insert_download_movie_trg
BEFORE INSERT ON download_movie
FOR EACH ROW
DECLARE
    CURSOR client_cursor IS
        SELECT MAX(m.expiration_day), c.account_status_id
        FROM membership m
        INNER JOIN client c ON c.id = m.client_id
        WHERE client_id = :NEW.client_id
        GROUP BY c.account_status_id;

    max_expiration_day DATE;
    account_status NUMBER;
BEGIN
    OPEN client_cursor;
    FETCH client_cursor INTO max_expiration_day, account_status;
    CLOSE client_cursor;
```

```

IF max_expiration_day < SYSDATE THEN
    IF account_status = 1 THEN
        transmideo.Update_Client_Status(:NEW.client_id, 2);
    END IF;
    RAISE_APPLICATION_ERROR(-20502,'Su membresia ha expirado.');
```

```

END IF;

IF max_expiration_day IS NULL THEN
    RAISE_APPLICATION_ERROR(-20504,'No ha pagado su membresia.');
```

```

END IF;

IF account_status = 2 THEN
    RAISE_APPLICATION_ERROR(-20501,'Su cuenta esta inactiva.');
```

```

END IF;
END;
/
```

Validación de descarga de serie.

```

CREATE OR REPLACE TRIGGER insert_download_serie_trg
BEFORE INSERT ON download_serie
FOR EACH ROW
DECLARE
    CURSOR client_cursor IS
        SELECT MAX(m.expiration_day), c.account_status_id
        FROM membership m
        INNER JOIN client c ON c.id = m.client_id
        WHERE client_id = :NEW.client_id
        GROUP BY c.account_status_id;

    max_expiration_day DATE;
    account_status NUMBER;
BEGIN
    OPEN client_cursor;
    FETCH client_cursor INTO max_expiration_day, account_status;
```

```

CLOSE client_cursor;

IF max_expiration_day < SYSDATE THEN
  IF account_status = 1 THEN
    transmideo.Update_Client_Status(:NEW.client_id, 2);
  END IF;
  RAISE_APPLICATION_ERROR(-20502,'Su membresia ha expirado.');
```

```

END IF;

IF max_expiration_day IS NULL THEN
  RAISE_APPLICATION_ERROR(-20504,'No ha pagado su membresia.');
```

```

END IF;

IF account_status = 2 THEN
  RAISE_APPLICATION_ERROR(-20501,'Su cuenta esta inactiva.');
```

```

END IF;
END;
/
```

Estado del cliente

```

CREATE OR REPLACE TRIGGER on_membership_paid_trg
FOR INSERT ON membership
COMPOUND TRIGGER

  CURSOR client_cursor IS
  SELECT MAX(m.expiration_day), c.id
  FROM membership m
  INNER JOIN client c ON c.id = m.client_id
  GROUP BY c.id;
  max_expiration_day DATE;
  client NUMBER;

  expiration_day DATE := NULL;
BEFORE STATEMENT IS
BEGIN
```

```
OPEN client_cursor;
END BEFORE STATEMENT;

BEFORE EACH ROW IS
BEGIN
    LOOP
        FETCH client_cursor INTO max_expiration_day, client;
        IF client = :NEW.client_id THEN
            expiration_day := max_expiration_day;
        END IF;
        EXIT WHEN client = :NEW.client_id OR client_cursor%NOTFOUND;
    END LOOP;

    IF expiration_day >= SYSDATE THEN
        RAISE_APPLICATION_ERROR(-20503, 'Su membresia aun no ha expirado.');
```

END IF;

transmideo.Update_Client_Status(:NEW.client_id, 1);

END BEFORE EACH ROW;

AFTER EACH ROW IS

BEGIN

NULL;

END AFTER EACH ROW;

AFTER STATEMENT IS

BEGIN

CLOSE client_cursor;

END AFTER STATEMENT;

END on_membership_paid_trg;

/

Resultados del bloque de ejecución

```
SQL> start block
SQL> DECLARE
  2   genres_movie number_list := number_list(3,8,7);
  3   formats_movie number_list := number_list(1,6,4);
  4   languages_movie language_list := language_list(language_data(1, 2), language_data(1, NULL), language_data(2, 1));
  5   castings_movie casting_list := casting_list(casting_data(10, number_list(1,2)), casting_data(11, number_list(2)),
casting_data(26, number_list(3, 4)), casting_data(40, number_list(2, 4)));
  6
  7   genres_serie number_list := number_list(4,2,1);
  8   formats_serie number_list := number_list(2,3,5);
  9   languages_serie language_list := language_list(language_data(2, 2), language_data(2, NULL), language_data(1, 2));
 10   castings_serie casting_list := casting_list(casting_data(21, number_list(2)), casting_data(13, number_list(1)),
casting_data(14, number_list(3, 4)), casting_data(39, number_list(2, 4)));
 11
 12   genres_documentary number_list := number_list(3,5,7);
 13   formats_documentary number_list := number_list(6,5,1);
 14   languages_documentary language_list := language_list(language_data(2, 1), language_data(1, 1), language_data(2,
2));
 15   castings_documentary casting_list := casting_list(casting_data(5, number_list(3,4)), casting_data(27,
number_list(1,2)), casting_data(34, number_list(1,4)), casting_data(18, number_list(2,3)));
 16
 17   alfa_id client.id%TYPE := NULL;
 18   beta_id client.id%TYPE := NULL;
 19   new_movie_id movie.id%TYPE := NULL;
 20   new_serie_id serie.id%TYPE := NULL;
 21   Begin
 22   transmideo.Insert_Client('Alfa', 'Alfa', 'Alfa city', '1111-1111', to_date('21/03/95','DD/MM/RR'),
'alfa@gmail.com', 1, 1);
 23   transmideo.Insert_Client('Beta', 'Beta', 'Beta city', '2222-2222', to_date('19/04/88','DD/MM/RR'),
'beta@gmail.com', 1, 1);
 24
 25   alfa_id := transmideo.Get_Client_Id_By_Name('Alfa');
 26   beta_id := transmideo.Get_Client_Id_By_Name('Beta');
 27
 28   transmideo.Insert_Membership(15000, alfa_id);
```

```

29  transmideo.Insert_Movie('Película nueva', to_date('15/06/87','DD/MM/RR'), 254, 3, 10, 2, genres_movie,
formats_movie, languages_movie, castings_movie);
30  transmideo.Insert_Serie('Serie nueva', 'Serie buena', to_date('15/06/87','DD/MM/RR'), 254, 10, 269, 3, 2,
genres_serie, formats_serie, languages_serie, castings_serie);
31  transmideo.Insert_Documentary('Documental nuevo', 'Documental bueno', to_date('26/09/79','DD/MM/RR'), 158, 4, 58,
1, genres_documentary, formats_documentary, languages_documentary, castings_documentary);
32
33  new_movie_id := transmideo.Get_Movie_Lng_By_Name('Película nueva');
34  new_serie_id := transmideo.Get_Serie_Lng_By_Name('Serie nueva');
35
36  transmideo.Insert_Download_Movie(new_movie_id, alfa_id);
37  transmideo.Insert_Reproduction_Serie(new_serie_id, beta_id);
38  End;
39  /

```

Cliente Alfa agregado con éxito.

Cliente Beta agregado con éxito.

El cliente Alfa ahora está Activo

La membresía del cliente Alfa ha sido pagada con éxito.

Película agregada con éxito.

Serie agregada con éxito.

Documental agregado con éxito.

Solicitud de descarga exitosa de Alfa para la película Película nueva

El cliente Beta **no** ha echo su primer pago, **no** se ha procesado la solicitud de reproducción Serie nueva

PL/SQL procedure successfully completed.

SQL> spool off