

Table 1. Survey-Weighted Baseline Characteristics of U.S. Adults Stratified by MASLD (CAP ≥ 288 dB/m)

Variables	MASLD Status		
	Overall n = 3034 ¹	Control n = 1965 ¹	MASLD n = 1069 ¹
Age (years)	48 $\pm$ 17	46 $\pm$ 17	51 $\pm$ 16
Sex, Male	1,454 (49%)	883 (46%)	571 (56%)
Race/Ethnicity			
Non-Hispanic White	999 (61%)	617 (61%)	382 (62%)
Other race/ethnicity	2,035 (39%)	1,348 (39%)	687 (38%)
Educational level			
$\leq$ High school/GED	1,282 (37%)	787 (35%)	495 (43%)
> High school	1,750 (63%)	1,177 (65%)	573 (57%)
Income-to-Poverty Ratio	3.15 $\pm$ 1.63	3.21 $\pm$ 1.63	3.04 $\pm$ 1.62
BMI (kg/m²)	30 $\pm$ 7	27 $\pm$ 6	34 $\pm$ 7
Waist circumference (cm)	100 $\pm$ 17	93 $\pm$ 14	112 $\pm$ 15
Overweight/Obesity	2,511 (82%)	1,469 (74%)	1,042 (98%)
SBP (mmHg)	121 $\pm$ 17	119 $\pm$ 17	124 $\pm$ 17
DBP (mmHg)	74 $\pm$ 11	72 $\pm$ 10	77 $\pm$ 11
Hypertension	1,631 (50%)	909 (40%)	722 (69%)
Total cholesterol (mg/dL)	185 $\pm$ 41	184 $\pm$ 40	187 $\pm$ 42
HDL-C (mg/dL)	53 $\pm$ 15	57 $\pm$ 15	46 $\pm$ 12

¹ Data presented as unweighted n and weighted percentage (%) for categorical variables, and mean $\pm$ standard deviation for continuous variables. Estimates are weighted to be representative of the non-institutionalized U.S. adult population using NHANES fasting subsample weights and accounting for the complex survey design. Weighted sample size: n = 195963922.954713. CAP = Controlled Attenuation Parameter; MASLD = Metabolic dysfunction-associated steatotic liver disease; MVPA = Moderate-to-Vigorous Physical Activity; BP = Blood Pressure; HDL-C = High-Density Lipoprotein Cholesterol; LDL-C = Low-Density Lipoprotein Cholesterol.

Variables	MASLD Status		
	Overall n = 3034 ¹	Control n = 1965 ¹	MASLD n = 1069 ¹
LDL-C (mg/dL)	110 ± 35	110 ± 34	112 ± 38
Triglycerides (mg/dL)	111 ± 95	92 ± 80	149 ± 109
Low HDL-C	1,396 (43%)	739 (35%)	657 (60%)
Dyslipidemia	2,093 (68%)	1,217 (60%)	876 (82%)
Fasting glucose (mg/dL)	110 ± 32	103 ± 21	123 ± 44
HbA1c (%)	5.69 ± 0.95	5.48 ± 0.68	6.09 ± 1.24
Prediabetes/Diabetes	2,154 (67%)	1,223 (58%)	931 (85%)
Total energy intake (kcal/day)	2,064 ± 804	2,037 ± 796	2,115 ± 819
Sugar intake	89 ± 45	90 ± 44	88 ± 46
Saturated fat intake	24 ± 8	24 ± 8	25 ± 9
Smoking			
Never smoker	1,841 (59%)	1,228 (60%)	613 (58%)
Former smoker	714 (27%)	414 (25%)	300 (30%)
Current smoker	477 (14%)	321 (15%)	156 (12%)
Alcohol use			
Never Drinker	283 (7.1%)	186 (6.6%)	97 (8.2%)
Former Drinker	612 (17%)	372 (16%)	240 (20%)
Non-heavy Drinker	1,992 (76%)	1,317 (78%)	675 (72%)

¹ Data presented as unweighted n and weighted percentage (%) for categorical variables, and mean ± standard deviation for continuous variables. Estimates are weighted to be representative of the non-institutionalized U.S. adult population using NHANES fasting subsample weights and accounting for the complex survey design. Weighted sample size: n = 195963922.954713. CAP = Controlled Attenuation Parameter; MASLD = Metabolic dysfunction-associated steatotic liver disease; MVPA = Moderate-to-Vigorous Physical Activity; BP = Blood Pressure; HDL-C = High-Density Lipoprotein Cholesterol; LDL-C = Low-Density Lipoprotein Cholesterol.

Variables	MASLD Status		
	Overall n = 3034 ¹	Control n = 1965 ¹	MASLD n = 1069 ¹
Physical activity (≥ 150 min/week)	1,925 (69%)	1,290 (73%)	635 (63%)
Sedentary behavior (min/day)	354 $\pm$ 206	339 $\pm$ 195	382 $\pm$ 222
CAP (dB/m)	264 $\pm$ 62	228 $\pm$ 39	333 $\pm$ 33
Liver stiffness (kPa)	5.62 $\pm$ 3.91	5.01 $\pm$ 2.83	6.82 $\pm$ 5.22
Advanced liver fibrosis	92 (2.9%)	29 (0.9%)	63 (6.7%)

¹ Data presented as unweighted n and weighted percentage (%) for categorical variables, and mean $\pm$ standard deviation for continuous variables. Estimates are weighted to be representative of the non-institutionalized U.S. adult population using NHANES fasting subsample weights and accounting for the complex survey design. Weighted sample size: n = 195963922.954713. CAP = Controlled Attenuation Parameter; MASLD = Metabolic dysfunction-associated steatotic liver disease; MVPA = Moderate-to-Vigorous Physical Activity; BP = Blood Pressure; HDL-C = High-Density Lipoprotein Cholesterol; LDL-C = Low-Density Lipoprotein Cholesterol.