

**Table 1. Characteristics of the Total Sample and Stratified by Sedentary Behavior**

| Variables                | Sedentary Behavior                                    |                                                   |                                                   |                                                   |
|--------------------------|-------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|
|                          | All Participants<br>N = 1711711851.64708 <sup>1</sup> | 1st Quintile<br>N = 29958395.1796981 <sup>1</sup> | 2nd Quintile<br>N = 33670734.6019899 <sup>1</sup> | 3rd Quintile<br>N = 32151605.6561111 <sup>1</sup> |
| Age (yr)                 | 46 ± 17                                               | 43 ± 16                                           | 47 ± 16                                           | 47 ± 18                                           |
| Sex (M/F)                |                                                       |                                                   |                                                   |                                                   |
| 1                        | 87,415,471 (51%)                                      | 15,630,783 (52%)                                  | 17,088,013 (51%)                                  | 14,829,748 (46%)                                  |
| 2                        | 84,296,381 (49%)                                      | 14,327,612 (48%)                                  | 16,582,722 (49%)                                  | 17,321,858 (54%)                                  |
| Race                     |                                                       |                                                   |                                                   |                                                   |
| 1                        | 28,052,894 (16%)                                      | 9,465,830 (32%)                                   | 5,874,925 (17%)                                   | 4,676,042 (14%)                                   |
| 3                        | 107,984,325 (63%)                                     | 14,000,697 (47%)                                  | 21,266,629 (63%)                                  | 19,746,147 (61%)                                  |
| 4                        | 19,041,063 (11%)                                      | 3,606,894 (12%)                                   | 3,821,580 (11%)                                   | 4,271,914 (13%)                                   |
| 5                        | 16,633,570 (9.7%)                                     | 2,884,975 (9.6%)                                  | 2,707,601 (8.0%)                                  | 3,457,503 (11%)                                   |
| Education                |                                                       |                                                   |                                                   |                                                   |
| 1                        | 15,793,210 (9.2%)                                     | 5,694,517 (19%)                                   | 3,127,551 (9.3%)                                  | 2,418,206 (7.5%)                                  |
| 2                        | 42,909,327 (25%)                                      | 10,319,766 (34%)                                  | 9,514,406 (28%)                                   | 9,701,677 (30%)                                   |
| 3                        | 52,614,771 (31%)                                      | 8,550,189 (29%)                                   | 10,832,151 (32%)                                  | 9,055,739 (28%)                                   |
| 4                        | 60,380,152 (35%)                                      | 5,393,923 (18%)                                   | 10,196,626 (30%)                                  | 10,975,984 (34%)                                  |
| Poverty Income Ratio     | 3.31 ± 1.60                                           | 2.60 ± 1.61                                       | 3.20 ± 1.57                                       | 3.15 ± 1.61                                       |
| BMI (Kg/m <sup>2</sup> ) | 29 ± 7                                                | 28 ± 6                                            | 29 ± 7                                            | 30 ± 8                                            |
| Waist Circumference (cm) | 99 ± 16                                               | 96 ± 15                                           | 99 ± 16                                           | 100 ± 16                                          |
| Overweight/Obesity       |                                                       |                                                   |                                                   |                                                   |
| 0                        | 45,124,061 (26%)                                      | 9,729,369 (33%)                                   | 7,778,540 (23%)                                   | 9,059,969 (28%)                                   |

<sup>1</sup> Mean ± SD; n (%)

| Variables                            | Sedentary Behavior                                   |                                                   |                                                   |                                                 |
|--------------------------------------|------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-------------------------------------------------|
|                                      | All Participants<br>N = 171711851.64708 <sup>1</sup> | 1st Quintile<br>N = 29958395.1796981 <sup>1</sup> | 2nd Quintile<br>N = 33670734.6019899 <sup>1</sup> | 3rd Quintile<br>N = 32151605.65611 <sup>1</sup> |
| 1                                    | 125,942,783 (74%)                                    | 20,045,684 (67%)                                  | 25,743,007 (77%)                                  | 23,015,467 (72%)                                |
| <b>SBP (mmHg)</b>                    | 120 ± 16                                             | 119 ± 16                                          | 121 ± 16                                          | 120 ± 16                                        |
| <b>DBP (mmHg)</b>                    | 74 ± 11                                              | 73 ± 11                                           | 74 ± 11                                           | 74 ± 11                                         |
| <b>Hypertension</b>                  |                                                      |                                                   |                                                   |                                                 |
| 0                                    | 100,275,906 (58%)                                    | 18,651,392 (62%)                                  | 19,541,235 (58%)                                  | 18,705,947 (58%)                                |
| 1                                    | 71,435,945 (42%)                                     | 11,307,004 (38%)                                  | 14,129,500 (42%)                                  | 13,445,659 (42%)                                |
| <b>Total Cholesterol (mg/dL)</b>     | 186 ± 40                                             | 183 ± 38                                          | 192 ± 43                                          | 186 ± 40                                        |
| <b>LDL-Cholesterol (mg/dL)</b>       | 110 ± 35                                             | 108 ± 33                                          | 114 ± 35                                          | 111 ± 35                                        |
| <b>HDL-Cholesterol (mg/dL)</b>       | 54 ± 16                                              | 55 ± 18                                           | 56 ± 16                                           | 54 ± 17                                         |
| <b>Fasting Triglycerides (mg/dL)</b> | 110 ± 95                                             | 107 ± 101                                         | 112 ± 74                                          | 108 ± 74                                        |
| <b>Low-HDL</b>                       |                                                      |                                                   |                                                   |                                                 |
| 0                                    | 124,174,300 (73%)                                    | 21,665,620 (73%)                                  | 25,334,148 (76%)                                  | 22,188,464 (70%)                                |
| 1                                    | 45,407,558 (27%)                                     | 7,963,962 (27%)                                   | 8,097,475 (24%)                                   | 9,705,718 (30%)                                 |
| <b>Hypertriglyceridemia</b>          |                                                      |                                                   |                                                   |                                                 |
| 0                                    | 114,348,764 (67%)                                    | 21,956,064 (74%)                                  | 22,771,728 (68%)                                  | 20,026,585 (62%)                                |
| 1                                    | 55,465,026 (33%)                                     | 7,801,275 (26%)                                   | 10,659,896 (32%)                                  | 11,867,597 (37%)                                |
| <b>Fasting Glucose (mg/dL)</b>       | 108 ± 30                                             | 108 ± 32                                          | 111 ± 41                                          | 108 ± 29                                        |
| <b>Insulin (μU/mL)</b>               | 13 ± 22                                              | 12 ± 11                                           | 12 ± 12                                           | 13 ± 12                                         |
| <sup>1</sup> Mean ± SD; n (%)        |                                                      |                                                   |                                                   |                                                 |

| Variables                           | Sedentary Behavior                                   |                                                   |                                                   |                                                 |
|-------------------------------------|------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-------------------------------------------------|
|                                     | All Participants<br>N = 171711851.64708 <sup>1</sup> | 1st Quintile<br>N = 29958395.1796981 <sup>1</sup> | 2nd Quintile<br>N = 33670734.6019899 <sup>1</sup> | 3rd Quintile<br>N = 32151605.65611 <sup>1</sup> |
| <b>HbA1C (%)</b>                    | 5.61 ± 0.88                                          | 5.64 ± 0.87                                       | 5.70 ± 1.03                                       | 5.59 ± 0.87                                     |
| <b>HOMA-IR</b>                      | 3.82 ± 8.33                                          | 3.23 ± 3.55                                       | 3.45 ± 4.82                                       | 3.65 ± 4.10                                     |
| <b>Dysglycaemia or DM2</b>          |                                                      |                                                   |                                                   |                                                 |
| 0                                   | 59,970,981 (35%)                                     | 10,881,706 (36%)                                  | 10,988,867 (33%)                                  | 11,112,780 (35%)                                |
| 1                                   | 111,740,870 (65%)                                    | 19,076,690 (64%)                                  | 22,681,868 (67%)                                  | 21,038,826 (65%)                                |
| <b>GGT (U/L)</b>                    | 28 ± 29                                              | 28 ± 30                                           | 26 ± 25                                           | 29 ± 29                                         |
| <b>ALT (U/L)</b>                    | 22 ± 15                                              | 21 ± 15                                           | 22 ± 15                                           | 23 ± 15                                         |
| <b>AST (U/L)</b>                    | 21 ± 10                                              | 21 ± 10                                           | 22 ± 10                                           | 21 ± 10                                         |
| <b>ALT/AST</b>                      | 1.02 ± 0.35                                          | 1.00 ± 0.35                                       | 1.01 ± 0.33                                       | 1.04 ± 0.34                                     |
| <b>Total Energy Intake (kcal/d)</b> | 2,115 ± 799                                          | 2,078 ± 878                                       | 2,121 ± 812                                       | 2,078 ± 878                                     |
| <b>Smoking Habit</b>                |                                                      |                                                   |                                                   |                                                 |
| 0                                   | 100,647,680 (59%)                                    | 17,546,251 (59%)                                  | 17,618,416 (52%)                                  | 18,910,562 (59%)                                |
| 1                                   | 44,469,963 (26%)                                     | 6,208,156 (21%)                                   | 10,113,679 (30%)                                  | 7,516,717 (23%)                                 |
| 2                                   | 26,557,204 (15%)                                     | 6,203,988 (21%)                                   | 5,938,640 (18%)                                   | 5,724,326 (18%)                                 |
| <b>Alcohol Intake</b>               |                                                      |                                                   |                                                   |                                                 |
| 0                                   | 13,475,724 (7.8%)                                    | 2,956,561 (9.9%)                                  | 3,127,950 (9.3%)                                  | 2,394,443 (7.5%)                                |
| 1                                   | 24,068,933 (14%)                                     | 3,951,795 (13%)                                   | 4,801,029 (14%)                                   | 4,840,003 (15%)                                 |
| 2                                   | 134,167,195 (78%)                                    | 23,050,039 (77%)                                  | 25,741,756 (76%)                                  | 24,917,160 (77%)                                |
| <b>Sedentary Behavior (h)</b>       | 354 ± 204                                            | 106 ± 40                                          | 204 ± 29                                          | 294 ± 40                                        |

<sup>1</sup> Mean ± SD; n (%)

| Variables                               | Sedentary Behavior                                   |                                                   |                                                   |                                                 |
|-----------------------------------------|------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-------------------------------------------------|
|                                         | All Participants<br>N = 171711851.64708 <sup>1</sup> | 1st Quintile<br>N = 29958395.1796981 <sup>1</sup> | 2nd Quintile<br>N = 33670734.6019899 <sup>1</sup> | 3rd Quintile<br>N = 32151605.65611 <sup>1</sup> |
| Median CAP (dB/m)                       | 261 ± 61                                             | 250 ± 59                                          | 263 ± 62                                          | 261 ± 61                                        |
| Liver Stifness (Kpa)                    | 5.47 ± 3.13                                          | 5.35 ± 3.29                                       | 5.75 ± 4.00                                       | 5.57 ± 2.91                                     |
| MASLD (CAP ≥ 248 db/m)                  |                                                      |                                                   |                                                   |                                                 |
| 0                                       | 79,667,134 (46%)                                     | 16,202,254 (54%)                                  | 14,535,122 (43%)                                  | 15,310,807 (47%)                                |
| 1                                       | 92,044,718 (54%)                                     | 13,756,141 (46%)                                  | 19,135,612 (57%)                                  | 16,840,798 (53%)                                |
| Hepatic Advanced Fibrosis (LSM ≥ 8 kPa) |                                                      |                                                   |                                                   |                                                 |
| 0                                       | 158,092,753 (92%)                                    | 28,007,872 (93%)                                  | 30,710,977 (91%)                                  | 29,060,813 (91%)                                |
| 1                                       | 13,619,099 (7.9%)                                    | 1,950,523 (6.5%)                                  | 2,959,757 (8.8%)                                  | 3,090,792 (9.6%)                                |
| NAFLD (CAP ≥ 248 db/m)                  |                                                      |                                                   |                                                   |                                                 |
| 0                                       | 74,370,555 (43%)                                     | 15,157,393 (51%)                                  | 13,564,111 (40%)                                  | 13,889,200 (43%)                                |
| 1                                       | 97,341,297 (57%)                                     | 14,801,002 (49%)                                  | 20,106,623 (60%)                                  | 18,262,406 (57%)                                |
| HSI                                     | 38 ± 8                                               | 37 ± 8                                            | 38 ± 8                                            | 39 ± 9                                          |
| FLI                                     | 0.50 ± 0.33                                          | 0.45 ± 0.32                                       | 0.49 ± 0.32                                       | 0.51 ± 0.33                                     |
| MVPA                                    | 1,232 ± 1,810                                        | 2,114 ± 2,481                                     | 1,653 ± 1,946                                     | 1,139 ± 1,717                                   |
| Work-Related Activity                   | 668 ± 1,143                                          | 1,201 ± 1,535                                     | 978 ± 1,282                                       | 610 ± 1,043                                     |
| Walking or Bicycling for Transportation | 59 ± 239                                             | 87 ± 318                                          | 74 ± 240                                          | 73 ± 333                                        |
| Leisure-Time Physical Activity          | 176 ± 263                                            | 188 ± 300                                         | 179 ± 259                                         | 174 ± 266                                       |

<sup>1</sup> Mean ± SD; n (%)