Cumulative antibiogram 2015–2017

SYNTHETIC TEST DATA

Synthetic test data (AMR package example_isolates) · EUCAST 2025 breakpoints

Large number: % susceptible
n = isolates tested for that drug
(n): first isolates of the organism

Gram-negative

	Penicillins		Cephalosporins			Carba-penems	Amino-glycosides	Fluoro-quinolones	Other	
	Amoxicillin	Amoxicillin/ clavulanic acid	Cefuroxime	Cefotaxime	Ceftazidime	Meropenem	Gentamicin	Ciprofloxacin	Trimethoprim/ sulfamethoxazole	Nitrofurantoin
E. coli (55)	**53** n = 55	**67** n = 55	**87** n = 55	**93** n = 55	**93** n = 55	**100** n = 55	**96** n = 55	**84** n = 55	**65** n = 55	**98** n = 55

Gram-positive

	Peni-cillins	Amino-glycosides	Fluoro-quinolones	Glyco-peptides	Other				
	Flucloxacillin	Gentamicin	Ciprofloxacin	Vancomycin	Erythromycin	Clindamycin	Trimethoprim/ sulfamethoxazole	Tetracycline	Rifampicin
S. epidermidis (46)†	**61** n = 46	**85** n = 46	**72** n = 46	**100** n = 46	**56** n = 45	**74‡** n = 46	**87** n = 46	**43** n = 46	**100** n = 46
S. hominis (34)†	**56** n = 34	**85** n = 34	**79** n = 34	**100** n = 34	**47** n = 34	**71‡** n = 34	**68** n = 34	**32** n = 34	**100** n = 34

% susceptible >= 90% | 80-89% | 60-79% | 40-59% | 20-39% | < 20%

First isolate per patient and species per 365 days (CLSI M39). Raw MIC and disk values read with EUCAST 2025 breakpoints; S/I/R reported by the laboratory kept as reported.

† 30–49 isolates tested, wide uncertainty (after an organism: every value in that row).

‡ Clindamycin: 18 staphylococci are erythromycin R and clindamycin S with no D-test result; inducible resistance cannot be excluded, so % susceptible may be too high.

Generated 2026-10-21 by R/02_analyse.R. Use with local guidelines; an antibiogram guides empirical therapy and does not replace the patient's own result.