

p1

The image shows a GitHub repository page for 'Fettmen / 1102-db2-68' and a VS Code editor window. The GitHub page shows the repository's file structure, including 'bin', 'classdemo', 'public', 'routes', 'views', '.gitignore', 'app.js', 'package-lock.json', and 'package.json'. The VS Code editor shows the 'EXPLORER' view with the same file structure, the 'app.js' file open in the editor, and the 'TERMINAL' view showing the output of a git push command.

**GitHub Repository: Fettmen / 1102-db2-68**

Files and commits:

File	Commit	Time
bin	Initial commit	1 minute ago
classdemo/md/w02	Initial commit	1 minute ago
public	Initial commit	1 minute ago
routes	Initial commit	1 minute ago
views	Initial commit	1 minute ago
.gitignore	Initial commit	1 minute ago
app.js	Initial commit	1 minute ago
package-lock.json	Initial commit	1 minute ago
package.json	Initial commit	1 minute ago

**VS Code Editor**

**EXPLORER**

- 1102-DB-68
  - bin
  - classdemo
  - public
  - routes
  - views
  - .gitignore
  - app.js
  - package-lock.json
  - package.json

**app.js**

```
1 var createError = require('http-errors');
2 var express = require('express');
3 var path = require('path');
4 var cookieParser = require('cookie-parser');
5 var logger = require('morgan');
6
7 var indexRouter = require('./routes/index');
8 var usersRouter = require('./routes/users');
9
10 const crown_68_Router = require('./routes/crown_68');
11
12 var app = express();
13
14 // view engine setup
15 app.set('views', path.join(__dirname, 'views'));
16 app.set('view engine', 'ejs');
17
18 app.use(logger('dev'));
19 app.use(express.json());
20 app.use(express.urlencoded({ extended: false }));
21 app.use(cookieParser());
22 app.use(express.static(path.join(__dirname, 'public')));
23
24 app.use('/', indexRouter);
25 app.use('/users', usersRouter);
26 app.use('/crown_68', crown_68_Router);
27
28 // catch 404 and forward to error handler
29 app.use(function(req, res, next) {
30   next(createError(404));
31 });
32
33 // error handler
34 app.use(function(err, req, res, next) {
35   // set locals, only providing error in development
36   res.locals.message = err.message;
```

**TERMINAL**

```
remote: Resolving deltas: 100% (7/7), done.
To https://github.com/Fettmen/1102-db2-68.git
branch 'main' set up to track 'origin/main'.
User@213-24 MINGW64 /d:/2C/1102-db-68 (main)
$ git push -u origin main
Everything up-to-date
branch 'main' set up to track 'origin/main'.
User@213-24 MINGW64 /d:/2C/1102-db-68 (main)
$
```