

May 27, 2019

Diarienum

LU / LTH

Electrical and Information Technology Stefan Höst

### About ulundletter.cls

The document class ulundletter.cls is an extension to the standard LATEX class letter, adopted for the Lund University and LTH letter template. The addition the header and footer on the first letter page, and the geometry of the text. To change this, the class loads the (standard) class letter as well as the (standard) packages geometry, graphicx, tikz and fancyhdr. The layout is controlled by both a set options for the class, and a set of variables for the header and footer contents.

# **Options**

There are three sets of option to the class, controlling the template (LU or LTH), color and language. The two first sets only controls the appearance of the logo, while the third also changes some predefined texts in the footer, as well as the date format.

- The template is controlled by the options LU and LTH, where the default is LU. With LU only the lion seal is given, while with LTH the LTH version is used.
- The color of the logo is controlled by logoBW and logocol for black and white or color-ful logo. The default is black and white.
- The language can be Swedish or English, which is controlled by the options swe and eng. The default language is Swedish. This also changes the language for the rest of the document, e.g. footer and date format.

For example, starting the document with

```
\documentclass[11pt] {ulundletter}
```

will give a Swedish, black and white logo for LU. To get an english LTH logo in color, you can change to

```
\documentclass[11pt,eng,LTH,logocol] {ulundletter}
```

The 11pt sets the default font to be 11pt size, which follows the templates.

# **Variables**

In the template, both for the header and footer, there are some personalising variables that need to be set. Each of them is set by a command, wich is the text in the default setting. For the footer the following commands are used:

Postal address: Box 118, 22100 Lund Visiting address: Ole Römers väg 3, Lund Telephone: +46 46 222 4278

E-mail: stefan.host@eit.lth.se Website: www.eit.lth.se

```
\Address{Address}
\Visiting{Visiting}
\Phone{Phone}
\Mobile{Mobile}
\Fax{Fax}
\Email{Email}
\Web{Web}
```

#### In the header the following commands are used:

```
\DocumentName{DocumentName}
\Diarienum{Diarienum}
\Department{Department}
\Admin{Admin}
```

The commands for Department and Admin is what goes under the logo. theer Admin is the person, either name, title or group. To remove any of the variables from the letter layout, set them with an empty argument. For example, to remove the Fax number set Fax.

The date can, as usual, be changed with \date{January 1, 2030}.

# Differences to the official templates

I have tried to follow the official letter templates from Lund University and LTH as closely as possible. There are a couple of exceptions to this, mostly due to the differences in Word and LATEX:

• First of all, the fonts differ. The templates provided is in Word, and the font setup for Word and LATEX are completely separated. In the class file the original font setup in TEX is used, i.e. Computer Modern for both rm (cmr), sf (cmss) and tt (cmtt) font. Word, on the other hand uses Times New Roman and Arial for the rm and sf fonts. The easiest way to get close to this is to load the mathptmx package, which sets the rm font to Times (ptm). Arial does not exist in most LATEX distributions, but normally Helvetica (phv) is used instead, which can be loaded by the helvet package (with a scaling factor to get the same hight as Times). Finally, it is usual to also use Courier (pcr) as the tt font, which is loaded by courier. So adding the following lines to your preamble should get similar fonts:

```
\usepackage {mathptmx}
\usepackage [scaled=.93] {helvet}
\usepackage {courier}
```

A variant for the rm font is to use Palatino (ppl) which can be loaded with mathpazo,

```
\usepackage{mathpazo}
\usepackage[scaled=.93]{helvet}
\usepackage{courier}
```

• The Word templates have ragged right margins, while LATEX typically has straight right margin. To get ragged right margin use \raggedright in the preamble. Notice, that this also sets \parindent to zero, meaning the horisontal space denoting new paragraph disappears. In the class this is set to 15pt, which needs to be reset:

```
\raggedright
\parindent=15pt
```

#### Known issues

This class is in its early stages, hopefully good enough for people to use but not flawless. One known issue is that the footer layout does not care about the amount of text that goes into it. That is, especially for the English version if all fields are used the first line with addresses and phone numbers will exceed the line-length and continue out of the page range. One way to get around this is to put all entries after each other in a box or table with predefined width. Then it can be set in as many lines as necessary. On the other hand, there is a significant risk it might also be quite ugly. I am open for other suggestions.

If there are other issues or bugs with the class, please let me know, the contact information is in the footer on the first page. Of course, that also goes for suggestions of improvements.

#### Installation

To install, save the directory ulundletter in the local search path. For **TeXlive** distributions the local folder can be found by entering the command

```
> kpsewhich -var-value=TEXMFHOME
```

This will give the location of the search directory <TEXMFHOME>. If the directory does ot exists, then create it. Also create the path <TEXMFHOME>/tex/latex/ and save the directory ulundletter. For a standard installation of live tex that means the directory becomes:

- MAC: ~/Library/texmf/tex/latex/ulundletter/
- Linux: ~/Library/texmf/tex/latex/ulundletter/
- Windows: <user>\texmf\tex\latex\ulundletter\

The Windows path I am a bit uncertain about and would appreciate a confirmation.

For **MikTeX** distribution I am unsure of where the local path is. If someone knows I will complement the description. The same goes for online tools like Oerleaf/ShareLaTeX, I will be happy to include guidance if someone can tell what to write.

## Example code

Since the class is based on the standard class letter.cls it is used the same way. A basic letter without any settings can be started with the following code,

### The preamble of this document is:

```
\documentclass[11pt,eng,LTH,logoBW] {ulundletter}
\usepackage[utf8] {inputenc}
\usepackage[T1]{fontenc}
%%%%%%%% Fonts
\usepackage { mathptmx }
%% \usepackage{mathpazo}
\usepackage[scaled=.93]{helvet}
\usepackage{courier}
%%%%%%%%% Margins
% \raggedright
% \parindent=15pt
%% Footer
\Address{Box 118, 22100 Lund}
\Visiting{Ole Römers väg 3, Lund}
\Phone{+46 46 222 4278}
\Mobile{}
\Fax{}
\Email{stefan.host@eit.lth.se}
\Web{www.eit.lth.se}
%% Header
% \DocumentName{}
% \Diarienum{}
\Department{Electrical and Information Technology}
\Admin{Stefan Höst}
%% Letter
\signature{Stefan Höst}
```

Happy TEX-ing,

Stefan Höst