

This document includes research data. It is sufficient to read about 50 percent of the document.

This PDF doesn't repeat what's already said, so you need to read it in detail to understand.

Our chat room: <https://discord.gg/VhHBjXbpkz>

YouTube(if you have question): <https://youtube.com/@normallanguage?si=4E6OEKgSuZa9OJAj>

If you don't like this document, then give me feedback or revisit it after one month. That issue can be fixed.

All feedback is welcome!

`norlang{`

This artificial language is called Norlang (Normal Language) in English.

Advertisement:

Lots of words are compound words, abbreviations, and antonyms, and are arranged in an orderly way.

Most words have short spellings.(2~4letters)

Words with similar meanings consist of similar letters.

So you can remember words easily.

Grammar is simplest and similar to math.

Norlang doesn't have exceptions.

Norlang versions of barcodes and QR codes are called NL QR.

Since Norlang is a binary language, it can easily be converted into NL QR and a Norlang version of Morse code.

Norlang is not ambiguous.

eg, "A of B and C" can be interpreted as "(A of B) and C" and "A of (B and C)" in English.

But in Norlang, "be af A B C" means only "(A of B) and C".
'af A be B C' means only 'A of (B and C)'.

Norlang is maybe most efficient.

'i know you' in Norlang is 'nebd'. (This is pronounced differently from English; it is easy to pronounce.)

English is 80 bits (in ASCII code).

Norlang is 16 bits (one letter is 4 bits, 'n' is '1011', letter is used for expressing binary).

Norlang is five times more efficient than English.

So Norlang reduces environmental pollution.

Norlang is a phonetic script.

Norlang can be used in programming since Norlang is very logical.
(eg
'var a=1==2;

console.log(a);
is expressed as
'ib ja lh nh gh
kbgh')

Norlang can express every meaning using only binary.

efficient alphabet	
latin alphabet	
NL QR	


NL QR1 is over 1.5 times more efficient than a barcode (both images mean the same).



NL QR2 uses over 5 times less space than a QR code. (The both images mean "I am people.")



NL QR means the same from any angle, like a QR code.



NL QR can be expressed in one, two, or three and more dimensions (PDF users can see the image).



Maybe you can use Norlang fluently in just two months.

Norlang brings easy communication and peace and helps technology grow.

Norlang is the simplest, most efficient, easiest, and most logical language.

}advertisement

it is beta version.

alphabet{

* alphabet is only 0 and 1 then it can be expressed as 16 latin letter.

a:0000. b:1000. c:0100. d:1100.


e:0010. f:1010. g:0110. h:1110.

i:0001. j:1001. k:0101. l:1101.

m:0011. n:1011. o:0111. p:1111.

norlang uses only lowercase letters.

more efficient alphabet is here(only pdf user can see. bottom to top writting alphabet):



one word consist of $8n$ bit.

$8n$ -th bit determines length of word.

* **8n-th bit 0** play role of whitespace of english so norlang dont need whitespace.

eg '1111111**0**' is one word.

it means that word whose letter between 'a'(0000) and 'h'(1110) is in $2n$ -th letter is smaller.

the example converted to latin letter is 'ph'.

$2n$ -th letter 'h' is in between 'a' ~ 'h'.

* **8n-th bit 1** make the word consist of more bit.

'11111111, 1111111**0**' is one word.

the example converted to latin letter is 'ppph'.

i will use whitespace to make you easily understand.

pronunciation{

* Two letters make one syllable.

* $(2n-1)$ th letter is pronounced as initial consonant.

* $2n$ -th letter is pronounced as vowel also final consonant.

eg 'bb fh anba' is pronounced as 'bo rwo memboo'.

'b' is 'bo' in pronunciation chart.

if 'b' is in $(2n-1)$ -th letter then it pronounced as 'b'.

if 'b' is in $2n$ -th letter then it pronounced as 'o'.

$(2n-1)$ th letter 'f' is pronounced as 'r'.

$2n$ -th letter 'h' is pronounced as 'wo'.

then 'anba' is pronounced as 'memboo' then it can be pronounced as 'meb'.

pronunciation chart{

sound consists of decibels (dB) and hertz (Hz).

it is arranged with lower Hz sounds coming first.(eg m(100hz) < s(14000hz))

so it is not biased toward any specific culture.

a:'moo'. b:'bo'. c:'deo'. d:'geu'.

e:'na'. f:'le'. g:'ppi'. h:'two'.

i:'kkoom'. j:'pom'. k:'teom'. l:'keum'.

m:'jam'. n:'jjem'. o:'chim'. p:'swae'.

IPA version{

a:'mu'. b:'bo'. c:'dʌ'. d:'gʷ'.

e:'na'. f:'rɛ'. g:'pi'. h:'tʷʌ'.

i:'kum'. j:'pom'. k:'tʌm'. l:'kʷm'.

m:'tɕam'. n:'tɕɛm'. o:'tɕim'. p:'swɛ'.

}IPA version

}pronunciation chart

There is another way to express all pronunciations.

}pronunciation

}alphabet

EML(Efficient Memory Language){

lecture{

basic{

- * grammar of norlang is same as math.
- * norlang can express every meaning.
- * transitive verb is function.
- * object in grammar is parameter.
- * norlang lacks concept of verb.
- * word order of norlang similar to VOS cuz it is efficient and logical.
- * norlang sentence 'A B' mean 'B is A'.
- * norlang sentence consist of two objects.
- * object mean noun or function.

eg 'djca hoad' mean 'ore is solid'.

'djca' mean 'solid'.

'hoad' mean 'ore'.

- * some word must have parameter like function.

'jd bd oa' mean 'i think you'.

translation whose only words are translated: '(thing that think you) is me'.

'jd' mean 'thing that think'.

'jd A' mean 'thing that think A'.

* 'jd' is function that must have parameter.

function is object so 'jd bd' is one object.

'bd' mean 'you'

'jd bd' mean 'thing that think you'.

'oa' mean 'i'.

* if subject is omitted, subject is 'i' so sentence 'jd bd' mean 'i think you'.

this grammar can express every meaning.

eg 'The happy boy gives her a small book in the today and smiles.'
is expressed as 'ab gc if ab mlka pf bica eimd kjkc ac ljhd ajea ab
dmdg mmcd'.

you need to know how to interpret a dictionary to learn in detail.

<How to interpret a word dictionary>{

'kjob !r=alive thing.'{

word is expressed as it in word dictionary.

* far left is norlang word.

* far right is meaning of this word.

* between '!' and '=' is word type.

* 'r' is an abbreviation for 'reality'.

only thing that can exist in reality is reality type object.

}

'fobg !=dead thing.//a alive'{

'//' is for an additional explanation.

'a' is an abbreviation for 'antonym'.

* 'a A' mean 'this word is antonym of A'.

* The antonym form is the inversion of the original word's bits.

0 becomes 1. 1 becomes 0.

eg antonym of

'kjob'(01011001,01111000) is

'fobg'(10100111,10000110).

}

'jd o!=thing that think A.'{

between norlang word and '!' is parameter that this function must have.

'o' is an abbreviation for 'object'.

any object can be in object type parameter.

'A' in right of '=' is first input object of this function.

eg 'jd oa' mean 'thing that think me'.

change A into inputed value.

}

'da !si=line break'{

'si' is abbreviation for 'sign'.

'si' type words don't interface with all words.

eg sentence 'jd da bd oa' means 'jd bd oa' because the word doesn't interface with 'si' type words.

You can use 'da' word to add new line.

}

><How to interpret a word dictionary>

any word can be in object type parameter.

'jd oa' is one object.

'jd jd oa' is one object and mean 'thing that think (thing that think me)'.

'jd ad oa'{

free translation: 'i think'.

FYR: (jd ad) oa.//between '(' and ')' is one function.

translation whose only words are translated: '(something that think something) is me'.

literal translation: im thing that think you.

ad !si=symbol that omit one parameter.

parameter of 'jd' is omitted by 'ad'.

if parameter is omitted, it means 'something'.

}

}basic

intermediate{

<How to interpret a word dictionary>{

'fc o,o!r=thing that ask B about A.'{

'!A,B' mean this function need 'A' and 'B' as parameter.

B is second input object of this function of norlang word, the third one as C, and then D, E, F, and so on.

parameter type that this function must have is **object** and **object**.

eg 'fc aoad oa' mean 'thing that ask me(oa) about ore(aoad)'.

}

'!h !n=zero'{

'n' is abbreviation for 'number'.

other type word cant be in 'ag' ~ 'ph' cuz it is for number word.

}

'!d !t=now.//c this, time',{

'c' is an abbreviation for 'compound word'.

'c A,B' mean 'this word is compound word of A and B'.

but "c A, B" can mean 'this word is abbreviation for A B'.

'!d' is abbreviation for '!b doea'.

'!b doea' mean 'this time'.

in this case, 'c' used to mean 'abbreviation'.

4bit is from 'lb'(1101,1000).

4bit is from 'doea'(1100,011100100000).

}

'lb o!1p=this A'{

'p' is abbreviation for 'parameter'.

'1p' mean 'first parameter'.

parameter value determines type of this word.

eg 'lb fobg' is reality type cuz fobg is reality type object.

}

'ab o-o!1p=A that is B'{

The symbol '-' means that if the parameter is omitted by symbol that omit parameter then the next parameter is automatically omitted.

originally 'ad' can omit one parameter but 'o-o' can be omitted by only one 'ad'.

}

'ge <o-o>-n!2p=thing that use A to become B.'

<o-o> is one group so all parameters inside '<' and '>' must be omitted for the third parameter to be automatically omitted.

word 'ge' whose first parameter is omitted is not needed. cuz word that mean 'become' is exist.

}

'gb s-n!p=reason why A2 is A1'

's' is an abbreviation for 'sentence'.

's' is '<o-o>'.

so 'A1' mean first 'o'.

'A2' mean second 'o'.

}

'be c o!p=A1 and A2 and....'

'c o' mean 'this word have object type parameter until it met symbol that omit parameter'.

eg 'be oa oa oa ad' mean 'me and me and me'.

}

elga n!t=Asecond.{

't' is abbreviation for 'time'.

}

}<How to interpret a word dictionary>

'mmfd bd oa'{

free translation: 'i love you'.

FYR: (mmfd bd) oa.

translation whose only words are translated: '(something that love you) is me'.

literal translation: 'im something that love you'.

mmfd o,n!r=thing that love A at B percent.//c hope,profit,

bd !r=you.//a i,

second parameter 'n' of 'mmfd' is automatically omitted cuz other type is in it.

me s,n!r=thing that hope that A2 is A1 by B percent.

fd n!r=thing that gains profit.

reason why 'love' is '//c hope, profit' is 'me fd A' mean 'thing that hope that A is thing that gains profit'.

FYR: (me fd A).

This word refers to the love between a parent and child.

word love that related to sexual desire is 'mmpf'.

}

'higina af elda oa'{

free translation: 'my name is higina'.

FYR: higina (af elda oa).

translation whose only words are translated: 'higina is name of me'.

literal translation: name of me is higina.

af o-o!1p=A of B.//c A that is B, element,

elda !v=name.

}

'dmca cf gkif gljb bd eimd oa'{

free translation: 'I see her giving you food'.

FYR: (dmca (cf (gkif gljb bd) eimd)) oa.

translation whose only words are translated: '(thing that see (situation that thing that give food to you is she)) is me'.

literal translation: i am thing that see situation that she is thing that give you food.

dmca o!r=thing that see A.//c sense,photon,.

cf s!r=situation that A2 is A1.

gkif o-o-n!r=thing that give A to B.//c cause,have,

gljb !r=food.

eimd !r=she.//c the,women,.

}

'jc dmff fnme oa cf mmcd ad oa'{

free translation: 'if i listen music, i am happy'.

FYR: (jc (dmff fnme) oa) (cf (mmcd ad) oa).

translation whose only words are translated: '(result if thing that listen music is me) is (situation that thing that feel pleasure in something is me)'.

literal translation: situation that im thing that feel pleasure in something is result if im thing that listen to music.

jc s,n!r=result if A2 is A1.

dmff !r=thing that listen A.//c sense,sound,.

fnme !r=music.//c sound,pleasure,.

cf s!r=situation that A2 is A2.

mmcd o,n!r=thing that feel pleasure in A.

}

'mb ee dmff fnme oa mmcd ad oa'{

free translation: 'I am happy when I listen to music'.

FYR: (mb (ee (dmff fnme) oa) (mmcd ad)) oa.

translation whose only words are translated: '(thing that feel pleasure in something when thing that listen music is me) is me'.

literal translation: i am thing that feel pleasure in something when im thing that listen to music.

mb t-o!2p=thing that is B when A.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

}

'ef cf dmff fnme oa mmcd ad oa'{

free translation: 'i am happy cuz i listen music'.

FYR: (ef (cf (dmff fnme) oa) (mmcd ad)) oa.

translation whose only words are translated: ((thing that feel pleasure in something) that is by situation that thing that listen music is me) is me.

literal translation: i am (thing that feel pleasure in something) that is by situation that i am thing that listen to music.

ef o-<o,n>!2p=B that is by A.

cf s!r=situation that A2 is A1.

}

'lc dmff fnme oa mmcd ad oa'{

free translation: 'i listen music but im happy'.

FYR: (lc (dmff fnme) oa (mmcd ad)) oa.

literal translation: i am thing that feel pleasure in something despite A2 being A1.

lc s,o!p=thing that is B despite A2 being A1.//c inverse,situation that a2 is a1,.

}

'mb dh ld foeh ph dmca bd'{

free translation: 'I saw you 3 minutes ago'.

FYR: (mb (dh ld (foeh ph)) (dmca bd)).

literal translation: i am thing that see you when now minus 3minute.

dh n or o-o!t=A minus B.//a plus,

ld !t=now.//c this,time,

foeh o!t=A minute.

ph !n=3.

dmca o!r=thing that see A.//c sense,photon,

'dh ld foeh ph' mean 'three minutes ago'.

}

<how to ask>{

'fc anga bd'{

free translation: 'what is people? i ask you'

translation whose only words are translated: '(thing that ask you

about people) is me'

fc o,o!r=thing that ask B about A.//c command, reply,

anga !r=people.

}

'fc nb bd'{

free translation: 'where are you?,i ask you'.

FYR: fc (nb bd).

translation whose only words are translated: '(thing that ask you about location of you) is me'.

literal translation: i am thing that ask you about location of you.

nb o!v=location of A.

if second parameter of 'fc' is omitted, the second parameter mean 'you'.

}

'fc gb dlke oa bd'{

free translation:'why do you hate me?'.

FYR: fc (gb (dlke oa) bd).

translation whose only words are translated: '(thing that ask you

about reason why thing that hate me is you) is me'.

literal translation: i am thing that ask you about reason why you are thing that hate me.

gb s,n!p=reason why A2 is A1.

dlke o,n=thing that hate A.//a love,

if second parameter of 'fc' is omitted, it mean 'you' or 'i'(alone think).

'gb dlke oa bd' mean 'reason why you hate me'.

}

'fc jc dmlg noag bd'{

free translation:'what if you give up being worker?'.
FYR: fc (jc (dmlg noag) bd).

translation whose only words are translated: '(thing that ask you about result if thing that give up being worker is you) is me'.

literal translation: i am thing that ask you about result if you are thing that give up being worker.

jc s,n!p=result if that A2 is A1.//a reason,

dmlg o!r=thing that give up being A.//c decide,not,will,intend,

noag !r=worker.//a rest,

}

'fc ja dmca oa bd'{

free translation: 'are you looking at me?'.

FYR: fc (ja (dmca oa) bd).

translation whose only words are translated: '(thing that ask you about whether thing that see me is you) is me'.

literal translation: i am thing that ask you about whether you are thing that see me.

ja s!r=whether A2 is A1.

dmca olr=thing that see A.//c sense,photon,.

}

'fc ec gkfg lb anga boba'{

free translation: 'how do we save this person?'.

FYR: fc (ec (gkfg (lb anga)) boba).

translation whose only words are translated: '(thing that ask you about how thing that save this people become we) is me'.

literal translation: i am thing that ask you about how we become

thing that save this people.

ec s-n!r=how A2 become A1.//c what,need to,.

gkfg o,n!r=thing that save A.//c cause,alive,.

lb o!p=this A.

boba !r=we.//c and,i,you,o,.

}

'fc ee de id boba'{

free translation: 'when we sense each other?'.
FYR: fc (ee (de id) boba).

translation whose only words are translated: (thing that ask you
about time when thing that sense each other is we) is me'.

literal translation: i am thing that ask you about time when we are
thing that see each other.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

id !r=each other.//c what,interface,self,.

}

}<how to ask>

'jf anga lb'{

free translation: 'this seems people'.

FYR: (jf anga lb).

translation whose only words are translated: thing that knows
believe that people is this is me.

literal translation: i am thing that believe that this is people.

jf r!s=thing that believe that A2 is A1.//c know,that A2 is
A1,true,whether,.

}

time{

'ed gkfg anga oa'{

free translation: 'i saved people'.

FYR: (ed (gkfg anga)) oa, (ed (gc kjob agba)) oa.

translation whose only words are translated: 'thing that was thing
that save people is me'.

literal translation: i am thing that was thing that save this people.

ed o!p=thing that was A.

gkfg o-n!r=thing that save A.//c cause,alive,.

}

'le jnkb dd oa', {

free translation: 'i will suicide'.

FYR: (gc (jnkb eida)) oa.

translation whose only words are translated: 'thing that will be thing that kill myself is me'.

literal translation: i am thing that will be thing that kill myself.

le o!p=thing that will be A.//a was,

jnkb o-n!r=thing that kill A.//a save,

dd !r=myself.

}

'eb ed fobg oa'{

free translation: 'i have never died'.

FYR: (eb (ed fobg)) oa.

translation whose only words are translated: 'thing that is not thing that was dead thing is me'.

literal translation: i am thing that is not thing that was dead.

eb o!v=thing that is not A.

}

'mb midg mmfd bd eide'{

free translation: 'he always loves you'.

FYR: (mb midg (mmfd bd)) eide.

midg !t=always.//c all,time,

eide !r=he.//c the,men,

}

}time

'ob eide noag oa'{

free translation: 'i work with he'.

FYR: (ob eide noag) oa.

translation whose only words are translated: thing that is worker
with he is me.

literal translation: i am thing that worker with he.

ob <o,o>-n!p=B that is with A.

noag !r=worker.//a rest,

}

how to command{

'fa kjob bd'{

free translation: 'hey you, be alive!'.
FYR: (fa kjob bd).

FYR: (fa kjob bd).

translation whose only words are translated: 'thing that commands you to become alive is me.

literal translation: i am thing that commands you to be alive.

fa o,o!r=thing that commands B to be A.

kjob !r=alive.

}

}how to command

<symbol that omit parameter>{

'fc ad bd'{

free translation:'i ask you'.

FYR: (fc ad bd)

translation whose only words are translated: 'thing that ask you about something is me'.

literal translation: i am thing that ask you about something.

ad !si=symbol that omit one parameter.

bc !si=symbol that omit two parameter.

cc !si=symbol that omit three parameter.

dc !si=symbol that omit four parameter.

omitted parameter become mean 'something'.

}

'dlke be bd dlke bd bc oa'{

free translation: 'i hate you and thing that hate you'.

FYR: (dlke (be bd (dlke bd)) bc) oa.

translation whose only words are translated: (thing that hate you and thing that hate you) is me.

literal translation: i am thing that hate you and thing that hate you.

be c o!p=A1 and A2 and....

in this situation, it should omit two parameter so 'bc' is used instead of 'ad'.

the first omitted parameter is 2nd parameter of 'dlke'.

second omitted parameter is parameter of 'be'.

}

><symbol that omit parameter>

{ge af dkee oa dmca bd'}

free translation: 'i see you using my eye'.

FYR: (ge (af dkee oa) (dmca bd)).

translation whose only words are translated: 'thing that use eye of me to become thing that see you is me'.

literal translation: i am thing that use eye of me to be thing that see you.

ge <o-o>-n!p=thing that use A to become B.

af o-o!2p=A of B.//c A that is B,element,

dkee !r=eye.//c see,organism,

dmca o!r=thing that see A.//c sense,photon,

}

'pmda ma bd' {

free translation: 'hello everyone'.

FYR: (pmda (ma bd)).

translation whose only words are translated: 'thing that greet all you is me'.

literal translation: i am thing that greet all you.

pmda o!r=thing that greet A.

ma o!p=all A.

bd !r=you.//a i,

}

}intermediate

upper intermediate{

<How to interpret a word dictionary>{

'pf !o=word whose meaning is determined by context.'

this word can be in any parameter type.

this word is like word 'it'.

}

><How to interpret a word dictionary>

{word 'ea' use to

{ 'mmfd bd oa', 'bd ea mmfd oa' }

translation: 'i love you', 'what i love is you'.

FYR: (mmfd bd) oa, bd (ea mmfd oa).

literal translation: i am thing that love you.

'ea' is similar to 'what' of english.

word 'ea' return n-th parameter.

To know the meaning, you need to list the parameters of all function in parameter sentence of the 'ea'.

first parameter is 'o' of 'mmfd'.(what it loves)

second parameter is 'n' of 'mmfd'.(how much it loves)

if word 'ea' target second parameter like 'ea mh mmfd bd oa', it mean 'how much i love you'.

}

{ 'fc ad bd oa', 'bd ea mh fc ad oa' }

free translation: 'i ask you'.

FYR: bd (ea mh fc ad oa).

ea c n,s!v=what.//this word remove targeted parameter by A.

'bd ea fc ad oa' mean 'you are who i ask to'.

function in input value of 'ea' is 'fc'.

list of parameter:

first parameter is 'what it asks about'.

second parameter is 'what is asks'.

'ea mh' mean '2nd parameater of the sentence'.

mh !n=minus two.//dnm two,

thus situation dont need minus so it become positive number.

so 'ea' target second parameter of 'fc'.

}

'ne bd oa', 'bd ea ne pa oa'{

free translation: 'i know you', 'you are what i know'.

FYR: (ne bd) oa, bd (ea ne pa oa).

literal translation:

first sentence mean 'i know you'.

second sentence mean 'what i know is you'.

The 'pa' is in parameter of 'nb'.

parameter of 'nb' is 'what it know'.

}

'ea mmfd bd'='ea lh mmfd bd'='ea mmfd pa bd'{

}

'ae anga mmfd oa', 'ab anga ea mmfd bd' = {

free translation: 'people that i love', 'lovely people'.

FYR: (ab anga (ea mmfd oa)), (ae anga mmfd bd).

literal translation: 'people that is what i love'.

ae o-<c n,s>!p=A that C2 C1.//C2 is subject,,C1 is verb,,c A that is B,what,

ab o-o!p=A that is B.

'ae anga mmfd oa' mean 'ab anga ea mmfd oa'.

'ab anga ea mmfd oa' mean 'people that are what i love'.

}

}how to use word 'ea'

}upper intermediate

advanced{

<How to interpret a word dictionary>{

'ah dec!n=decimal number'{

'dec' is abbreviation for 'decimal number'.

this word is for expressing decimal number.

'ah bc' mean 21.

'b' in dec is 1.

'c' in dec is 2.

it is 1, 2.

and inverse it.

result is 21.

we inverse it cuz it is efficient when calculating and space saving.

if you wanna finish dec, use 'a'

'ahba' mean 1.

'j' in dec is 9.

'k' in dec is 0.

you can express rational number.

fg dec-dec!n=decimal rational number.

The fractional part comes first so 1.0 is represented as like 0.1.

norlang emphasizes efficiency.

It is efficient when expressing 0.5 because it does not need to express integers.

}

'bg int!n=integer'{

'int' is an abbreviation for 'integer'.

'int' is for expressing only integer.

so code in int dont make parameter.

'bg' express integer number.

eg 'bg he' is 35.

first bit determines whether the number is positive or negative.

if first bit is zero, number is negative.

integer 'he' is '111000010'.

(2nd bit)*1=1.

(3rd bit)*2=2.

(4th bit)*4=0.

(5th bit)*8=0.

(6th bit)*16=0.

(7th bit)*32=32.

1+2+32=35.

so it is 35.

}

'gkfg o-n!r=thing that save A.//c cause, alive'{

antonym of gkfg exist.

it is kill.

word alive consist of smaller bit than word kill.

compound word that have antonym is made by small bit word.

}

'if o!p=thing that have A.//a element'{

he o!p=element of A.

'if' is '0 0 0 1 1 0 1 0'.

'he' is '1 1 1 0 0 0 1 0'.

antonym of 'he' seems 'id'(00011100).

antonym should have bigger bit than original word.

antonyms have an order.

For an owner to exist, elements must first exist.

so bit of word 'element' must consist of smaller bit than 'have'.

then antonym of 'he' seems 'ih' but 'ag'~'ph' is for number.

element is not number so this word move to area that is for type that is not number.

}

'gidd o-o-n=thing that need be A to be B,//c need,A that is B,self,.'{

gljb o-<o,n>=thing that need A to be B.

ab o-o!r=A that is B.

dd !r=self.//c Ath subject,one,

'gljb ab dd A B' similar to 'thing that need (thing that is myself and A) for being B'.

The floor of 16 divided by 3 is 5.

But the length of element word in the compound word must be a power of 2.

as i mentioned, 'com' can mean abbreviation.

}

'anee o!p=her A.//c of,she, '{

eimd !r=she.//c the A,women,.

compound word of 'of' and 'she' seems 'anea'.

but word 'anea' already exist so element of compound word is split.

if word 'af' is splited, it become 4bit so it wont splited.

af o-o!2p=A of B.//c A that is B,element,.

take initial of 'eida', 'mlmb'.

it is 'e', 'm'.

and Set the 8th bit to 0.

so result is 'ee'.

'an'+ 'ee' = 'anee'.

}

'//s combination en'{

'//s A B' mean 'letter of this word is similar to word A of language B B'.

}

'fnme !r=music.//c sound,pleasure,{

'sound i feel pleasure from' is expressed as 'ae fnih mmcd oa'.

important word in it is 'fnih'(sound), 'mmcd'(pleasure).

it is made by the two words.

it is abbreviation.

}

'af o-o!1p=A of B.//c A that is B, element,{

this word is abbreviation.

ab o-o!1p=A that is B.

he o!1p=element of A.

'ab A he B' mean 'A that is element of B'.

}

'//b A'{

'b' is abbreviarion for 'before'.

'b A' mean that this word is before word of A.

}

'foea n!t=A minute.//n second',{

'n' is abbreviation for 'next'

'n A' mean that this word is next word of A.

}

'//p A B'{

'p' is an abbreviation for 'pronunciation'.

'p A B' means that the pronunciation of this word is derived from

the A of language B.

language name of ISO code alpha2 is in B.

if it is omitted, it is norlang.

}

'm A{'

'm' is abbreviation for 'mean'.

'm A' mean that this word can mean also 'A'.

}

}<How to interpret a word dictionary>

<number>{'

'ag'~'ph' is number word.

'dg da', 'lh'='1{'

see between '(' and ')' in next.

'dg da' is '10000110,(110)00000'.

'lh' is '(110)11110'.

'ih'~'ph' is 'eni'(efficient number integer).

}

'ag fa lh'='1.25'{

ag int-n!n=rational number.

'fa lh'='10100000.11011110'.

lh !n=one.

'fa' is in small number area.

}

'cb n,o!v=A B.'{

example of 'number' + 'word' in english is 'one apple'.

eg 'cb kh anga' mean 'one people'.

quantity dont need minus, if minus is in quantity it becomes positive number.

eg 'cb kh anga' mean 'one people'.

kh !n=minus one.//dnm one,

quantity dont need minus, so it become positive number.

If different type word like 'r' is in place of an 'n' type parameter, then

'n' is automatically omitted.

if parameter 'n' of 'cb' is omitted, function 'cb' return quantity.

eg 'cb anga' mean 'quantity of people'.

}

'mmfd bd ph oa'{

free translation: 'i love you by 100percent'.

translation whose only words are translated:

ph !n=four.

this situation dont need minus.

intensity of love is percentage so it become percentage.

second parameter of 'mmfd' is 'intensity of love'.

FYR: (mmfd bd ph) oa.

}

'mmfd bd pg eide oa'{

free translation: 'I love you as much as I love him'.

translation whose only words are translated:

pg o!n=A converted into number.//c B converted into A,number,
eide !r=he.//c the,men,.

if word that is not a numeric type is in parameter of 'pg', it
automatically converted number.

'pg eide' converted into 'pg ea nh mmfd eida oa'.

FYR: (mmfd bd (pg eide)) oa.

}

'mmfd bd fh eimd'{

free translation: 'i love you more than she'.

translation whose only words are translated:

fh o!n=thing that is more than A.//a less,

eimd !r=she.//c the,women,.

FYR: (mmfd bd (fh eimd))

}

<mathematical expression>{

'mg lh nh ph'='1+2=3'{

mg o-o!n=A plus B.

lh !n=one.

nh !n=2.

ph !n=3.

FYR: (mg lh nh) ph.

}

'if A B' = 'A $\in$ B'.

'eb if A B' = 'A $\notin$ B'.

'gaad' = ' $\emptyset$ '.

'if A B' = 'A $\subseteq$ B'//A=gh. B=hh.

'ab eb A if A B' = 'A $\subset$ B'.

'A B' = 'A = B'.

'mg A B' = 'A $\cup$ B'.

'ic A B' = 'A $\cap$ B'.

'dh A B' = 'A - B'.

'ac eb pf A' = 'A^c'.

'ka A B ad' = '(A, B)'

'ae goch og pa nh kg jh A' = 'A = x ∈ Q | x² < 4'.

}<mathematical expression>

word 'bb' and 'ib'{

bb o!v=return value of A.

ib o!v=freeze word.

'ja lh lh' mean 'true' and 'whether'.

but 'bb ja lh lh' mean only 'true'.

'ib ja lh lh' dont mean 'true'.

'whether 1 is 1' is true so we can know that 'whether' mean true or false.

but 'i dont know whether 1 is 1' dont mean 'i dont know true'.

}word 'bb' and 'ib'

word 'db' and 'dd'{

db n!v=Ath subject.

'ne cf mmfd db lh oa bd' mean 'you know that i love me' cuz 'oa' is in first subject and 'db lb' mean first subject.

'ne cf mmfd db nh oa bd' mean 'you know that i love you' cuz 'bd' is in second subject.

if parameter of db is omitted, it automatically target second subject'.

dd !r=self.//c Ath subject,+1eni,

'dd' and 'db lh' have same meaning.

'dd nh' and 'db' have same meaning cuz if parameter is omitted, the parameter automatically mean 'nh'.

norlang use this word as 'myself' or 'themselves' etc.

}word 'db' and 'dd'

word hb{

hb c o!1p=too and.

'hb A B ad' mean 'A' or 'B' or 'A and B'.

}word hb

'ancjeg oa mmfd cjeoog oa'='im german people, i love germany'{

ancjeg !r=german people.//c people, germany,

cjeoog !r=germany.//p deutschland de,

FYR: (ancjeg oa) (mmfd cjeoog) oa.

}

word formation rule{

}word formation rule

if specific word is not exist in norlang, use '< >' like '<einstein>' but it cant be function.

}advanced

expression for reference{

You wouldn't understand. learn words first.

'oc anga fobg ie amae eide' = 'he is people whose mother is die'.

'jf mmne pf fh ea jd oa eimd' = 'She seems more wonder in it than I thought.'.

'mb midd mmne gb pf eida eimd' = 'I always wondered why he did that'.

'ae anga mmfd oa' = 'people that i love', 'lovely people'.

'ab anga mmfd bd' = 'people that love you'.

'fc ac kmga bd' = 'what is your emotion'

'fa ka of inda of jnda' = 'Go straight ahead, then turn left'.

'enfb pe anga lb anga' = 'this people is bigger than average people'

'kb cf anga eide oa' = 'i express he as people'.

'fc ea bida eide'='what he say?'

'fc ie lkkg mocg hb oa bd' = 'Who's bigger, you or me?'.
~~~~~

'hc hf anga oa '= 'probability that i am people'

'ac dmca bd ajlb oa' = 'i see you in here'.

" = 'this is explanation of this language'.

'pf oa' = 'me too'.

'mmid eide' = 'he is good'.

'nd ae anga mmid' = 'hey good people'.

'fc ea jf oa bd' = 'What do you think of me?'

'iokg dmcd lb' = 'this is easy to read'.

'fc pc ilda bd' = 'what is your weight?'.  
~~~~~

'kf ilda jh'= '4kg!(reply)'.

'mmne ea cd okne lb eoda pa bd' = 'Im curious about what you are trying to do by learning this language'

'ge eb A jnkb bd'='i kill you without A'.

'fe gc of mmda A='dont pull A up'.

'olga he bd lb' = 'this is for you'.

'enfb pf lb'= 'this is big'.

" = 'Have you ever been kicked at the speed of light?'

'ed doba mb gf od fobg bd jnjb bd bc eide ' = 'He promised to bury you if you die'.

'hf okne pf fh ' = 'it is easy to leran'.

/ere

}expression for reference

NL QR{

FYR: <https://youtu.be/rPGDHublCDI?si=LGGqztc4bVFdQmC9D>

convert alphabet to binary.

NL QR1{

0 is black or white.

1 is opposite color of 0.

ill draw 'oa oa'.

NL QR1 is started by '10'.

input 'oa oa'.

result is '100111000001110000'.

FYR: '(10) (01110000) (01110000)'.

last dont must be finished by '01'.

if NL QR1 is finished by '01', draw '11' to last.

read from '10'.

}NL QR1

NL QR2{

draw '10000011'

draw bit in right or left.

eg 'oa' ->

10000011

01110000

if you wanna draw bigger NL QR, draw 10100000000000011 or
1010000000000000.....11

}NL QR2

}NL QR

quiz{

1.meang of sentence 'fc ea jd bd'.

2.translate 'hello my name is gociba' to norlang.

3.meaning of sentence 'eb nb ea jd bd'.

answer{

1.What are you thinking?

2.pmda bc gociba af moga oa.

3.I don't know what you're thinking.

}answer

}quiz

}lecture

word dictionary{

for who interpret dictionary{

'o' of right side of '/' mean 'symbol that omit parameter'.

}for who interpret dictionary

//ewo

aa !si=finish all.

ba !si=whitespace.

ca

da !si=line break.

ea c n,s!v=what.//ea remove targeted parameter by
A,,target,certainty,pronoun,

fa o,o!r=thing that command B to become A.

ga o!p=only A.

ha o!ns=certain A.

ia o,n!p=thing that tends to become A.

ja s=whether A is true.//zero is true.cuz true is important.exist
made false.one is exist.

ka c o!p=array.

la o!si=symbol that change parameter to word type.

ma o!p=all A.

na !r=fact.

oa !r=i.//c this,asset,

pa o!//untranslatable word, it is used by ea.

ab o-o!r=A that is B.////no cw but intend com be,and,.

bb o!v=return value of A.

cb n,o!p=A B.//eg two apple.

db n!v=Ath subject.

eb o!p=thing that is not A.

fb n,o!=B that has id A.

gb s-n!r=reason why A2 is A1.

hb c o!p=too and.//c too,and,

ib o!v=freeze word.

jb c o!p=between A1 and A2 and.

kb o!r=thing that express A.

lb o!p=this A.

mb t-o!2p=thing that be B when A.

nb n or o!r=location of A.

ob <o,o>-n!2p=B that is with A.

pb n-int...!o=what function.//1st bit 1 mean int type

ac o-o!p=A that is part of B.//c A that is B,part,.

bc !si=symbol that omit two parameter.

cc !si=symbol that omit three parameter.

dc !si=symbol that omit four parameter.

ec <o-o>-n!r=how B become A.//what,need to,

fc o,o!r=thing that ask B about A,//c command,reply,

gc <o-o>-n!r=thing that cause A to become B.//s reason,

hc//g what,two,.

ic n,o!2p=Ath B.//minus is from last.

jc s-n!p=result if that A2 is A1.//a reason.

kc n-int...:1p=thing that says A.

lc s,o!p=thing that is B despite A2 being A1.//c inverse,situation that a2 is a1,.

mc o-t-n!p=thing that becoming A.

nc o-o!1p=thing that is nearest A to B.

oc//g ae,two,,but it target only r, o parameter,.

pc o-o!1p=B that is converted into A.

ad !si=symbol that omit one parameter.

bd !r=you.//a i,

cd <o-o>-n!p=thing that is B because it is A.//c use,A that is B,self,.

dd !r=self.//c Ath subject,+1eni.

ed o!p=thing that was A.//cant c b when a,past,o,.

fd n!r=thing that gains profit.

gd o!r=thing that make A.

hd o!p=other A.//cant c A that is B,not,wtdoc,.

id !r=each other.//c what,interface,self,.

jd o!r=thing that think A.

kd int!v=A th function.

ld !t=now.//c this, time,.

md o!p=thing that become A.

nd o!r=thing that call A.//c command,sense,Ath subject,.

od o,n!p=thing that intend be A.

pd simpleipa!o=foreign word.

ae o-<c n,s>!p=A that C2 C1.//c A that is B,what,,C1 is verb.

be c o!p=A1 and A2 and.//c or,most,

ce n-int-p!2p=parameter to object.

de o!r=thing that sense A.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

fe o,o!r=thing that prohibits A from becoming B.//c command,not,

ge <o-o>-n!p=thing that use A to become B.

he o!p=element of A.//include promise.

ie o-o=A that is relate to B.

je s!t=past of A.

ke n!r=victim.//a profit,

le o!p=thing that will be A.//a was,

me s,n!r=thing that desire A is true with B percent intensity.

ne o!r=thing that know A.//c include,code,

oe o,n!p=thing that can be A with B percent probability.

pe o!p=average of A.

af o-o!2p=A of B.//c A that is B,element,.

bf <c o>-n!p=A1 or A2 or.

cf s!r=situation that A2 is A1.

df s,n!r=thing that dread A with B percent intensity,//a hope,

ef o-<o,n>!2p=thing that become B by A.

ff !si=continue say.

gf slt=future of A.//a past of A.

hf n,o!p=thing that similar to A.

if o!r=thing that have A.//a element,.including promise

jf s!r=thing that believe that A2 is A1.//c know,that A2 is A1,true,whether,.

kf o,o!r=thing that reply to B by saying A..//a ask,

lf s!p2=whose A2 is A1.

mf o-o!p=intersection of A and B,//c A that is B,part,part,

nf o!p=part of around of A.

of o!r=thing that go A.

pf !o=it.

{

int!v=word as int A from onself.

ni!si=backspace.

o-o!p1=B which is called A.

int!si=version marker.

int-int-para...!p3=two function

B as A.

Aly B.

}

ag int-n!n=rational number.

bg int!n=integer.

cg n-int...!v=string.

dg o!p=minus of A.

eg int!n=Ath value.

fg dec-dec!n=decimal rational number.

gg o!n=not A.

hg o-o!n=and A B.

ig o-o!n=or A B.

jg o-o!n=xor A B.

kg o!n=thing that is less than A.//A>

lg o!n=thing that is bellow than A.//A>=

mg n or o-o!t=A plus B.

ng o-o!n=A times B.

og o-o!n=A square B.

pg o!n=A that is converted into number.//c converted,number,.

ah deci!n=decimal number.

bh o-o!n=A root B.

ch o-o!n=A divided by B.//a sqare.

dh o-o!n=A minus B.//a plus.

eh o!n=thing that is exceed than A.//a bellow,,A<=

fh o!n=thing that is more than A.//a less,,A<

gh !n=x.

hh !n=y.

ih !n=zero.

jh !n=four.//dnm four,

kh !n=minus one.//dnm one,

lh !n=one.//dnm five,

mh !n=minus two.//dnm two,

nh !n=two.//dnm six,

oh !n=minus three.//dnm three,

ph !n=three.//dnm seven,

int!n=unknown,

a{

a.a{

alh g o!p=thing that be A.//a about,

}a.a

a.b{

}a.b

a.c{

anee o!p=her A.//c of,she,.

aned o!p=his A.//c of,he,.

ajab c o!p=A1 that is A2 and//c A that is B,A that is B,

anaf c o!p=c of.//c of,of,

andb o!p=minimum of A.//c of, minus most,

anmg o!p=maximum of A.//c of,most,

ajlb !r=here.//c also cast,this,

ancjeg !r=german poeple.//c people,germany,

akcb o!r=thing that is in A.//c ac,inside,

anid o!p=same A.//c of,eachother,

}a.c

a.n{

aoda n!r=n gon.//n hexagon,

}a.n

a.p{

amae r!=mother.//p mama baby.

}a.p

a.r{

anga !r=people.

}a.r

a.s{

alhd c o!v=similarity between A1 and A2.//s be,

}a.s

}a

b{

b.a{

bkjd o!r=thing that leave A.//a enter,

bmgg !r=deleted.//a created,

bnjd <o,o>-n!r=thing that dont need A to be B.//a need,

bpme <o,o>n=thing that dont need to be A to be B.//a need to,

}b.a

b.b{

bmba o!r=south.//b west,

}b.b

b.c{

elgd !r=information.//c code,need,

bikg o!r=thing that is weaker than A.//c newton,less,

bmjb c o!n=distance of between A1 and B2.//meter,between,

blkg o!r=thing that is more flexible than A.//c flexibility,less,

bjld !r=true.//c return value,whether,one,one,.

boba !r=we.//c and,i,you,o,

elcf !r=sentence.//c code,situation,

}b.c

b.n{

}b.n

b.r{

biga n!r=Anewton.

blda n!r=A flexibility.

}b.r

b.s{

blob o!r=thing that hold A.//s inhale,

bida o!r=thing that mention A.

biga o!r=thing that mark A.//s mention,

bodg o!r=thing that disconnecte A.//s alone,

bida o!r=thing that mention A.

biga o!r=thing that mark A.//s mention,

bode !r=body.//s body en.

}b.s

}b

c{

c.a{

}c.a

c.b{

}c.b

c.c{

cnad !r=situation.//c situation that A2 is A1,o,.

cmjd !r=foreign.//c country,outside,

cmkg o!r=thing that is cheaper than A.//c dollar,less,

ckff !r=phonetic alphabet.//c letter,express,sound,

cokg o!r=thing that is younger than A.//c A old, less,

cjkg o!r=thing that is fewer than A.//c quantity,less,

cnih !r=money.//c dollar,over,zero,

cnlh o!p=lot of A.//c quantity,over,dnm four,

cngkne !r=education.//c situation,teach,

cjfa o!p=more A.//c-s quantity, more,

}c.c

c.n{

}c.n

c.p{

cmfc o!p=A dollar.//p dollar en.

cjeoog !r=germany.//p deutschland de,

}c.p

c.r{

cjda !r=part of inside.

}c.r

c.s{

compa o!r=thing that stay in A.//s part,

cjea n,o!1p=thing that repeat B at A times.//s-c quantity,was,

cnda o!r=As.//s c quantity,over,one,.

}c.s

}c

d{

d.a{

dlne o,n!r=thing that feel pain about A.//a pleasure,.

dlhe o,n!r=thing that dislike A.//a like,

dlge o,n!r=thing that feel uncomfortable be A.//a comfortable,

dlfd o,n!r=thing that think that A is ugly.//a beauty.

dlde o,n!r=thing whose A is dangerous.//a safe,

dlme o,n!r=thing that is scare of A.//a cute,

dlke o,n!r=thing that hate A.//a love,,a angry,

dome o!r=thing that fight with A.//a peace,

dmgg o!r=thing that fly on A.//a walk,

dmfb !r=increasing.//a decreasing,

dmge o!r=thing that ignore A.//a mind,

dlnq n!r=extrovert.//a introvert,

djhc o!r=thing that lost A.//a get,

dmld !r=adult.//a baby,

dloe n!r=full.//a hungry,

dpme o,n!r=thing that suffers from being A.//a enjoy,

dpoe o,n!r=thing that think A is tasteless.//a delicious,

dmdg !r=men.//a women,

dljf o,n!r=ashamed of A.//a proud,

}d.a

d.b{

doea !t=time.//b second,

}d.b

d.c{

dkeg !r=eye.//c see,organism,

dmlg o!r=thing that give up being A.//c decide,not,will,intend,

dlhc !t=yesterday.//c minus,today,day,one,

djne o!r=thing that remember A.//c remain, know,

djif o!r=thing that keep A.//c remain,have,

doif o-o-o!r=thing that exchange B with A for C.//c promise,have,

dned o,n!r=thing that regret A.//c dread,was,

dmed o!r=thing that read A.//c sense, code,

}d.c

d.n{

djda !r=shell.//n inside,

}d.n

d.r{

dida o,o!r=thing that assert that B is A.

doba o,o-o!r=thing that promise that if myself become A then B becomes C.

djnb !o=minus most.

djl b o!p=thing that remain A.

}d.r

d.s{

dlkb o!r=thing whose A is enemy.//s hate,

domb !r=job.//s promise,

djba !r=essense.//s minus most,

}d.s

}d

e{

e.a{

enfb o!r=thing that bigger than A.//a smaller,

}e.a

e.b{

}e.b

e.c{

eoba o,o,n!r=thing that write A at B.//c letter,mention,.

eide !r=he.//c the A,men,.

enef c o!p=c by.//c by,by,.

elad !r=pointed.//c what,point to,o,

eaga o!p=sole A.//c what,only,

eocjeg !r=german language.//c language,germany,

elkg o-o!r=thing that efficiently become A than B.//co
efficiency,less,

eoeldd !r=english.//c language,england,dofocd !r=english.//c
language,england,

eimd !r=she.//c the,women,.

eicd c o!2p=process of A1 becoming A2....//c what,be A to B,

eogg !r=math.//c document,number,

eojd !r=geometry.//c document,shape,

eoog !r=novel.//c document,false,

eojb !r=science.//c document,realty,

eona !r=physics.//c document,essense,

eiia !r=culture.//c what, tend,

}e.c

e.n{

ejfg !t=midnight.

eoet n!t=A second.//n time,

ejda !r=part of outside.//n shell,

}e.n

e.p{

eodlff !r=england.//p england en,

}e.p

e.r{

eida o!p=the A.

elle !r=life.

eljg n-o=thing that become B with A efficiency.//n is damage/gain,,

}e.r

e.s{

elda !o=code.

elca !r=document.//s code,

elib !r=post.//s code,

eloa !r=language.//s code,

elha !r=word.//s code,

elea int!r=word A.//s code,

elga !r=name.//s code,

elfa o!p=thing that mean A.//s code,

!p=symbol.//s code,

!r=unit.//s code,

ej o!r=thing that attack A.//s win,

ejpb o!r=thing that revenge A for B that A did.//s win,

emfa !r=organism.//s-c was,become,alive,

}e.s

}e

f{

f.a{

fnfb o!r=thing that wider than A.//a narrower,

fofb o!r=thing that is hotter than A.//a cold,

fneg !r=shift.//a fixed,

fpmg o!r=thing that emit A.//a inhale,.

}f.a

f.b{

fkif o,o!r=thing that send A to B.//b give,

}f.b

f.c{

fnme !r=music.//c sound,pleasure,

fnff o!r=thing that sing A.//c speak,music,

fifd o!r=thing that hail A.//c command,profit,

fnih !r=sound.//c decibel,over,zero,

filg o,o!r=thing that apologize to B about A.//c please,forgive,

fnba o!r=thing that speak A.//c sound,mention,,ori
use,sound,mention,.

}f.c

f.n{

fjfg !t=dawn.//n midnight,

foea n!t=A minute.//n second,

}f.n

f.p{

}f.p

f.r{

foba !r=solid.

fmda n!r=Adecibel.

fojb !r=alive.

}f.r

f.s{

hoda !r=air.//s gas,

fida o,o!r=thing that requests that B become A.//mean please,,s
command,

fjob n!r=normal.//s profit,

fljb !r=closed.//s off,

foda !r=building.//s hard,

fpig o!r=thing that reflect A.//s emit,

}f.s

}f

g{

g.a{

gnfb o!r=thing that longer than A.//a shorter,

gobg !r=sky.//a land,

glbg !r=after.//a before,

}g.a

g.b{

}g.b

g.c{

gkfd o-n!r=thing that beneficial A.//c cause,profit,,also help,

gkif o-o!r=thing that give A to B.//c cause,have,

gkne o-o!r=thing that teach A to B.//c cause, know,

gkde o,o!r=thing that shows A to B.//c cause, sense,

gkff o,n!r=thing that impact A, //c cause, shift,

gkfg o-n!r=thing that save A.//c cause, alive,

gkfb o-n!r=thing that fix A.//c cause, normal,

godb o-n!r=thing that pull A.//c cause, go, Ath subject,

gkgb o-n!r=thing that fit A into B.//c cause, wear,

gkjb o,n!r=thing that create A.//c cause, exist,

gkeg o,o!r=thing that define A as B.//c cause, mean,

gkfc o!r=thing that turn on A.//c cause, on,

goch !n=rational number.//c number, divided by,.

gkka <o,o>-n!r=thing that put B into A.//c cause, inhale,

glkg o!r=thing that is simpler than A.//c complexity, less,

gmag o,n!r=thing that defend A.//c cause, not, damage,

goee !r=blood.//c liquid, organism,

goec !r=equation.//c number, method,

}g.c

g.n{

goba !r=liquid.//n gas,

gjfg !t=morning.//n dawn,

goea n!t=A hour.//n minute,

}g.n

g.p{

gmge !r=father.//p papa baby.

}g.p

g.r{

gmgd o-o!r=thing that win A in competition of being B.

goba !n,ns=number.

gljb !r=food.

glba n!r=A complexity.

}g.r

g.s{

goga !r=water.//s liquid,

glkb <o-o>-n!p=thing whose A is important for being B.//s need,

gjne o,o!r=thing that record A at B.//s teach,

}g.s

}g

h{

h.a{

hjfb o-o!2p=thing that is more difficult to become A than being B.//
a easy,

hmfb o!r=thing that is heavier than A.//a lighter,

fofb o!r=thing that is harder than A.//a soft,

}h.a

h.b{

}h.b

h.c{

hila !n=binary.//c too and,zero,one,o,.

hidg !r=certain time.//c certain,time,

hmdb o!v=part of A.//s element,

}h.c

h.n{

hoba !r=gas.//s hard,,n liquid,

hjfg !t=noon.//n moring,

hoea n!t=A day.//n hour,

}h.n

h.r{

hmkd !r=wheat.

hofa o!p=A too.

}h.r

h.s{

hida !r=object.//s certain,

hica o!p=each A.

h o!p=specific A.

hiba o!p=any A.

hoad !r=ore.//s hard,

hoga o!r=thing that live in A.

!r=switch.

hina !r=button.//s switch,

hioa !r=door.//s switch,

hnda o!p=thing that has right to be A.//s can,

}h.s

}h

i{

i.a{

ilmg o!r=whole A.//a part,.

}i.a

i.b{

iigd o!r=thing that kiss A.//b bite,

}i.b

i.c{

inih !r=wave.//c hz,over,zero,.

ikic c o!p=c intersecrion.//c intersection,intersection,.

ilpe o!p=features of A.//c difference,average,

ijhg !r=home.//c building,live,

iifd n!r=slefish.//c tend, profit,

ilkg o!r=thing that is lighter than A.//c Akg,less,

iicb n!r=lazy.//c tend,rest,.

kjkg o!r=thing that is softer than A.//c hardness,less,

iokg o-o!2p=thing that easily become A than being B.//c difficulty level,less,

}i.c

i.n{

ijfg !r=afternoon.//n noon,

ioea n!t=A week.//n day,

}i.n

i.r{

inda !r=front.

ikba n!r=thing whose A is size.

ioda o-n!2p=thing that is become A with Bdifficulty level.

kjba n!r=hardness.

imga o!v=Ahz.

ilda n!r=Akg.

}i.r

i.s{

imca o-n!1p=thing that is relate to A.//s A that is relate to B,

indd !r=north.//s top

inba o!r=thing that include A.//s have,

}i.s

}i

j{

j.a{

jlje o-o!r=thing that lose to A in competition of being B.,//a win,.

jncg !r=student.//a teach,

jnoe <o-o>-n!r=thing that take B out of A.//a put,

jnke o,n!r=thing that harmful A.//a beneficial,

jnkb o-n!r=thing that kill A.//a save,

jnmd <o-o>-n!r=thing that hide A from B.//a show,.

jmfb o!r=thing that is more complex than A.//a simple,

jngg o-n!r=thing that delete A.//a create,

jjmg o-n!r=thing that push A.//a pull,

jnhc o-o!r=thing that recive A from B.//a give,

jnkf o!r=thing that turn off A.//a turn on,

jmgg !r=poison.//a food,

}j.a

j.b{

jigd o,n!r=thing that bite A.//b inhale food,

}j.b

j.c{

jkkg o!r=thing that is shorter than A.//c meter,less,

johe !r=bread.//c fermentation,wheat,

}j.c

j.n{

jlda !r=shape.

jjfg !t=evening.//n afternoon,

jnda !r=left.//n front,

joea n!t=A month.//n week,

}j.n

j.r{

jkba n!r=A meter.

jjob !r=land.

joda !r=fermentation.

}j.r

j.s{

jjda !r=world.

jjca !r=part of reality.//s world,

jjba !r=exist.//s world,

jjea !r=universe.//s world,

jjdd !r=god.//s world,

jmob !r=before.//s past,

jmdg o-o!r=thing that compete to being B with A.//A is like
enemy,,s dont need,

jndd !r=west.//s left,

}j.s

}j

k{

k.a{

kobg n!r=abnormal.//a normal,

kpbc o,o!r=thing that ban A from B.//a invite,

fkob !r=on.//a off,,s alive,

kmgg !r=opened.//a closed,,s on,

kjgg !r=dead.//a alive,

}k.a

k.b{

}k.b

k.c{

kkbb s!v=evidence that A2 is A1.//c express,that A2 is A1,true,whether,.

kkkg o!r=thing that is narrower than A.//c meter2,less,

kjkg o!r=thing that is colder than A.//degree celsius,less,

kidb o!r=thing that inhale A.//c cause,go,ac,inside,Ath subject,

kicb o!r=thing that suck A.//c inhale,inside,

kieg !r=mouth.//c inhale,organism,

kigd o!r=thing that put A into mouth of myself.//c inhale,food,,n
bite,

}k.c

k.n{

klda !r=point.//n shape,

kjfg !t=night.//n evening,

knda !r=be find.//n left,

kkba n!r=A metet².//n meter,

koea n!t=A year.//n month,

}k.n

k.r{

kkod !r=heart.

kmpe !r=insect.

kklb !r=fixed.

kjda n!r=A°c.

kmba n!r=thing that feel emotion.

}k.r

k.s{

kndd !r=south.//s behind,

kobg !r=off.//s die,

}k.s

}k

l{

l.a{

loag o,n!r=thing that forgive A.//a revenge,

lmfb o-o!r=thing that unefficiently become A than B.//a efficient,

}l.a

l.b{

}l.b

l.c{

lkkg o!r=thing that is smaller than A.//c meter³,less,

ljhd !t=time part of today.//c this,day,.

lljb !r=road.//c line,land,

lloe !r=stick.//c line,inflexible,

llbd !r=loaf.//c line,flexible,

}l.c

l.n{

llda !r=line.//n point,

lnda !r=right.//n behind,

lkba n!r=A meter³.//n meter²,

ligd o,n!r=thing that chew A.//n inhale food,

}l.n

l.p{

lmle o,n!r=thing that feel A is fun.//p haha people,

}l.p

l.r{

lnda o!r=thing that point to A.

lica o!p=inverse of A.

ljga !p=start.

}l.r

l.s{

lndd !r=east.//s right,

o!r=thing that toward A.//s point,

}l.s

}l

m{

m.a{

mmfg o!r=thing whose A is friend.//a enemy,,s love,

mocg !o=most.//a minus most,.

mjhc o,o!r=thing that sell A to B.//a buy,.

mled o,n!r=thing that effort to become.//a give up,

mjfb o!r=thing that is slower than A.//a fast,

moch o!r=thing that denies A.//a admit,

mocd o!r=thing that forgot A.//a remember,

moeg o!p=thing that stop being A.//a remain,

}m.a

m.b{

}m.b

m.c{

midd o,n!r=thing that enjoy be A.//c pleasure,A that is B,self,.

moke o,n!r=thing that angry at A.//c hope,cause,victim,

mmfd o,n!r=thing that love A by B percent.//c hope,profit,

mlif o!r=thing that get A.//c become,have,.

mmne o,n!r=think that wonder about A.//c hope,know,

mmpf o,n!r=thing that want to sex with A.//c hope,sex.

mibd o,n!r=thing that thinks A is delicious.//c enjoy,eat,.

mlkg !r=decreasing.//c become,less,.

mkne o!r=thing that learn A.//c becoming,know,.

mleg !r=born.//c become,organism,.

mmcb n!r=introvert.//c normal,brain,

mlee !r=baby.//c new,organism,

mleg !r=foot.//c walk,organism,

mmoa !r=we.//c friend,i,

mmbd n!r=thing that is hungry.//c hope,eat,

mlge o!r=thing that swim in A.//c walk,inside,

midg !t=always.//c all,time,.

mljb !r=created.//c become,exist,

mmgc o,n!r=thing that is proud of A.

o!r=conquer A.//c become,rule,

}m.c

m.n{

mlda !r=triangle.//n line,

mjga n!p=middle.//n start,

mnda !r=top.//n right,

mlgd o,n!r=thing that swallows A.//n chew,

}m.n

m.r{

mlmb !r=women.

}m.r

m.s{

mmcd o,n!r=thing that feel pleasure about A.//s love

mmid o,n!r=thing that like A.//s love,

mmjd o,n!r=thing that feels comfortable be A.//s love,

mmkd o,n!r=thing that feel A is beauty.//s love,

mmmd o,n!r=thing whose A is safe.//s love,

mmdd o,n!r=thing that think that think A is cute.//s love,

mmod o,n!r=thing that respect A.//s love,

mlba o!p=new A.//s become,

mobd !r=blank.//s hungry,

mida o!1p=every A.//s all,

}m.s

}m

n{

n.a{

njfb o!r=thing that is older than A.//a young,

nofb o!r=thing that is manier than A.//a fewer,

noag !r=worker.//a rest,

nkfb o!r=thing that is more expensive than A.//a cheap,

}n.a

n.b{

}n.b

n.c{

njgg o!r=thing that calculate A.//c know,number,.

nmog o,o!r=thing that misunderstand B as A.//c know,false,

o!r=thing that understand A.//c know,principle,

nnld !t=recent.//c aroud,now,

njmg int!r=thing that know word A.//c know,word A,

npld !r=chopstick.//c two,stick,

nmeg !r=brain.//c know,organism,

}n.c

n.n{

nlda !r=square.//n triangle,

njga !p=end.//n middle,

nnda !r=botttom.//n top,

nigd o,n!r=thing that glup down A.//n swallow,

}n.n

n.r{

}n.r

n.s{

}n.s

}n

o{

o.a{

ooee !r=false.//a true,.

opfb o!r=thing that stronger than A.//a weaker,

omfb o!r=thing that is more infelxible than A.//a flexible,

ojeg o!r=thing that take off A.//a wear,

}o.a

o.b{

}o.b

o.c{

olde o!r=thing that looking for A.//c intend,sense,

oljd o,n!r=thing that mind A.//c intend,think,

ondb !r=thing that come.//c go,Ath subject,

oidf o,n!r=thing that feel that A is noisy.//c suffer,listen,.

oncb o!r=thing that enter into A.//c go,inside,

olgc o-n!r=thing that is for A.//c for being, benefical,.

olfd !r=rational.//c tend,profit,

iogmme !r=hedonist.//c tend,intend,only,what,hope,

okge o-<o,n>!r=thing that need A to be B.//c can,use,

oidd o-o-n!r=thing that need to be A to be B.//c need,A that is B,self,

}o.c

o.n{

olda !r=pentagon.//n square,

oigd o,n!r=thing that digest A.//n swallows,

}o.n

o.s{

ojba !r=group.//s with,

ojmb !r=combination.//s with,

ojga !r=country.//s with,

ojca olr=thing that connecte A.//a disconnected,,s with,

ojda !r=continuity.//a discontinuity,

ojea !r=together.//a alone,

olga olr=thing that for being A.//s intend,

cb olr=thing that wear A.//c stuck,inside,,m stuck,

oncg olr=thing that hang from A.//s enter,

}o.s

}o

p{

p.a{

pmie c o!v=difference between A1 and A2.//a similarity,

}p.a

p.b{

}p.b

p.c{

}p.c

p.n{

plda !r=hexagon.//n pentagon,

pigd !r=shit.//n digest,

}p.n

p.p{

pmag !r=norlang.

}p.p

p.r{

pkfa utf!r=utf8 code whose A is code.

pmib o!p=thint that is about A.

}p.r

p.s{

}p.s

}p

order{

many is first.

aiba !r=elementary particle.

aiba !r=none.

ciba !r=photon.

~bjba

color{

rrggbb.

aipa !r=black.

dipa !r=red.

mipa !r=green.

alpa !r=blue.

pipa !r=yellow.

plpa !r=white.

lkpa !r=pig pink.

lipa !r=orange.

kkpa !r=gray.

bkpa !r=purple.

nlpa !r=mint.

gipa !r=brown.

}color

mid{

mid = anto - ori.

//emi

}mid

!r=thing that rest.//s stay,

bo !r=alone.//a individual,

!r=discontinuity.//s alone,

o!r=thing that walk on A.//s connect,

o!r=thing that touch A.//s connect,

o!r=thing that sex with A.

o!r=thing that breed with A.

o,o!r=thing that mix A and B.//c cause,unite,

o-o!r=thing that move from A to B.//s go,

s!r=thing that consider A2 is A1.//s assert,

unit{

n!r=superiority.

!r=A quality.

}unit

word that will be created(it is for only developer){

o!p=standard of A.

!r=mass.//c converted,kg,

anenfb !r=titan.//people,big,.

!r=intellect.//c use,logic,.

o!1p=thing whose A is role.

o!1p=thing that act A.//s role,

!ns=example.

o!r=map of A.//c converted,image,

!r=video.//c image,image,.

o,o!r=thing that discriminates against A.//eg discriminates gender
it=Discriminate against it based on gender.

dec!n=decimal number.

o!p=thing that return A.

!n,ns=integer.//c number,.

o!r=thing that try be A.

!r=trade.

!r=thing.

!r=bad.

!r=tool.

o,n!r=thing that feel A is disgusting.

!r=powder.

!r=nugget.//a powder,

=color.//c photon,wave,

!r=cloth.

o!r=thing that conversation with A.

=flat.//p taira jp,

=equality.//a flat,

=conscience.

!r=hole.

!r=pig.

!r=shiver.//n fear,

=parent.//c make,

!r=medicine.

o,n!r=thing that fear A.//c thing that believe that A2 is
A1,enemy,strong,

!r=planet.//s circle,

o!r=thing that think A is strange.

o,n!r=thing that feel A is weird.

=path.

o!p=thing that suddenly become A.

s!r=thing that agree A.//c promise,not,cause,not,

o-o!p=B per A.

s!r=thing that dont interveing A.

s!r=thing that intervening in A.//a dont interveing,

coda t!r=A old.

o-o!v=define B as A.

!r=satisfied.

!r=main.

!r=assistance.//a main,

o!r=thing that explain A.//c express,about,

jmkc s!r=thing that wait for the A2 to be A1.//c past,fixed,

!r=dictionary.

!r=pramater.

!r=value.

o!r=thing that control A.

o!r=thing that ride A.//s control,

o!p=thing that is detail than A.

!r=advantage.//s normal,

!r=disadvanges.//a advantages,

o,n!r=thing that is sad about A.//s pain,

o,n!r=thing that ia cry about A.//n sad,

!r=transistor.

!r=empire.//c country,strong,

ljba !r=shop.

o!r=thing that is famous in A.

!r=app.

o,n!r=kind of A.

hpke n!r=kind.//a selfish,

o=symbol that convert A into and type.

o!r=thing that peace with A.

elba n!r=digit.

o!r=thing that rule A.

!r=consistent.//s contious,

llga o!r=law of A.

!r=initial-consonant.

!r=oil.//s liquid,

o!r=thing that subscribe A.

nifa o:standard,o,n=rank.

!r=mountain.

ijjf !r=school.//c buliding,student,

s!2p=plan of A.//s process,

o!p=property of A.

n!r=political party,

!r=book.//c union,document,

n:'number of id'-id:'words'-str:'structure of parameter'=expressing-mean-of-word.

o!r=daily of A.

hkga o!r=structure of A.//c process,work,

s!r=principle of A.//c essence,process,,s structure,

!//r=gun.

o!//r=thing that aim A.//c intend,toward,

olca o!r=terrain of A.

!r=form.

//gmca o!r=thing that select A.

!r=planet.

!r=sun.

onca o!r=standard of A.

//o:target,o:location=pros of A.

//o,o=cons of A.//a pros,.

//!r=natural-phenomenon.

o!p=limit of A.

//=legend.

//!r=pregnancy.//c include,baby,

//bkda o=value of A.

//!r=capital.

//hkda int,int,int!r=rgb.

//=IPA.

//hnda o=direction of A.

n!r=thing whose A is angular momemtum.

kijc n!r=thing whose A is momemtum.//c kg,speed,

doga n!r=thing whose A meter per second is speed.//c
meter,second,

//mnda !r=plant.

!r=religion.

!r=civilization.//c

s!=request of A.

flea o,o,o!r=thing that trade with A.

!r=peninsula.

kmba o,o!r=think that thankful that A is B.

o!r=entropy.

onba !r=mistake.

!r=cpu.

n!r=thing whose A is wages.

n!r=company.

o!r=thing that vote A.

o!p=thing that determine A.//s make,

n!r=mosfet.int:<number of oord>-ni:<targeting parameter>-
int<word>-int<structure>=mean of function.

n!r=thing that laughs.//c assert,fun,,ori com use,fun,o,express,.

s!r=thing that worries that A2 is A1.

type that A.

o!p=yet A.

hfph o!p=inevitably A.//c can, ph,

c o!r=thing that distinguish A1 and A2 and.

o!r=thing that research A.

o!v=order of A.

!r=deserve.

glcg o!r=thing that name A.//c create,name of,

olph o!r=thing that focus be A.//c intend,ph,.

ejcf !r=logic.//c how,true,situation,.

!r=objective.//c what,beilive,true,logic,.

o!r=A taster.//c know, part,.

=justice.//c objectice,equality,.

=consistency.//a logic,

o-o-o!r=thing that exchanges A for B with C.

!r=thing that trade A with B.

o!p=thing that just be A.

=thing that send A to B.//cause,around,

fiof o,o!r=thing that invite A to B.//c command,go,

o,o!t=thing that communicate with B about A.

!r=copy.//a original,

!r=official.

s!r=cost.

!r=default.

!r=ambiguous.//a specific,

!r=thing that says A.

!r=original.//a broken,

!r=illegal.

c o!r=union of A1 and A2.//a split,

o-o!r=thing that lack A to be B.

o-o!r=thing that enough A to be B.//a lack,

o!r=thing that play A.

=menu.

=option.//s menu,

ancf o-s!1p=A whose B2 is B1.//c A that is B,include,that A2 is A1,

!r=border.

o,o!r=thing that prove B is A.

!r=animal.

o!r=thing that associates with A.

!r=omit.

ojda !r=crops.

!r=machine.

!r=river.//c water,line,

!r=mistake.//a well,

!r=moon.

!r=handle.

o!r=thing that lie down on A.//a sit,

o!r=thing that get up from A.//a lie down,

o!r=thing that sit on A.

o!r=thing that jump from A.//a sit,

!r=bird.//c fly,animal,

!r=breathe.//c inhale,air,

!r=bounce.

!r=boom.

!r=brave.

!r=bump.//a attack,

!r=bed.

!r=bag.//s include,

!r=block.

o!r=boring.

!r=busy.//a boring,

!r=ball.//c circle,solid,

!r=bend.

o!r=thing that take responsibility for A.

o!r=thing that act like A.

!r=spraied.

!r=shaked.

!r=basic.

!r=advanced.//a basic,

n!r=hentai.

!r=bright.

!r=flag.//c art,symbol,

!r=fair.

!r=disability.

!r=illness.

o!p=most A.

o!p=almost A.//c similar,over,

!r=weapon.

!r=army.

!r=straight.

!r=curved.//a straight,

o!r=thing superior to A.//a inferior,

o!r=thing inferior to A.//c superiority,less,

!r=symmetry.

scientificformula!r=scientific formula.

o!p=thing that is from A.

o!r=thing that is until A.//a from,

n!r=free thing.

micg !r=international.//c all,country,

!r=absorb.//a reflect,

!r=mirror.//c glass,reflect,

n!r=transparent.

!r=glass.//s transparent,

!r=star.//s light,

o!n=thing that is proportional to A.

o!r=thing that detatch to A.//a hang,

!r=mammals.

!r=reptiles.

!r=amphibians.

!r=fish.//s water,

!r=arthropods.

!r=mollusks.

!r=algae.

!r=fungi.

!r=protists.

!r=prokaryotes.

o,o!r=plan for B to become A.

!r=rule.

!r=resume document.

n!r=A perfection pevel.

o!r=thing that is more perfect than A.

o!p=thing that is usually be A.//c tend,

n-o!2p=Apercent of one B.

n-o!2p=Apercent of Bs.

!r=gene.

!r=guest.

o!r=thing that practice A.

o,n!r=thing whose A is annoying./s hate,

!r=boob.

!r=fire.

!r=nipple.

!r=milk.//s liquid,

!r=joke.//c intend,cause,fun,

!r=mute.

o!r=skip.

!r=block.

o!p=thing that derived from A.

o!r=thing that judge A.//s think,

o!r=thing that invent A.//s create,

!r=nature.

!r=parking.

!r=fried.

!r=dried.

n!r=wet.//a dried,

s!r=thing that declare A2 is A1.//c th,one,assert,

c o!r=thing that compare A1 and A2 and.

o!r=thing that act as a lawyer for A.

!r=face.

o!r=kick A.//c foot,attack,

o!r=thing that raise A.//c cause,grow,

!r=thing that is grow up.

o!r=thing that run on A.//c walk,fast,

o!r=thing that translate A.

!r=pet.

//ajed o!p=that A.//c A that is B,pointed,

o,n!r=thing that surprise at A.

o!1p=thing that be only A.

!r=hand.//c hold,organism,

!r=history.//s was,

!r=broken.//s die,

!r=whole.//a broken,

ioph !si=!

!r=cat.//p meow cat,

o!r=thing that surrender.

o!r=thing that roll A.//s fold,

o,n!r=thing that feel that A is amaze.

!r=police.

!r=fire fighter.

!r=bicycle.

o!r=inherit A.//s give,

o!r=thing that stuck A.//s stuck,

!o=thing that waste A.

o,o!r=thing that force B to A.

!r=discuss.//c communicate, whether,

o,o!r=thing that communicate about B with A.

iiikobg !r=obsessive compulsive disorder.//c tend,abnormal,

!r=season.

int!r=Aist.//c

!r=collapce.//n broken,

=support.

=agianst.//a support,

!r=physicist.//c research,physics,

n!r=thing that great as A.

!r=valuable.

//efw

}word that will be created(it is for only developer)

}word dictionary

root word dictionary{

-pa=cast.

}root word dictionary

id dictionary{

cast{

function{

official is starting with 0.

ca $n!n$ =differential.

ea $n-n$:from- n :until=integral.

ga=buffer gate.

ia=not.

ka n :base- n =log.

ma n : 'from'-< n : 'until'- n >=right-hand-lim.

oa n : 'from'-< n : 'until'- n >=left-hand-lim.

ed n -< n -w>=lim $A \rightarrow B$.

eb s : 'bottom'- n : 'top'=sigma,

ac n =sin A .

ab n =cos A .

$\text{agn} = \tan A$.

i =factorization.

}function

english{

b =space,

}english

}id dictionary

parameter dictionary{

dec{

}dec

simpleipa{

//IIIVVW FFFIVPPW

'I' mean 'initial consonant'.

'V' mean 'vowel'.

first 'W' mean wheather that final consonant is exist.

'F' mean 'final consonant'.

'P' mean 'punctuation' like '?', '!', '~'.

second 'W' mean whether to end function.(0 finish).

chart for 'l'{

}chart for 'l'

chart for 'F'{

is none consonant.

}chart for 'F'

chart for 'P'{

100 is '~'.

010 is '!'.

110 mean none.

001 is '?'.

}chart for 'P'

}simpleipa

}parameter dictionary

}EML(Efficient Memory Language)

ECL{

sentence 'A B' mean 'hey B, be A!'

word dictionary{

goic s,s,o,c s=for(A2=A1;B;C;){D}.

encf s-<c s>!v=cmp A2, A1.//in asm,,c by,situation that A2 is A1,

bb o!o=variable A declared with let.//like let A=1;

ib o!o=variable A declared with var.//like var A=1;

elpa !v=label.//s code,

fifa c slr=starting ecl./c command,comand,

}word dictionary

exam{

ARM instructions to ECL{

SUB R1, R2, R3 ;

dh hh fgba gh

AND R1, R2 ;

hg gh hh

ORR R1, R2, R3 ;
og hh bpph gh

MOV R1, R2 ;
ojkb hh gh ad

LDR R1, [R2] ;
bb hh gh ad

BPPH: ;
eopa BPPH

B BPPH ;
of bpph ad

cmp r1, #3,
beq npph ;
encf gh ph of bpph cc

other command is expressed using javascript.

}ARM. instructions to ECL

javascript instructions to ECL{

'if()' and 'for()' can be implemented by ARM.

ib lh gh.

Assign 0 to the variable named 'gh'.

var a=0;

gc cglhoa ac cgnhfobg gh bc.

replace the string 'fobg' in gh with 'oa'.

```
gh.replace('fobg', 'oa');
```

ja njef cglhjb cgnhfobg.

whether the variable named fobg has the character 'jb'.

```
fobg.includes('jb');
```

cncf kb gh ad kf gh bc gdda.

```
function A(var a){
```

```
  console.log(a);
```

```
  return a;
```

```
}
```

janahb A B ad.

A||B.

janabe A B ad.

A&&B.

```
bpqh.dh(dpqh);
```

```
ackddhdpqhadbqh
```

```
try{ throw() }catch{ }
```

```
import { add } from './math.js';
```

```
typeof()
```

```
getElementById()
```

```
var A=new Array(3);
```

```
console.log(A[1]);
```

```
ifcbphheadA
```

```
kbfphheA
```

```
var a=undefined;  
ibgaadgh
```

```
var a= 1==2;  
ibjalhnhgh
```

```
let a = b = 1;  
bblhbeghhhad
```

```
do}while()
```

```
document.createElement().
```

```
document.body.style.backgroundColor = 'yellow';
```

```
canvas.style='#FF0000';  
canvas.fillRect(0,0,1,1);
```

```
var A =[B, C]  
if ka B C ad A.
```

```
A.pop();
```

```
A[0]  
mf lh he A
```

```
import
```

```
}exam
```

```
canvas is work as window
```

```
}javascript instructions to ECL
```

python instructions to ECL{

//if ursina is imported

from A import B.

if key == 'right button down':

box = Button(color=color.white, model='cube', position(i,0,j),
texture='grass.png', parent=scene, origin_y=0.5)

}python instructions to ECL

english to ecl{

A = B + 1.

mg B lh A.

A = A + 1.

mg dd lh A.

making layer.

making window.

set size of window.

show window.

drawing.

connected device.
(device type,id)

finding device by id.

'hello'.
@5hello.//only expressing foreign language.

}english to ecl

principle{

screen work like html.

}principle

}ECL

official account{

youtube: [https://youtube.com/@normallanguage?
si=4E6OEKgSuZa9OJAj](https://youtube.com/@normallanguage?si=4E6OEKgSuZa9OJAj)

reddit:

}official account

rule{

This language is not complete and it can be changed so you should indicate the version when using it like 'nl60125'(6m1d25y) month->day->year.

number{

'x1000010'

if x is 0,minus.

if x is 1,plus.

before bit is small.

it is efficacy.

10000000=+0.

11000000=+1.

01000000=-1.

}number

reading way in NL QR{

in 1 dimension, '10' is at first for expressing reading direction.

in other dimension,it is

'10000011'.

or

'1011000000000011'

read like  

rows should not 8,

}reading way in NL QR

for developer{

The efficiency of inaccurate expressions and accurate expressions

should be similar to same.

pronunciation chart order is low herz->high herz.

exact expression is important than efficiency.

one sentence must mean only one mean.

purpose of language is only communication and efficient.

0 dont be used for counting order.

exception should none.

relative things must have standard.

sentence 'people i' means 'i have over 70% of features of people'.it is called 'ratio word'.

arrangement order of word is 'number->most common->'.

logic of sentence{

if A is B that is C, then 'A is B' is true.

left of nl sentence have smaller concept.

}llgic of sentence

word formation rule{

word that need parameter{

meaning of word whose all or nothing is in parameter is what other word can express

word that dont have features.

relative word.

word that need standard

transitive verb.

very unefficient.

word whose numeral is not useful.

}word that need parameter

random word{

initial should siimilar to initial of word that have similar meaning.
(eg word like and pleasure have similar initial)

}random word

antonym{

bit of antonym is inverse of original word so 0 become 1, 1 become 0.

word that should be first{

low number(eg below is before more).

order(eg seller exist to make buyer,, women is made before men exist)

original(eg 'df' mean 'meeb' so 'me' is first).

many quantity(eg photon is mannier than neutrino).

}word that should be first

if spectific word have lot of antonym, order of antonym that should be made is 'root(no slave,no king)->number(0% can=cant)->purpose(weapon,treatment tool,,intend,evolution)->diffrence set(dont know,know)'.

antonym of specific compound word dont following rule 'word that should come first' so many quantity word can have big bit.

antonym form should not same as antonym converted into compound word(eg word 'forgot' that made by antonym mechnism)

}antonym

compound word{

'girlfriend' = 'com women, love' cuz original expression is 'ae mlmb mmfd'. it should keep original expression.

value is first than function.

compound word consist of word that is more basic first.

if new compound word overlap with other compound word,first

element word of new compound word become small.(eg '00,10' become '0,1'. but if length of area of element is 1, use XOR).

length of bit of element of compound word must power of two.

if quantity of element word is less than 4, then element of compound word such as symbol that omit parameter, ea, of, and, or, also is in start or end, it is omitted.

less bit word of compound word is first in situation whose order doesn't matter but we should avoid the situation first.

compound word consist of less word first so we shouldnt use antonym as element of compoun word firstly.

if length of element compound word of compound word is less than whole bit divided by 8,and new word is should expressed as antonym of this word, use antonym mechanism.

In compound words, those made up of fewer visible elements become split first.

function word is before.

first action word is made first, if it is advantageous(eg remember is firster than forgot).

}compound word

phonetic loanword{

'russia'->'romsimna(russia in russian. slient consonant become 'n')'.
'higgs particle'->'(kims('h'->'k'))).

}phonetic loanword

word formation rule that should be used first{

If a word can be expressed as an antonym and also as a compound word.

if word created by the antonym mechanism has the same meaning as the original word(eg mmfd=dlke) then use compound word mechanism.

If the original word too similar to compound wkrd, use antonym mechanism(eg i(com expres,this,o) -> you(com sense, this, o))

If the bits of a word expressed as a compound word differ by less than 1/4 from its antonym, use the antonym mechanism..

and If a compound word consists of two words, use the compound word mechanism first using their antonym.(eg mmfd->dnfd)

If not, use the antonym mechanism first.

}word formation rule that should be used first

}word formation rule

}for developer

license{

//vc

nl version:9m9d25y

license can be changed.

this document and norlang have copyright.

You can use norlang legally for free.

you cant edit norlang.(eg chaing grammar, but you can make new word but that new word is not official)

Large corporations are required to sign license agreement to use it.

The standards of large corporations are determined by the rules of their countries.

Violation of these terms may result in legal action under applicable international copyright laws.

This license is subject to change. Future versions may alter terms and apply to future releases of the language.

Users must comply with the license version associated with the version of the language they received.

}license

}rule

other{

It is almost complete, but I am having particular difficulty completing the pronunciation chart.

if norlang have problem norlang is changed never mind other.

Creator Verification Code:'@@0226@0@@@2@.
pn:@@05139@@@8 in 2024/11/18. JSM, SE, GIGADESADE,
GOHW, SEMI, 1@@15@@7@@@@'.

prohibits anything similar to this.

dont make NL lite that have only few word cuz we making it.

}other

history{

I like science, but in scientific documents, they use the word "big" without expressing standard. There are also many ambiguous expressions. I think this happens because natural languages become too inefficient and incompetent when expressing definite thing. That's why I created this constructed language.

prediction{

starting creating this language began in 1m 2023.

verb first is finalization in 1m 2023.

NL QR is finalization in 11m 21d? 2023.

VOS is finalization in 1m 2024.

antonym mechanism is finalization in 11m 2024.

starting perfectizing language in 1m 2025.

}prediction

}history

research data{

Multiple experts are needed to complete it.

using NL ipa.

/•pa/ similar to /bbua/ than /pupua/.

lowest herz{

voice recoder(app name is sound){

m(2400hz,13db)

g(3700hz,12)

kk(3700hz,10)

k(3700hz,18db), (2325hz, 18db)v

b

n(5500hz,17db)

l(7400hz,12db)

d(7400hz,10db)

tt(3700hz,22db)v

pp(3854hz,18db)v

t(5500hz,11db)v

p(3700hz,18db), (14000hz 18db)v

s(14000,16db) (3639hz 14db)v, (28000hz 10db)v

ss(3300hz,28db)v

j(21000hz,10db)v

jj(7400hz 22db)v

ch(21253hz,13db)v

oo,o,eo(3.7khz,3db),eu(7.4khz,5db),a,e,i,.

}voice recoder(app name is soound)

frequency generator{

silent consonant is lowest

s(50hz(noise)?,)

m(40hz)

b(50hz)

d(57hz)

g(70, 150, 190hz)

l(150hz,not found)

n(140hz)

pp(1000hz)

kk(1800hz)

tt(3000hz)

t(5400hz)

}frequency generator

my think{

sin{

m:100.b:140.d:160.n:180.'p:300.'t:500.'k:700.'c:7000.'j:12000.t:1600
0.

}sin

tri{

d:130hz.l:190hz.

}tri

squ{

c:11500.

}squ

saw{

d:30hz.l:40hz.

}saw

think{

sound that 'g'-'l' is not softer than 'l' -> 'g'.

}think

search{

Studies by Halle, Hughes & Radley (1957) and others have reported that /d/ series (dental/alveolar) plosives have a flat high-frequency distribution or are dominated by high frequencies (>4000 Hz), while the /g/ series (velar) is centered on mid-range frequencies (1500-4000 Hz).

Phonetically, fricatives (especially alveolar/palatal ones) show greater energy in the high-frequency range than affricates.(s>j)

[https://ielp.ehe.osu.edu/files/2022/08/Korean_IPA.pdf?
utm_source=chatgpt.com](https://ielp.ehe.osu.edu/files/2022/08/Korean_IPA.pdf?utm_source=chatgpt.com)

[https://kuscholarworks.ku.edu/server/api/core/bitstreams/
9d82b21d-4d9d-434e-a233-43d0f2472146/content?
utm_source=chatgpt.com](https://kuscholarworks.ku.edu/server/api/core/bitstreams/9d82b21d-4d9d-434e-a233-43d0f2472146/content?utm_source=chatgpt.com)

[https://corpus.eduhk.hk/english_pronunciation/index.php/3-2-
acoustic-aspects-of-consonants/?utm_source=chatgpt.com](https://corpus.eduhk.hk/english_pronunciation/index.php/3-2-acoustic-aspects-of-consonants/?utm_source=chatgpt.com)

}search

}lowest herz

logic{

'rio see poeple' mean 'rio see side of people'.

ab A bb B C ad bb ab A B ab A C ad.

mb ee mb ee de be cjea bd ad oa ab anga ea de oa bb ab anga
cjea ab anga bd ad mofg ga ab anga ea de oa ab na ab anga ea de
oa

i dont know you=i know that you are only...

ae anga de de bf ih oa ad' is 'people also 0' and 'people also me'
but we couldnt find other word.

default time of some sentence type parameter is not specific.

'what you love' mean similar to 'what you love too'.

sentence 'men is people' express people.

'i love you' mean 'i love you now'.

'gc fd eida oa' mean 'gc fd eida ac oa ld'.

NL sentence 'A B' mean 'thing that is about B is exactly same as A'.

}logic

word order{

discuss(20250621){

advantage{

OVS{

omitting parameter without ad.

math expression efficient?

Reverse Polish Notation (RPN) offers advantages over Polish Notation (PN) primarily in processing and storage efficiency, particularly in calculator implementations and compiler design. RPN simplifies the evaluation process by using a stack-based approach, requiring less complex logic and potentially reducing memory usage compared to PN. Additionally, RPN can be more efficient for complex calculations and is less prone to errors when entering equations

}OVS

VOS{

efficient for ea(what).

it can express image as efficient.

sentence 'this is people' is efficient.

good for int type parameter.

interpret with certainty.

}VOS

}advantage

result{

i decide to use VOS.

}result

}discuss

}word order

}research data

element of this conlang{

WL is abbreviation for world language.

EL is abbrevition for efficient.

CL is abbreviation for Cpu Language.

ML is abbreviation for Memory Language.

}element of this conlang

}norlang

bite

