

If you view this document in portrait mode, it will be more convenient because you can see more text at once.

This artificial language is called epluial(Efficient Perfect Logical Unambiguous International Auxiliary Language) in English.

►persuasion{

summary: this language is easy and most efficient and logical and unambiguous binary language that can express all meaning so it can easily be converted into morse code and QR code and barcode and braille and sign language so it help all communication. this language have lot of advantages so it can become International Auxiliary Language. this language reduces environmental pollution.

most words are not randomly made.

lot of words is compound words.

eg word 'hnmc' mean music.(this language use

phonetic script but this language is pronounced differently from english and it is easy to pronounce.) word 'hnmc' is compound word of sound and fun.

word 'bomc' mean sports. it is compound word of compete and fun.

lot of words is abbreviations.

eg word 'od' is abbreviation for 'Oa Doea'(this time).

lot of words are arranged in an orderly way.

eg bihd mean hydrogen(Atomic number 1). cihd mean helium(Atomic number 2). dihd mean lithium(Atomic number 3). eihd mean beryllium(Atomic number 4).

so it help technology grow cuz it make science easy.

Words used in similar situations or words with similar meanings are made of similar letters

eg mkfd mean love. mkid mean like. mkcd mean pleasure so you can easily guess the meaning of

abbreviation you see for the first time.

lot of words is antonyms.

'ed'(0010.1100) mean 'was'.

'le'(1101.0010) mean 'will' and it is antonym of word 'was'.

the bits is reversed.(8n-th bit that is zero is for expressing border of word)

length of most words are short.(2~4letters) so you can easily remember words.

grammar is simplest and very logical and consistent so this language can be used in programming.

eg javascript code 'var gh=1==2;
console.log(gh);' is expressed as 'ja lh nh gh
dida gh'. grammar didnt be changed.

the programming language is called 'pmfa'.

Other programming languages have limits. For

example, C++ cannot represent numbers beyond a certain size, but pmfa can represent all number.

if you learn a little grammar, then you can explain every meaning, regardless of your native language.

this language dont have slang.

this language dont have all ambiguous.

english eaaly becomes ambiguous. eg 'i love situation that i love person who love cow and people and chicken or he eat meal'. but this language express all situation without ambiguous.

in english, "A of B and C" can be interpreted as "(A of B) and C" and "A of (B and C)".

but in this language, "be af A B C" means only "(A of B) and C".

'af A be B C' means only 'A of (B and C)'.(it is like prefix notation. prefix notation have lot of advanrage. eg it dont need all parentheses)

word think have three meaning it is imagine and believe and ponder so word for think is not exist in this language.

unambiguous is very good for language cuz it make efficient cuz it doesn't need any additional explanation or images to explain exactly.

this language doesn't have exceptions.

this language version of barcodes is exist and it is called NL QR1.


NL QR1 is most efficient 1D code.

it is usually four times more efficient than barcode.

barcode use 145cell to mention 'i am person' but NL QR1 use 28cell.

this language version of QR code is exist and it is called NL QR2.

NL QR1



barcode



NL QR2 is most efficient 2D code.

NL QR2 is usually over 4 times more efficient than a QR code.

eg QR code use 441cell to mention 'i am person' but NL QR2 use 32cell.

NL QR mean NL QR1, NL QR2, NL QR3.



NL

NL

litt

get

im

pic




s human-readable. it takes up
as a language, so it won't

don't need to learn lot of

vertex that should be white(0)


vertex that should be black(1)



NL QR1




NL QR2



NL QR3

this

NL



st and it is called NL morse.

ent than Morse code.

morse code cant explain mathmatical expression but NL morse can express all meaning.

this language version of braille is exist and it is called NL braille.

NL braille is usually 1.5 times more efficient than braille.

original Braille is ambiguous cuz meaning of original braille depending on direction but NL braille can have same meaning in any direction.

Sign language is difficult or inefficient for expressing new words or slang but this language's sign language is not.

this language is a binary language so it can easily be converted into NL QR and NL morse and NL braille and sign language and minecraft language and etc and you can learn it easily so you can do many things by learning this language so person who learn this language can easily communicate with the blind and the deaf.

this language is usually three times more efficient than English.

eg 'i know you' in this language is 'lbbd'.

English is 80 bits (in ASCII code).

this language is 16 bits cuz one letter is 4 bits.

one letter is 8bit in ascii code but this language can express all meaning using binary.

letter is used for expressing binary and this language can express all meaning using only binary so it is 4bit.

The prevention of environmental pollution through this language is enormous scale.

most data in world is video data but if someone speak in this language, the someone dont need to speak for long time so video become short.

A sentence that takes 10 seconds to say in English can be said in just 5 seconds in this language.

this language is very consistent so polution by AI and LLM will be reduced.

this language dont have homonyms and synonyms.

keyboard that is for this language is easy to type cuz it has only 2~16letter.

this dictionary is very useful for learning norlang.
this language can and must be interpreted without whitespace so it
deceives people and supports efficient communication. supporting other IAL is a terror.

this language can and must be international Auxiliary Language cuz it is
needed to reduce environmental pollution and make easy communication
between disabled people and non-disabled people and support efficient
communication. supporting other IAL is a terror.

this dictionary is very useful for learning norlang.
This dictionary is very useful for learning norlang.

person that dislike this language are just those who haven't properly read
this document.

as a developer, i believe that this language is perfect so don't dislike this language before you are fluent in it.

}persuasion◀

this language is beta version. making this language is started in 2023 year 2 month. if this language can become more perfect then it is changed so you can provide feedback for this language or this document.

also you can ask me!

Our chat room: <https://discord.gg/VhHBjXbpkz>

email: fhres126@gmail.com

YouTube: @normallanguage (all URL in bio)

▶alphabet{

* this language use only 0 and 1. it can be expressed as 16 latin letter.

a = 0000. b = 1000. c = 0100. d = 1100.


e = 0010. f = 1010. g = 0110. h = 1110.

i = 0001. j = 1001. k = 0101. l = 1101.

m = 0011. n = 1011. o = 0111. p = 1111.

this language uses only lowercase letters.

more efficient alphabet is here(only pdf user can see. bottom to top writing alphabet):



►word separation, spacing{

one word consist of $8n$ bit.

$8n$ -th bit determines length of word since it is for explaining length of word.

* $8n$ -th bit that is zero mean that area of this word is finished.

it play role of whitespace of english so this language dont need whitespace.

eg '11111110' is one word.

it is 'ph' in latin letter.

it means that word that have $2n$ -th letter that is in between lettter 'a'(0000) and 'h'(1110) is consist of smaller bit.

$2n$ -th letter 'h' is in between 'a'(0000) and 'h'(1110).

* $8n$ -th bit 1 make the word consist of more bit.

'11111111, 11111110' is one word.

the example converted to latin letter is 'ppph'.

this language dont need whitespace but i will use whitespace to make you easily understand.

quiz: How many words does this sentence have?

'mkfdbdoe'.

(1) 1.

(2) 2.

(3) 3.

answer: 3.

}word separation, spacing◀

►pronunciation{

* Two letters make one syllable.

* (2n-1)th letter is pronounced as initial consonant.

* 2n-th letter is pronounced as vowel and final consonant.

eg 'bb anba' is pronounced as [bo membu].

if 'b' is in (2n-1)-th letter then it pronounced as 'b'.

if 'b' is in 2n-th letter then it pronounced as 'o'.

in pronunciation chart, 'b' is 'b' and 'o'.

then 'anba' is pronounced as 'membu' then it can be simplified as 'meb'.

this language can express all pronunciation using parameter.

►pronunciation chart{

sound consists of decibels (dB) and hertz (Hz).

the pronunciation is arranged with lower Hz sounds coming first.(eg
m(100hz) < s(14000hz))

so it is not biased toward any specific culture.

a = 'm', 'oo'. b = 'b', 'o'. c = 'd', 'eo'. d = 'g', 'eu'.

e = 'n', 'a'. f = 'l', 'e'. g = 'f', 'i'. h = 'tt', 'wo'.

i = 'kk', 'oom'. j = 'p', 'om'. k = 't', 'eom'. l = 'k', 'eum'.

m = 'j', 'am'. n = 'jj', 'em'. o = 'ch', 'im'. p = 's', 'wae'.

m as in mom. b as in bee. d as in doctor. g as in goal.

n as in no. l as in ling. p as in polar.

eu in bro.(silent vowel)

►IPA version{

a = /m/, /u/. b = /b/, /o/, . c = /d/, /ʌ/. d = /g/, /ʊ/.

e = /n/, /a/. f = /r/, /ɛ/. g = /p/, /i/. h = /t̪/, /wʌ/.

i = /k̪/, /um/. j = /p/, /om/. k = /t/, /ʌm/. l = /k/, /ʊm/.

m = /t̥ɕ/, /am/. n = /t̥ɕ/, /ɛm/. o = /t̥ʃ/, /im/. p: /s/, /wɛ/.

}IPA version◀

}pronunciation chart◀

►read it if you dislike this pronunciation{

initial consonant that is easy to distinguish is 19.

vowel that is easy to distinguish is 10.

silent sound and h aren't used cuz it make problem.

The pronunciation [ma] is made by quickly saying [m] and [a].

The pronunciation [ta] is made by quickly saying [d] and [ha].

I think adding silent sounds and h would make the language inconsistent and unlogical.

i allow that user freely pronounce so It doesn't matter whether you pronounce the 'r' in a Spanish, German, or British accent pronunciation.

if word is long then there are final consonant 'm'.

This mechanism makes long word difficult to say so user dont wanna made long word so it becomes efficient.

}read it if you dislike this pronunciation◀

}pronunciation◀

►tool{

site for searching word:

<https://fhres126.github.io/w/worddictionary.html>

convert into various system:

<https://fhres126.github.io/w/nlinto various.html>

}tool◀

►EML(Efficient Memory Language){

►lecture{

- * word order of this language similar to VOS cuz it is efficient for logical grammar.

- * this language use function instead of transitive verb.

- * all direct object is called parameter.

so direct object must attach to transitive verb.

- * this language sentence is list of two objects.

- * in this language sentence 'A B', if A and B is noun. it mean 'B is A'.

this language is VOS and english is SVO so subject and object must change each other's location.

'fojb' mean 'alive thing' and it is noun. 'oe' mean 'i' and it is noun. so 'fojb oe' mean 'i am alive'.

- * some word must have parameter like function.

function 'jd' must have one parameter.

in 'jd A', 'jd' is function. 'A' is parameter that is in function 'jd'.

'jd A' mean 'thing that Imagine A'.

'bd' mean 'you' so 'jd bd' mean 'thing that Imagine you'.

'oe' mean 'i' and 'me' so 'jd bd oe' mean 'i am thing that imagine you'.

'jd bd oe' mean 'i imagine you' in paraphrase.

FYR: (jd bd) = oe.

between '(' and ')' is one function.

'jd bd' is one object since function is object.

* if subject is omitted, subject is 'i' so meaning of sentence 'jd bd' is meaning of sentence 'jd bd oe'.

we use word 'i' lot so this mechanism increace efficiency of language.

but i wont omit subject to make you easily understand.

this grammar can express every meaning.

eg 'The happy boy gives her a small book in the today and smiles.' is expressed as 'mb oiHg cd gb if ab elellkkg nimd lmle ad ab nide mkcd'.

explaing logical language using unlogical language is difficult so sometime i will use this language to explain this language so you should well understand so i need to use part of word dictionary to explain it so you need to know some how to interpret a word dictionary.

►How to interpret a word dictionary{

►'fojb !r=alive thing.'{

word is expressed as it in word dictionary.

* far left is this language word.

* between '!' and '=' is word type.

* far right is meaning of this word.

* 'r' is an abbreviation for 'reality'.

it is type of only word that is not number or etc.

}◀

▶'jd o!r=thing that imagine A.'{

between this language word and '!' is parameter type that this function must have.

if it is exist, this word should have parameter.

'o' is an abbreviation for 'object' so any parameter can inputted in this word.

'A' in right of '=' is first inputted object of function.

'jd A' mean 'thing that Imagine A'.

'bd' mean 'you' so 'jd bd' mean 'thing that Imagine you'.

change A into inputed value.

Q: this word should have parameter so how to express just 'word imagine' or 'word for imagine'?

A: it is 'elfa jd', word in parameter of 'elfa' deosnt have parameter.

}◀

▶'kjgg !r=dead thing.//a alive,'{

'//' is for an additional explanation.

'a' is an abbreviation for 'antonym'.

* 'a A' mean 'this word is antonym of A'.

* The antonym form is the inversion of the original word's bits.

0 becomes 1. 1 becomes 0.

eg antonym of
'fojb'(10100111,10011000) is
'kjgg'(01011001,01100110).

8n-th bit dont be changed since it is for explaining length of word.

}◀

}How to interpret a word dictionary◀

►what 'jd ad oe' mean?{

jd o!r=thing that imagine A.

ad !si=symbol that omit one parameter.

oe !r=i./c this,assert,,r this who assert

(1) i imagine.

(2) imagine me!

(3) i imagine me.

(4) imagine of me.

parameter of 'jd' is omitted by 'ad'.

if parameter is omitted, it means 'something'.

answer: (1)

free translation: 'i imagine'.

structure: (jd ad) = oe.

literal translation: i am thing that imagine something.

}◀

▶'od !t=now.//c this, time,'{

'c' is an abbreviation for 'compound word'.

'c A, B' mean 'this word consist of word A and word B'.

'c A,B' can mean 'this word is compound word of A and B'.

but "c A, B" can mean 'this word is abbreviation for A B'.

'od' is abbreviation for 'oa doea'.

'oa doea' mean 'this time'.

in this case, 'c' used to mean 'abbreviation'.

4bit is from 'oa'(0111,0000).

4bit is from 'doea'(1100,011100100000).

}◀

▶'jd cf fojb bd oe'{

just saying 'jd cf fojb bd' is enough.

jd o!r=thing that imagine A.

cf s!r=situation that A2 is A1.

the 's' is an abbreviation for 'sentence'. 's' is 'o,o'.

so 'A1' mean first 'o'. 'A2' mean second 'o'.

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

structure: (jd (cf fojb bd)) = oe.

free translation: i imagine that you are alive.

literal translation: i am thing that imagine situation that you are alive thing.

}◀

▶'higina af elga oe'{

free translation: 'my name is higina'.

structure: higina = (af elga oe).

literal translation: name of me is higina.

af o,o!1p=A of B.//c A that is B, element,

this function need two parameter. and parameter type is object and object.

B is second input object of this function.

third is C. fourth is D...

eg 'af A B' mean 'A of B'.

reason why 'af' is 'c A that is B, element' is that 'ab A hc B' mean 'A that is (element of B)'.

ab o,o!1p=A that is B.

hc o!1p=element of A.

'c A that is B, element,' seems 'ah' since first letter of 'ab' and 'hc' is 'a' and 'h'.

only number word must be in between 'ag' and 'ph'.(eg 'ag', 'bg', 'cg'....'ph')

'ah' is in it so 'ah'(00001110) become 'af'(00001010).

elga !v=name.

oe !r=i.//c this,assert,

}◀

▶'fc fojb bd oe'{

just saying 'fc fojb' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'what is alive? i ask you'.

structure: (fc fojb bd) = oe.

literal translation: i am thing that ask you about

human.

}◀

▶'fc nb bd bd oe'{

just saying 'fc nb bd' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

nb o!r=location of A.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'where are you?,i ask you'.

structure: (fc (nb bd) bd) = oe.

literal translation: i am thing that ask you about location of you.

}◀

►'fc gc fojb bd bd oe'{

just saying 'fc gc fojb bd' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

gc s,n!p=reason why A2 is A1.

'n' mean 'number'. this word have number type parameter too.

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation:'why do you live'.

structure: (fc (gc fojb bd) bd) = oe.

literal translation: i am thing that ask you about reason why you are alive thing.

}◀

▶'fc jf fojb bd bd oe'{

just saying "fc jf fojb bd" is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

jf s,n!p=result of A2 being A1.//a reason,

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation:'what if you are alive? i ask you'.

structure: (fc (jf fojb bd) bd) = oe.

literal translation: i am thing that ask you about result if you are alive.

}◀

▶'fc ja fojb bd bd oe'{

just saying 'fc ja fojb bd' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

ja s!r=whether A2 is A1.

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'are you alive?'.

structure: (fc (ja fojb bd) bd) = oe.

literal translation: i am thing that ask you about whether you are alive thing.

}◀

▶'kf ff'{

kf o,o!r=thing that reply A to B.//a ask,

ff !r=true.

free translation: yes.

literal translation: i am thing that reply true.

}◀

▶'fc ec fojb bd bd oe'{

just saying 'fc ec fojb bd' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

ec s,n!r=how A2 is A1.

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'how you are alive?'.

structure: (fc (ec fojb bd) bd) = oe.

literal translation: i am thing that ask you about how you are alive thing.

}◀

▶'fc ekfb fojb bd oe'{

just saying 'fc ekfb fojb' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean
'you'.

ekfb o,n!1p=how to be A.//c how,normal,

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'how to be alive?'.

structure: (fc (ekfb fojb) bd) = oe.

literal translation: i am thing that ask you about how to become alive thing.

'how to open this' is considered as 'how normal thing open this' in this language.

}◀

▶'fc ee fojb bd bd oe'{

just saying 'fc ee fojb bd' is enough.

fc o,o!r=thing that ask B about A.//c command, reply,,e omitted B mean 'you'.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

't' mean 'time'. type of this word is time.

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'when you are alive?'.

structure: (fc (ee fojb bd) bd) = oe

literal translation: i am thing that ask you about time when you are alive.

}◀

▶'jd cf kjca oe bd oe'{

just saying 'jd cf kjca oe bd' is enough.

jd o!r=thing that imagine A.

cf s!r=situation that A2 is A1.

kjca o!r=thing that see A.//c sense,photon,

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'i imagine that you see me'.

structure: (jd (cf (kjca oe) bd)) = oe.

literal translation: i am thing that imagine that you see me.

}◀

►how to use word 'ea' basic{

In this language, the word for 'what'(as in 'what I love') is 'ea'.

if i love you, then you are what i love.

we can know word for 'what' return direct object.

'mkfd bd oe' mean 'i love you'.

'ea mkfd oe bd' mean you are what i love.

'ea mkfd oe' mean 'what i love'.

happily, word 'ea' can express more thing.

let's see definition of word 'mkfd'.

mkfd o,n!r=thing that love A./e B is degree of love,

yes, second parameter is degree of love so if we make word 'ea' return second parameter, then we can express 'how much do i love you'.

'ea nh' return second parameter cuz 'nh' mean 2.

'ea nh mkfd bd oe' mean 'how much do i love you'.

'he mkfd bd oe' mean same cuz word 'he' is 'ea nh'. this word is for efficient.

'ea mkfd bd pa oe' mean same. word 'pa' is in place for expressing degree of love.

We will learn how to apply this.

}how to use word 'ea'. basic◀

▶'If fojb bd oe'{

just saying 'If fojb bd' is enough.

If s!r=thing that believe that A2 is A1.//c know,as,true,whether,

fojb !r=alive thing.

bd !r=you.//a i,

oe !r=i.//c this,assert,

free translation: 'i belive that you are alive', 'you seems alive'(maybe sometime).

structure: (If fojb bd) = oe.

literal translation: i am thing that belive that you are alive.

'ea lf bd oe' mean 'My belief in you' or 'what i think about you' or 'My thoughts about you'.

'he lf ff oe' mean 'my belief' or 'What I believe to be true'.

ff !r=true.

'ea lf ff oe' mean 'What do i believe the definition of a fact is'.

}◀

▶'fa fojb bd oe'{

just saying 'fa fojb' is enough.

fa s!r=thing that commands A2 to be A1.

fojb !r=alive.

free translation: 'hey you, be alive!'.

structure: (fa fojb bd) = oe.

literal translation: i am thing that commands you to be alive.

}◀

►'cf mkcd ad oe jf kjhf hnmc oe'{

cf s!r=situation that A2 is A2.

mkcd o,n!r=thing that feel pleasure for A.

ad !si=symbol that omit one parameter.

oe !r=i.//c this,assert,

jf s,n!r=result of A2 being A1.//a reason,

kjhf o!r=thing that listen A.//c sense,sound,.

hnmc !r=music.//c sound,pleasure,.

free translation: 'if i listen music, i am happy'.

structure: (cf (mkcd ad) oe) = (jf (kjhf hnmc) oe).

literal translation: result if im thing that listen to music is situation that im
thing that feel pleasure.

}◀

►'mb ee kjhf hnmc oe mkcd ad oe'{

mb t,o!2p=thing that is B when A.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

free translation: 'I am happy when I listen to music'.

structrue: (mb (ee (kjhf hnmc) oe) (mkcd ad)) = oe.

literal translation: i am thing that feel pleasure in something when im
thing that listen to music.

}◀

►'ef cf kjhf hnmc oe mkcd ad oe'{

ef o,o,n!2p=thing that become B by A.

cf s!r=situation that A2 is A1.

free translation: 'i am happy cuz i listen to music'.

structure: (ef (cf (kjhf hnmc) oe) (mkcd ad)) = oe.

literal translation: i am (thing that feel pleasure in something) that is by situation that i am thing that listen to music.

}◀

▶'oc kjhf hnmc oe mkcd ad oe'{

oc s,o!p=thing that is B despite A2 being A1.

free translation: 'i listen music but im happy'.

structure: (oc (kjhf hnmc) oe (mkcd ad)) = oe.

literal translation: i am thing that feel pleasure despite i am thing that listen to music.

}◀

►'anga oe'{

free translation: i am people now.

}◀

►'ed kjed pf oe'{

ed o!p=thing that was A.

kjed o!r=thing that read A.//c sense,code,

free translation: 'i readed it'.

structure: (ed (kjed pf)) = oe.

literal translation: i am thing that was thing that read it.

}◀

►'le jokb dd oe'{

le o!p=thing that will be A.//a was,

jokb o,n!r=thing that kill A.//a save,

dd !r=self.

free translation: 'i will suicide'.

structure: (le (jokb dd)) = oe.

literal translation: i am thing that will be thing that kill myself.

}◀

▶'eb ed kjgg oe'{

eb o!v=thing that is not A.

free translation: 'i have never died'.

structure: (eb (ed kjgg)) =,oe.

literal translation: i am thing that is not thing that was dead.

}◀

►'mb midg mkfd bd nide''{

midg !t=always.//c all,time,

nide !r=he.//c the,men,

free translation: 'he always loves you'.

structure: (mb midg (mkfd bd)) nide.

}◀

►'mb dh od foea ph kjca bd oe'{

dh n or t!o,o!t=A minus B.//a plus,

od !t=now.//c this,time,

foea n!t=A minute.//n second,

'//n A' mean that this word is next word of A.

oea n!t=A second.//n time,

foea n!t=A minute.//n second,

goea n!t=A hour.//n minute,

hoea n!t=A day.//n hour,

ioea n!t=A week.//n day,

joea n!t=A month.//n week,

koea n!t=A year.//n month,

ph !n=three.

kjca o!r=thing that see A.//c sense,photon,

free translation: 'I saw you 3 minutes ago'.

structure: (mb (dh od (foea ph)) (kjca bd)) = oe.

literal translation: i am thing that see you when now minus 3minute.

'dh od foeba ph' mean 'now - three minute' or 'three

minutes ago'.

}◀

▶'dnfd be bd dnfd bd bc oe'{

be c o!p=A1 and A2 and....

'c A' mean that this word have A type parameter until it met symbol that omit parameter.

eg 'be A A A ad' mean 'A and A and A'.

free translation: 'i hate you and thing that hate you'.

structure: (dnfd (be bd (dnfd bd)) bc) = oe.

literal translation: i am thing that hate you and thing that hate you.

in this situation, it should omit two parameter so 'bc' is used instead of 'ad'.

the first omitted parameter is 2nd parameter of 'dnfd'.

second omitted parameter is parameter of 'be'.

ad !si=symbol that omit one parameter.

bc !si=symbol that omit two parameter.

cc !si=symbol that omit three parameter.

dc !si=symbol that omit four parameter.

}◀

▶'nlga ma bd oe' {

juat saying 'nlga ma bd' is enough.

nlga o!r=thing that greet A.//s call,

's A B' mean 'letter of this word is similar to word A of language B'.

if B is omitted, B is this language.

ma o!p=all A.//m every,

'//m A' mean that this word can be used to mean A.

bd !r=you.//a i,

free translation: 'hello everyone'.

structure: (nlga (ma bd)) = oe.

literal translation: i am thing that greet all you.

}◀

►'na anga'{

na o!1p=the A.

free translation: the human.

}◀

►'cb anga'{

cb n,o!v=A B.

example of 'number' + 'word' in english is 'one apple'.

lh !n=one.

eg 'cb lh anga' mean 'one people'.

if parameter 'n' of 'cb' is omitted, it is one. eg 'cb anga' mean 'one human' or 'a human'.

but you can say 'it is a human' as 'it is human' too.

translation: a human.

}◀

▶'ac kjca bd inef oe'{

ac o,o!1p=A that is in B.

kjca o!r=thing that see A.//c sense,photon,

inef !r=country.//c group,big,

free translation: i see you in country.

structure: (ac (kjca bd) inef) = oe.

literal translation: i am (thing that see you) that is in country.

}◀

▶'ob nide fojb oe'{

ob o,o,n!p=thing that is B with A.

nide !r=he.//c the,men,

fojb !r=alive thing.

free translation: 'i am alive with he'.

structure: (ob nide fojb) = oe.

literal translation: i am thing that alive thing with he.

}◀

▶'lb ca anga oe nide'{

lb o!r=thing that know A.

ca o,o!1p=B as A.

free translation: he know me as human.('as' as in 'i describe me as human').

structute: (lb (ca anga oe)) = nide.

literal translation: he is thing that know me as human.

}◀

►'ed ld cd mmlb pf fd oe'{

ld o,n!r=thing that intend to be A.

cd o,o,n!2p=thing that is B by being A.

mmlb o!r=thing that learn A.//c becoming, know,

pf !o=it.

free translation: 'i learned it to gain profit'.

structure: (ed (ld (cd (mmlb pf) fd))) = oe.

literal translation: 'i am thing that was thing that intend to be (thing that gains profit by being thing that learn it).

}◀

▶'mkfd bd lh oe'{

lh !n=one.

free translation: 'i love you by 100percent'.

structure: (mkfd bd lh) = oe.

second parameter of 'mkfd' is 'intensity of love'.

1 is 100percent.

0.5 is 50percent.

}◀

►'mkfd bd pg nide oe'{

pg o!n=A that is converted into number.//c B converted into A,number,

nide !r=he.//c the,men,

if word that is not a numeric type is in parameter of 'pg', it automatically converted into number.

'pg nide' converted into 'pg he mkfd nide oe'.

it tend to target number.

free translation: 'I love you as much as I love him'.

structure: (mkfd bd (pg nide)) = oe.

}◀

►'mkfd bd kg nimd oe'{

kg o!n=thing that is less than A.

nimd !r=she.//c the,women,.

free translation: 'i love you less than she'.

structure: (mkfd bd (kg nimd)) = oe.

literal translation: i am thing that love you less than she.

}◀

▶'mkfd bd fh nimd oe'{

free translation: 'i love you more than she'.

structure: (mkfd bd (fh nimd)) = oe.

literal translation: i am thing that love you more than she.

fh o!n=thing that is more than A.//a less,

}◀

'ab mipa foad oa'{

ab o,o!1p=A that is B.

mipa !r=green.

foad !r=ore.

structure: (ab mipa foad) = oa.

literal translation: this is green ore.

green ore is green that is ore.

if you think that it is efficient, then you can make compound word.

the result is 'mipifoad',

}◀

'eye doctor' dont mean 'eye that is doctor'.

'eye doctor' mean 'doctor that promise to fix eye'. it is expressed as 'ab doee doba gjfg hlca'.

doee !r=doctor.//c promise,fix,organism,

doba o,o,o!r=thing that promise that B if myself is A then B becomes C.

gjfg o,n!r=thing that fix A.//c cause,profit,

hkca !r=eye.//c engine,sense,photon,

but is is inefficient so it become compound word.

the result is 'doemhlca'.

'doemhlca' is compound word of 'doctor' and 'eye'

and compound word of 'eye' and 'doctor' is prohibited cuz in compound word function must be in after if order is not matter (situation that order is not matter is following. 'A that is B' is 'B that is A')

'hlca' is not function but in definition, it is in parameter of function.

gmkg o,o,o!r=thing that is quickly A than B.//c GMDA,less,

adverb word have adverb in definition.

'gmkg jobk anga ad oe' mean 'i quickly kill human'.

'gmkg jobk anga bd oe' mean 'i quickly kill human than you'.

some people think that this conlang is inefficient

this conlang sentence consist of 16letter and subject can be omitted.

this english sentence consist of 20letter.(english must have whitespace)

this language can express interjection 'wow'

►how to use word 'ea'. advanced{

ab o,o!1p=A that is B.

'ab anga ea mkfd oe' mean 'human that is what i love' and 'human that i love'.

we have new word for efficient.

'ae anga mkfd oe' mean 'ab anga ea mkfd oe'. if you wanna make it return other parameter, then the number must attach to word 'ae'.

eg 'ae nh anga ed mkfd oe' mean 'ab anga ea nh ed mkfd oe'.

if you think that this expression is inefficient, then we can use word 'ne'. word 'ne' mean 'ae nh' so 'ne anga ed mkfd oe' mean 'ae nh anga ed mkfd oe'.

well... how to express 'my hope'.

sentence 'i hope i am human' mean 'i hope situation that i am human is true'.

so you can express 'my hope' as 'he mc ff oe'.

mc s,n!r=thing that hope A2 is A1.//e B is degree of hope.

'ff' mean 'true'.

you can use word 'pc' to explain it.

word 'pc' make word 'ea' return sentence.

'ea mc pc oe' mean 'my hope'.

}how to use word 'ea'. advanced◀

▶'mkid fgkkkkba oe'{

fg dec!n=../e this word is for expressing decimal number.

free translation: i like 10000.

structure: (mkid fgkkkkba) oe.

'dec' is abbreviation for 'decimal number'.

this word is for expressing decimal number.

4bit express one number.

'fg ja' mean 9.

'j' in dec is 9.

'a' finish parameter dec.

'b' is 1.

'c' is 2.

'd' is 3.

'e' is 4.

'f' is 5.

'g' is 6.

'h' is 7.

'i' is 8.

'j' is 9.

'k' is 0 since if 'a' is '0' it cant be visible in NL QR.

'fgbcda' is 321.

'b' is 1. 'c' is 2. 'd' is 3.

so it seems 123 but this language use little andian so it is reversed.

}◀

▶'mkmd bd ah fa oe'{

mkmd o,n!r=thing that feel A is cute.//c like,baby,,e B ia degree of cute.

ah dec,dec!n=decimal rational number.

first 'dec' ia fractional part.

this language emphasizes efficiency.

expressing fractional part firstly is efficient when expressing 0.5 because it does not need to express integers.

bd !r=you=//a i,

free translation: you are cute for me. and degree of cute is 50percent.

structure: (mkmd bd (ah fa)) = oe.

}◀

▶'mkid elfa anga oe'{

mkid o,n!r=thing that like A./e B is degree of like.

elfa int!r=word A.

word that is in parameter of word 'elfa' dont have parameter.

free translation: i like word human

structure: (mkid elfa anga) oe.

}◀

▶'mb pf mc kjca bd'{

mb t,o!2p=thing that is B when A.//e if A2 is omitted, it is self.

pf !o=it.

'o' type can be inputed in any parameter type. so this word is in first parameter of 'mb' now.

mc s,n!=thing that hope A2 is A1.//e B is degree of hope.

kjca o!r=thing that see A.//c sense,photon,

free translation: at that time, i wanna see you.

structure: (mb pf (mc (kjca bd))).

}◀

►efficient number{

ih~ph is for efficient number.

it is for expressing number efficiently.

ih !n=zero.

lh !n=one.

binary of 'lh' is '11011110'.

first bit is sign of number.

1 make positive number.

0 make negative number.

2~3th bit is absolute value.

so

nh !n=two

ph !n=three.

if first bit is 0 then result is following.

kh !n=minus one.

mh !n=minus two.

oh !n=minus three.

i didnt say 'jh'.'}it seems zero but zero is already exist so it is four.

and i effort to make only latin letter is in definition so i didnt use number symbol.

}efficient number◀

▶'hoag bb ea mkid oe'{

hoag !r=shift.

'ea mkid oe' mean 'what i like'.

'hoag ea mkid oe' mean 'what i like has changed'.

if what i like is human, then 'hoag bb ea mkid oe' mean human is changed.

bb o!v=result value of A.

ib o!v=frezed word A.

'ja lh lh' mean 'whether one is one'.

sentence 'whether one is one is true' is true.

sentence 'whether one is one is whether one is one' is true.

so we can know 'ja lh lh' have two value. it is 'true' and 'whether 1 is 1'.

but 'bb ja lh lh' mean only 'true' so 'eb lb bb ja lh lh oe' mean 'i dont know true'.

'ib ja lh lh' cant mean true.

}◀

▶'kjca cf alnd dd nide oe'{

kjca o!r=thing that see A./c sense,photon,

cf s!r=situation that A2 is A1.

alnd o!r=thing that touch A.

dd !r=self.//c DB, LH,

capital letter is word of this artificial language.

we talk about word 'dd'.

if subject is lot then word 'self' is ambiguous.

we should know word 'db' firstly.

db n!v=Ath subject.

lb cf dnhe db lh 'bd' 'oe'.

in this sentence, subject is two.

subject 'bd' near word 'db' than word 'oe'. so subject 'bd' is first subject.
subject 'oe' is second subject.

word 'lh' is in parameter of word 'db'. and word 'lh' mean 'one'. so the 'db
lh' return first subject. and it is subject 'bd'. this is why word 'dd' is
abbreviation for word 'db' and word 'lh'. word 'dd' return first subject. if
parameter of word 'db' is omitted, then it return

second subject.

free translatio: i see that he touch himself.

}◀

▶'hb pf oa anga ad hc oe'{

hb c o!r=//untranslated word

'hb A B ad' can mean (A) and (B) and (A and B). it dont same as word 'and' and word 'or'. this word is for compliance some logic.

oa o!1p=this A.

hc o!1p=element of A.

oe !r=i.//c this,assert,

free translation: mine is it and this human.

stucture=(hb pf (oa anga)) = (hc oe).

}◀

►'ancjeg oe mkfd cjeoog oe'{

ancjeg !r=german people.//c people, germany,

cjeoog !r=germany.//p deutschland de,

'p' is an abbreviation for 'pronunciation'.

'p A B' means that the pronunciation of this word is derived from the word A of language B.

language name in ISO code alpha2 is in B.

if it is omitted, it is this language.

loanword must have 24 or more bit.

russia is pronounced as 'rosiya' in russian.

rosiya -> fjpoe.

free translation: im german people, i love germany

structure: ancjeg = oe. (mkfd cjeoog) = oe.

}◀

▶'mpgf elmb oe'{

mp- = -ing.

gf o,n!r=thing that make A.//c cause,exist,,e B signifies the extent of its contribution to making this.

suffix mp- mean -ing so mpgf mean making.

elmb !r=language.//s code,

free translation: i making language.

structure: (mpgf elmb) = oe.

}◀

▶'ed elca bc oe nide'{

elca s,o!r=thing that assert that A2 is A1 to B.

nide !r=he.//c the,men,

bc !si=symbol that omit two parameter.

free translation: he asserted to me.

structure: (ed (elca bc oe)) = nide.

}◀

▶'dnhe oa jpelad oe'{

dnhe o,n!r=thing that dislike A.//a like,,e B is degree od dislike.

oa o!1p=this A.

elad o,o!r=thing that express A to B.//c assert, AD,,

why word 'elad' is abbreviation for 'elca' and 'ad'?

cuz 'elca ad A B' mean asserting about A to B.

suffix jp- is like -tion so jpelad mean expression.

free translation: i dislike this expression.

structure: (dnhe (oa jpelad)) = oe.

}◀

►'fc ab lnac domb inef'{

fc o,o!r=thing that ask B about A.

ab o,o!1p=A that is B.

lnac n!r=Aliter.//c meter^3, times, AH, 0.1,,

domb !o=less-est.

inef !r=country.//c group,big,

free translation: what is smallest country.

}◀

►'oilb llmf jokb na anga oe'{

oilb o,o,n!r=thing that need A to be B.

llmf !r=knife.//c stick,sharp,

jokb o,n!r=thing that kill A.//a save,

na o!1p=the A.

anga !r=human.

oe !r=i.//c this,assert,

free translation: i need knife to kill the human.

structure: (oilb lmf (jokb (na anga))) = oe.

}◀

▶'oidd kjgg ad bd'{

oidd o,o,n!r=thing that need to be A to be B.//c need,AB,self,

reason why word 'oidd' is abbreviation fot 'oilb' and 'ab' and 'dd'?

ab o,o!1p=A that is B.

dd !r=self.

'oilb ab dd A B' mean 'thing that need (oneself that is A) for being B'.

This expreasion is a bit awkward so i will explain with an example.

sentence 'oilb ab dd A B C' mean 'C need C that is A to be B'.

The floor of 16 divided by 3 is 5 but this compound word is not made by 5bits cuz the length of element word in the compound word must be a power of 2.

so 'oidd' is 4bit + 4bit + 8bit.

it is 0111 + 0000 + 11001100.

8th bit become 1.

8bit + 4bit + 4bit is prohibited cuz the earlier-used word should be made with fewer bits but if quantity of bit of element word is 8 or more, then all bit dont

need to be reduced.

as i mentioned, 'c' can mean abbreviation.

'i dislike being human' can be translated into 'dnfd ab dd anga oe'.

kjgg !r=dead thing.//a alive,

free translation: you need to be dead.

}◀

►'ed gb fmgg pf oe'{

gb s,n!r=thing that cause A2 be A1.//e B is contribution.

fmgg !r=opened thing.//a closed,,s on,

free translation: i caused it to open.

structure: (ed (gb fmgg pf)) = oe.

but we have word for open.

gife o!r=thing that open A.//c cause, opened thing,

}◀

▶'oc hnda eg jh af elda bd oe eb hnda af elda bd'{

oc s,o,n!2p=thing that is B despite A2 being A1.

hnda o,o!r=thing that say A to B.

'eg n,str...!r=,//e this word is for expressing text.'

parameter int ≠ parameter str.

parameter 'str' is used to express string.

str that have 8n-th bit that is 1 dont become longer unlike parameter int.

'...' in right of str is the quantity of parameter is determnined by number that is around.

eg 'eg lh ba' is text 'ba'.

eg 'eg nh baba' is text 'baba'.

[i say your name] mean i say pronunciation of 'your name'(saying /jɔ:r neɪm/)

if your name is 'mark', then 'i say your name' mean i say 'mark'.

free translation: i said "your name" but i dont say your name.

}◀

▶'mc if mlba anga '{

mlba o!p=new A./s become,,r if i become member i am new member.

'r' is abbreviation for 'reason'.

'r' is used to explain why this word is made this way.

free translation: i wanna have new human.

}◀

►'mkod oa olib oe'{

mkod o,n!r=thing that feel A is delicious.//c pleasure,food,

olib !r=food.

free translation: this food is delicious for me.

structure: (mkod (oa olib)) = oe.

literal translation: i am thing that feel this food is delicious.

}◀

►'ph mg lh nh'{

ph !n=three.

mg o,o!1p=A plus B.

lh !n=one.

nh !n=two.

free translation: $1 + 2 = 3$.

structure: $ph = (mh\ lh\ nh)$.

}◀

►'eb lb ea elea oa elcf'{

elea o!1p=thing that mean A.//s code,

elcf !r=sentence.//c code,situation,,r sentence code that explain situation.

free translation: i dont know meaning of this sentence.

structure: $(eb\ (lb\ (ea\ elea\ (oa\ elcf))))$.

}◀

►'nd amae fa gjif goae oe'{

nd o!r=thing that call A.

amae !r=mom.//p mama baby,
gjif o,o,n!r=thing that give A to B.//c cuase,have,

goae !r=milk.//c liquid,mom,,

free tranation: hey mom, give me milk.

structure: (nd amae). (fa (gjif goae oe))

}◀

►'inmg goee ma olma'{

inmg o!r=thing that include A.//a part,,s have,

goee !r=blood.//c liquid,organism,

ma o!1p=all A.

olma !r=animal.

paraphrase: all animal include blood.

}◀

►'mc eb knba bd'{

knba o,o!t=thing that communicate with A about B.//s reply,

paraphrase: i wanna dont communicate with you.

}◀

►'fc pe cmfc oa'{

pe o,o!1p=B that is converted into A.

cmfc n!r=A dollar.//p dollar en.

paraphrase: how much is this.

structure: (fc (pe cmfc oa)).

}◀

►'fc pe doea od'{

doea !t=time.

od !t=now.//c this,time,

paraphrase = what time is it now?

}◀

▶'kigg goga oe'{

kigg o!r=thing that drink A.//c inhale,liquid,

goga !r=water.//s liquid,

paraphrase = i drink water.

}◀

▶'fc ja lb elcjeg nide bd'{

elcjeg !r=german language.//c language, germany,

nide !r=he.//c the,men,

paraphrase = does he know german language?

}◀

►'bpeg oa elcg mmlb gilb oe'{

bpeg o,o,n!r=thing that dont need A to be B.//a need,,e B is hindrance.
this word dont mean just 'dont need'.

elcg !r=document.//c file,text,,r file that include text.

mmlb o!r=thing that learn A.//c becoming, know,

gilb !r=math.//c number, know,,r knowledge about number.

paraphrase = to learn math, this document is useless for me.

structure = ((bpeg (oa elcg) (mmlb gilb)) = oe.

}◀

►'boeg nimd mlif pf oe'{

boeg o,o!r=thing that compete to being B with A.//A is like enemy,,s dont
need,

mlif o!r=thing that get A.//c become,have,.

paraphrase = i comepete to get it with she.

structure: (boeg nimd (mlif pf)) = oe.

}◀

►'eb mkdd kjca bomc oe'{

mkdd o,n!r=thing that enjoy be A.//c pleasure,self,

kjca o!r=thing that see A.//c sense,photon,

bomc !r=sports.//c compete,pleasure

paraphrase = i dont enjoy see sports.

}◀

►'doba gjif cnih bd bd gjif olib'{

doba o,o,o!r=promise.//e if myself/i is A, then B is C.

that is what the promise contains.

cnih !r=money.//c dollar,FH,zero,,r dollar that exceeding 0.

olib !r=food.

it is realy untranslated sentence.. they trade for food.

}◀

▶'fe jjmg oe'{

fe s!r=thing that prohibit A2 to be A1.//c command,not,

jjmg o,o,o,n!r=thing that push A into B from C.//a pull,

paraphrase = dont push me!

}◀

▶'ga ad ae hnmc mkid oe'{

ga o!1p=only A.

'ga ad' is like 'undefined' in programming language(eg javascript).

paraphrase = music that is good for me is none.

}◀

▶'fifd af iiha oe kpke hd inef'{

fifd o!r=thing that hail A.//c command,profit,

iiha !r=empire.//c country,rule,other,country,,r empire is country that rule
other country.,

kpke o!r=thing that curse A.//a hail,

paraphrase = hail my empire! fucking other country!

structure: fifd (af iiha oe). kpke (hd inef)

}◀

▶'ia jiod anga af mkaf'{

ia o,n!p=thing that tends to be A.

jiod o,n!r=thing that bite A.//b inhale food,

'//b A' mean that this word is before word of A. bit of before word is decaad.

anga !r=human.

mkaf !r=dog.//c friend,human,

paraphrase = my dog tend to bite human.

second parameter of word 'af' is omitted, so it mean 'self'. and self is me in this case.

}◀

▶'lc lb hmlc lb pf oe'{

lc o,n!p=thing that can be A with B percent probability.

hmlc s!r=probability that A2 is A1.//c HE,can,

paraphrase = I can know the probability that you know it.

}◀

▶'djlc mkfd bd koea lh oe'{

djlc o,t!p=thing that remain A for time B.

koea n!t=A year.

paraphrase = i love you for one year.

}◀

▶'djfb koea ag pb oe'{

djfb t!r=A old.//c remain,exist,

ag int!n=.//e this word is for expressing number by binary.

'int' is an abbreviation for 'integer'.

first bit determines whether the number is positive or negative.

if first bit is zero, number is negative.

'pb' is in parameter of word 'ag'.

integer 'pb' is '11111000'.

(2nd bit)*1=1. (3rd bit)*2=2. (4th bit)*4=4. (5th bit)*8=8. (6th bit)*16=0.
(7th bit)*32=0.

$1 + 2 + 4 + 8 = 15$. so 'agpb' is 15.

if u wanna express negative then reverse all bit.

paraphrase = i am 15years old.

}◀

▶'cd knee dmdg gnmd ad mlmb'{

knee o!r=thing that sex with A.//c connected,organism,

dmdg !r=men.//a women,

gnmd o!r=thing that breed with A.//c make,baby,

mlmb !r=women.

paraphrase = women breed by sex with men.

}◀

▶'joke dd knee dd'{

joke o,n!r=thing that harmful A.//a benefical,

dd !r=self.

paraphrase = Masturbation is harmful to oneself.

structure: (joke dd) = (knee dd).

}◀

▶'if nkmd mlmb if nkde dmdg'{

nkde !r=penis.//c genitalia, men,,d25.12.5.0.

nkmd !r=pussy.//c genitalia, women,,d25.12.5.0.

paraphrase = women have pussy. men have penis.

}◀

▶'inmd af amae mc kjca mlee'{

inmd !r=pregnant.//c include, baby

mlee !r=baby.//c new,organism,
paraphrase: my mom pregnant. i am wanna see baby.

second parameter of word 'af' is omitted, so it mean 'self'. and self is me in this case.

}◀

▶'mkid id boba'{

id !r=each other.//c what,interface,self,.

boba !r=we.//c and,i,you,AD,

free translation: we like each other.

}◀

▶'hoga comc mkoe'{

hoga o!r=thing that play A.//e 'play' as in 'play game'.

comc !r=game.//c tool,pleaaure,, r tool that provide pleasure.

mkoe !r=we.//c friend,i,

word 'we' have two meaning. it is 'you and me' and 'freind of me'.

paraphrase = we play game.

}◀

▶'hf ab joda hmkd johe'{

hf n,o!p=thing that similar to A.

joda !r=fermented thing.

hmkd !r=wheat.

johe !r=bread.//c fermented,wheat,,

free translation: bread is similar to fermented wheat

}◀

►'djl b af elga na eldg'{

djl b o!r=thing that remember A.//c remain, know,

eldg !r=clock.//c express,time,,u25.12.9.1.

paraphrase = i remember name of the clock.

structure: (djl b (af elga (na eldg))).

}◀

►'mlfb cf mklb pf oe'{

mlfb !r=occur.//c become, exist,

mklb o,n!r=thing that wonder about A.//c hope, know,

paraphrase = situation that i wonder about it is occur.

structure: mlfb = (cf (mklb pf) oe).

}◀

▶'cd mkka dodd kiod pf oe'{

cd o,o,n!p=thing that is B by being A.//c use, A that is B, self,.

mkka n!r=thing that is hungry.//c hope, eat,

dodd o!r=thing that decide to be A.//c promise, self,,r promise to self.

kiod o!r=thing that put A into mouth of myself.//c inhale, food,,n bite,

paraphrase = i am hungry so i decide to eat it.

structure: (cd (mkka (dodd (kiod pf)))) = oe.

}◀

►'lmle cf mjme mmlb bmpe pf nide oe'{

lmle o,n!r=thing that feel A is funny.//p haha people,

cf s!r=situation that A2 is A1.

mjme o!r=thing that give up being A.//a decide,

mmlb o!r=thing that learn A.//c becoming, know,.

bmpe o!1p=even A.//s too,

structure: (lmle (cf (mjme (mmlb (bmpe pf))) nide)) = oe.

paraphrase = i think that situation that he give up leaning even it is funny.

}◀



► 'gjfg o,n!r=thing that save A./c cause, alive'{

antonym of save is kill.

we learned int type parameter.

if bits of word alive and dead is converted into number, it is
'fojb(1010011110011000) < kjgg(0101100101100110)'.

word alive is smaller than word dead if it is converted into number.

compound word that have antonym is made by word that have smaller bit.

word 'kill' can be 'c cause,dead' but alive have smaller bit than dead so word 'kill' is made as antonym.

}◀

►'jf s,n!r=result of A2 being A1.//a reason,'{

gc s,n!r=reason why A2 is A2.

'gc' is '0 1 1 0 0 1 0 0'.

'jf' is '1 0 0 1 1 0 1 0'.

word reason is randomly made.

The reason happens before the result, so the word "reason" was created earlier than the word "result." so word reason must have smaller bit than word result.

* antonym should have bigger bit than original word that is randomly made.

}◀

▶'hnmc !r=music.//c sound,pleasure,'{

'sound that i feel pleasure from' is expressed as 'ae hnih mkcd oe'.

but if this word is made by 4 words then people cant know element word.

important word in it is 'hnih'(sound) and 'mkcd'(pleasure).

it is made by the two words.

it is abbreviation.

earlier used word must be earlier so this compound word must be
compound word of 'sound' + 'pleasure' instead of 'pleasure' + 'sound'.

}◀

▶'dnfd o,n!r=thing that hate A./c dread, profit,'{

why this word is not made by antonym.

if it is made by antonym then it is dnke so form and sound of it is similar
to dfke and meaning of dfke similar to love cuz it mean thing that dread
that something become victim.

}◀

}word formation rule◀

▶complex sentences{

}complex sentences◀

NL QR: <https://youtu.be/rPGDHublCDI?si=LGGqzc4bVFdQmC9D>

NL braille: <https://youtu.be/UKd6Fry-k8g?si=RRccCNANzb7LMkG9>

NL morse: <https://youtu.be/bp8b8FhJHTc?si=uLMRb4zWim0HeDxC>

NL sign language one hand:

<https://youtu.be/4SJ2bu0ngnk?si=w0jSCCvQHDL6AGfP>

}lecture◀

▶word dictionary{

▶for who interpret dictionary{

'o' of right side of '//' mean 'symbol that omit parameter'.

▶'//d'{

it mean when was this word created.

If it was created a long time ago, it's highly likely that it won't change in the future.

'//pd' mean predicted made date.

}◀

▶'//u'{

it mean when was this word updated.

If it was updated a long time ago, it's highly likely that it won't change in the future.

'//pu' mean predicted update date.

}◀

}for who interpret dictionary◀

this language has no synonyms so just think and use words as appropriate.

eg this language dont have word large so you should use word big instead of word large.

symbol '-' is old version's symbol so convert it into ','.

ignore symbol '<', '>'.

word is listed using two diffrent rule.

left rule is listing using '//n' cuz if it is listed by the rule then hard to find.

the rule is listing by initial letter and word formation rule

}EML(Efficient Memory Language)◀

►ECL{

you can understand well if you know EML and ECL words.

sentence 'A B' command B to be A.

We'll learn some rules that help me explain it more efficiently.

$A \diamond B \diamond C$. A is ECL code. B is programming language name. C is code that is written by A.

eg, $ja \bullet 1 \bullet 2 \diamond js \diamond \bullet 2 == \bullet 1$. $\bullet 1$ is first variable. $\bullet 2$ is second variable. in real, you should input variable name instead of $\bullet 1$.

' $A \spadesuit B$ ' mean 'B is explanation of A'.

►example{

$\bullet 1 \bullet 2 \spadesuit$ make variable called $\bullet 2$. assign $\bullet 1$ into $\bullet 2$.

mg $\bullet 1 \bullet 2 \bullet 3 \spadesuit \bullet 3$ is $\bullet 1 + \bullet 2$.

coda $\bullet 1 \clubsuit \bullet 1$ is printed. if right of expression is none then it command to system.

encf $\bullet 1 \bullet 2 \diamond js \diamond if(\bullet 2 == \bullet 1)$

►word dictionary{

goic s,s,o,c s=for(A2=A1;B;C){D}.

encf s,c s!v=cmp A2, A1.//in asm,,c by,situation that A2 is A1,

bb o!o=variable A declared with let.//like let A=1;

ib o!o=variable A declared with var.//like var A=1;

fifa c s!r=starting ecl./c command,comand,

Inlf c s!r={A2:A1, A4 : A3}.//c whose,whose,,js's object.

}word dictionary◀

▶other{

dont need main(){}

screen work like html.

}other◀

}ECL◀

release date: 2025.12.9.

obey liscence rule. <https://github.com/Fhres126/nl/blob/main/co.txt>