

This PDF doesn't repeat what's already said, so you need to read it in detail to understand.

If you don't like this document, then give me feedback or revisit it after one month. That issue can be fixed.

All feedback is welcome.

Our chat room: <https://discord.gg/VhHBjXbpkz>

YouTube(if you have question): <https://youtube.com/@normallanguage?si=4E60EKgSuZa90JAJ>

norlang{

This artificial language is called Norlang (Normal Language) in English.

Advertisement{

norlang is Shorter, more logical, machine-friendly language that is faster communication, smaller data, greater efficiency.

edvience section is in next of advertisement section.

1. most words are not randomly made, most words are made as compound words, abbreviations, and antonyms, and are arranged in an orderly way.

2. Words with similar meanings consist of similar letters.

length of most words are short.(2~4letters)

So you can easily remember words.

grammar is simplest and very logical and consistent and similar to math.

norlang use phonetic script.

Norlang doesn't have exceptions.

norlang version of barcodes is exist and it is called NL QR1.

NL QR1 is over 1.5 times more efficient than a barcode

norlang version of QR code is exist and it is called NL QR2.

NL QR2 is over 5 times efficient than a QR code.

NL QR mean NL QR1, NL QR2, NL QR3.

NL QR is interpreted as same in any direction, like a QR code.

NL QR3 is most efficient code.

norlang version of morse code is exist and it is called NL morse.

norlang version of braille is exist and it is called NL braille.

meaning of original braille depending on direction but NL braille have same meaning in any direction.

original Braille includes separate encodings for mathematics, music, science, and computers, and those encodings overlap so it is ambiguity.

Braille varies depending on the language. The letter a in English Braille has the same shape as b in Chinese Braille. This will cause a lot of inconvenience.

For example, the cell for 'j' in original Braille is used as the multiplication sign in math Braille.

NL Braille can express mathematical notation and musical notation without overlap so it remains unambiguous.

Norlang is a binary language so it can easily be converted into NL QR and NL morse and NL braille so it is easy to learn.

3. Norlang is not ambiguous.

4. norlang is most efficient most logical language.

So Norlang reduces environmental pollution.

The prevention of environmental pollution through norlang is enormous scale.

most file in world is video file but if someone speak in norlang, the someone dont need to speak long time so video dont need to be long.

A sentence that takes 10 seconds to say in English can be said in just 5 seconds in Norlang.

5. Norlang can be used in programming since Norlang is very logical.

norlang is very consistent.(eg grammar, word formation rule)

norlang dont have homonyms and synonyms.

Norlang can express every meaning using only binary.

this language can be unambiguous interpreted without whitespace so it deosnt need hassle mark eg whitespace and hyphen.

```
This dictionary is very use-  
ful for learning norlang.
```

Norlang brings easy communication and peace and helps technology grow.

Norlang is the simplest, most efficient, easiest, and most logical language.

as a developer, i belive that this language is perfect. dont dislike this language before you are fluent in it.

}advertisement

evidence{

1{ Id is abbreviation for Lb(this) and Doea(time).

music is compound word of sound and pleasure.

'ed'(0010.1100) mean 'was'.

'le'(1101.0010) mean 'will' and it is antonym of word 'was'.

the bit is reversed.(8n-th bit didnt reversed since it is for explaining border of words)

eo ea mean second, fo ea minute, go ea mean hour. }1

2. mkfd is word love. mmid is word like. mmcd is pleasure.

3{ eg, "A of B and C" can be interpreted as "(A of B) and C" and "A of (B and C)" in English.

But in Norlang, "be af A B C" means only "(A of B)

and C".

'af A be B C' means only 'A of (B and C)'.(it is like prefix notation) }3

4{ 'i know you' in Norlang is 'lbbd'. (This is pronounced differently from English; it is easy to pronounce.)

English is 80 bits (in ASCII code).


Norlang is 16 bits.

one letter is 4 bits, 'l' is '1101', letter is used for expressing binary.


norlang can express all using binary.

Norlang is five times more efficient than English. }4

5{ 'var gh=1==2;
console.log(gh);'
is expressed as
'ib ja lh nh gh
elba gh' }5

	$\lim_{x \rightarrow 0} \sin x = 0$
efficient alphabet	
latin alphabet	
NL QR	

both code mean the same.






NL QR1



NL QR2



NL QR3

}evidence

it is beta version.

alphabet{

* alphabet is only 0 and 1 then it can be expressed as 16 latin letter.

a:0000. b:1000. c:0100. d:1100.

e:0010. f:1010. g:0110. h:1110.


i:0001. j:1001. k:0101. l:1101.

m:0011. n:1011. o:0111. p:1111.

norlang uses only lowercase letters.

more efficient alphabet is here(only pdf user can

see. bottom to top writing alphabet):



braille is 2×3 and this alphabet is 2×3 so this alphabet can be used as braille.

one word consist of $8n$ bit.

$8n$ -th bit determines length of word since it is for explaining length of word.

* **$8n$ -th bit 0** play role of whitespace of english so norlang dont need whitespace.

eg '1111111**0**' is one word.

it is 'ph' in latin letter.

it means that word whose letter between 'a'(0000) and 'h'(1110) is in $2n$ -th letter is smaller.

$2n$ -th letter 'h' is in between 'a'(0000) and 'h'(1110).

* 8n-th bit 1 make the word consist of more bit.

'11111111, 11111110' is one word.

the example converted to latin letter is 'ppph'.

i will use whitespace to make you easily understand.

you can learn pronunciation in intermediate section
and i recommend that you read this document in
order.

}alphabet

EML(Efficient Memory Language){

lecture{

basic{

* word order of norlang similar to VOS cuz it is

efficient in logical grammar.

* norlang dont use transitive verb and norlang express it using function.

* all direct object is called parameter.

so direct object attach to transitive verb.

* norlang sentence is list of two objects.

* if A and B is noun, norlang sentence 'A B' mean 'B is A' since this language is VOS.

eg 'djca foad' mean 'ore is solid'.

'djca' mean 'solid' and it is noun.

'foad' mean 'ore' and it is noun.

* some word must have parameter like function.

'jd bd oe' mean 'i think you' in paraphrase.

'jd' is function and it must has one parameter.

'jd A' mean 'thing that think A'.

'bd' mean 'you'.

'bd' is in parameter of 'jd' so 'jd bd' mean 'thing that think you'.

FYR: (jd bd) oe.

between '(' and ')' is one function.

'oe' mean 'i' so it is translated as follwing.

literal translation: i am thing that think you.

translation whose only words are translated: '(thing that think you) is me'.

'jd bd' is one object since function is object.

* if subject is omitted, subject is 'i' so sentence 'jd bd' mean 'jd bd oe'.

we use word 'i' lot so this mechanism increace efficiency of language.

but i will use word 'i' to make you easily understand .

this grammar can express every meaning.

eg 'The happy boy gives her a small book in the today and smiles.' is expressed as 'ab gc if ab mlka pf bica fjmd kjkc ac ljhd ajea ab dmdg mmcd'.

i will use part of word dictionary so you need to know how to interpret a word dictionary to learn in detail.

How to interpret a word dictionary{

'fojb !r=alive thing.'

word is expressed as it in word dictionary.

* far left is norlang word.

* between '!' and '=' is word type.

* far right is meaning of this word.

* 'r' is an abbreviation for 'reality'.

only thing that can exist in reality is reality type

object.

}

'kjgg !r=dead thing.//a alive'{

'//' is for an additional explanation.

'a' is an abbreviation for 'antonym'.

* 'a A' mean 'this word is antonym of A'.

* The antonym form is the inversion of the original word's bits.

0 becomes 1. 1 becomes 0.

eg antonym of

'fojb'(10100111,10011000) is

'kjgg'(01011001,01100110).

8n-th bit dont be changed since it is for explaining length of word.

}

'jd o!r=thing that think A.'

between norlang word and '!' is parameter type that this function must have.

if it is exist, this word should have parameter.

'o' is an abbreviation for 'object'.

any object can be in object type parameter.

'A' in right of '=' is first input object of function.

'jd A' mean 'thing that think A'.

'bd' mean 'you' so 'jd bd' mean 'thing that think you'.

change A into inputed value.

Q: oh this word should have parameter so how to express just 'word think'?

A: 'elea jd', word in parameter of 'elea' deosnt have parameter. this parameter type is called 'int parameter'. If you read further, you can learn it.

I can only answer your question after you know

some concept.

}

'da !si=line break'{

'si' is abbreviation for 'sign'.

this word is used to express only line break(aka new line).

'si' type words don't interface with all words.

eg sentence 'jd da bd oe' means 'jd bd oe' because the word doesn't interface with 'si' type words.

}

}How to interpret a word dictionary

any word can be in object type parameter.

'jd bd' is one object that consist of two object.

'jd ad oe'{

free translation: 'i think'.

FYR: (jd ad) oe.//between '(' and ')' is one function.

translation whose only words are translated:
'(something that think something) is me'.

literal translation: im thing that think something.

jd o!r=thing that think A.

ad !si=symbol that omit one parameter.

oe !r=i.

parameter of 'jd' is omitted by 'ad'.

if parameter is omitted, it means 'something'.

}

}basic

intermediate{

How to interpret a word dictionary{

'fc **o**,**o**!r=thing that ask B about A.'

'!A,B' mean this function need 'A' and 'B' as parameter.

B is second input object of this function.

third is C. fourth is D...

eg 'fc A B' mean 'thing that ask B about A'.

parameter type that this function must have is **object** and **object**.

}

'ih !n=zero'{

'n' is abbreviation for 'number'.

other type word cant be in 'ag' ~ 'ph' cuz it is for number word.

}

'od !t=now.//c this, time,'{

'c' is an abbreviation for 'compound word'.

'c A, B' mean 'this word consist of word A and word B'.

'c A,B' can mean 'this word is compound word of A and B'.

but "c A, B" can mean 'this word is abbreviation for A B'.

'od' is abbreviation for 'oa doea'.

'oa doea' mean 'this time'.

in this case, 'c' used to mean 'abbreviation'.

4bit is from 'oa'(0111,0000).

4bit is from 'doea'(1100,011100100000).

}

'oa o!1p=this A'{

'p' is abbreviation for 'parameter'.

'1p' mean 'first parameter'.

parameter value determines type of this word.

eg 'oa fojb' is reality type cuz fojb is reality type object.

}

'ab o-o!1p=A that is B'{

'A-B' means that if the A is omitted by symbol that omit parameter then the B is automatically omitted.

originally 'ad' can omit one parameter but 'o-o' can be omitted by only one 'ad'.

If one parameter of this word is omitted, why this word is used?

it is not needed.

if parameter of this word is 'o,o', then 'ab ad A' mean just 'A'.

this is for efficient so you can use few symbol that omit parameter.

}

'ge <o-o>-n!2p=thing that use A to become B.'

inside '<' and '>' is one group.

so in <A-B>-C, if <A-B> is omitted by symbol that

omit parameter then C is automatically omitted.

<A-B>-C can be omitted by only one symbol that omit parameter.

word 'ge' whose first parameter is omitted is not needed cuz word that mean 'become' is exist.

}

'gc s-n!p=reason why A2 is A1'{

's' is an abbreviation for 'sentence'.

's' is '<o-o>'.

so 'A1' mean first 'o'.

'A2' mean second 'o'.

}

'be c o!p=A1 and A2 and....'{

'c A' mean 'this word have A type parameter until it met symbol that omit parameter'.

eg 'be bd bd bd ad' mean 'you and you and you'.

}

eo ea n!t=Asecond.{

't' is abbreviation for 'time'.

}

'//s A B'{

's A B' mean 'letter of this word is similar to word A of language B'.

if B is omitted, B is norlang.

}

'ma o!1p=all A.//m every'{

'm A' mean that this word can mean A too.

}

><How to interpret a word dictionary>

'mkfd bd oe'{

free translation: 'i love you'.

FYR: (mkfd bd) oe.

translation whose only words are translated:

'(something that love you) is me'.

literal translation: 'i am something that love you'.

mkfd o,n!r=thing that love A with B percent power.//
c hope,profit,

bd !r=you.//a i,

oe !r=i.

as we can see, word 'mkfd' have number type parameter.

'mkfd bd ih' mean 'thing that love you with zero percent power' and it mean 'thing that dont love you'.

ih !n=zero.

in this sentence, 'oe' automatically omit second parameter 'n' of 'mkfd' cuz number type didnt be inputed in the parameter.

i will explain reason why 'love' is 'c hope, profit'.

Love has various meanings.

There is the love between parents and children, and romantic love.

This word refers to the love between a parent and a child.

mc s,n!r=thing that hope that A2 is A1 by B percent power.

fd n!r=thing that gains profit.

'mc fd A' mean 'thing that hope that A is thing that gains profit'.

FYR: (mc fd A).

parent tend to hope child gain profit since gene is selfish.

}

'higina af elda oe'{'

free translation: 'my name is higina'.

FYR: higina (af elda oe).

translation whose only words are translated: 'higina is name of me'.

literal translation: name of me is higina.

af o-o!1p=A of B.//c A that is B, element,

elda !v=name.

oe !r=i.

reason why 'af' is 'c A that is B, element' is that 'ab A hc B' mean 'A that is (element of B)'.

ab o-o!1p=A that is B.

hc o!1p=element of A.

'c A that is B, element,' seems 'ah' since first letter of 'ab' and 'hc' is 'a' and 'h'.

i will detaily explain it in advanced section but i explain reason simply in here.

only number word must be in words between 'ag' and 'ph'.(eg 'ag', 'bg', 'cg'....'ph')

'ah' is in it so 'ah'(00001110) become 'af'(00001010).

You might feel that words is weird since you dont know word-formation rule but the word-formation rules will be explained in the advanced section in detail so please wait.

}

how to ask{

'fc anga', 'fc anga bd oe'{

free translation: 'what is people? i ask you'.

FYR: fc anga, (fc anga bd) oe.

translation whose only words are translated: '(thing that ask you about people) is me'.

literal translation: i am thing that ask you about people.

fc o,o!r=thing that ask B about A.//c command, reply,

anga !r=people.

bd !r=you.//a i,

oe !r=i.

}

'fc nb bd', 'fc nb bd ad oe'{

free translation: 'where are you?,i ask you'.

FYR: fc (nb bd), (fc (nb bd) ad) oe.

translation whose only words are translated: '(thing that ask you about location of you) is me'.

literal translation: i am thing that ask you about location of you.

nb o!v=location of A.

if second parameter of 'fc' is omitted, the second parameter mean 'you'.

}

'fc gc dnfd oe bd', 'fc gc dnfd oe bd ad oe'{

free translation:'why do you hate me?'.
}

FYR: fc (gc (dnfd oe) bd), (fc (gc (dnfd oe) bd) ad) oe.

translation whose only words are translated: '(thing that ask you about reason why thing that hate me is you) is me'.

literal translation: i am thing that ask you about reason why you are thing that hate me.

gc s,n!p=reason why A2 is A1.

dnfd o,n=thing that hate A.//c dread,profit,

if second parmeter of 'fc' is omitted, it mean 'you' or 'i'(alone think).

'gc dnfd oe bd' mean 'reason why you hate me'.

}

'fc jf dmld noag bd', 'fc jf dmld noag bd bd oe'{

free translation:'what if you give up being worker?'.
FYR: (fc (jf (dmld noag) bd) bd) oe.

translation whose only words are translated: '(thing

that ask you about result if thing that give up being
worker is you) is me'.

literal translation: i am thing that ask you about
result if you are thing that give up being worker.

jf s,n!p=result if that A2 is A1.//a reason,

dmld o!r=thing that give up being A.//c
decide,not,will,intend,

noag !r=worker.//a rest,

}

'fc ja dmca oe bd'{

free translation: 'are you looking at me?'.
FYR: fc (ja (dmca oe) bd).

translation whose only words are translated: '(thing
that ask you about whether thing that see me is you)
is me'.

literal translation: i am thing that ask you about whether you are thing that see me.

ja s!r=whether A2 is A1.

dmca o!r=thing that see A.//c sense,photon,.

}

'fc ec gjfg oa anga boba'{

free translation: 'how do we save this person?'.
FYR: fc (ec (gjfg (oa anga)) boba).

translation whose only words are translated: '(thing that ask you about how thing that save this people become we) is me'.

literal translation: i am thing that ask you about how we become thing that save this people.

ec s-n!r=how A2 become A1.//c what,need to,.

gjfg o,n!r=thing that save A.//c cause,alive,.

oa o!p=this A.

boba !r=we.//c and,i,you,o,.

}

'fc ekfb kjgg'{

free translation: 'how to dead?'.
}

FYR: fc ekfb kjgg.

translation whose only words are translated: '(thing
that ask you about how to become dead) is me'.

literal translation: i am thing that ask you about how
to become dead.

ekfb o-n!1p=how to become A.//c how,normal,

'how to open this' is considered as 'how normal
thing open this' in norlang.

}

'fc ee de id boba'{

free translation: 'when we sense each other?'.

FYR: fc (ee (de id) boba).

translation whose only words are translated: (thing that ask you about time when thing that sense each other is we) is me'.

literal translation: i am thing that ask you about time when we are thing that see each other.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

id !r=each other.//c what,interface,self,

}

>how to ask<

'dmca cf gjif gljb bd fjmd oe'{

free translation: 'I see her giving you food'.

FYR: (dmca (cf (gjif gljb bd) fjmd)) oe.

translation whose only words are translated: '(thing that see (situation that thing that give food to you is she)) is me'.

literal translation: i am thing that see situation that she is thing that give you food.

dmca o!r=thing that see A.//c sense,photon,.

cf s!r=situation that A2 is A1.

gjif o,o,n!r=thing that give A to B.//c cause,have,

gljb !r=food.

fjmd !r=she.//c the,women,.

reason why word 'give' is 'c cause,have,' is following.

word 'cause' in additional expression mean this

word 'gb <o-o>-n!r=thing that cause A to become B.//
s reason,'.

if o!r=thing that have A.//a element,

'gb if A B' mean 'thing that cause B to become thing
that have A'.

}

'If anga oa', 'If anga oa ad oe'{

free translation: 'this seems people'.

FYR: (If anga oa), (If anga (oa ad)) oe.

translation whose only words are translated: thing
that knows believe that people is this is me.

literal translation: i am thing that belive that this is
people.

If s!r=thing that believe that A2 is A1.//c know,that
A2 is A1,true,whether,.

}

time{

'ed gjfg anga oe'{

free translation: 'i saved people'.

FYR: (ed (gjfg anga)) oe.

translation whose only words are translated: 'thing
that was thing that save people is me'.

literal translation: i am thing that was thing that save
this people.

ed o!p=thing that was A.

gjfg o-n!r=thing that save A.//c cause,alive,.

}

'le jokb dd oe'{

free translation: 'i will suicide'.

FYR: (le (jokb dd)) oe.

translation whose only words are translated: 'thing
that will be thing that kill myself is me'.

literal translation: i am thing that will be thing that
kill myself.

le o!p=thing that will be A.//a was,

jokb o-n!r=thing that kill A.//a save,

dd !r=myself.

}

'eb ed kjgg oe'{

free translation: 'i have never died'.

FYR: (eb (ed kjgg)) oe.

translation whose only words are translated: 'thing
that is not thing that was dead thing is me'.

literal translation: i am thing that is not thing that
was dead.

eb o!v=thing that is not A.

}

'mb midg mkfd bd fjde"{

free translation: 'he always loves you'.

FYR: (mb midg (mkfd bd)) fjde.

midg !t=always.//c all,time,

fjde !r=he.//c the,men,

}

}time

'ac dmca bd inef oe'{

free translation: i see you in country.

FYR: (ac (dmca bd) inef) oe.

translation whose only words are translated: (thing that see you) that is in country is me.

literal translation: i am (thing that see you) that is in country.

ac o-o!1p=A that is in B.

dmca o!r=thing that see A.//c sense,photon,

inef !r=country.//c group,big,

}

'ob fjde noag oe'{

free translation: 'i work with he'.

FYR: (ob fjde noag) oe.

translation whose only words are translated: thing

that is worker with he is me.

literal translation: i am thing that worker with he.

ob <o,o>-n!p=thing that is B with A.

noag !r=worker.//a rest,

}

how to command{

'fa fojb bd'{

free translation: 'hey you, be alive!'.
FYR: (fa fojb bd).

translation whose only words are translated: 'thing that commands you to become alive is me.

literal translation: i am thing that commands you to be alive.

fa o,o!r=thing that commands B to be A.

fojb !r=alive.

}

}how to command

'jf dmhf hnmc oe cf mmcd ad oe'{

free translation: 'if i listen music, i am happy'.

FYR: (jf (dmhf hnmc) oe) (cf (mmcd ad) oe).

translation whose only words are translated: '(result
if thing that listen music is me) is (situation that
thing that feel pleasure in something is me)'.

literal translation: situation that im thing that feel
pleasure in something is result if im thing that listen
to music.

jf s,n!r=result if A2 is A1.//a reason,

dmhf !r=thing that listen A.//c sense,sound,.

hnmc !r=music.//c sound,pleasure,.

cf s!r=situation that A2 is A2.

mmcd o,n!r=thing that feel pleasure in A.

}

'mb ee dmhf hnmc oe mmcd ad oe'{

free translation: 'I am happy when I listen to music'.

FYR: (mb (ee (dmhf hnmc) oe) (mmcd ad)) oe.

translation whose only words are translated: '(thing that feel pleasure in something when thing that listen music is me) is me'.

literal translation: i am thing that feel pleasure in something when im thing that listen to music.

mb t-o!2p=thing that is B when A.

ee s!t=time when A2 is A1.//c what,thing that be B when A,

}

'ef cf dmhf hnmc oe mmcd ad oe'{

free translation: 'i am happy cuz i listen to music'.

FYR: (ef (cf (dmhf hnmc) oe) (mmcd ad)) oe.

translation whose only words are translated: ((thing that feel pleasure in something) that is by situation that thing that listen music is me) is me.

literal translation: i am (thing that feel pleasure in something) that is by situation that i am thing that listen to music.

ef o-<o,n>!2p=thing that become B by A.

cf s!r=situation that A2 is A1.

}

'oc dmhf hnmc oe mmcd ad oe'{

free translation: 'i listen music but im happy'.

FYR: (oc (dmhf hnmc) oe (mmcd ad)) oe.

literal translation: i am thing that feel pleasure in something despite i am thing that listen to music.

oc s,o!p=thing that is B despite A2 being A1.//c
inverse,situation that a2 is a1,.

}

'mb dh od foea ph dmca bd oe'{

free translation: 'I saw you 3 minutes ago'.

FYR: (mb (dh od (foea ph)) (dmca bd)) oe.

literal translation: i am thing that see you when now minus 3minute.

dh n or o-o!t=A minus B.//a plus,

od !t=now.//c this,time,

foea n!t=A minute.

ph !n=three.

dmca o!r=thing that see A.//c sense,photon,

'dh od foea ph' mean 'three minutes ago'.

}

<symbol that omit parameter>{

'fc ad bd'{

free translation:'i ask you'.

FYR: (fc ad bd)

translation whose only words are translated: 'thing
that ask you about something is me'.

literal translation: i am thing that ask you about
something.

ad !si=symbol that omit one parameter.

bc !si=symbol that omit two parameter.

cc !si=symbol that omit three parameter.

dc !si=symbol that omit four parameter.

omitted parameter become mean 'something'.

}

'dnfd be bd dnfd bd bc oe'{

free translation: 'i hate you and thing that hate you'.

FYR: (dnfd (be bd (dnfd bd)) bc) oe.

translation whose only words are translated: (thing that hate you and thing that hate you) is me.

literal translation: i am thing that hate you and thing that hate you.

be c o!p=A1 and A2 and....

in this situation, it should omit two parameter so 'bc' is used instead of 'ad'.

the first omitted parameter is 2nd parameter of 'dnfd'.

second omitted parameter is parameter of 'be'.

}

><symbol that omit parameter>

'ge af dkee oe dmca bd'{'

free translation: 'i see you using my eye'.

FYR: (ge (af dkee oe) (dmca bd)).

translation whose only words are translated: 'thing that use eye of me to become thing that see you is me'.

literal translation: i am thing that use eye of me to be thing that see you.

ge <o-o>-n!p=thing that use A to become B.

af o-o!2p=A of B.//c A that is B,element,.

dkee !r=eye.//c see,organism,

dmca o!r=thing that see A.//c sense,photon,

}

'nnga ma bd' {

free translation: 'hello everyone'.

FYR: (nnga (ma bd)).

translation whose only words are translated: 'thing
that greet all you is me'.

literal translation: i am thing that greet all you.

nnga o!r=thing that greet A.

ma o!p=all A.//m all,

bd !r=you.//a i,

}

pronunciation{

* Two letters make one syllable.

* $(2n-1)$ th letter is pronounced as initial consonant.

* $2n$ -th letter is pronounced as vowel also final consonant.

eg 'bb fh anba' is pronounced as 'bo rwo memboo'.

'b' is 'bo' in pronunciation chart.

if 'b' is in $(2n-1)$ -th letter then it pronounced as 'b'.

if 'b' is in $2n$ -th letter then it pronounced as 'o'.

$(2n-1)$ th letter 'f' is pronounced as 'r'.

$2n$ -th letter 'h' is pronounced as 'wo'.

then 'anba' is pronounced as 'memboo' then it can be pronounced as 'meb'.

pronunciation chart{

sound consists of decibels (dB) and hertz (Hz).

it is arranged with lower Hz sounds coming first.(eg
m(100hz) < s(14000hz))

so it is not biased toward any specific culture.

a:'moo'. b:'bo'. c:'deo'. d:'geu'.

e:'na'. f:'le'. g:'ppi'. h:'two'.

i:'kkoom'. j:'pom'. k:'teom'. l:'keum'.

m:'jam'. n:'jjem'. o:'chim'. p:'swae'.

IPA version{

a:'mu'. b:'bo'. c:'dʌ'. d:'gʷ'.

e:'na'. f:'rɛ'. g:'pi'. h:'tʷʌ'.

i:'kum'. j:'pom'. k:'tʌm'. l:'kʷʌm'.

m:'tɕam'. n:'tɕɛm'. o:'tɕim'. p:'swɛ'.

}IPA version

}pronunciation chart

There is another way to express all pronunciations in norlang.

}pronunciation

}intermediate

upper intermediate{

<How to interpret a word dictionary>{

'pf !o=it{

'o' type word can be in any parameter type.(eg r,n,t)

}

>How to interpret a word dictionary

how to use word 'ea' {

'bd ea mkfd oe' = 'mkfd bd oe' {

free translation: 'what i love is you', 'i love you'.

FYR: bd (ea mkfd oe), (mkfd bd) oe.

literal translation: 'you are what i love', 'i am thing that love you'.

'ea' is similar to 'what' of english so 'ea' have sentence type parameter but some function in sentence of 'ea' dont have some parameter.

'ea' mean n-th parameter.

'ea mkfd oe' mean first parameter of 'mkfd'.

if i love you, 'ea mkfd oe' mean you.

so To know the meaning, you need to list the parameters of all function in parameter sentence of

the 'ea'.

mkfd is in sentence of 'ea'.

mkfd o,n!r=thing that love A with B percent power.

first parameter is 'o' of 'mkfd'.(what it loves)

second parameter is 'n' of 'mkfd'.(how much it loves)

if word 'ea' target second parameter like it mean
'how much it loves'.

}

word 'ea' is expressed in word dictionary but it cant
be expressed using symbols of word dictionary so it
is for only reference.

ea c n,s!v=what.//this word remove Ath parameter.

'ea nh mkfd bd oe'{

nh !n=two.

'nh' is in parameter 'c n' of 'ea' so 'ea mh' mean

second parameter.

To know the meaning, you need to list the parameters of all function in parameter sentence of the 'ea'.

mkfd o,n!r=thing that love A with B percent power.

first parameter is 'o' of 'mkfd'.(what it loves)

second parameter is 'n' of 'mkfd'.(how much it loves)

so 'n' of 'mkfd' is deleted, and 'ea nh mkfd bd oe' mean 'how much i love you'.

}

'bd ea mkfd pa oe' = 'mkfd bd oe'{

free translation: "you are what i love', 'i love you'.

FYR: 'bd (ea mkfd pa oe)', '(mkfd bd) oe'.

literal translation: 'you are what i know', 'i am thing that know you'.

The 'pa' is in parameter that i wanna express.

parameter of 'lb' is 'what it know'.

}

'ea mkfd bd' = 'ea kh mkfd bd' = 'ea mkfd pa bd'{

there three mean same.

}

'ae anga mkfd oe' = 'ab anga ea mkfd oe'{

free translation: 'people that i love', 'lovely people'.

FYR: (ae anga mkfd oe), (ab anga (ea mkfd oe)).

literal translation: 'people that is what i love'.

ae <c n>,o,s!v=A that C2 C1.//C2 is subject,,C1 is verb,,c A that is B,what,

ab o-o!p=A that is B.

'ae anga mkfd oe' mean 'ab anga ea mkfd oe'.

'ab anga ea mkfd oe' mean 'people that are what i love'.

'ae' is for efficient.

}

We will learn some words that work like abbreviations.

'he' is 'ea mh' so 'he mkfd bd oe' is 'ea mh mkfd bd oe'.

and it mean 'how much I love you'.

'ne' is 'ae mh' so 'ne anga ed mkfd oe' is 'ae mh anga ed mkfd oe'.

and it means 'people that i loved'.

}how to use word 'ea'.

'ed ld cd mmlb pf fd oe'{

free translation: 'i learned it to gain profit'.

FYR: (ed (ld (cd (mmlb pf) fd))) oe.

literal translation: 'i am thing that was thing that intend to be (thing that gains profit by being thing that learn it).

ld or=thing that intend to be A.

mmlb o!r=thing that learn A.//c becoming, know,

pf !o=it.

}

}upper intermediate

advanced{

How to interpret a word dictionary{

'fg dec!n=decimal number'{

'dec' is abbreviation for 'decimal number'.

this word is for expressing decimal number.

'fg bc' mean 21.

'b' in dec is 1.

'c' in dec is 2.

result is 21.

'd' is 3.

'e' is 4.

'f' is 5.

'g' is 6.

'h' is 7.

'i' is 8.

'k' is 9.

'l' is 0 since if 'a' is '0' it cant be visible in NL QR.

'a' is for finish 'dec' parameter.

'fgbbca' is 211.

}

ah dec,dec!n=decimal rational number.{

first 'dec' ia fractional part.

norlang emphasizes efficiency.

It is efficient when expressing 0.5 because it does not need to express integers.

}

'bg int!n=integer'{

'int' is an abbreviation for 'integer'.

'int' is for expressing only integer.

so code in int dont make parameter.

'bg' express integer number.

eg 'bg he' is 35.

first bit determines whether the number is positive or negative.

if first bit is zero, number is negative.

integer 'he' is '111000010'.

(2nd bit)*1=1.

(3rd bit)*2=2.

(4th bit)*4=0.

(5th bit)*8=0.

(6th bit)*16=0.

(7th bit)*32=32.

1+2+32=35.

so it is 35.

}

'gjfg o-n!r=thing that save A.//c cause, alive'{

antonym of save is kill.

we learned int type parameter.

if bits of word alive and dead is converted into number, it is 'fojb(1010011110011000) < kjgg(0101100101100110)'.
'

word alive is smaller than word dead.

compound word that have antonym is made by small bit word.

word 'kill' can be 'c cause,dead' but alive have smaller bit than dead so word 'kill' is made as antonym.

}

'jf s-n!r=result if A2 is A1.//a reason',{

gc s-n!r=reason why A2 is A2.

'gc' is '0 1 1 0 0 1 0 0'.

'jf' is '1 0 0 1 1 0 1 0'.

word reason is randomly made so antonym should have bigger bit than original word.

reason is happend before result so word reason is firstly made than word result so bit of word 'reason' must consist of smaller bit than word 'result'.

}

'oidd o-o-n=thing that need to be A to be B,//c
need,A that is B,self,.'{

oilb o-<o,n>=thing that need A to be B.

ab o-o!r=A that is B.

dd !r=self.//c Ath subject,one,

reason why word 'oidd' is 'c need,A that is B,self,' is
'oilb ab dd A B' mean 'thing that need (oneself that is
A) for being B'.

This expreasion is a bit awkward so i will explain
with an example.

sentence 'oilb ab dd A B C' mean 'C need C that is A
to be B'.

The floor of 16 divided by 3 is 5.

But the length of element word in the compound
word must be a power of 2.

so 'oidd' is 0111 + 0000 + 11001100.

8th bit become 1.

as i mentioned, 'c' can mean abbreviation.

'i dislike being people' can be translated into 'dnfd
ab dd anga oe'.

}

'hnmc !r=music.//c sound,pleasure',{

'sound that i feel pleasure from' is expressed as 'ae
hnih mmcd oe'.

important word in it is 'hnih'(sound) and
'mmcd'(pleasure).

it is made by the two words.

it is abbreviation.

new word make should make element of new word
remain order of original expression.

}

'ined !r=folder.//c group,code,,g AB,group,for
being,include,code,'{

'g' is abbreviation for 'grammar'.

'g A, B' mean definition of this word is 'A B' in
norlang grammar.

the capital letter 'AB' in 'g AB, group...' is norlang
word.

it is used for words that cannot be translated into
English or when the definition of a word is too long.

ab o-o!r=A that is B.

'g AB,group,include,code,' mean 'group for being
thing that include code' in literal translation.

but this word is 'c group,code' since it is important
word.

word maker should make order is remained.

someone can think this word can be expressed as
'g AB,include,code,group,' instead of 'g

AB,group,include,code,'

if word order is not important, function should be in after.

}

'//b A'{

'b' is abbreviarion for 'before'.

'b A' mean that this word is before word of A.

}

'foea n!t=A minute.//n second',{

'n' is abbreviation for 'next'

'n A' mean that this word is next word of A.

word 'eoea' mean second.

next letter of 'e' of 'eoea' is 'f' so 'minute' is 'foea'.

}

'//p A B{'

'p' is an abbreviation for 'pronunciation'.

'p A B' means that the pronunciation of this word is derived from the word A of language B.

language name of ISO code alpha2 is in B.

if it is omitted, it is norlang.

}

'//m A{'

'm' is abbreviation for 'mean'.

'm A' mean that this word can mean also 'A'.

}

><How to interpret a word dictionary>

{word formation rule

}word formation rule

<number>{

'ag'~'ph' is number word.

'ag da', 'lh'='1'{

see between '(' and ')' in next.

'ag da' is '10000110,(110)00000'.

'lh' is '(110)11110'.

'ih'~'ph' is 'eni'(efficient number integer).

}

'ag fa lh'='1.25'{

ag int-n!n=rational number.

'fa lh'='10100000.11011110'.

lh !n=one.

'fa' is in small number area.

}

'cb n,o!v=A B.'{

example of 'number' + 'word' in english is 'one apple'.

lh !n=one.

eg 'cb lh anga' mean 'one people'.

If different type word like 'r' is in place of an 'n' type parameter, then 'n' is automatically omitted.

if parameter 'n' of 'cb' is omitted, function 'cb' return

quantity.

eg 'cb anga' mean 'quantity of people'.

}

'mkfd bd ph oe'{

free translation: 'i love you by 100percent'.

ih = 0%.

jh = 14%. $(100/7 \times 1)$

kh = 28%. $(100/7 \times 2)$

lh = 42%. $(100/7 \times 3)$

mh = 57%.

nh = 71%.

oh = 85%.

ph = 100%.

intensity of love is percentage so it become percentage.

second parameter of 'mkfd' is 'intensity of love'.

FYR: (mkfd bd ph) oe.

}

'mkfd bd pg fjde oe'{

free translation: 'I love you as much as I love him'.

translation whose only words are translated:

pg o!n=A that is converted into number.//c B
converted into A,number,

fjde !r=he.//a she,

if word that is not a numeric type is in parameter of
'pg', it automatically converted number.

'pg fjde' converted into 'pg he mkfd fjda oe'.

it tend to target number.

FYR: (mkfd bd (pg fjde)) oe.

}

'mkfd bd fh fjmd'{

free translation: 'i love you more than she'.

translation whose only words are translated:

fh o!n=thing that is more than A.//a less,

fjmd !r=she.//c the,women,.

FYR: (mkfd bd (fh fjmd))

}

}<number>

word 'bb' and 'ib' {

bb o!v=result value of A.

ib o!v=frezed word A.

'ja lh lh' mean 'true' and 'whether'.

'ja lh lh' mean 'whether one is one'.

but 'bb ja lh lh' mean only 'true'.

'ib ja lh lh' mean only whether.

it dont not 'true'.

'whether 1 is 1' is true so we can know that 'whether' mean true or false.

but 'i dont know whether 1 is 1' dont mean 'i dont know true'.

}word 'bb' and 'ib'

word 'db' and 'dd{'

db n!v=Ath subject.

'ne cf mkfd db lh oe bd' mean 'you know that i love me' cuz 'oe' is in first subject and 'db lb' mean first subject.

'ne cf mkfd db nh oe bd' mean 'you know that i love you' cuz 'bd' is in second subject.

if parameter of db is omitted, it automatically target second subject'.

dd !r=self.//c Ath subject,+1eni,

'dd' and 'db lh' have same meaning.

'dd nh' and 'db' have same meaning cuz if parameter is omitted, the parameter automatically mean 'nh'.

norlang use this word as 'myself' or 'themselves' etc.

}word 'db' and 'dd'

word hb{

hb c o!1p=too and.

'hb A B ad' mean 'A' or 'B' or 'A and B'.

}word hb

'ancjeg oe mkfd cjeoog oe'='im german people, i
love germany'{

ancjeg !r=german people.//c people, germany,

cjeoog !r=germany.//p deutschland de,

FYR: (ancjeg oe) (mkfd cjeoog) oe.

}

if specific word is not exist in norlang, use '< >' like
'<einstein>' but it cant be function.

}advanced

NL QR{

FYR: [https://youtu.be/rPGDHublCDI?
si=LGGqzc4bVFdQmC9D](https://youtu.be/rPGDHublCDI?si=LGGqzc4bVFdQmC9D)

convert alphabet to binary.

NL QR1{

0 is black or white.

1 is opposite color of 0.

ill draw 'oa oa'.

NL QR1 is started by '10'.

input 'oa oa'.

result is '100111000001110000'.

FYR: '(10) (01110000) (01110000)'.

last dont must be finished by '01'.

if NL QR1 is finished by '01', draw '11' to last.

read from '10'.

}NL QR1

NL QR2{

draw '10000011'

draw bit in right or left.

eg 'oa' ->

10000011

01110000

if you wanna draw bigger NL QR, draw
10100000000000011 or 10100000000000000.....11

}NL QR2

}NL QR

quiz{

1.meang of sentence 'fc ea jd bd'.

2.translate 'hello my name is gociba' to norlang.

3.meaning of sentence 'eb ne ea jd bd'.

answer{

1.What are you thinking?

2.nnga bc gociba af moga oe.

3.I don't know what you're thinking.

}answer

}quiz

}lecture

word dictionary{

for who interpret dictionary{

'o' of right side of '/' mean 'symbol that omit parameter'.

}for who interpret dictionary

site for searching word: <https://fhres126.github.io/worddictionary/worddictionary.html>

//ewo

a{

a.a{

alhg o!p=thing that be A.//a about,

}a.a

a.b{

}a.b

a.c{

ae o-<c n,s>!p=A that C2 C1.//c A that is B,what,,C1 is verb.

af o-o!2p=A of B.//c A that is B,element,,ab A hc B.

anmd o!p=her A.//c of,the,women,.

ajab c o!p=A1 that is A2 and.//c A that is B,A that is B,

anaf c o!p=c of.//c of,of,

andb o!p=minimum of A.//c of, minus most,

anmg o!p=maximum of A.//c of,most,

ajoa !r=here.//c also cast,this,

ancjeg !r=german poeple.//c people,germany,

afde o!p=his A.//c of,the,men,

amge !r=parent.//c mom,fafher,

}a.c

a.n{

aoda n!r=n gon.//n hexagon,

}a.n

a.p{

amae r!=mother.//p mama baby.

}a.p

a.r{

aa !si=finish all.

ab o-o!r=A that is B.////no cw but intend com be,and,.

ac o-o!p=A that is in B.

ad !si=symbol that omit one parameter.

ag int-n!n=rational number.

ah dec-dec!n=decimal rational number.

anga !r=people.

alha o!p=any A.

}a.r

a.s{

}a.s

}a

b{

b.a{

bd !r=you.//a i,

bh o-o!n=A root B.//a squared,

bkng o!r=thing that leave A.//a enter,

bpeg <o,o>-n!r=thing that dont need A to be B.//a
need,

bpme <o,o>-n=thing that dont need to be A to be B.//
a need to,

ench n!r=thing that is Apercent likely to be
impossible.//a possible,

}b.a

b.b{

bmba o!r=south.//b west,

}b.b

b.c{

be c o!p=A1 and A2 and.//c or,most,

eloa !r=information.//c code,need,

bokg o!r=thing that is weaker than A.//c newton,less,

bmjb c o!n=distance of between A1 and B2.//
meter,between,

blkg o!r=thing that is more flexible than A.//c
flexibility,less,

bjld !r=true.//c return value,whether,one,one,.

boba !r=we.//c and,i,you,o,

kigg o!r=thing that drink A.//c inhale,liquid,

bnih !r=wave.//c hz,over,zero,.

}b.c

b.n{

}b.n

b.r{

ba !si=whitespace.

bb o!v=return value of A.

bc !si=symbol that omit two parameter.

bf <c o>-n!p=A1 or A2 or.

bg int!n=integer.

boga n!r=Anewton.

blda n!r=A flexibility.

bmga o!v=Ahz.

}b.r

b.s{

bida o!r=thing that mention A.

biga o!r=thing that mark A.//s mention,

bodg o!r=thing that is disconnected with A.//s alone,

bode !r=body.//s body en.

}b.s

}b

c{

c.a{

ch o-o!n=A divided by B.//a times,

ckhg o!r=thing that is until A.//a from,,d 13092025,

ckpe o!r=thing that avoid A.//a met,

}c.a

c.b{

}c.b

c.c{

cb n,o!p=A B.//eg two apple.

cd <o-o>-n!p=thing that is B because it is A.//c use,A
that is B,self,.

cnad !r=situation.//c situation that A2 is A1,o,.

cmkg o!r=thing that is cheaper than A.//c dollar,less,

cokg o!r=thing that is younger than A.//c A old, less,

cjkg o!r=thing that is fewer than A.//c quantity,less,

cnih !r=money.//c dollar,over,zero,

cnlh o!p=lot of A.//c quantity,over,dnm four,

cngkne !r=education.//c situation,teach,

cjfa o!p=more A.//c-s quantity, more,

cjea n,o!1p=thing that repeat B at A times.//s-c
quantity,was,

}c.c

c.n{

cc !si=symbol that omit three parameter.//n symbol
that omit one parameter.

}c.n

c.p{

cmfc o!p=A dollar.//p dollar en.

cjeoog !r=germany.//p deutschland de,

}c.p

c.r{

ca o,o!1p=B as A.

ce o!1p=symbol that change parameter to object type.

cf s!r=situation that A2 is A1.

cg n-int...!v=string.

cjda !r=part of inside.

ckpb o!r=thing that

}c.r

c.s{

cnda o!r=As.//s c quantity,over,one,.

cjca o!r=thing that is in A.//s inside,

}c.s

}c

d{

d.a{

df s,n!r=thing that dread A with B percent intensity,//
a hope,

dh o-o!n=A minus B.//a plus.

dnne o,n!r=thing that feel pain about A.//a pleasure,.

dnhe o,n!r=thing that dislike A.//a like,

dnge o,n!r=thing that feels uneasy being A.//a
comfortable,,m uncomfortable,

dnfe o,n!r=thing that think that A is ugly.//a beauty.

dnde o,n!r=thing whose A is dangerous.//a safe,

dnme o,n!r=thing that is scare of A.//a cute,

dnce o,n!r=thing that feel that A is annoying.//a
interesting,

dome o!r=thing that fight with A.//a peace,

dmgg o!r=thing that fly on A.//a walk,

dmfb !r=increasing.//a decreasing,

dmge o!r=thing that ignore A.//a mind,

djhc o!r=thing that lost A.//a get,

dmld !r=adult.//a baby,

dloe n!r=full.//a hungry,

dpme o,n!r=thing that suffers from being A.//a enjoy,

dpoe o,n!r=thing that think A is tasteless.//a
delicious,

dmdg !r=men.//a women,

dljf o,n!r=ashamed of A.//a proud,

dmch !r=deleted.//a created,

dpag c o!v=diffrence between A1 and A2.//a
similarity,,s minus,

}d.a

d.b{

doea !t=time.//b second,

}d.b

d.c{

dd !r=self.//c Ath subject,+1eni.

dnfd o,n!r=thing that hate A.//c dread,porift,

dkeg !r=eye.//c see,organism,

dmld o!r=thing that give up being A.//c

decide,not,will,intend,

dlhc !t=yesterday.//c minus,today,day,one,

djl b o!r=thing that remember A.//c remain, know,

djif o!r=thing that keep A.//c remain,have,

doif o-o-o!r=thing that exchange B with A for C.//c
promise,have,

dne d o,n!r=thing that regret A.//c dread,was,

dmed o!r=thing that read A.//c sense, code,

doac o!r=thing that live in A.//c promise,is in,

djac c o!r=thing that stay in A.//c remain,is in,

}d.c

d.n{

djda !r=shell.//n inside,

dc !si=symbol that omit four parameter.//n symbol
that omit three parameter.

}d.n

d.r{

da !si=line break.

db n!v=Ath subject.

de o!r=thing that sense A.

dg o!p=minus of A.

doba o,o-o!r=thing that promise that if myself
become A then B becomes C.

djlc o!p=thing that remain A.

djna !r=atom.

}d.r

d.s{

domb !o=minus most.//s minus,,s-c minus,most,

dlkb o!r=thing whose A is enemy.//s hate,

doma !r=job.//s promise,

doda !r=essense.//s minus most,

doca o!1p=un A.//s minus,

}d.s

}d

e{

e.a{

eh o!n=thing that is exceed than A.//a bellow,,A<=

enfb o!r=thing that bigger than A.//a smaller,

eokg n!r=extrovert.//a introvert,

}e.a

e.b{

}e.b

e.c{

ec <o-o>-n!r=how B become A.//what,need to,

ee s!t=time when A2 is A1.//c what,thing that be B
when A,

eoba o,o,n!r=thing that write A at B.//c
letter,mention,.

enef c o!p=c by.//c by,by,.

elad !r=pointed.//c what,point to,o,

eaga o!p=sole A.//c what,only,

elhf !r=phonetic alphabet.//c letter,sound,

eocjeg !r=german language.//c language,germany,

elkg o-o!r=thing that efficiently become A than B.//co
efficiency,less,

eoecdd !r=english.//c language,england,dofocd !
r=english.//c language,england,

eicd c o,n!2p=process of A1 becoming A2
becoming.//c what,be A to B,

eogg !r=math.//c document,number,

eojd !r=geometry.//c document,shape,

eoog !r=novel.//c document,false,

eojb !r=science.//c document,realty,

eona !r=physics.//c document,essense,

eiia !r=culture.//c what, tend,.

elcf !r=sentence.//c code,situation,,

emfa !r=organism.//s-c was,become,alive,

eioa !r=tool.//c what,need,

eimc !r=game.//c tool,pleaaure,

elif !r=document.//c code,group,,g PC,code,group,

}e.c

e.n{

ejhg !t=midnight.

eo ea n!t=A second.//n time,

ejda !r=part of outside.//n shell,

ejna !r=molecule.//n atom,

}e.n

e.p{

eodlff !r=england.//p england en,

}e.p

e.r{

ea c n,s!v=what.//ea remove targeted parameter by
A,,target,certainty,pronoun,

eb o!p=thing that is not A.

ed o!p=thing that was A.//cant c b when a,past,o,.

ef o-<o,n>!2p=thing that become B by A.

eg int!n=Ath value.

elle !r=life.

eljg n-o=thing that become B with A efficiency.//n is
damage/gain,,

eiga o!p=same A.

}e.r

e.s{

elba !o=code.

elca o,o!r=thing that assert that B is A.//s mean,

elda !r=language.//s code,

elea int!r=word A.//s code,

elfa o!p=thing that mean A.//s code,

elga !r=name.//s code,

elha !r=word.//s code,

elib !r=post.//s code,

!p=symbol.//s code,

!r=unit.//s code,

eioc !r=machine.//s tool,

ejpb o!r=thing that revenge A for B that A did.//s win,

}e.s

}e

f{

f.a{

fh o!n=thing that is more than A.//a less,,A<

fnfb o!r=thing that wider than A.//a narrower,

fneg !r=shift.//a fixed,

fpmg o!r=thing that emit A.//a inhale,.

fjfb o!r=thing that is smarter than A.//a dumb,

fkkg !r=on.//a off,,s alive,

fmgg !r=opened.//a closed,,s on,

}f.a

f.b{

fkif o,o!r=thing that send A to B.//b give,

}f.b

f.c{

fc o,o!r=thing that ask B about A,//c command,reply,

fe o,o!r=thing that prohibits A from becoming B.//c
command,not,

fnmc !r=music.//c sound,pleasure,

fifd o!r=thing that hail A.//c command,profit,

hnih !r=sound.//c decibel,over,zero,

filg o!r=thing that apologize to B about A.//c
please,forgive,

fnba o!r=thing that speak A.//c sound,mention,,ori
use,sound,mention,.

fjmd !r=she.//c the,women,.

foenfb !r=continent.//c land,big,

fmld n!r=lucky.//c profit,not,intend,

fokb !r=ice.//c solis,cold,

flkg o!r=thing that is colder than A.//degree
celsius,less,

fjde !r=he.//c the,men,.

}f.c

f.n{

fjhg !t=dawn.//n midnight,

foea n!t=A minute.//n second,

}f.n

f.p{

}f.p

f.r{

fa o,o!r=thing that command B to become A.

fb n,o!=B that has id A.

fd n!r=thing that gains profit.

ff !si=continue say.

fg deci!n=decimal number.

foba !r=solid.

flda n!r=A°c.

fojb !r=alive.

fjda o!p=the A.

}f.r

f.s{

fida o,o!r=thing that requests that B become A.//
mean please,,s command,

fjob n!r=normal.//s profit,

foda !r=building.//s hard,

fpig o!r=thing that reflect A.//s emit,

fnjb !r=work.//s normal,

foga !r=stone.//s soild,

foob !r=land.//solid,

}f.s

}f

g{

g.a{

gnfb o!r=thing that longer than A.//a shorter,

gobg !r=sky.//a land,

gjfg o,n!r=thing that defend A.//a attack,

}g.a

g.b{

}g.b

g.c{

gf o!r=thing that make A.//c cause,exist,

gjfd o-n!r=thing that beneficial A.//c cause,profit,,m
help,support,

gjif o-o!r=thing that give A to B.//c cause,have,

gjne o-o!r=thing that teach A to B.//c cause,know,

gjde o,o!r=thing that shows A to B.//c cause,sense,

gjmd o,n!r=thing that impact A,//c cause,shift,

gjfg o-n!r=thing that save A.//c cause,alive,

gjfb o-n!r=thing that fix A.//c cause,normal,

gjfe o,n!r=thing that open A.//c cause,opened,

godb o-n!r=thing that pull A.//c cause,go,Ath subject,

gjbq o-n!r=thing that fit A into B.//c cause,wear,

gjna o,n!r=thing that create A.//c cause,exist,

gjeg o,o!r=thing that define A as B.//c cause,mean,

gjfc o!r=thing that turn on A.//c cause,on,

gjff o,n!r=thing that repair A.//c cause,again,work,

goch !n=rational number.//c number, divided by,.

gjcb <o,o>-n!r=thing that put B into A.//c
cause,inside,

glkg o!r=thing that is simpler than A.//c
complexity,less,

gled o!r=thing that name A.//c make,name,

gjlf o,o,o,n!r=thing that incited A into believing that C
is B.//c cause,beilve,

goee !r=blood.//c liquid,organism,

goec !r=equation.//c number, method,

glpc o=symbol that convert A into and type.//c
make,converted,

gmkg o,o!r=thing that be A quikly than B.//c for
time,less,

glgb !r=history.//s past,record,

}g.c

g.n{

goba !r=liquid.//n gas,

gjhg !t=morning.//n dawn,

goea n!t=A hour.//n minute,

}g.n

g.p{

gmge !r=father.//p papa baby.

}g.p

g.r{

ga o!p=only A.

gc s-n!r=reason why A2 is A1.

gd s!t=past of A.

ge <o-o>-n!p=thing that use A to become B.

gg o!n=not A.//logic gate.

gh !n=x.

gmgd o-o!r=thing that win A in competition of being B.

goba !n,ns=number.

gljb !r=food.

glba n!r=A complexity.

}g.r

g.s{

gb <o-o>-n!r=thing that cause A to become B.//s
reason,

goga !r=water.//s liquid,

glkb <o-o>-n!p=thing whose A is important for being
B.//s need,

gjne o,o!r=thing that record A at B.//s teach,

gljb !r=before.//s past,

}g.s

}g

h{

h.a{

h jfb o-o!2p=thing that is more difficult to become A
than being B.//a easy,

h mfb o!r=thing that is heavier than A.//a lighter,

f ofb o!r=thing that is harder than A.//a soft,

}h.a

h.b{

}h.b

h.c{

h b c o!p=too and.//c too,and,

hila !n=binary.//c too and,zero,one,o,.

hidg !r=certain time.//c certain,time,

hkdb o!v=part of A.//s element,

hlif !r=foreign.//c other,country,

hkhd o!r=thing that immigrate A.//c live,foreign,

hmlc o,o!r=probability that B is A.//c HE,can,

hnhf o!r=thing that sing A.//c speak,music,

}h.c

h.n{

hoba !r=gas.//s hard,,n liquid,

hjhg !t=noon.//n morning,

hoea n!t=A day.//n hour,

}h.n

h.r{

ha !r=thing.

hc o!p=element of A.//include promise.

hd o!p=other A.//cant c A that is B,not,wtdoc,.

he//g what,two,.

hf n,o!p=thing that similar to A.

hg o-o!n=and A B.

hh !n=y.

hmkd !r=wheat.

hofa o!p=A too.

hoda n!r=Adecibel.

}h.r

h.s{

hida !r=object.//s certain,

hica o!p=each A.

ha o!p=specific A.

hoad !r=ore.//s hard,

hoda !r=air.//s gas,

hilb !r=switch.//s binary,

hild !r=button.//s binary,

hilg !r=door.//s binary,

}h.s

}h

i{

i.a{

if o!r=thing that have A.//a element,.including
promise

inea o!r=whole A.//s-a part,.

}i.a

i.b{

iiigd o!r=thing that kiss A.//b bite,

}i.b

i.c{

id !r=each other.//c what,interface,self,.

ikic c o!p=c interseccion.//c
intersection,intersection,.

ilpe o!p=features of A.//c difference,average,

ijhg !r=home.//c building,live,

iifd n!r=slefish.//c tend, profit,

ilkg o!r=thing that is lighter than A.//c Akg,less,

iicb n!r=lazy.//c tend,rest,.

kjkg o!r=thing that is softer than A.//c hardness,less,

iokg o-o!2p=thing that easily become A than being
B.//c difficulty level,less,

iima o,n!r=thing whose A is hobby.//c tend,enjoy,

inob !r=empire.//c country,strong,

ijjf !r=school.//c buliding,student,

ined !r=folder.//c group,code,,g AB,group,for
being,include,code,

}i.c

i.n{

ijhg !r=afternoon.//n noon,

ioea n!t=A week.//n day,

ioba !r=plasma.//n gas,

}i.n

i.r{

ia o,n!p=thing that tends to become A.

ib o!v=freeze word.

ic $n, o!2p = A$ th B.//minus is from last.

ie $o-o=A$ that is relate to B.

ig $o-o!n=or$ A B.

ih $!n=zero$.

inda $!r=front$.

ikba $n!r=$ thing whose A is size.

ioda $o-n!2p=$ thing that is become A with Bdifficulty level.

kjba $n!r=$ hardness.

ilda $n!r=A$ kg.

ikba $n!r=A$ size.

}i.r

i.s{

inca o-n!1p=thing that is relate to A.//s A that is
relate to B,

indd !r=north.//s front,

inba o!r=thing that include A.//s have,

inca !r=group.//s-a element,

inda !r=continuity.//a discontinuity,

inea !r=together.//a alone,

infa !r=

inga !r=country.//s group,

inmb !r=combination.//s gruop,

inca o!r=thing that connect A.//a disconnected,,s
with,

o!r=thing that combine with A.//s connect,

o!r=thing that rule A.//s have,

inob !r=politics.//s rule,

}i.s

}i

j{

j.a{

jf s-n!p=result if that A2 is A1.//a reason.

jlje o-o!r=thing that lose to A in competition of being B.,//a win,.

jocg !r=student.//a teach,

jong <o-o>-n!r=thing that take B out of A.//a put,

joke o,n!r=thing that harmful A.//a beneficial,

jokb o-n!r=thing that kill A.//a save,

jokd o,n!r=thing that close A.//a open,

jomd <o-o>-n!r=thing that hide A from B.//a show,

jmfb o!r=thing that is more complex than A.//a simple,

joch o-n!r=thing that delete A.//a create,

jjmg o-n!r=thing that push A.//a pull,

johc o-o!r=thing that recive A from B.//a give,

jokf o!r=thing that turn off A.//a turn on,

jmgg !r=poison.//a food,

jokc o!r=thing that broke A.//a repair,

jlfb o,o!r=thing that is slowly be A than B.//a quik,

jmgg !r=after.//a before,

jnfd o!r=thing that protect A.//a attack,

}j.a

j.b{

jigd o,n!r=thing that bite A.//b inhale food,

}j.b

j.c{

jkkg o!r=thing that is shorter than A.//c meter,less,

johe !r=bread.//c fermentation,wheat,

}j.c

j.n{

jlda !r=shape.

jjhg !t=evening.//n afternoon,

jnda !r=left.//n front,

joea n!t=A month.//n week,

}j.n

j.r{

ja s=whether A is true.//zero is true.cuz true is important.exist made false.one is exist.

jb c o!p=between A1 and A2 and.

jc s!p2=whose A2 is A1.

jd o!r=thing that think A.

je s!t=future of A.//a past,

jg o-o!n=xor A B.

jh !n=four.

jkba n!r=A meter.//n size,

joda !r=fermented thing.

}j.r

j.s{

jmdg o-o!r=thing that compete to being B with A.//A
is like enemy,,s dont need,

jndd !r=west.//s left,

jnke o!r=thing that attack A.//s harmful,

}j.s

}j

k{

k.a{

ke n!r=victim.//a profit,

kf o,o!r=thing that reply to B by saying A.//a ask,

kobg n!r=abnormal.//a normal,

kpbcb o,o!r=thing that ban A from B.//a invite,

kjgg !r=dead.//a alive,

kkgg !r=broken.//a work,

kmfb o!r=thing that is hotter than A.//a cold,

}k.a

k.b{

}k.b

k.c{

kkbb s!v=evidence that A2 is A1.//c express,that A2 is A1,true,whether,.

kkkg o!r=thing that is narrower than A.//c meter2,less,

kidb o!r=thing that inhale A.//c cause,go,ac,inside,Ath subject,

kicb o!r=thing that suck A.//c inhale,inside,

kieg !r=mouth.//c inhale,organism,

kigd o!r=thing that put A into mouth of myself.//c inhale,food,,n bite,

koog o!r=thing that is dumber than A.//c iq, less,,m stupid,

kjif !r=collapse.//c broken,whole,, g lf kjinea.

kled !r=braille.//c point,, g whose,*point,*code,

kihg !r=thing that breathe.//c inhale,air,

}k.c

k.n{

klda !r=point.//n shape,

kjhg !t=night.//n evening,

knda !r=beind.//n left,

kkba n!r=A metet².//n meter,

koea n!t=A year.//n month,

}k.n

k.r{

ka c o!p=[A1, A2,].

kb o!r=thing that express A.

kc n-int...:1 p=thing that says A.

kd int!v=A th function.

kg o!n=thing that is less than A.//A>

kh !n=minus one./

kkod !r=heart.

kmpe !r=insect.

kklb !r=fixed.

kojb n!r=iq A.

}k.r

k.s{

kndd !r=south.//s behind,

knjb !r=off.//s die,

kljb !r=closed.//s off,

knba o,o!t=thing that communicate with A about B.//
s reply,

kjca o!r=thing that explain A.//s express,

}k.s

}k

l{

l.a{

le o!p=thing that will be A.//a was,

loag o,n!r=thing that forgive A.//a revenge,

lmfb o-o!r=thing that unefficiently become A than
B.//a efficient,

}l.a

l.b{

}l.b

l.c{

If s!r=thing that believe that A2 is A1.//c know,that
A2 is A1,true,whether,.

Inba o!1p=Aless.//c whose,none,

lkkg o!r=thing that is smaller than A.//c meter3,less,

lljb !r=road.//c line,land,

lloe !r=stick.//c line,inflexible,

llbd !r=loaf.//c line,flexible,

ljfb n!r=introvert.//c brain,normal,

}l.c

l.n{

llda !r=line.//n point,

lnda !r=right.//n behind,

lkba n!r=A meter³.//n meter²,

ligd o,n!r=thing that chew A.//n inhale food,

}l.n

l.p{

lmle o,n!r=thing that feel A is fun.//p haha people,

}l.p

l.r{

la efficientmath!n=efficiently explain math expression.

lb o!r=thing that know A.

lc o,n!p=thing that can be A with B percent probability.

Id o,n!p=thing that intend to be A.

Ig o!n=thing that is bellow than A.//A>=

Ih !n=one.

Ijga !p=start.

}l.r

l.s{

Indd !r=east.//s right,

}l.s

}l

m{

m.a{

mmfg o!r=thing whose A is friend.//a enemy,,s love,

mjdg !o=most.//a minus most,.

mjhc o,o!r=thing that sell A to B.//a buy,.

mled o,n!r=thing that effort to become.//a give up,

moch o!r=thing that denies A.//a admit,

moeg o!r=thing that forgot A.//a remember,

moef o!p=thing that stop being A.//a remain,

}m.a

m.b{

}m.b

m.c{

md o!p=thing that become A.//c becoming,ph,

mf o-o!p=intersection of A and B,//c A that is
B,part,part,

midd o,n!r=thing that enjoy be A.//c pleasure,A that is B,self,.

moke o,n!r=thing that angry at A.//c
hope,cause,victim,

mkfd o,n!r=thing that love A by B percent.//c
hope,profit,

mlif o!r=thing that get A.//c become,have,.

mkne o,n!r=think that wonder about A.//c hope,know,

mkpf o,n!r=thing that want to sex with A.//c
hope,sex.

mika o,n!r=thing that thinks A is delicious.//c
enjoy,eat,.

mlkg !r=decreasing.//c become,less,.

mmlb o!r=thing that learn A.//c becoming,know,.

mlee !r=born.//c become,organism,.

mlee !r=baby.//c new,organism,

mleg !r=foot.//c walk,organism,

mkoa !r=we.//c friend,i,

mkka n!r=thing that is hungry.//c hope,eat,

mlge o!r=thing that swim in A.//c walk,inside,

midg !t=always.//c all,time,.

mlna !r=created.//c become,exist,

mkgc o,n!r=thing that is proud of A.//c hope,teach,

o!r=conquer A.//c become,rule,

mmic o!r=thing that practice A.//c becoming,can,

mmde o!r=thing that looking for A.//c
becoming,sense,

}m.c

m.n{

mlda !r=triangle.//n line,

mjga n!p=middle.//n start,

mnda !r=top.//n right,

mlgd o,n!r=thing that swallows A.//n chew,

}m.n

m.r{

ma o!p=all A.//m every,mb t-o!2p=thing that be B
when A.

mc s,n!r=thing that desire A is true with B percent
intensity.

me o-t-n!p=thing that becoming A.

mg n or o-o!t=A plus B.

mh !n=minus two.

mlmb !r=women.

mipb c o!v=similarity between A1 and A2.//s be,

mkga n!r=thing that feel emotion.//s hope,

}m.r

m.s{

mkcd o,n!r=thing that feel pleasure about A.//s love

mkid o,n!r=thing that like A.//s love,

mkjd o,n!r=thing that feels comfortable be A.//s love,

mkkd o,n!r=thing that feel A is beauty.//s love,

mkmd o,n!r=thing whose A is safe.//s love,

mkdd o,n!r=thing that think that think A is cute.//s
love,

mkod o,n!r=thing that respect A.//s love,

o,n!r=thing that A is safe.

mknd o,n!r=thing that feel A is interesting.//s wonder,

mlba o!p=new A.//s become,

mobd !r=blank.//s hungry,

miha o!1p=total A.//s all,

}m.s

}m

n{

n.a{

njfb o!r=thing that is older than A.//a young,

nofb o!r=thing that is manier than A.//a fewer,

noag !r=worker.//a rest,

nkfb o!r=thing that is more expensive than A.//a
cheap,

nnad o!r=thing that met A.//s around,

}n.a

n.b{

}n.b

n.c{

nd o!r=thing that call A.//c command,sense,Ath
subject,.

njgg o!r=thing that calculate A.//c know,number,.

nmog o,o!r=thing that misunderstand B as A.//c
know,false,

o!r=thing that understand A.//c know,principle,

nnld !t=recent.//c aroudnt,now,

njmg int!r=thing that know word A.//c know,word A,

npld !r=chopstick.//c two,stick,

nmeg !r=brain.//c know,organism,

}n.c

n.n{

nlda !r=square.//n triangle,

njga !p=end.//n middle,

nnda !r=botttom.//n top,

nigd o,n!r=thing that glup down A.//n swallow,

}n.n

n.r{

na !r=exist or fact.

nb n or o!r=location of A.

nc o-o!1p=thing that is nearest A to B.

ne//g ae,two,,but it target only r, o parameter,.

nf o!p=part of around of A.

ng o-o!n=A times B.

nh !n=two.

nnib o!p=thing that is from A.//d 13092025,

}n.r

n.s{

nida !r=world.//s exist,

nica !r=part of reality.//s exist,

niea !r=universe.//s exist,

nidd !r=god.//s world,

}n.s

}n

o{

o.a{

ooee !r=false.//a true,.

ojfb o!r=thing that stronger than A.//a weaker,

omfb o!r=thing that is more infelxible than A.//a
flexible,

ojeg o!r=thing that take off A.//a wear,

lpbf !r=trash.//a tool,

}o.a

o.b{

}o.b

o.c{

oc s,o!p=thing that is B despite A2 being A1.//c
inverse,situation that a2 is a1,, m but, even,.

od !t=now.//c this, time,.

oe !r=i.//c this,assert,

oihg !t=time part of today.//c this,day,.

oljd o,n!r=thing that mind A.//c intend,think,

ondb !r=thing that come.//c go,Ath subject,

oidf o,n!r=thing that feel that A is noisy.//c
suffer,listen,.

oncb o!r=thing that enter into A.//c go,inside,

olgc o-n!r=thing that is for A.//c for being, beneficial,.

olfd !r=rational.//c tend,profit,

iogmmc !r=hedonist.//c tend,intend,only,what,hope,

oidd o-o-n!r=thing that need to be A to be B.//c
need,ab,self,

okna n!r=thing that is Apercent likely to be
possible.//c can,exist,

onld o!r=thing that hang from A.//c wear,loaf,

}o.c

o.n{

olda !r=pentagon.//n square,

oigd o,n!r=thing that digest A.//n swallows,

}o.n

o.r{

oa o!p=this A.

ob $\langle o, o \rangle - n!2p = B$ that is with A.

of $o!r = \text{thing that go A.}$

og $o - o!n = A$ square B.

oh $!n = \text{minus three.}$

oica $o!p = \text{inverse of A.}$

oilb $o - \langle o, n \rangle!r = \text{thing that need A to be B.} // c \text{ can, use,}$

$\} o.r$

$o.s\{$

olga $o!r = \text{thing that for being A.} // s \text{ intend,}$

oncd $o!r = \text{thing that wear A.} // s \text{ enter,}$

$o!r = \text{thing that stuck A.} // s \text{ enter,}$

okda o!p=thing that has right to be A.//s can,

okca !r=thing that deserve A.//s right to,

}o.s

}o

p{

p.a{

}p.a

p.b{

}p.b

p.c{

}p.c

p.n{

plda !r=hexagon.//n pentagon,

pigd !r=shit.//n digest,

}p.n

p.p{

pmag !r=norlang.

}p.p

p.r{

pa o!//untranslatable word, it is used by ea.

pb n-int...!o=what function.//1st bit 1 mean int type

pc o-o!1p=B that is converted into A.

pd simpleipa!o=foreign word.

pe o!p=average of A.

pf !o=it.

pg o!n=A that is converted into number.//c
converted,number,.

ph !n=three.

pkfa utf!r=utf8 code whose A is code.

pmib o!p=thint that is about A.

nnga o!r=thing that greet A.//s toward,

piba o!r=thing that toward A.//s point,

}p.r

p.s{

piga o!r=thing that point to A.

}p.s

}p

//eewo

order{

many is first.

aiba !r=elementary particle.

aiba !r=none.

ciba !r=photon.

~bjba

color{

rrggbb.

aipa !r=black.

dipa !r=red.

mipa !r=green.

alpa !r=blue.

pipa !r=yellow.

plpa !r=white.

lkpa !r=pig pink.

lipa !r=orange.

kkpa !r=gray.

bkpa !r=purple.

nlpa !r=mint.

gipa !r=brown.

}color

mid{

mid = anto - ori.

//emi

}mid

!r=thing that rest.//s stay,

bo !r=alone.//a individual,

!r=discontinuity.//s alone,

o!r=thing that walk on A.//s connect,

o!r=thing that touch A.//s connect,

o!r=thing that sex with A.//s connect,

o!r=thing that breed with A.

o,o!r=thing that mix A and B.//c cause,unite,

o-o!r=thing that move from A to B.//s go,

s!r=thing that consider A2 is A1.//s assert,

unit{

n!r=superiority.

!r=A quality.

}unit

word that will be created(it is for only developer){

o!p=standard of A.

!r=mass.//c converted,kg,

anenfb !r=titan.//people,big,.

!r=intellect.//c use,logic,.

o!1p=thing whose A is role.

o!1p=thing that act A.//s role,

!ns=example.

o!r=map of A.//c converted,image,

!r=video.//c image,image,.

o,o!r=thing that discriminates against A.//eg
discriminates gender it=Discriminate against it
based on gender.

dec!n=decimal number.

o!p=thing that return A.

!n,ns=integer.//c number,.

o!r=thing that try be A.

!r=trade.

!r=thing.

!r=bad.

o,n!r=thing that feel A is disgusting.

!r=powder.

!r=nugget.//a powder,

=color.//c photon,wave,

!r=cloth.

o!r=thing that conversation with A.

=flat.//p taira jp,

=equality.//a flat,

=conscience.

!r=hole.

!r=pig.

!r=shiver.//n fear,

=parent.//c make,

!r=medicine.

!r=drug.//c mdecinde,pleasure,

o,n!r=thing that fear A.//c thing that believe that A2
is A1,enemy,strong,

!r=planet.//s circle,

o!r=thing that think A is strange.

o,n!r=thing that feel A is weird.

=path.

o!p=thing that suddenly become A.

s!r=thing that agree A.//c promise,not,cause,not,

o-o!p=B per A.

s!r=thing that dont interveing A.

s!r=thing that intervening in A.//a dont interveing,

coda t!r=A old.

o-o!v=define B as A.

!r=satisfied.

!r=main.

!r=assistance.//a main,

glkc s!r=thing that wait for the A2 to be A1.//c
past,fixed,

!r=dictionary.

!r=pramater.

!r=value.

o!r=thing that control A.//c impact,hack,

o!r=thing that ride A.//s control,

o!p=thing that is detail than A.

!r=advantage.//s normal,

!r=disadvanges.//a advantages,

o,n!r=thing that is sad about A.//s pain,

o,n!r=thing that ia cry about A.//n sad,

!r=transistor.

ljba !r=shop.

o!r=thing that is famous in A.

!r=app.

o,n!r=kind of A.

hpke n!r=kind.//a selfish,

o!r=thing that peace with A.

elba n!r=digit.

!r=consistent.//s contious,

llga o!r=law of A.

!r=initial-consonant.

!r=oil.//s liquid,

o!r=thing that subscribe A.

nifa o:standard,o,n=rank.

!r=mountain.

s!2p=plan of A.//s process,

o!p=property of A.

n!r=political party,

!r=book.//c union,document,

n:'number of id'-id:'words'-str:'structure of
parameter'=expressing-mean-of-word.

o!r=daily of A.

hkga o!r=structure of A.//c process,work,

s!r=principle of A.//c ,process,,s struecture,

!//r=gun.

o!//r=thing that aim A.//c intend,toward,

olca o!r=terrain of A.

!r=form.

//gmca o!r=thing that select A.

!r=planet.

!r=sun.

onca o!r=standard of A.

//o:target,o:location=pros of A.

//o,o=cons of A.//a pros,.

//!r=natural-phenomenon.

o!p=limit of A.

//=legend.

//!r=pregnancy.//c include,baby,

//bkda o=value of A.

//!r=capital.

//hkda int,int,int!r=rgb.

//=IPA.

//hnda o=direction of A.

n!r=thing whose A is angular momentum.

kijc n!r=thing whose A is momentum.//c kg,speed,

gmda t,o!r=thing that be B for time A.//s-c
use,time,,A is time.

//mnda !r=plant.

!r=religion.

!r=civilization.//c

s!=request of A.

flea o,o,o!r=thing that trade with A.

!r=peninsula.

kmba o,o!r=think that thankful that A is B.

o!r=entropy.

onba !r=mistake.

!r=cpu.

n!r=thing whose A is wages.

n!r=company.

o!r=thing that vote A.

o!p=thing that determine A.//s make,

n!r=mosfet.int:<number of oord>-ni:<targeting
parameter>-int<word>-int<structure>=mean of
function.

n!r=thing that laughs.//c assert,fun,,ori com
use,fun,o,express,.

s!r=thing that worries that A2 is A1.

type that A.

o!p=yet A.

hfph o!p=inevitably A.//c can, ph,

c o!r=thing that distinguish A1 and A2 and.

o!r=thing that research A.

o!v=order of A.

glcg o!r=thing that name A.//c create,name of,

olph o!r=thing that focus be A.//c intend,ph,.

ejcf !r=logic.//c how,true,situation,.

!r=objective.//c what,beilive,true,logic,.

o!r=A taster.//c know, part,.

=justice.//c objectice,equality,.

=consistency.//a logic,

o-o-o!r=thing that exchanges A for B with C.

!r=thing that trade A with B.

o!p=thing that just be A.

=thing that send A to B.//cause,around,

fiof o,o!r=thing that invite A to B.//c command,go,

!r=copy.//a original,

!r=official.

s!r=cost.

!r=default.

!r=ambiguous.//a specific,

!r=thing that says A.

!r=original.//a broken,

!r=illegal.

c o!r=union of A1 and A2.//a split,

o-o!r=thing that lack A to be B.

o-o!r=thing that enough A to be B.//a lack,

o!r=thing that play A.

=menu.

=option.//s menu,

ancf o-s!1p=A whose B2 is B1.//c A that is
B,include,that A2 is A1,

!r=border.

o,o!r=thing that prove B is A.

!r=animal.

o!r=thing that associates with A.

!r=omit.

ojda !r=crops.

!r=river.//c water,line,

!r=mistake.//a well,

!r=moon.

!r=handle.

o!r=thing that lie down on A.//a sit,

o!r=thing that get up from A.//a lie down,

o!r=thing that sit on A.

o!r=thing that jump from A.//a sit,

!r=bird.//c fly,animal,

!r=bounce.

!r=boom.//c collapse,increase,

!r=brave.

!r=bump.//a attack,

!r=bed.

!r=bag.//s include,

!r=block.

o!r=boring.

!r=busy.//a boring,

!r=ball.//c circle,solid,

!r=bend.

o!r=thing that take responsibility for A.

o!r=thing that act like A.

!r=spraied.

!r=shaked.

!r=basic.

!r=advanced.//a basic,

n!r=hentai.

!r=bright.

!r=flag.//c art,symbol,

!r=fair.

!r=disability.

!r=illness.

o!p=most A.

o!p=almost A.//c similar,over,

eijf !r=weapon.//c tool,attack,

!r=army.//c wear,weapon,

!r=straight.

!r=curved.//a straight,

o!r=thing superior to A.//a inferior,

o!r=thing inferior to A.//c superiority,less,

!r=symmetry.

scientificformula!r=scientific formula.

n!r=free thing.

micg !r=international.//c all,country,

!r=absorb.//a reflect,

!r=mirror.//c glass,reflect,

n!r=transparent.

!r=glass.//s transparent,

!r=star.//s light,

o!n=thing that is proportional to A.

o!r=thing that detatch to A.//a hang,

!r=mammals.

!r=reptiles.

!r=amphibians.

!r=fish.//s water,

!r=arthropods.

!r=mollusks.

!r=algae.

!r=fungi.

!r=protists.

!r=prokaryotes.

o,o!r=plan for B to become A.

!r=rule.

!r=resume document.

n!r=A perfection pevel.

o!r=thing that is more perfect than A.

o!p=thing that is usually be A.//c tend,

n-o!2p=Apercent of one B.

n-o!2p=Apercent of Bs.

!r=gene.

!r=guest.

o!r=thing that pracitice A.

o,n!r=thing whose A is annoying./s hate,

!r=boob.

hoig !r=fire.//c gas,plasma,

!r=nipple.

!r=milk.//s liquid,

!r=joke.//c intend,cause,fun,

!r=mute.

o!r=skip.

!r=block.

o!p=thing that derived from A.

o!1p=thing that depend A.//s derived,

o!r=thing that judge A.//s think,

o!r=thing that invent A.//s create,

!r=nature.

!r=parking.

!r=fried.

!r=dried.

n!r=wet.//a dried,

s!r=thing that declare A2 is A1.//c th,one,assert,

c o!r=thing that compare A1 and A2 and.

o!r=thing that act as a lawyer for A.

!r=face.

o!r=kick A.//c foot,attack,

o!r=thing that raise A.//c cause,grow,

!r=thing that is grow up.

o!r=thing that run on A.//c walk,fast,

o!r=thing that translate A.

!r=pet.

//ajed o!p=that A.//c A that is B,pointed,

o,n!r=thing that surprise at A.

o!1p=thing that be only A.

!r=hand.//c hold,organism,

!r=whole.//a broken,

ioph !si=!

!r=cat.//p meow cat,

o!r=thing that surrender.

o!r=thing that roll A.//s fold,

o,n!r=thing that feel that A is amaze.

!r=police.//c promise,protect,slave,

!r=fire fighter.

!r=bicycle.

o!r=inherit A.//s give,

!o=thing that waste A.

o,o!r=thing that force B to A.

!r=discuss.//c communicate, whether,

iiikobg !r=obsessive compulsive disorder.//c
tend,abnormal,

!r=season.

int!r=Aist.//c

o!r=thing that support A.//s beneficial,

!r=agianst.//a support,

!r=physicist.//c research,physics,

n!r=thing that great as A.

!r=valuable.

o!r=thing that reach A.

!r=airplane.//c machine,fly,

!r=abbreviation.//c word,summary,

!r=hack.

!r=congress.//as politics.

!r=experience.//c what,was,

!r=beliefs.//m ideology,

!r=zone.//m area,

!r=computer.

o!r=thing that replace A.//s delete,

o!r=thing that omit A.//s delete,

o!1p=obvious A.

!r=dick.//m cock,,a pussy,

!r=pussy.

o!r=thing that abusive A.

dobijmgb !r=prehistoric era.//c era,none,history,

dodmfoga !r=paleolithic era.//c era,old,stone,

domlfoga !r=neolithic era.//c era,new,tool,stone,

dofh !t=era.//c time,over,

goef !r=sea.//c liquid,big,

!r=responsible thing.

s,n!r=thing that doubt that A2 is A1.

!r=lids.

!r=bottle.//c box,lids,

!r=box.

c o!r=function that have parameter A1 and A2.

o!1p=even A.//s too,

!r=decoration.

o!r=thing that hold A.

lplf o!r=thing that impersonate A.//c
cause,can,belive,Ath subject,

//efw

}word that will be created(it is for only developer)

}word dictionary

expression dictionary{

<mathematical expression>{

'mg lh nh ph'='1+2=3'{

mg o-o!n=A plus B.

lh !n=one.

nh !n=2.

ph !n=3.

FYR: (mg lh nh) ph.

}

'if A B' = ' $A \in B$ '.

'eb if A B' = ' $A \notin B$ '.

'gaad' = ' $\emptyset$ '.

'if A B' = ' $A \subseteq B$ '//A=gh. B=hh.

'ab eb A if A B' = ' $A \subset B$ '.

'A B' = ' $A = B$ '.

'mg A B' = ' $A \cup B$ '.

'ic A B' = ' $A \cap B$ '.

'dh A B' = ' $A - B$ '.

'ac eb pf A' = ' A^c '.

'ka A B ad' = ' (A, B) '

'ae goch og pa nh kg jh A' = ' $A = x \in Q \mid x^2 < 4$ '.

><mathematical expression>

'oc anga fobg ie amae fjde' = 'he is people whose mother is die'.

'jf mklb pf fh ea jd oa fjmd' = 'She seems more wonder in it than I thought.'.

'mb midd mklb gb pf fjda fjmd' = 'I always wondered why he did that'.

'ae anga mmkd oa' = 'people that i love', 'lovely people'.

'ab anga mkfd bd' = 'people that love you'.

'fc ac kmga bd' = 'what is your emotion'

'fa ka of inda of jnda' = 'Go straight ahead, then turn left'.

'enfb pe anga lb anga' = 'this people is bigger than average people'

'kb cf anga fjde oa' = 'i express he as people'.

'fc ea bida fjde'='what he say?'

'fc ie lkkg mocg hb oa bd' = 'Who's bigger, you or me?'.
.

'hc hf anga oa '= 'probability that i am people'

'ac dmca bd ajlb oa' = 'i see you in here'.

" = 'this is explanation of this language'.

'pf oa' = 'me too'.

'mmid fjde' = 'he is good'.

'nd ae anga mmid' = 'hey good people'.

'fc ea jf oa bd' = 'What do you think of me?'

'iokg dmcd lb' = 'this is easy to read'.

'fc pc ilda bd' = 'what is your weight?'.
.

'kf ilda jh'= '4kg!(reply)'.

'mklb ea cd okne lb eoda pa bd' = 'Im curious about what you are trying to do by learning this language'

'ge eb A jokb bd'='i kill you without A'.

'fe gc of mmda A'='dont pull A up'.

'olga hc bd lb' = 'this is for you'.

'enfb pf lb'='this is big'.

" = 'Have you ever been kicked at the speed of light?'

'ed doda mb gd md kjgg bd jnjb bd bc fjde ' = 'He
promised to bury you if you die'.

'hf okne pf fh ' = 'it is easy to lern'.

//eex

}expression dictionary

root word dictionary{

-pa=cast.

cn- =Ation.

}root word dictionary

id dictionary{

cast{

function{

official is starting with 0.

ca $n!n$ =differential.

ea $n-n$:from- n :until=integral.

ga=buffer gate.

ia=not.

ka n :base- n =log.

ma n : 'from' - < n : 'until' - n > = right-hand-lim.

oa n : 'from' - < n : 'until' - n > = left-hand-lim.

ed $n \rightarrow \lim A \rightarrow B$.

eb $s: \text{'bottom'} - n: \text{'top'} = \sigma$,

ac $n = \sin A$.

ab $n = \cos A$.

ag $n = \tan A$.

i=factorization.

}function

english{

b=space,

}english

}id dictionary

parameter dictionary{

dec{

}dec

simpleipa{

//IIIVVW FFFIVPPW

'I' mean 'initial consonant'.

'V' mean 'vowel'.

first 'W' mean wheather that final consonant is exist.

'F' mean 'final consonant'.

'P' mean 'punctuation' like '?', '!', '~'.

second 'W' mean whther to end function.(0 finish).

chart for 'I'{

00001 is [ɤ].

10001 is slient vowel.

}chart for 'I'

chart for 'F'{

is none consonant.

}chart for 'F'

chart for 'P'{

100 is '~'.

010 is '!'.

110 mean none.

001 is '?'.

}chart for 'P'

}simpleipa

explainfunc{

}explainfunc

}parameter dictionary

}EML(Efficient Memory Language)

ECL{

you should know EML words.

sentence 'A B' mean 'hey B, be A!' so 'mg A B C'
make C is $A + B$.

capital letter in norlang is value and not norlang
word.

so you can know basic ECL so ill explain basic few.

word dictionary{

goic s,s,o,c s=for(A2=A1;B;C;){D}.

encf s-<c s>!v=cmp A2, A1.//in asm,,c by,situation
that A2 is A1,

bb o!o=variable A declared with let.//like let A=1;

ib o!o=variable A declared with var.//like var A=1;

elpa !v=label.//s code,

fifa c s!r=starting ecl./c command,comand,

Inlf c s!r={A2:A1, A4 : A3}.//c whose,whose,,js's
object.

}word dictionary

exam{

ARM instructions to ECL{

AND R0, R1, R2.

hg gh hh

ORR R1, R2, R3 ;

og hh bpph gh

MOV R1, R2 ;

ojkb hh gh ad

```
LDR R1, [R2] ;  
bb hh gh ad
```

```
BPPH: ;  
eopa BPPH
```

```
B BPPH ;  
of bpph ad
```

```
cmp r1, #3,  
beq npph ;  
encf gh ph of bpph cc
```

other command is expressed using javascript.

}ARM. instructions to ECL

javascript instructions to ECL{

'if()' and 'for()' can be implemented by ARM.

ib lh gh.

Assign 0 to the variable named 'gh'.

var a=0;.

gc cglhoa ac cgnhfobg gh bc.

replace the string 'fobg' in gh with 'oa'.

gh.replace('fobg', 'oa');

ja njef cglhjb cgnhfobg.

whether the variable named fobg has the character 'jb'.

fobg.includes('jb');

cncf kb gh ad kf gh bc gdda.

function A(var a){

console.log(a);

return a;

}.

janahb A B ad.

it is true when either A is true, B is true, or both A and B are true.

A||B.

janabe A B ad.

it is true only when both A and B are true."

A&&B.

ackddhdpphadbpph.

call the method dh of the object bpph, passing dpph

as an parameter.

bpph.dh(dpph);.

try{ throw() }catch{ }.

import { add } from './math.js';.

typeof().

getElementById().

ifcbphheadA.

var A=new Array(3);.

icohheA.

second element of A.

A[3].

ibgaadgh.

var a=undefined;.

jalhnh.

whether 2 is 1.

2==1;.

bblhbeghhhad.

let a = b = 1;.

```
let bpph={gh:1, hh: 2};  
for(let gh in bpph){  
  
  console.log(gh);  
  
}
```

Inlf lh gh nh hh ad bpph

```
let bpph=[1, 2];  
for(let gh of bpph){  
  
  console.log(gh);  
  
}
```

do{}while().

document.createElement().

```
document.body.style.backgroundColor = 'yellow';
```

```
canvas.style='#FF0000';  
canvas.fillRect(0,0,1,1);
```

```
if ka B C ad A.  
var A =[B, C].
```

```
A.pop();.
```

```
ic kh he A  
A[0].
```

```
import
```

```
}exam
```

```
canvas is work as window
```

```
}javascript instructions to ECL
```

```
python instructions to ECL{
```

```
//if ursina is imported
```

from A import B.

if key == 'right button down':

box = Button(color=color.white, model='cube',
position(i,0,j), texture='grass.png', parent=scene,
origin_y=0.5)

}python instructions to ECL

english to ecl{

$A = B + 1.$

mg B lh A.

$A = A + 1.$

mg dd lh A.

making layer.

making window.

set size of window.

show window.

drawing.

connected device.
(device type,id)

finding device by id.

'hello'.

@5hello.//only expressing foreign language.

}english to ecl

principle{

screen work like html.

}principle

}ECL

official account{

youtube: [https://youtube.com/@normallanguage?
si=4E60EKgSuZa90JAj](https://youtube.com/@normallanguage?si=4E60EKgSuZa90JAj)

reddit:

}official account

rule{

This language is not complete and it can be changed so you should indicate the version when using it like 'nl60125'(6m1d25y) month->day->year.

all word should have same meaning in everywhere.

number{

'x1000010'

if x is 0,minus.

if x is 1,plus.

before bit is small.

it is eficiency.

10000000=+0.

11000000=+1.

01000000=-1.

}number

reading way in NL QR{

in 1 dimension, '10' is at first for expressing reading direction.

in other dimension,it is

'10000011'.

or

'1011000000000011'

read like → ↓

rows should not 8,

}reading way in NL QR

for developer{

The efficiency of inaccurate expressions and accurate expressions

pronunciation that have low herz is in first.

exact expression is important than efficiency.

one sentence must mean only one mean.

purpose of language is only communication and efficient.

0 dont be used for counting order.

exception must be none.

relative things must have standard.

sentence 'anga oa' means 'i have features of people'.

logic of sentence{

left of nl sentence have smaller concept.

}logic of sentence

word formation rule{

word that need parameter{

meaning of word whose all or nothing is in
parameter is what other word can express

word that dont have features.

relative word.

word that need standard

transitive verb.

very unefficient.

word whose numeral is not useful.

}word that need parameter

random word{

initial of word should siimilar to initial of word that
have similar meaning.(eg word like and pleasure
have similar initial)

}random word

antonym{

bit of antonym is inverse of original word so 0 become 1, 1 become 0.

antonym that should be made first{

low number(eg word below is before antonym of word more).

thing that is made first(eg seller exist to make buyer,, women is made before men exist)

original(eg 'df' mean 'meeb' so 'me' is first).

many quantity(eg photon is mannier than neutrino).

}antonym that should be made first

if spectific word have lot of antonym, order of antonym that should be made first is 'firsrt exist(no slave,no king)->low number(0% can=cant)->purpose(weapon,treatment tool,,intend,evolution)->diffrence set(dont know,know)'.
>purpose(weapon,treatment tool,,intend,evolution)->diffrence set(dont know,know)'.
>diffrence set(dont know,know)'.

antonym of specific compound word dont following rule 'word that should come first' so many quantity

word can have big bit.

antonym form should not same as antonym converted into compound word(eg word 'forgot' that made by antonym mechanism)

}antonym

compound word{

'girlfriend' = 'c women, love' cuz original expression is 'ae mlmb mkfd'. it should keep original expression.

value is first than function.

compound word consist of word that is more basic first.

if new compound word overlap with other compound word,first element word of new compound word become small.(eg '00,10' become '0,1'. but if length of area of element is 1, use XOR).

length of bit of element of compound word must power of two.

if quantity of element word is less than 4, then

element of compound word such as symbol that omit parameter, ea, of, and, or, also is in start or end, it is omitted.

less bit word of compound word is first in situation whose order doesn't matter but we should avoid the situation first.

compound word consist of less word first so we shouldnt use antonym as element of compoun word firstly.

if length of element compound word of compound word is less than whole bit divided by 8, and new word is should expressed as antonym of this word, use antonym mechanism.

In compound words, those made up of fewer visible elements become split first.

function word is before.

first action word is made first, if it is advantageous(eg remember is firster than forgot).

}compound word

phonetic loanword{

'russia'-'romsimna(russia in russian. silent consonant become 'n').

'higgs particle'-'(kims('h'-'k'))).

}phonetic loanword

word formation rule that should be used first{

If a word can be expressed as an antonym and also as a compound word.

if word created by the antonym mechanism has the same meaning as the original word(eg mkfd=dnfd) then use compound word mechanism.

If the original word too similar to compound wkrd, use antonym mechanism(eg i(com expres,this,o) -> you(com sense, this, o))

If the bits of a word expressed as a compound word differ by less than 1/4 from its antonym, use the antonym mechanism..

and If a compound word consists of two words, use the compound word mechanism first using their

antonym.(eg mkfd->dnfd)

If not, use the antonym mechanism first.

}word formation rule that should be used first

}word formation rule

}for developer

license{

//vc

nl version:10m4d25y

license can be changed.

this document and norlang have copyright.

You can use norlang legally for free.

you cant edit norlang.(eg chaing grammar, but you can make new word but that new word is not official)

Large corporations are required to sign license

agreement to use it.

The standards of large corporations are determined by the rules of their countries.

Violation of these terms may result in legal action under applicable international copyright laws.

This license is subject to change. Future versions may alter terms and apply to future releases of the language.

Users must comply with the license version associated with the version of the language they received.

}license

}rule

other{

It is almost complete, but I am having particular difficulty completing the pronunciation chart.

if norlang have problem norlang is changed never mind other.

Creator Verification Code:'@@0226@0@@@2@.
pn:@@05139@@@8 in 2024/11/18. JSM, SE,
GIGADESADE, GOHW, SEMI, 1@@15@@7@@@@'.

prohibits anything similar to this.

dont make NL lite that have only few word cuz i making it.

history{

I like science so i readed too many science document.

but in scientific documents, they use the word "big" without expressing standard.

There are also many ambiguous expressions.

I think this happens because natural languages become too inefficient and incompetent when expressing scientific thing.

That's why I created this constructed language.

ill say history but i dont know detial date.

prediction{

in 6month 2022year i thinkd that new language is needed.

in 9month 2022 i used my own temporary symbol for science.

in 10month 2022 i thinl that verb must be since verb is important for grammar.

i decided to make new language in 1month 2023year.

in 1m 2023 i decided to make VSO language since it make we dont need to distinguish transitive verb in sometime.

NL QR is finalization in 11m 21d? 2023.

in 12m 2024 i gave up making conlnag since i think that my purpose is imposible i intended to make language that is same in every civilization i thinkd that how elilian make language.

i decided to retry make language since my conalang is too helpful.

i thinkd about VSO sentence 'ask i people' then i thinkd that if my conlang use VOS, then it is efficient since it dont need to mention 'i'. but how to make Rationale?. yeah i thinkd function-noun grammar system. VOS is finalization in 1m 2024.

in 6, 7, 8, 9month 2025year i remade all words when wrting system or word formation rule is changed i do it 4times there are many words but i remade so i was painful.

in 12day 10month 2024year i published my conlang and i got criticized.

antonym mechanism is finalization in 11m 2024.

starting perfectizing language in 1m 2025.

}prediction

}history

}other

element of this conlang{

WL is abbreviation for world language.

EL is abbrevition for efficient.

CL is abbreviation for Cpu Language.

ML is abbreviation for Memory Language.

}element of this conlang

}norlang

