



Specialist in Commercial Kitchen
Refrigeration, Food Processing & Bakery Equipment

PRODUCT CATALOGUE

2026



www.crownhoreca.com

ABOUT US

Crown Horeca has been a trusted provider of premium hospitality and foodservice solutions since 2012, specializing in high-quality stainless steel equipment and customized kitchen systems for the HoReCa industry — including hotels, restaurants, cafés, catering services, and food production facilities.

With a strong focus on craftsmanship, functionality, and modern design, we deliver durable and efficient solutions that meet the demanding standards of professional kitchens. Through precision manufacturing and reliable service, Crown Horeca supports hospitality businesses in building kitchens that perform at the highest level.

Vision

To become a leading name in professional kitchen solutions, recognized for quality, innovation, and trusted partnerships within the global hospitality industry.

Mission



Deliver Superior Quality Produce
high-performance stainless steel equipment that meets the highest standards of durability, safety, and hygiene.



Create Functional Kitchen Solutions
Design products that enhance efficiency, workflow, and practicality in professional kitchens.



Build Long-Term Partnerships
Support our clients with reliable service, expertise, and customized solutions.



Drive Continuous Innovation
Advance our designs and manufacturing processes to meet the evolving needs of the hospitality industry.



Uphold Professional Excellence
Maintain the highest standards in craftsmanship, service, and customer satisfaction.

Our Branches



JAKARTA



BANDUNG



SOLO



SURABAYA



MAKASSAR



MEDAN

DAFTAR ISI

Refrigeration

Chest Freezer	01
Sliding Curved Glass Freezer	01
Showcase Chiller	02
Ice Cream Machine & Freezer	02
Table Top Cold Showcase	03
Table Top Curved Cake Showcase	03
Table Top Cake Showcase	03
Rectangular Cake Showcasce	03
Curved Cake Showcase	03
Under Counter Drawer SS201	04
Under Counter Chiller SS201	04-05
Under Counter Freezer SS201	05
Glass Door Under Counter Chiller SS201	05
Under Counter Chiller SS304	06
Under Counter Freezer SS304	06
Glass Door Under Counter Chiller SS304	06
Upright Chiller SS201	07
Upright Freezer SS201	07
Upright Combi, Chiller & Freezer SS201	08
Upright Chiller SS304	08
Upright Freezer SS304	08
Upright Combi, Chiller & Freezer SS304	09
Blast Freezer	09
Salad Showcase	09
Sushi Showcase	10
Ice Maker	10
Ice Bullet Machine	10
Juice Dispenser	11
Slush Machine	11
Island Freezer	12
Multideck	12
Custom Cold Room	13

Gas Pasta Cooker	20
Vegetable Cutter	20
Meat Slicer	20
Milk Shake Machine	20
Fructose Machine	20
Bone Saw	20
Meat Grinder	21
Hot Dog Roller	21
Coffee Warmer	21
Commercial Coffee Grinder	21
Espresso Coffee Maker	21
Coffee Machine Double Heat	21
Commercial Smoothie Machine	22
Pro Commercial Blender	22
Quiet Pro Commercial Blender	22
Crepe Machine	22
Toaster	22
Contact Grill	22
Square Waffle Baker	22
Electric Waffle Baker	22
Popcorn Machine	22
Electric Water Boiler	23
Water Boiler	23
Soup Kettle	24
Electric Oden Cooker	24
Glass Curved Luxury Bain Marie	24
Dish Washer	24
Tray Sealer	25
Cup Sealer Machine	25
Full-Auto Can Sealing Machine	25
Vacuum Machine	25
Hood Purifier	25

Kitchen Equipment

Gas Fryer	14
Electric Fryer	14
Automatic Electric Fryer	14
Standing Gas Fryer	14
Luxurious Gas Stove with Oven	14
Gas Stove with Oven	15
Electric & Gas Cooker	15
Gas Range & Griddle with Oven	15
Gas Burner & Griddle & Salamander & Oven Combo	15
Automatic Cooking Machine	15
Premium Kwali Range with Blower	15
Kwali Range	15
Standard Kwali Range with Blower	16
Kwali Range	16
Gas Stock Pot	16
Counter Top Gas Range	16
Standing Gas Burner	16
Gas Shawarma Adjustable	17
Salamander	17
Gas Rice Steamer	17
Gas Rice Cooker	17
Commercial Rice Cooker	17
Food Warmer	17
Seafood Steamer	18
Electric Bun Steamer	18
Griddle	18
Counter Top Gas Char Broiler	18
Counter Top Gas Flat Griddle	18
Electric Flat Griddle	19
Table Top Electric 4 Hot Plate Cooker	19
Induction Flat Cooker	19
Induction Wok Cooker	19
Induction Multi Cooker	19
Standing Induction Flat Cooker	19
Induction Kwali Range	19
Electric Noodle Cooker	19
Automatic Lift-Up Noodle Cooker	19

Bakery Equipment

Showcase Warmer	26
Egg Mixer	27
Planetary Mixer	27
Spiral Mixer	27
Horizontal Dough Mixer	27
Home Industry Deck Oven	28
Standard Gas Oven & Proofer	28
Premium Gas Deck Oven	28
High Speed Oven	28
Gas Oven Digital	28
Electric Convection Oven	28
Gas Pizza Oven	29
Electric Pizza Oven	29
Luxurious Gas Oven	29
Rotary Oven	29
Standard Proofer	30
Luxury Proofer	30
Retarder Proofer	30
Trolley Bakery	30
Convection Oven	31
Bread Slicer	31
Dough Sheeter	31
Table Top Dough Sheeter	31
Toast Moulder	31
Dough Divider	31
Automatic Cookies Machine	32
Breadline Machine	32

Stainless Steel

Custom Stainless Steel	33-35
Rekomendasi Suhu Penyimpanan Makanan	36

Refrigeration

Catalogue 2026



Bahan Makanan
Tetap **Fresh** dan Higienis




Digital Thermometer



PCM Material



Castor with Brake



Lock & Key



R290 / R600A



Temperature
UP TO -28°C

Chest Freezer

Chest Freezer adalah mesin simpan beku bersuhu rendah yang dirancang khusus untuk menyimpan produk beku, seperti: daging, seafood, ice cream, frozen food dan bahan baku olahan usaha kuliner lainnya.

Nb: Produk yang dimasukkan harus dalam kondisi sudah beku



BD-450

Dimension: 1256 x 710 x 825 mm
Capacity: 450 litre
Power: 260 Watt
Voltage: 220V/50Hz
Temperature: -18°C~-22°C
Door | Shelf: 1 | 1
Weight: 54 kg



BD-550

Dimension: 1535 x 740 x 825 mm
Capacity: 550 litre
Power: 250 Watt
Voltage: 220V/50Hz
Temperature: -18°C~-22°C
Door | Shelf: 1 | 1
Weight: 56 kg



BD-650

Dimension: 1655 x 740 x 850 mm
Capacity: 650 litre
Power: 275 Watt
Voltage: 220V/50Hz
Temperature: -18°C~-22°C
Door | Shelf: 2 | 2
Weight: 62 kg



BD-800

Dimension: 1930 x 710 x 825 mm
Capacity: 800 litre
Power: 420 Watt
Voltage: 220V/50Hz
Temperature: -18°C~-22°C
Door | Shelf: 2 | 2
Weight: 71 kg



BD-1250

Dimension: 2495 x 757 x 910 mm
Capacity: 1250 litre
Power: 450 Watt
Voltage: 220V/50Hz
Temperature: -18°C~-22°C
Door | Shelf: 2 | 2
Weight: 110 kg

* Thermostat Analog

Sliding Curved Glass Freezer

Mesin untuk menyimpan makanan beku dengan tampilan kaca geser.



Castor with Brake



Lock & Key



R290 / R600A



Temperature
UP TO -28°C



SD-338

Dimension: 1243 x 620 x 910 mm
Voltage: 220V/50Hz
Power: 283 Watt
Temperature: -18°C~-22°C
Capacity: 338 litre
Door | Shelf: 2 | 3
Weight: 54 kg



SD-398

Dimension: 1383 x 620 x 910 mm
Voltage: 220V/50Hz
Power: 325 Watt
Temperature: -18°C~-22°C
Capacity: 398 litre
Door | Shelf: 2 | 4
Weight: 58 kg



SD-420Q

Dimension: 1280 x 650 x 910 mm
Voltage: 220V/50Hz
Power: 325 Watt
Temperature: -18°C~-22°C
Capacity: 420 litre
Door | Shelf: 2 | 3
Weight: 69 kg



SD-520Q

Dimension: 1510 x 694 x 910 mm
Voltage: 220V/50Hz
Power: 340 Watt
Temperature: -18°C~-22°C
Capacity: 520 litre
Door | Shelf: 2 | 5
Weight: 80 kg



Sliding Curved Glass Freezer adalah freezer dengan desain kaca lengkung yang cocok digunakan di mini market, restoran, hotel hingga supermarket. Untuk menyimpan berbagai produk frozen food, seperti ice cream, daging beku, seafood, bakso, nugget, dll.

Showcase Chiller

Mesin display minuman, didesain khusus untuk suhu Indonesia yang tropis dan lembap (outdoor)




Suitable for
Tropical Climate



Forced Air
Circulation



Defrosting by
Heating Element



Evaporated by
Hot Gas



LG-170

Dimension: 420 x 515 x 1390 mm
Voltage: 220V/50Hz
Power: 160 Watt
Temperature: 0°~10°C
Refrigerant: R600A (34 gram)
Capacity: 170 litre
Door | Shelf: 1 | 3
Weight: 42 kg



LG-240

Dimension: 535 x 515 x 1540 mm
Voltage: 220V/50Hz
Power: 175 Watt
Temperature: 0°~10°C
Refrigerant: R600A (42 gram)
Capacity: 240 litre
Door | Shelf: 1 | 4
Weight: 52 kg



LG-410

Dimension: 575 x 555 x 1935 mm
Voltage: 220V/50Hz
Power: 220 Watt
Temperature: 0°~10°C
Refrigerant: R600A (52 gram)
Capacity: 410 litre
Door | Shelf: 1 | 5
Weight: 61 kg



LG-236

Dimension: 535 x 531 x 1592 mm
Voltage: 220~240V/50Hz
Power: 206 Watt
Temperature: 0°~10°C
Refrigerant: R600A (50 gram)
Capacity: 236 litre
Door | Shelf: 1 | 4
Weight: 52 kg



LG-400

Dimension: 615 x 601 x 1992 mm
Voltage: 220~240V/50Hz
Power: 270 Watt
Temperature: 0°~10°C
Refrigerant: R600A (60 gram)
Capacity: 400 litre
Door | Shelf: 1 | 4
Weight: 65 kg



LG-800

Dimension: 1120 x 570 x 2100 mm
Voltage: 220~240V/50Hz
Power: 443 Watt
Temperature: 0°~10°C
Refrigerant: R134A (130 gram)
Capacity: 800 litre
Door | Shelf: 2 | 8
Weight: 151 kg



LG-1000

Dimension: 1190 x 665 x 2040 mm
Voltage: 220V/50Hz
Power: 550 Watt
Temperature: 0°~10°C
Refrigerant: R290 (120 gram)
Capacity: 1000 litre
Door | Shelf: 2 | 8
Weight: 127 kg



LG-1200

Dimension: 1120 x 740 x 2100 mm
Voltage: 220~240V/50Hz
Power: 480 Watt
Temperature: 0°~10°C
Refrigerant: R290 (80 gram)
Capacity: 1200 litre
Door | Shelf: 2 | 10
Weight: 171 kg



LG-1600

Dimension: 1515 x 665 x 2040 mm
Voltage: 220V/50Hz
Power: 600 Watt
Temperature: 0°~10°C
Refrigerant: R290 (135 gram)
Capacity: 1600 litre
Door | Shelf: 3 | 12
Weight: 163 kg



Reinforced



Copper tube fin type
evaporator & condensor



Energy saving
LED lamp



Aluminium
motor fan blade



CE, CB, SASO

Ice Cream Machine

Untuk membuat soft ice cream



ICM-1T 1 FLAVOUR

Dimension: 340 x 560 x 780 mm
Voltage: 220V/50Hz
Power: 1.600 Watt
Refrigerant: R404A (550 gram)
Capacity: 18~22 L/H
Weight: 85 kg



ICM-3T 2 FLAVOUR + MIX

Dimension: 480 x 715 x 720 mm
Voltage: 220V/50Hz
Power: 1.800 Watt
Refrigerant: R404A (550 gram)
Capacity: 18~22 L/H
Weight: 90 kg



ICM-3S 2 FLAVOUR + MIX

Dimension: 480 x 715 x 1260 mm
Voltage: 220V/50Hz
Power: 1.800 Watt
Refrigerant: R404A (550 gram)
Capacity: 18~22 L/H
Weight: 100 kg



ICF-12P

Dimension: 1230 x 835 x 1290 mm
Voltage: 220V/50Hz
Power: 270 Watt
Refrigerant: R134A (60 gram)
Capacity: 345 litre
Quantity of Pan: 12 Pans
Temperature: 0° ~ -22°C
Weight: 106 kg

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Cake Showcase

HUMIDITY 70-80%

Mesin pendingin untuk mendisplay kue

Fitur : Lampu LED | Digital Thermostat | Rak | Compressor: Aspera / Embraco

Table Top Cold Showcase

Mesin pendingin untuk mendisplay kue.

Table Top Curved Cake Showcase



FGTR120L

Dimension: 710 x 568 x 686 mm
Power: 240 Watt
Voltage: 220V/50Hz
Capacity: 120 litre
Temperature: 0° - 12°C
Weight: 57 kg

FGTR160L

Dimension: 888 x 568 x 686 mm
Power: 240 Watt
Voltage: 220V/50Hz
Capacity: 160 litre
Temperature: 0° - 12°C
Weight: 66 kg

TC-90

Dimension: 900 x 550 x 790 mm
Capacity: 128 litre
Temperature: 2° - 8°C
Power: 500 Watt
Voltage: 220V/50Hz
Weight: 110 kg
Compressor: Aspera
Shelves: 1

TC-120

Dimension: 1200 x 550 x 790 mm
Capacity: 176 litre
Temperature: 2° - 8°C
Power: 620 Watt
Voltage: 220V/50Hz
Weight: 125 kg
Compressor: Aspera
Shelves: 1

TC-150

Dimension: 1500 x 550 x 790 mm
Capacity: 224 litre
Temperature: 2° - 8°C
Power: 700 Watt
Voltage: 220V/50Hz
Weight: 140 kg
Compressor: Aspera
Shelves: 1

Table Top Cake Showcase

Rectangular Cake Showcase



CLA-90

Dimension: 900 x 670 x 1200 mm
Capacity: 293 litre
Temperature: 2° ~ +8°C
Power: 410 Watt
Voltage: 220V/50Hz
Weight: 100 kg
Compressor: Huayi
Shelves: 2

TS-90

Dimension: 900 x 550 x 750 mm
Capacity: 130 litre
Temperature: 2° - 8°C
Power: 410 Watt
Voltage: 220V/50Hz
Weight: 150 kg
Compressor: Embraco
Shelves: 1

TS-120

Dimension: 1200 x 550 x 750 mm
Capacity: 180 litre
Temperature: 2° - 8°C
Power: 415 Watt
Voltage: 220V/50Hz
Weight: 200 kg
Compressor: Embraco
Shelves: 1

TS-150

Dimension: 1500 x 550 x 750 mm
Capacity: 270 litre
Temperature: 2° - 8°C
Power: 700 Watt
Voltage: 220V/50Hz
Weight: 250 kg
Compressor: Embraco
Shelves: 1

CLA-120

Dimension: 1200 x 670 x 1200 mm
Capacity: 401 litre
Temperature: 2° ~ +8°C
Power: 410 Watt
Voltage: 220V/50Hz
Weight: 120 kg
Compressor: Huayi
Shelves: 2

CLA-150

Dimension: 1500 x 670 x 1200 mm
Capacity: 510 litre
Temperature: 2° ~ +8°C
Power: 480 Watt
Voltage: 220V/50Hz
Weight: 143.5 kg
Compressor: Huayi
Shelves: 2

Rectangular Cake Showcase

Curved Cake Showcase



Body Marble

CLG-90

Dimension: 900 x 680 x 1285 mm
Capacity: 380 litre
Temperature: 2° - 8°C
Power: 420 Watt
Voltage: 220V/50Hz
Weight: 170 kg
Compressor: Embraco
Shelves: 3

CLG-120

Dimension: 1200 x 680 x 1285 mm
Capacity: 520 litre
Temperature: 2° - 8°C
Power: 505 Watt
Voltage: 220V/50Hz
Weight: 200 kg
Compressor: Embraco
Shelves: 3



Body Marble

CAD-90

Dimension: 900 x 680 x 1285 mm
Capacity: 360 litre
Temperature: 2° - 8°C
Power: 420 Watt
Voltage: 220V/50Hz
Weight: 170 kg
Compressor: Embraco
Shelves: 3

CAD-120

Dimension: 1200 x 680 x 1285 mm
Capacity: 460 litre
Temperature: 2° - 8°C
Power: 505 Watt
Voltage: 220V/50Hz
Weight: 200 kg
Compressor: Embraco
Shelves: 3



Body Marble

CLG-150

Dimension: 1500 x 680 x 1285 mm
Capacity: 660 litre
Temperature: 2° - 8°C
Power: 782 Watt
Voltage: 220V/50Hz
Weight: 240 kg
Compressor: Embraco
Shelves: 3

CLG-180

Dimension: 1800 x 680 x 1285 mm
Capacity: 800 litre
Temperature: 2° - 8°C
Power: 847 Watt
Voltage: 220V/50Hz
Weight: 300 kg
Compressor: Embraco
Shelves: 3



Body Marble

CAD-150

Dimension: 1500 x 680 x 1285 mm
Capacity: 550 litre
Temperature: 2° - 8°C
Power: 782 Watt
Voltage: 220V/50Hz
Weight: 240 kg
Compressor: Embraco
Shelves: 3

CAD-180

Dimension: 1800 x 680 x 1285 mm
Capacity: 500 litre
Temperature: 2° - 8°C
Power: 847 Watt
Voltage: 220V/50Hz
Weight: 300 kg
Compressor: Embraco
Shelves: 3

Under Counter Series

Mesin pendingin berbahan stainless steel yang dirancang khusus untuk dapur komersial.




Suitable for Tropical Climate



Forced Air Circulation



Defrosting by Heating Element



Evaporated by Hot Gas



R290

★ Body Full Stainless Steel



Space Dapur Anda Terbatas? Under Counter Solusinya!

Under Counter Drawer | SS201



SS201

TZ300DW | **BTZ300DW**

Dimension TZ300DW: 1500 x 750 x 850 mm
BTZ300DW: 1500 x 700 x 850 mm

Voltage: 220-240V/50Hz

Power: 460 Watt

Temperature: -2°~+8°C

Capacity: 330 litre

Drawer: 4

Weight: 90 kg



SS201

TZ400DW | **BTZ400DW**

Dimension TZ400DW: 1800 x 750 x 850 mm
BTZ400DW: 1800 x 700 x 850 mm

Voltage: 220-240V/50Hz

Power: 520 Watt

Temperature: -2°~+8°C

Capacity: 430 litre

Drawer: 6

Weight: 108 kg



SS201

LTZ-400DW

Dimension: 1795 x 700 x 650 mm

Voltage: 220-240V/50Hz

Power: 230 Watt

Temperature: -2°~+8°C

Capacity: 317 litre

Drawer: 6

Weight: 105 kg



Memiliki **kapasitas** penyimpanan yang besar

Under Counter Chiller | SS201



SS201

TB150

Dimension: 1500 x 600 x 850 mm

Voltage: 220-240V/50Hz

Power: 450 Watt

Temperature: -2°~+8°C

Capacity: 340 litre

Door | Shelf: 2 | 2

Weight: 82 kg



SS201

TZ200 | **BTZ200**

Dimension TZ200: 1200 x 750 x 850 mm

BTZ200: 1200 x 700 x 850 mm

Voltage: 220-240V/50Hz

Power: 450 Watt

Temperature: -2°~+8°C

Capacity: 330 litre

Door | Shelf: 2 | 2

Weight TZ200: 83 kg

BTZ200: 76 kg



SS201

TZ300 | **BTZ300**

Dimension TZ300: 1500 x 750 x 850 mm

BTZ300: 1500 x 700 x 850 mm

Voltage: 220-240V/50Hz

Power: 470 Watt

Temperature: -2°~+8°C

Capacity: 350 litre

Door | Shelf: 2 | 2

Weight TZ300: 90 kg

BTZ300: 83 kg

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Under Counter Chiller | SS201



SS201
TB180
Dimension: 1800 x 600 x 850 mm
Voltage: 220~240V/50Hz
Power: 470 Watt
Temperature: -2°~+8°C
Capacity: 440 litre
Door Shelf: 3 3
Weight: 92 kg



SS201
TZ400
BTZ400
Dimension TZ400: 1800 x 750 x 850 mm
BTZ400: 1800 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 490 Watt
Temperature: -2°~+8°C
Capacity: 450 litre
Door Shelf: 3 3
Weight TZ400: 102 kg
BTZ400: 90 kg



SS201
TZ410
BTZ410
Dimension TZ410: 2000 x 750 x 850 mm
BTZ410: 2000 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 520 Watt
Temperature: -2°~+8°C
Capacity: 490 litre
Door Shelf: 3 3
Weight TZ410: 108 kg
BTZ410: 102 kg

Under Counter Freezer | SS201



SS201
TD200
BTD200
Dimension TD200: 1200 x 750 x 850 mm
BTD200: 1200 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 580 Watt
Temperature: -18°~-15°C
Capacity: 330 litre
Door Shelf: 2 2
Weight TD200: 83 kg
BTD200: 76 kg



SS201
TD300
BTD300
Dimension TD300: 1500 x 750 x 850 mm
BTD300: 1500 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 600 Watt
Temperature: -18°~-15°C
Capacity: 350 litre
Door Shelf: 2 2
Weight TD300: 90 kg
BTD300: 83 kg



SS201
TD400
BTD400
Dimension TD400: 1800 x 750 x 850 mm
BTD400: 1800 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 650 Watt
Temperature: -18°~-15°C
Capacity: 450 litre
Door Shelf: 3 3
Weight TD400: 102 kg
BTD400: 90 kg



SS201
TD410
BTD410
Dimension TD410: 2000 x 750 x 850 mm
BTD410: 2000 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 680 Watt
Temperature: -18°~-15°C
Capacity: 490 litre
Door Shelf: 3 3
Weight TD410: 108 kg
BTD410: 102 kg

Glass Door Under Counter Chiller | SS201



SS201
TZ200G
BTZ200G
Dimension TZ200G: 1200 x 750 x 850 mm
BTZ200G: 1200 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 450 Watt
Temperature: 0°~+10°C
Capacity: 330 litre
Door Shelf: 2 2
Weight TZ200G: 90 kg
BTZ200G: 82 kg



SS201
TZ300G
BTZ300G
Dimension TZ300G: 1500 x 750 x 850 mm
BTZ300G: 1500 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 470 Watt
Temperature: 0°~+10°C
Capacity: 350 litre
Door Shelf: 2 2
Weight TZ300G: 100 kg
BTZ300G: 91 kg



SS201
TZ400G
BTZ400G
Dimension TZ400G: 1800 x 750 x 850 mm
BTZ400G: 1800 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 490 Watt
Temperature: 0°~+10°C
Capacity: 450 litre
Door Shelf: 3 3
Weight TZ400G: 117 kg
BTZ400G: 100 kg



SS201
TZ410G
BTZ410G
Dimension TZ410G: 2000 x 750 x 850 mm
BTZ410G: 2000 x 700 x 850 mm
Voltage: 220~240V/50Hz
Power: 405 Watt
Temperature: 0°~+10°C
Capacity: 490 litre
Door Shelf: 3 3
Weight TZ410G: 140 kg
BTZ410G: 140 kg

Under Counter Chiller | SS304



SS304
ATZ200

Dimension: 1200 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 450 Watt
Temperature: -2°~+8°C
Capacity: 330 litre
Door | Shelf: 2 | 2
Weight: 83 kg



SS304
ATZ300

Dimension: 1500 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 470 Watt
Temperature: -2°~+8°C
Capacity: 350 litre
Door | Shelf: 2 | 2
Weight: 90 kg



SS304
ATZ400

Dimension: 1800 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 490 Watt
Temperature: -2°~+8°C
Capacity: 450 litre
Door | Shelf: 3 | 3
Weight: 102 kg



SS304
ATZ410

Dimension: 2000 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 520 Watt
Temperature: -2°~+8°C
Capacity: 490 litre
Door | Shelf: 3 | 3
Weight: 108 kg

Under Counter Freezer | SS304



SS304
ATD200

Dimension: 1200 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 580 Watt
Temperature: -18°~-15°C
Capacity: 330 litre
Door | Shelf: 2 | 2
Weight: 83 kg



SS304
ATD300

Dimension: 1500 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 600 Watt
Temperature: -18°~-15°C
Capacity: 350 litre
Door | Shelf: 2 | 2
Weight: 90 kg



SS304
ATD400

Dimension: 1800 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 650 Watt
Temperature: -18°~-15°C
Capacity: 450 litre
Door | Shelf: 3 | 3
Weight: 102 kg



SS304
ATD410

Dimension: 2000 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 680 Watt
Temperature: -18°~-15°C
Capacity: 490 litre
Door | Shelf: 3 | 3
Weight: 108 kg

Glass Door Under Counter Chiller | SS304



SS304
ATZ200G

Dimension: 1200 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 450 Watt
Temperature: 0°~+10°C
Capacity: 330 litre
Door | Shelf: 2 | 2
Weight: 90 kg



SS304
ATZ300G

Dimension: 1500 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 470 Watt
Temperature: 0°~+10°C
Capacity: 350 litre
Door | Shelf: 2 | 2
Weight: 100 kg



SS304
ATZ400G

Dimension: 1800 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 490 Watt
Temperature: 0°~+10°C
Capacity: 450 litre
Door | Shelf: 3 | 3
Weight: 117 kg



SS304
ATZ410G

Dimension: 2000 x 750 x 850 mm
Voltage: 220-240V/50Hz
Power: 405 Watt
Temperature: 0°~+10°C
Capacity: 490 litre
Door | Shelf: 3 | 3
Weight: 140 kg

Upright Series

Mesin pendingin yang dirancang khusus untuk dapur komersial.



Suitable for Tropical Climate



Forced Air Circulation



Defrosting by Heating Element



Evaporated by Hot Gas



R290

Menyimpan Bahan Makanan Menjadi Lebih Efisien & Suhu Dingin Yang Stabil!



Upright Chiller | SS201

★ Body Full Stainless Steel



SS201	
G500	BG500
Dimension G500: 630 x 815 x 1950 mm BG500: 630 x 755 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 360 Watt	
Temperature: -2°~+8°C	
Capacity: 500 litre	
Door Shelf: 2 3	
Weight G500: 110 kg BG500: 102 kg	



SS201	
G1000	BG1000
Dimension G1000: 1220 x 815 x 1950 mm BG1000: 1220 x 755 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 490 Watt	
Temperature: -2°~+8°C	
Capacity: 1000 litre	
Door Shelf: 4 6	
Weight G1000: 150 kg BG1000: 138 kg	



SS201	
G1600	BG1600
Dimension G1600: 1810 x 815 x 1950 mm BG1600: 1810 x 755 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 850 Watt	
Temperature: -2°~+8°C	
Capacity: 1600 litre	
Door Shelf: 6 9	
Weight G1600: 207 kg BG1600: 190 kg	

Upright Freezer | SS201

Glass Door Upright Freezer



SS201	
D500	BD500
Dimension D500: 630 x 815 x 1950 mm BD500: 630 x 755 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 400 Watt	
Temperature: -18°~-15°C	
Capacity: 500 litre	
Door Shelf: 2 3	
Weight D500: 110 kg BD500: 102 kg	



SS201	
D1000	BD1000
Dimension D1000: 1220 x 815 x 1950 mm BD1000: 1220 x 755 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 800 Watt	
Temperature: -18°~-15°C	
Capacity: 1000 litre	
Door Shelf: 4 6	
Weight D1000: 150 kg BD1000: 138 kg	



SS201	
D1600	BD1600
Dimension D1600: 1810 x 815 x 1950 mm BD1600: 1810 x 755 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 950 Watt	
Temperature: -18°~-15°C	
Capacity: 1600 litre	
Door Shelf: 6 9	
Weight D1600: 207 kg BD1600: 190 kg	



SS201	
D500G	
Dimension: 630 x 815 x 1950 mm	
Voltage: 220~240V/50Hz	
Power: 800 Watt	
Temperature: -18°~-15°C	
Capacity: 500 litre	
Door Shelf: 1 4	
Weight: 120 kg	





Q1000

BQ1000



BQ1600

AG500

AG1000

AG1100

AG1600

AD500

AD1000

AD1600

8

Upright Combi | Chiller & Freezer | SS304

Blast Freezer



SS304

AQ500

Dimension: 620 x 692 x 1910 mm
Voltage: 220~240V/50Hz
Power: 540 Watt
Temperature: -2°~+8°C / -18°~-15°C
Capacity: 500 litre
Door | Shelf: 2 | 2
Specification: Top Freezer,
Bottom Chiller
Weight: 76 kg



SS304

AQ1000

Dimension: 1220 x 815 x 1950 mm
Voltage: 220~240V/50Hz
Power: 850 Watt
Temperature: -2°~+8°C / -18°~-15°C
Capacity: 930 litre
Door | Shelf: 4 | 6
Specification: Left Side Chiller
& Right Side Freezer
Weight: 175 kg



SS304

AQ1600

Dimension: 1810 x 815 x 1950 mm
Voltage: 220~240V/50Hz
Power: 1.250 Watt
Temperature: -2°~+8°C / -18°~-15°C
Capacity: 1600 litre
Door | Shelf: 6 | 9
Specification: Left Side Chiller,
Middle Side Chiller
& Right Side Freezer
Weight: 240 kg



* Not Include Pan

BLF-14P

Dimension: 800 x 800 x 1763 mm
Volume: 423 litre
Power: 1.200 Watt
Voltage: 220V/50Hz
Temperature: -18°~-30°C
Capacity Pans: 14 Pans (1/1 x 40mm deep)
Chilling Capacity: 60 kg (from 70°~3°C in 90 mins)
Freezing Capacity: 38 kg (from 70°~-18°C in 240 mins)
Refrigerant: R290
Weight: 170 kg

Salad Showcase

Untuk mendisplay aneka salad dan buah-buahan.



Suitable for
Tropical Climate



Forced Air
Circulation



Defrosting by
Heating Element




Evaporated by
Hot Gas




R600A

GN PAN



Size Pan: (P) 265 x (L) 162 x (T) 150 mm



VRX1200

Dimension: 1200 x 335 x 435 mm
Pan Qty (pcs): 5
Temperature: 0°~+10°C
Ambient Temp: 32 (N)
Power: 110 Watt
Cooling Type: static
Specification: with pan
Weight: 36 kg

VRX1500

Dimension: 1500 x 335 x 435 mm
Pan Qty (pcs): 7
Temperature: 0°~+10°C
Ambient Temp: 32 (N)
Power: 110 Watt
Cooling Type: static
Specification: with pan
Weight: 42 kg

VRX1800

Dimension: 1800 x 335 x 435 mm
Pan Qty (pcs): 8
Temperature: 0°~+10°C
Ambient Temp: 32 (N)
Power: 110 Watt
Cooling Type: static
Specification: with pan
Weight: 48 kg

VRX2000

Dimension: 2000 x 335 x 435 mm
Pan Qty (pcs): 10
Temperature: 0°~+10°C
Ambient Temp: 32 (N)
Power: 110 Watt
Cooling Type: static
Specification: with pan
Weight: 52 kg



Sushi Showcase



TSI-1200

Dimension: 1148 x 406 x 316 mm
Voltage: 220-240V/50Hz
Lamp Power: 2 Watt (LED)
Temperature: 0°-12°C
Refrigerant: R600A (70 gram)
Storage Volume: 42 litre
Weight: 35 kg



TSI-1500

Dimension: 1500 x 406 x 316 mm
Voltage: 220-240V/50Hz
Lamp Power: 2 Watt (LED)
Temperature: 0°-12°C
Refrigerant: R600A (70 gram)
Storage Volume: 62 litre
Weight: 42 kg



Ice Maker



TF-350

Dimension: 560 x 860 x 1745 mm
Voltage: 220V/50Hz
Power: 765 Watt
Ice Storage: 140 kg
Capacity: 160 Kg/24H
Refrigerant: R404A (390 gram)
Condenser Unit: Air
Size Ice: 22 x 22 x 22 mm
Weight: 85 kg



TF-420

Dimension: 560 x 860 x 1745 mm
Voltage: 220V/50Hz
Power: 920 Watt
Ice Storage: 140 kg
Capacity: 190 Kg/24H
Refrigerant: R404A (420 gram)
Condenser Unit: Air
Size Ice: 22 x 22 x 22 mm
Weight: 87 kg



SK-500P

Dimension: 760 x 860 x 1745 mm
Voltage: 220V/50Hz
Power: 1.360 Watt
Ice Storage: 200 kg
Capacity: 225 Kg/24H
Refrigerant: R404A (680 gram)
Condenser Unit: Air
Size Ice: 28 x 13 x 22 mm
Weight: 101 kg



IM-55

Dimension: 666 x 637 x 775 mm
Voltage: 220V/50Hz
Power: 500 Watt
Ice Storage: 30 kg
Capacity: 55 Kg/24H
Refrigerant: R290 (105 gram)
Condenser Unit: Air
Bullet size: 28*39mm (Diameter 28mm)
Weight: 58 kg

Ice Maker



TF-80

Dimension: 500 x 450 x 800 mm
Voltage: 220V/50Hz
Power: 370 Watt
Ice Storage: 15 kg
Capacity: 36 Kg/24H
Refrigerant: R290 (90 gram)
Condenser Unit: Air
Size Ice: 22 x 22 x 22 mm
Weight: 36 kg



TF-120

Dimension: 500 x 590 x 850 mm
Voltage: 220V/50Hz
Power: 480 Watt
Ice Storage: 18 kg
Capacity: 55 Kg/24H
Refrigerant: R290 (95 gram)
Condenser Unit: Air
Size Ice: 22 x 22 x 22 mm
Weight: 45 kg



TF-210

Dimension: 660 x 685 x 920 mm
Voltage: 220V/50Hz
Power: 670 Watt
Ice Storage: 36 kg
Capacity: 95 Kg/24H
Refrigerant: R290 (120 gram)
Condenser Unit: Air
Size Ice: 22 x 22 x 22 mm
Weight: 58 kg



TF-280

Dimension: 660 x 685 x 920 mm
Voltage: 220V/50Hz
Power: 830 Watt
Ice Storage: 36 kg
Capacity: 127 Kg/24H
Refrigerant: R290 (115 gram)
Condenser Unit: Air
Size Ice: 22 x 22 x 22 mm
Weight: 60 kg

Juice Dispenser (Stirring Mode)

Untuk mendinginkan aneka minuman seperti: teh, jus, sirup, dsb.

Fitur : Kapasitas tangki 12L | Body stainless steel | Stirring mode (sistem aduk)



12JL-1

Dimension: 230 x 430 x 640 mm
Voltage: 220~240V/50~60Hz
Power: 149~203 Watt
Capacity: 1 x 12 litre
Refrigerant: R134A
Weight: 20 kg



12JL-2

Dimension: 430 x 430 x 640 mm
Voltage: 220~240V/50~60Hz
Power: 200~308 Watt
Capacity: 2 x 12 litre
Refrigerant: R134A
Weight: 27 kg



12JL-3

Dimension: 630 x 430 x 640 mm
Voltage: 220~240V/50~60Hz
Power: 286~445 Watt
Capacity: 3 x 12 litre
Refrigerant: R134A
Weight: 34 kg



Memiliki Sistem **Automatic Stirring**
Untuk Berbagai Jenis Minuman



Slush Machine

Untuk membuat es salju (bahan harus berkadar gula 25%)



XRJ15LX1

Dimension: 280 x 550 x 740 mm
Voltage: 220V/50Hz
Power: 450 Watt
Capacity: 1 x 15 litre
Temperature: -2°~-4°C
Refrigerant: R290 (62 gram)
Weight: 40 kg



XRJ15LX2

Dimension: 440 x 550 x 740 mm
Voltage: 220V/50Hz
Power: 600 Watt
Capacity: 2 x 15 litre
Temperature: -2°~-4°C
Refrigerant: R290 (120 gram)
Weight: 45 kg



XRJ15LX3

Dimension: 603 x 550 x 740 mm
Voltage: 220V/50Hz
Power: 1.000 Watt
Capacity: 3 x 15 litre
Temperature: -2°~-4°C
Refrigerant: R290 (290 gram)
Weight: 63 kg

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Island Freezer

MESIN DALAM (BUILT-IN)

Type Compressor Danfoss | Refrigerant R22, R404A

* Black



* White



Color Options: Black & White



ZDO.END

Dimension: 1900 x 850 x 850 mm
Temperature: 8°~-18°C
Power: 700 Watt
Capacity: 750 litre
Weight: 120 kg

ZDO.8D

Dimension: 2000 x 850 x 850 mm
Temperature: 8°~-18°C
Power: 700 Watt
Capacity: 800 litre
Weight: 130 kg

ZDO.9D

Dimension: 2500 x 850 x 850 mm
Load Temp: 8°~-18°C
Power: 800 Watt
Capacity: 1.000 litre
Weight: 160 kg

Multideck

MESIN LUAR (REMOTE)



LFG1.0E

Dimension: 1875 x 1000 x 2000 mm
Temperature: 2°~-8°C
Volume: 1400 litre
Weight: 290 kg

LFG2.0E

Dimension: 2500 x 1000 x 2000 mm
Temperature: 2°~-8°C
Volume: 1600 litre
Weight: 380 kg

LFG3.0E

Dimension: 3750 x 1000 x 2000 mm
Temperature: 2°~-8°C
Volume: 2450 litre
Weight: 580 kg

Multideck

MESIN DALAM (BUILT-IN)



PMD-980

Dimension: 980 x 750 x 1930 mm
Capacity: 480 litre
Power: 1.062 Watt
Voltage: 220V/50Hz
Temperature: 1°~-10°C
Refrigerant: R404A (1.500 gram)
Weight: 180 kg

PMD-1280

Dimension: 1280 x 750 x 1930 mm
Capacity: 610 litre
Power: 1.293 Watt
Voltage: 220V/50Hz
Temperature: 1°~-10°C
Refrigerant: R404A (1.300 gram)
Weight: 210 kg

PMD-1890

Dimension: 1890 x 750 x 1930 mm
Capacity: 920 litre
Power: 1.939 Watt
Voltage: 220V/50Hz
Temperature: 1°~-10°C
Refrigerant: R404A (1.800 gram)
Weight: 310 kg

PMD-2500

Dimension: 2500 x 750 x 1930 mm
Capacity: 1.230 litre
Power: 2.330 Watt
Voltage: 220V/50Hz
Temperature: 1°~-10°C
Refrigerant: R404A (3.200 gram)
Weight: 395 kg

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.



Condensing Unit



BITZER



TECUMSEH

COLD ROOM

- Panel: Polyurethane, Hotdipped Galvanis Colorbond
- Density: 40 - 42 kg/m³
- Material: - Inside / Outside
 - Customed : a) Stainless Steel
 - b) Galvanis Colourbound
- Door: with key, safety handle + strip curtain
- Machine: Customed
 - > Remote Machine
 - > Brand depends on consumer demand

Referensi Pekerjaan Cold Room:



Kitchen Equipment

Gas Fryer

Digunakan untuk menggoreng bahan makanan

GAS FRYER (1 TANK 1 BASKET)

GAS FRYER (2 TANK 2 BASKET)



*Low Pressure

*Low Pressure

* with Drain

* with Drain

* with Drain

SC-71

SC-72

FRY-6L

FRY-8L

FRY-15L

Dimension: 300 x 550 x 470 mm
Capacity: 6 litre
Power: LPG/Gas
Pressure: 2800 Pa
Weight: 10 kg

Dimension: 565 x 550 x 470 mm
Capacity: 2 x 6 litre
Power: LPG/Gas
Pressure: 2800 Pa
Weight: 17 kg

Dimension: 310 x 540 x 450 mm
Capacity: 6 litre
Pressure: 2800 Pa
Temperature: 160° ~ 220°C
Weight: 12.8 kg

Dimension: 320 x 710 x 532 mm
Capacity: 8 ~ 17.4 litre
Pressure: 2800 Pa
Temperature: 160° ~ 220°C
Weight: 17 kg

Dimension: 420 x 600 x 450 mm
Capacity: 15 litre
Pressure: 2800 Pa
Temperature: 160° ~ 200°C
Weight: 13 kg

Electric Fryer

Automatic Electric Fryer

Standing Gas Fryer

ELECTRIC FRYER (1 TANK 1 BASKET)

ELECTRIC FRYER (2 TANK 2 BASKET)



* with Thermostat

* with Thermostat

* Automatic Lifting

* Automatic Lifting

* with Drainage

* Low Pressure * with Drainage

SC-81

SC-82

AEF-81

AEF-82

SC-769

FGC400

Dimension: 275 x 450 x 310 mm
Capacity: 6 litre
Power: 2.500 Watt
Voltage: 220V/50Hz
Weight: 5 kg

Dimension: 545 x 450 x 310 mm
Capacity: 2 x 6 litre
Power: 5.000 Watt
Voltage: 220V/50Hz
Weight: 8 kg

Dimension: 280 x 510 x 340 mm
Capacity: 14 litre
Power: 3.500 Watt
Voltage: 220V/50Hz
Weight: 12 kg

Dimension: 560 x 510 x 340 mm
Capacity: 2 x 14 litre
Power: 7.000 Watt
Voltage: 220V/50Hz
Weight: 23 kg

Dimension: 590 x 575 x 1015 mm
Capacity: 2 x 14 litre
Power: LPG/GAS
Pressure: 2800 Pa
Weight: 23.6 kg

Dimension: 395 x 760 x 1170 mm
Capacity: 30 litre
Power: 30.000 BTU x 4
Pressure: 2.500 Pa
Weight: 59 kg

Standing Gas Fryer

Electric Fryer

Luxurious Gas Stove with Oven

GAS FRYER (1 TANK 2 BASKET)

ELECTRIC FRYER (1 TANK 2 BASKET)

Fitur: Body Stainless Steel SS430 | Heavy Duty Range | American Style Handle



FGF-400

EF-400

RQB-700-4S

RQB-700-6S

Dimension: 395 x 780 x 1125 mm
Capacity: 35-40 litre
Power: 30.000 BTU x 4
Pressure: 2.800 Pa
Weight: 65 kg

Dimension: 400 x 770 x 1120 mm
Capacity: 24 litre
Power: 9.000 Watt
Voltage: 380V / 50Hz
Weight: 43.5 kg

Dimension: 610 x 848 x 1058 mm
Burner Power: 30.000 BTU x 4
Oven Power: 30.000 BTU
Gross Power: 150.000 BTU
Oven Temperature: 93° ~ 288°C
Gas Consumption (LPG): 1.6994 m³/h
Weight: 129 kg

Dimension: 914 x 848 x 1058 mm
Burner Power: 30.000 BTU x 6
Oven Power: 30.000 BTU
Gross Power: 210.000 BTU
Oven Temperature: 93° ~ 288°C
Gas Consumption (LPG): 2.3792 m³/h
Weight: 170 kg

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Gas Stove with Oven

Electric & Gas Cooker



4 Burner

SWO-4S

Dimension: 606 x 776 x 873 mm
Pressure: 2.800 Pa
Gas Consumption: 4.1 kg/Hr
Weight: 79.4 kg



Electric 4 Hot - Plate Cooker & Oven

E-DSJ-700

Dimension: 700 x 750 x 915 mm
Power: 12.800 Watt
Voltage: 380V/50Hz
Burner Power: 2.000 Watt x 4
Weight: 70 kg



Gas Style Tilting Pan * Low Pressure

E-RCG-900

Dimension: 800 x 900 x 915 mm
Pan Dimension: 760 x 750 mm
Temperature: 100° ~ 330°C
Volume: 80 litre
Gas Consumption (LPG): 89.700 BTU/Hr
Weight: 129 kg



Gas Style Boiling Pan * Low Pressure

E-RQTG-900

Dimension: 800 x 900 x 915 mm
Volume: 100 litre
Gas Consumption (LPG): 75.067,12 BTU/Hr
Weight: 98 kg

Gas Range & Griddle with Oven



Gas Range 2 Burners & Griddle with Oven

RQM-2S


Dimension: 914 x 848 x 1058 mm
Burner Power: 30.000 BTU x 2
Oven Power: 30.000 BTU
Griddle Power: 20.000 BTU x 2
Gross Power: 130.000 BTU
Oven Temperature: 93° ~ 288°C
Gas Consumption (LPG): 1.4729 m³/h
Weight: 195 kg



Gas Range 4 Burners & Griddle with Oven

RQM-4S

Dimension: 914 x 848 x 1058 mm
Burner Power: 30.000 BTU x 4
Oven Power: 30.000 BTU
Griddle Power: 20.000 BTU
Gross Power: 170.000 BTU
Oven Temperature: 93° ~ 288°C
Gas Consumption (LPG): 1.926 m³/h
Weight: 187.5 kg




Gas Burner & Griddle & Salamander & Oven Combo



6 Burners

RQF-6S

Dimension: 1525 x 848 x 1115 mm
Burner Power: 30.000 BTU x 6
Oven Power: 30.000 BTU x 2
Griddle & Salamander Power: 12.000 BTU x 3
Gross Power: 276.000 BTU
Oven Temperature: 93° ~ 288°C
Gas Consumption (LPG): 3.1723 m³/h
Weight: 331.5 kg




Automatic Cooking Machine



ACM-30D

Dimension: 500 x 620 x 780 mm
Power: 100 Watt
Voltage: 220V/50Hz
With Pot Size: 30 x 30 cm
Weight: 36.05 kg

Premium Kwali Range with Blower



Low Pressure | Fitur: Body Full Stainless Steel dilengkapi dengan blower



MKR-1T1S

Dimension: 1100 x 1000 x 800 + 370 mm
Power: 110.000 BTU
Blower Power: 180 Watt
Voltage: 220V/50Hz
Weight: 84 kg



MKR-2T1S

Dimension: 1800 x 1000 x 800 + 370 mm
Power: 110.000 BTU x 2
Blower Power: 180 Watt x 2
Voltage: 220V/50Hz
Weight: 144 kg



MKR-2T2S

Dimension: 2000 x 1000 x 800 + 370 mm
Power: 110.000 BTU x 2
Blower Power: 180 Watt x 2
Voltage: 220V/50Hz
Weight: 150 kg



KS-01

Dimension: 510 x 600 x 690 mm
Gas Consumption: 27.296 BTU/H
Pressure: 5.000 Pa
Size of burner: +310 mm
Weight: 12 kg



KT-01


Dimension: 430 x 520 x 595 mm
Gas Consumption: 27.296 BTU/H
Pressure: 5.000 Pa
Size of burner: +310 mm
Weight: 10 kg

Kwali Range

High Pressure

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Standard Kwali Range Low Pressure



KR-1T1S

Dimension: 900 x 800 x 800 + 280 mm
Gas Consumption: 95.539,92 BTU/H
Pressure: 2.800 Pa
Blower Power: 120 Watt
Blower Voltage: 220V/50Hz
Weight: 30.5 kg

KR-2T1S

Dimension: 1500 x 800 x 800 + 280 mm
Gas Consumption: 95.539,92 BTU/H x 2
Pressure: 2.800 Pa
Blower Power: 120 Watt x 2
Blower Voltage: 220V/50Hz
Weight: 51 kg

KR-2T2S

Dimension: 1800 x 800 x 800 + 280 mm
Gas Consumption: 95.539,92 BTU/H x 2
Pressure: 2.800 Pa
Blower Power: 120 Watt x 2
Blower Voltage: 220V/50Hz
Weight: 68 kg

Kwali Range High Pressure

ONE WOK BURNER
W / ONE SOUP POT

TWO WOK BURNERS
W / ONE SOUP POT

TWO WOK BURNERS
W / TWO SOUP POT

Low Pressure

High Pressure



HKR-1T1S

Dimension: 900 x 800 x 800 + 270 mm
Gas Consumption: 79.503 BTU/H
Pressure: 120.000 - 150.000 Pa
Weight: 18 Kg

HKR-2T1S

Dimension: 1500 x 800 x 800 + 270 mm
Gas Consumption: 79.503 BTU/H x 2
Pressure: 120.000 - 150.000 Pa
Weight: 35 Kg

HKR-2T2S

Dimension: 1800 x 800 x 800 + 270 mm
Gas Consumption: 79.503 BTU/H x 2
Pressure: 120.000 - 150.000 Pa
Weight: 40 Kg

GSP-650

Dimension: 650 x 650 x 550 mm
Size Burner: 485 x 485 mm
Gas Consumption: 95.539,92 BTU/H
Pressure: 2.800 Pa
Weight: 23 kg

HSP-500

Dimension: 500 x 500 x 550 mm
Gas Consumption: 79.503 BTU/H
Pressure: 120.000 - 150.000 Pa
Weight: 20 kg

Counter Top Gas Range

Low Pressure

* Optional with Stand



Stand
STV-2
308 x 689 x 587 mm



Stand
STV-4
613 x 689 x 587 mm



Stand
STV-6
918 x 689 x 587 mm

Counter Top 2 Burners

STV-2

Dimension: 305 x 702 x 349.4 mm
Power: 30.000 BTU x 2
Pressure: 2.800 Pa
Gas Consumption (LPG): 0.56 m³/h
Weight: 34 kg

Counter Top 4 Burners

STV-4

Dimension: 610 x 702 x 349.4 mm
Power: 30.000 BTU x 4
Pressure: 2.800 Pa
Gas Consumption (LPG): 1.13 m³/h
Weight: 57 kg

Counter Top 6 Burners

STV-6

Dimension: 914.6 x 702 x 349.4 mm
Power: 30.000 BTU x 6
Pressure: 2.800 Pa
Gas Consumption (LPG): 1.69 m³/h
Weight: 80.5 kg

Cooking Stove 4 Burners

YSN-ST4

Dimension: 700 x 700 x (800+100) mm
Gas Consumption: 13.600 BTU/H x 4
Pressure: 2.800 Pa
Weight: 24 kg

Cooking Stove 6 Burners

YSN-ST6

Dimension: 1040 x 700 x (800+100) mm
Gas Consumption: 13.600 BTU/H x 6
Pressure: 2.800 Pa
Weight: 55 kg

Standing Gas Burner Low Pressure

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Gas Shawarma Salamander

Adjustable



Gas/Oven Salamander merupakan oven pemanggang dengan sistem inframerah pada bagian atas sehingga memberikan warna menarik pada bagian atas makanan serta membuat makanan lebih renyah.

SC-SA206

Dimension : 540 x 770 x 970 mm

Pressure: 2.800 Pa

Gas Consumption: 20.472,84 BTU/Hr

Power Dinamo: 14 Watt

Voltage Dinamo: 220V/50Hz

Capacity: 15 kg Meat

Weight: 23 kg

Electric Lift-Up Salamander

DSJ-600S

Dimension : 600 x 450 x 500 mm

Inner Dimension: 600 x 450 x 500 mm

Power: 4.000 Watt

Voltage: 220~240V/50Hz

Weight: 49 kg

Electric Salamander

SC-M1

Dimension: 610 x 310 x 280 mm

Inner Dimension: 460 x 260 x 190 mm

Size Rack: 450 x 250 mm

Power: 2.000 Watt

Voltage: 220V/50Hz

Weight: 10.8 kg

Gas Salamander

E-RMH-780S

Dimension: 880 x 440 x 610 mm

Gas Consumption: 24.000 BTU/Hr

Weight: 47.2 kg

Gas Rice Steamer

Low Pressure



Fitur: Body luar SS201 | Body dalam SS304 | Tray SS304 Food Grade

Fitur: Body luar & dalam SS201 | Tray SS304 Food Grade

MCR-8

Dimension: 710 x 660 x 1370 mm

Quantity of Trays: 8 Trays

Gas Consumption: 0.7~1.0 kg/h

Cooking Time: 25~50 min

Capacity: 24~32 kg

Water Capacity: 35~40 kg

Weight: 74 kg

MCR-12

Dimension: 710 x 660 x 1720 mm

Quantity of Trays: 12 Trays

Gas Consumption: 0.7~1.0 kg/h

Cooking Time: 25~50 min

Capacity: 36~48 kg

Water Capacity: 35~40 kg

Weight: 86 kg

MCR-24

Dimension: 1400 x 660 x 1720 mm

Quantity of Trays: 24 Trays

Gas Consumption: 1.4~2.0 kg/h

Cooking Time: 25~50 min

Capacity: 72~96 kg

Water Capacity: 35~40 kg

Weight: 160 kg

GRC-8

Dimension: 670 x 650 x 1340 mm

Quantity of Trays: 8 Trays

Gas Consumption: 1.4~2.0 kg/h

Steaming Time: 40~45 min

Capacity: 210 Litre

Water Capacity: 40 kg

Weight: 55 kg

GRC-12

Dimension: 670 x 650 x 1660 mm

Quantity of Trays: 12 Trays

Gas Consumption: 1.4~2.0 kg/h

Steaming Time: 40~45 min

Capacity: 292.5 Litre

Water Capacity: 40 kg

Weight: 67 kg

GRC-24

Dimension: 1405 x 650 x 1660 mm

Quantity of Trays: 24 Trays

Gas Consumption: 1.4~2.0 kg/h

Steaming Time: 40~45 min

Capacity: 585 Litre

Water Capacity: 80 kg

Weight: 129 kg

Gas Rice Cooker



3 Decks

GRC-150

Dimension: 708 x 706 x 1330 mm

Gas Consumption: 1.88 kg/h

Power: 45 Watt

Voltage: 220V/50Hz

Steaming Time: 28 ~ 35 Min

Weight: 125 kg

Commercial Rice Cooker

Low Pressure



CRC-35

Dimension: 585 x 480 x 440 mm

Cooking Rice: 8.5 kg

Pressure: 2.800 Pa

Weight: 12.5 kg

CRC-45

Dimension: 605 x 500 x 500 mm

Cooking Rice: 10 kg

Pressure: 2.800 Pa

Weight: 13.5 kg

CRC-65

Dimension: 680 x 580 x 515 mm

Cooking Rice: 15 kg

Pressure: 2.800 Pa

Weight: 19 kg

Food Warmer



11 Trays

CFW-11T

Dimension: 730 x 950 x 1860 mm

Capacity: 510 Litre

Power: 1.800 Watt

Temperature: 20 ~ 85°C

Voltage: 220V/50Hz

Weight: 120 kg

Seafood Steamer

Electric Bun Steamer

Griddle



SF-001

Dimension: 900 x 800 x 1800 mm
Power: 150 Watt
Voltage: 220V/50Hz
Power Gas: 150.000 BTU/Hr
Gas Consumption: 4.5 m³
Weight: 106 kg



EBS-100

Dimension: 390 x 430 x 750 mm
Power: 1.200 Watt
Voltage: 220V/50Hz
Capacity: 5 layers
Temperature: 30°~110°C
Fitur: Rectangular Glass and LED Light
Weight: 34 kg



ES-500

Dimension: 425 x 485 x 775 mm
Power: 1.500 Watt
Voltage: 220V/50Hz
Capacity: 5 layers
Temperature: 30°~110°C
Fitur: Double Layer Glass and LED Light
Weight: 23 kg



Gas Lava Rock Grill
E-RQH-600

Dimension: 600 x 650 x 470 mm
Pressure: 2.800 Pa
Gas Consumption: 55.200 BTU/Hr
Weight: 46 kg



Gas Griddle Counter Top
E-RQP-720A

Dimension: 540 x 470 x 280 mm
Hot-Plate Dim: 548 x 348 x 10 mm
Pressure: 2.800 Pa
Gas Consumption: 55.200 BTU/Hr
Material: All Stainless Steel,
Good looking, Energy Saving
Weight: 17 kg

Griddle

Counter Top Gas Char Broiler



Gas Style Griddle
(1/3 Flat & 2/3 Grooved)
E-RQP-722

Dimension: 730 x 530 x 270 mm
Hot-Plate Dim: 728 x 396 x 10 mm
Gas Consumption: 34.200 BTU/Hr
Weight: 23.5 kg



1 Burner
RQH-400

Dimension: 404 x 638 x 392 mm
Power: 30.000 BTU
Gas Consumption (LPG): 0.34 m³/h
Weight: 31 kg



2 Burners
RQH-600

Dimension: 604 x 638 x 392 mm
Power: 30.000 BTU x 2
Gas Consumption (LPG): 0.68 m³/h
Weight: 43.5 kg



3 Burners
RQH-900

Dimension: 904 x 638 x 392 mm
Power: 30.000 BTU x 3
Gas Consumption (LPG): 1.02 m³/h
Weight: 65 kg



4 Burners
RQH-1200

Dimension: 1204 x 638 x 392 mm
Power: 30.000 BTU x 4
Gas Consumption (LPG): 1.36 m³/h
Weight: 90 kg

Counter Top Gas Flat Griddle



RQP-400

Dimension: 456 x 638 x 392 mm
Griddle Dimension: 451.5 x 482 mm
Hot-Plate Thickness: 16 mm
Power: 30.000 BTU
Gas Consumption (LPG): 0.34 m³/h
Weight: 44.5 kg



RQP-600

Dimension: 604 x 638 x 392 mm
Griddle Dimension: 599.5 x 482 mm
Hot-Plate Thickness: 16 mm
Power: 30.000 BTU x 2
Gas Consumption (LPG): 0.68 m³/h
Weight: 72 kg



RQP-900

Dimension: 904 x 638 x 392 mm
Griddle Dimension: 899.5 x 482 mm
Hot-Plate Thickness: 16 mm
Power: 30.000 BTU x 3
Gas Consumption (LPG): 1.02 m³/h
Weight: 99 kg



RQP-1200

Dimension: 1204 x 638 x 392 mm
Griddle Dimension: 119.5 x 482 mm
Hot-Plate Thickness: 20 mm
Power: 30.000 BTU x 4
Gas Consumption (LPG): 1.36 m³/h
Weight: 126.5 kg



Electric Flat Griddle



EFG-300

Dimension: 480 x 300 x 230 mm
Power: 2.000 Watt
Voltage: 220V / 50Hz
Weight: 11 kg



EFG-818

Dimension: 550 x 405 x 220 mm
Power: 3.000 Watt
Voltage: 220V / 50Hz
Weight: 15 kg



EFG-820

Dimension: 730 x 530 x 210 mm
Power: 4.400 Watt
Voltage: 220V / 50Hz
Weight: 20 kg


Table Top Electric 4 Hot Plate Cooker



E-DTJ-700

Dimension: 600 x 605 x 340 mm
Power: 2000 Watt x 4
Voltage: 220V/50Hz
Weight: 20 kg

Induction Flat Cooker




Thermometer Stick



INC-BV3

Dimension: 460 x 360 x 235 mm
Power: 3.500 Watt
Voltage: 220V/50Hz
Temperature: 60° - 240°C
Weight: 7.75 kg

Induction Wok Cooker



Thermometer Stick



INC-BV7

Dimension: 510 x 376 x 200 mm
Power: 3.500 Watt
Voltage: 220V/50Hz
Temperature: 60° - 240°C
Weight: 8.25 kg

Induction Multi Cooker



IMB-CP1

Dimension: 505 x 800 x 215 mm
Power: 3.500 Watt x 2
Voltage: 220V/50Hz
Weight: 14.90 kg

Standing Induction Flat Cooker



IGR-4S

Dimension: 750 x 700 x 920 mm
Power: 3.500 Watt x 4
Voltage: 380V/50Hz (3 Phase)
Weight: 37.05 kg

Induction Kwali Range



*Electromagnetic Induction Heating

IKR-KA7

Dimension: 1000 x 850 x 1200 mm
Power: 8.000 Watt
Voltage: 380V/50Hz (3 Phase)
Weight: 55.25 kg

Electric Noodle Cooker



* with Thermostat

ENC-4

Dimension: 427 x 444 x 288 mm
Specification: 2 tank 4 basket
Power: 4.000 Watt
Temperature: 30° - 110°C
Voltage: 220V/50Hz
Weight: 7.15 kg

Automatic Lift-Up Noodle Cooker



Electric | 2 Tanks, 6 Baskets

ANC-6

Dimension: 550 x 750 x 1120 mm
Diameter Basket: 140 mm
Tank Capacity: 2 x 23 litre
Power: 12.000 Watt
Voltage: 380V/50Hz
Weight: 72 kg

Gas Pasta Cooker

Mesin pemasak mie / pasta



SC-4HX.R

Dimension: 400 x 700 x 980 mm
Gas Consumption: 56.500 BTU/Hr
Configuration: 1 tank 4 basket
Weight: 18 kg



SC-6HX.R

Dimension: 600 x 700 x 980 mm
Gas Consumption: 84.750 BTU/Hr
Configuration: 1 tank 6 basket
Weight: 22 kg

Vegetable Cutter




VC-300

Dimension: 595 x 260 x 550 mm
Input Power: 1.000 Watt
Voltage: 220V/50Hz
Weight: 23 kg



*Available 5 Knife



Meat Slicer

Mesin pengiris daging beku menjadi helaian daging tipis & halus
Ketebalan daging dapat disesuaikan sesuai kebutuhan



SEMI AUTO MEAT SLICER
220ES-8

Dimension: 450 x 378 x 350 mm
Blade Diameter: 220 mm
Meat Thickness: 0-15 mm
Power: 120 Watt
Voltage: 220V/50Hz
Weight: 14.5 kg



SEMI AUTO MEAT SLICER
250ES-10

Dimension: 500 x 414 x 355 mm
Blade Diameter: 250 mm
Meat Thickness: 0-15 mm
Power: 150 Watt
Voltage: 220V/50Hz
Weight: 15.5 kg



SEMI AUTO MEAT SLICER
300ES-12

Dimension: 554 x 460 x 523 mm
Blade Diameter: 300 mm
Meat Thickness: 0-15 mm
Power: 250 Watt
Voltage: 220V/50Hz
Weight: 21 kg



FULL AUTO MEAT SLICER
SL-330

Dimension: 550 x 490 x 660 mm
Blade Diameter: 300 mm
Meat Thickness: 0-6 mm
Power: 370 + 180 Watt
Voltage: 220V/50Hz
Weight: 46 kg

Milk Shake Machine



SC-EMS1

Dimension: 185 x 185 x 530 mm
Power: 150 Watt
Voltage: 220V/50Hz
Configuration: Single-End
Weight: 3 kg

Fructose Machine

(Mesin dispenser gula cair)



Full Auto
SC-FM16A

Dimension: 250 x 350 x 420 mm
Power: 340 Watt
Voltage: 220V/50Hz
Capacity: 7.5 litre
Weight: 4 kg

Bone Saw

Mesin pemotong daging



JG-210

Dimension: 480 x 590 x 900 mm
Voltage: 220V/50Hz
Power: 1.100 Watt
Bench Size: 380 x 500 mm
Blade Thick / Blade Length: 0.5 mm / 1650 mm
Cutting Thick / Cutting Height: 180 mm / 230 mm
Weight: 56 kg



JG-310

Dimension: 630 x 530 x 1120 mm
Voltage: 220V/50Hz
Power: 1.500 Watt
Bench Size: 610 x 440 mm
Blade Thick / Blade Length: 0.5 mm / 1980 mm
Cutting Thick / Cutting Height: 210 mm / 310 mm
Weight: 42 kg



Meat Grinder

Mesin penggiling daging



TC-12
Dimension: 380 x 210 x 430 mm
Power: 600 Watt
Capacity: 120 kg/h
Voltage: 220V/50Hz
Weight: 18 kg



TC-22
Dimension: 440 x 220 x 470 mm
Power: 1.100 Watt
Capacity: 220 kg/h
Voltage: 220V/50Hz
Weight: 23.5 kg



Hot Dog Roller



SC-7X
Specification: 7 rollers
Dimension: 565 x 330 x 420 mm
Voltage: 220V/50Hz
Power: 1.400 Watt
Weight: 12 kg



SC-7XD-W
Specification: 7 rollers + Rack
Dimension: 565 x 330 x 420 mm
Voltage: 220V/50Hz
Power: 1.400 Watt
Weight: 11 kg

Coffee Warmer



SC-CM2
Dimension: 360 x 180 x 80 mm
Power: 120 Watt
Voltage: 220V/50Hz
Weight: 1.6 kg

Commercial Coffee Grinder



CG-740
Dimension: 250 x 415 x 635 mm
Power: 450 Watt
Voltage: 220-240V/50-60Hz
Speed: 1.400 rpm
Capacity: 1.2 kg
Burr Diameter: 74 mm
Weight: 15 kg

Espresso Coffee Maker



CM6863
Dimension: 234 x 270 x 290 mm
Power: 850 Watt
Voltage: 220V/50Hz
Weight: 3.6 kg
Specification: 15 Bar or 20 Bar high pressure pump can make espresso & capuccino 1.6 litre Detachable transparent water tank With safety valve can release pressure automatically Die-casting aluminium alloy boiler.



EM-23
Dimension: 470 x 300 x 480 mm
Power: 1.500 Watt (steam) + 1.200 Watt (boiler)
Voltage: 220V/50Hz
Water Box: 3.8 litre
Boiler: 0.75 litre + Independent steam
Handle Size: 58 mm
Weight: 21.8 kg

Coffee Machine Double Heat



CF-DH2
Dimension: 760 x 520 x 460 mm
Power: 5.400 Watt
Voltage: 220V/50-60Hz
Extraction Boiler: 2 L x 2 / 1 Kw x 2
Water Tank: 10 L / 3 Kw



Commercial Smoothie Machine



SC-X385

Dimension: 190 x 220 x 500 mm
Capacity: 2 litre
Power: 1.500 Watt
Voltage: 220V/50Hz
Speed: 27.000 rpm
Weight: 5 kg

Pro Commercial Blender



BLM-2000

Dimension: 230 x 254 x 492 mm
Capacity: 2 litre
Power: 1.500 Watt
Voltage: 220V/50Hz
Speed: 26.000 rpm
Weight: 5.5 kg

Quiet Pro Commercial Blender



BLA-1500

Dimension: 210 x 274 x 449 mm
Capacity: 1.5 litre
Power: 1.500 Watt
Voltage: 220V/50Hz
Speed: 26.000 rpm
Weight: 7.5 kg



BLA-2000

Dimension: 234 x 251 x 534 mm
Capacity: 2 litre
Power: 1.500 Watt
Voltage: 220V/50Hz
Speed: 26.000 rpm
Weight: 7.9 kg

Crepe Machine



SC-DE-1

Dimension: 455 x 500 x 230 mm
Power: 3.000 Watt
Voltage: 220V/50Hz
Weight: 19 kg

Toaster



4 - SLICE BREAD TOASTER
ETS-4

Dimension: 325 x 285 x 250 mm
Power: 1.800 Watt
Voltage: 220V/50Hz
Time of Cook: 0-5 minutes
Weight: 6 kg



6 - SLICE BREAD TOASTER
ETS-6

Dimension: 460 x 285 x 250 mm
Power: 2.500 Watt
Voltage: 220V/50Hz
Time of Cook: 0-5 minutes
Weight: 7 kg

Contact Grill



CG-X211

Dimension: 320 x 395 x 220 mm
Voltage: 220V/50Hz
Power: 2.200 Watt
Weight: 18 kg

Square Waffle Baker



SC-U1

Dimension: 410 x 305 x 240 mm
Power: 2.000 Watt
Voltage: 220V/50Hz
Temperature: 50° ~ 300°C
Weight: 9.8 kg



Electric Waffle Baker



SC-X32B-1

Dimension: 250 x 450 x 270 mm
Power: 1.300 Watt
Voltage: 220V/50Hz
Temperature: 50° ~ 300°C
Weight: 5.4 kg

Dimension:



SC-X32B-2

Dimension: 500 x 450 x 270 mm
Power: 2.600 Watt
Voltage: 220V/50Hz
Temperature: 50° ~ 300°C
Weight: 10.4 kg

Popcorn Machine



SC-P04

Dimension: 540 x 380 x 730 mm
Power: 1.300 Watt
Voltage: 220V/50Hz
Weight: 17.5 kg

Electric Water Boiler

Mesin perebus air yang dapat disambungkan langsung ke keran air



ZK-1K
Dimension: 270 x 195 x 610 mm
Power: 2.000 Watt
Volume: 8 litre
Voltage: 220-240V/50-60Hz
Electric Current: 10A
Weight: 4.5 kg



ZK-15K
Dimension: 190 x 260 x 670 mm
Power: 3.000 Watt
Volume: 15 litre
Output: 50 L/H
Voltage: 220V/50Hz
Weight: 5.5 kg



ZK-3K
Dimension: 420 x 250 x 650 mm
Power: 3.000 Watt
Volume: 23 litre
Voltage: 220V/50-60Hz
Electric Current: 13.6A
Weight: 8.5 kg



ZK-6K
Dimension: 420 x 250 x 720 mm
Power: 6.000 Watt
Volume: 36 litre
Voltage: 380V/50-60Hz/3P
Electric Current: 9.2A
Weight: 10.5 kg



Water Boiler



Inner Plate



WB-15
Dimension: ϕ 270 x 440 mm
Power: 2.000 Watt
Volume: 15 litre
Voltage: 220-240V/50-60Hz
Weight: 2.4 kg



WB-20
Dimension: ϕ 270 x 550 mm
Power: 2.000 Watt
Volume: 20 litre
Voltage: 220-240V/50-60Hz
Weight: 2.7 kg



WB-30
Dimension: ϕ 320 x 550 mm
Power: 2.000 Watt
Volume: 30 litre
Voltage: 220-240V/50-60Hz
Weight: 3.3 kg



WB-40
Dimension: ϕ 320 x 600 mm
Power: 2.000 Watt
Volume: 40 litre
Voltage: 220-240V/50-60Hz
Weight: 3.7 kg

Soup Kettle

Electric Oden Cooker

Glass Curved Luxury
Bain Marie

30°C~80°C



6000A

Dimension: ϕ 320 x 365 mm
Power: 400 Watt
Voltage: 220-240V/50-60Hz
Capacity: 10 litre
Weight: 5.2 kg



OC-6L

Dimension: 310 x 360 x 300 mm
Power: 1.300 Watt
Voltage: 220V/50Hz
Capacity: 6 litre
Temperature: 60° ~ 300°C
Weight: 6 kg



OC-12L

Dimension: 570 x 360 x 300 mm
Power: 1.300 Watt + 1.300 Watt
Voltage: 220V/50Hz
Capacity: 12 litre
Temperature: 60° ~ 300°C
Weight: 12 kg



HHBWND-150

Dimension: 1515 x 1000 x (850+500) mm
Dimension Tray: 325 x 530 x 150 mm
Power: 3.000 Watt
Voltage: 220V/50Hz
Capacity: 4 x 12 litre
Temperature: 30° ~ 85°C
Weight: 109.5 Kg



Dish Washer



GT-U1M

Dimension: 600 x 775 x 825 mm (Min.) to 795 (Max.)
Wash tank heater: 4.500 Watt
Booster tank capacity: 4.53 Litre
Wash tank capacity: 23 Litre
Machine net weight: 68 kg
Wash pump: 620 Watt
Loading height: 310 mm
Machine capacity: 40 Racks / Hr
Water consumption: < 2 Litre / Rack
Rack size: 500 x 500 mm
Wash cycle time: 90 Sec
Electrical loading: 3.000 Watt (Alternative Heating)
Power supply: 415V / 50Hz / 3 Phase (7.5A) or 220V / 50Hz / 1 Phase (24A)



GT-DMIM/LE (1 Phase)

Dimension: 697 x 683 x 1620 mm
Wash tank heater: 2.000 Watt
Power supply: 230V / 50Hz / 1 Phase
Machine capacity: 37 or 50 Racks / Hr
Wash cycle time: 70 or 100 Sec (selectable)
Electrical loading: 3.000 Watt / 15A (Alternative Heating)



GT-DMIM/TC (3 Phase)

Dimension: 697 x 683 x 1620 mm
Wash tank heater: 3.000 Watt
Power supply: 415V / 50Hz / 3 Phase
Machine capacity: 45 or 60 Racks / Hr
Wash cycle time: 60 or 90 Sec (selectable)
Electrical loading: 13.000 Watt / 20A
Wash tank capacity: 36 Litre
Booster tank capacity: 10 Litre
Machine net weight: 128 kg
Wash pump / Rinse pump: 1.25 HP/YES
Loading height: 420 mm
Water consumption: < 2.4 Litre / Rack
Rack size: 500 x 500 mm



DWH-3P (3 Phase)

Dimension: 680 x 780 x 1355 mm
Wash tank heater: 9.000 Watt
Machine capacity: 1500 Plate / Hr
Wash cycle time: 40-285 sec (Default: 77)
Wash pump capacity: 42 Litre
Rinse pump capacity: 28 Litre
Rinse water consumption: 3 Litre / Min
Inlet opening height: 400 mm
Power supply: 380V / 50Hz / 3 Phase
Weight: 90 kg

Under Counter Glass and Dish Washer

Door Type Dish Washer

Door Type Dish Washer
* Made in Korea



Tray Sealer



Tray Size: 185 x 120 x 50 mm

Manual

TS-18

Dimension: 350 x 330 x 620 mm
Power: 400 Watt
Voltage: 220V/50Hz
Capacity: 300-400 Tray/Hr
Weight: 19.45 kg

Cup Sealer Machine



Diameter cup: 90 mm, 95 mm
High cup: 10 - 180 mm

Manual

SC-H9

Dimension: 225 x 270 x 650 mm
Power: 300 Watt
Voltage: 220V/50Hz
Capacity: 300-500 Cup/Hr
Weight: 9 kg



Diameter cup: 90 mm, 95 mm
High cup: 10 - 180 mm

Semi Auto

ET-A9

Dimension: 370 x 270 x 570 mm
Power: 380 Watt
Voltage: 220V/50Hz
Capacity: 300-500 Cup/Hr
Weight: 23.5 kg



Diameter cup: 90 mm, 95 mm
High cup: 10 - 180 mm

Full Automatic

ET-Q5

Dimension: 250 x 375 x 560 ~ 630 mm
Power: 360 Watt
Voltage: 220V/50Hz
Capacity: 300-500 Cup/Hr
Weight: 22.8 kg

Cup Sealer Machine



Diameter cup: 90 mm, 95 mm
High cup: 10 - 200 mm

Full Automatic

FCS-Q5

Dimension: 255 x 360 x 620 mm
Power: 420 Watt
Voltage: 220V/50Hz
Capacity: 500 Cup/Hr
Weight: 21 kg



Can be for 2 sizes

ACS-220

Dimension: 220 x 400 x 600 mm
Power: 140 Watt
Voltage: 220V/50Hz
Capacity: 3.600 Cup/Hr
Weight: 32 kg

Vacuum Machine



DZ-300 - Table Style

Dimension: 490 x 375 x 420 mm
Chamber Dimension: 380 x 320 x 60 mm
Sealing Length & Width: 300 x 10 mm
Voltage: 220V/50Hz
Motor Power: 370 Watt
Sealing Power: 400 Watt
Weight: 32.5 kg



DZ-400 - Table Style

Dimension: 490 x 540 x 540 mm
Chamber Dimension: 430 x 420 x 60 mm
Sealing Length & Width: 400 x 10 mm
Voltage: 220V/50Hz
Motor Power: 900 Watt
Sealing Power: 800 Watt
Weight: 59 kg

Hood Purifier



HP-1500

Dimension: 1500 x 1200 x 1000 mm
Purification Efficiency: 95%
Equipment Resistance: <600 Pa
Processing Air Volume: 6000 (M³/H)
Maximum Oil Fume Inlet Concentration: 12 MG/M³
Voltage: 220V/50Hz
Weight: 170 kg

Showcase Warmer

Menghangatkan Roti dan Aneka Kue

Fitur: Pintu sliding kaca | Menghangatkan kelembaban 60-80%

Jaga Kehangatan dan Tampilan Makanan Agar Tetap Menarik



Mesin Showcase Warmer merupakan salah satu mesin makanan yang memiliki kegunaan untuk memajang makanan. Mesin ini memiliki dua kegunaan yaitu memajang makanan dan juga sebagai penghangat makanan. Showcase warmer bermaterial kaca tebal dan juga transparan, sehingga display makanan akan mudah terlihat oleh customer.



FW-1P

Dimension: 350 x 420 x 520 mm
Power: 850 Watt
Voltage: 220V/50Hz
Temperature: 30° ~ 85°C
Weight: 18 kg





FW-600

Dimension : 600 x 415 x 540 mm
Volume: 80 litre
Power: 500 Watt
Voltage: 220V/50Hz
Temperature: 30° ~ 85°C
Weight: 20 kg



SWB-600

Dimension : 665 x 485 x 605 mm
Power: 1.840 Watt
Voltage: 220V/50Hz
Temperature: 30° ~ 85°C
Weight: 32 kg



SC-1P

Dimension: 385 x 490 x 605 mm
Power: 500 Watt
Voltage: 220V/50Hz
Temperature: 30° ~ 85°C
Weight: 14 kg

SC-2P

Dimension: 660 x 490 x 605 mm
Power: 800 Watt
Voltage: 220V/50Hz
Temperature: 30° ~ 85°C
Weight: 22 kg

SC-3P

Dimension: 955 x 490 x 605 mm
Power: 1.200 Watt
Voltage: 220V/50Hz
Temperature: 30° ~ 85°C
Weight: 29.7 kg

Mixer Series



Egg Mixer

B7
Dimension: 410 x 250 x 415 mm
Volume: 7 litre
Flour Capacity: 0.5 kg
Voltage: 220V/50Hz
Power: 350 Watt
Mixing Speed (R/Min): 0-780
Weight: 22 kg

Planetary Mixer

B10	B15	B20	B30
3 Speed			
Dimension: 450 x 360 x 630 mm	Dimension: 450 x 360 x 630 mm	Dimension: 520 x 400 x 750 mm	Dimension: 530 x 440 x 910 mm
Volume: 10 litre	Volume: 15 litre	Volume: 20 litre	Volume: 30 litre
Flour Capacity: 1 kg	Flour Capacity: 1.5 kg	Flour Capacity: 2 kg	Flour Capacity: 3 kg
Voltage: 220V/50Hz	Voltage: 220V/50Hz	Voltage: 220V/50Hz	Voltage: 220V/50Hz
Power: 450 Watt	Power: 500 Watt	Power: 750 Watt	Power: 1.100 Watt
Mixing Speed (R/Min): 110/178/390	Mixing Speed (R/Min): 110/178/390	Mixing Speed (R/Min): 105/180/408	Mixing Speed (R/Min): 105/180/408
Weight: 56 kg	Weight: 58 kg	Weight: 73 kg	Weight: 90 kg

Spiral Mixer



S10
Dimension: 550 x 340 x 530 mm
Volume: 10 litre
Flour Capacity: 4 kg
Voltage: 220V/50Hz
Power: 750 Watt
Mixing Speed (R/Min): 0-240
Weight: 48 kg

S20
Dimension: 730 x 390 x 900 mm
Volume: 20 litre
Flour Capacity: 8 kg
Voltage: 220V/50Hz
Power: 1.500 Watt
Mixing Speed (R/Min): 150/200
Weight: 90 kg

S30
Dimension: 750 x 435 x 900 mm
Volume: 30 litre
Flour Capacity: 12 kg
Voltage: 220V/50Hz
Power: 1.500 Watt
Mixing Speed (R/Min): 150/200
Weight: 100 kg

S60
Dimension: 880 x 510 x 970 mm
Volume: 60 litre
Flour Capacity: 25 kg
Voltage: 220V/50Hz
Power: 3.000 Watt
Mixing Speed (R/Min): 150/200
Weight: 180 kg

Horizontal Dough Mixer



HDM-15
Dimension: 670 x 520 x 690 mm
Bowl Size: 430 x 340 x 360 mm
Speed: 40 R/MIN
Capacity: 15 Kg
Power: 1.500 Watt
Voltage: 220V/50Hz
Weight: 60 Kg

HDM-25
Dimension: 770 x 580 x 730 mm
Bowl Size: 530 x 410 x 400 mm
Speed: 40 R/MIN
Capacity: 25 Kg
Power: 2.200 Watt
Voltage: 220V/50Hz
Weight: 78 Kg

Home Industry Deck Oven

(Galvanized Side Body, Full S/S Front Look)



Alas Oven



WITH
10 TRAYS
PROOFER

YXY-20LS

Specification: 1 deck 2 trays
Dimension: 1200 x 825 x 610 mm
Power: 100 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.4 m³/h
Weight: 100 kg

YXY-40LS

Specification: 2 decks 4 trays
Dimension: 1200 x 825 x 1164 mm
Power: 200 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.8 m³/h
Weight: 180 kg

YXY-60LS

Specification: 3 decks 6 trays
Dimension: 1200 x 825 x 1630 mm
Power: 300 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 1.2 m³/h
Weight: 260 kg

OP-20

Specification: 1 deck 2 trays (oven)
/ 10 trays (proofers)
Dimension: 1200 x 825 x 1377 mm
Power: 1.700 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.4 m³/h
Weight: 120 kg

Premium Gas Deck Oven

Full S/S Body



Alas Oven



YXY-20AS

Specification: 1 deck 2 trays
Dimension: 1200 x 825 x 610 mm
Power: 100 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.4 m³/h
Weight: 100 kg

YXY-30AS

Specification: 1 deck 3 trays
Dimension: 1625 x 825 x 610 mm
Power: 100 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.4 m³/h
Weight: 120 kg

YXY-40AS

Specification: 2 decks 4 trays
Dimension: 1200 x 825 x 1164 mm
Power: 200 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.8 m³/h
Weight: 180 kg

YXY-60AS

Specification: 3 decks 6 trays
Dimension: 1200 x 825 x 1630 mm
Power: 300 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 1.2 m³/h
Weight: 260 kg

SO-1PRO

Dimension: 455 x 700 x 670 mm
Chamber Size: 305 x 305 x 180 mm
Capacity: 17 Litre
Power: 3.200 Watt
Voltage: 220V/50Hz
Microwave: 2.450 MHz
Temperature: 50° ~ 280°C
Weight: 60 kg

Gas Oven Digital



Alas Oven



YXY-20DS

Specification: 1 deck 2 trays
Dimension: 1200 x 825 x 610 mm
Power: 100 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.4 m³/h
Weight: 100 kg

YXY-40DS

Specification: 2 decks 4 trays
Dimension: 1200 x 825 x 1164 mm
Power: 200 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 0.8 m³/h
Weight: 180 kg

YXY-60DS

Specification: 3 decks 6 trays
Dimension: 1200 x 825 x 1630 mm
Power: 300 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Consumption: 1.2 m³/h
Weight: 260 kg

Electric

Convection Oven



Electric 2 Trays



Electric 4 Trays

CO-2T

Dimension: 670 x 650 x 395 mm
Tray size: 318 x 440 mm
Power: 2.500 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Weight: 32 kg

CO-4T

Dimension: 595 x 530 x 570 mm
Tray size: 310 x 410 mm
Power: 2.200 Watt + 2.000 Watt
Temperature: 30° ~ 300°C
Voltage: 220V/50Hz
Weight: 39 kg

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Gas Pizza Oven

1 DECK 2 TRAYS



WP-20G

Dimension: 1200 x 825 x 610 mm
Power: 100 Watt
Temperature: 30° ~ 350°C
Voltage: 220V/50Hz
Consumption: 0.4 m³/h
Weight: 120 kg

Electric Pizza Oven

1 DECK 1 TRAY



EPL-1M

Dimension: 570 x 560 x 280 mm
Power: 2.000 Watt
Temperature: 350°C
Voltage: 220V/50Hz
Weight: 20 kg



EP-4E

Dimension: 900 x 750 x 460 mm
Power: 4.200 Watt
Temperature: 450°C
Voltage: 220V/50Hz
Weight: 75 kg



Pengaturan Suhu **Lebih Akurat,**
Panas **Lebih Cepat dan Merata**

Luxurious Gas Oven



NFR-40H

Specification: 2 decks 4 trays
Dimension: 1480 x 1190 x 1695 mm
Voltage: 220V/50Hz
Gas Consumption: 0.75 kg/h
Power: 2.000 Watt
Weight: 420 kg

NFR-60H

Specification: 3 decks 6 trays
Dimension: 1480 x 1190 x 1815 mm
Voltage: 220V/50Hz
Gas Consumption: 1 kg/h
Power: 3.000 Watt
Weight: 603 kg



NFR-90H

Specification: 3 decks 9 trays
Dimension: 1940 x 1190 x 1815 mm
Voltage: 220V/50Hz
Gas Consumption: 1.2 kg/h
Power: 3.000 Watt
Weight: 785 kg

NFR-120H

Specification: 2 decks 4 trays
& 8 trays Proofer
Dimension: 1480 x 1190 x 1975 mm
Voltage: 220V/50Hz
Gas Consumption: 1.2 kg/h
Power: 3.000 Watt
Weight: 480 kg

Rotary Oven



X-12Q

Dimension: 1250 x 1780 x 1890 mm
Specification: 12 trays
Voltage: 380V
Power: 2.500 Watt
Tray size: 460 x 720 mm
Weight: 1300 kg



X-16Q

Dimension: 1420 x 2290 x 2740 mm
Specification: 16 trays
Voltage: 380V
Power: 3.300 Watt
Tray size: 460 x 720 mm
Weight: 1550 kg

X-32Q

Dimension: 1680 x 2620 x 2740 mm
Specification: 32 trays
Voltage: 380V
Power: 3.500 Watt
Tray size: 460 x 720 mm
Weight: 1800 kg

X-64Q

Dimension: 2250 x 3225 x 2740 mm
Specification: 64 trays
Voltage: 380V
Power: 4.500 Watt
Tray size: 460 x 720 mm
Weight: 2750 kg

CRO-16Q

Dimension: 1420 x 2320 x 2440 mm
Voltage: 380V
Power: 3.300 Watt
Tray size: 460 x 720 mm
Weight: 1550 kg

CRO-32Q

Dimension: 1680 x 2600 x 2440 mm
Voltage: 380V
Power: 3.500 Watt
Tray size: 460 x 720 mm
Weight: 1800 kg

CRO-64Q

Dimension: 2600 x 2800 x 2500 mm
Voltage: 380V
Power: 4.500 Watt
Tray size: 460 x 720 mm
Weight: 2750 kg



Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Standard Proofer

Not Include Tray

16 TRAYS



*Analog

MP-16T

Dimension: 500 x 695 x 2015 mm
Tray size: 600 x 400 mm
Power: 1.600 Watt
Temperature: 30° - 85°C
Voltage: 220V/50Hz
Specification: 16 trays
Weight: 55 kg

32 TRAYS



*Analog

MP-32T

Dimension: 1020 x 695 x 2015 mm
Tray size: 600 x 400 mm
Power: 1.800 Watt
Temperature: 30° - 85°C
Voltage: 220V/50Hz
Specification: 32 trays
Weight: 87 kg

16 TRAYS



*Analog

KMP-16T

Dimension: 500 x 690 x 1730 + 70 mm
Power: 2.200 Watt
Voltage: 220V/50Hz
Temperature: 20° ~ 60°C
Specification: 16 trays
Weight: 41 kg

32 TRAYS



*Analog

KMP-32T

Dimension: 1000 x 690 x 1730 + 70 mm
Power: 2.200 Watt
Voltage: 220V/50Hz
Temperature: 20° ~ 60°C
Specification: 32 trays
Weight: 64 kg

Luxury Proofer

16 TRAYS



F-16PS

Dimension: 595 x 980 x 1990 mm
Power: 2.800 Watt
Voltage: 220V/50Hz
Temperature: 36° - 38°C
Specification: 16 trays
Weight: 153 kg

32 TRAYS



F-32PS

Dimension: 795 x 1180 x 1990 mm
Power: 3.300 Watt
Voltage: 220V/50Hz
Temperature: 36° - 38°C
Specification: 32 trays
Weight: 270 kg

16 TRAYS



F-16SC

Dimension: 595 x 980 x 2110 mm
Power: 3.300 Watt
Voltage: 220V/50Hz
Temperature Range: 0° ~ 50°C
Optimal Temperature: 36° ~ 38°C
Specification: 16 trays
Weight: 195 kg

32 TRAYS



F-32SC

Dimension: 795 x 1180 x 2110 mm
Power: 3.300 Watt
Voltage: 220V/50Hz
Temperature Range: 0° ~ 50°C
Optimal Temperature: 36° ~ 38°C
Specification: 32 trays
Weight: 259 kg

Trolley Bakery

15 TRAYS



TB-15

Specification: 15 trays
Dimension: 610 x 465 x 1860 mm

Buat Pengalaman Bakery
Jauh Lebih Mudah dengan Crown Horeca

Note: Desain & Spesifikasi dapat berubah sewaktu-waktu tanpa pemberitahuan.

Convection Oven

5 TRAYS

10 TRAYS



Electric
C-5D

Dimension: 850 x 1090 x 800 mm
Tray size: 400 x 600 mm
Power: 7.600 watt
Voltage: 380V/50Hz
Temperature: 300°C
Capacity: 5 trays
Weight: 153 kg

Electric
C-10D

Dimension: 850 x 1090 x 1300 mm
Tray size: 400 x 600 mm
Power: 15.000 watt
Voltage: 380V/50Hz
Temperature: 300°C
Capacity: 10 trays
Weight: 175 kg

Gas
C-5Q

Dimension: 800 x 1100 x 755 mm
Tray size: 400 x 600 mm
Power: 500 watt
Voltage: 220V/50Hz
Temperature: 300°C
Capacity: 5 trays
Weight: 153 kg

Gas
C-10Q

Dimension: 800 x 1100 x 1260 mm
Tray size: 400 x 600 mm
Power: 800 watt
Voltage: 220V/50Hz
Temperature: 300°C
Capacity: 10 trays
Weight: 255 kg

Bread Slicer

(Full S/S Material)

Dough Sheeter

Table Top Dough Sheeter

Toast Moulder



P-31

Dimension: 650 x 520 x 580 mm
Specification: 31 Blades
Slicer Thickness: 12 mm
Power: 370 Watt
Voltage: 220V/50Hz
Weight: 57 kg

YSN-520L

Dimension: 2540 x 950 x 1235 mm
Conveyor Belt Size: 500 x 2000 mm
Roller Range: 1-50 mm
Power: 750 Watt
Voltage: 220V/50Hz
Weight: 210 kg

DSH-520A

Dimension: 2280 x 880 x 680 mm
Fold Dimension: 880 x 680 x 705 mm
Conveyor Belt Size: 500 x 1800 mm
Power: 550 Watt
Roll Gap: 1-35 mm
Max Roll Weight: 5 kg
Weight: 115 kg

Z-380

Dimension : 1400 x 670 x 1120 mm
Power : 750 Watt
Voltage : 220V/50Hz
Weight : 190 Kg

Dough Divider

Manual
36 pcs / Time

30 Pcs / Time

30 Pcs / Time



MDD-36SD

Dimension: 595 x 710 x 1425 + 413 mm
Dough Weight: 30 - 140 g/pcs
Weight: 78 kg

SDD-30D

Dimension: 785 x 693 x 1400 + 640 mm
Dough Weight: 30 - 100 g/pcs
Power: 750 Watt
Voltage: 220V/50Hz
Weight: 340 kg

YSN-Q30

Dimension: 725 x 575 x 1360 + 740 mm
Dough Weight: 30-100 g/pcs
Power: 750 Watt
Voltage: 220V/50Hz
Weight: 320 kg



Automatic Cookies Machine

Modifikasi sesuai dengan kebutuhan produksi anda



189 (1 color)

Dimension: 1500 x 1000 x 1400 mm
Number of nozzle: 8-10
Capacity: 20-30 stroke/min
Power: 2000 Watt
Voltage: 220V/50Hz
Baking tray width: 400-460 mm
Weight: 400 kg



Breadline Machine

Modifikasi sesuai dengan kebutuhan produksi anda



1520 BS

Dimension: 1470 x 1210 x 1690 mm
Power: 5620 Watt
Electrical Power: 8.360 Watt
Electrical Voltage: 220V or 380V
Motor: 3 phase
Weight: 906 kg
Capacity: 1000-1200 Pcs/Hr
Max Prod Cap: 7000 pcs/hr



Custom Stainless Steel

Modifikasi ukuran & desain dapat disesuaikan dengan permintaan

Catalogue 2026



Gas Stock Pot System

Panjang	Lebar	Tinggi
500	500	500

- Plat SS HL 201 Tebal 1.0 mm
- 1 Burner High Pressure
- Tungku 500 x 500 mm
- Adjustable feet



Gas Stock Pot

Panjang	Lebar	Tinggi
500	500	500

- Plat SS HL 201 Tebal 1.0 mm
- 1 Burner High Pressure
- Tungku 500 x 500 mm
- Adjustable feet




Hotbox

Dimension:
930 x 700 x 1800 mm



**Cocktail Station
w/ Sink w/Faucet**

Panjang	Lebar	Tinggi
1000	750	850/1000
1200	750	850/1000
1500	750	850/1000



Cocktail Station

Panjang	Lebar	Tinggi
1000	750	850/1000
1200	750	850/1000
1500	750	850/1000



Bubble Tea Cabinet

Dimension:
2000 x 750 x 850 + 50 mm



Bubble Tea Cabinet

Dimension:
2000 x 750 x 850 + 50 mm



Hand Sink with Faucet

Panjang	Lebar	Tinggi
500	400	200



SS Single Sink Left

Bowl standart 500 x 500 x 300

Panjang	Lebar	Tinggi
900	750	850
1000	750	850
1200	750	850



SS Double Sink Left

Bowl standart 500 x 500 x 300

Panjang	Lebar	Tinggi
1500	750	850
1800	750	850
2000	750	850



SS Double Sink

Bowl standart 500 x 500 x 300

Panjang	Lebar	Tinggi
900	750	850
1000	750	850
1200	750	850
1500	750	850



SS Landing Dish Table

Panjang	Lebar	Tinggi
1500	750	900
1800	750	900
2000	750	900



SS Work Table w/ Under Shelf

Panjang	Lebar	Tinggi
900	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850



*with double over shelf

Working Table w/ Under Shelf

Panjang	Lebar	Tinggi
1000	750	850/750
1500	750	850/750
2000	750	850/750



SS Cabinet Sliding Door with Back Splash

Panjang	Lebar	Tinggi
900	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850



SS Cabinet Sliding Door

Panjang	Lebar	Tinggi
900	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850



Wall Cupboard Sliding Doors

Panjang	Lebar	Tinggi
1000	400	600
1200	400	600
1400	400	600



Open Wall Cupboards

Panjang	Lebar	Tinggi
600	400	800
800	400	800
1000	400	800



Gutter Grill

Dimension:
2000 x 250 mm



Prerinse

Tinggi
1118 mm



Cold Faucet

Hot & Cold Faucet

Faucet

Cold Faucet Tinggi	Hot & Cold Faucet Tinggi
350 mm	350 mm

*Stainless Steel 304



SS Wall Shelf & Pipe

Panjang	Lebar	Tinggi
900	300	250
1000	300	250
1200	300	250
1500	300	250
1800	300	250
2000	300	250



Grease Trap

Panjang	Lebar	Tinggi
400	300	250
500	400	250
600	400	250



SS Exhaust Hood

Panjang	Lebar	Tinggi
1100	1000	600
1500	1000	600



Service Trolley 2 Shelf

Panjang	Lebar	Tinggi
900	600	800



Load Transfer Trolley / Luggage Trolley

Panjang	Lebar	Tinggi
600	900	900



Mobile Table

Panjang	Lebar	Tinggi
1500	700	850
2000	700	850



SS Slotted Rack

Panjang	Lebar	Tinggi
1000	500	1550
1200	500	1550
1500	500	1550
1800	500	1550
2000	500	1550



SS Solid Rack

Panjang	Lebar	Tinggi
1000	500	1550
1200	500	1550
1500	500	1550
1800	500	1550
2000	500	1550

* Tanpa plat bawah

Kaki Oven

Panjang	Lebar	Tinggi
1000	750	850/750
1200	750	850/750
1500	750	850/750
1800	750	850/750
2000	750	850/750



* Dengan plat bawah

Kaki Oven

Panjang	Lebar	Tinggi
1000	750	850/750
1200	750	850/750
1500	750	850/750
1800	750	850/750
2000	750	850/750



Rekomendasi Suhu Penyimpanan Makanan

Untuk mendapatkan produk segar dan daya simpan yang lebih lama, selain suhu yang tepat, kelembaban (humidity) juga memegang peranan penting. Produk hortikultura (buah, sayur-sayuran, jamur), daging segar, ikan, kue dan sebagainya yang mendapatkan suhu tepat tapi dengan kelembaban rendah (<40% RH) akan membuat produk hortikultura cepat layu, ikan segar, daging dan kue menjadi kering, sehingga tidak mempunyai daya tarik jual. Konsultasikanlah kepada kami untuk memperoleh unit yang tepat.

Tabel di bawah ini tips untuk mendapatkan suhu dan kelembaban yang tepat. Sedangkan untuk makanan beku akan relatif tidak terpengaruh terhadap kelembaban.

No	ITEMS / PRODUCTS	TEMPERATURE (°C)	RH / HUMIDITY (%)
1	DAGING SEGAR	-2~0	80 ~ 90
2	SEAFOOD (IKAN, UDANG, KERANG)	-2	95 ~ 100
3	DAIRY PRODUCT (KEJU, SUSU, YOGURT)	0	-
4	JUS BUAH-BUAHAN	-2 ~ 0	-
5	FRENCH FRIES (KENTANG BEKU)	10 ~ 0	-
6	BUAH & SAYURAN BEKU	10 ~ 0	-
7	DAGING BEKU	-20	-
8	ICE CREAM	-20	-
9	IKAN (SEAFOOD) BEKU	-20	-
10	TUNA BEKU	-40 ~ -60	-
11	DAGING SAPI PREMIUM	-40 ~ -50	-
12	BUNGA	8 ~ 16	70 ~ 75
13	SAYUR-SAYURAN	6 ~ 8	80 ~ 90
14	KUE	4 ~ 8	60 ~ 70
15	DURIAN (MATANG)	4 ~ 6	80 ~ 90
16	BUAH-BUAHAN UMUMNYA	4 ~ 6	80 ~ 90
17	COKLAT	15 ~ 18	50 ~ 60
18	PISANG, DURIAN (1/2 MATANG)	14 ~ 16	80 ~ 90
19	JAMUR	0	90 ~ 95
20	ANGGUR, KURMA SEGAR, APRICOT	0	80 ~ 90

ISO 9001:2015 Certification




Product Warranty





Specialist in Commercial Kitchen
Refrigeration, Food Processing & Bakery Equipment

OUR SERVICE NETWORK



HEAD OFFICE

Sentra Industri Terpadu 1 & 2
Blok E2-8, Jl. Pantai Indah Selatan,
Kamal Muara, Penjaringan
Jakarta Utara 14470

Jakarta

WEST JAVA BRANCH

Jl. Simpang Utara No.8A,
Kertajaya, Kec. Padalarang,
Kab. Bandung Barat
Jawa Barat 40553

Bandung

CENTRAL JAVA BRANCH

Jl. Adi Sumarmo No.91, Nusukan,
Kec. Banjarsari, Kota Surakarta
Jawa Tengah 57135

Solo

EAST JAVA BRANCH

Tanrise West Gate Diamond B.21
Wedi, Kec. Gedangan, Kab. Sidoarjo
Jawa Timur 61254

Surabaya

SOUTH SULAWESI BRANCH

Pattene 88, Cluster Green River
Blok B No.11
Maros 90552

Makassar

NORTH SUMATRA BRANCH

MMTC Logistik 2 Blok B9
Jl. Selamat ketaren,
Kec. Percut Sei Tuan,
Kab. Deli Serdang
Sumatera Utara 20371

Medan



www.crownhoreca.com