

VOL.01

CATALOGUE



JAKARTA HEAD OFFICE

Komplek Pergudangan Nusa Indah Blok B No. 37
Jl. Husein Sastranegara, Jurumudi, Kec. Benda
Tangerang 15124 Banten
Tel. Hotline : 021-5409590, 5409591, 5409592, 5409593
5409594, 5409595
Fax : 021-5400761

SURABAYA BRANCH

Pergudangan Sinar Gedangan Blok A No. 18
Gemurung, Kec. Gedangan
Sidoarjo 61254 Jawa Timur
Tel. : 031-35910000

@starcool_id

@starchef_id

@Starcool_Starchef

WA : 081298503777

ABOUT US

Empowering the Food and Retail Industry in Indonesia for Over 30 Years

PT. Wahana Satria Abadi is the proud owner of **Starcool**, a trusted Indonesian brand specializing in commercial refrigeration equipment. With over three decades of experience, we have become a leading provider of cooling solutions for the country's top ice cream manufacturers, restaurant groups, cafés, bakeries, and hospitality businesses. Our Starcool range is locally designed with a deep understanding of the Indonesian food service market—offering reliable, energy-efficient, and cost-effective refrigeration solutions for everyday operations.

Beyond our proprietary brand, we are also the exclusive distributor and importer of globally respected names in refrigeration—Liebherr from Germany, Daiwa from Japan, and Afinox from Italy—bringing premium international technology and standards into the Indonesian market. Our commitment to quality does not stop at refrigeration; we also offer a range of professional cooking equipment under our Starchef brand. Like Starcool, Starchef is a homegrown Indonesian brand built with a focus on durability, efficiency, and value—tailored to meet the evolving needs of commercial kitchens.

Our long-standing presence in the industry reflects not just our product expertise, but also our customer-first philosophy. Over the decades, we have proudly supported the growth of major restaurant chains, top ice cream producers, bakeries, and foodservice operations. As we move forward into 2025 and beyond, PT. Wahana Satria Abadi remains committed to delivering value-driven, high-quality solutions that empower the food industry and raise the standard of food storage and preparation in Indonesia.



Driving Success for Professional Kitchens and Retail Spaces



“

VISION

To enhance the quality of life for all Indonesians by improving the way food is stored and served—ensuring freshness, safety, and efficiency through reliable, professional refrigeration and cooking solutions.

MISSION

To become the leading provider of commercial refrigeration and foodservice equipment in Indonesia, offering exceptional value through a combination of affordable pricing, durable quality, and outstanding service that supports long-term success for our clients.

STRATEGY

- Offer **affordable, high-quality** products tailored to real kitchen and commercial needs
- Focus on **durable design, energy efficiency & practical functionality**
- Support our customers with **responsive service, technical expertise, and genuine spare parts**
- Combine the strength of **Indonesian local brands** (Starcool & Starchef) with **global innovation**

”

“ Starcool “

Starcool is a trusted Indonesian-owned brand delivering professional and reliable commercial refrigeration solutions. Designed with deep local insight, our products meet the specific needs of Indonesia's food and retail businesses. Offering exceptional quality at an affordable price, Starcool delivers true value for money without compromising performance



“



Catalogue Starcool

GREAT REASONS TO CHOOSE



“Affordable Quality” – More Than Just a Motto, It’s Our Promise.

1 **PRICE AFFORDABILITY**

Starcool is built on the principle that quality commercial refrigeration shouldn’t come at an unreasonable cost. We carefully engineer and source our products to deliver excellent performance and durability at prices that are accessible for businesses of all sizes—from local bakeries and cafés to large restaurant chains. With Starcool, you get more value without compromising your budget.

2 **RELIABLE AND QUALITY CONTROL**

Consistency is key in commercial operations, and Starcool products are known for their long-lasting reliability. Every unit is subjected to strict quality control standards, ensuring durability and stable performance even in high-demand environments. Our customers can count on equipment that performs day in and day out, minimizing downtime and maintenance concerns.

3 **FLEXIBILITY ON IMPROVEMENT AND CUSTOMIZATIONS**

Being a local Indonesian brand gives us the flexibility to listen to our customers and adapt quickly. We are open to product customizations and continuously improve our designs based on user feedback and market trends. Whether it's shelving adjustments, size modifications, or functional upgrades, Starcool can deliver tailored solutions to meet your business needs.

4 **VAST RANGE OF PRODUCTS**

From upright chillers and cake showcases to undercounter freezers and specialized bar units, Starcool offers a comprehensive range of refrigeration equipment to support every corner of your foodservice operation. Whether you're just starting out or expanding your business, you'll find a Starcool product to match your exact requirements.

5 **CONSISTENT PRODUCT RANGE AND QUALITY**

We take pride in maintaining a consistent product lineup that simplifies your procurement and replacement planning. You can rely on Starcool not only for availability, but also for steady quality across the entire range—ensuring compatibility, familiar usage, and dependable results over time.






FEATURES	SF 510	SF 600	SF 750D	SF 1100D
Gross Capacity	510 L	600 L	750 L	1100 L
Net Capacity	435 L	503 L	670 L	868 L
Temperature	-18 to -22°C	-18 to -22°C	-18 to -22°C	-18 to -22°C
External Dimensions (mm) W x D x H	1535 x 740 x 825	1655 x 740 x 850	2075 x 750 x 850	2025 x 910 x 950
Weight	75 Kg	87 Kg	98 Kg	121 Kg
Compressor	Huayi	Huayi	Huayi	Huayi
Refrigerant	R600a	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	180 Watt	210 Watt	285 Watt	470 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	1	2	2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical
Door	Single Door	Double Doors	Double Doors	Double Doors
Castor Wheels	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes
LED Light	Yes	Yes	Yes	Yes
Internal Wall	Aluminium	Aluminium	Aluminium	Aluminium





FLAT GLASS

FREEZER

**1**
YEAR
WARRANTY

FEATURES	DF 651
Gross Capacity	651 L
Net Capacity	471 L
Temperature	-18 to -22°C
External Dimensions (mm) W x D x H	1800 x 675 x 830
Weight	99 Kg
Compressor	Embraco
Refrigerant	R290
System	Static, Manual Defrost
Input Power	242 Watt
Voltage / Frequency	220V / 50Hz
Basket Included	6
Temperature Display	Yes, Digital
Thermostat Controller	Mechanical
Door	Sliding Flat Glass
Castor Wheels	Yes
Lock	Yes
LED Light	Not Available
Internal Wall	PCM White Steel
Steel Bottom Plate	Not Available



ISLAND FREEZER

**1**
YEAR
WARRANTY

FEATURES	SD 750
Capacity	750 L
Temperature	-18 to -22°C
External Dimensions (mm) W x D x H	2036 x 936 x 770
Weight	132 Kg
Compressor	Huayi, Dual (2x) Compressors
Refrigerant	R134a
System	Static, Manual Defrost
Input Power	450 Watt
Voltage / Frequency	220V / 50Hz
Basket Included	6
Temperature Display	Yes, Digital
Thermostat Controller	Mechanical
Door	Sliding Flat Glass
Castor Wheels	Yes
Lock	Not Available
LED Light	Not Available
Internal Wall	PCM White Steel



CURVE GLASS

FREEZER



1
YEAR
WARRANTY



FEATURES	DF 500J	DF 700J	DF 152	DF 182	DF 280	DF 330
Gross Capacity	500 L	700 L	152 L	182 L	280 L	330 L
Net Capacity	307 L	446 L	110 L	136 L	218 L	315 L
Temperature	8 to -22°C	8 to -22°C	-18 to -22°C	-18 to -22°C	-18 to -22°C	-18 to -22°C
External Dimensions (mm)	1475 x 757 x 858	2000 x 757 x 858	584 x 694 x 940	756 x 656 x 925	986 x 656 x 839	1224 x 654 x 839
Weight	80 Kg	105 Kg	53 Kg	55 Kg	64 Kg	85 Kg
Compressor	Donper	Huayi	Huayi	Huayi	Huayi	Huayi
Refrigerant	R290	R290	R600a	R600a	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	408 Watt	530 Watt	190 Watt	190 Watt	253 Watt	253 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	6	5	1+1	3	4	5
Temperature Display	Yes, Digital	Yes, Digital	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes
LED Light	Yes	Yes	Yes	Yes	Yes	Yes
Internal Wall	PCM White Steel	PCM White Steel	PCM White Steel	PCM White Steel	PCM White Steel	PCM White Steel
Steel Bottom Plate	Not Available	Yes	Yes	Yes	Yes	Yes



1
YEAR
SERVICE & PARTS
WARANTY

&

3
YEARS
COMPRESSOR
WARANTY

*Product specifications are subject to change without further notice

CATALOGUE 2026-2027 | CURVE GLASS FREEZER

13

star

COOL

SHOWCASE CHILLER

1

YEAR WARRANTY

14

FEATURES	UDC-1000L (Top Mounted)	UDC-1600L (Top Mounted)	UF 440E (Bottom Mounted)	UF 750E (Bottom Mounted)	UF 1000B (Bottom Mounted)	UF 1200B (Bottom Mounted)
Capacity	1000 L	1576 L	440 L	750 L	1000 L	1200 L
Temperature	1 to 10°C	1 to 10°C	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	1155 x 735 x 2090	1736 x 735 x 2090	680 x 660 x 1970	950 x 690 x 2000	1110 x 690 x 2079	1600 x 610 x 1973
Weight	150 Kg	195 Kg	77 Kg	99 Kg	138 Kg	180 Kg
Compressor	Embraco	Embraco	Donper	Donper	Donper	Donper
Refrigerant	R290	R290	R290	R134a	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	420 Watt	490 Watt	230 Watt	390 Watt	470 Watt	555 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	7 + 7	7 + 7 + 7	4	4 + 4	4 + 4	4 + 4 + 4
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital	Digital
Door	Double Doors	Triple Doors	Single Door	Double Doors	Double Doors	Triple Doors
Glass Door Feature	Low-E Glass Film	Low-E Glass Film	Hot-Air Blower	Hot-Air Blower	Hot-Air Blower	Hot-Air Blower
Castor Wheels	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes
LED Light	Yes	Yes	Yes	Yes	Yes	Yes
Lightbox	Not Available	Not Available	Yes	Yes	Yes	Yes
Machine Compartment	Top Mounted	Top Mounted	Bottom Mounted	Bottom Mounted	Bottom Mounted	Bottom Mounted
Self-Evaporation System	No, Manual Drain	No, Manual Drain	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe

13

CATALOGUE 2026-2027 | SHOWCASE CHILLER TOP MOUNTED

*Product specifications are subject to change without further notice

CATALOGUE 2026-2027 | SHOWCASE CHILLER BOTTOM MOUNTED

14



UPRIGHT SHOWCASE
FREEZER



1
YEAR
WARRANTY

FEATURES	UDF 415J (Bottom Mounted)
Gross Capacity	415 L
Net Capacity	373 L
Temperature	-18 to -22°C
External Dimensions (mm) W x D x H	660 x 745 x 2090
Weight	133 Kg
Compressor	Embraco
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	633 Watt
Voltage / Frequency	220V / 50Hz
Shelves Included	7
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Door	Single Door
Glass Door Feature	Triple Layer Glass with Heater
Castor Wheels	Yes
Lock	Yes
LED Light	Yes
Lightbox	Yes
Machine Compartment	Bottom Mounted
Self-Evaporation System	Yes, Hot Condenser Pipe



MULTIDECK
OPEN SHOWCASE



FEATURES	MD 10J	MD 13J	MD 19J	MD 25J
Capacity	460 L	610 L	920 L	1230 L
Temperature	1 to 10°C	1 to 10°C	1 to 10°C	1 to 10°C
External Dimensions (mm)	980 x 750 x 1930	1280 x 750 x 1930	1890 x 750 x 1930	2500 x 750 x 1930
Weight	208 Kg	242 Kg	355 Kg	450 Kg
Compressor	Boyard, Scroll Type	Secop	Gree, Scroll Type	Gree, Scroll Type
Refrigerant	R404A	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	2372 Watt	2493 Watt	3674 Watt	4132 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	5	5	5	5
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Door	Not Available	Not Available	Not Available	Not Available
Glass Door Feature	Not Available	Not Available	Not Available	Not Available
Castor Wheels	Not Available	Not Available	Not Available	Not Available
Lock	Not Available	Not Available	Not Available	Not Available
LED Light on Shelvings	Yes	Yes	Yes	Yes
Lightbox	Yes	Yes	Yes	Yes
Night Curtain	Yes	Yes	Yes	Yes
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



MID HEIGHT
OPEN SHOWCASE



1
YEAR
WARRANTY

FEATURES	FM 760J
Capacity	176 L
Temperature	1 to 10°C
External Dimensions (mm) W x D x H	760 x 600 x 1500
Weight	120 Kg
Compressor	Secop
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	828 Watt
Voltage / Frequency	220V / 50Hz
Shelves Included	3
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Door	Not Available
Glass Door Feature	Not Available
Castor Wheels	Not Available
Lock	Not Available
LED Light on Shelvings	Yes
Lightbox	Not Available
Night Curtain	Yes
Self-Evaporation System	No, Manual Drain



LOW HEIGHT
OPEN SHOWCASE



1
YEAR
WARRANTY

FEATURES	SM14J-OS	SM20J-OS
Capacity	190 L	280 L
Temperature	-1 to 5°C	-1 to 5°C
External Dimensions (mm) W x D x H	1330 x 1100 x 860	1955 x 1100 x 860
Weight	165 Kg	215 Kg
Compressor	Secop	Secop
Refrigerant	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	1078 Watt	1107 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	Not Available	Not Available
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	Not Available	Not Available
Glass Door Feature	Not Available	Not Available
Castor Wheels	Not Available	Not Available
Lock	Not Available	Not Available
LED Light	Yes	Yes
Lightbox	Not Available	Not Available
Night Curtain	Yes	Yes
Self-Evaporation System	No, Manual Drain	No, Manual Drain

starCOOL

STARCOOL CAKE

SHOWCASE RANGE



“

Elegant Display. Reliable Cooling. Affordable Quality.

At Starcool, we believe that cakes and desserts deserve to be showcased with elegance and preserved with precision. Our Cake Showcase Range is thoughtfully designed to enhance product visibility, maintain ideal temperature, and elevate the overall presentation—making it the preferred choice for bakeries, cafés, patisseries, and dessert shops across Indonesia. With more than 30 years of experience in commercial refrigeration, we understand what businesses need: dependable performance at an affordable price.



Our product line includes a wide variety of designs to suit different interiors and operational requirements, such as **square glass cake showcases, frameless models for a sleek modern look, jewelry-style cake displays, curved glass designs,** and even **open-front cake showcases** for easy access. We also offer **countertop cake displays**, available in both **chiller** and **heater** configurations—ideal for both cold desserts and warm pastries. Each unit is equipped with a no-frost cooling system, energy-efficient lighting, and high-quality materials to ensure durability and functionality in daily operation.

Cake Showcase Customization

for Your Business Needs.

What sets Starcool apart is our flexibility and customer-first approach. We proudly offer **custom-built cake showcases** tailored to our clients' specific needs—whether it's adjusting size, color, glass type, or shelf configuration. As with all Starcool products, our showcases are designed to deliver **outstanding value for money**, while maintaining **reliability, consistency, and visual appeal**. From classic elegance to modern minimalism, we help you create a display that not only preserves your cakes and desserts—but also **drives impulse sales exponentially**.






”




COUNTER TOP
CAKE SHOWCASE



1
YEAR
WARRANTY



FEATURES	SCDF-090	RT-66PW (White) / RT-66PB (Black)	RT-90PW (White) / RT-90PB (Black)	RT-120PW (White) / RT-120PB (Black)
Capacity	130 L	85 L	120 L	162 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	900 x 535 x 810	660 x 530 x 730	900 x 530 x 730	1200 x 530 x 730
Weight	108 Kg	90 Kg	109 Kg	130 Kg
Glass Feature	Double Layer Glass with 4 Sided Heater	Tempered Insulating Glass	Tempered Insulating Glass	Tempered Insulating Glass
Body Material	White Marble	Color Painted Stainless-Steel	Color Painted Stainless-Steel	Color Painted Stainless-Steel
Compressor	Danfoss Secop	Cubigel	Cubigel	Cubigel
Refrigerant	R134a	R290	R290	R290
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	360 Watt	355 Watt	473 Watt	621 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1	2	2	2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Rear Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door
Castor Wheels	Not Available	Not Available	Not Available	Not Available
Lock	Yes	Not Available	Not Available	Not Available
LED Light	Yes	Yes	Yes	Yes
Self-Evaporation System	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe



FEATURES	SG 90 FA	SG 120 FA	SG 150 FA	SG 180 FA
Capacity	340 L	470 L	500 L	730 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	900 x 700 x 1250	1200 x 700 x 1250	1500 x 700 x 1250	1800 x 700 x 1250
Weight	201 Kg	232 Kg	264 Kg	296 Kg
Glass Feature	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided
Body Material	Perforated Stainless-steel with LED Light	Perforated Stainless-steel with LED Light	Perforated Stainless-steel with LED Light	Perforated Stainless-steel with LED Light
Compressor	Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
Refrigerant	R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	550 Watt	800 Watt	970 Watt	1100 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3	3	3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Rear Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door
Castor Wheels	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes
LED Light	Yes	Yes	Yes	Yes
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater

SG-90PW (White) SG-90PB (Black)	SG-120PW (White) SG-120PB (Black)	SG-150PW (White) SG-150PB (Black)	SG-180PW (White) SG-180PB (Black)
340 L	470 L	500 L	730 L
2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
900 x 700 x 1250	1200 x 700 x 1250	1500 x 700 x 1250	1800 x 700 x 1250
201 Kg	232 Kg	264 Kg	296 Kg
Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided
Color Painted Stainless-Steel	Color Painted Stainless-Steel	Color Painted Stainless-Steel	Color Painted Stainless-Steel
Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
550 Watt	800 Watt	970 Watt	1100 Watt
220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
3	3	3	3
Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Digital	Digital	Digital	Digital
Sliding Glass Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater

starCOOL

SQUARE


CAKE SHOWCASE



1
YEAR
WARRANTY



FRAMELESS SQUARE CAKE SHOWCASE




FEATURES	SGX 90	SGX 120	SGX 150	SGX 180
Capacity	340 L	470 L	500 L	730 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	900 x 700 x 1250	1200 x 700 x 1250	1500 x 700 x 1250	1800 x 700 x 1250
Weight	210 Kg	230 Kg	260 Kg	300 Kg
Glass Feature	Frameless Glass with Heater 4 Sided	Frameless Glass with Heater 4 Sided	Frameless Glass with Heater 4 Sided	Frameless Glass with Heater 4 Sided
Body Material	Solid Stainless-steel	Solid Stainless-steel	Solid Stainless-steel	Solid Stainless-steel
Compressor	Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
Refrigerant	R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	550 Watt	800 Watt	970 Watt	1100 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3	3	3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Rear Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door
Castor Wheels	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes
LED Light	Yes	Yes	Yes	Yes
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater

*Product specifications are subject to change without further notice



JEWELRY CAKE SHOWCASE



CH 90VM	CH 120VM	CH 150VM	CH 180VM
147 L	200 L	258 L	313 L
2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
900 x 800 x 950	1200 x 800 x 950	1500 x 800 x 950	1800 x 800 x 950
295 Kg	325 Kg	340 Kg	400 Kg
Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided	Double Layer Glass with Heater 4 Sided
Marble White	Marble White	Marble White	Marble White
Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
750 Watt	786 Watt	878 Watt	1023 Watt
220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Not Available	Not Available	Not Available	Not Available
Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Digital	Digital	Digital	Digital
Drawer Type	Drawer Type	Drawer Type	Drawer Type
Yes	Yes	Yes	Yes
Not Available	Not Available	Not Available	Not Available
Yes	Yes	Yes	Yes
Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater

*Capacity of cake showcases depends on shelving arrangement and may not reflect actual usable volume




1
YEAR
WARRANTY

CATALOGUE 2026-2027 | JEWELRY CAKE SHOWCASE



CURVE CAKE SHOWCASE



FEATURES	CG 90 FA	CG 120 FA	CG 150 FA	CG 180 FA
Capacity	270 L	350 L	430 L	540 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm)	900 x 700 x 1240	1200 x 700 x 1240	1500 x 700 x 1240	1800 x 700 x 1240
Weight	189 Kg	216 Kg	243 Kg	275 Kg
Glass Feature	Double Layer Glass with Heater 3 Sided	Double Layer Glass with Heater 3 Sided	Double Layer Glass with Heater 3 Sided	Double Layer Glass with Heater 3 Sided
Body Material	Solid Stainless-steel	Solid Stainless-steel	Solid Stainless-steel	Solid Stainless-steel
Compressor	Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
Refrigerant	R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	550 Watt	800 Watt	970 Watt	1100 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3	3	3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Rear Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door	Sliding Glass Door
Castor Wheels	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes
LED Light	Yes	Yes	Yes	Yes
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater

*Product specifications are subject to change without further notice



FRONT SLIDING DOOR
CAKE SHOWCASE



KT 730AF	KT 740AF	KT 750AF	KT 760AF
270 L	350 L	430 L	540 L
2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
900 x 750 x 1300	1200 x 750 x 1300	1500 x 750 x 1300	1800 x 750 x 1300
254 Kg	297 Kg	344 Kg	387 Kg
Front Sliding Glass with Heater	Front Sliding Glass with Heater	Front Sliding Glass with Heater	Front Sliding Glass with Heater
White Marble	White Marble	White Marble	White Marble
Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
550 Watt	650 Watt	730 Watt	920 Watt
220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
3	3	3	3
Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Digital	Digital	Digital	Digital
Not Available	Not Available	Not Available	Not Available
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater

*Capacity of cake showcases depends on shelving arrangement and may not reflect actual usable volume





PROFESSIONAL KITCHEN
REFRIGERATION
EQUIPMENT



Affordable Quality for Every Professional Kitchen

Starcool's line of Professional Kitchen Refrigeration Equipment is designed to meet the demands of modern commercial kitchens in restaurants, hotels, bakeries, catering services, and food production facilities across Indonesia. Built with durable stainless steel construction, our refrigeration units combine practicality, hygiene, and robust cooling performance to help chefs and kitchen professionals operate with confidence.

Our product lineup includes upright chillers and freezers, undercounter units, salad bar prep counters, ice makers, sushi showcases, countertop salad bar coolers, blast freezers, and specialized upright storage for bakery trays. Each unit is designed with ease of use, energy efficiency, and long-term durability in mind—offering the perfect balance between functionality and value. With thoughtful features like no-frost systems, digital controllers, and adjustable shelving, Starcool ensures your kitchen stays organized and efficient.

True to our strategy of offering quality products at affordable prices, Starcool continues to be the trusted local brand that delivers dependable refrigeration equipment to professionals across Indonesia. Our consistent focus on value, reliability, and product variety allows us to support every scale of operation—from small cafés to full-scale central kitchens—with solutions that are both high-performing and cost-effective.





BGS STAINLESS-STEEL

UPRIGHT CHILLER



2
YEARS
WARRANTY

FEATURES	BGS-450C	BGS-1000C	BGS-1600C
Capacity	477 L	1045 L	1618 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm)	625 x 750 x 2040	1250 x 750 x 2040	1880 x 750 x 2040
Weight	105 Kg	160 Kg	210 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	400 Watt	590 Watt	780 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Castor Wheels	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater



BGS STAINLESS-STEEL

UPRIGHT FREEZER



2
YEARS
WARRANTY

* These freezer models are not suitable for storing ice cream or gelato.

* These freezer models are intended for storage of frozen products, not for blast freezing.

FEATURES	BGS-450F	BGS-1000F	BGS-1600F
Capacity	477 L	1045 L	1618 L
Temperature	-12 to -18°C	-12 to -18°C	-12 to -18°C
External Dimensions (mm)	625 x 750 x 2040	1250 x 750 x 2040	1880 x 750 x 2040
Weight	105 Kg	160 Kg	210 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	480 Watt	630 Watt	1500 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Castor Wheels	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe





BGT STAINLESS-STEEL
UNDERCOUNTER
FREEZER & CHILLER



* These freezer models are not suitable for storing ice cream or gelato.

* These freezer models are intended for storage of frozen products, not for blast freezing.



FEATURES	BGT-15F	BGT-18F	BGT-12C	BGT-15C	BGT-18C	BGT-23C
Capacity	405 L	505 L	307 L	350 L	460 L	660 L
Temperature	-12 to -18°C	-12 to -18°C	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	1500 x 750 x 850	1800 x 750 x 850	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850	2300 x 750 x 850
Weight	95 Kg	105 Kg	85 Kg	95 Kg	105 Kg	125 Kg
Compressor	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R134A	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	478 Watt	542 Watt	350 Watt	350 Watt	368 Watt	450 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1 + 1	1 + 1 + 1	1 + 1	1 + 1	1 + 1 + 1	1 + 1 + 1 + 1
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital	Digital
Door	2 Doors	3 Doors	2 Doors	2 Doors	3 Doors	4 Doors
Castor Wheels	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Optional Accessories	Optional Accessories	Optional Accessories	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



BGTB STAINLESS-STEEL
UNDERCOUNTER CHILLER
FOR BAR COUNTER



2
YEARS
WARRANTY

FEATURES	BGTB-12C	BGTB-15C	BGTB-18C
Capacity	213 L	260 L	340 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions	1200 x 600 x 850	1500 x 600 x 850	1800 x 600 x 850
Weight	80 Kg	90 Kg	100 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	350 Watt	368 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1 + 1	1 + 1	1 + 1 + 1
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Doors	2 Doors	3 Doors
Castor Wheels	Legs Wheels are Optional	Legs Wheels are Optional	Legs Wheels are Optional
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater



BGT-CD STAINLESS-STEEL
UNDERCOUNTER CHILLER
WITH DRAWER



2
YEARS
WARRANTY

FEATURES	BGT-12CD4	BGT-15CD4	BGT-18CD6
Capacity	307 L	350 L	460 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Weight	90 Kg	100 Kg	110 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	350 Watt	368 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	Not Available	Not Available	Not Available
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	4 Drawers	4 Drawers	6 Drawers
Castor Wheels	Legs Wheels are Optional	Legs Wheels are Optional	Legs Wheels are Optional
Lock	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater





BGG STAINLESS-STEEL
UNDERCOUNTER CHILLER
GLASS DOOR



2
YEARS
WARRANTY



FEATURES	BGG-15C	BGG-18C
Capacity	350 L	460 L
Temperature	2 to 8°C	2 to 8°C
External Dimensions (mm)	1500 x 750 x 850	1800 x 750 x 850
Weight	100 Kg	110 Kg
Compressor	Embraco	Embraco
Refrigerant	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	368 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	1 + 1	1 + 1 + 1
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	2 Glass Doors	3 Glass Doors
Glass Door Feature	Heater	Heater
Castor Wheels	Legs, Wheels are Optional	Legs, Wheels are Optional
Lock	Lock Plate Only	Lock Plate Only
LED Light	Yes	Yes
Lightbox	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater

*Product specifications are subject to change without further notice



BGGB STAINLESS-STEEL
UNDERCOUNTER CHILLER
GLASS DOOR FOR
BAR COUNTER



2
YEARS
WARRANTY



FEATURES	BGGB-15C	BGGB-18C
Capacity	260 L	340 L
Temperature	2 to 8°C	2 to 8°C
External Dimensions (mm)	1500 x 600 x 850	1800 x 600 x 850
Weight	90 Kg	100 Kg
Compressor	Embraco	Embraco
Refrigerant	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	368 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	1 + 1	1 + 1 + 1
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	2 Glass Doors	3 Glass Doors
Glass Door Feature	Heater	Heater
Castor Wheels	Legs, Wheels are Optional	Legs, Wheels are Optional
Lock	Lock Plate Only	Lock Plate Only
LED Light	Yes	Yes
Lightbox	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater



SGT STAINLESS-STEEL LOW
UNDERCOUNTER CHILLER



2
YEARS
WARRANTY

FEATURES	SGT-15C	SGT-18C
Capacity	248 L	315 L
Temperature	2 to 8°C	2 to 8°C
External Dimensions	1500 x 750 x 550	1800 x 750 x 550
Weight	75 Kg	81 Kg
Compressor	Embraco	Embraco
Refrigerant	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	370 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	1 + 1	1 + 1 + 1
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	2 Doors	3 Doors
Castor Wheels	Legs, Wheels are Optional	Legs, Wheels are Optional
Lock	Lock Plate Only	Lock Plate Only
LED Light	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater

*Product specifications are subject to change without further notice



SGT-CD STAINLESS-STEEL
LOW UNDERCOUNTER
CHILLER WITH DRAWER



2
YEARS
WARRANTY

FEATURES	SGT-15CD4	SGT-18CD6
Capacity	248 L	315 L
Temperature	2 to 8°C	2 to 8°C
External Dimensions	1500 x 750 x 550	1800 x 750 x 550
Weight	78 Kg	85 Kg
Compressor	Embraco	Embraco
Refrigerant	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	360 Watt	380 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	Not Available	Not Available
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	4 Drawers	6 Drawers
Castor Wheels	Legs, Wheels are Optional	Legs, Wheels are Optional
Lock	Not Available	Not Available
LED Light	Not Available	Not Available
Lightbox	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater



PILLARLESS
STAINLESS-STEEL
UPRIGHT CHILLER



2
YEARS
WARRANTY

FEATURES	Z-450P	Z-1000NP	Z-1600NP
Capacity	477 L	1045 L	1618 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions	625 x 750 x 2040	1250 x 750 x 2040	1880 x 750 x 2040
Weight	105 Kg	160 Kg	210 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	400 Watt	590 Watt	780 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3 Short Shelves	3 Long Shelves	3 Long + 3 Short Shelves
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Door Feature	WITH Horizontal Pillar	W/O Middle Pillar	W/O Left Pillar
Castor Wheels	Yes	Yes	Yes
Lock	Key and Lock	Key and Lock	Key and Lock
LED Light	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater



PILLARLESS
STAINLESS-STEEL
UPRIGHT FREEZER



2
YEARS
WARRANTY

* These freezer models may not be suitable for storing ice cream or gelato
* These freezer models are intended for storage of frozen products, not for blast freezing

FEATURES	D-450P	D-1000NP	D-1600NP
Capacity	477 L	1045 L	11618 L
Temperature	-14 to -20°C	-14 to -20°C	-14 to -20°C
External Dimensions	625 x 750 x 2040	1250 x 750 x 2040	1880 x 750 x 2040
Weight	105 Kg	160 Kg	210 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	480 Watt	630 Watt	1500 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3 Short Shelves	3 Long Shelves	3 Long + 3 Short Shelves
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Door Feature	WITH Horizontal Pillar	W/O Middle Pillar	W/O Left Pillar
Castor Wheels	Yes	Yes	Yes
Lock	Key and Lock	Key and Lock	Key and Lock
LED Light	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater





STAINLESS-STEEL UPRIGHT
COMBINATION
FREEZER CHILLER



FEATURES	DZ-950P
Capacity	950 L
Temperature	2 to 8°C and -14 to -20°C
External Dimensions	1250 x 710 x 1935
Weight	230 Kg
Compressor	Embraco, Dual (2x) Compressors
Refrigerant	R134A and R404A
System	Fan Cooling, No Frost
Input Power	950 Watt
Voltage / Frequency	220V / 50Hz
Shelves Included	3 Short + 3 Short Shelves
Temperature Display	Yes, Dual (2x) Digital
Thermostat Controller	Dual (2x) Digital
Door	4 Half Doors
Door Feature	WITH Middle Pillar
Castor Wheels	Yes
Lock	Key and Lock
LED Light	Optional Accessories
Lightbox	Not Available
Machine Compartment	Top Mounted
Self-Evaporation System	Yes, Heater



FEATURES	ZT-12NP	ZT-15NP	ZT-18NP	DT-15NP	DT-18NP
Capacity	307 L	350 L	460 L	405 L	505 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	-14 to -20°C	-14 to -20°C
External Dimensions (mm) W x D x H	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Weight	85 Kg	95 Kg	105 Kg	95 Kg	105 Kg
Compressor	Embraco	Embraco	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	350 Watt	368 Watt	478 Watt	542 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1 Long Shelves	1 Long Shelves	1 Long + 1 Short Shelves	1 Long Shelves	1 Long + 1 Short Shelves
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital
Door	2 Doors	2 Doors	3 Doors	2 Doors	3 Doors
Door Feature	WITHOUT Middle Pillar	WITHOUT Middle Pillar	WITHOUT Left Pillar	WITHOUT Middle Pillar	WITHOUT Left Pillar
Castor Wheels	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional	Legs, Wheels are Optional
Lock	Key and Lock	Key and Lock	Key and Lock	Key and Lock	Key and Lock
LED Light	Optional Accessories	Optional Accessories	Optional Accessories	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



PILLARLESS STAINLESS-STEEL
UNDERCOUNTER CHILLER
AND FREEZER



* These freezer models may not be suitable for storing ice cream or gelato

* These freezer models are intended for storage of frozen products, not for blast freezing.



Starcool Sushi Showcase - Freshness on Display


The **Starcool Sushi Showcase** is designed to meet the needs of restaurants, sushi bars, and food service establishments that require consistent cooling and elegant presentation. Built with a **static cooling system**, it ensures stable temperature performance to keep sushi, sashimi, and chilled dishes fresh and appetizing throughout the day. With its sleek, modern design, it adds both function and visual appeal to your countertop.

Engineered for **reliability and ease of use**, the Starcool Sushi Showcase features high-quality materials, efficient cooling, and simple maintenance – making it a dependable choice for daily food display operations. Whether you’re showcasing fresh seafood or delicate side dishes, you can count on stable performance in a compact, service-friendly unit.

True to our motto, **“Affordable Quality,”** Starcool delivers dependable performance at a competitive price point. The Sushi Showcase is an ideal investment for food businesses looking for a cost-effective solution without compromising on freshness, appearance, or durability.



SUSHI SHOWCASE



FEATURES	SCLG4-120	SCLG4-150	SCLG4-180	SCLG4-210
Capacity	42 L	58 L	74 L	90 L
Temperature	2 to 10°C	2 to 10°C	2 to 10°C	2 to 10°C
External Dimensions	1200 x 300 x 295	1500 x 300 x 295	1800 x 300 x 295	2100 x 300 x 295
Weight	50 Kg	55 Kg	60 Kg	75 Kg
Compressor	Embraco	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a	R134a
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	120 Watt	120 Watt	135 Watt	150 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	Not Available	Not Available	Not Available	Not Available
Temperature Display	Not Available	Not Available	Not Available	Not Available
Thermostat Controller	Not Available	Not Available	Not Available	Not Available
Rear Door	Sliding Door	Sliding Door	Sliding Door	Sliding Door
Castor Wheels	Not Available	Not Available	Not Available	Not Available
Lock	Not Available	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe



CUSTOM YOUR SALAD BAR



Design Your Perfect Salad Bar with Starcool -

Undercounter or Countertop, Customized To Your Requirements

At Starcool, we understand that every business has unique operational needs and space constraints—especially in the fast-paced world of food service. That’s why we proudly offer **customized salad bar counters** designed to suit your specific requirements. Whether you operate a restaurant, hotel buffet, café, or catering business, our team is ready to help you create a unit that fits perfectly into your kitchen or serving area—both functionally and aesthetically.

You can choose the **exact size**, layout, and configuration that works best for your operation. We offer salad bar counters with or without **glass canopies**, and customers can specify the **number and sizes of GN pans** to match their menu and workflow. Whether you need full-sized GN 1/1 pans, smaller GN 1/4 units, or a combination of both, we tailor the design for maximum convenience and hygiene, while ensuring ease of access and product visibility.

What makes Starcool salad bars stand out is our promise of **Affordable Quality**. All our customized counters are built using **durable stainless steel**, tested cooling systems, and high-quality components to ensure consistent performance and long-lasting reliability. With Starcool, you’re not only getting a product that looks professional—you’re getting a solution that adds value to your operation, while staying budget-friendly and built to last.



COUNTER TOP
SALAD BAR



FEATURES	VRX3-120	VRX3-150	VRX3-180
Capacity	40 L	50 L	60 L
GN Pans and GN Lids	Not Included	Not Included	Not Included
Capacity of GN Pans	GN1/3 = 3pcs + GN1/2 = 1pc	GN1/3 = 6pcs	GN1/3 = 8pcs
Temperature	2 to 10°C	2 to 10°C	2 to 10°C
External Dimensions (mm)	1200 x 395 x 430	1500 x 395 x 430	1800 x 395 x 430
Weight	46 Kg	56 Kg	70 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	130 Watt	130 Watt	130 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Rear Door	Not Available	Not Available	Not Available
Castor Wheels	Not Available	Not Available	Not Available
Lock	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available
Self-Evaporation System	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe	Yes, Hot Condenser Pipe

*Product does not include GN pans and GN lids
*Capacity of the above models depends on pan arrangement and may not reflect actual usable volume



“

Introducing the Starcool Bakery Series - Precision Storage for Professional Bakers

At Starcool, we understand the unique demands of bakeries — from delicate pastries to temperature-sensitive doughs and finished cakes. That's why our **upright stainless-steel freezers and chillers** are specially engineered to fit **standard 60×40 cm and 65×45 cm bakery trays**, making them the ideal solution for bakery kitchens that require both functionality and efficiency. With a focus on performance, hygiene, and durability, these units are designed to seamlessly integrate into daily baking operations.

The Starcool Bakery Range goes beyond storage. Our collection includes **elegant cake and pastry display showcases** that maintain freshness while enhancing visual appeal — perfect for cafés, patisseries, and high-end bakery counters. Whether you're showcasing delicate mille-feuilles or premium birthday cakes, Starcool displays offer LED lighting, adjustable shelving, and temperature precision to ensure your creations always look their best.

To support every step of the bakery process, we also offer **high-performance blast freezers** for rapid cooling, preserving texture and flavor immediately after baking. Combined with our upright bakery chillers and freezers, Starcool delivers a complete cold chain solution designed specifically for the baking industry — ensuring consistency, quality, and reliability from kitchen to customer.



”



BAKERY STAINLESS-STEEL
UPRIGHT CHILLER



* Product does not include bakery trays
* Capacity of the above models depends on tray arrangement and may not reflect actual usable volume

FEATURES	SDC-625C	SDC-1200C
Capacity	515 L	1030 L
Bakery Trays	Not Included	Not Included
Capacity of Bakery Trays	600x400mm/ 650x450mm = 12pcs	600x400mm/ 650x450mm = 12pcs + 12pcs
Temperature	0 to 6°C	0 to 6°C
External Dimensions	625 x 850 x 1990	1200 x 850 x 1990
Weight	102 Kg	170 Kg
Compressor	Embraco/Secop	Embraco/Secop
Refrigerant	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	550 Watt	735 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Tray Holders Included	12	24
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	2 Half Doors	4 Half Doors
Castor Wheels	Yes	Yes
Lock	Key and Lock	Key and Lock
LED Light	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater

*Product specifications are subject to change without further notice



BAKERY STAINLESS-STEEL
UPRIGHT FREEZER



* Product does not include bakery trays
* Capacity of the above models depends on tray arrangement and may not reflect actual usable volume

FEATURES	SDC-625F	SDC-1200F
Capacity	515 L	1030 L
Bakery Trays	Not Included	Not Included
Capacity of Bakery Trays	600x400mm/ 650x450mm = 12pcs	600x400mm/ 650x450mm = 12pcs + 12pcs
Temperature	-12 to -20°C	-12 to -20°C
External Dimensions	625 x 850 x 1990	1200 x 850 x 1990
Weight	102 Kg	170 Kg
Compressor	Embraco/Secop	Embraco/Secop
Refrigerant	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	610 Watt	820 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Tray Holders Included	12	24
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Door	2 Half Doors	4 Half Doors
Castor Wheels	Yes	Yes
Lock	Key and Lock	Key and Lock
LED Light	Optional Accessories	Optional Accessories
Lightbox	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater

CATALOGUE 2026-2027 | BAKERY SS UPRIGHT FREEZER



SHOCK FREEZER /
BLAST CHILLER
MACHINE



1
YEAR
WARRANTY

- * Product does not include GN trays
- * Capacity of the above models depends on tray arrangement and may not reflect actual usable volume
- * Freezing time is up to 240 minutes under the stated capacity
- * Recommended for food without packaging



FEATURES	BF 5	BF 11	BF 15
Blast Chilling Capacity (+3°C)	20 Kg	40 Kg	55 Kg
Shock Freezing Capacity (-18°C)	12 Kg	30 Kg	40 Kg
GN Trays	Not Included	Not Included	Not Included
Capacity of GN1/I Trays	5	11	15
External Dimensions (mm)	790 x 700 x 920	790 x 800 x 1680	790 x 800 x 1950
Weight	100 Kg	130 Kg	160 Kg
Compressor	Embraco	Tecumseh	Tecumseh
Refrigerant	R404A	R404A	R404A
	Fan Cooling, Manual Defrost	Fan Cooling, Manual Defrost	Fan Cooling, Manual Defrost
Input Power	970 Watt	2590 Watt	3460 Watt
Electrical Phase	1 Phase	1 Phase	3 Phase
Voltage / Frequency	220V / 50Hz	220V / 50Hz	380V / 50Hz
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Bottom Mounted	Bottom Mounted	Bottom Mounted
Self-Evaporation System	No, Manual Drain	No, Manual Drain	No, Manual Drain





UNDERTABLE
ICE MAKER MACHINE



1
YEAR
WARRANTY

- * Ice production may drop 25-35% when water temperature is above 10°C
- * Product does not include a water filter
- * Use only drinkable water



FEATURES	SK-51B	SK-101B
Production Capacity	50 Kg / 24 Hour *Production will drop 25-35% if water temperature is more than 10°C	100 Kg / 24 Hour
Ice Type	Cube	Cube
Water Source	Water Faucet	Water Faucet
Bin Capacity	25 Kg	25 Kg
External Dimensions (mm) W x D x H	640 x 650 x 785	640 x 650 x 785
Weight	50 Kg	67 Kg
Compressor	Secop	Secop
Refrigerant	R404a	R404a
System	Air-cooled	Air-cooled
Input Power	465 Watt	640 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Temperature Display	Not Available	Not Available
Thermostat Controller	Digital	Digital
Castor Wheels	No, Legs Only	No, Legs Only



ICE MAKER MACHINE



1
YEAR
WARRANTY

- * Ice production may drop 25-35% when water temperature is above 10°C
- * Product does not include a water filter
- * Use only drinkable water



FEATURES	SK-120PT	SK-120P	SK-210P	SK-500PB
Production Capacity	55 Kg / 24 Hour *Production will drop 25-35% if water temperature is more than 10°C	55 Kg / 24 Hour	95 Kg / 24 Hour	225 Kg / 24 Hour
Ice Type	Cube	Cube	Cube	Cube
Water Source	Gallon Water	Water Faucet	Water Faucet	Water Faucet
Bin Capacity	18 Kg	18 Kg	36 Kg	170 Kg
External Dimensions (mm)	590 x 500 x 850	590 x 500 x 850	685 x 660 x 920	760 x 832 x 1715
Weight	50 Kg	50 Kg	63 Kg	120 Kg
Compressor	Secop	Secop	Secop	Secop
Refrigerant	R404a	R404a	R404a	R404a
System	Air-cooled	Air-cooled	Air-cooled	Air-cooled
Input Power	460 Watt	460 Watt	625 Watt	1360 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Temperature Display	Not Available	Not Available	Not Available	Not Available
Thermostat Controller	Digital	Digital	Digital	Digital
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only

“Starchef”



At Starchef, we're not just supplying cooking equipment — we're supporting the heart of your kitchen operations. With a strong foundation in affordable quality, our commercial kitchen solutions are built to handle the heat, pressure, and pace of professional food service. From street-side stalls to full-service restaurants, Starchef is trusted for delivering the right tools with the right value.



”



Catalogue Starchef

GREAT REASONS TO CHOOSE



starchef

Proven Performance. Practical Design. Affordable Quality.

1 PRICE AFFORDABILITY

Our products are designed to offer cost-effective solutions without compromising on functionality or performance. Offering competitive pricing, each product ensures that businesses can achieve high-quality results without exceeding budget constraints, making them a sound investment for long-term success.

2 RELIABLE AND QUALITY CONTROL

Each unit undergoes rigorous testing to ensure it meets the highest standards of safety, performance, and durability. These measures guarantee that the equipment will consistently deliver reliable results, providing peace of mind to food service professionals and ensuring that the demands of high-volume kitchens are met.

3 TAILORED FOR LOCAL MARKET NEEDS

Starchef products are specifically designed to cater to the unique needs of the Indonesian foodservice industry. From equipment dimensions to gas compatibility, every aspect of our products is adapted to local market requirements, ensuring optimal functionality and ease of use in diverse kitchen environments.

4 FAST & RESPONSIVE SERVICE TEAM

Our service team is committed to providing quick and professional support, addressing any concerns with minimal delay. Whether it's installation, troubleshooting, or supplying spare parts, our team ensures prompt assistance, reducing downtime and maintaining kitchen efficiency.

5 DURABLE COMMERCIAL-GRADE BUILD

Crafted from high-quality, commercial-grade materials, our equipment is built to withstand the rigors of daily use in professional kitchens. Designed for durability, the products minimize maintenance requirements and deliver reliable service, ensuring long-term value and performance.





COUNTER TOP
GAS BURNER



1
YEAR
WARRANTY

FEATURES	Belva-G4-24	Belva-G6-36
Burner Quantity	4	6
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	610 x 700 x 325	915 x 700 x 325
Weight	59 Kg	84 Kg
Heating Capacity	86940 Btu / Hour	160770 Btu / Hour
Igniter	External	External
Pilot Fire	Yes	Yes

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



GAS BURNER
WITH OVEN



1
YEAR
WARRANTY

FEATURES	Bianca-G4-70	Bianca-G6-105
Burner Quantity	4	6
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	700 x 750 x 850+60	1050 x 750 x 850+60
Weight	85 Kg	144 Kg
Heating Capacity	127650 Btu / Hour	181470 Btu / Hour
Igniter	External for Burner, Internal for Oven	External for Burner, Internal for Oven
Pilot Fire	Yes	Yes
Thermocouple Safety Valve	Yes	Yes

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



COUNTERTOP

GAS LAVA ROCK GRILL



1
YEAR
WARRANTY

FEATURES	Lucia-G-24	Lucia-G-36
Burner Quantity	2	3
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	610 x 700 x 325	915 x 700 x 325
Weight	91 Kg	135 Kg
Heating Capacity	41400 Btu / Hour	62100 Btu / Hour
Igniter	Internal	Internal
Pilot Fire	Yes	Yes
Lava Rock	Included	Included

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



COUNTERTOP

GAS GRIDDLE



1
YEAR
WARRANTY

FEATURES	Giselle-G-24	Giselle-G-36
Burner Quantity	2	3
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	610 x 700 x 325	915 x 700 x 325
Weight	91 Kg	129 Kg
Heating Capacity	41400 Btu / Hour	62100 Btu / Hour
Igniter	Internal	Internal
Pilot Fire	Yes	Yes

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



GAS DEEP FRYER



1
YEAR
WARRANTY

FEATURES	Freya-G3-40
Burner Quantity	3
Gas Type	Low Pressure LPG
External Dimensions (mm) W x D x H	395 x 780 x 1124
Weight	59 Kg
Oil Capacity	Min. 23 L, Max. 27 L
Oil Tank	Single Tank, SUS304
Basket Included	2
Heating Capacity	93150 Btu / Hour
Igniter	Internal
Pilot Fire	Yes
Thermocouple Safety Valve	Yes
Gas Valve	Robertshaw
Temperature Control	Analog

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



COUNTERTOP ELECTRIC
HOT SHOWCASE



1
YEAR
WARRANTY

FEATURES	HRT-90PW (White) /HRT-90PB (Black)
Capacity	120 L
Temperature	40 to 65°C
External Dimensions (mm) W x D x H	900 x 530 x 730
Weight	100 Kg
Glass Feature	Tempered Insulating Glass
Body Material	Color Painted Stainless-Steel
Compressor	Not Available
Refrigerant	Not Available
System	Heater Tube
Input Power	470 Watt
Voltage / Frequency	220V / 50Hz
Shelves Included	2
Temperature Display	Yes, Analog
Thermostat Controller	Mechanical
Rear Door	Sliding Glass Door
Castor Wheels	Not Available
Lock	Not Available
LED Light	Yes
Self-Evaporation System	Not Available

*Capacity of hot showcases depends on shelving arrangement and may not reflect actual usable volume



German Technology

“




Liebherr

”



Catalogue Liebherr

GREAT REASONS TO CHOOSE



LIEBHERR

“

1 GERMAN TECHNOLOGY

Liebherr stands as a symbol of precision-engineered **German technology**, developed with decades of expertise in refrigeration systems. Every Liebherr product incorporates advanced design and smart features that reflect the company's dedication to innovation and reliability. Whether it's a wine cooler or a commercial freezer, customers benefit from intelligent temperature control, energy-efficient components, and meticulous craftsmanship that meets the highest European standards.

2 HIGHEST PERFORMANCE

Liebherr refrigeration units are built for maximum performance, even in demanding commercial environments. The glass sliding showcase freezers and upright glass door freezers are engineered to maintain consistent internal temperatures, ensuring the freshness and longevity of stored products. Wine coolers offer optimal temperature zones and low-vibration operation to preserve flavor and character, making Liebherr the preferred choice for businesses that demand professional-grade performance.

3 EFFICIENCY

Efficiency is at the core of Liebherr's design philosophy. From **energy-saving** compressors to intelligent defrost systems, Liebherr products are built to lower operational costs without compromising cooling power. Whether you're running a café, supermarket, or wine bar, Liebherr appliances help reduce energy consumption while maintaining top-tier cooling performance — a long-term value for any business.

4 ROBUST QUALITY

Renowned for their **robust construction and durability**, Liebherr freezers and coolers are built using premium materials that withstand daily commercial use. The solid frames, reinforced glass, and corrosion-resistant interiors ensure long-term reliability and low maintenance. With Liebherr, you're investing in products that continue to perform year after year, even in high-traffic or high-load environments.

5 PRODUCT VISIBILITY

With Liebherr, **product presentation is as important as preservation**. The upright glass door freezers and glass sliding lid freezers offer excellent visibility, thanks to anti-fog glass, LED interior lighting, and well-designed shelving systems. Your frozen foods, beverages, or wines are attractively displayed to customers while being kept in ideal storage conditions — a perfect balance of form and function for retail and hospitality settings.



”



LIEBHERR
CURVE GLASS FREEZER



3
YEARS
WARRANTY



FEATURES	EFI 1403	EFI 2103	EFI 2803	EFI 3503	EFI 4403	EFI 4803	EFI 5603
Gross Capacity	138 L	210 L	282 L	355 L	426 L	499 L	571 L
Net Capacity	90 L	143 L	196 L	249 L	302 L	355 L	408 L
Temperature	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	625 x 660 x 825	835 x 660 x 825	1045 x 660 x 825	1255 x 660 x 825	1465 x 660 x 825	1675 x 660 x 825	1885 x 660 x 825
Weight	48 Kg	55 Kg	62 Kg	69 Kg	77 Kg	90 Kg	91 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290	R290	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A	2.5A	2.5A	2.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	2	2	2	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LED Light	Optional Model EFI 1453	Optional Model EFI 2153	Optional Model EFI 2853	Optional Model 3553	Optional Model EFI 4453	Optional Model EFI 4853	Optional Model EFI 5653
Internal Wall	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Yes	Yes	Yes	Yes	Yes	Yes

LIEBHERR
FLAT GLASS FREEZER



FEATURES	EFE 1102	EFE 1502	EFE 2202	EFE 3002	EFE 3802	EFE 4602	EFE 6002
Gross Capacity	107 L	144 L	219 L	294 L	369 L	444 L	594 L
Net Capacity	80 L	104 L	163 L	222 L	280 L	339 L	457 L
Temperature	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	751 x 461 x 825	625 x 660 x 825	835 x 660 x 825	1045 x 660 x 825	1255 x 660 x 825	1465 x 660 x 825	1885 x 660 x 825
Weight	42.7 Kg	48.5 Kg	56 Kg	63 Kg	70 Kg	78 Kg	93 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R600a	R290	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A	1.5A	2.5A	2.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	1	2	2	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass
Castor Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LED Light	Optional Model EFE 1152	Optional Model EFE 1552	Optional Model EFE 2252	Optional Model EFE 3052	Optional Model EFE 3852	Optional Model EFE 4652	Optional Model EFE 6052
Internal Wall	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Ye	Yes	Yes	Yes	Yes	Yes



3
YEARS
WARRANTY


*Product specifications are subject to change without further notice

LIEBHERR

CHEST FREEZER



3

YEARS
WARRANTY

FEATURES	EFL 1505	EFL 3005	EFL 3805	EFL 4605	EFL 6005
Gross Capacity	131 L	271 L	340 L	409 L	549 L
Net Capacity	122 L	255 L	321 L	387 L	520 L
Temperature	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	625 x 710 x 825	1045 x 710 x 825	1255 x 710 x 825	1465 x 710 x 825	1855 x 710 x 825
Weight	58 Kg	61 Kg	85 Kg	90 Kg	99 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A	1.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	2	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Solid Door	Solid Door	Solid Door	Solid Door	Solid Door
Castor Wheels	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes
LED Light	Not Available	Not Available	Not Available	Not Available	Not Available
Internal Wall	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Yes	Yes	Yes	Yes

*Product specifications are subject to change without further notice

LIEBHERR

SCOOPING FREEZER



3
YEARS
WARRANTY

FEATURES	EFI 3553 Scooping	EFI 4853 Scooping
Gross Capacity	347 L	488 L
Net Capacity	250 L	356 L
Pan Holder and 5-Liter GN Pans Included	6	8
Temperature	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	1293 x 677 x 1245	1719 x 677 x 1245
Weight	94 Kg	121 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5 A	2.5 A
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Basket Included	Not Available	Not Available
Temperature Display	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels	Yes	Yes
Lock	Yes	Yes
LED Light	Yes	Yes
Internal Wall	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Yes

*Capacity of the above models depends on pan arrangement and may not reflect actual usable volume.

*Product specifications are subject to change without further notice

LIEBHERR

UPRIGHT SHOWCASE FREEZER



3
YEARS
WARRANTY

FEATURES	FDv 4613
Gross Capacity	461 L
Net Capacity	307 L
Temperature	-18 to -25°C
External Dimensions (mm) W x D x H	670 x 730 x 1957
Weight	154 Kg
Compressor	Embraco / Cubigel
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	4.4 A
Voltage / Frequency	220V / 50Hz
Shelves Included	4
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Door	Single Door
Glass Door Feature	Glass with Heater
Castor Wheels	Yes
Lock	Yes
LED Light	Yes
Lightbox	Yes
Machine Compartment	Bottom Mounted
Self-Evaporation System	Hot Gas Defrost

*These freezer models are intended for storage of frozen products, not for blast freezing.

CATALOGUE 2026-2027 | UPRIGHT SHOWCASE FREEZER

CATALOGUE 2026-2027 | SCOOPING FREEZER



1 **ACTIVATED CHARCOAL FILTER**

To preserve the quality of wines stored over long periods, maintaining clean air is essential. Liebherr wine cabinets are equipped with an activated charcoal filter that ensures optimal air quality by effectively neutralizing environmental odours that could otherwise compromise wine flavour and aroma.



2 **WINE DRAWER**

For convenient storage and access, Liebherr wine cabinets include a practical wine drawer. This feature allows for easy organization, smooth retrieval, and an elegant presentation of wine bottles, enhancing both functionality and user experience.



3 **IDEAL HUMIDITY**

Proper humidity is vital to preserving wine quality. Liebherr wine cabinets maintain over 50% humidity to keep corks from drying out, which helps prevent oxidation. Horizontal storage is encouraged to ensure corks remain moist, protecting wine over long-term aging.



4 **INSULATED GLASS DOOR**

Exposure to UV light can disrupt the delicate maturation process of wine. Liebherr cabinets use specially insulated UV-resistant glass doors to provide superior protection against harmful rays, while also offering a clear and stylish view of the wine collection.



WINE COOLER FEATURES

FEATURES	WKpb 4612 Barrique
Gross Capacity	453 L
Net Capacity	336 L
Maximum No. of Bottles	195
Temperature	10 to 16°C (Single Zone)
External Dimensions (mm) W x D x H	660 x 663 x 1841
Weight	96 Kg
Compressor	Embraco / Cubigel
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	1.0 A
Voltage/Frequency	220V / 50Hz
Wooden Shelves Included	4
Metal Drawer Included	1
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Door	Single Door
Glass Door Feature	UV Filtered Glass
Castor Wheels	Not Available
Lock	Yes
LED Light	Yes
Lightbox	Not Available
Machine Compartment	Bottom Mounted
Self-Evaporation System	Yes

LIEBHERR
WINE COOLER



3
YEARS
WARRANTY

“Daiwa”



Made in Japan

“

GREAT REASONS TO CHOOSE **daiwa**

1 PROVEN JAPANESE QUALITY

Daiwa products represent the pinnacle of **Japanese manufacturing excellence**, backed by decades of accumulated knowledge and refined engineering. Every design goes through repeated verification and continuous improvement to ensure lasting performance in real-world conditions. This unwavering commitment to quality is what defines "Japan Quality" – a blend of tradition, innovation, and precision that delivers exceptional reliability in commercial kitchens.



2 BUILT BY SKILLED SPECIALISTS ("TAKUMI")

Daiwa's strength lies in the perfect harmony between skilled **craftsmanship and advanced manufacturing technology**. At the heart of every Daiwa product is a team of highly trained artisans known as **"Takumi"**, whose expertise ensures that every detail meets the highest standards. Working alongside state-of-the-art machinery, these specialists bring a level of care and consistency that mass production alone cannot achieve – resulting in premium undercounter and upright refrigeration units built to perform day after day.



3 THOROUGH INSPECTION, ZERO COMPROMISE

Quality control is deeply embedded in Daiwa's production philosophy. Each product undergoes **individual inspection** with a focus on the end user's experience. From functional testing to final finishing, Daiwa ensures that no defective product leaves the factory. This customer-focused inspection process guarantees that every freezer and chiller delivered meets the performance and durability standards expected from Japanese commercial refrigeration.



”



STAINLESS-STEEL

UPRIGHT CHILLER & FREEZER



FEATURES	DLR-068	DLR-128	DLR-158	DLR-188	DLF-068	DLF-128	DLF-158	DLF-188
Capacity	486 L	1078 L	1383 L	1677 L	486 L	1069 L	1374 L	1668 L
Temperature	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-7 to -25°C	-7 to -25°C	-7 to -25°C	-7 to -25°C
External Dimensions (mm) W x D x H	600 x 800 x 1960	1200 x 800 x 1960	1500 x 800 x 1960	1800 x 800 x 1960	600 x 800 x 1960	1200 x 800 x 1960	1500 x 800 x 1960	1800 x 800 x 1960
Weight	85 Kg	135 Kg	148 Kg	176 Kg	88 Kg	140 Kg	160 Kg	188 Kg
Compressor	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco
Refrigerant	R134a	R404A	R404A	R404A	R404A	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	447 Watt	570 Watt	575 Watt	599 Watt	522 Watt	704 Watt	711 Watt	1077 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3 + 3	3 + 3	3 + 3 + 3	3	3 + 3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	4 Half Doors	6 Half Doors	2 Half Doors	4 Half Doors	4 Half Doors	6 Half Doors
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



2
YEARS
WARRANTY



STAINLESS-STEEL

UNDERCOUNTER CHILLER



FEATURES	DKR-096	DKR-126	DKR-156	DKR-186	DKR-097	DKR-127	DKR-157	DKR-187
Capacity	153 L	246 L	337 L	426 L	201 L	325 L	444 L	561 L
Temperature	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C
External Dimensions (mm) W x D x H	880 x 600 x 850	1200 x 600 x 850	1500 x 600 x 850	1800 x 600 x 850	880 x 750 x 850	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Weight	57 Kg	69 Kg	78 Kg	90 Kg	62 Kg	80 Kg	86 Kg	102 Kg
Compressor	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A	R134A	R134A	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	335 Watt	345 Watt	348 Watt	358 Watt	335 Watt	345 Watt	348 Watt	358 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	2	2 + 2	2 + 2	2 + 2 + 2	2	2 + 2	2 + 2	2 + 2 + 2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Door	1 Door	2 Doors	2 Doors	3 Doors	1 Door	2 Doors	2 Doors	3 Doors
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



daiwa

STAINLESS-STEEL

UNDERCOUNTER

FREEZER



2
YEARS
WARRANTY



FEATURES	DKF-186	DKF-157	DKF-187
Capacity	426 L	444 L	561 L
Temperature	-7 to -25°C	-7 to -25°C	-7 to -25°C
External Dimensions (mm)	1800 x 600 x 850	1500 x 750 x 850	1800 x 750 x 850
Weight	94 Kg	90 Kg	106 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	505 Watt	491 Watt	505 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	2 + 2 + 2	2 + 2	2 + 2 + 2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	3 Doors	2 Doors	3 Doors
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater

* These freezer models are intended for storage of frozen products, not for blast freezing

daiwa

ICE MAKER MACHINE



2
YEARS
WARRANTY

FEATURES	DRI-A45LMF
Production Capacity	48 Kg / 24 Hour *Production will drop 25-35% if water temperature is more than 10°C
Ice Type	Cube
Water Source	Water Faucet
Bin Capacity	26 Kg
External Dimensions (mm) W x D x H	630 x 450 x 800
Weight	45 Kg
Compressor	Kulthorn Kirby
Refrigerant	R134a
System	Air-cooled
Input Power	250 Watt
Voltage/Frequency	220V / 50Hz
Temperature Display	Not Available
Thermostat Controller	Digital
Castor Wheels	No, Legs Only

*Ice production may drop 25-35% when water temperature is above 10°C

*Product does not include a water filter

*Use only drinkable water

“Afinox”



Made in Italy

”

“

GREAT REASONS TO CHOOSE AFINOX®

1 ITALIAN INNOVATION IN PLUG-AND-PLAY DESIGN

AFINOX brings the best of **Italian engineering and design** into a practical, mobile solution. Their plug-and-play **blast chillers and shock freezers** are built for flexibility, ease of use, and reliability — ideal for bakeries, restaurants, and catering operations that demand high performance in limited spaces. With user-friendly interfaces, precision temperature control, and sleek stainless-steel finishes, AFINOX units deliver advanced technology in a compact and transportable format that's ready to work right out of the box.

2 SCALABLE SOLUTIONS FOR GROWING NEEDS

Beyond mobile units, AFINOX offers a **modular approach to blast chilling and shock freezing** — making it easy to scale up when your kitchen or production facility expands. From single-tray units to **large trolley-sized cold room systems**, AFINOX provides a consistent standard of performance across all sizes. Their modular design ensures that whether you're chilling small batches or freezing full trolleys, your workflow remains efficient, hygienic, and compliant with food safety standards.

3 TRUSTED QUALITY, MADE IN ITALY

AFINOX is renowned for its commitment to **quality craftsmanship**, precision manufacturing, and long-term reliability — all proudly **made in Italy**. Every blast chiller undergoes rigorous testing to ensure peak performance, durability, and consistent results. With decades of experience in professional refrigeration and thermal technology, AFINOX stands as a trusted name in commercial kitchens worldwide, offering dependable solutions for food preservation at every scale.

”



SHOCK FREEZER /
BLAST CHILLER
MACHINE



1
YEAR
WARRANTY

FEATURES	Faster 5	Faster 10	Faster 15
Blast Chilling Capacity (+3°C)	15 Kg	32 Kg	40 Kg
Shock Freezing Capacity (-18°C)	10 Kg	22 Kg	28 Kg
Thawing Function	Yes	Yes	Yes
GN Trays	Not Included	Not Included	Not Included
Capacity of GN1/1 Trays	5	10	15
External Dimensions (mm)	760 x 700 x 830	790 x 799 x 1629	790 x 799 x 1970
Weight	82 Kg	139 Kg	188 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, Manual Defrost	Fan Cooling, Manual Defrost	Fan Cooling, Manual Defrost
Input Power	449 Watt	900 Watt	2264 Watt
Electrical Phase	1 Phase	1 Phase	3 Phase
Voltage / Frequency	220V / 50Hz	220V / 50Hz	380V / 50Hz
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Bottom Mounted	Bottom Mounted	Bottom Mounted
Self-Evaporation System	No, Manual Drain	No, Manual Drain	No, Manual Drain

*Capacity of the above models depends on tray arrangement and may not reflect actual usable volume
*Freezing time is up to 240 minutes under the stated capacity
*Recommended for food without packaging

*Product specifications are subject to change without further notice



SERVICE CENTRES

JADETABEK	JADETABEK	Pergudangan Nusa Indah Blok B No. 37, Jurumudi, Benda, Tangerang	021-5409590 021-5409591 021-5409592	021-5409593 021-5409594 021-5409595
SUMATERA	ACEH	Komp. Pilar Residence, Jl. Rama Setia Lr. Cut Abang No. 11, Dea Baro, Meuraxa, Banda Aceh 23232		
	ACEH BARAT	Jl. Imam Bonjol Desa Seuneubok, Kec. Johan Pahlawan, Meulaboh, Aceh Barat		
	ACEH TIMUR	Dusun Selamat, Desa Seuneubok Teungoh, Kec. Idi Timur, Kab. Aceh Timur 24457 (depan SPBU Idi Timur)		
	MEDAN 1	Jl. Mangaan I Lingk. 19, Gg. Bahagia 2 No. 86C, Mabar, Medan 20242		
	MEDAN 2	Jl. Persatuan No. 65 B, Helvetia Timur, Medan Helvetia, Medan 20124		
	PADANG	Jl. Asra No. 8 Rt.02/Rw.15 Kel. Dadok, Tunggul Hitam, Padang (samping Masjid Al-Muhajirin)		
	PEKANBARU 1	Jl. Limbungan, Perumahan Fanel House 2 Blok 11 No. 19 Rumbai, Pekanbaru		
	PEKANBARU 2	Jl. Garuda Sakti KM. 1 Panam, Perum Mutiara Panam Regency, Blok K No. 13 Pekanbaru		
	BATAM 1	Perum Prima Garden Blok C No. 38 Batu Aji, Batam		
	BATAM 2	Komp. Mega Jaya Industrial Park, Jl. Pelayaran Batam, Baloï Permai, Batam Kota, Batam		
	JAMBI	Jl. Ismail Malik RT.35 No. 29, Kel. Mayang Mangurai, Kec. Alam Barajo Kota Madya Jambi		
	PALEMBANG 1	Jln. Karya Sakti No. 63 RT. 001 / RW. 001 Kel. Sialang, Kec. Sako, Palembang		
	PALEMBANG 2	Jl. Angkatan 66. Ir. Rajawali I No. 2003 RT/RW. 26/07 Talang Aman, Kec. Kemuning, Palembang		
	LUBUKLINGGAU	Jl. Beringin RT.2 No. 19 Kel. Sidorejo Kec. Lubuklinggau Barat 2, Kota Lubuklinggau, Sumatera Selatan 31616		

SERVICE CENTRES

	BANGKA BELITUNG	Jl. Kayu Manis No. 140 Pangkal Pinang, Bangka Belitung 33684
	LAMPUNG 1	Jl. Purnawirawan Gg. Swadaya VI No. 36C, Bandar Lampung
	LAMPUNG 3	Jl. Laks. Martadinata No. 42 Kel. Pesawahan, Teluk Betung, Bandar Lampung 35223
JAWA	DEPOK	Jl. Perkapuran Raya RT.05/RW.02 Kel. Sukatani, Kec. Tapos, Depok Jawa Barat 16954
	BOGOR	RT.03/RW.02 Jl. Raya Cijeruk, Kel. Cijeruk, Kec. Cijeruk, Bogor, Jawa Barat (depan SMAN 1 Cijeruk, Bogor)
	CIBITUNG, CIKARANG BEKASI	Jl. Sengon Raya RT.01/RW.02 Ds. Cijengkol, Kec. Setu, Kab. Bekasi
	BANDUNG	Jl. Rahmat Djajadinata No. 39 RT. 02/Rw 04 Kmp. Bojong Asih, Desa/Kec. Dayeuhkolot, Kab. Bandung 40258
	SUBANG	Jl. Raya Belendung, Belendung, Kec. Cibogo, Kab. Subang, Jawa Barat (Ruko Jasmine Residence)
	TASIKMALAYA	Jl. Raya Cimari Timur No. 06 RT.05/RW.02 Dusun Wetan, Cikoneng, Ciamis
	CIREBON	Jl. Bougenville II No. 178 GSI Tukmudal, Kec. Sumber, Kab. Cirebon, Jawa Barat 45611 (belakang Polres Sumber)
	PURWOKERTO	Ds. Banjarsari Kidul Rt.05/03 No. 1 Kec. Sokaraja, Kab. Banyumas, Jawa Tengah 53181
	SEMARANG	Perum Ivory Park Blok G No. 15 Batusari, Mranggen, Demak, Jawa Tengah 59567
	SURAKARTA	Jl. Kali Kepunton 2 No.33, RT.1/RW.15, Jagalan, Kec. Jebres, Kota Surakarta, Jawa Tengah 57124, Indonesia
	SOLO - YOGYAKARTA	Ds. Sawo RT. 01/31 Sumberharjo, Prambanan, Sleman, Yogyakarta

SERVICE CENTRES

	NGANJUK	Jl. Sersan Harun No. 28 Kartoharjo Nganjuk 64416
	MALANG	Jl. Wonorejo Arjowinangun Permai C2 Kel. Arjowinangun, Kec. Kedungkandang, Kota Malang 65136
	SURABAYA 1	Jl. Kapas Madya 4D No. 5 RT.004/RW.002 Kel. Kapas Madya Baru, Kec. Tambaksari, Surabaya 60134
	SURABAYA 2	Perum Bumi Sedati Indah Blok E No. 1 Sedati, Sidoarjo
	BANYUWANGI	Jl. Kapten Sutaji Cg. 2 No. 30 Tukangkayu, Kec. Banyuwangi, Kab. Banyuwangi, Jawa Timur 68411
BALI, LOMBOK NTB, NTT	DENPASAR 1	Jl. Merdeka 1V No. 7 Renon, Denpasar, Bali
	DENPASAR 2	Jl. Tukad Balian, Perum. Wira Satya I No. 3B Denpasar selatan - Bali.
	DENPASAR 3	Jl. Poh Gading 88 Dawas, Tibubeneng, Kuta Utara Badung, Bali
	MATARAM	Cg. Abu Bakar, Terong Tawah, Kec. Labuapi, Kabupaten Lombok Barat, Nusa Tenggara Barat 83361
	SUMBAWA BESAR	G95W+X36, Jl. Raya Lingkar Utara, Karang Dima, Kec. Unter Iwes, Kab. Sumbawa, Nusa Tenggara Barat 84316
	KUPANG 2	Jl. Timor Raya KM 7 RT.009/RW.003 Kel. Oesapa Barat, Kec. Kelapa Lima, Kota Kupang, NTT 85228
KALIMANTAN	PONTIANAK 1	Jl. Pak Benceng No. 4 Pontianak
	PONTIANAK 2	Jl. Pembangunan Cg. Lestari Jalur 1 No. 20, Kel. Sungai Rengas, Kec. Sungai Kakap, Kab. Kubu Raya 78380

SERVICE CENTRES

	BANJARMASIN	Jl. Pemurus RT.08/RW.03 Kertak Hanyar 1, Banjarmasin, Kalimantan Selatan
	SAMARINDA	Jl. Padat Karya Rt.09 Sempaja Utara Kec. Samarinda Utara, Samarinda
	BALIKPAPAN	Jl. Berlian VII Blok I No.6 Perusda, Balikpapan
	BONTANG	Jl. S. Parman No. 01 KM. 6 Kel. Gunung Telihan Kec. Bontang Barat, Kota Bontang, Kalimantan Timur 75383
SULAWESI	MANADO	Perum Agape Blok B7/36 Jaga XVIII Desa Tumuluntung, Kec. Kauditan - Minahasa Utara
	PALU	Jl. Banawa Lorong Masjid Nurul Iman Kec. Banawa Kab. Donggala, Sulteng, 94351
	MAKASSAR	Jl. Muslim Daeng Tutu, Perumahan Daeng Tata Tri Residence Blok D2 No. 5, Kel. Parang Tambung Kec. Tamalate, Kota Makassar, Sulawesi Selatan 90224
	PARE - PARE	Jl. H.M. Arsyad No. 36, Watang Soreang, Kec. Soreang, Kota Parepare, Sulawesi Selatan 91132
	KENDARI 1	BTN PNS Blok IV No. 4 Kel. Watubangga, Kec. Baruga, Kota Kendari, Sulawesi Tenggara 93116
	KENDARI 2	Jl. Padat Karya , Desa/Kelurahan Watubangga, Kec. Baruga, Kota Kendari, Sulawesi Tenggara 93116
MALUKU	AMBON	Villa Batu Tagepe, Jl. AI - Manshuroh, RT 03/RW 019, Desa Batumerah, Kec. Sirimau, Kota Ambon
PAPUA	JAYAPURA	BTN Yahim Gajah Mada Blok D124 Yahim, Sentani Kota, Jayapura, Papua 99359