

robot coupe®



**MINI
CATALOGUE**



- Since 1961, Robot-Coupe has been designing and manufacturing food preparation machines to meet the needs of culinary trades such as restaurants, institutions, caterers and pastry chefs.
- Present in more than 130 countries, the brand has developed its expertise in kitchens around the world. Some of our products have even become bestsellers.



Divided into 9 categories, all of our models adapt to every kitchen, from the smallest to the largest, ensuring precision, consistent results and productivity while meeting safety standards.


Discover
all of our products
on video



Discover our complete product range and selection guide on robot-coupe.com



FOR MORE THAN 60 YEARS, INNOVATION HAS BEEN AT THE CORE OF OUR BUSINESS.



All the latest Robot-Coupe® innovations are indicated with the  pictogram.

A COMPANY COMMITTED TO SUSTAINABLE DEVELOPMENT

Throughout the decades, Robot-Coupe has been committed to a policy of social and ethical responsibility with four points of focus.

“ Our **heavy duty** machines
are designed **to last** ”

“ We **go beyond the requirements** to guarantee
the **highest levels**
of performance ”



“ Our **partners are based in Europe**
and we support them in developing
a **sustainable approach** ”

“ **100%** of our machines
can be repaired and **more**
than 95% recyclable ”

OUR COMMITMENTS



HEAVY DUTY

Machines designed to last.

PRODUCTIVITY

Highly efficient machines
that help save time.




ERGONOMICS

Convenient, user-friendly machines
that limit the risk of musculoskeletal
disorders.

VERSATILITY

Multifunctional machines
that boost creativity.



QUALITY

Machines that produce precise,
consistent results.

INNOVATION

Machines that are constantly
being improved.



SAFETY

Machines that meet professional
safety standards.

CLEANING

Machines that are easy to clean.





MAKE LIFE EASIER FOR THE USER

Fewer manual tasks to take away the strain



SAVE TIME

Increase productivity

ULTRA FRESH JUICE
2L = 1min



HOMEMADE FRENCH FRIES
20kg = 4mins



CHOPPED VEGETABLE SALAD
10kg = 2mins



SOUP
45L = 6mins



MAYONNAISE
2L = 1min



COLESLAW
300kg = 1hr



SAVE MONEY

Return on investment in less than 6 months!

Examples:



Invest in a CL 50
= Save one hour of work a day.



Invest in a Robot Cook®
= Save 20 minutes per service.



DECREASE WASTE



BOOST YOUR CREATIVITY

Let your imagination run wild



SATISFY YOUR CUSTOMERS



**FRESHNESS AND
ORIGINS OF PRODUCT**



HOMEMADE



LOCAL



SEASONAL PRODUCT

#THEsolution

For all of your food preparation needs.



FOOD PROCESSORS

Perform countless preparation tasks such as fruit and vegetable slicing, chopping, grinding and emulsifying thanks to a two-in-one machine!

Page 10

DISC COLLECTION

The widest range of cuts: slice, grate, julienne, dice, chop, shred, waffle cut and French fries.

Page 16

VEGETABLE PREPARATION MACHINES

Slice fruit and vegetables with perfection in a wide variety of cuts and save hours of work each day.

Page 28

CUTTER MIXERS

Chop, knead, grind, emulsify, make sauces in small or large quantities.

Page 38

ROBOT COOK®

Emulsify, grind, mix, chop, blend, knead and make hot preparations up to 140°C.

Page 46



BLIXER®

Healthcare sector: transform your preparations, whether raw or cooked, into texture-modified foods.

Page 50

KITCHEN BLENDERS

Make all sorts of sweet and savoury liquid preparations, and obtain an incredibly smooth result in the blink of an eye.

Page 58

IMMERSION BLENDERS

Mix, blend, emulsify, whip or knead your preparations in next to no time.

Page 62

JUICE EXTRACTORS

Extract large quantities of fresh fruit and vegetable juices in seconds.

Page 68

AUTOMATIC SIEVES

Sieve preparations to separate seeds, stones, fibres and shells without grinding them.

Page 72



#THEsolution

You can not only slice fruit and vegetables with perfection in a wide variety of cuts, but also chop, knead, grind, emulsify and prepare sauces thanks to a compact, multifunctional two-in-one machine!

Discover
all of our
products on video



FOOD PROCESSORS

CUTTERS & VEGETABLE SLICERS

4 MACHINES in 1!

Automatic restart by the pusher: faster and more convenient to operate.

Large Hopper: large vegetables

NEW



Cylindrical hopper with Exactitude pusher:

- Ø 58mm: long vegetables
- Ø 39mm: small caliber ingredients

Lid:
Designed so that liquids and other ingredients can be added during processing.

Handle:
Ergonomic to make it easy to grasp the bowl.

Industrial induction motor
Intensive use

Easy Guide

Variable speed:
300 to 3 500 rpm for a greater variety of applications.



Lateral ejection:
Space saving and ergonomic.



Dishwasher safe



INNOVATION

Bowl-base twin-blade assembly

To process both large and small quantities. Coarse and fine serrated blade available as options.



Range of 29 discs available as options.



BOOST PRODUCTIVITY

Cutter

1.5 kg = 2 min*

Meatballs



Veg. Prep.

10 kg = 2 min*

Diced tomatoes




*The data may vary depending on the cuts and ingredients

CUTTER FUNCTION

	Smooth blade Supplied as standard			
		COARSE CHOPPING	FINE CHOPPING	SAUCES, EMULSIONS
	Coarse serrated blade Designed for grinding & kneading			
		KNEADING	GRINDING	
	Fine serrated blade Designed for herbs & spices			
		CHOPPING HERBS	GRINDING SPICES	

VEGETABLE PREPARATION FUNCTION

	SLICING 		JULIENNE 
NEW			
	RIPPLE CUT 		+ DICING* 
	GRATING 		+ FRENCH FRIES* 

* For R 402, R 402 V.V, R 502, R 502 V.V, R 752, R 752 V.V.

JUICE AND COULIS EXTRACTION FUNCTION **OPTION**

MODELS R 201 XL, R 201 XL Ultra, R 211 XL, R 211 XL Ultra,
R 301, R 301 Ultra, R 401, R 402, R 402 V.V.



RED BERRY COULIS



RED BERRY SORBET



LEMON JUICE



LEMON TART

POTATO RICER **OPTION**

MODELS R 502, R 502 V.V., R 752, R 752 V.V.




Discover
on video



Feed hopper
(R 502 and R 502 V.V. only)

Potato Ricer
Attachment



Paddle
Puree grid:
3 mm or 6 mm
Special ejection disc

Potato Ricer
Equipment





GRATING / SLICING / RIPPLE CUT / JULIENNE

OPTIONAL
24
DISCS

OPTIONAL
3
BLADES



R 201 XL Ultra

2,9 L



- Single phase / 1 speed
- 550 W
- Internal ejection
- Juice Extractor Kit*



R 211 XL Ultra

2,9 L



- Single phase / 1 speed
- 550 W
- Juice Extractor Kit*



R 301 Ultra

3,7 L



- Single phase / 1 speed
- 650 W
- Juice Extractor Kit*



R 201 XL

2,9 L



- Single phase / 1 speed
- 550 W
- Internal ejection
- Juice Extractor Kit*



R 211 XL

2,9 L



- Single phase / 1 speed
- 550 W
- Juice Extractor Kit*



R 301

3,7 L



- Single phase / 1 speed
- 650 W
- Juice Extractor Kit*



GRATING / SLICING / RIPPLE CUT / JULIENNE

Up to

OPTIONAL
29
DISCSOPTIONAL
3
BLADES

+ DICING + FRENCH FRIES

OPTIONAL
50
DISCSOPTIONAL
3
BLADES**R 402 V.V.**

4,5 L



- Single phase / Variable speed
- 1000 W
- Juice Extractor Kit*

**R 502 V.V.**

5,9 L



- Single phase / Variable speed
- 1500 W
- R-Mix®
- Potato Ricer Attachment*

**R 752 V.V.**

7,5 L



- Single phase / Variable speed
- 1500 W
- R-Mix®
- Potato Ricer Equipment*

**R 402**

4,5 L



- Single phase or Three phase
- 2 speeds • 750 W
- Juice Extractor Kit*

**R 502**

5,9 L



- Three phase / 2 speeds
- 900 W
- Potato Ricer Attachment*

**R 752**

7,5 L



- Three phase / 2 speeds
- 1800 W
- Potato Ricer Equipment*

**R 401**

4,5 L



- Single phase / 1 speed
- 700 W
- Juice Extractor Kit*

Models	Maximum quantity for cutter function	Hourly capacity for vegetable preparation function	Number of covers
R 201 XL / R 201 XL Ultra	1.0 kg	25 kg/hr	1 to 50
R 211 XL / R 211 XL Ultra	1.0 kg	40 kg/hr	1 to 50
R 301 / R 301 Ultra	1.5 kg	50 kg/hr	1 to 100
R 401 / R 402 / R 402 V.V.	2.5 kg	50 kg/hr	1 to 100
R 502 / R 502 V.V.	3.2 kg	150 kg/hr	50 to 300
R 752 / R 752 V.V.	3.8 kg	250 kg/hr	200 to 600

*Optional attachment

R-Mix®: Reverse rotation blending function



#THEsolution

The widest range of cuts! More than 50 discs to choose from to slice, grate, julienne, dice, chop, shred, waffle cut and cut French fries with perfection in next to no time.



DISC COLLECTION



THE WIDEST RANGE OF CUTS



ESSENTIAL Series 1-4

R 201 XL R 201 XL Ultra R 211 XL R 211 XL Ultra R 301 R 301 Ultra R 401 CL 20	R 402 R 402 V.V.	CL 40
--	---------------------	-------

DISCS



EXPERT Series 5-7

R 502/R 502 V.V. R 752/R 752 V.V.	CL 50 Gourmet
--------------------------------------	------------------

SLICERS



		Almonds 0,6 mm	☐ 28166W	☐ 28166W
		0,8 mm	☐ 28069W	☐ 28069W
☐ 27051	☐ 27051	1 mm	☐ 28062W	☐ 28062W
☐ 27555	☐ 27555	2 mm	☐ 28063W	☐ 28063W
☐ 27086	☐ 27086	3 mm	☐ 28064W	☐ 28064W
☐ 27566	☐ 27566	4 mm	☐ 28004W	☐ 28004W
☐ 27087	☐ 27087	5 mm	☐ 28065W	☐ 28065W
☐ 27786	☐ 27786	6 mm	☐ 28196W	☐ 28196W
		8 mm	☐ 28066W	☐ 28066W
		10 mm	☐ 28067W	☐ 28067W
		14 mm	☐ 28068W	
		4 mm cooked potatoes	☐ 27244W	☐ 27244W
		6 mm cooked potatoes	☐ 27245W	☐ 27245W

RIPPLE CUT



NEW ☐ 27622	NEW ☐ 27622	2 mm	☐ 27068W	☐ 27068W
☐ 27623	☐ 27623	3 mm	☐ 27069W	☐ 27069W
		5 mm	☐ 27070W	☐ 27070W

GRATERS



☐ 27588	☐ 27588	☐ 27148	1,5 mm	☐ 28056W	☐ 28056W
☐ 27577	☐ 27577	☐ 27149	2 mm	☐ 28057W	☐ 28057W
☐ 27511	☐ 27511	☐ 27150	3 mm	☐ 28058W	☐ 28058W
			4 mm	☐ 28073W	☐ 28073W
			5 mm	☐ 28059W	☐ 28059W
☐ 27046	☐ 27046		6 mm		
			7 mm	☐ 28016W	☐ 28016W
☐ 27632	☐ 27632		9 mm	☐ 28060W	☐ 28060W
☐ 27764	☐ 27764		Parmesan cheese	☐ 28061W	☐ 28061W
☐ 27191	☐ 27191		Röstis potatoes	☐ 27164W	☐ 27164W
			Raw potatoes	☐ 27219W	☐ 27219W
☐ 27078	☐ 27078		0,7 mm horseradish paste		
☐ 27079	☐ 27079		1 mm horseradish paste	☐ 28055W	☐ 28055W
☐ 27130	☐ 27130		1,3 mm horseradish paste		

JULIENNE



			1 x 8 mm (ribbons)	☐ 28172W	☐ 28172W
			1 x 26 onion/cabbage	☐ 28153W	☐ 28153W
☐ 27080	☐ 27080		2 x 4 mm	☐ 27072W	☐ 27072W
☐ 27081	☐ 27081		2 x 6 mm	☐ 27066W	☐ 27066W
			2 x 8 mm	☐ 27067W	☐ 27067W
			2 x 10 mm (ribbons)	☐ 28173W	☐ 28173W
☐ 27599	☐ 27599		2 x 2 mm	☐ 28051W	☐ 28051W
			2,5 x 2,5 mm	☐ 28195W	☐ 28195W
			3 x 3 mm	☐ 28101W	☐ 28101W
☐ 27047	☐ 27047		4 x 4 mm	☐ 28052W	☐ 28052W
☐ 27610	☐ 27610		6 x 6 mm	☐ 28053W	☐ 28053W
☐ 27048	☐ 27048		8 x 8 mm	☐ 28054W	☐ 28054W

THE WIDEST RANGE OF CUTS



ESSENTIAL Series 1-4



EXPERT Series 5-7

DISCS

	R 211 XL R 211 XL Ultra R 301 R 301 Ultra R 401 CL 20		R 402 R 402 V.V.	CL 40		R 502/R 502 V.V. R 752/R 752 V.V.	CL 50 CL 50 Ultra CL 52/CL 55 CL 60	CL 50 Gourmet
DICING EQUIPMENT 			☐ 27513W ■		5 x 5 x 5 mm		☐ 28110W ■	☐ 28110W ■
			☐ 27514W ■		8 x 8 x 8 mm		☐ 28111W ■	☐ 28111W ■
			☐ 27515W ■		10 x 10 x 10 mm		☐ 28112W ■	☐ 28112W ■
					12 x 12 x 12 mm		☐ 28197W ■	
					14 x 14 x 5 mm (mozzarella)		☐ 28181W ■	☐ 28181W ■
					14 x 14 x 10 mm		☐ 28179W ■	☐ 28179W ■
					14 x 14 x 14 mm		☐ 28113W ■	
					20 x 20 x 20 mm		☐ 28114W ■	
					25 x 25 x 25 mm		☐ 28115W ■	
					50 x 70 x 25 mm (salad)		☐ 28180W ■	
FRENCH FRIES 			☐ 27116W ▲		6 x 6 mm* NEW		☐ 29230W ▲	
					8 x 8 mm		☐ 28134W ▲	☐ 28134W ▲
					8 x 16 mm		☐ 28159W ▲	☐ 28159W ▲
			☐ 27117W ▲		10 x 10 mm		☐ 28135W ▲	☐ 28135W ▲
					10 x 16 mm		☐ 28158W ▲	☐ 28158W ▲
BRUNOISE CL 50 Gourmet 					2 x 2 x 2 mm			☐ 28174W
					3 x 3 x 3 mm			☐ 28175W
					4 x 4 x 4 mm			☐ 28176W
WAFFLE CUTS CL 50 Gourmet 					2 mm			☐ 28198W
					3 mm			☐ 28199W
					4 mm			☐ 28177W
					6 mm			☐ 28178W
PACK OF DISCS	☐ 2006	☐ 2006	-		Eastern Europe pack of 3 discs			
	☐ 1904	☐ 1904	-		Asia pack of 4 discs			
	☐ 1946	☐ 1946	-		Pack of 5 discs			
		☐ 2195W	☐ 1945W		Pack of 6 discs			
		-	☐ 1909W		Pack of 8 discs			
					Eastern Europe pack of 5 discs	☐ 2005W	☐ 2005W	
					Pack of 7 discs	☐ 2023W	☐ 2023W	
					Pack of 8 discs - restaurants	☐ 1933W	☐ 1933W	
					Pack of 12 discs for institutions	☐ 1942W	☐ 1942W	
					Multicut pack of 16 discs	☐ 2022W	☐ 2022W	

■ **DICING equipment consisting of:** 1 dicing grid + 1 slicing disc.

▲ **FRENCH FRIES equipment consisting of:** 1 french fries grid + 1 special french fries cutting disc.

*6 x 6 mm French Fries equipment:

- Compatible with the machines:

- CL 50, CL 50 Ultra, R 502, R 502 V.V. With those machines, it must be used in addition to EasyLoader (page 27)
- CL 55 and CL 60 with Automatic Feed Head

- Not compatible with the machines:

- R 752, R 752 V.V., CL 50 Gourmet, CL 52
- CL 55 and CL 60 with Pusher Feed Head

THE TURNKEY SOLUTION FOR ALL KITCHENS

ESSENTIAL Series 1-4

EASTERN EUROPE PACK OF 3 DISCS



Slicers

2 mm

Graters

2 mm

Julienne

4 x 4 mm



Wall-mounted disc holders (set of 2) **FREE**

ASIA PACK OF 4 DISCS



Slicers

2 mm & 4 mm

Graters

2 mm

Julienne

2 x 2 mm



Wall-mounted disc holders (set of 2) **FREE**

PACK OF 5 DISCS



Slicers

2 mm & 4 mm

Graters

2 mm

Julienne

4 x 4 mm & 8 x 8 mm



Wall-mounted disc holders (set of 2) **FREE**

PACK OF 6 DISCS



Slicers

2 mm & 4 mm

Graters

2 mm

Julienne

2 x 2 mm* & 4 x 4 mm**

Dicing Equipment

10 x 10 x 10 mm



Wall-mounted disc holders (set of 2) **FREE**

*Included in 2195W only

**Included in 1945W only

PACK OF 8 DISCS



Slicers

2 mm & 4 mm

Graters

2 mm

Julienne

2 x 2 mm & 2 x 4 mm & 4 x 4 mm

Dicing Equipment

10 x 10 x 10 mm



Wall-mounted disc holders (set of 2) **FREE**

EXPERT Series 5-7

EASTERN EUROPE PACK OF 5 DISCS



Slicers
2 mm

Graters
2 mm

Julienne
4 x 4 mm

Dicing Equipment
10 x 10 x 10 mm



Wall-mounted disc holders (set of 2) **FREE**

ASIA PACK OF 7 DISCS



Slicers
2 mm & 5 mm

Graters
2 mm

Julienne
2 x 2 mm & 3 x 3 mm

Dicing Equipment
10 x 10 x 10 mm



Wall-mounted disc holders (set of 2) **FREE**

PACK OF 8 DISCS - RESTAURANTS



Slicers
2 mm & 5 mm

Graters
2 mm

Julienne
3 x 3 mm

Dicing Equipment
10 x 10 x 10 mm

French Fries Equipment
10 x 10 mm



Wall-mounted disc holders (set of 2) **FREE**

PACK OF 12 DISCS FOR INSTITUTIONS



Slicers
2 mm & 5 mm

Graters
2 mm & 5 mm

Julienne
3 x 3 mm, & 4 x 4 mm

Dicing Equipment
10 x 10 x 10 mm & 20 x 20 x 20 mm

French Fries Equipment
10 x 10 mm



Wall-mounted disc holders (set of 2) **FREE**

MULTICUT PACK OF 16 DISCS



Slicers
1 mm, 2 mm, 4 mm

Graters
1.5 mm, 3 mm

Julienne
2.5 x 2.5 mm, 2 x 10 mm, 4 x 4 mm



2 wall-mounted disc holders (set of 2) **FREE**

Dicing Equipment
5 x 5 x 5 mm, 10 x 10 x 10 mm,
20 x 20 x 20 mm

French Fries Equipment
10 x 10 mm



THE WIDEST RANGE OF CUTS

SLICERS



EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.
ESSENTIAL CL 20, CL 40, R 201 XL, R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.




Almonds 0,6 mm
 Ref. 28166W




0,8 mm
 Ref. 28069W



1 mm
 Ref. 28062W
 Ref. 27051



2 mm
 Ref. 28063W
 Ref. 27555



3 mm
 Ref. 28064W
 Ref. 27086



4 mm
 Ref. 28004W
 Ref. 27566



5 mm
 Ref. 28065W
 Ref. 27087




6 mm
 Ref. 28196W
 Ref. 27786



8 mm
 Ref. 28066W



10 mm
 Ref. 28067W



14 mm*
 Ref. 28068W



Cooked potatoes 4 mm
 Ref. 27244W



Cooked potatoes 6 mm
 Ref. 27245W



The green discs are at half-scale

*Except CL 50 Gourmet

THE WIDEST RANGE OF CUTS

GRATERS



EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.

ESSENTIAL CL 20, CL 40, R 201 XL, R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.

ESSENTIAL Special CL 40

1,5 mm
Ref. 28056W
Ref. 27588*
Ref. 27148



2 mm
Ref. 28057W
Ref. 27577*
Ref. 27149



3 mm
Ref. 28058W
Ref. 27511*
Ref. 27150




4 mm
Ref. 28073W



5 mm
Ref. 28059W



6 mm
Ref. 27046



7 mm
Ref. 28016W



9 mm
Ref. 28060W
Ref. 27632



Parmesan
Ref. 28061W
Ref. 27764



Röstis potatoes
Ref. 27164W
Ref. 27191



Raw potatoes
Ref. 27219W



Horseradish
Ref. 28055W 1 mm
Ref. 27078 0,7 mm
Ref. 27079 1 mm
Ref. 27130 1,3 mm



RIPPLE CUT

EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.

ESSENTIAL CL 20, CL 40, R 201 XL, R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.

2 mm
Ref. 27068W



3 mm
Ref. 27069W
Ref. 27622



NEW

5 mm
Ref. 27070W
Ref. 27623



NEW

The green discs are at half-scale

*Except CL 40


THE WIDEST RANGE OF CUTS

JULIENNE



EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.

ESSENTIAL CL 20, CL 40, R 201 XL, R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.

 1 x 8 mm Ref. 28172W 	 1 x 26 mm Ref. 28153W 	 2 x 4 mm Ref. 27072W Ref. 27080 	 2 x 6 mm Ref. 27066W Ref. 27081 
 2 x 8 mm Ref. 27067W 	 2 x 10 mm Ref. 28173W 	 2 x 2 mm Ref. 28051W Ref. 27599 	 2,5 x 2,5 mm Ref. 28195W 
 3 x 3 mm Ref. 28101W 	 4 x 4 mm Ref. 28052W Ref. 27047 	 6 x 6 mm Ref. 28053W Ref. 27610 	 8 x 8 mm Ref. 28054W Ref. 27048 

FRENCH FRIES



EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.

EXPERT CL 50, CL 50 Ultra, R 502, R 502 V.V.

EXPERT CL 55 Auto feed head, CL 60 Auto feed head

ESSENTIAL CL 40, R 402, R 402 V.V.

 6 x 6 mm Ref. 49324 Ref. 29230W 	 8 x 8 mm Ref. 28134W Ref. 27116W 	 8 x 16 mm Ref. 28159W 	 10 x 10 mm Ref. 28135W Ref. 27117W 	 10 x 16 mm Ref. 28158W 
---	--	---	--	--


The green discs are at half-scale

THE WIDEST RANGE OF CUTS


DICING EQUIPMENT

EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.


ESSENTIAL CL 40, R 402, R 402 V.V.



5x5x5 mm
Ref. 28110W



8x8x8 mm
Ref. 28111W
Ref. 27513W



10x10x10 mm
Ref. 28112W
Ref. 27514W




12x12x12 mm*
Ref. 28197W
Ref. 27515W




14x14x5 mm
Ref. 28181W





14x14x10 mm
Ref. 28179W




14x14x14 mm*
Ref. 28113W



20x20x20 mm*
Ref. 28114W



25x25x25 mm*
Ref. 28115W



50x70x25 mm*
Salads
Ref. 28180W



The green discs are at half-scale

*Except CL 50 Gourmet


NEW

EasyClean Xpress

The zero waste solution to clean **EXPERT** dicing grids R 502 to R 752 and CL 50 to CL 60

For dicing grids	Ref.
8 mm	49305
10 mm	49309
12 mm	49313
14 mm	49314

- Fast, easy cleaning
- Zero waste
- Save 250 g / grid



NEW

D-Clean Kit


Dicing grid cleaning tool



Grid holder

- **ESSENTIAL** R 402 - CL 40
- **EXPERT** R 502 to R 752 - CL 50 to CL 60

	Ref.
D-Clean Kit	29246



Dicing grid cleaning tool

5 mm, 8 mm, 10 mm, 12 mm and 14 mm

Scraper tool

EXCLUSIVE CUTS

BRUNOISE

CL 50 Gourmet



CL 50 GOURMET

2x2x2 mm
Ref. 28174W



3x3x3 mm
Ref. 28175W



4x4x4 mm
Ref. 28176W



WAFFLE CUTS


CL 50 Gourmet




CL 50 GOURMET



2 mm
Ref. 28198W



3 mm
Ref. 28199W



4 mm
Ref. 28177W



6 mm
Ref. 28178W



The green discs are at half-scale



1 mm parsley and herb kit including:

1 slicing disc 1 mm and 2 inserts to guide herbs during chopping

THE WIDEST RANGE OF CUTS

ROBOT-COUPÉ'S 3 SOLUTIONS TO SLICE TOMATOES

1 CL 50 Continuous ejection

Small and large quantities

**2 CL 50 + Mini bowl**

Slice up to 9 tomatoes ready to use

**3 CL 50 + EasyStacker**

A perfectly stacked tomato

**BOOST
PRODUCTIVITY****6 kg = 1 min**

	Ref.
Mini bowl	39716



NEW



	Ref.
EasyStacker	49332

ROBOT-COUPÉ'S FRENCH FRY SOLUTIONS

5 French Fry sizes



NEW

6 x 6 mm



8 x 8 mm



8 x 16 mm



10 x 10 mm



10 x 16 mm

NEW

EasyLoader

- **Continuous feeding** for increased productivity.
- Making **beautiful and large fries** thanks to an optimized potato cutting on the **length**.

**BOOST
PRODUCTIVITY****25 kg = 4 min**

1



2

For R 502, R 502 V.V., CL 50, CL50 Ultra		Ref.
EasyLoader	1	49323
6 x 6 mm French Fries equipment	1 + 2	49324

#THEsolution

Slice fruit and vegetables with perfection in a wide variety of cuts and save hours of work each day: slice, grate, dice and shred, cut into matchsticks and French fries, make waffle cuts and even puree.

Discover
all of our
products on video



TABLE-TOP

VEGETABLE PREPARATION MACHINES

Cylindrical hopper

- Ø 58 mm uniform cutting of long ingredients.

- Ø 39 mm to cut up small fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries, grapes, etc. with the Exactitube pusher.



Large hopper

to insert large vegetables such as cabbage and eggplant... and optimised loading of other vegetables.



Easy Guide

Stainless steel motor block



INNOVATION

EXACTITUBE PUSHER



Industrial induction motor

Intensive use

Lateral ejection

Space saving and convenient to use.



THE WIDEST RANGE OF CUTS!

More than 50 optional discs for slicing, ripple cutting, grating, chopping, chip cutting and julienne.

Discover on page 18



**BOOST
PRODUCTIVITY**

Up to 20 kg = 4 min*

Sliced cucumbers



*The data may vary depending on the cuts and ingredients.



Effective throughput
per hour:



Up to 50 kg



Up to 50 kg



Up to 150 kg

OPTIONAL
24
DISCS

GRATING / SLICING / RIPPLE CUT / JULIENNE

OPTIONAL
29
DISCS

+ DICING + FRENCH FRIES

OPTIONAL
50
DISCS

+ BRUNOISE & WAFFLE-CUT

+ PARSLEY & HERBS

☐ **CL 50 Gourmet**



- Single or Three phase
- 1 speed • 550 W or 600 W

☐ **CL 50 Ultra**



- Single or Three phase
- 1 speed • 550 W
- **Potato Ricer Attachment***

☐ **CL 20**



- Single phase
- 1 speed • 400 W

☐ **CL 40**



- Single phase
- 1 speed • 500 W

☐ **CL 50**



- Single or Three phase
- 1 speed • 550 W
- **Potato Ricer Attachment***

*Optional attachments

50
300
Up to 150 kg

200
600
Up to 250 kg

GRATING / SLICING / RIPPLE CUT / JULIENNE

+ DICING + FRENCH FRIES

OPTIONAL
+
50
Discs

☐ CL 50 Ultra Pizza



☐ CL 50 Ultra Restauration



Restaurants pack available for models CL 50, CL52 (excluding Gourmet).

☐ CL 50 Ultra Institutions



Institutions pack available for models CL 50, CL52 (excluding Gourmet).

☐ CL 52



- Single or Three phase
- 1 speed • 750 W
- Potato Ricer Equipment*



FLOOR STANDING

VEGETABLE PREPARATION MACHINES

Especially designed for the preparation of large quantities of vegetables.



Discover
all of our
products on video



CL 60 Workstation



- Requires less effort
- Prevents MSD
- Takes away the tediousness

LATERAL EJECTION

Space-saving and user comfort.

POWERFUL MOTOR

1500 W silent induction motor for durability.
Stainless steel motor base for easy cleaning.

NEW

Ejection guide

Optimal distribution of vegetables in the GN container.



Adjustable leg

so it can be adapted to uneven floors and ensure stability.



**BOOST
PRODUCTIVITY**

Up to 50 kg
in 5 min*

French Fries



*The data may vary depending on the cuts and ingredients.

A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!

INNOVATION

Pusher feed-head

Especially designed for bulky vegetables such as cabbage and celeriac.



EXTRA ERGONOMIC

Lever with assisted movement = less effort for the operator + increase throughput.

EXTRA LARGE

The very wide opening of the hopper is designed to take up to 15 tomatoes at a time.

HIGH PRECISION

Cylindrical hopper

- Ø 58 mm uniform cutting of long ingredients.
- Ø 39 mm to cut up small fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries, grapes, etc. with the Exactitube pusher.

Automatic feed-head

For all bulky vegetables (tomatoes, onions, potatoes, etc.).



4 tubes feed-head

Especially designed for long vegetables such as cucumbers and zucchini.



Exactitube pusher

For cutting up small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



3 mm Potato Ricer Equipment

To easily produce large quantities of mashed potatoes.



Motor shaft brush



Storage trolley

To store and transport all the attachments! Tray for 16 discs and 8 attachments. GN1X1 container for kitchen utensils.



Ergo Mobile Trolley

To transport, load and store accessories. 3 GN1x1 gastronorm containers provided.



Discover the Workstation
disc pack on page 21

GRATING / SLICING / RIPPLE CUT / JULIENNE

+ DICING + FRENCH FRIES

OPTIONAL
+
50
Disco's



CL 55 Pusher Feed-Head



- Three phase
- 2 speeds
- 1100 W
- Potato Ricer Equipment*



CL 55 2 Feed-Heads



- Three phase
- 2 speeds
- 1100 W
- Potato Ricer Equipment*



CL 55 Workstation



- Three phase
- 2 speeds
- 1100 W
- Potato Ricer Equipment



600 kg

GRATING / SLICING / RIPPLE CUT / JULIENNE

+ DICING + FRENCH FRIES

OPTIONAL
+
50
DISCS



CL 60 Pusher Feed-Head



- Three phase or Single phase
- 2 speeds or variable speed
- 1500 W
- Potato Ricer Equipment*



CL 60 2 Feed-Heads



- Three phase or Single phase
- 2 speeds or variable speed
- 1500 W
- Potato Ricer Equipment*



CL 60 Workstation



- Three phase or Single phase
- 2 speeds or variable speed
- 1500 W
- Potato Ricer Equipment



PREPARED ON SITE WITH ROBOT-COUCPE

Prepare your own potato dishes and add that all important “Homemade” claim.



Robot-Coupe offers many solutions for preparing homemade potato dishes with and without the skin:

French fries of every shape and size!



Shoestring fries

Potato straws

Waffle-cut chips



2 x 2 mm



4 x 4 mm



6 x 6 mm



2 x 2 mm

Pan-fried potatoes

Potato chips

Scalloped Potatoes

Mashed potatoes



14 x 14 mm or 20 x 20 mm



1 or 2 mm



5 mm




POTATO RICER CL 50, CL 52, CL 55, CL 60



Feed hopper
(for CL 50 and CL 50 Ultra only).

Potato Ricer Attachment



Paddle
Puree grid:
3 mm or 6 mm

Special ejection disc

Potato Ricer Equipment



Discover
on video



#THEsolution

Mince meat, fish, onions, herbs or spices, grind nuts, chocolate or praline, knead, emulsify, make sauces in small or large quantities.

Discover
all of our
products on video



TABLE TOP CUTTER MIXERS

LID

Liquids and other ingredients can be added during processing.

BOWL

7,5L: to save time by increasing the quantities processed.

ERGONOMIC HANDLE

Soft touch handle designed for more comfort and for a firm and secure grip.

R-MIX FUNCTION

To blend delicate ingredients without chopping.

PULSE FUNCTION

To pre-cut tough ingredients.

Easy Guide

INNOVATION

BOWL-BASE TWIN-BLADE ASSEMBLY

To process both large and small quantities. All stainless steel with detachable smooth blade. Optional coarse and fine serrated blade.



INDUSTRIAL INDUCTION MOTOR

Intensive use.

TIMER

Less effort, greater precision and more consistent results no matter what the recipe.

Variable speed models:

300 to 3 500 rpm for more flexible use and a greater variety of applications.



**BOOST
PRODUCTIVITY**

R 7 V.V.


4 kg = 2 min

Almond powder





3 BLADES FOR BEST RESULTS



PULSE FUNCTION



- To pre-cut tough ingredients
Mince meat and fish / Grind nuts and dried fruit
- To control the preparation's consistency

INNOVATION

R-MIX®

On R 5 V.V., R 7 V.V., R 8 V.V., R 10 V.V.

- To blend delicate ingredients without chopping.
- The **R-Mix®** function is designed for reverse rotation mixing at **variable speeds from 60 to 500 rpm** to incorporate whole pieces of meat, crayfish tails, brunoises and diced vegetables to pâtés and terrines, whole raisins to buns, etc.





Quantities*:



1 kg



1,5 kg



2,5 kg



3 kg

VARIABLE SPEED from 300 to 3 500 rpm

☐ R 4 V.V.

OPTIONAL
3
BLADES

4,5 L



- Single phase
- 1000 W

☐ R 5 V.V.

OPTIONAL
3
BLADES

5,9 L



- Single phase • R-Mix®
- 1500 W

1 SPEED 1 500 rpm

☐ R 2

OPTIONAL
3
BLADES

2,9 L



- Single phase • 550 W

1 SPEED 3 000 rpm

☐ R 3-3000

OPTIONAL
3
BLADES

3,7 L



- Single phase • 650 W

2 SPEEDS 1 500 and 3 000 rpm

☐ R 4 - 2V

OPTIONAL
3
BLADES

4,5 L



- Three phase • 900 W

☐ R 5 - 2V

OPTIONAL
3
BLADES

5,9 L



- Three phase • 1500 W

1 SPEED 1 500 rpm

☐ R 2 B

OPTIONAL
3
BLADES

2,9 L



- Single phase
- 550 W

☐ R 3

OPTIONAL
3
BLADES

3,7 L



- Single phase
- 650 W

☐ R 4 - 1V

OPTIONAL
3
BLADES

4,5 L



- Single phase
- 700 W

☐ R 5 - 1V

OPTIONAL
3
BLADES

5,9 L



- Single phase
- 750 W

*Maximum quantities processed at a time



3,5 kg



5 kg



6 kg

VARIABLE SPEED from 300 to 3 500 rpm



R 7 V.V.



OPTIONAL
3
BLADES

7,5 L

- Single phase
- 1500 W
- R-Mix®



R 8 V.V.



OPTIONAL
3
BLADES

8 L

- Single phase
- 2200 W
- R-Mix®



R 10 V.V.



OPTIONAL
3
BLADES

11,5 L

- Single phase
- 2600 W
- R-Mix®

2 SPEEDS 1 500 and 3 000 rpm



R 7



OPTIONAL
3
BLADES

7,5 L

- Three phase
- 1500 W



R 8



OPTIONAL
3
BLADES

8 L

- Three phase
- 2200 W



R 10



OPTIONAL
3
BLADES

11,5 L

- Three phase
- 2600 W

R-Mix®: Reverse rotation mixing function

PERFORMANCE RATES

Models	Maximum capacity				Number of covers	Time
	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)		
R 2	0,8 kg	1 kg	0,5 kg	0,3 kg	1 to 50	1 to 4 minutes
R 3	1 kg	1,5 kg	1 kg	0,5 kg	1 to 50	
R 3-3000	1 kg	1,5 kg	-	0,5 kg	1 to 50	
R 4 - 1V / R 4 - 2V / R 4 V.V.	1,5 kg	2,5 kg	1,5 kg	0,7 kg	50 to 100	
R 5 - 1V / R 5 - 2V / R 5 V.V.	2,2 kg	3,2 kg	2,2 kg	1,1 kg	50 to 200	
R 7 / R 7 V.V.	2,7 kg	3,8 kg	2,7 kg	1,7 kg	100 to 200	
R 8 / R 8 V.V.	3 kg	5 kg	4 kg	2 kg	200 to 300	
R 10 / R 10 V.V.	4 kg	6 kg	5 kg	3 kg	200 to 300	

*Amount of raised dough with 60% hydration



FLOOR STANDING

VERTICAL CUTTER MIXERS

PROCESS LARGE VOLUMES IN
A MINIMUM AMOUNT OF TIME

Discover
all of our
products on video



**Easy
Guide**

CONTROL PANEL

0 to 15 minute **timer**, **stainless steel flush mounted control buttons** and **pulse control** for greater cutting precision.

See through watertight lid that is locked into position in a single movement.
Lid and seal can be removed simply and quickly.

LID WIPER

For perfect visibility during operation.

BOWL LOCKING LEVER

Ergonomic lever to tilt the bowl at various angles, including horizontally.

INNOVATION

STAINLESS STEEL BOWL-BASE BLADE ASSEMBLY

New Robot-Coupe patented blade profile for optimum cutting quality.



**3 BLADES FOR
BEST RESULTS**

STAINLESS STEEL FRAME

All stainless steel with 3 sturdy built-in legs to ensure total stability, minimum space requirements and easy cleaning.

WHEELS INCLUDED

3 retractable wheels for easy moving and cleaning.

STAINLESS STEEL BOWL

Tilttable, removable bowl to make it easy to empty.



Quantities*:



3 to 9 kg



3 to 12 kg



4 to 14 kg

CUTTER
MIXERS

2 SPEEDS 1 500 and 3 000 rpm



R 15

OPTIONAL
3
BLADES
15 L



- Three phase
- 3 000 W



R 20

OPTIONAL
3
BLADES
20 L



- Three phase
- 4 400 W



R 23

OPTIONAL
3
BLADES
23 L



- Three phase
- 4 500 W



Quantities*:



4 to 17 kg



6 to 27 kg



6 to 36 kg

2 SPEEDS 1 500 and 3 000 rpm



R 30

OPTIONAL
3
BLADES
28 L



- Three phase
- 5 400 W



R 45

OPTIONAL
3
BLADES
45 L



- Three phase
- 10 000 W



R 60

OPTIONAL
3
BLADES
60 L



- Three phase
- 11 000 W

PERFORMANCE RATES

Models	Maximum capacity				Number of covers	Time
	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)		
R 15	9 kg	9 kg	7 kg	6 kg	300 to 600	1 to 4 minutes
R 20	11 kg	11 kg	9 kg	8 kg	300 to 600	
R 23	17 kg	13 kg	6 kg	11 kg	600 to 1200	
R 30	21 kg	16 kg	8 kg	14 kg	600 to 1200	
R 45	32 kg	24 kg	12 kg	20 kg	1200+	
R 60	44 kg	33 kg	18 kg	28 kg	1200+	

*Amount of raised dough with 60% hydration



All of our floor standing Vertical Cutters Mixers on robot-coupe.com

#THEsolution

Emulsify, grind, mix, chop, blend, knead and make hot preparations up to 140°C, accurate to the nearest degree.

Discover
all of our
products on video



ROBOT COOK®

THE KITCHEN ASSISTANT FOR CHEFS

Clever: Watertight lid including a no-splash safety function. Anti-vapour lid wiper so you can keep an eye on your preparation.

Practical: The opening in the lid means ingredients can be added to the bowl without having to stop the appliance.



Ingenious: Special system to hold the blade in place so the bowl can be emptied safely.

Efficient: Bowl scraper arm for ultra-fine, homogeneous preparations.

Functional: Large capacity 3.7 litre bowl for producing professional quantities.

Hygienic: All parts in contact with food can be easily removed and are dishwasher safe.

Powerful: The powerful Robot Cook® features on a heavy duty commercial grade induction motor.

Easy Guide

Quiet: In the midst of the general hustle and bustle of the kitchen, Chefs appreciate how quiet it is.

High-precision: Variable heating capacity up to 140°C, accurate to the nearest degree.

● COLD
● HOT
UP TO
140°C



**BOOST
PRODUCTIVITY**

**An autonomous
assistant**

Up to 140°C





COOKING CUTTER BLENDER

The 1st professional Cooking Cutter Blender!




HOT or AMBIENT

I mix,
I chop,
I blend,
I crush,
I knead,
I emulsify,

I heat and I cook...

● COLD
● HOT
UP TO
140°C



1 2 3
PROCESSING ZONE

Control dial
(to adjust settings)

SETTING ZONE

- Low and high heating capacity up to 140°C
- Variable speed from -500 to 3 500 rpm
- Timer

PROGRAMMING ZONE

- P Programme
- Step button

PROCESSING ZONE

- 1 Turbo/pulse function: up to 4 500 rpm
- 2 Start button
- 3 Stop button

2 BLADES FOR BEST RESULTS



Fine serrated blade

**Blender
FUNCTION**



COOK



GRIND



BLEND



MIX



GRIND



KNEAD



Smooth blade

**Cutter
FUNCTION**



CHOP



BLEND



#THEsolution

Transform your preparations, whether raw or cooked,
into texture-modified foods.

Discover
all of our
products on video



TABLE-TOP BLIXER®



A unique solution for modified textures! The Blixer®, especially designed for the health-care sector, turns raw products into texture-modified foods. All foods, whether raw or cooked, sweet or savoury, whether entrees or mains, dessert or cheese, can be eaten by everyone at the table.

INNOVATION

Blixer® ARM

For a more even **consistency**.
Easy to remove and clean for **perfect hygiene**.



OPENING

So that liquids and solid ingredients can be added **during use**.

LID

Equipped with a seal for **perfect watertightness**.



HIGH BOWL SHAFT

High bowl shaft to process **large liquid quantities**.

INDUCTION MOTOR

Very powerful, to withstand intensive use over a long period of time.

Easy Guide



Fine serrated blade.



Standard speed of 3 000 rpm for **perfectly even consistency**.




HEALTHCARE SECTOR TEXTURE MODIFIED MEALS

Entrees




DUO OF RAW RED CABBAGE AND CELERIAC



FRESHLY GRATED CARROTS

Mains




SALMON FILET AND CABBAGE



VEAL BLANQUETTE

Cheese



CAMEMBERT AND WHOLEMEAL BREAD


Desserts



RAW GRANNY SMITH APPLE COMPOTE

COMPLIANCE WITH IDDSI STANDARDS

PROUD SUPPORTER OF




HOW TO CHOOSE YOUR BLIXER®

1> Calculate the total weight of the texture-modified portions required.

Average portion	Number of portions required	Total weight
Entree 80 g	X Portions =	g
Meat / fish 100 g	X Portions =	g
Vegetables / Carbs 200 g	X Portions =	g
Dessert 80 g	X Portions =	g

Number of 200 g portions



2> Refer to the indications of the amounts processed per operation given in the product description.

WHY HAVE A SECOND PROCESSING BOWL?

- Better organisation in the kitchen
- Reduces waiting time between 2 wash-ups



RESTAURANTS

It didn't take long for traditional and Asian food chefs to adopt the Blixer® for all their preparations:

Emulsions, appetizers, tapenade, hummus, tarama, pesto, etc.



Dry grinding, special "powders" for dry and dehydrated foods




**BOOST
PRODUCTIVITY**

Blixer® 7

4 kg = 90 sec

Texture-modified raw carrots



Number of
200 g portions

Quantities
processed per
operation



Single portion model



0.3 to 2 kg



0.4 to 3 kg



0.5 to 3.8 kg

VARIABLE SPEED from 300 to 3 500 rpm

☐ **Blixer® 4 V.V.**
4,5 L



- Single phase
- 1100 W

☐ **Blixer® 5 V.V.**
5,9 L



- Single phase
- 1500 W

2 SPEEDS 1 500 and 3 000 rpm

☐ **Blixer® 4-2V**
4,5 L



- Three phase • 1000 W

☐ **Blixer® 5-2V**
5,9 L



- Three phase • 1500 W

1 SPEED 3 000 rpm

☐ **Blixer® 2**
2,9 L



- Single phase
- 600 W

☐ **Blixer® 3**
3,7 L



- Single phase
- 750 W

☐ **Blixer® 4-1V**
4,5 L



- Single phase
- 900 W

☐ **Blixer® 5-1V**
5,9 L



- Single phase
- 1 500 W



0.6 to 4.8 kg



1 to 5.5 kg



2 to 6.5 kg

BLIXER®

VARIABLE SPEED from 300 to 3 500 rpm



Blixer® 7 V.V.

7,5 L



- Single phase
- 1500 W



Blixer® 8 V.V.

8 L



- Single phase
- 2200 W



Blixer® 10 V.V.

11,5 L



- Single phase
- 2600 W

2 SPEEDS 1 500 and 3 000 rpm



Blixer® 7

7,5 L



- Three phase
- 1500 W



Blixer® 8

8 L



- Three phase
- 2200 W



Blixer® 10

11,5 L



- Three phase
- 2600 W

PERFORMANCE RATES

Models	Quantities processed (kg)			Number of 200 g portions
	Bowl capacity (litres)	Min	Max	
Blixer® 2	2.9	Single portion model		
Blixer® 3	3.7	0.3	2	2 to 10 
Blixer® 4 - 1V - 2V - 4 V.V.	4.5	0.4	3	2 to 15 
Blixer® 5 - 1V - 2V - 5 V.V.	5.9	0.5	3.8	3 to 20 
Blixer® 7 - 7 V.V.	7.5	0.6	4.8	3 to 25 
Blixer® 8 - 8 V.V.	8	1	5.5	5 to 28 
Blixer® 10 - 10 V.V.	11.5	2	6.5	10 to 33 



All of our table top Blixer® on robot-coupe.com

FLOOR-STANDING BLIXER®

INNOVATION

Blixer® ARM

To improve turbulence and thus produce finer-textured preparations.



See through watertight lid requiring a single movement to lock it into position. **Lid and seal can be removed simply and quickly.**

LID WIPER

For perfect visibility during operation.

Easy Guide

CONTROL PANEL

0 to 15 minute **timer**, stainless steel flush-mounted control buttons and **pulse** control for greater cutting precision.

BOWL LOCKING LEVER

Ergonomic lever to tilt the bowl at various angles, including horizontally.

INNOVATION

BOWL-BASE TWIN-BLADE ASSEMBLY

A Robot-Coupe® exclusivity to obtain a perfectly smooth consistency, even with small quantities.

STAINLESS STEEL FRAME

All stainless steel with 3 sturdy built in legs to ensure total stability, minimum space requirements and easy cleaning.

WHEELS INCLUDED

3 retractable wheels for easy moving and cleaning.

INNOVATION

STAINLESS STEEL BOWL

Tilttable, removable bowl, a Robot-Coupe exclusivity.

Capacity: 23, 28, 45 or 60 litres, depending on the model.




**BOOST
PRODUCTIVITY**

Blixer® 45

20 kg = 2 min

Texture-modified raw carrots



Number of
200 g portions

Quantities
processed per
operation



3 to 10 kg



3 to 13 kg



4 to 15 kg

BLIXER®

2 SPEEDS 1 500 and 3 000 rpm



Blixer® 15

15 L

- Three phase
- 3000 W



Blixer® 20

20 L

- Three phase
- 4400 W



Blixer® 23

23 L

- Three phase
- 4500 W



4 to 20 kg



6 to 30 kg



6 to 45 kg

2 SPEEDS 1 500 and 3 000 rpm



Blixer® 30

28 L

- Three phase
- 5400 W



Blixer® 45

45 L

- Three phase
- 10000 W



Blixer® 60

60 L

- Three phase
- 11000 W



PERFORMANCE RATES

Models	Quantities processed (kg)			Number of 200 g portions
	Bowl capacity (litres)	Min	Max	
Blixer® 15	15	3	10	15 to 50
Blixer® 20	20	3	13	15 to 65
Blixer® 23	23	4	15	20 to 75
Blixer® 30	28	4	20	20 to 100
Blixer® 45	45	6	30	30 to 150
Blixer® 60	60	6	45	30 to 225



All of our floor standing Blixer® on robot-coupe.com

#THEsolution

Produces a wide range of sweet and savoury liquid preparations such as veloutés, soups, sauces, coulis, purées, pancake and cake batters. In both small and large quantities, obtain an incredibly smooth result in the blink of an eye.

Discover
all of our
products on video



KITCHEN BLENDERS

**POWERFUL
& DURABLE**

NEW

REMOVABLE CAP

Possibility of adding liquids and other ingredients during processing.



The quietest
Blender on the market



HANDLES

- **Soft Touch**
- **Secondary**
Easy-to-handle bowl even when full.

EXCLUSIVITY

WATERTIGHT LID

Includes a no-splash safety function.



STAINLESS STEEL BOWL

Large capacity: 5 litres.
Large quantities can be processed in a single batch.

MOTOR BASE

- Powerful 1200 W motor.
- Designed especially to reduce the loading height.

Easy Guide



All stainless steel blade.
Easily dismantled with the special tool provided and can be washed in water.

TIMER

Less effort, greater precision and more regular results no matter what the recipe.

EXCLUSIVITY

Tight lock of the bowl and motor base designed to reduce vibrations.



**BOOST
PRODUCTIVITY**


Up to 3,5 L in 35 sec*

Soups



*The data may vary depending on the cuts and ingredients.

A BLADE ASSEMBLY FOR A WIDE VARIETY OF APPLICATIONS.....



Maximum turbulence!

- 1 **BLADE ASSEMBLY**
4 large asymmetrical blades
→ maximises mixing volume
- 2 **BOWL RIBS**
specially designed
→ improve ingredient circulation
- 3 **LID**
Flow-guides
→ push the preparation back to the blades



POWERFUL & DURABLE

NEW



BL 3
3 L

- Speed: 500 to 12600 rpm
- Single phase
- Stainless steel 4-blade assembly

NEW



BL 5
5 L

- Speed: 500 to 12600 rpm
- Single phase
- Stainless steel 4-blade assembly



#THEsolution

Mix, blend, emulsify, whip or knead your preparations in next to no time!

Discover
all of our
products on video



IMMERSION BLENDERS

ERGONOMICS

Ergonomic handle for greater convenience.

PERFORMANCE

Increased performance to **optimise blending time**.



LONG SERVICE LIFE

Stainless steel motor base for intensive use.

INNOVATION



STAINLESS
STEEL
BELL



CLEANING

Removable stainless steel bell and blade for easy cleaning and maintenance.



For the MP V.V. and MP Combi models, **more ergonomic variable speed button** for greater convenience.

INNOVATION



ERGONOMICS

The lug on the motor base can be used to rest the immersion blender on the rim of the pan to make it easier to handle and relieve some of the strain.

The lug allows to wind the cord to make it easier to store and prevent wear and tear.



New EasyGrip removable handle. The machine's weight is distributed better making it even easier to use!



**BOOST
PRODUCTIVITY**

MP 450 Ultra

100 L = 5 min

Soups

MP 800 Turbo

400 L = 6 min

Soups

3 TOOLS FOR BEST RESULTS



The AeroMix tool is available on the Mini and MicroMix® product lines.



METAL WHISK BOX

Available on the Combi product range only.

HEAVY DUTY

Metal gears inside 2 metal housings to stand up to heavy duty use.

CLEANING

Overmoulded whisks to ensure perfect hygiene.

INNOVATION

ERGONOMIC

Fast coupling of whisks to the gearbox and the gearbox to the motor housing for easy assembly and disassembly.

SHELL



BEAT



KNEAD/MASH



MIXING ATTACHMENT

- Dehydrated potato flakes, dehydrated soups, stock, gel water, polish, etc.
- Homogenisation, mixes, etc.



DISCOVER OUR PAN SUPPORTS TO RELIEVE STRAIN

Available on the CMP / MP product ranges.

1 Adjustable pan supports:

Three pan supports are available as an option.

They adapt to the size of the pan:

- pan Ø from 330 mm to 650 mm.
- pan Ø from 500 mm to 1 000 mm.
- pan Ø from 850 mm to 1 300 mm.



Discover
on video






2 Universal pan support:

Fits all pan sizes.



MINI					COMPACT					LARGE				
Mini MP					CMP					MP				
														
220 W MicroMix®					310 W CMP 250 V.V.					440 W MP 350 Ultra				
240 W Mini MP 160 V.V.					350 W CMP 300 V.V.					500 W MP 450 Ultra				
270 W Mini MP 190 V.V.					400 W CMP 350 V.V.					750 W MP 550 Ultra				
290 W Mini MP 240 V.V.					420 W CMP 400 V.V.					850 W MP 600 Ultra				
					15 litres					50 litres				
					30 litres					100 litres				
					45 litres					200 litres				
					73 litres					300 litres				
										400 litres				
Commercial foodservice					Institutions, caterers, intensive use					Large receptacles				
Emulsions					Regular use									
Small portions														



SPECIAL FOR TILTING PAN

CMP - MP Ultra

NEW

350 W
CMP
300 V.V.440 W
MP 350
Ultra TP1000 W
MP 800
Turbo TP

30 litres

50 litres

100+ litres



Commercial foodservice, institutions



Special for Tilting Pan

COMBI

MINI MP - CMP - MP Ultra - MP FW Ultra

270 W
Mini MP
190 Combi290 W
Mini MP
240 Combi310 W
CMP 250
Combi350 W
CMP 300
Combi440 W
MP 350
Combi Ultra500 W
MP 450
Combi Ultra500 W
MP 450
FW Ultra500 W
MP 450 XL
FW Ultra

15 litres

30 litres

50 litres

100 litres

100 litres

100 litres



Commercial foodservice

Regular use


Institutions, caterers

Intensive use

CLEANING

Quick and easy to clean:

- 1 The stainless steel blade and bell are easy to remove.
- 2 Each machine comes with a disassembling tool.



#THEsolution

Extract large quantities of fresh fruit and vegetable juices in seconds.

Discover
all of our
products on video



JUICE EXTRACTORS



Ø 79 mm **FEED-HEAD**

For whole fruit and vegetables.



AUTOMATIC FEED TUBE

- With the exclusive automatic feed system, fruit and vegetables are processed effortlessly.

- **Fast:**

"A 25 cl glass of apple juice in 6 seconds"



BASKET

Two handles for a better grip, can be removed without tools and is easy to clean.

Easy Guide

Anti-splash spouts in 2 different sizes:

- 1 Jug / Blender bowl
- 2 Served by the glass



DRIP TRAY

Large capacity so the worktop is always clean.



MOTOR

- Quiet so it can be used right in front of the customer.
- 1000 W designed for intensive use throughout the day

INCLINED BASE

For optimum evacuation of juice.



BOOST PRODUCTIVITY



2 L = 1 min

Fresh juice

RETURN ON INVESTMENT



20 glasses /
day

=

**J 100 written
off in 25 days**



ZERO WASTE

100% sustainable
profitability



Add your vegetable or fruit pulp to the batter for your cakes, waffles, salads, and even your omelettes.



Scan the QR code for
zero-waste recipes!

FLOW RATE 120 to 160 litres/hour



No heating
of ingredients



Vitamins
are preserved



Two ways of using the juicer:

- 1 **Pulp ejected into a container.**
Large capacity translucent pulp collector.



- 2 **Continuous pulp ejection*.**
Pulp ejection chute: continuous pulp ejection directly into a bin under the worktop.



* Available for the J 100 Juice Extractor

FLOW RATE 120 to 160 litres/hour

J 80**1**
SPOUT**120 L/h**

- Power: 700 W
- Single phase
- Pulp collector capacity: 6,5 L
- 1 no-splash spout

J 100 > Intensive use**2**
SPOUTS**160 L/h**

- Power: 1 000 W
- Single phase
- Pulp collector capacity: 7,2 L
- 2 no-splash spouts

**J 80 Buffet
> Self-serve****2**
SPOUTS**120 L/h**

- Power: 700 W
- Single phase
- Pulp collector capacity: 6,5 L
- 2 no-splash spouts



#THEsolution

Sieve preparations to separate seeds, stones, fibres and shells without grinding them, to make fruit coulis and pulp, vegetable mousse, stock, fish soups and more.

Discover
all of our
products on video



AUTOMATIC SIEVES

HOPPER

Continuous feeding of prepared ingredients for increased productivity.



PERFORATED BASKET

The products fall inside the basket where they are strained.



PADDLES

System of paddles rotating at 1500 rpm forces the ingredients through the basket dividing them into finished and waste products.



INDUSTRIAL MOTOR

- Induction
- Intensive use



FINISHED PRODUCT EJECTION CHUTE

The ready to use pulp is ejected here and is free of pips, stones, skin, fibres and bones.



WASTE EJECTION CHUTE

For skins, pips, stones, tails, bones, shells, fibres to dispose of, or pass a second time.

**Easy
Guide**



**BOOST
PRODUCTIVITY**

C 120

120 kg = 60 min

Apple puree






1 mm
(Standard)



**TOMATO, CAPSICUM,
APPLE COMPOTE, etc.**



FISH AND SHELLFISH SOUP



2 mm



OLIVES



CHERRIES, PLUMS, etc.



3 mm



5 mm



APRICOTS



PEACHES, PRUNES, etc.



0,5 mm

To filter fibres and very fine impurities. Used in addition to the 1 mm perforated basket.



BERRIES, CHESTNUTS, etc.



**PLANT-BASED BEVERAGES
(COCONUT MILK,
ALMOND MILK, etc.)**

FLOW RATE 60 kg/hour to 150 kg/hour

C 80



C 120



C 200 Special Industry
C 200 V.V.



60 kg/h

- Power: 650 W
- Speed: 1 500 rpm
- Single phase
- 1 mm perforated basket



120 kg/h

- Power: 900 W
- Speed: 1 500 rpm
- Three phase
- 1 mm perforated basket



150 kg/h

- Power: 1 800 W
- 1 mm and 3 mm perforated baskets

C 200 Special Industry:

- Speed: 1 500 rpm
- Three phase

C 200 V.V.:

- Speed: 100 to 1 800 rpm
- Single phase



Ideal for Institutions!



robot coupe®

IS AT YOUR SIDE

A comprehensive website: robot-coupe.com



- **Easy to navigate and end user friendly:**
Quickly access product information from any device.
- **Selection guide:**
find the right machine in just a few clicks



Scan the QR code on your machine to find out everything you need to know!



- **Use our videos to learn all about your product:** installation, operation and maintenance!
- Easily find the user and safety instructions for your machine.

robot coupe[®]

IS AT YOUR SIDE

Find all our videos on our YouTube channel.



Youtube
Robot-Coupe Official

Follow our latest news and inspirations on:



Linkedin
robot-coupe-official



Facebook
RobotCoupeOfficial



Instagram
robotcoupe_official

**Ask for a demonstration
in your kitchen!**





International Head Office, France
Tel. + 33 1 43 98 88 33 - email: international@robot-coupe.com

Australia / New Zealand
Tel. (02) 9478 0300 - NZ: 0800 716161 - email: info@robotcoupe.com.au

United Kingdom
Tel. 020 8232 1800 - email: sales@robotcoupe.co.uk

South Africa - Distributed by BCE Foodservice Equipment (Pty) Ltd
Tel. 0800 332 537 - email: dealer@bce.co.za

robot-coupe.com



Distributor

450897

MINI CAT ANGLAIS-EXPORT



3665075179586

