

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼ ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlo1fl1"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js" integrity="sha384-
b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD3818YkeH8z8QjE0GmW1gYU5S9FOnJ0"
crossorigin="anonymous"></script>
  <link rel="stylesheet" href="assets/css/style.css">
  <title>Fiachra Holland - Portfolio</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlo1fl1"
crossorigin="anonymous">↵
7.   <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js" integrity="sha384-
b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD3818YkeH8z8QjE0GmW1gYU5S9FOnJ0"
crossorigin="anonymous"></script>↵
8.   <link rel="stylesheet" href="assets/css/style.css">↵
```

```

9.     <title>Fiachra Holland - Portfolio</title><↵
10.     <link rel="shortcut icon" type="image/jpg"
href="assets/images/FH_Favicon.png"/><↵
11. </head><↵
12. <body><↵
13.     <!-- Navbar --><↵
14.     <header><↵
15.         <nav class="navbar navbar-expand-sm"><↵
16.             <div class="container-fluid"><↵
17.                 <a href="index.html" class="navbar-brand">Fiachra
Holland</a><↵
18.                 <button class="navbar-toggler" data-bs-toggle="collapse"
data-bs-target="#Burger"><↵
19.                     <i class="fa fa-bars" aria-hidden="true"></i><↵
20.                 </button><↵
21.                 <div class="collapse navbar-collapse" id="Burger"><↵
22.                     <ul class="navbar-nav ms-auto"><↵
23.                         <li class="nav-item"><↵
24.                             <a href="#landing" class="nav-link">Home</a><↵
25.                         </li><↵
26.                         <li class="nav-item"><↵
27.                             <a href="#about" class="nav-link">About</a><↵
28.                         </li><↵
29.                         <li class="nav-item"><↵
30.                             <a href="#projects" class="nav-
link">Projects</a><↵
31.                         </li><↵
32.                         <li class="nav-item"><↵
33.                             <a href="#contact" class="nav-link">Contact</a><↵
34.                         </li><↵
35.                         <li class="nav-item"><↵
36.                             <a href="assets/cv/CV.FH.pdf" class="nav-link"
target="_blank" aria-label="Link to a copy of my downloadable CV in PDF
format (opens in a new tab)">CV</a><↵
37.                         </li><↵
38.                     </ul><↵
39.                 </div><↵
40.             </div><↵
41.         </nav><↵
42.     </header><↵
43.     ↵
44.     <!-- Landing Page/Home --><↵
45.     <section class="landing opaque-overlay full-height" id="landing" aria-
label="Background image of a single, unique yellow leaf on a grey
footpath"><↵
46.         <div class="container-fluid opaque-overlay full-height"><↵
47.             <div class="row"><↵
48.                 <div class="col"><↵
49.                     <h1>Hello World.</h1><↵
50.                     <p>My name is Fiachra, I am a full stack software
developer based in Ireland.</p><↵
51.                     <a class="btn" href="#contact" role="button">Get in
touch!</a><↵
52.                     <!-- The feature directly below this comment was
borrowed from a YouTube tutorial and is referred to in the README.md file --
><↵
53.                         <div class="scroll-down"></div><↵
54.                     </div><↵
55.                 </div><↵
56.             </div><↵
57.         </section><↵
58.     ↵
59.     <!-- About --><↵
60.     <section class="about" id="about"><↵
61.         <h1 class="uppercase opaque-overlay">About</h1><↵
62.         <div class="container-fluid opaque-overlay full-height"><↵
63.             <div class="row"><↵
64.                 <div class="col-12 col-xxl-4 bio"><↵
65.                     <h3 class="uppercase">Bio</h3><↵

```

```

66.         <div><↵
67.             <p>I am a full stack software developer based in
Ireland. I earned my chops with the <a href="https://codeinstitute.net/"
target="_blank" aria-label="Link to the Code Institute homepage (opens in a
new tab)">Code Institute.</a><↵
68.             You can see some information about Code
Institute and why you could benefit from hiring one of their alumnis <a
href="https://codeinstitute.net/employers/#section-advantages"
target="_blank" aria-label="Link to the Code Institute page for prospective
employers of their graduates (opens in a new tab)">here.</a><↵
69.             Prior to becoming a software developer I lived
and travelled abroad extensively. I garnered vastly different life and work
experiences along the way & I also learned<↵
70.             various languages to varying degrees of fluency.
I returned home to Ireland after my travels and decided it was time to
embark on a career.<↵
71.             My love for spoken languages inspired me to
learn the language of computers and embark on a career in software
development.<↵
72.         </p><↵
73.         <p>P.S - I am a big advocate of leaving the world
better off than when I came into it. So, if you are browsing here from a
charitable or non-profit organization with<↵
74.             a lower budget (or perhaps no budget at all)
please don't hesitate to get in touch. I am happy to devote time to
worthwhile causes.</p><↵
75.     </div><↵
76. </div><↵
77. <div class="col-12 col-xxl-8"><↵
78.     <h3 class="uppercase">What do I do?</h3><↵
79.     <p>As a full-stack software developer, I am comfortable
in all programming areas, from the frontend to the server. I have a good
understanding of UI/UX and can help with all aspects of your project.<↵
80.         From concept/brand design to finished product. I
design all my projects to be responsive across all devices and also to be
completely accesible to the visually impaired. If you have <↵
81.             questions about the process then please feel free to
ask in the contact section.<↵
82.     </p><↵
83.     <h3 class="uppercase">Skills</h3><↵
84.     <div class="progress" id="progress-top"><↵
85.         <div class="progress-bar" role="progressbar"
style="width: 85%" aria-valuenow="85" aria-valuemin="0" aria-
valuemax="100"><↵
86.             <span class="sr-only">85% complete</span><↵
87.         </div><↵
88.         <span class="language-name">HTML - HTML 5/Bootstrap
5.0</span><↵
89.     </div><↵
90.     <div class="progress"><↵
91.         <div class="progress-bar" role="progressbar"
style="width: 85%" aria-valuenow="85" aria-valuemin="0" aria-
valuemax="100"><↵
92.             <span class="sr-only">85% complete</span><↵
93.         </div><↵
94.         <span class="language-name">CSS - CSS 3</span><↵
95.     </div><↵
96.     <div class="progress"><↵
97.         <div class="progress-bar" role="progressbar"
style="width: 60%" aria-valuenow="60" aria-valuemin="0" aria-
valuemax="100"><↵
98.             <span class="sr-only">60% complete</span><↵
99.         </div><↵
100.        <span class="language-name">JavaScript</span><↵
101.    </div><↵
102.    <div class="progress"><↵
103.        <div class="progress-bar" role="progressbar"
style="width: 65%" aria-valuenow="65" aria-valuemin="0" aria-
valuemax="100"><↵

```

```

104.         <span class="sr-only">65% complete</span><↵
105.     </div><↵
106.         <span class="language-name">Python/Django</span><↵
107.     </div><↵
108.     <hr><↵
109.     <div class="progress"><↵
110.         <div class="progress-bar" role="progressbar"
style="width: 60%" aria-valuenow="60" aria-valuemin="0" aria-
valuemax="100"><↵
111.             <span class="sr-only">60% fluent</span><↵
112.         </div><↵
113.         <span class="language-name">Spanish</span><↵
114.     </div><↵
115.     <div class="progress"><↵
116.         <div class="progress-bar" role="progressbar"
style="width: 40%" aria-valuenow="40" aria-valuemin="0" aria-
valuemax="100"><↵
117.             <span class="sr-only">40% fluent</span><↵
118.         </div><↵
119.         <span class="language-name">French</span><↵
120.     </div><↵
121.     <div class="progress"><↵
122.         <div class="progress-bar" role="progressbar"
style="width: 45%" aria-valuenow="45" aria-valuemin="0" aria-
valuemax="100"><↵
123.             <span class="sr-only">45% Fluent</span><↵
124.         </div><↵
125.         <span class="language-name">Finnish</span><↵
126.     </div><↵
127. </div><↵
128. </div><↵
129. </div><↵
130. </section><↵
131. ↵
132.     <!-- Projects - README.md file contains link to tutorail which assisted
in development of this section--><↵
133.     <section class="projects" id="projects"><↵
134.         <h1 class="uppercase mb-5">Projects</h1><↵
135.         <div class="container-fluid"><↵
136.             <div class="row gy-5 text-center"><↵
137.                 <div class="col-md-6"><↵
138.                     <↵
139.                     <a href="http://example.com/" class="btn"
target="_blank">View Website</a><↵
140.                     <a href="http://example.com/" class="btn"
target="_blank">View GitHub Repo</a><↵
141.                 </div><↵
142.                 <div class="col-md-6"><↵
143.                     <↵
144.                     <a href="http://example.com/" class="btn"
target="_blank">View Website</a><↵
145.                     <a href="http://example.com/" class="btn"
target="_blank">View GitHub Repo</a><↵
146.                 </div><↵
147.                 <div class="col-md-6"><↵
148.                     <↵
149.                     <a href="http://example.com/" class="btn"
target="_blank">View Website</a><↵
150.                     <a href="http://example.com/" class="btn"
target="_blank">View GitHub Repo</a><↵
151.                 </div><↵
152.                 <div class="col-md-6"><↵
153.                     <↵
154.                     <a href="http://example.com/" class="btn"
target="_blank">View Website</a><↵

```

```

155.         <a href="http://example.com/" class="btn"
target="_blank">View GitHub Repo</a>↵
156.     </div>↵
157.     <div class="col-md-6">↵
158.         ↵
159.         <a href="http://example.com/" class="btn"
target="_blank">View Website</a>↵
160.         <a href="http://example.com/" class="btn"
target="_blank">View GitHub Repo</a>↵
161.     </div>↵
162.     <div class="col-md-6">↵
163.         ↵
164.         <a href="http://example.com/" class="btn"
target="_blank">View Website</a>↵
165.         <a href="http://example.com/" class="btn"
target="_blank">View GitHub Repo</a>↵
166.     </div>↵
167. </div>↵
168. </div>↵
169. ↵
170. </section>↵
171. ↵
172. <!-- Contact -->↵
173. <section class="contact" id="contact">↵
174.     <h1 class="uppercase mb-5">Contact</h1>↵
175.     <div class="container-lg">↵
176.         <div class="row">↵
177.             <div class="col">↵
178.                 <form>↵
179.                     <input type="text" id="yourname" name="name"
placeholder="Your name" required>↵
180.                     <input type="email" id="email" name="email"
placeholder="Email" required>↵
181.                     <textarea name="textarea" id="textarea"
placeholder="Project description" required></textarea>↵
182.                     <a class="btn mt-5" href="confirmation.html"
role="button">Submit</a>↵
183.                 </form>↵
184.             </div>↵
185.         </div>↵
186.     </div>↵
187. ↵
188. </section>↵
189. ↵
190. <!-- Footer -->↵
191. <footer class="container-fluid" id="footer-confirmation">↵
192.     <div class="row">↵
193.         <div class="col-sm-4 footer-about">↵
194.             <h5 class="footer-heading uppercase">About</h5>↵
195.             <p class="inline-block">Full stack software developer based
in Ireland. Specialising in HTML, CSS, JavaScript & Python. Frameworks
include Bootstrap and Django.</p>↵
196.         </div>↵
197.         <div class="col-sm-4">↵
198.             <h5 class="footer-heading uppercase">Social</h5>↵
199.             <ul class="list-inline social-links">↵
200.                 <li class="list-inline-item">↵
201.                     <a href="https://www.facebook.com/" target="_blank"
aria-label="Link to my Facebook page (opens in new tab)">↵
202.                         <i class="fa fa-facebook" aria-hidden="true">
</i>↵
203.                     </a>↵
204.                 </li>↵
205.                 <li class="list-inline-item">↵
206.                     <a href="https://www.instagram.com/" target="_blank"
aria-label="Link to my Instagram page (opens in new tab)">↵

```

```
207.             <i class="fa fa-instagram" aria-hidden="true">
</i><
208.                 </a><
209.             </li><
210.             <li class="list-inline-item"><
211.                 <a href="https://www.twitter.com/" target="_blank"
aria-label="Link to my Twitter page (opens in new tab)"><
212.                     <i class="fa fa-twitter" aria-hidden="true">
</i><
213.                         </a><
214.                     </li><
215.                     <li class="list-inline-item"><
216.                         <a href="https://www.github.com/" target="_blank"
aria-label="Link to my Twitter page (opens in new tab)"><
217.                             <i class="fa fa-github" aria-hidden="true"></i><
218.                                 </a><
219.                             </li><
220.                             <li class="list-inline-item"><
221.                                 <a href="https://www.linkedin.com/in/fiachra-
holland-6554941bb" target="_blank" aria-label="Link to my Twitter page
(opens in new tab)"><
222.                                     <i class="fa fa-linkedin" aria-hidden="true">
</i><
223.                                         </a><
224.                                     </li><
225.                                 </ul><
226.                             </div><
227.                             <div class="col-sm-4"><
228.                                 <h5 class="footer-heading uppercase">Download</h5><
229.                                 <p class="inline-block">Download a copy of my CV here<
230.                                     <a href="assets/cv/CV.FH.pdf" target="_blank" class="cv-
download" aria-label="Download a copy of my CV here (opens in new tab)"><
231.                                         <i class="fa fa-download" aria-hidden="true"></i><
232.                                             </a><
233.                                         </p><
234.                                     <
235.                                 </div><
236.                             </div><
237.                         </footer><
238.                     <
239.                         <script src="https://kit.fontawesome.com/f232718317.js"
crossorigin="anonymous"></script><
240.                     </body><
241.                     </html>
```

Used the HTML parser.

Total execution time 18 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.3.3