

ACTPOL-561,562 AND 563

Execution Environment

| | |
|-----------------|----------------------|
| Host name | user4 - 10.20.20.10 |
| OS | Windows 8.1 64bit |
| Katalon version | 6.3.2.1 |
| Browser | Chrome 76.0.3809.132 |

Summary

| | | | |
|-------------|--|------------|---------------------|
| ID | Test Suites/Release 6.6/ACTPOL-561,562 AND 563 | | |
| Description | MBES18 module | | |
| Total | 3 | | |
| Passed | 3 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-09-05 19:28:00 | End | 2019-09-05 19:43:57 |
| Elapsed | 15m - 57.187s | | |

| # | ID | Description | Status |
|---|--|--|--------|
| 1 | Test Cases/JIRA Tasks/Release 6.6/ACTPOL-561 | <p>Description: In this MBES18 module there should be possibility to enter Bewaringstelling (detainment information) and plaatsingsgegevens (location information).</p> <p>Solution: Create a tab called Bewaringstellingen c.q. Plaatsingsgegevens. This tab should contain the field in added screenshot.</p> <p>Testplan: Step 1: Go to Opsporing - MBES18 fill in required fields and click save Step 2: Go to Tab Bewaringstellingen c.q. Plaatsingsgegevens fill in all fields Step 3: save record.</p> <p>Navigation: Opsporing - MBES18 - Tab Bewaringstellingen c.q. Plaatsingsgegevens</p> | PASSED |
| 2 | Test Cases/JIRA Tasks/Release 6.6/ACTPOL-562 | <p>Description: Add in the MBES18 module a possibility to enter medisch gedrag.</p> <p>Solution: Create a tab called Gedrag medisch to register fields in the fields in the attachment.</p> <p>Testplan: Step 1: Go to Opsporing - MBES18 fill in required fields and click save Step 2: Go to Tab Gedrag medisch fill in all fields Step 3: save record.</p> <p>Navigation: Opsporing - MBES18 - Tab Gedrag medisch</p> | PASSED |

ACTPOL-561,562 AND 563

| # | ID | Description | Status |
|---|--|--|--------|
| 3 | Test Cases/JIRA Tasks/Release 6.6/ACTPOL-563 | <p>Description: Add in the MBES18 module a possibility to enter Incident.</p> <p>Solution: Create a tab called Incident to register fields in the fields in the attachment.</p> <p>Testplan: Step 1: Go to Opsporing - MBES18 fill in required fields and click save Step 2: Go to Tab Incident fill in all fields Step 3: save record.</p> <p>Navigation: Opsporing - MBES18 - Tab Incident</p> | PASSED |

ACTPOL-561

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/JIRA Tasks/Release 6.6/ACTPOL-561 | | |
| Description | Description: In this MBES18 module there should be possibility to enter Bewaringstelling (detainment information) and plaatsingsgegevens (location information). | | |
| Tag | | | |
| Start | Solution: Create a tab called Bewaringstellingen c.q. Plaatsingsgegevens. This tab should contain the field in added screenshot. | | |
| Elapsed | | | |
| Status | Testplan: Step 1: Go to Opsporing - MBES18 fill in required fields and click save Step 2: Go to Tab Bewaringstellingen c.q. Plaatsingsgegevens fill in all fields Step 3: save record. Navigation: Opsporing - MBES18 - Tab Bewaringstellingen c.q. Plaatsingsgegevens ACTPOL-561 | | |
| | 2019-09-05 19:28:00 | End | 2019-09-05 19:33:08 |
| | 5m - 8.247s | | |
| | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Login to the application Call Test Case 'Test Cases/main/Actpol_Login_testenv' successfully | 47.371s | PASSED |
| 2 | <code>log = new com.kms.katalon.core.logging.KeywordLogger()</code> | 0.003s | PASSED |
| 3 | Mouse over to opsporing Object: 'Object Repository/Actpol_Scripts/Menu navigation/Opsporing/Opsporing' is hovered | 28.929s | PASSED |
| 4 | <code>log.logInfo("Successfully logged")</code> Successfully logged | 0.006s | PASSED |
| 5 | <code>delay(2)</code> Delayed 2 second(s) | 2.028s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 6 | Click MBES tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBES18 TAB' is clicked on | 4.686s | PASSED |
| 7 | log.logInfo("Clicking MBES18 tab ") Clicking MBES18 tab | 0.005s | PASSED |
| 8 | delay(1) Delayed 1 second(s) | 1.016s | PASSED |
| 9 | Mouse over to Generic tab Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Generiek' is hovered | 0.501s | PASSED |
| 10 | delay(8) Delayed 8 second(s) | 8.011s | PASSED |
| 11 | Click new btn Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/mbes new' is clicked on | 1.199s | PASSED |
| 12 | log.logInfo("Clicking MBES18 new button ") Clicking MBES18 new button | 0.006s | PASSED |
| 13 | delay(6) Delayed 6 second(s) | 6.010s | PASSED |
| 14 | Click new btn in Registratie Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/Registratie new' is clicked on | 0.995s | PASSED |
| 15 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 16 | Select required dropdown fro the list All options with label 'KORPS POLITIE CURACAO' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie van 1' | 0.914s | PASSED |
| 17 | delay(1) Delayed 1 second(s) | 1.012s | PASSED |
| 18 | Select required dropdown fro the list All options with label 'OPENBARE MINISTERIE' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie Naar 1' | 0.794s | PASSED |
| 19 | delay(1) Delayed 1 second(s) | 1.014s | PASSED |
| 20 | Select required dropdown fro the list All options with label 'AMBULANCE' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie van 2' | 1.289s | PASSED |
| 21 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 22 | Select required dropdown fro the list All options with label 'SKS' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie Naar 2' | 0.977s | PASSED |
| 23 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 24 | Enter the text from the feild Text 'Katalon testing :: Behandeld door' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Behandeld door' | 4.138s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 25 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |
| 26 | Enter the text from the feild Text '123456789' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Telefoon' | 1.795s | PASSED |
| 27 | delay(1) Delayed 1 second(s) | 1.009s | PASSED |
| 28 | Enter the text from the feild Text 'test@gmail.com' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/E-Mail' | 1.448s | PASSED |
| 29 | delay(1) Delayed 1 second(s) | 1.009s | PASSED |
| 30 | Enter the date Text '23/08/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Datum' | 0.849s | PASSED |
| 31 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 32 | Click save btn Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie save' is clicked on | 0.739s | PASSED |
| 33 | delay(1) Delayed 1 second(s) | 1.010s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 34 | Click on Registratie tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/registratie tab' is clicked on | 1.042s | PASSED |
| 35 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 36 | Click on Personalia tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Personalia tab' is clicked on | 1.106s | PASSED |
| 37 | delay(2) Delayed 2 second(s) | 2.008s | PASSED |
| 38 | Click Save tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBSC SAVE' is clicked on | 1.555s | PASSED |
| 39 | comment("Chcking validation") Chcking validation | 0.019s | PASSED |
| 40 | delay(1) Delayed 1 second(s) | 1.012s | PASSED |
| 41 | Error message Text of object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam error messgae' is: 'Dit is een vereiste veld' | 0.795s | PASSED |
| 42 | achternaamverify = "Dit is een vereiste veld" | 0.002s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 43 | log.logInfo(Achternaam) Dit is een vereiste veld | 0.006s | PASSED |
| 44 | if (Achternaam == achternaamverify) success and error message in Achternaam | 0.013s | PASSED |
| 45 | delay(2) Delayed 2 second(s) | 2.012s | PASSED |
| 46 | Garantsteller = getText(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Garantsteller error message")) Text of object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Garantsteller error message' is: 'Dit is een vereiste veld' | 0.574s | PASSED |
| 47 | Garantstellerverify = "Dit is een vereiste veld" | 0.002s | PASSED |
| 48 | log.logInfo(Garantsteller) Dit is een vereiste veld | 0.015s | PASSED |
| 49 | if (Garantsteller == Garantstellerverify) success and error message in Garantsteller/referent | 0.008s | PASSED |
| 50 | delay(2) Delayed 2 second(s) | 2.010s | PASSED |
| 51 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Personalia Achternaam new")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Personalia Achternaam new' is clicked on | 5.932s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|---------|
| 52 | delay(4) Delayed 4 second(s) | 4.007s | PASSED |
| 53 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Select default persoon"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Select default persoon' is clicked on | 1.758s | PASSED |
| 54 | delay(2) NOT_RUN: delay(2) | 0.009s | NOT_RUN |
| 55 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/new persoon close btn"), OPTIONAL) NOT_RUN: click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/new persoon close btn"), OPTIONAL) | 0.005s | NOT_RUN |
| 56 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 57 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text"), "aa") Text 'aa' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text' | 0.820s | PASSED |
| 58 | delay(2) Delayed 2 second(s) | 2.011s | PASSED |
| 59 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text lb' is clicked on | 0.808s | PASSED |
| 60 | delay(1) Delayed 1 second(s) | 1.009s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 61 | setText(findTestObject("Actpol_Scripts/Opssporing/MBES18/2 Personalia/Garantsteller new"), "aa") Text 'aa' is set on object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/2 Personalia/Garantsteller new' | 0.776s | PASSED |
| 62 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 63 | click(findTestObject("Actpol_Scripts/Opssporing/MBES18/2 Personalia/Garantsteller new lb")) Object: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/2 Personalia/Garantsteller new lb' is clicked on | 0.772s | PASSED |
| 64 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 65 | scrollToPosition(10, 7) Browser is scrolled to position x = 10, y = 7 | 0.072s | PASSED |
| 66 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |
| 67 | click(findTestObject("Actpol_Scripts/Opssporing/MBES18/2 Personalia/Personalia tab")) Object: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/2 Personalia/Personalia tab' is clicked on | 0.682s | PASSED |
| 68 | delay(1) Delayed 1 second(s) | 1.011s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 69 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab' is clicked on | 1.211s | PASSED |
| 70 | delay(2) Delayed 2 second(s) | 2.016s | PASSED |
| 71 | comment("INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS error messages") INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS error messages | 0.008s | PASSED |
| 72 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 73 | <p>Inbewaringstellingsinds = getText(findTestObject("Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstelling sinds error message"), OPTIONAL)</p> <p>Unable to get text of object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstelling sinds error message' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstelling sinds error message'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:874) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getText\$13.call (Unknown Source) at ACTPOL-561.run(ACTPOL-561:196) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567691813021.run(TempTestSuite1567691813021.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstelling sinds error message' located by 'By.xpath: //*[@id="errMBESINBE"]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.</p> | 22.777s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| | <pre>findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:874) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_getText\$13.call (Unknown Source) at Script1567172320346.run(Script1567172320346.groovy:196) ... 13 more)</pre> | | |
| 74 | if (Inbewaringstellingsinds == Garantstellerverify) | 0.002s | PASSED |
| 75 | else | 0.503s | PASSED |

Taking screenshot successfully

The screenshot displays the ACTPOL web application interface. The main content area shows the 'MBES18' form, which is part of a 'Geavanceerd Zoekopdracht' (Advanced Search) section. The form includes several input fields and dropdown menus, some of which are marked as 'Dit is een vereiste veld' (This is a required field). The left sidebar contains navigation tabs for various sections: '1 - Generiek', '2 - Intake', '3 - Noodhulp', '4 - Handhaving', '5 - Opsporing', '6 - Rapportage', '7 - Dashboard', '8 - Onderhoud', and '9 - Autorisatie'. The top navigation bar includes 'Home', '5 - Opsporing', and 'MBES18'. The right sidebar shows 'Pagina 1 van 3' and '1 2 3'.


ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 76 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 77 | OpgrondvanartikelWTUBES = getText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU_BES error message"), OPTIONAL) Text of object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU_BES error message' is: 'Dit is een vereiste veld' | 0.609s | PASSED |
| 78 | if (OpgrondvanartikelWTUBES == Garantstellerverify) success and error message in Op grond van artikel WTU-BES | 0.005s | PASSED |
| 79 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |


ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 80 | <p>staandehoudingDatumgrensweigerig = getText(findTestObject ("Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigerig error message"), OPTIONAL)</p> <p>Unable to get text of object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigerig error message' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigerig error message'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:56)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:874)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getText\$13.call (Unknown Source)</p> <p>at ACTPOL-561.run (ACTPOL-561:224)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1567691813021.run (TempTestSuite1567691813021.groovy:35)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigerig error message' located by 'By.xpath: //*[@id="errMBESDTS"]'/span' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097)</p> | 22.105s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 81 | <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:874) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_getText\$13.call (Unknown Source) at Script1567172320346.run(Script1567172320346.groovy:224) ... 13 more)</pre>  | 0.002s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 82 | else Taking screenshot successfully  | 0.608s | PASSED |
| 83 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 84 | scrollToElement(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigerig error message"), 2) Scroll to object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigerig error message' successfully | 1.290s | PASSED |
| 85 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 86 | Redenaanstaandehouding = getText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigerig error message"), OPTIONAL) Text of object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigerig error message' is: 'Dit is een vereiste veld' | 0.532s | PASSED |
| 87 | if (Redenaanstaandehouding == Garantstellerverify) success and error message in Reden aan-/staandehouding Reden grensweigerig | 0.023s | PASSED |


ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 88 | delay(1) Delayed 1 second(s) | 1.020s | PASSED |
| 89 | Inbewaringstellingslocatie = getText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellings-locatie error message"), OPTIONAL) Text of object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellings-locatie error message' is: 'Dit is een vereiste veld' | 0.656s | PASSED |
| 90 | if (Inbewaringstellingslocatie == Garantstellerverify) success and error message in Inbewaringstellings locatie | 0.006s | PASSED |
| 91 | delay(1) Delayed 1 second(s) | 1.004s | PASSED |
| 92 | INDCN = getText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Bekend bij IND-CN in het kader van toelating_bescherming error message"), OPTIONAL) Text of object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Bekend bij IND-CN in het kader van toelating_bescherming error message' is: 'Dit is een vereiste veld' | 0.582s | PASSED |
| 93 | if (INDCN == Garantstellerverify) success and error message in Bekend bij IND-CN in het kader van toelating/bescherming | 0.011s | PASSED |
| 94 | delay(1) Delayed 1 second(s) | 1.019s | PASSED |


ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 95 | Datumbeeindigingrechtmatigverblijf = getText(findTestObject ("Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig verblijf error message"), OPTIONAL) Unable to get text of object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig verblijf error message' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig verblijf error message' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:874) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getText\$13.call (Unknown Source) at ACTPOL-561.run(ACTPOL-561:285) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567691813021.run(TempTestSuite1567691813021.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig verblijf error message' located by 'By.xpath: //*[@id="errMBESBDRM"]'/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) | 22.171s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| | <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:874) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_getText\$13.call (Unknown Source) at Script1567172320346.run(Script1567172320346.groovy:285) ... 13 more)</pre> | | |
| 96 |  <pre>if (Datumbeëindigingrechtmatigverblijf == Garantstellerverify)</pre> | 0.002s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|-----|--|---------|--------|
| 97 | <div>else</div> <div>Taking screenshot successfully</div>  | 0.479s | PASSED |
| 98 | <div>delay(1)</div> <div>Delayed 1 second(s)</div> | 1.006s | PASSED |
| 99 | <div>delay(1)</div> <div>Delayed 1 second(s)</div> | 1.006s | PASSED |
| 100 | <div>scrollToPosition(10, 7)</div> <div>Browser is scrolled to position x = 10, y = 7</div> | 0.051s | PASSED |
| 101 | <div>comment("INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab data filling")</div> <div>INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab data filling</div> | 0.011s | PASSED |
| 102 | <div>delay(1)</div> <div>Delayed 1 second(s)</div> | 1.011s | PASSED |
| 103 | <div> setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstelling sinds"), "02/09/2019") </div> <div>Text '02/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3</div> | 1.027s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|-----|--|---------|--------|
| 104 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 105 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Plaatsing sinds"), "testing :: Plaatsing sinds") Text 'testing :: Plaatsing sinds' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 3.793s | PASSED |
| 106 | comment("Checking dropdown") Checking dropdown | 0.010s | PASSED |
| 107 | delay(1) Delayed 1 second(s) | 1.246s | PASSED |
| 108 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- BES"), "a") Text 'a' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- | 2.335s | PASSED |
| 109 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 110 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- BES lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- | 0.809s | PASSED |
| 111 | comment("checking auto search") checking auto search | 0.015s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|-----|--|---------|--------|
| 112 | delay(1) Delayed 1 second(s) | 1.010s | PASSED |
| 113 | click(findTestObject("JIRA/A Release 6.6/ACTPOL-561/Op grond van artikel WTU-BES Auto search click")) Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-561/Op grond van artikel WTU-BES Auto search click' is clicked on | 1.731s | PASSED |
| 114 | delay(2) Delayed 2 second(s) | 2.012s | PASSED |
| 115 | click(findTestObject("JIRA/A Release 6.6/ACTPOL-561/Op grond van artikel WTU-BES Auto search click lb")) Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-561/Op grond van artikel WTU-BES Auto search click lb' is clicked on | 1.310s | PASSED |
| 116 | delay(2) Delayed 2 second(s) | 2.007s | PASSED |
| 117 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigering"), "02/09/2019") Text '02/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigering' | 1.467s | PASSED |
| 118 | delay(1) Delayed 1 second(s) | 1.010s | PASSED |
| 119 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigering"), "testing :: Reden aan_staandehouding Reden grensweigering") Text 'testing :: Reden aan_staandehouding Reden grensweigering' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigering' | 3.271s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|-----|--|---------|--------|
| 120 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 121 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellingen-locatie"), "a") Text 'a' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 1.221s | PASSED |
| 122 | delay(2) Delayed 2 second(s) | 2.009s | PASSED |
| 123 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellingen-locatie lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellingen-locatie lb' | 2.250s | PASSED |
| 124 | delay(2) Delayed 2 second(s) | 2.011s | PASSED |
| 125 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Naam advocaat"), "testing :: Naam advocaat") Text 'testing :: Naam advocaat' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 1.576s | PASSED |
| 126 | delay(1) Delayed 1 second(s) | 1.042s | PASSED |
| 127 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/advocaat telefoonnummer"), "985213647") Text '985213647' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 0.947s | PASSED |

ACTPOL-561

| # | Description | Elapsed | Status |
|-----|---|---------|--------|
| 128 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |
| 129 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Naam ambtenaar KPCN _KmarCarib"), "testing :: Naam ambtenaar KPCN /KmarCarib") Text 'testing :: Naam ambtenaar KPCN /KmarCarib' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Naam ambtenaar KPCN | 2.486s | PASSED |
| 130 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 131 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Bekend bij IND-CN in het kader van"), "testing :: Bekend bij IND-CN in het kader van toelating/bescherming") Text 'testing :: Bekend bij IND-CN in het kader van toelating/bescherming' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Bekend bij IND-CN in het | 3.854s | PASSED |
| 132 | delay(2) Delayed 2 second(s) | 2.007s | PASSED |
| 133 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig verblijf"), "02/09/2019") Text '02/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig | 0.956s | PASSED |
| 134 | delay(2) Delayed 2 second(s) | 2.008s | PASSED |
| 135 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/MBSC SAVE")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBSC SAVE' is clicked on | 0.744s | PASSED |

ACTPOL-562

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/JIRA Tasks/Release 6.6/ACTPOL-562 | | |
| Description | Description: Add in the MBES18 module a possibility to enter medisch gedrag. | | |
| Tag | Solution: Create a tab called Gedrag medisch to register fields in the fields in the attachment. | | |
| Start | Testplan: | | |
| Elapsed | Step 1: Go to Opsporing - MBES18 fill in required fields and click save Step 2: Go to Tab Gedrag medisch fill in all fields Step 3: save record. | | |
| Status | Navigation: Opsporing - MBES18 - Tab Gedrag medisch ACTPOL-562 | | |
| | 2019-09-05 19:33:09 | End | 2019-09-05 19:41:05 |
| | 7m - 56.723s | | |
| | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Login to the application Call Test Case 'Test Cases/main/Actpol_Login_testenv' successfully | 28.062s | PASSED |
| 2 | <code>log = new com.kms.katalon.core.logging.KeywordLogger()</code> | 0.007s | PASSED |
| 3 | Mouse over to opsporing Object: 'Object Repository/Actpol_Scripts/Menu navigation/Opsporing/Opsporing' is hovered | 17.495s | PASSED |
| 4 | <code>log.logInfo("Successfully logged")</code> Successfully logged | 0.004s | PASSED |
| 5 | <code>delay(2)</code> Delayed 2 second(s) | 2.008s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 6 | Click MBES tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBES18 TAB' is clicked on | 4.353s | PASSED |
| 7 | log.logInfo("Clicking MBES18 tab ") Clicking MBES18 tab | 0.226s | PASSED |
| 8 | delay(1) Delayed 1 second(s) | 1.043s | PASSED |
| 9 | Mouse over to Generic tab Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Generiek' is hovered | 0.881s | PASSED |
| 10 | delay(8) Delayed 8 second(s) | 8.024s | PASSED |
| 11 | Click new btn Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/mbes new' is clicked on | 3.083s | PASSED |
| 12 | log.logInfo("Clicking MBES18 new button ") Clicking MBES18 new button | 0.002s | PASSED |
| 13 | delay(6) Delayed 6 second(s) | 6.164s | PASSED |
| 14 | Click new btn in Registratie Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/Registratie new' is clicked on | 3.776s | PASSED |
| 15 | delay(1) Delayed 1 second(s) | 1.031s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 16 | Select required dropdown fro the list All options with label 'KORPS POLITIE CURACAO' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie van 1' | 5.133s | PASSED |
| 17 | delay(1) Delayed 1 second(s) | 1.045s | PASSED |
| 18 | Select required dropdown fro the list All options with label 'OPENBARE MINISTERIE' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie Naar 1' | 1.065s | PASSED |
| 19 | delay(1) Delayed 1 second(s) | 1.065s | PASSED |
| 20 | Select required dropdown fro the list All options with label 'AMBULANCE' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie van 2' | 0.921s | PASSED |
| 21 | delay(1) Delayed 1 second(s) | 1.035s | PASSED |
| 22 | Select required dropdown fro the list All options with label 'SKS' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie Naar 2' | 1.438s | PASSED |
| 23 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 24 | Enter the text from the feild Text 'Katalon testing :: Behandeld door' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Behandeld door' | 4.979s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 25 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 26 | Enter the text from the feild Text '123456789' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Telefoon' | 1.336s | PASSED |
| 27 | delay(1) Delayed 1 second(s) | 1.033s | PASSED |
| 28 | Enter the text from the feild Text 'test@gmail.com' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/E-Mail' | 1.335s | PASSED |
| 29 | delay(1) Delayed 1 second(s) | 1.038s | PASSED |
| 30 | Enter the date Text '23/08/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Datum' | 0.815s | PASSED |
| 31 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 32 | Click save btn Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/Registratie save' is clicked on | 0.926s | PASSED |
| 33 | delay(1) Delayed 1 second(s) | 1.009s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 34 | Click on Registratie tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/1 Registratie/registratie tab' is clicked on | 0.826s | PASSED |
| 35 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 36 | Click on Personalia tab Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Personalia tab' is clicked on | 1.016s | PASSED |
| 37 | delay(2) Delayed 2 second(s) | 2.014s | PASSED |
| 38 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text"), "aa") Text 'aa' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text' | 0.837s | PASSED |
| 39 | delay(2) Delayed 2 second(s) | 2.007s | PASSED |
| 40 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Achternaam text lb' is clicked on | 0.711s | PASSED |
| 41 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 42 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Garantsteller new"), "aa") Text 'aa' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Garantsteller new' | 0.930s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 43 | delay(2) Delayed 2 second(s) | 2.289s | PASSED |
| 44 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Garantsteller new lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Garantsteller new lb' is clicked on | 1.458s | PASSED |
| 45 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 46 | scrollToPosition(10, 7) Browser is scrolled to position x = 10, y = 7 | 1.322s | PASSED |
| 47 | delay(1) Delayed 1 second(s) | 1.012s | PASSED |
| 48 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/2 Personalia/Personalia tab")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/2 Personalia/Personalia tab' is clicked on | 0.847s | PASSED |
| 49 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 50 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab' is clicked on | 1.028s | PASSED |
| 51 | delay(2) Delayed 2 second(s) | 2.007s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 52 | comment("INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab data filling") INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab data filling | 0.029s | PASSED |
| 53 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 54 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstelling sinds"), "02/09/2019") Text '02/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 1.217s | PASSED |
| 55 | delay(1) Delayed 1 second(s) | 1.063s | PASSED |
| 56 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Plaatsing sinds"), "testing :: Plaatsing sinds") Text 'testing :: Plaatsing sinds' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 2.031s | PASSED |
| 57 | comment("Checking dropdown") Checking dropdown | 0.005s | PASSED |
| 58 | delay(1) Delayed 1 second(s) | 1.018s | PASSED |
| 59 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- BES"), "a") Text 'a' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- | 0.818s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 60 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 61 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- BES lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Op grond van artikel WTU- | 0.847s | PASSED |
| 62 | delay(2) Delayed 2 second(s) | 2.004s | PASSED |
| 63 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigering"), "02/09/2019") Text '02/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum aan_staandehouding Datum grensweigering' | 1.064s | PASSED |
| 64 | delay(1) Delayed 1 second(s) | 1.004s | PASSED |
| 65 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding Reden grensweigering"), "testing :: Reden aan_staandehouding Reden grensweigering") Text 'testing :: Reden aan_staandehouding Reden grensweigering' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Reden aan_staandehouding | 2.757s | PASSED |
| 66 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 67 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellings-locatie"), "a") Text 'a' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 0.742s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 68 | delay(2) Delayed 2 second(s) | 2.008s | PASSED |
| 69 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellingen-locatie lb")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Inbewaringstellingen-locatie lb' | 0.918s | PASSED |
| 70 | delay(2) Delayed 2 second(s) | 2.007s | PASSED |
| 71 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Naam advocaat"), "testing :: Naam advocaat") Text 'testing :: Naam advocaat' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 1.485s | PASSED |
| 72 | delay(1) Delayed 1 second(s) | 1.021s | PASSED |
| 73 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/advocaat telefoonnummer"), "985213647") Text '985213647' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 | 1.123s | PASSED |
| 74 | delay(1) Delayed 1 second(s) | 1.182s | PASSED |
| 75 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Naam ambtenaar KPCN _KmarCarib"), "testing :: Naam ambtenaar KPCN /KmarCarib") Text 'testing :: Naam ambtenaar KPCN /KmarCarib' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Naam ambtenaar KPCN | 3.919s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 76 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 77 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Bekend bij IND-CN in het kader van"), "testing :: Bekend bij IND-CN in het kader van toelating/bescherming") Text 'testing :: Bekend bij IND-CN in het kader van toelating/bescherming' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Bekend bij IND-CN in het | 3.422s | PASSED |
| 78 | delay(2) Delayed 2 second(s) | 2.005s | PASSED |
| 79 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig verblijf"), "02/09/2019") Text '02/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/Datum beeindiging rechtmatig | 0.802s | PASSED |
| 80 | delay(2) Delayed 2 second(s) | 2.014s | PASSED |
| 81 | scrollToPosition(10, 7) Browser is scrolled to position x = 10, y = 7 | 0.047s | PASSED |
| 82 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/3 INBEWARINGSTELLINGS_C.Q._PLAATSINGSGEGEVENS/INBEWARINGSTELLINGS C.Q. PLAATSINGSGEGEVENS tab' is clicked on | 0.810s | PASSED |
| 83 | delay(1) Delayed 1 second(s) | 1.009s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 84 | click(findTestObject("Actpol_Scripts/Opssporing/MBES18/4 GEDRAG_MEDISCH/GEDRAG MEDISCH tab"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/4 GEDRAG_MEDISCH/GEDRAG MEDISCH tab' is clicked on | 2.239s | PASSED |
| 85 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 86 | comment("Checking jaa validation") Checking jaa validation | 0.006s | PASSED |
| 87 | checking ja radio button Object: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/test' is clicked on | 29.019s | PASSED |
| 88 | click(findTestObject("Actpol_Scripts/Opssporing/MBES18/MBSC SAVE"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/MBSC SAVE' is clicked on | 0.802s | PASSED |
| 89 | delay(1) Delayed 1 second(s) | 1.012s | PASSED |
| 90 | scrollToPosition(10, 7) Browser is scrolled to position x = 10, y = 7 | 0.060s | PASSED |
| 91 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 92 | comment("Checking nee validation") Checking nee validation | 0.323s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|-----|--|---------|--------|
| 93 | checking naa radio button | 0.004s | PASSED |
| 94 | s2 = "//*[@id="MiddelenAUform"]/table/tbody/tr[3]/td[2]/input[2]" | 0.006s | PASSED |
| 95 | s20 = "//*[@id="MiddelenAUform"]/table/tbody/tr[20]/td[2]/input[2]" | 0.005s | PASSED |
| 96 | s21 = "//*[@id="MiddelenAUform"]/table/tbody/tr[21]/td[2]/input[2]" | 0.006s | PASSED |
| 97 | s11 = findTestObject("Actpol_Scripts/Opsporing/MBES18/test") | 0.587s | PASSED |
| 98 | s11.addProperty("xpath", EQUALS, s1) | 0.001s | PASSED |
| 99 | click(s11, OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/test' is clicked on | 1.079s | PASSED |
| 100 | s12 = findTestObject("Actpol_Scripts/Opsporing/MBES18/test") | 0.229s | PASSED |
| 101 | s12.addProperty("xpath", EQUALS, s2) | 0.001s | PASSED |
| 102 | click(s12, OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/test' is clicked on | 0.391s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|-----|---|-------------|--------|
| 103 | checking naa radio button Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/test' is clicked on | 2m - 4.416s | PASSED |
| 104 | s201 = findTestObject("Actpol_Scripts/Opsporing/MBES18/test") | 0.395s | PASSED |
| 105 | s201.addProperty("xpath", EQUALS, s20) | 0.002s | PASSED |
| 106 | click(s201, OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/test' is clicked on | 0.398s | PASSED |
| 107 | s211 = findTestObject("Actpol_Scripts/Opsporing/MBES18/test") | 0.286s | PASSED |
| 108 | s211.addProperty("xpath", EQUALS, s21) | 0.026s | PASSED |
| 109 | click(s211, OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/test' is clicked on | 0.431s | PASSED |
| 110 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 111 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/MBSC SAVE"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBSC SAVE' is clicked on | 0.657s | PASSED |
| 112 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|-----|---|---------|--------|
| 113 | scrollToPosition(10, 7) Browser is scrolled to position x = 10, y = 7 | 0.640s | PASSED |
| 114 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 115 | comment("Checking onbekend validation") Checking onbekend validation | 0.005s | PASSED |
| 116 | checking onbekend radio button Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/test' is clicked on | 56.237s | PASSED |
| 117 | delay(1) Delayed 1 second(s) | 1.009s | PASSED |
| 118 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/MBSC SAVE"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBSC SAVE' is clicked on | 0.787s | PASSED |
| 119 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |
| 120 | scrollToPosition(10, 7) Browser is scrolled to position x = 10, y = 7 | 0.015s | PASSED |
| 121 | delay(1) Delayed 1 second(s) | 1.004s | PASSED |
| 122 | comment("Checking Text box data") Checking Text box data | 0.006s | PASSED |

ACTPOL-562

| # | Description | Elapsed | Status |
|-----|---|-------------|--------|
| 123 | checking text box data Text 'katalon testing' is set on object 'Object Repository/Actpol_Scripts/Opssporing/MBES18/test' | 1m - 8.032s | PASSED |
| 124 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 125 | click(findTestObject("Actpol_Scripts/Opssporing/MBES18/MBSC SAVE"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opssporing/MBES18/MBSC SAVE' is clicked on | 3.410s | PASSED |
| 126 | delay(1) Delayed 1 second(s) | 1.056s | PASSED |

ACTPOL-563

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/JIRA Tasks/Release 6.6/ACTPOL-563 | | |
| Description | Description: Add in the MBES18 module a possibility to enter Incident. | | |
| Tag | Solution: Create a tab called Incident to register fields in the fields in the attachment. | | |
| Start | Testplan: | | |
| Elapsed | Step 1: Go to Opsporing - MBES18 fill in required fields and click save Step 2: Go to Tab Incident fill in all fields Step 3: save record. | | |
| Status | Navigation: Opsporing - MBES18 - Tab Incident ACTPOL-563 | | |
| | 2019-09-05 19:41:08 | End | 2019-09-05 19:43:57 |
| | 2m - 48.641s | | |
| | PASSED | | |


Details

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 1 | callTestCase(findTestCase("main/Actpol_Login_testenv"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/main/Actpol_Login_testenv' successfully | 1m - 27.207s | PASSED |
| 2 | mouseOver(findTestObject("Actpol_Scripts/Menu navigation/Opsporing/Opsporing")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Opsporing/Opsporing' is hovered | 19.612s | PASSED |
| 3 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 4 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/MBES18 TAB")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/MBES18 TAB' is clicked on | 6.671s | PASSED |
| 5 | delay(1) Delayed 1 second(s) | 1.019s | PASSED |

ACTPOL-563

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 6 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/mbes new")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/mbes new' is clicked on | 1.273s | PASSED |
| 7 | delay(8) Delayed 8 second(s) | 8.007s | PASSED |
| 8 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/Registratie tab")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/Registratie tab' is clicked on | 1.526s | PASSED |
| 9 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN tab"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN tab' is clicked on | 1.078s | PASSED |
| 10 | delay(2) Delayed 2 second(s) | 2.004s | PASSED |
| 11 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN new")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN new' is clicked on | 1.153s | PASSED |
| 12 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 13 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN save")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN save' is clicked on | 1.312s | PASSED |
| 14 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |

ACTPOL-563

| # | Description | Elapsed | Status |
|--|---|---------|--------|
| 15 | takeScreenshot() Taking screenshot successfully | 1.878s | PASSED |
|  | | | |
| 16 | log = new com.kms.katalon.core.logging.KeywordLogger() | 0.003s | PASSED |
| 17 | log.logInfo("successfully saved data without entering any details") successfully saved data without entering any details | 0.004s | PASSED |
| 18 | delay(1) Delayed 1 second(s) | 1.004s | PASSED |
| 19 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN new")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN new' is clicked on | 1.276s | PASSED |
| 20 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 21 | selectOptionByLabel(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Organisatie"), "SKS", false) All options with label 'SKS' are selected in object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Organisatie' | 1.778s | PASSED |


ACTPOL-563

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 23 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Datum Incident"), "29/09/2019") Text '29/09/2019' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Datum Incident' | 1.696s | PASSED |
| 24 | delay(1) Delayed 1 second(s) | 1.018s | PASSED |
| 25 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Bezonderheden"), "testing : Bezonderheden") Text 'testing : Bezonderheden' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Bezonderheden' | 4.030s | PASSED |
| 26 | delay(1) Delayed 1 second(s) | 1.005s | PASSED |
| 27 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Contactperson"), "testing : Contactperson") Text 'testing : Contactperson' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Contactperson' | 1.912s | PASSED |
| 28 | delay(1) Delayed 1 second(s) | 1.006s | PASSED |
| 29 | setText(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Telefoonnummer"), "987512364") Text '987512364' is set on object 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/Telefoonnummer' | 1.284s | PASSED |

ACTPOL-563

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 30 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 31 | click(findTestObject("Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN save")) Object: 'Object Repository/Actpol_Scripts/Opsporing/MBES18/5 INCIDENTEN/INCIDENTEN save' is clicked on | 0.783s | PASSED |
| 32 | delay(1) Delayed 1 second(s) | 1.004s | PASSED |
| 33 | takeScreenshot() | 1.121s | PASSED |

Taking screenshot successfully



| | | | |
|----|---|--------|--------|
| 34 | log.logInfo("successfully saved data") successfully saved data | 0.006s | PASSED |
|----|---|--------|--------|