

ACTPOL-552

Execution Environment

Host name	user4 - 10.20.20.6
OS	Windows 8.1 64bit
Katalon version	6.3.2.1
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/Release 6.6/ACTPOL-552		
Description	#Enhancements Vreemdelingen Module		
Total	1		
Passed	1	Failed	0
Error	0	Incomplete	0
Start	2019-08-27 15:14:24	End	2019-08-27 15:18:36
Elapsed	4m - 12.483s		

#	ID	Description	Status
---	----	-------------	--------

ACTPOL-552

#	ID	Description	Status
1	Test Cases/JIRA Tasks/Release 6.6/ACTPOL-552	<p>Description</p> <p>Possibility to Kopie Assistentie into Melding Mensenhandel.</p> <p>Solution</p> <p>Add in Assistentie Melding a button called 'Mensenhandel/Mensensmokkel'.</p> <p>When this information is selected the following information should be copied:</p> <p>Incident (number) - Assistentie number- Eventnumber Adres van incident Adres # van incident Incident Datum Melding Tijd Melding Aangewezen aan Mutatie (assistentie should be saved and everything should remain the same). This information copied should create automatically a new record in Generiek - Melding. Type Melding should be Assistentie Naam Melder should be the user that created the Assistentie Wekzaam bij should be organisation of this user Datum should be same as when button Mensenhandel/Mensensmokkel is selected Status is automatically in Behandeling. The copied information should be added in the Omschrijving field.</p> <p>Testplan</p> <p>Step 1: Generiek - Assistentie - add a new assistentie Step 2: Fill in mandatory fields and save. Step 3: Edit existing record and select button Mensenhandel/Mensensmokkel and click save Step 4: Go to Melding Mensenhandel - the information entered in the assistentie should be visible here.</p> <p>Navigation</p> <p>Generiek - Assistentie - Nieuw assistentie Intake - Calltaker Also Generiek Melding Mensenhandel</p>	PASSED

ACTPOL-552

Information

ID	Test Cases/JIRA Tasks/Release 6.6/ACTPOL-552		
Description	Description Possibility to Kopie Assistentie into Melding Mensenhandel.		
Tag	Solution Add in Assistentie Melding a button called 'Mensenhandel/Mensensmokkel'. When this information is selected the following information should be copied:		
Start			
Elapsed	Incident (number) - Assistentie number-Eventnumber		
Status	Adres van incident Adres # van incident Incident Datum Melding Tijd Melding Aangewezen aan Mutatie (assistentie should be saved and everything should remain the same). This information copied should create automatically a new record in Generiek - Melding. Type Melding should be Assistentie Naam Melder should be the user that created the Assistentie Wekzaam bij should be organisation of this user Datum should be same as when button Mensenhandel/Mensensmokkel is selected Status is automatically in Behandeling. The copied information should be added in the Omschrijving field. Testplan Step 1: Generiek - Assistentie - add a new assistentie Step 2: Fill in mandatory fields and save. Step 3: Edit existing record and select button Mensenhandel/Mensensmokkel and click save Step 4: Go to Melding Mensenhandel - the information entered in the assistentie should be visible here. Navigation Generiek - Assistentie - Nieuw assistentie Intake - Calltaker Also Generiek Melding Mensenhandel ACTPOL-552		
	2019-08-27 15:14:24	End	2019-08-27 15:18:36
	4m - 11.884s		
	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("main/Actpol_Login_testenv"), [], STOP_ON_FAILURE)	27.502s	PASSED
Call Test Case 'Test Cases/main/Actpol_Login_testenv' successfully			

ACTPOL-552

#	Description	Elapsed	Status
2	mouseOver(findTestObject("Actpol_Scripts/Menu navigation/Generiek/Generiek")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Generiek' is hovered	12.960s	PASSED
3	delay(2) Delayed 2 second(s)	2.030s	PASSED
4	click(findTestObject("Actpol_Scripts/Menu navigation/Generiek/Assistenties")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Assistenties' is clicked on	4.982s	PASSED
5	delay(2) Delayed 2 second(s)	2.006s	PASSED
6	Creating New Incident Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Assistentie New' is clicked on	9.997s	PASSED
7	delay(5) Delayed 5 second(s)	5.005s	PASSED
8	setText(findTestObject("Actpol_Scripts/Generiek/Assistentie/Bron"), "k") Text 'k' is set on object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Bron'	0.605s	PASSED
9	delay(2) Delayed 2 second(s)	2.006s	PASSED
10	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Born lb")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Born lb' is clicked on	0.677s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
11	setText(findTestObject("Actpol_Scripts/Generiek/Assistentie/Telefoon nummer"), "999999999", OPTIONAL) Text '999999999' is set on object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Telefoon nummer'	0.731s	PASSED
12	setText(findTestObject("Actpol_Scripts/Generiek/Assistentie/Titel"), "Testing test") Text 'Testing test' is set on object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Titel'	0.721s	PASSED
13	Select drop down from the list :: COMERCIELE INSTELLING All options with value '1' are selected in object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Lokatie type'	0.744s	PASSED
14	delay(2) Delayed 2 second(s)	2.007s	PASSED
15	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Incident Adres")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Incident Adres' is clicked on	0.582s	PASSED
16	delay(2) Delayed 2 second(s)	2.006s	PASSED
17	ANDRES BELLO WEG Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Incident Adres lb' is clicked on	0.726s	PASSED
18	delay(5) Delayed 5 second(s)	5.005s	PASSED
19	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/ter hoogte van"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/ter hoogte van' is clicked on	0.602s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
20	setText(findTestObject("Actpol_Scripts/Generiek/Assistentie/Nadere Aanduiding"), "Testing") Text 'Testing' is set on object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Nadere Aanduiding'	0.698s	PASSED
21	delay(5) Delayed 5 second(s)	5.006s	PASSED
22	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Bekende plaats")) NOT_RUN: click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Bekende plaats"))	0.003s	NOT_RUN
23	delay(2) NOT_RUN: delay(2)	0.001s	NOT_RUN
24	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Bekende plaats Lb")) NOT_RUN: click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Bekende plaats Lb"))	0.002s	NOT_RUN
25	delay(2) NOT_RUN: delay(2)	0.001s	NOT_RUN
26	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Incident")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Incident' is clicked on	0.651s	PASSED
27	delay(2) Delayed 2 second(s)	2.006s	PASSED
28	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Incident Lb")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Incident Lb' is clicked on	0.641s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
29	delay(5) Delayed 5 second(s)	5.003s	PASSED
30	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Relationeel Geweld")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Relationeel Geweld' is clicked on	0.530s	PASSED
31	delay(5) Delayed 5 second(s)	5.005s	PASSED
32	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Poging")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Poging' is clicked on	0.671s	PASSED
33	Select ZELF CONSTATERING All options with value '3' are selected in object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Melding Prioriteit'	0.600s	PASSED
34	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Dispatch ja"), OPTIONAL) NOT_RUN: click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Dispatch ja"), OPTIONAL)	0.002s	NOT_RUN
35	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Contact verzoek ja"), OPTIONAL) NOT_RUN: click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Contact verzoek ja"), OPTIONAL)	0.002s	NOT_RUN
36	delay(1) Delayed 1 second(s)	1.007s	PASSED
37	Click on Aangewezen aan auto search titles NOT_RUN: click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Aangewezen aan"))	0.002s	NOT_RUN


ACTPOL-552

#	Description	Elapsed	Status
38	delay(2) NOT_RUN: delay(2)	0.003s	NOT_RUN
39	Select required dropdown NOT_RUN: click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Aangewezen aan lb"))	0.003s	NOT_RUN
40	delay(1) Delayed 1 second(s)	1.006s	PASSED
41	Select ST Maarten All options with value 'SXM' are selected in object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Eiland'	0.501s	PASSED
42	scrollToPosition(29, 7) Browser is scrolled to position x = 29, y = 7	0.052s	PASSED
43	delay(2) Delayed 2 second(s)	2.006s	PASSED
44	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Melding")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Melding' is clicked on	0.595s	PASSED
45	delay(1) Delayed 1 second(s)	1.008s	PASSED
46	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Melder")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Melder' is clicked on	0.583s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
47	delay(1) Delayed 1 second(s)	1.008s	PASSED
48	Select required dropdown All options with label 'AANGEVER' are selected in object 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Rol-Proces'	0.653s	PASSED
49	Clicking new person Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Achternaam' is clicked on	5.235s	PASSED
50	delay(2) Delayed 2 second(s)	2.005s	PASSED
51	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Resultaat Personen bestand person selection")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Resultaat Personen bestand person selection' is clicked on	0.770s	PASSED
52	scrollToPosition(0, 21) Browser is scrolled to position x = 0, y = 21	0.044s	PASSED
53	delay(3) Delayed 3 second(s)	3.005s	PASSED
54	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Melder")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Melder' is clicked on	0.465s	PASSED
55	delay(1) Delayed 1 second(s)	1.004s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
56	click(findTestObject("Actpol_Scripts/Generiek/Assistentie/Save melding")) Object: 'Object Repository/Actpol_Scripts/Generiek/Assistentie/Save melding' is clicked on	0.581s	PASSED
57	delay(8) Delayed 8 second(s)	8.005s	PASSED
58	takeScreenshot() Taking screenshot successfully 	9.461s	PASSED
59	delay(3) Delayed 3 second(s)	3.006s	PASSED
60	Click Melding tab Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Melding TAB' is clicked on	3.364s	PASSED
61	delay(2) Delayed 2 second(s)	2.006s	PASSED
62	Get text from the feild:: Assistentie number Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Assistentie number' is: '200601752'	0.384s	PASSED
63	delay(1) Delayed 1 second(s)	1.006s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
64	Get text from the feild:: Incident Adres Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Incident Adres' is: 'ABACO WEG'	0.397s	PASSED
65	delay(1) Delayed 1 second(s)	1.007s	PASSED
66	Get text from the feild:: Aangewezen aan Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Aangewezen aan' is: "	0.367s	PASSED
67	delay(1) Delayed 1 second(s)	1.003s	PASSED
68	Get text from the feild:: Incident Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Incident' is: 'AANGIFTE OPNEMEN/OPSCHRIJVEN'	0.414s	PASSED
69	delay(1) Delayed 1 second(s)	1.017s	PASSED
70	Get text from the feild:: Datum Melding Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Datum Melding' is: '05.45.18 tot 05.45.18'	0.409s	PASSED
71	delay(1) Delayed 1 second(s)	1.004s	PASSED
72	Get text from the feild:: Tijd Melding Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Datum Melding' is: '05.45.18 tot 05.45.18'	0.316s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
73	log = new com.kms.katalon.core.logging.KeywordLogger()	0.001s	PASSED
74	log.logInfo("Assistentie number is : " + Assistentienumber) Assistentie number is : 200601752	0.002s	PASSED
75	log.logInfo("Incident Adres is : " + IncidentAdres) Incident Adres is : ABACO WEG	0.001s	PASSED
76	log.logInfo("Aangewezen aan is : " + Aangewezenaan) Aangewezen aan is :	0.001s	PASSED
77	log.logInfo("Incident is: " + Incident) Incident is: AANGIFTE OPNEMEN/OPSCHRIJVEN	0.001s	PASSED
78	log.logInfo("Datum Melding is : " + DatumMelding) Datum Melding is : 05.45.18 tot 05.45.18	0.001s	PASSED
79	log.logInfo("Tijd Melding is : " + TijdMelding) Tijd Melding is : 05.45.18 tot 05.45.18	0.000s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
80	<pre>test = concatenate(" ", "Assistentie number is : " + Assistentienumber, " ", "Incident Adres is : " + IncidentAdres, " ", "Incident is: " + Incident, " ", "Datum Melding is : " + DatumMelding, " ", "Tijd Melding is : " + TijdMelding) Concatenated string array: [' ','Assistentie number is : 200601752',' ','Incident Adres is : ABACO WEG',' ','Incident is: AANGIFTE OPNEMEN/OPSCHRIJVEN',' ','Datum Melding is : 05.45.18 tot 05.45.18',' ','Tijd Melding is : 05.45.18 tot 05.45.18'] into ' Assistentie number is : 200601752 Incident Adres is : ABACO WEG Incident is: AANGIFTE OPNEMEN/OPSCHRIJVEN Datum Melding is : 05.45.18 tot 05.45.18 Tijd Melding is : 05.45.18 tot 05.45.18'</pre>	0.011s	PASSED
81	<pre>log.logInfo(test) Assistentie number is : 200601752 Incident Adres is : ABACO WEG Incident is: AANGIFTE OPNEMEN/OPSCHRIJVEN Datum Melding is : 05.45.18 tot 05.45.18 Tijd Melding is : 05.45.18 tot 05.45.18</pre>	0.001s	PASSED
82	<pre>delay(2) Delayed 2 second(s)</pre>	2.006s	PASSED
83	<pre>mouseOver(findTestObject("Actpol_Scripts/Menu navigation/Generiek/Generiek")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Generiek' is hovered</pre>	0.300s	PASSED
84	<pre>delay(2) Delayed 2 second(s)</pre>	2.005s	PASSED
85	<pre>click(findTestObject("Actpol_Scripts/Menu navigation/Generiek/Melding")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Melding' is clicked on</pre>	4.850s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
86	delay(2) Delayed 2 second(s)	2.007s	PASSED
87	Melding view select Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/medding view default first selected' is clicked on	0.500s	PASSED
88	delay(2) Delayed 2 second(s)	2.003s	PASSED
89	Omschrijving = getText(findTestObject("JIRA/A Release 6.6/ACTPOL-552/Omschrijving")) Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Omschrijving' is: 'Assistentie number:200601752 Incident Adres:2286 Aangewezen aan:WIJKTEAM OTROBANDA Incident:1027 Datum Melding:2019-08-27 Tijd Melding:05.45.18 Aangewezen aan:6'	0.348s	PASSED
90	log.logInfo(Omschrijving) Assistentie number:200601752 Incident Adres:2286 Aangewezen aan:WIJKTEAM OTROBANDA Incident:1027 Datum Melding:2019-08-27 Tijd Melding:05.45.18 Aangewezen aan:6	0.002s	PASSED
91	comment("intake mode") intake mode	0.012s	PASSED
92	mouseOver(findTestObject("Actpol_Scripts/Menu navigation/Intake/Intake")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Intake/Intake' is hovered	0.260s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
93	delay(2) Delayed 2 second(s)	2.006s	PASSED
94	click(findTestObject("Actpol_Scripts/Menu navigation/Intake/Calltaker")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Intake/Calltaker' is clicked on	6.090s	PASSED
95	delay(2) Delayed 2 second(s)	2.006s	PASSED
96	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Bron"), "t") Text 't' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Bron'	0.834s	PASSED
97	delay(2) Delayed 2 second(s)	2.005s	PASSED
98	Default first one is selected Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Bron lb' is clicked on	0.598s	PASSED
99	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Telefoon nummer"), "4754") Text '4754' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Telefoon nummer'	0.549s	PASSED
100	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Adres van Incident"), "aa") Text 'aa' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Adres van Incident'	0.476s	PASSED
101	delay(2) Delayed 2 second(s)	2.004s	PASSED

ACTPOL-552


#	Description	Elapsed	Status
102	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Adres van Incident Ib")) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Adres van Incident Ib' is clicked on	0.569s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
103	<p>setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Latitude"), "GG", OPTIONAL)</p> <p>Unable to set text 'GG' of object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Latitude' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'GG' of object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Latitude'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:936)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$9.call (Unknown Source)</p> <p>at ACTPOL-552.run(ACTPOL-552:241)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1566899056586.run(TempTestSuite1566899056586.groovy:35)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=76.0.3809.100)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'NIVI-4', ip: '10.20.20.6', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\user4\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52889}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}</p>	0.866s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
	<pre>Session ID: ee0c0d0aa82c8b0230728a36a77423e3 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement. java:124) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:936) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_setText\$9.call (Unknown Source) at Script1566567456589.run(Script1566567456589.groovy:241) ... 13 more)</pre>		



104 click(findTestObject("Actpol_Scripts/Intake/Calltaker/ter hoogte van"), OPTIONAL) 0.681s PASSED

Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/ter hoogte van' is clicked on

ACTPOL-552

#	Description	Elapsed	Status
105	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Nadere aanduiding"), "Testing") Text 'Testing' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Nadere aanduiding'	0.471s	PASSED
106	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Bekende plaats"), "a") Text 'a' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Bekende plaats'	0.439s	PASSED
107	delay(2) Delayed 2 second(s)	2.003s	PASSED
108	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Bekende plaats lb"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Bekende plaats lb' is clicked on	0.636s	PASSED
109	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Incident"), "a") Text 'a' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Incident'	0.516s	PASSED
110	delay(2) Delayed 2 second(s)	2.006s	PASSED
111	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Incident lb")) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Incident lb' is clicked on	0.640s	PASSED
112	delay(1) Delayed 1 second(s)	1.007s	PASSED
113	click(findTestObject("JIRA/A Release 6.6/ACTPOL-552/Mensenhandel Mensensmokkel")) Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Mensenhandel Mensensmokkel' is clicked on	0.637s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
114	delay(1) Delayed 1 second(s)	1.003s	PASSED
115	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Poging")) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Poging' is clicked on	1.297s	PASSED
116	delay(1) Delayed 1 second(s)	1.006s	PASSED
117	Select based on environment All options with value '3' are selected in object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Melding Prioriteit'	0.917s	PASSED
118	delay(1, OPTIONAL) Delayed 1 second(s)	1.005s	PASSED
119	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Politie"), OPTIONAL) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Politie' is clicked on	0.875s	PASSED
120	delay(1) Delayed 1 second(s)	1.007s	PASSED
121	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Achternaam")) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Achternaam' is clicked on	2.742s	PASSED
122	delay(2) Delayed 2 second(s)	2.003s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
123	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Resultaat Personen bestand")) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Resultaat Personen bestand' is clicked on	0.627s	PASSED
124	setText(findTestObject("Actpol_Scripts/Intake/Calltaker/Mutatie"), "Testing") Text 'Testing' is set on object 'Object Repository/Actpol_Scripts/Intake/Calltaker/Mutatie'	0.769s	PASSED
125	click(findTestObject("Actpol_Scripts/Intake/Calltaker/Intake Save")) Object: 'Object Repository/Actpol_Scripts/Intake/Calltaker/Intake Save' is clicked on	0.490s	PASSED
126	delay(5) Delayed 5 second(s)	5.004s	PASSED
127	click(findTestObject("JIRA/A Release 6.6/ACTPOL-552/Actieve Assistentie")) Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Actieve Assistentie' is clicked on	4.661s	PASSED
128	delay(2) Delayed 2 second(s)	2.003s	PASSED
129	Get text from the feild:: Incident number Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Incident number' is: '200601753'	0.434s	PASSED
130	delay(1) Delayed 1 second(s)	1.004s	PASSED
131	Get text from the feild:: Adres van incident. Attribute 'value' of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Adres van incident' is: 'KAYA JACOB POSNER'	0.467s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
132	delay(1) Delayed 1 second(s)	1.003s	PASSED
133	Get text from the feild::Adres # van incident Attribute 'value' of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Adres van Incident 1' is: 'NST 39'	0.634s	PASSED
134	delay(1) Delayed 1 second(s)	1.005s	PASSED
135	Get text from the feild:: Incident Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Incident calltaker' is: 'AANGIFTE OPNEMEN/OPSCHRIJVEN'	1.227s	PASSED
136	delay(1) Delayed 1 second(s)	1.002s	PASSED
137	Get text from the feild:: Datum Melding Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Datum Meldingca' is: '27/08/2019'	0.653s	PASSED
138	delay(1) Delayed 1 second(s)	1.004s	PASSED
139	Get text from the feild:: Tijd Melding Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Tijd Melding ca' is: '05.47.55'	0.719s	PASSED
140	delay(1) Delayed 1 second(s)	1.003s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
141	Get text from the feild:: Aangewezen aan Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Aangewezen aanca' is: 'WIJKTEAM PUNDA'	0.372s	PASSED
142	delay(1) Delayed 1 second(s)	1.003s	PASSED
143	log1 = new com.kms.katalon.core.logging.KeywordLogger()	0.001s	PASSED
144	log1.logInfo("Assistentie number is : " + Incidentnumber) Assistentie number is : 200601753	0.002s	PASSED
145	log1.logInfo("Adres van incident : " + avi) Adres van incident : KAYA JACOB POSNER	0.003s	PASSED
146	log1.logInfo("Adres #van incident : " + avi1) Adres #van incident : NST 39	0.003s	PASSED
147	log1.logInfo("Incident is: " + Incidentca) Incident is: AANGIFTE OPNEMEN/OPSCHRIJVEN	0.002s	PASSED
148	log1.logInfo("Datum Melding is : " + DatumMeldingca) Datum Melding is : 27/08/2019	0.003s	PASSED
149	log1.logInfo("Tijd Melding is : " + TijdMeldingca) Tijd Melding is : 05.47.55	0.002s	PASSED
150	log1.logInfo("Tijd Melding is : " + Aangewezenaan1) Tijd Melding is : WIJKTEAM PUNDA	0.003s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
151	<pre>test1 = concatenate(" ", "Incident number:" + Incidentnumber, " ", "Adres van incident:" + avi, " ", "Adres # van incident:" + avi1, " ", "Incident:" + Incidentca, " ", "Datum Melding:" + DatumMeldingca, " ", "Tijd Melding:" + TijdMeldingca, " ", "Aangewezen aan:" + Aangewezenaan1) Concatenated string array: [' ','Incident number:200601753',' ','Adres van incident:KAYA JACOB POSNER',' ','Adres # van incident:NST 39',' ','Incident:AANGIFTE OPNEMEN/OPSCHRIJVEN',' ','Datum Melding:27/08/2019',' ','Tijd Melding:05.47.55',' ','Aangewezen aan:WIJKTEAM PUNDA'] into ' Incident number:200601753 Adres van incident:KAYA JACOB POSNER Adres # van incident:NST 39 Incident:AANGIFTE OPNEMEN/OPSCHRIJVEN Datum Melding:27/08/2019 Tijd Melding:05.47.55 Aangewezen aan:WIJKTEAM PUNDA'</pre>	0.008s	PASSED
152	<pre>println(test1)</pre>	2.367s	PASSED
153	<pre>log1.logInfo(test1)</pre>	0.003s	PASSED
	<pre>Incident number:200601753 Adres van incident:KAYA JACOB POSNER Adres # van incident:NST 39 Incident:AANGIFTE OPNEMEN/OPSCHRIJVEN Datum Melding:27/08/2019 Tijd Melding:05.47.55 Aangewezen aan:WIJKTEAM PUNDA</pre>		
154	<pre>delay(2)</pre> <pre>Delayed 2 second(s)</pre>	2.004s	PASSED
155	<pre>mouseover(findTestObject("Actpol_Scripts/Menu navigation/Generiek/Generiek"))</pre> <pre>Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Generiek' is hovered</pre>	0.297s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
156	delay(2) Delayed 2 second(s)	2.005s	PASSED
157	click(findTestObject("Actpol_Scripts/Menu navigation/Generiek/Melding")) Object: 'Object Repository/Actpol_Scripts/Menu navigation/Generiek/Melding' is clicked on	2.560s	PASSED
158	delay(2) Delayed 2 second(s)	2.006s	PASSED
159	Melding view select Object: 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/medding view default first selected' is clicked on	0.599s	PASSED
160	delay(2) Delayed 2 second(s)	2.005s	PASSED
161	Omschrijving = getText(findTestObject("JIRA/A Release 6.6/ACTPOL-552/Omschrijving")) Text of object 'Object Repository/JIRA/A Release 6.6/ACTPOL-552/Omschrijving' is: 'Incident number:200601753 Adres van incident:948 Adres # van incident:NST 39 Incident:1027 Datum Melding:2019-08-27 Tijd Melding:05.47.55 Aangewezen aan:5 Mutatie:Testing'	0.936s	PASSED
162	println(Omschrijving)	0.001s	PASSED
163	if (test1 == Omschrijving)	0.001s	PASSED

ACTPOL-552

#	Description	Elapsed	Status
164	else Calltaker and melding both are not match	0.003s	PASSED
165	s = DatumMeldingca	0.001s	PASSED
166	len = s.length()	0.000s	PASSED
167	rev = ""	0.001s	PASSED
168	for ([i = len - 1, i >= 0, (i--)])	0.009s	PASSED
169	println(rev)	0.001s	PASSED