

# FDS0: Foundations of FDS

## Seminar 2: MyFDS Account and Identity Privacy

JerrySu, Redstone

June 2026

The Field of Dream Studio

# Table of content

1. Why This Matters Before You Publish
2. Unlink Your FDS Identity
3. The MyFDS Account
4. Practical Privacy Rules
5. Setup Walkthrough



# Why This Matters Before You Publish

## Before You Publish

### **What publishing means.**

In Seminar 6 you will publish a self-introduction on DocServer. That page is public: anyone can read it, link it, and archive it. The identity decisions in this seminar happen *before* that page exists, and they are what you live with after it goes live.

### **Reversibility is asymmetric.**

Adding something to a public surface is one click. Removing it from caches, archives, and search indices is slow, unreliable, and often impossible.

### **So this seminar comes first, on purpose.**

You make these decisions calmly, once, with your mentor, while nothing is public yet.

## Regional Realities Differ

### **One organization, many regions.**

FDS members come from mainland China, Hong Kong, Taiwan, Japan, Vietnam, and elsewhere (Seminar 1).

### **The same disclosure costs differently.**

Publicly linking an organizational affiliation to a real identity has different consequences depending on where a member lives, studies, or works. What is harmless in one region can be a real problem in another.

### **Practical, not paranoid.**

Nobody is asked to be afraid. Everyone is asked to be deliberate. The rules in this seminar are everyday operational practice, not an emergency posture.



## Unlink Your FDS Identity

## Unlinkability, Not Secrecy

**The key word is “unlink”, not “hide”.**

Many members already have a public real-name presence: academic publications, professional records, prior work. FDS does not erase that. What FDS protects is the *link* between your FDS identity and any of those records.

**Two things can both be public, without being linked.**

Your real legal name and your FDS public name can each exist on the open web. The protection is that nothing FDS controls connects them: a stranger searching one should not land on the other.

**A name fits its context.**

The same name does not work everywhere. The next frame gives concrete situations.

## Which Name in Which Situation

### **In FDS-public places, use your FDS public name.**

DocServer self-introduction, commits to FDS repositories, FDS-affiliated posts. The audience needs to see who in FDS made it; they do not need your real name to recognize you.

### **In real-name places, use your real name.**

Academic papers, formal applications, things tied to your legal identity. Use the name the venue requires. Do not list your FDS handle alongside as a sibling identity in the same record.

### **In recovery and contact fields, keep them private.**

Recovery email, personal phone. The administrator may see them; the public never does. Pick recovery details that do not already link your real name to your FDS handle.



## Public Name as a Formal Declaration

### **A commitment, not a setting.**

Seminar 1 introduced formal declarations: recorded, dated, binding. Your public name is one of them. It is not a profile field you tweak when bored.

### **Others rely on it.**

Once published, documents, commits, and other members refer to you by it. Changing it later breaks references that other people made in good faith.

### **Choose it once, with your mentor.**

The convention on the next frame keeps the choice safe; your mentor confirms it before anything goes public.

## The Preferred Name Convention

### **The convention**

- At least 7 characters.
- English letters only (A-Z, a-z), so no digits, spaces, or symbols.
- At most 2 capital letters. The first letter must be capital.

### **Names that satisfy it.**

- Redstone, Jiuyuan, JerrySu

### **Names that do not.**

- Joe (too short), R3dst0ne (not English letters only), JIUUYUAN (more than 2 capitals)



# The MyFDS Account

## What MyFDS Is Today

### **The Charter names the system.**

Charter Article 7 (effective 2025-06-15) establishes the MyFDS account system, account freezing, and the prohibition on credential lending.

### **The implementation is manual today.**

There is no self-service signup. The administrator creates each account by hand, and some flows are still being built. We say this honestly: the rules of Article 7 apply in full, even while the tooling around them is manual.

### **What exists right now.**

Two live services: `login.fds.moe`, the MyFDS auth dashboard, and `mail.fds.moe`, the FDS email service. The walkthrough in Section 5 covers both.

## Account Fields and Who Sees Them

**Each field has a defined audience.**

- **Public name** – visible to anyone. The formal declaration from Section 2.
- **Internal name** – visible to other FDS members. May be the same string as your preferred name; many members use one for both.
- **Real-name field** – visible only to you and the administrator. Required fields only.
- **Contact and recovery** – visible only to you and the administrator. Used for lockouts, never displayed.

**When in doubt, prefer the narrower audience.**

Anything you are unsure about goes in the field with the smallest audience that still lets the work happen.

## FDS Email vs Personal Email

### **Your FDS address.**

Your preferred name, lowercased, at `fds.moe`. The walkthrough screenshots use the demo account `demo@fds.moe`.

### **Which email goes where.**

FDS email for everything tied to your FDS identity, public or internal. Your personal email stays private to you and the administrator: it may serve as a recovery record, and nothing more.

### **What you put in neither.**

Your real legal name as a display name, other members' private information, and your credentials. When a mail client asks for a "Name", that is your preferred name, not your legal name.

## Recovery and Second Factor

### **Recovery exists for lockouts.**

A recovery method is set with the administrator when your account is created, and you confirm it during the walkthrough.

### **Recovery is also a linkage risk.**

A real-name personal email or a personal phone number as recovery contact links your real identity to your FDS handle, even when it is technically permitted. Choose the recovery method with your mentor, not by reflex.

### **Second factor on mail.**

mail.fds.moe supports two-factor authentication and FIDO2/WebAuthn login. Turn one on once the basic flow works.

## Never Lend Your Credentials

### **One member, one account.**

Charter Article 7 prohibits credential lending outright, alongside account freezing for violations.

### **Article 23 repeats it, with stronger consequences.**

The Charter says this twice on purpose. Lending an account does not just risk you; it makes every record signed by that account unreliable.

### **Not even your mentor.**

Your mentor never needs your password. The administrator never asks for it. Anyone who does ask for it is, by that act alone, someone you should report to your mentor.





# Practical Privacy Rules

## Real Names, Regions, Schools, Employers

### **Real legal name: required fields only.**

Never as a public handle. Never in a public bio. It lives in the private field of MyFDS and nowhere else.

### **Region, school, employer: the default is omission.**

None of these belong in any public field unless you deliberately disclose them.

### **Deliberate disclosure is allowed.**

The rule is not secrecy. The rule is that disclosure must be a decision you make knowingly, ideally after talking it through with your mentor, never a default you forgot to change.

## Reused Handles

### **The handle itself can leak.**

A handle that already links to your real identity on another platform is not safe as your FDS public name, even if it satisfies the naming convention perfectly.

### **Check before you choose.**

Search your candidate name on the open web. If the results point at you, pick another. A fresh name costs nothing now and is expensive to need later.

## What Changes After FDS0

### **You drop the fresh qualifier.**

After FDS0 you are simply a member (Seminar 1, Three Roles).

### **You do not drop the unlinking rules.**

The unlinkability principle, the formal-declaration status of your public name, and the omission default stay with you for as long as you hold an FDS identity. The more you publish, the more they protect.

## Common Failure Modes

### **Seen before, avoidable now.**

- A real-name email or phone number as the recovery contact. It creates linkage even when technically permitted.
- A public name that already links to a real identity on another platform.
- Region, school, or employer in a public bio.
- Treating administrator-visible fields as “private”. The truly private information is what you alone hold.
- Assuming MyFDS supports self-service features it does not currently have. Ask your mentor instead of guessing.



# Setup Walkthrough

## The Walkthrough at a Glance

### **Four steps, mentor-walked.**

1. Request your account (MyFDS is manual today).
2. Choose your public name; your mentor confirms it.
3. Set up FDS email and recovery: first login, password changes, optional mail apps.
4. Identity / privacy checklist sign-off. This is the Assignment 2 worksheet.

### **Do it in the session.**

Every step here is meant to happen with your mentor present, not alone the night before.

## Step 1: Request Your Account

### **Where to ask.**

Message your mentor in the channel you already share. Your mentor relays the request to the administrator, who creates the account by hand.

### **What you decide first.**

Your preferred name, against the Section 2 convention. It becomes your FDS address, so it is needed before the account can exist.

### **What you receive.**

Initial credentials, over a private channel. They work at `login.fds.moe` and `mail.fds.moe`. You change both passwords at first login (Step 3).



## Step 2: Choose Your Public Name

### **Mentor-confirmed against Section 2.**

The convention (at least 7 characters, English letters only, at most 2 capitals), no link to a real identity, no handle reused from another platform.

### **It may equal your preferred name.**

Many members use the same string for both. The check matters, not the distinction.


### **After sign-off it is a formal declaration.**

From that point on, treat it as fixed.

## Step 3: First Login to MyFDS

**Open** `login.fds.moe` **and log in with your initial credentials.**


The red numbers mark the order: the address bar, your FDS address, the initial password, then Login.



## Step 3: First Login to MyFDS (Cont'd)

### The dashboard is your account overview.

Account status, active sessions, role, and email status. A fresh account may show *Pending* until the administrator finishes setup; that is normal under manual MyFDS.



## Step 3: Change the MyFDS Password

### Quick Actions, then Change Password.

Use a fresh password, not one reused from another platform. The confirmation banner tells you it worked.


The screenshot shows the 'Change Password' form in the 'Auth Dashboard'. The form has a title 'Change Password' and a subtitle 'Update your password to keep your account secure'. It contains three input fields: 'Current Password', 'New Password', and 'Confirm New Password'. Each field is highlighted with a yellow background and has a red box around it with a red arrow pointing to it, labeled 1, 2, and 3 respectively. Below the fields are two buttons: 'Change Password' (blue) and 'Cancel' (grey). A red arrow labeled 4 points to the 'Change Password' button.

The screenshot shows the 'Change Password' form in the 'Auth Dashboard' after the password has been changed. The form has a title 'Change Password' and a subtitle 'Update your password to keep your account secure'. It contains a success message 'Password changed successfully!' in a green box, which is highlighted with a red box and a red arrow. Below the message are three input fields: 'Current Password', 'New Password', and 'Confirm New Password'. Below the fields are two buttons: 'Change Password' (blue) and 'Cancel' (grey).

## Step 3: Log in to FDS Webmail

**Open** mail.fds.moe.



Same FDS address, mail password. The webmail works in any browser; the mail apps later in this section are optional.



## Step 3: Change the Mail Password

**Authentication** section, then **Change password**.


New password, confirmation, current password, then the green button.



## Step 3: Mail Settings That Matter

### The mailbox page after saving.



Protocol badges (IMAP, SMTP, POP3), the Apple connection profile for quick client setup, and the two-factor / FIDO2 options from the Recovery frame all live here.



### Step 3: Mail on iPhone

#### Find Mail in Settings.

Settings, then Apps, then Mail.








## Step 3: Mail on iPhone (Cont'd)

### Add a mail account.




Mail Accounts, then Add Account. If iOS asks for the address first, type your FDS address or pick *choose from a list*.



## Step 3: Mail on iPhone (Cont'd)

**It is a generic mail account.**



Add Other Account, then Mail Account. The Name field is your preferred name; the password is your mail password.



## Step 3: Mail on iPhone (Cont'd)

**Point it at the FDS servers, then save.**



Host name `mail.fds.moe` for both incoming and outgoing; the user name is your full FDS address. Keep IMAP selected, enable Mail, then Save.



## Step 3: Mail on macOS

### Two ways in.




From the Mail app: the Mail menu, then Add Account. Or from System Settings: Internet Accounts, then Add Account.



## Step 3: Mail on macOS (Cont'd)

### Choose the generic mail account type.




The exact sheets differ slightly across macOS versions; in every variant you avoid the big-brand providers and reach a plain *Mail Account*.



## Step 3: Mail on macOS (Cont'd)

### Credentials, servers, done.

Expect “Unable to verify” once: fill both server fields with `mail.fds.moe`, sign in again, enable Mail, then Done.



## Step 4: Checklist Sign-Off

### **The assignment for this seminar.**

Configure your MyFDS account and complete the identity / privacy checklist with your mentor. The Assignment 2 worksheet scaffolds it.

### **What the mentor checks.**

- Account created; public name chosen, convention-checked, and signed off.
- Internal name chosen.
- Real legal name stored only in required fields.
- No region, school, or employer in any public field unless deliberately disclosed.
- FDS email set up; recovery method set.
- You can explain unlinkability and which audience sees which field of your account.

## Recap

### What we covered today.

- **Why before publishing:** public surfaces are easy to add to and hard to retract from; regional realities make identity linkage a practical concern, not a paranoid one.
- **Unlink, not hide:** keep your FDS identity unlinked from your real name and from other identifiers; the right name depends on the situation.
- **Public name:** a formal declaration under the preferred name convention; at least 7 characters, English letters only, at most 2 capitals, starting with a capital.



## Recap (Cont'd)

### What we covered today.

- **MyFDS today:** Charter Article 7, manual implementation, `login.fds.moe` and `mail.fds.moe`; no credential lending, ever (Articles 7 and 23).
- **Practical rules:** real name in required fields only; omission as the default for region, school, employer; no reused handles.
- **Walkthrough:** request account, choose public name, set up email and recovery, checklist sign-off.

### Assignment for this seminar.

Configure your MyFDS account and complete the identity / privacy checklist with your mentor. The Assignment 2 worksheet is the record of it.