

M2 60 mm Mortar

PAGES FROM THE ORIGINAL MANUAL

TM 9-2200, Small Arms, Light Field Mortars and 20-mm Aircraft Guns (War Department, 1943)

WHAT'S INSIDE

The 60 mm mortar M2 and its mount, with technical data, plus the 60 mm mortar rounds it fired.

5 pages from the original follow: the manual's cover, then the section about this weapon. Original US Government publication (public domain). Scans courtesy of the Internet Archive and Wikimedia Commons.

ADVANCE COPY FOR USE IN
ORDNANCE OFFICE ONLY.
REGULAR DISTRIBUTION WILL
BE MADE BY YOUR LOCAL
ADJUTANT GENERAL OR
POST ADJUTANT.

TM 9-2200

WAR DEPARTMENT TECHNICAL MANUAL

Small Arms, Light Field Mortars and 20-mm Aircraft Guns

WAR DEPARTMENT, 11 OCTOBER 1943

★ RESTRICTED

★ Dissemination of restricted matter.—The information contained in restricted documents and the essential characteristics of restricted materiel may be given to any person known to be in the service of the United States and to persons of undoubted loyalty and discretion who are cooperating in Government work, but will not be communicated to the public or to the press except by authorized military public relations agencies. (See also par. 18 b, AR 380-5, 28 Sep 1942.)

SMALL ARMS, LIGHT FIELD MORTARS, AND 20-MM AIRCRAFT GUNS



RA PD 10125

Figure 46—Mortar and Mount, 60-mm, M2

WEAPONS

48. MORTAR AND MOUNT, 60-MM, M2.

Weight of mortar	12.8 lb
Weight of bipod	16.4 lb
Weight of base plate	12.8 lb
Weight (complete)	42.0 lb
Length of Mortar (over-all)	28.6 in.
Elevation (approx.)	40 to 85 deg
Traversing, left or right (approx.)	125 mils
Rate of fire:	
Maximum	30 to 35 rounds per min
Normal	18 rounds per min
Ammunition types	H. E. (e. g., M49A2, c/r); illuminating (e. g., M83, c/r); and training (e. g., M69)

References

SNL A-43

Drawing No. 54-52


SMALL ARMS, LIGHT FIELD MORTARS, AND 20-MM AIRCRAFT GUNS



SHELL, H.E. M49A2, W/FUZE, P.D., M52, 60-MM MORTARS
M1 AND M2, COMPLETE ROUND



SHELL, ILLUMINATING, M83, W/FUZE, TIME (FIXED), M65;
60-MM MORTARS, M1 AND M2, COMPLETE ROUND



COMPLETE ROUND, SHELL, TRAINING, M69, 60-MM MORTARS;
M1 AND M2

RA PD 64448

Figure 118—60-mm Mortar Rounds

AMMUNITION

125. 60-MM MORTAR ROUNDS.

	H. E., M49A2, w/FUZE, P. D., M52	Practice, M50A2, w/ FUZE, P. D., M52	Illuminating, M83, w/ FUZE, time, M65	Training, M69
a. Weight (pounds):				
Complete round	2.96	2.96	4.19	4.53
Projectile, w/o fuze and fin...	2.01	2.01	φ	4.07
fuzed and w/o fin...	2.46	2.46	φ	—
filler	(TNT) 0.34	(Blk.Powd.) 0.05	0.49	None
Fin assembly	0.43	0.43	0.43	0.43
Ignition cartridge, M5A1	0.01	0.01	0.01	0.01
Percussion primer, M32	0.02	0.02	0.02	0.02
Propellant increments	(M3) 0.02*	(M3) 0.02*	(M4) .016*	None
b. Length (inches):				
Complete round..... (Max.)	9.54	9.54	14.28	7.70
Projectile, w/o fuze and fin....	5.18	5.18	10.08	5.54
Fuze, visible portion.....	2.36	2.36	1.99	None
Fin, visible portion.....	2.16	2.16	2.16	2.16
Ignition cartridge, M5A1.....	0.516	0.516	0.516	0.516
Percussion primer, M32.....	1.33	1.33	1.33	1.33
c. Diameter (inches):				
Projectile	2.36	2.36	2.36	2.36
Fin assembly	2.375	2.375	2.375	2.375
Ignition cartridge, M5A1.....	0.655	0.655	0.655	0.655
Percussion primer, M32.....	0.82	0.82	0.82	0.82
d. Miscellaneous:				
Ballistic coefficient: lb/sq in...	φ	φ	φ	φ
Muzzle velocity, charge 0:ft/sec	189	189	φ	152.5
charge 4:ft/sec	518	518	φ	—
Range, charge 0 (at 45°): yd...	332	332	φ	235
charge 4 (at 45°): yd...	1985	1985	φ	—
Pressure, maximum: lb/sq in...	φ	φ	φ	φ
e. References:				
Drawing No. (C/R)	75-1-82	75-1-83	75-1-143	—
Drawing No. (Projectile)	75-14-257	75-14-238	75-14-350	75-2-303
Specification No.	50-21-26	50-21-26	PXS-999	φ
SNL R-4				
TM 9-1900				

*For four (4) increments.

φ Data not available at time of publication.

Blk. Powd.—Black powder.