PageSpeed Insights

Copy Link | Docs

Report from Jun 18, 2026, 3:30:30 PM

https://filiprosa.cz/

Analyze

Discover what your real users are experiencing

No Data

Diagnose performance issues

44	89	96	100	2/2
Performance	Accessibility	Best Practices	SEO	Agentic Browsing

44

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100

METRICS

Expand view

▲ First Contentful Paint
3.3 s

▲ Largest Contentful Paint
19.4 s

▲ Total Blocking Time
970 ms

● Cumulative Layout Shift
0

■ Speed Index
4.9 s

Captured at Jun 18, 2026, 3:30 PM GMT+2
Initial page load
Emulated Moto G Power with Lighthouse 13.4.0
Slow 4G throttling
Single page session
Using HeadlessChromium 146.0.7680.177 with lr

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Render-blocking requests — Est savings of 2,300 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

☑ Show 3rd-party resources (1)

URL	Transfer Size	Duration
…chunks/9fadd041fc6f61fb.css (filiprosa.cz)	12.2 KiB	170 ms
Google Fonts Cdn	**1.6 KiB**	**750 ms**

Improve image delivery — Est savings of 3,199 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size LCP FCP Unscored

	URL	Resource Size	Est Savings
filiprosa.cz 1st Party		**3,915.3 KiB**	**3,198.7 KiB**
body > header.relative > img.absolute `<img src="/images/dance.jpg" alt="" class="absolute inset-0 w-full h-full object-cover z-0">`	/images/dance.jpg (filiprosa.cz)	2,539.0 KiB	1,938.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		1,611.4 KiB
	This image file is larger than it needs to be (1689x3375) for its displayed dimensions (2560x1440). Use responsive images to reduce the image download size.		896.0 KiB
Filip Rosa `<img src="/images/profile.jpg" alt="Filip Rosa" class="w-full h-full object-cover">`	/images/profile.jpg (filiprosa.cz)	1,376.4 KiB	1,259.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		578.6 KiB
	This image file is larger than it needs to be (1915x2560) for its displayed dimensions (846x846). Use responsive images to reduce the image		1,175.5 KiB

Use efficient cache lifetimes — Est savings of 392 KiB

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. LCP FCP Unscored

Request	Cache TTL	Transfer Size
filiprosa.cz 1st Party		**3,919 KiB**
/images/dance.jpg (filiprosa.cz)	7d	2,540 KiB
/images/profile.jpg (filiprosa.cz)	7d	1,377 KiB
…services/capture.jpg (filiprosa.cz)	7d	1 KiB
…services/digital.jpg (filiprosa.cz)	7d	1 KiB
…services/processing.jpg (filiprosa.cz)	7d	1 KiB

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

Top function call	Total reflow time

Source	Total reflow time
[unattributed]	200 ms

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **475 ms**

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	head > link `<link rel="preconnect" href="https://fonts.googleapis.com">` head > link

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts, such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element		Layout shift score
Total		0.000
	Filip Rosa `<span class="font-display font-bold italic text-lime tracking-[-0.02em] leading-none se…" aria-label="Filip Rosa">`	0.000
...v40/nuFkD-vYS....woff2 (fonts.gstatic.com)		Web font
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)		Web font
...v40/nuFkD-vYS....woff2 (fonts.gstatic.com)		Web font
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)		Web font
...v17/rP2rp2ywx....woff2 (fonts.gstatic.com)		Web font
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)		Web font

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size. Unscored

Statistic	Element	Value
Total elements		268
DOM depth	div.relative > button.w-full > svg.flex-shrink-0 > path `<path stroke-linecap="round" stroke-linejoin="round" d="m19.5 8.25-7.5 7.5-7.5-7.5">`	11
	bodv	

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	0 ms



Filip Rosa
`<a href="/" aria-label="Filip Rosa">`

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	157 KiB	894 ms
/gtag/js?id=G-9HDBSK2C68 (www.googletagmanager.com)	157 KiB	894 ms
Google Fonts Cdn	203 KiB	0 ms
...v40/nuFkD-vYS....woff2 (fonts.gstatic.com)	39 KiB	0 ms
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)	38 KiB	0 ms
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	37 KiB	0 ms
...v40/nuFkD-vYS....woff2 (fonts.gstatic.com)	24 KiB	0 ms
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)	21 KiB	0 ms
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	19 KiB	0 ms
...v17/rP2rp2ywx....woff2 (fonts.gstatic.com)	16 KiB	0 ms
...v17/rP2rp2ywx....woff2 (fonts.gstatic.com)	9 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
Google Analytics Analytics	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

Minimize main-thread work — 2.7 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Style & Layout	998 ms
Script Parsing & Compilation	682 ms
Script Evaluation	619 ms
Other	266 ms
Rendering	52 ms
Garbage Collection	26 ms

Reduce unused JavaScript — Est savings of 137 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
filiprosa.cz 1st Party	72.4 KiB	72.2 KiB
...chunks/a37c695c8ba98c5a.js (filiprosa.cz)	42.8 KiB	42.8 KiB
...chunks/d50371fb3fd84188.js (filiprosa.cz)	29.6 KiB	29.5 KiB
Google Tag Manager Tag-Manager	156.0 KiB	65.0 KiB

Avoid enormous network payloads — Total size was 4,435 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

URL		Transfer Size
filiprosa.cz 1st Party		3,990.4 KiB
/images/dance.jpg (filiprosa.cz)		2,539.5 KiB
/images/profile.jpg (filiprosa.cz)		1,377.0 KiB
...chunks/a37c695c8ba98c5a.js (filiprosa.cz)		43.6 KiB
...chunks/d50371fb3fd84188.js (filiprosa.cz)		30.4 KiB
Google Fonts Cdn		158.9 KiB
...v40/nuFkD-vYS....woff2 (fonts.gstatic.com)		38.8 KiB
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)		38.4 KiB
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)		36.9 KiB
...v40/nuFkD-vYS....woff2 (fonts.gstatic.com)		23.6 KiB
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)		21.3 KiB
Google Tag Manager Tag-Manager		156.7 KiB

Avoid long main-thread tasks — 9 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks

TBT Unscored

Show 3rd-party resources (2)

URL	Start Time	Duration
Google Tag Manager Tag-Manager		1,042 ms
/gtag/js?id=G-9HDBSK2C68 (www.googletagmanager.com)	3,826 ms	716 ms
/gtag/js?id=G-9HDBSK2C68 (www.googletagmanager.com)	4,542 ms	326 ms
filiprosa.cz 1st Party		732 ms
https://filiprosa.cz	893 ms	400 ms
https://filiprosa.cz	783 ms	110 ms
...chunks/a37c695c8ba98c5a.js (filiprosa.cz)	24,694 ms	86 ms
https://filiprosa.cz	1,369 ms	71 ms
...chunks/2fe3223ae4942fee.js (filiprosa.cz)	24,391 ms	65 ms
Unattributable		110 ms
Unattributable	1,480 ms	60 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (14) Hide

Document request latency

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. LCP FCP Unscored

- Avoids redirects
- Server responds quickly (observed 2 ms)
- Applies text compression

Duplicated JavaScript

Font display

Consider setting font-display to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with font metric overrides. Unscored

INP breakdown

Start investigating how to improve INP by looking at the longest subpart. Unscored

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling LCP FCP Unscored

Optimize viewport for mobile

Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. Unscored

head > meta

```
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
```

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. LCP FCP Unscored

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. LCP FCP Unscored

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. LCP FCP Unscored

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

JavaScript execution time — 1.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

Show 3rd-party resources (1)

filiprosa.cz 1st Party	**1,237 ms**	**4 ms**	**152 ms**
https://filiprosa.cz	1,086 ms	3 ms	2 ms
…chunks/a37c695c8ba98c5a.js (filiprosa.cz)	86 ms	1 ms	85 ms
…chunks/2fe3223ae4942fee.js (filiprosa.cz)	65 ms	0 ms	64 ms
Google Tag Manager Tag-Manager	**1,076 ms**	**604 ms**	**470 ms**

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	277 ms	4 ms	0 ms

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Unscored

URL	Total CPU Time	Script Evaluation	Script Parse

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

89

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES

`[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

Failing Elements
head > meta

These items highlight common accessibility best practices.

CONTRAST

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

© 2026 Filip Rosa
`<span>`

body
`<body>`

IČO: 87102536
`<span>`

body
`<body>`

Tyršova 34, 682 01 Vyškov
`<span>`

body

+420 602 942 833
<a href="tel:+420602942833" class="hover:text-lime transition-colors duration-300 w-fit">

body
<body>

foto@filiprosa.cz
<a href="mailto:foto@filiprosa.cz" class="hover:text-lime transition-colors duration-300 w-fit">

body
<body>

Ceník
<a href="/cenik" class="font-body text-[0.75rem] text-offwhite/30 hover:text-lime transition-color…">

body
<body>

Časté dotazy
<a href="/qna" class="font-body text-[0.75rem] text-offwhite/30 hover:text-lime transition-color…">

body
<body>

Galerie
<a href="/galerie" class="font-body text-[0.75rem] text-offwhite/30 hover:text-lime transition-color…">

body
<body>

Projekty
<a href="/#projekty" class="font-body text-[0.75rem] text-offwhite/30 hover:text-lime transition-color…">

body
<body>

O mně
<a href="/#o-mne" class="font-body text-[0.75rem] text-offwhite/30 hover:text-lime transition-color…">

body
<body>

Všechny fotografie na této stránce jsou moje práce.
<p>

body
<body>

Made by Filip and Claude

Failing Elements

body
<body>

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable. Unscored

Interactive elements indicate their purpose and state

Failing Elements

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints. Unscored

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering. Unscored

Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering. Unscored

User focus is not accidentally trapped in a region

The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content. Unscored

HTML5 landmark elements are used to improve navigation

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. Unscored

Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content. Unscored

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. Unscored

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (18) Hide

- `[aria-*]` attributes match their roles
- `[aria-hidden="true"]` is not present on the document `<body>`
- `[aria-*]` attributes have valid values
- `[aria-*]` attributes are valid and not misspelled
- Buttons have an accessible name
- Image elements have `[alt]` attributes
- Form elements have associated labels
- ARIA attributes are used as specified for the element's role
- `[aria-hidden="true"]` elements do not contain focusable descendents
- Elements use only permitted ARIA attributes
- Document has a `<title>` element
- `<html>` element has a `[lang]` attribute
- `<html>` element has a valid value for its `[lang]` attribute
- Links have a discernible name
- Touch targets have sufficient size and spacing.
- Heading elements appear in a sequentially-descending order
- Document has a main landmark.
- Elements with `role="none"` or `role="presentation"` do not have conflicts

NOT APPLICABLE (43) Hide

- `[accesskey]` values are unique
- `button`, `link`, and `menuitem` elements have accessible names

- Elements with `role="dialog"` or `role="alertdialog"` have accessible names.
- ARIA input fields have accessible names
- ARIA `meter` elements have accessible names
- ARIA `progressbar` elements have accessible names
- `[role]`s have all required `[aria-*]` attributes
- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.
- `[role]`s are contained by their required parent element
- `[role]` values are valid
- Elements with the `role=text` attribute do not have focusable descendents.
- ARIA toggle fields have accessible names
- ARIA `tooltip` elements have accessible names
- ARIA `treeitem` elements have accessible names
- The page contains a heading, skip link, or landmark region
- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.
- Definition list items are wrapped in `<dl>` elements
- ARIA IDs are unique
- No form fields have multiple labels
- `<frame>` or `<iframe>` elements have a title
- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.
- Input buttons have discernible text.
- `<input type="image">` elements have `[alt]` text
- Links are distinguishable without relying on color.
- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).
- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements
- The document does not use `<meta http-equiv="refresh">`
- `<object>` elements have alternate text
- Select elements have associated label elements.
- Skip links are focusable.
- No element has a `[tabindex]` value greater than 0
- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.
- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.
- `[lang]` attributes have a valid value
- `<video>` elements contain a `<track>` element with `[kind="captions"]`
- `autocomplete` attributes are used correctly
- SVG elements with an `img` role have an accessible text alternative
- Tables have different content in the summary attribute and `<caption>`.
- All heading elements contain content.

Image elements do not have [alt] attributes that are redundant text.

Identical links have the same purpose.

96

Best Practices

GENERAL

Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

Source	Description
filiprosa.cz 1st Party	

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

Use a strong HSTS policy

Ensure proper origin isolation with COOP

Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

Baseline Features

PASSED AUDITS (12)

Hide

Uses HTTPS

Avoids deprecated APIs

Avoids third-party cookies

Allows users to paste into input fields

Avoids requesting the geolocation permission on page load

Avoids requesting the notification permission on page load

Displays images with correct aspect ratio

Serves images with appropriate resolution

Page has the HTML doctype

No issues in the `Issues` panel in Chrome Devtools

Page has valid source maps

NOT APPLICABLE (3) Hide

Redirects HTTP traffic to HTTPS

Mitigate clickjacking with XFO or CSP

Detected JavaScript libraries

Mobile Desktop

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Hide

Structured data is valid

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9) Hide

Page isn't blocked from indexing

Document has a `<title>` element

Document has a meta description

Page has successful HTTP status code

Links have descriptive text

Links are crawlable

Image elements have `[alt]` attributes

Document has a valid `hreflang`

Document has a valid `rel=canonical`

NOT APPLICABLE (1) Hide

robots.txt is valid

Agentic Browsing

These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

PASSED AUDITS (2) Hide

- Accessibility tree is well-formed — All audits passed
- Cumulative Layout Shift — 0

NOT APPLICABLE (4) Hide

- WebMCP form coverage
- WebMCP tools registered
- WebMCP schemas are valid
- llms.txt follows recommendations