



Asset Performance: Ene 01 Building Services



Contributes to 40 credits
available for asset energy
rating



No Minimum Standard

Aim

To minimise operational energy consumption and the associated carbon emissions by increasing the intrinsic energy efficiency of the building fabric and the installed buildings services.

Question

What building services are present?

Credits	Answer	Select all that apply
-	A.	Question not answered
-	B.	Heating only
-	C.	Heating and cooling
-	D.	Cooling only
-	E.	None (lighting only)
-	F.	Hot water only
-	G.	Heating and hot water
-	H.	Heating and cooling and hot water
-	I.	Cooling and hot water

Methodology

Heating/cooling systems

Heating/cooling systems can be excluded from the calculation where the heated or cooled area equates to less than 10% of overall floor area.

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
All	One of the following can be used to demonstrate compliance: 1. Visual inspection and verification through photographic evidence of listed system(s). 2. Extract of Operational & Maintenance (O&M) manuals listing all building services that are present in the building 3. Visual inspection and verification and installation diagrams.

Additional information

Other information

This question must be answered in order to generate the asset energy rating.