



Asset Performance:

Ene 18 Energy efficient transport systems



Credits



No Minimum Standard

Aim

To minimise operational energy consumption and the associated carbon emissions from energy efficient transport systems.

Question

Are the lifts, escalators and moving walks that are installed in the building energy efficient?

Credits	Answer	Select all that apply
0	A.	Question not answered
1	B.	All lifts are energy efficient
1	C.	All escalators and moving walks are energy efficient

Assessment criteria

Criterion	Assessment criteria	Applicable Answer
1.	Filtering Where no lifts, escalators and moving walks are present, the associated credits can be filtered out of the assessment.	All
2.	A lift is energy efficient when: a. It has achieved energy efficiency class C or above when measured in accordance with ISO 25745-2 b. The measurement has been performed by an independent organisation within the last 5 years.	B
3.	Escalator and moving walks are energy efficient when: a. They have achieved energy efficiency class C or above when measured in accordance with ISO 25745-3. b. The measurement has been performed by an independent organisation within the last 5 years.	C

Criterion	Assessment criteria	Applicable Answer
	c. They have a stand-by system, so they shut down automatically when they aren't used for a certain time span. OR for frequently used systems d. They run at a slower speed.	
4.	If several lifts, escalators, or moving walks of the same type and year of manufacture are provided only a representative number needs to be measured. The approach should be accepted by the Assessor, but as a minimum the elevator with the shortest floor distance should be included in the measurement.	B, C
5.	With systems that are less than 5 years old, a calculation by the original supplier of the expected energy label can be considered as equivalent to measurement.	B, C

Methodology

Excluded system types

The following transport system types are excluded from consideration under this issue:

- a. Cable installations, including funicular railways, for public or private transportation of people.
- b. Lifts specially designed for military purposes
- c. Mining lifts
- d. Stage lifting devices
- e. Vehicle lifts
- f. Cogwheel tracks
- g. Construction-site lifts
- h. Wheelchair lifts
- i. Historical lifts, including those installed pre-1970 which are predominantly in their original state.

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
All	Building plans with locations of the lifts, escalators and moving walks.
All	Documentation from the type of lifts, escalators and/or moving walks used.

Criteria	Evidence requirement
2	The measured power consumption from the lifts is calculated in accordance with ISO 25745-2 (if applicable).
3	The measured power consumption from the escalators/moving walks is calculated in accordance with ISO 25745-3 (if applicable).
3	Documentation from the supplier of the lift/escalators/moving walks which have a stand-by system. (when this is not apparent from inspection).
All	Visual inspection from the Assessor with photographic evidence.

Definitions

Lift:

A conveyor system that, by means of a cage moves along fixed, relative to the horizontal plane more than 15 degrees inclined leaders, and which is intended for transport of:

- a. People;
- b. People and goods
- c. Goods only if the cage is reachable (that is to say that a person may enter it without difficulty) and fitted with controls that are located in the car or within the reach of the person contained;
- d. Lifts following a fixed course and with a lifting speed greater than 0.15 m/s, if they do not move along guides which are rigid are also included (for example, scissor lifts).

Escalator:

A diagonal conveyor system, or transport system, consisting of stairs with moving steps.

Moving walk:

A conveyor system with a horizontal moving surface on which people can stand or walk.