



Asset Performance:

Rsc 04 Future adaptation



Credits

No Minimum Standard

Aim

To recognise and encourage buildings which have been built to allow a degree of flexibility for future usage.

Question

Does the design of the asset allow future adaptation to meet changing demands such as variations in use and functionality?

Credits	Answer	Select all answers that apply
0	A.	Question not answered
0	B.	No
4	C.	Yes
Exemplary	D.	A building-specific functional adaptation strategy study has been undertaken

Assessment criteria

Criterion	Assessment criteria	Applicable Answer
1.	The building has been designed with a degree of flexibility to ensure that future changes in use are possible. This flexibility shall consist of at least two of the following: a) Partition walls which can be easily re-positioned. b) A flexible internal vertical loadbearing structure design with a regular column layout and few or no loadbearing walls. c) Building services which can be easily removed/adapted when areas are unoccupied or when there is increased usage required; for example, HVAC grille and luminaire removal or addition etc. d) Floor plan shapes, primary circulation routes and floor-to-floor heights that are suitable for a number of potential future uses. e) Other design features deemed suitable by the Assessor.	C
2.	The functional adaptation strategy study should consider:	D

Criterion	Assessment criteria	Applicable Answer
	a) Feasibility: The likelihood of containing multiple or alternative building uses, area functions and different tenancies over the expected life cycle, e.g. related to the structural design of the building. b) Accessibility: Design aspects that facilitate the replacement of all major plant within the life of the building, e.g. panels in floors and walls that can be removed without affecting the structure, providing lifting beams and hoists. Accessibility also involves access to local services, such as local power, data infrastructure etc. c) Versatility: The degree of adaptability of the internal environment to accommodate changes in working practices. d) Adaptability: The potential of the building ventilation strategy to adapt to future building occupant needs and climatic scenarios. e) Convertibility: The degree of adaptability of the internal physical space and external shell to accommodate changes in-use. f) Expandability: The potential for the building to be extended, horizontally or vertically. g) Refurbishment potential: The potential for major refurbishment, including replacing the façade.	
3.	Exemplary level credit: Answer option D can only be selected if option C has been selected.	D

Checklists and Tables

Table 24: Information on future adaptation design measures

	Accessibility	Spatial adaptability	Expandability
Fabric and structure: - External walls - Cladding - Ground and first floor - Roof	Use of products or systems which allow easy replacements	Location of structural components within the floor space	Provision to add extensions or alterations to increase building capacity
Core and local services: - Mechanical and electrical - Plumbing - Stairs and lifts	Inclusion of facilities management requirements and construction design management feedback		Provision of capacity in infrastructure to enable future expansion and adaptation

	Accessibility	Spatial adaptability	Expandability
Fire	for future operational needs		
Interior design: - Finishes - Floors - Interior walls - Connections	Use of products or systems which allow easy replacements	- Layout in standardised grids - Use of inherent finishes to allow replacement - Use of standardised material sizes	- Identifying or recognising potential future functional requirements - Efficient use of space to allow for any increase in occupancy

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
1	Photographic evidence of (internal) design features that allow for flexibility as stated or deemed relevant by the Assessor.
All	Plans, studies, reports or other documentation that reflect that functional adaptability was taken into consideration during the design process.
2	A copy of the Functional adaptation strategy study.