



Asset Performance:

Ene 12 Local energy performance asset rating



Credits



No Minimum Standard

Aim

To recognise operational energy efficiency and carbon benefits associated with benchmarking against local energy standards.

Question

1. Has the asset been assessed against local energy performance standards for existing buildings?
2. Was the assessment of the asset a legal or regulatory requirement or undertaken voluntarily?
3. Has the assessment been verified against a recognised industry standard by a third party?
4. What energy uses does the rating take account of?
5. Is the rating based on calculated or measured energy consumption?
6. What metric is used to determine energy performance?
7. Enter the energy performance value metric for the asset, if available.
8. Enter the benchmark energy performance value for the asset type, if available.

Credits	Question	For questions 1 - 3, 5 - 6 select a single answer option. For question 4 select all that apply. For question 7 - 8 enter value
1	1.	Yes/No
-	2.	Legal or regulatory/voluntary
1	3.	Yes/No
-	4.	Heating Cooling Hot water Mechanical ventilation Lighting Transport systems Building control systems Communication systems Specialist energy uses e.g., swimming pools, server rooms

Credits	Question	For questions 1 - 3, 5 - 6 select a single answer option. For question 4 select all that apply. For question 7 - 8 enter value
		Other energy uses
-	5.	Calculated / Measured
-	6.	kgCO ₂ /m ² kWh delivered energy/m ² for each fuel kWh heating and cooling demand per m ² kWh primary energy per m ² Dimensionless metric Other (please state)
-	7.	Enter value here
1	8.	Enter value here

Assessment criteria

Criterion	Assessment criteria
1.	For assessments inside the European Union (EU), local energy performance standards must be derived from national policy frameworks which facilitate the EU 'Energy Performance of Buildings Directive' (EPBD)'.
2.	For assessments outside of the EU, energy performance standards must be derived from relevant national policy frameworks.
3.	Benchmarks must correspond to the typical or average energy performance value for the asset type. If the benchmark is given as an interval, the midpoint should be used.

Methodology

Asset energy performance

The third credit for the Asset energy performance will only be awarded if the asset energy performance is lower than the benchmark energy performance for the asset type.

Recognised industry standards

Examples of recognised industry standards include;

- <https://ec.europa.eu/energy/en/eu-buildings-factsheets-topics-tree/voluntary-energy-performance-certification-schemes>
- <https://www.iea.org/beep/>

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
All	Certificate or rating output document
All	Scheme name and version and scheme documentation