



Asset Performance:

Hea 11 Provision of rest areas



Credits

No Minimum Standard

Aim

To recognise and encourage the provision of rest areas for asset users.

Question

Are indoor or outdoor rest areas provided for asset users?

Credits	Answer	Select all answers that apply
0	A.	Question not answered
0	B.	No
1	C.	Yes, indoor seated rest areas
1	D.	Yes, facilities to prepare food and drinks
1	E.	Yes, dedicated outdoor space with seating

Assessment criteria

Criterion	Assessment criteria	Applicable Answer
1.	All rest areas, spaces and facilities must: a) Be appropriate in size and number to serve the number of asset users, as determined by the Assessor's best judgement and where there is no evidence from asset users that the space is proving to be too small to meet demand. b) Be accessible to all regular asset users (e.g. members of staff), including those with disabilities. c) Be available with unrestricted access during the asset's operational hours and not be used for other purposes, e.g. as a meeting room. d) Prohibit smoking and vaping.	C – E
2.	Compliant areas include, but are not limited to, lounge areas, space provided for contemplation or mindfulness, dining areas, canteen facilities with seating areas, and food outlets with seating provision.	C

Criterion	Assessment criteria	Applicable Answer
3.	Food and drink preparation facilities must include as a minimum a refrigerator, a microwave and a sink. Facilities must be within close proximity to a compliant indoor seated rest area, such as an adjacent room. The facilities are primarily intended for use by asset staff, but other users such as visitors could have access.	D
4.	Outdoor space should allow staff to gather, socialise, relax and connect with the natural environment during breaks from work. The space is primarily intended for use by asset staff but could also be used by other users such as visitors. The space must: a) Be an outdoor landscaped area with a view of the sky, e.g. garden, balcony or terrace. b) Have a degree of shelter from the wind, rain and sun. c) Be located as far away as possible from sources of noise or air pollution, e.g. building services, car parks, busy roads, delivery areas, etc.	E
5.	Areas, spaces and facilities do not necessarily have to be provided within the asset or be owned by or associated with the asset (e.g. facilities could be provided in an adjacent asset). For example, it is possible that a local park could meet the requirements for provision of outdoor space. However, where these are not provided within the asset: a) Users must have free and unrestricted access during the asset's operational hours. b) Are accessible via safe pedestrian routes. c) Are within 250 metres or 3 minutes' walk from the asset's main entrance.	C – E

Specific notes

Asset type specific	
1.	Assets with large numbers of visitors Where an asset contains space that is used by large numbers of visitors (e.g. shopping centres and malls), to achieve the credits for 'indoor seated rest areas' and 'dedicated outdoor space with seating', these facilities must be provided for use by visitors, as well as for regular asset users. It is not necessary to provide separate facilities for visitors if compliant facilities provided for regular asset users can also be used by visitors.

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
All	Photographic evidence, demonstrating provisions available to asset staff and visitors.
All	Plans illustrating location of facilities.

Definitions

Safe pedestrian route:

These include, but are not limited to, pavements and safe crossing points or, where provided, dedicated pedestrian crossing points. An element of Assessor judgement is required and if in doubt, their justification of safe crossing points should be provided.