



## Asset Performance:

### Hea 13 Drinking water provision



Credits



No Minimum Standard

## Aim

To ensure clean and fresh sources of drinking water are provided for asset users.

## Question

Is drinking water available for asset users?

| Credits | Answer | Select a single answer option                                                                      |
|---------|--------|----------------------------------------------------------------------------------------------------|
| 0       | A.     | Question not answered                                                                              |
| 0       | B.     | No                                                                                                 |
| 1       | C.     | Yes, some or all drinking water outlets are not connected to a public utility water supply network |
| 2       | D.     | Yes, all drinking water outlets are connected to a public utility water supply network             |

## Assessment criteria

| Criterion | Assessment criteria                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Applicable Answer |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1.        | <p>Drinking water outlets must be:</p> <ul style="list-style-type: none"> <li>a) Appropriate in number and placement to serve all regular asset users (e.g. members of staff) as determined by the Assessor's best judgement (a minimum of one per floor for occupied space).</li> <li>b) Free of charge.</li> <li>c) Accessible to all regular asset users, including to those with disabilities.</li> <li>d) In a hygienic location and condition.</li> <li>e) Capable of refilling water bottles.</li> </ul> | C, D              |
| 2.        | Compliant drinking water outlets include taps in kitchen areas, water coolers and water fountains. Taps in toilet areas are not compliant due to potential hygiene issues.                                                                                                                                                                                                                                                                                                                                      | C, D              |

## Methodology

## Combination of drinking water supplies

Where drinking water outlets within an asset are a combination of those connected to a public utility water supply network and those not connected to a public utility water supply network (e.g. bottled water, treated harvested rainwater), only 1 credit can be awarded.

## Specific notes

| Asset type specific |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.                  | <b>Hotels</b><br>The assessment criteria are only applicable to common areas and areas where hotel staff work. Guest bedrooms do not need to be assessed. Applicable areas include, but are not limited to: <ul style="list-style-type: none"> <li>a) Lobby and reception areas</li> <li>b) Staff offices</li> <li>c) Dining areas.</li> </ul>                                                                                             |
| 2.                  | <b>Assets with large numbers of visitors</b><br>Where an asset contains space that is used by large numbers of visitors (e.g. shopping centres and malls etc.), compliant drinking water outlets must be provided for use by visitors, as well as for regular asset users. It is not necessary to provide separate outlets for visitors if compliant drinking water outlets provided for regular asset users can also be used by visitors. |

## Evidence

| Criteria | Evidence requirement                                                                                                                                                                                             |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -        | The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance. |
| All      | Photographic evidence of drinking water outlets.                                                                                                                                                                 |
| All      | Building plans showing the location of drinking water outlets.                                                                                                                                                   |

## Definitions

### Occupied space:

A room or space within the asset that is likely to be continuously occupied for 30 minutes or more per day by an asset user.

## Additional information

### Bottled water

The issue aims to ensure that there is a continuous provision of drinking water for all users and therefore, for outlets not connected to a utility company supply, there is the potential for supply to run out. The use of bottled water also produces waste.