



Asset Performance:

Pol 02 Chemical storage



Credits



No Minimum Standard

Aim

To reduce the impact of a chemical leak or spill by containing the substance and minimising impact on other areas of the building.

Question

Are all hazardous chemicals stored in areas with adequate containment to deal with $\geq 10\%$ of the chemicals stored?

Credits	Answer	Select a single answer option
0	A.	Question not answered
0	B.	No
2	C.	Yes

Assessment criteria

Criterion	Assessment criteria	Applicable Answer
1.	Filtering Where there are no hazardous chemicals stored in the asset, this issue can be filtered out of the assessment.	All
2.	Containment for spillage can be in the form of one mitigation measure or a combination of several. Mitigation measures include, (but are not limited to): a) Double skin tanks b) Drip trays c) Non-permeable membranes in the room where tanks are located d) Bunding.	C

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
2	Photographic evidence of chemical storage.
2	Confirmation that facilities are appropriate to the area they serve

Definitions

Hazardous chemicals:

Chemicals with properties that make them dangerous or capable of having a harmful effect on human health or the environment. An example of a list of materials/waste that is defined by law as being hazardous can be found in the Hazardous Waste List (HWL) of the European Waste Catalogue (EWC).