



Asset Performance:

Tra 01 Alternative modes of transport



Credits



No Minimum Standard

Aim

To maximise the potential for alternative local public, private and active transport modes through provision of sustainable transport measures appropriate to the site.

Question

What provisions are available for alternative modes of transport?

Credits	Answer	Select all answers from A - G that apply. Where B applies select either C or D
0	A.	Question not answered
2	B.	Minimum number of compliant cycle storage spaces
1	C.	Two compliant cycle facilities
2	D.	Three compliant cycle facilities
1	E.	Minimum number of compliant electric car recharging stations
1	F.	Additional electric car recharging stations
2	G.	Minimum number of compliant cars sharing priority spaces

Assessment criteria

Criterion	Assessment criteria	Applicable Answer
1.	Filtering Where no parking spaces are provided, these answer options can be filtered out of the assessment.	E, F, G
2.	Number of cycle storage spaces: The number of cycle storage spaces provided must be compliant with the calculation method outlined in the Methodology section.	B
3.	Compliant cycle facilities are listed below:	C, D

Criterion	Assessment criteria	Applicable Answer
	a) Gender specific changing facilities or gender-neutral individual cubicles (including lockers). b) Shower facilities. c) Ventilated drying area to hang wet clothes in a sheltered space.	
4.	Lockers: The number of lockers is at least equal to the number of cycle spaces provided, and these should be accessible by users regardless of gender.	C, D
5.	Shower requirements: a) One shower is provided for every 10 cycle storage spaces with a minimum provision of one shower for staff. b) Any building providing 8 showers, or more will comply regardless of the number of cycle storage spaces provided. c) Users are accommodated regardless of gender i.e. either separate. showers within shared gender-specific facilities (required provision split 50-50) or single shower cubicles and gender-neutral changing space. d) Available for others to use in addition to cyclists.	C, D
6.	Public bicycle sharing systems: Up to 50% of the BREEAM cycle space requirement may be provided by a public bicycle sharing system where it complies with the following: a) The program is implemented by the municipality or through a public-private partnership. b) The system must be open to casual users who wish to use them for one-way rides to work, education or shopping centres. c) Bicycles are available at unattended urban locations; and they operate in a manner that could be seen as 'bicycle transit'. d) Service terminals must be available throughout the city. e) The average distance between service terminals is a maximum of 500m in inner city areas. f) A service terminal is available within 500m of the main building entrance. g) The station terminals do not need to comply with the cycle rack requirements listed in the Methodology section. Where a public bicycle sharing system is being used to account for up to 50% of cycle spaces provided, the total number of cycle spaces, including those	B

Criterion	Assessment criteria	Applicable Answer
	provided by the bicycle sharing system, should be the basis on which the compliant cyclist facilities are provided.	
7.	Electric car provisions: The number of electric car recharging stations provided must be compliant with the calculation method outlined in the Methodology section. Electric recharging stations with a minimum of 7kW have been provided.	E, F
8.	Car sharing: A car sharing group or facility has been set up to facilitate and encourage building users to sign up to a car sharing scheme. The following should be implemented: a) Car sharing priority spaces for at least 5% of the total car parking capacity for the building. b) Priority spaces for car sharers are provided separately to those provided for electric car recharging. c) Priority spaces are located in the nearest available spaces in the nearest available parking area to the main building entrance on-site (this should not affect the location of allocated disabled or parent-and-child parking). d) Marketing material has been developed to help raise awareness of the system and has been communicated to the occupants.	G

Specific notes

Asset type specific	
1.	Sites with multiple buildings Where multiple buildings are on the same site, compliance with the cycle provisions in this issue may be assessed based on the standalone building or on a site-wide basis. How this is determined depends on the configuration of the proposed cycle storage and cycle facilities, and the interpretation and justification of the Assessor.
1a.	Standalone approach Cycle storage and associated facilities for the assessed building only: The number of cycle storage spaces is compliant based on the number of users in the assessed building. All storage spaces provided must be BREEAM compliant and these must be located within or in close proximity to the assessed building. Access arrangements, demarcation and positioning clearly associates the cycle storage provided with the assessed building only.

Asset type specific	
	Facilities should be located within the assessed building, or in an accessible adjacent building, for the sole use of the assessed building's users.
1b.	Site-wide approach Cycle storage and associated facilities accessible to users of the entire site, or where there is a distinct group of local buildings within a site that would share facilities: The number of cycle storage spaces is compliant based on the number of users on-site, or within a group of local buildings, who would be able to use these facilities. Cyclists' facilities may be located anywhere on-site. However, the total route that cyclists must take to access the nearest cycle storage, cyclists' facilities and building entrances, must be no greater than 500m via a safe and convenient route, as measured from the first to the last point on the route. Where possible, different types of cyclists' facilities should be grouped together in designated areas for ease of access and use.
1c.	Combination of the two approaches A mix of the two approaches can be applied where cycle storage is delivered as a site- wide approach and facilities are being met for the assessed building only. However, where the opposite is being proposed (i.e. storage spaces are provided only for the assessed building and facilities are provided on a site-wide basis); the number of compliant cyclists' facilities must be based on the number of users on-site and the facilities must be located in an accessible location in close proximity to the storage spaces.
2.	Building Users For cases where the majority of building users are not staff, e.g. a retail centres, then the requirements for numbers of compliant cycle spaces and facilities, as well as spaces for car sharing schemes, should be based on staff numbers only. In addition, for visitors there should be additional cycle storage spaces which equate to 5% of the total number of customer car parking spaces (excluding disabled spaces and parent-and-child spaces where provided). This is subject to providing a minimum of 10 cycle spaces. Any asset that provides at least 50 customer cycle storage spaces will comply regardless of the number of parking spaces. The staff spaces must be provided in addition to customer spaces and whilst they do not need to be separate from customer spaces, this is encouraged. Public bicycle spaces can also count towards the number of customer cycle spaces required (i.e. whereas the total number of cycle spaces may be reduced by 50%, the number of compliant facilities may not be reduced).
3.	Rural locations For sites in rural locations: - Where the distance to the nearest urban location is greater than 10 miles, the number of compliant cycle spaces can be reduced by 50% - Where the distance to the nearest urban location is greater than 20 miles, the number of compliant cycle spaces can be reduced by 70%

Asset type specific	
	c. Where the distance to the nearest urban location is greater than 30 miles, the number of compliant cycle spaces can be reduced by 90% The reduction in this case cannot be applied in addition to the 50% reduction due to the building's proximity to public transport, as described in the Methodology section.

Methodology

Number of compliant cycle storage spaces

Compliant cycle storage spaces must be provided for a percentage of staff in accordance with the following figures:

- a) 10% of staff numbers for the first 500 staff **PLUS**
- b) 7% of staff numbers for the next 500 staff **PLUS**
- c) 5% of the remaining staff numbers for organisations with over 1000 staff

If the number of cycling spaces that should be supplied is not a whole number, it must be rounded up to the nearest whole number. For example, where the number of cycling spaces that should be provided is calculated to be 10.2, the assessed number of spaces that must be provided is 11. Where more than the minimum number of compliant cycle spaces required for BREEAM compliance is provided, it is not necessary to also provide more than the minimum number of showers, lockers or changing facilities.

For sites where at least 50% of the available credits for BREEAM In-Use issue Tra 02 Proximity to public transport have been awarded (rounded to the nearest whole credit), the number of compliant cycle spaces and facilities can be reduced by 50%. Where this is the case and a public bicycle sharing system is also being considered, the number of compliant spaces must still be provided for 50% of the original requirements, i.e. capped at 50%, not 50% of 50%.

Example of calculation:

For a building with 1,200 staff members:

$$500 \times 10\% = 50$$

$$500 \times 7\% = 35$$

$$200 \times 5\% = 10$$

$$\text{Number of required cycle storage spaces} = 50 + 35 + 10 = 95 \text{ spaces}$$

Number of compliant electric car recharging stations

A minimum number of compliant electric car recharging stations must be provided for a percentage of car parking spaces in accordance with the following figures:

- a) 3% of car parking spaces for the first 200 spaces **PLUS**
- b) 2% of car parking spaces for the next 200 spaces **PLUS**
- c) 1% of the remaining car parking spaces for car parks with over 400 spaces

If the number of electric car recharging stations that should be supplied is not a whole number, it must be rounded up to the nearest whole number. For example, where the number of electric car recharging stations that should be provided is calculated to be 10.2, the assessed number of electric car recharging stations that

must be provided is 11. Additional electric car recharging stations are constituted as 2x the minimum number of electric car recharging stations required. Any asset that provides at least 50 electric car recharging stations will comply regardless of the number of parking spaces.

Example of calculation for minimum number of electric car recharging stations required:

For a building with 1200 car parking spaces:

$$200 \times 3\% = 6$$

$$200 \times 2\% = 4$$

$$800 \times 1\% = 8$$

Number of electric car recharging stations = 6 + 4 + 8 = 18 spaces

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
All	Photographic evidence of (where applicable): a) cycle racks b) showers c) lockers d) changing facilities e) drying space f) electric car recharging stations g) car sharing priority spaces.
1 - 6	Calculations showing the numbers of cycle storage and cycle facilities required.
1 - 6	Site/building plan showing location and numbers of cycle storage and cycle facilities.
7	Calculations showing the percentage of electric car charging stations.
7	Site plan showing the location and number of electric car charging stations.
8	Calculations showing the percentage of car sharing spaces.
8	Site plan showing the location and number of car sharing spaces.
8	Internal marketing material showing how the car sharing scheme and space locations have been communicated to occupants.

Definitions

Compliant cycle storage:

- a) Cycles can be secured within spaces, with fixings for one or more cycles. The fixings should allow both the wheel and frame to be locked securely. Spaces are covered overhead, and the cycle spaces are set in or fixed to a permanent structure (building or hardstanding). Alternatively, the cycle storage may be located in a locked structure fixed to, or part of, a permanent structure with appropriate surveillance.
- b) The distance between each cycle space, and cycle space and other obstructions, e.g. a wall, allows for appropriate access to the cycle storage space to enable bikes to be easily stored and accessed.
- c) The facilities are in a prominent site location that is viewable or overlooked from either an occupied building or a main access to a building. In the scenario where cycle storage spaces are within the building, prominent signage should be provided to advertise their location to building users and cyclists.
- d) The cycle storage facility has adequate lighting.
- e) The provision of cycle storage that is only suitable for folding bicycles or scooters is not compliant.
- f) The majority of racks are within 100m of the main building entrance.

Drying space:

This should be a specially designed and designated space (a plant room does not comply) and heating/ventilation should be adequate.

Main building entrance:

The main building entrance is the entrance to the assessed building which is directly connected to the main building reception, circulation routes, lifts or stairs, and is available to the majority of the building's staff and visitors on arrival. It is not the site entrance (unless the site entrance is also the building entrance, e.g. building with a boundary on a public highway).

Public bicycle sharing systems:

Bicycle sharing systems are increasingly popular and diverse systems that have appeared over the past few years in major cities, whereby a number of bicycles are made available for shared use amongst people who do not own a bicycle. The central concept of many of the systems is free or affordable access to bicycles for city transport in order to reduce the use of automobiles for short trips inside the city thereby diminishing traffic congestion, noise and air-pollution.

Rural Location:

A rural location is defined in this context as a site clearly not within or on the boundary of a small, medium or large urban cover. An urban cover will have a population of 3000 people or more, located within a tract of continuously built-up urban land extending 20 hectares or more. Therefore, the definition of rural includes village locations, green field sites or small urban centres with a population of less 3000 people within a tract of land no greater than 20 hectares. Such locations will most likely be on a local bus route to larger urban areas or other local towns and may have local shops and other facilities.