



Asset Performance:

Wat 06 Water efficient equipment: white goods



Credits



No Minimum Standard

Aim

To reduce water consumption by encouraging the specification of water efficient white goods.

Question

What percentage of the water consuming white goods are low water use (dishwashers, washing machines)?

Credits	Answer	Select a single answer option
0	A.	Question not answered
0	B.	0%
1	C.	≥1 to <25%
2	D.	≥25 to <50%
3	E.	≥50 to <75%
4	F.	≥75%

Assessment criteria

Criterion	Assessment criteria	Applicable Answer
1.	Filtering Where no white goods are present in the asset and no white goods from nearby facilities (e.g. adjacent building) will be used by the occupants and visitors, this issue can be filtered out. Also see Specific Note below.	All
2.	In order to be awarded the relevant credits, baseline water usage of installed equipment must be equal to or below the figures outlined in Table 23 below.	B – F
3.	Only water consuming white goods that are under the operational control of the building owner and/or are fitted by the building owner must be assessed.	B – F

Specific notes

Asset type specific	
1.	No facilities Where the asset under assessment contains no water using equipment (therefore there is no water supply) but water using equipment in the nearby facility will be used by the occupants and visitors, then these should be assessed. This rule also applies where the assessment consists solely of an extension to an existing building, i.e. where the extended building contains no new water using equipment because there are facilities present within the existing building.

Checklists and tables

Table 23: Baseline figures for white goods

Component	Baseline
Commercial sized dishwasher	5 litres per rack
Domestic sized dishwasher (if applicable)	12 litres per cycle
Commercial/industrial sized washing machine	7.5 litres per kg
Domestic sized washing machine (if applicable)	40 litres per load

Evidence

Criteria	Evidence requirement
-	The evidence below is not exhaustive, please also refer to the 'BREEAM evidential requirements' section in the scope of the Guidance for appropriate evidence types which can be used to demonstrate compliance.
2 - 3	Photographic evidence of listed white goods.
2 - 3	Manufacturer specifications of white goods installed in the asset.
2 - 3	Copies of asset floor plans and/or an inventory demonstrating the location and number of white goods installed.