ZA Tech

# Policy Issuance API Documentation

# Document History

## Change Record

| Date | Author | Version | Note | Reviewer |
|---|---|---|---|---|
| 17/04/2023 | Marko Cupic | V0.1 | Initial Version | Nikola Maksimovic |
| 19/04/2024 | Marko Cupic | V0.2 | Small adjustments | Nikola Maksimovic |
| 25/04/2024 | Marko Cupic | V1.0 | Complete Version | Nikola Maksimovic |
| 13/08/2024 | Marko Cupic | V1.1 | Small adjustments | |
| 10/03/2025 | Marko Cupic | V1.2 | Added optional company fields | |
| 24/07/2025 | Marko Cupic | V1.3 | Fixed field typos | |

# Table of Contents


***Document History*** ..... ***2***
Change Record ..... 2

***1. Introduction*** ..... ***4***
1.1 Scope ..... 4
1.2 End-users ..... 4
1.3 Glossary ..... 5

***2. API endpoints*** ..... ***6***
2.1 Quotation endpoint ..... 6
2.1.1 Request schema ..... 6
2.1.2 Response schema ..... 8
2.2 Underwriting-Issuance endpoint ..... 9
2.2.1 Request Schema ..... 9
2.2.2 Response Schema ..... 11
2.3 Issue-Issuance endpoint ..... 12
2.3.1 Request Schema ..... 12
2.3.2 Response Schema ..... 12
2.4 Download-Document ..... 13
2.4.1 Request Schema ..... 13
2.4.2 Response Schema ..... 13
2.5 Codebook ..... 14
2.5.1 Request Schema ..... 14
2.5.2 Response Schema ..... 14

***3. Error causes*** ..... ***15***

# 1. Introduction

This document is created by ZATech and describes policy issuance API and how to use it.
First section will present the brief overview of the document, scope of the API and end-users of this API.
The second section will show endpoint fields and usage.
The third section will display possible error causes.

## 1.1 Scope

The policy issuance API is used for Motor Third Party Liability (MTPL) and for MotorHull (MHull) goods as it is defined in the Graphene for uniqahrv tenant.

This document will be followed by a Postman collection of API calls to showcase the correct usage (the collection is provided separetly)

Using this API end-user can:

- Get a quotation for MTPL or MHull
- Create an issuance/proposal for MTPL or MHull
- Confirm the issuance/proposal for MTPL or MHull (create the policy)
- Download relevant documents after policy issuance (ePolicy, GreenCard and Invoice)
- Get access to codebook provided by this API as a single source of truth on enumerated and expected values for some fields.

Using this API end-user cannot:

- Get a quotation/create an issuance for both MTPL and MHull at once (combine journey)
- Handle policy payment
- Raise a claim for policy
- Any other action not described above

## 1.2 End-users

End-users for this documents are UNIQA Croatia and aggregators and/or vendors of UNIQA Croatia.

## 1.3 Glossary

The data structure shown below will be written in schemas of this document as follows:

```
{
    "key1": "value",
    "key2": {
        "key3": "value",
        "key4": "value",
        "key5": "value",
        "key6": {
            "key3": "value"
        }
    }
}
```

| # | Name | Data type | MTPL | MHull | Desc |
|---|---|---|---|---|---|
| 1 | key1 | String | Mandatory/Optional | Mandatory/Optional | Description |
| 2 | key2 | Object | Mandatory/Optional | Mandatory/Optional | Description |
| 2.1 | key3 | String | Mandatory/Optional | Mandatory/Optional | Description |
| 2.2 | key4 | String | Mandatory/Optional | Mandatory/Optional | Description |
| 2.3 | key5 | String | Mandatory/Optional | Mandatory/Optional | Description |
| 2.4 | key6 | Object | Mandatory/Optional | Mandatory/Optional | Description |
| 2.4.1 | key3 | String | Mandatory/Optional | Mandatory/Optional | Description |

# 2. API endpoints

There are five endpoints for complete policy issuance. Quotation, Underwriting Issuance (Create Issuance), Issue Issuance, Download Document and Codebook.
All of them are described below in separate subsections.
Base url and any necessary authorization as well as headers should be provided by UNIQA Croatia.

## 2.1 Quotation endpoint

### 2.1.1 Request schema

HTTP Method:
**POST**

URL:
***{{base_url}}/v2/standard/policy/quotation***

Schema:

| # | Name | Data type | MTPL | MHull | Desc |
|---|---|---|---|---|---|
| 1 | partnerCode | String - Num | Mandatory | Mandatory | "UniqaAgencyChannel" |
| 2 | partnerNo | String - Num | Mandatory | Mandatory | Random 10+ digit no used to track the complete flow – should be the same later on |
| 3 | planId | String - Num | Mandatory | Mandatory | MTPL 1217324174557184 MHull 921476643438592 |
| 4 | policyFactors | Object | Mandatory | Mandatory | Policy factors |
| 4.1 | E_isDiplomat | String - Enum | Mandatory | Mandatory | YES/NO |
| 4.2 | deductibleToReducePremium | String – Num | Optional | Optional | |
| 4.3 | policyEffectiveStartDate | String - Date | Mandatory | Mandatory | Date of beginning of coverage [YYYY-MM-DD THH:MM:SS.000Z] |
| 4.4 | policyExpiryDate | String - Date | Mandatory | Mandatory | Date of expiry of coverage [YYYY-MM-DD THH:MM:SS.000Z] |
| 4.5 | discount1 | "key": "value" | Optional | Optional | Call Codebook API to get the list of possible discounts for either MTPL or MHull |
| 4.6 | discount2 | "key": "value" | Optional | Optional | |
| 4.7 | discount3 | "key": "value" | Optional | Optional | |
| 5 | claimStackFactors | Object | N/A | Mandatory | Claim stack factors |
| 5.1 | stackCode | String | N/A | Mandatory | Name of the claim stack factor |
| 5.2 | stackValue | String | N/A | Mandatory | Values of the claim stack factor |
| 6 | policyHolderFactors | Object | N/A | Mandatory | Information about the policy holder |
| 6.1 | certiNo | String - Num | N/A | Mandatory | OIB |
| 6.2 | customerType | String - Enum | N/A | Mandatory | PERSON, COMPANY |
| 6.3 | birthday | String - Date | N/A | Depends on the customerType | Used when customer type is PERSON |
| 7 | insuredFactors | Object | Mandatory | Mandatory | Information about the insured |

| | | | | | |
|---|---|---|---|---|---|
| 7.1 | certiNo | String - Num | Mandatory | Mandatory | OIB |
| 7.2 | customerType | String - Enum | Mandatory | Mandatory | PERSON,<br>COMPANY |
| 7.3 | birthday | String - Date | Depends on the customerType | Depends on the customerType | [YYYY-MM-DD]<br>If customer type is PERSON then it is mandatory, if customer type is company then it is N/A. |
| 8 | objectFactors | Object | Mandatory | Mandatory | Vehicle object Data |
| 8.1 | vatStatusForVehicle | String – Num | Mandatory | Mandatory | 0.5,<br>0,<br>1 |
| 8.2 | plateRegistrationZone | String | Mandatory | Mandatory | City plate code |
| 8.3 | vehicleLeasing | String - Num | Mandatory | Mandatory | Values: 1 or 2<br>(Corresponding to YES or NO) |
| 8.4 | plateNo | String | Mandatory | Mandatory | Plates w/o city code |
| 8.5 | vinNo | String | Mandatory | Mandatory | Vehicle identification number |
| 8.6 | yearOfManufactoring | Num | Mandatory | Mandatory | Year of vehicle production |
| 8.7 | enginePower | Num | Mandatory | Mandatory | Maximum engine power of vehicle |
| 8.8 | numberOfSeat | String - Num | Mandatory | Mandatory | Number of seats in the vehicle |
| 8.9 | vehicleBrand | String | Mandatory | Mandatory | Marko of vehicle |
| 8.10 | vehicleType | String | Mandatory | Mandatory | Model of vehicle |
| 8.11 | autoModel | String | Mandatory | Mandatory | Type of model (example: 1.6 JTD) |
| 8.12 | engineType | String | Mandatory | Mandatory | Fuel type (example: Diesel, OTTO, ...) |
| 8.13 | vehicleUsage | String | Mandatory | Mandatory | “StandardUsage”<br>Call Codebook api for all possible values (/vehicleUsage)" |
| 8.14 | vehicleGroup | String | Mandatory | Mandatory | “Passenger” (car)<br>Call Codebook api for all possible values (/vehicleGroup)" |
| 8.15 | isNotRegistered | String – Enum | Mandatory | Mandatory | YES/NO<br>Mind the negation |
| 8.16 | vehicleInAdvertisingAndBranding | String – Enum | Mandatory | Mandatory | YES/NO |
| 8.17 | autoBodyType | String | Mandatory | Mandatory | |
| 8.18 | isNewVehicle | String – Enum | Optional | Optional | YES/NO |
| 8.19 | E_CustomerOwnEquipmentName | String | Optional | Optional | List of equipment, divided by comma |
| 8.20 | E_CustomerOwnEquipmentValue | String | Optional | Optional | Sum of the price of all additional equipment |
| 8.21 | extensions | Object | Optional | Optional | Additional params |
| 8.21.1 | skipDuplicateCheck | String – Enum | Mandatory | Mandatory | YES/NO<br>If YES, we will not check if active policy exists |
| 8.21.2 | previousPolicyNo | String – Num | Optional | Optional | If present, the policy would be considered as “renewal” |
| 8.21.3 | firstRegistrationDate | String – Date | Optional | Optional | [DD.MM.YYY]<br>First registration date of vehicle |
| 9 | commonInfo | Object | Mandatory | Mandatory | |
| 9.1 | isQuickQuotation | Boolean | Mandatory | Mandatory | Always set to false |
| 9.2 | coverage1 | “key”: “value” | Optional | Optional | Call Codebook API to get the list of possible coverages for either MTPL or MHull |
| 9.3 | coverage2 | “key”: “value” | Optional | Optional | |

| | | | | | |
|---|---|---|---|---|---|
| 9.4 | coverage3 | “key”: “value” | Optional | Optional | |
| 10 | products | Array of Objects | Mandatory | Mandatory | Array of product ids |
| 10.1 | productId | String - Num | Mandatory | Mandatory | MHULL (main product) 911453179625479 MTPL (main product) 1215969347272704 |

## 2.1.2 Response schema

Schema:

| # | Name | Data type | Desc |
|---|---|---|---|
| 1 | value | Object - main | Root key |
| 2 | planSaPremium | Object | |
| 2.1 | periodStandardPremium | String - Num | Base price for sum of all products on policy |
| 2.2 | periodTotalTax | String - Num | Tax for sum of all products on policy |
| 2.3 | periodFinalPremium | String - Num | Active premium, to be used in underwriting-issuance |
| 3 | extendInfo | Object | |
| 3.1 | priceAdditionalInfo | String - Object | Additional info regarding price |
| 3.2 | products | String - Array of Objects | Product information |
| 4 | trackId | String | Logs trace id, after # |
| 5 | reality | Boolean | true/false |
| 6 | additionalInfo | Object | |
| 7 | getMsgByCode | Boolean | true/false |
| 8 | success | Boolean | true/false |

## 2.2 Underwriting-Issuance endpoint

### 2.2.1 Request Schema

HTTP Method:
**POST**

URL:
***{{base_url}}/v2/standard/policy/underwriting-issuance***

Schema:

| # | Name | Data type | MTPL | MHull | Desc |
|---|---|---|---|---|---|
| 1 | partnerCode | String | Mandatory | Mandatory | "UniqaAgencyChannel" |
| 2 | partnerNo | String - Num | Mandatory | Mandatory | Random 10+ digit number<br>The same one used in quotation, save it |
| 3 | agentCode | String - Num | Mandatory | Mandatory | Code for current agent |
| 4 | branchCode | String - Num | Mandatory | Mandatory | |
| 5 | planId | String - Num | Mandatory | Mandatory | MHULL - 921476643438592 MTPL - 1217324174557184 |
| 6 | goodsId | String - Num | Mandatory | Mandatory | |
| 7 | premium | String - Num | Mandatory | Mandatory | Premium ammount, gotten from quotation |
| 8 | insureDate | String – Date | Mandatory | Mandatory | Date of policy creation |
| 9 | effectiveDate | String – Date | Mandatory | Mandatory | Date of policy efectiveness |
| 10 | expiryDate | String – Date | Mandatory | Mandatory | Date of policy expiry |
| 11 | extensions | Object | Mandatory | Mandatory | |
| 111 | E_IsDiplomat | String - Enum | Mandatory | Mandatory | YES/NO |
| 11.2 | bonusMalusScenario | String | Mandatory | Mandatory | B4 |
| 11.3 | discount1 | "key": "value" | Optional | Optional | call Codebook api for all possible keys and values (/discountsMTPL,/discountsMHULL) |
| 11.4 | Coverage1 | "key": "value" | Optional | Optional | call Codebook api for all possible keys and values (/coverageMTPL,/coverageMHULL) |
| 12 | issuanceClaimStackList | Array of Objects | N/A | Mandatory | |
| 12.1 | stackCodes | String | N/A | Mandatory | Name of the claim stack factor |
| 13.2 | stackValue | String - Num | N/A | Mandatory | Values of the claim stack factor |
| 13 | issuanceHolder | Object | Mandatory | Mandatory | Information about the holder of the policy |
| 13.1 | userType | String - Enum | Mandatory | Mandatory | COMPANY,<br>PERSON |
| 13.2 | certiType | String - Enum | Mandatory | Mandatory | IDCARD |
| 13.3 | certiNo | String - Num | Mandatory | Mandatory | OIB |
| 13.4 | birthday | Array of nums | Mandatory | Mandatory | [YYYY, MM, DD] |
| 13.5 | fullName | String | Mandatory | Mandatory | Name Surname |
| 13.6 | lastName | String | Mandatory | Mandatory | Surname |
| 13.7 | firstName | String | Mandatory | Mandatory | Name |
| 13.8 | mobilePhone | Aray of Objects | Mandatory | Mandatory | |
| 13.8.1 | phoneNo | String - Num | Mandatory | Mandatory | Phone number w/o country code |
| 13.8.1 | phoneType | String | Mandatory | Mandatory | PHONE |
| 13.8.2 | countryCode | String | Mandatory | Mandatory | Calling code for country, example: +385 |
| 13.9 | adress | Aray of Objects | Mandatory | Mandatory | |
| 13.9.1 | adressType | String - Enum | Mandatory | Mandatory | PERMANENT (main address),<br>CONTACT (delivery address) |
| 13.9.2 | zipCode | String - Num | Mandatory | Mandatory | Postal or ZIP code of City/Area (must match city name) |
| 13.9.3 | adress11 | String | Mandatory | Mandatory | Name of the street |
| 13.9.4 | adress12 | String - Num | Mandatory | Mandatory | Number of the street |
| 13.9.5 | adress13 | String | Mandatory | Mandatory | City name (must match zip code) |
| 13.9.6 | adress15 | String | Mandatory | Mandatory | Country name (example: Croatia) |
| 13.10 | email | Aray of Objects | Mandatory | Mandatory | |
| 13.10.1 | email | String | Mandatory | Mandatory | Agent email |
| 14 | paymentPlan | Object | Mandatory | Mandatory | |
| 14.1 | samePaymentMethod | String - Enum | Mandatory | Mandatory | YES/NO |

| | | | | | |
|---|---|---|---|---|---|
| | ForAllInstallments | | | | |
| 14.2 | payMethod | String - Enum | Mandatory | Mandatory | CREDIT_CARD, ACCOUNTTYPE_DEBIT_CARD, BANK_SLIP |
| 14.3 | periodPayMethodList | Array of Objects | Optional | Optional | |
| 14.3.1 | periodNo | Num | Mandatory | Mandatory | |
| 14.3.2 | payMethod | String - Enum | Mandatory | Mandatory | CREDIT_CARD, ACCOUNTTYPE_DEBIT_CARD, BANK_SLIP |
| 15 | issueWithoutPayment | String - Enum | Mandatory | Mandatory | YES/NO |
| 16 | issuanceProductList | Array of Objects | Mandatory | Mandatory | |
| 16.1 | productId | String - Num | Mandatory | Mandatory | MHULL (main product) 911453179625479 MTPL (main product) 1215969347272704 |
| 16.2 | premiumFrequencyType | String - Enum | Mandatory | Mandatory | SINGLE |
| 16.3 | issuanceInsuredObject | Array of Objects | Mandatory | Mandatory | Main product information |
| 16.3.1 | insuredType | String - Enum | Mandatory | Mandatory | INSURED_AUTO |
| 16.3.2 | issuanceInsuredAuto | Object | Mandatory | Mandatory | |
| 16.3.2.1 | vatStatusForVehicle | String – Num | Mandatory | Mandatory | 0.5, 0, 1 |
| 16.3.2.2 | plateRegistrationZone | String | Mandatory | Mandatory | City code |
| 16.3.2.3 | vehicleLeasing | String - Enum | Mandatory | Mandatory | Values YES or NO |
| 16.3.2.4 | plateNo | String | Mandatory | Mandatory | Plates w/o city code |
| 16.3.2.5 | vinNo | String | Mandatory | Mandatory | Vehicle identification number |
| 16.3.2.6 | yearOf Manufactoring | Integer | Mandatory | Mandatory | Year of vehicle production |
| 16.3.2.7 | enginePower | Integer | Mandatory | Mandatory | Maximum engine power of vehicle |
| 16.3.2.8 | numberOfSeat | String – Num | Mandatory | Mandatory | Number of seats in the vehicle |
| 16.3.2.9 | vehicleBrand | String | Mandatory | Mandatory | Mark of vehicle |
| 16.3.2.10 | vehicleType | String | Mandatory | Mandatory | Model of vehicle |
| 16.3.2.11 | autoModel | String | Mandatory | Mandatory | Type of model |
| 16.3.2.12 | engineType | String | Mandatory | Mandatory | Fuel type (example: Diesel, OTTO, ...) |
| 16.3.2.13 | vehicleUsage | String | Mandatory | Mandatory | StandardUsage call Codebook api for all possible values (/vehicleUsage) |
| 16.3.2.14 | vehicleGroup | String | Mandatory | Mandatory | Passenger (car) call Codebook api for all possible values (/vehicleGroup) |
| 16.3.2.15 | isNotRegistered | String - Enum | Mandatory | Mandatory | YES/NO mind the negation |
| 16.3.2.16 | vehicleInAdvertising AndBranding | String - Enum | Mandatory | Mandatory | YES/NO |
| 16.3.2.17 | autoBodyType | String | Mandatory | Mandatory | |
| 16.3.2.18 | isNewVehicle | String - Enum | Optional | Optional | YES/NO |
| 16.3.2.19 | issuanceAdditional EquipmentList | Array of Objects | Optional | Optional | Additional equipment list (each object, 1 additional equipment) |
| 16.3.2.19.1 | equipmentName | String | Mandatory | Mandatory | Name of additional equipment |
| 16.3.2.19.2 | equipmentPrice | String - Num | Mandatory | Mandatory | Price of above mentioned equipment |
| 16.3.2.20 | extensions | Object | Optional | Optional | |
| 16.3.2.20.1 | skipDuplicateCheck | String | Mandatory | Mandatory | YES/NO If YES, we will not check if active policy exists |
| 16.3.2.20.2 | previousPolicyNo | String - Num | Optional | Optional | If used, the policy would be considered as “renewal” |
| 16.3.2.20.3 | firstRegistrationDate | String - Date | Optional | Optional | [DD.MM.YYY] First registration date of vehicle |
| 16.4 | issuanceInsurantList | Array of Objects | Mandatory | Mandatory | Information about the insured |

| | | | | | |
|---|---|---|---|---|---|
| 16.4.1 | userType | String | Mandatory | Mandatory | COMPANY, PERSON |
| 16.4.2 | certiType | String | Mandatory | Mandatory | IDCARD |
| 16.4.3 | certiNo | String - Num | Mandatory | Mandatory | OIB |
| 16.4.4 | company | Object | Depends on the userType | Depends on the userType | Information about the company |
| 16.4.4.1 | organizationName | String | Mandatory (if parent exists) | Mandatory (if parent exists) | Company full name |
| 16.4.4.2 | organizationType | String - Enum | Mandatory (if parent exists) | Mandatory (if parent exists) | BUSINESS_LICENSE_NUMBER |
| 16.4.4.3 | organizationIdNo | String - Num | Mandatory (if parent exists) | Mandatory (if parent exists) | |
| 16.4.4.4 | branchCode | String - Num | Mandatory (if parent exists) | Mandatory (if parent exists) | |
| 16.4.4.5 | organizationSize | String | Optional | Optional | MICRO, SMALL, MEDIUM, LARGE |
| 16.4.4.6 | companyType | String | Optional | Optional | |
| 16.4.4.7 | typeOfBusiness | String | Mandatory (if parent exists) | Mandatory (if parent exists) | Leasing |
| 16.4.5 | relationshipWith Policyholder | String | Mandatory | Mandatory | OTHER, SELF Relationship between policy holder and insured, if policy holder and insured are the same, this is either not needed or is set to SELF |
| 16.5 | productId | Object inside parent array | Optional | Optional | If putting all products for main product |

### 2.2.2 Response Schema

Schema:

| # | Name | Data type | Desc |
|---|---|---|---|
| 1 | value | Object - main | Root key |
| 2 | pass | Boolean | true/false |
| 2.1 | issuanceStatus | String | PENDING_PROPOSAL_CHECK (pass: false), WAITING_FOR_ISSUANCE (pass: true) |
| 2.2 | issuanceNo | String - Num | Number related to the issance request |
| 3 | trackId | String | Logs trace id, after # |
| 4 | reality | Boolean | true/false |
| 5 | additionalInfo | Object | |
| 6 | getMsgByCode | Boolean | true/false |
| 7 | success | Boolean | true/false |

## 2.3 Issue-Issuance endpoint

### 2.3.1 Request Schema

HTTP Method:
**POST**

URL:
***{{base_url}}/v2/standard/policy/issue-issuance***

Schema:

| # | Name | Data type | MTPL | MHull | MTPL |
|---|---|---|---|---|---|
| 1 | partnerCode | String | Mandatory | Mandatory | "UniqaAgencyChannel" |
| 2 | partnerNo | String - Num | Mandatory | Mandatory | The same one used for underwriting-issuance |
| 3 | issuanceNo | String - Num | Mandatory | Mandatory | Issuance number from underwriting-issuance response |

### 2.3.2 Response Schema

Schema:

| # | Name | Data type | Desc |
|---|---|---|---|
| 1 | value | Object - main | Root key |
| 1.2 | policyNo | String - Num | Generated/Issued policy number |
| 1.3 | underwritingResult | Object | PENDING_PROPOSAL_CHECK (pass: false), WAITING_FOR_ISSUANCE (pass: true) |
| 1.3.1 | pass | Boolean | true/false |
| 2 | trackId | String | Logs trace id, after # |
| 3 | reality | Boolean | true/false |
| 4 | additionalInfo | Object | |
| 5 | getMsgByCode | Boolean | true/false |
| 6 | success | Boolean | true/false |

## 2.4 Download-Document

### 2.4.1 Request Schema

HTTP Method:
**POST**

URL:
***{{base_url}}/v1/download/e-document***

Schema:

| # | Name | Data type | MTPL | MHull | MTPL |
|---|---|---|---|---|---|
| 1 | partnerCode | String | Mandatory | Mandatory | "UniqaAgencyChannel" |
| 2 | partnerNo | String - Num | Mandatory | Mandatory | The same one used for underwriting-issuance |
| 3 | businessNo | String - Num | Mandatory | Mandatory | Policy number |
| 4 | documentType | String | Mandatory | Mandatory | POLICY,<br>GREEN_CARD,<br>INVOICE |

### 2.4.2 Response Schema

Schema:

| # | Name | Data type | Desc |
|---|---|---|---|
| 1 | documentNo | String - Num | Number of the document |
| 2 | document | Object | |
| 2.1 | fileName | String | Name of the requested file |
| 2.2 | fileFormat | String | Format of the requested file |
| 2.3 | content | String | The contents of the file, in raw format |

## 2.5 Codebook

### 2.5.1 Request Schema

HTTP Method:
**GET**

URL – list:
***{{base_url}}/v1/codebook/list***

URL – any key (keys are in the list from the above call):

***{{base_url}}/v1/codebook/{{key}}***

### 2.5.2 Response Schema

Schema:

| # | Name | Data type | Desc |
|---|---|---|---|
| 1 | value | Object - main | Root key |
| 1.2 | key | String | The called key (/key) |
| 1.3 | value | String - Array/Array of Objects | Values for above sent key |
| 2 | trackId | String | Logs trace id, after # |
| 3 | reality | Boolean | true/false |
| 4 | additionalInfo | Object | |
| 5 | getMsgByCode | Boolean | true/false |
| 6 | success | Boolean | true/false |

# 3. Error causes

| # | Error message | Error cause | Code | Endpoint |
|---|---|---|---|---|
| 1 | Something went wrong, please validate inputs | One or more mandatory fields are missing | 200 | Quotation API |
| 2 | The premium is inconsistent. The sum premium of the market splitgoods is [x], but the premium you request is [y] | Inputed premium differs from the calculated premium or some coverage is missing for product | 400 | Underwriting - Issuance API |
| 3 | Please do underwriting before issue policy is required | Wrong partnerNo was probably used, please always use the one that you inputed in quotation and issuance-underwriting | 400 | Issue - Issuance API |
| 4 | System error | Contact support for further analasys | 500 | Any endpoint |