Lab 8 – MongoDB – Query

Objective

In this Lab, you learn to query a database in MongoDB.

Submission

For this lab, you should submit a file with the below exercises completed.

Your file should be called: **L08–*lastname-firstname*** (for example: L08-King-Les)

Getting Started

In this lab, you will use products.json dataset. Download products.json from Blackboard and store it in a folder named dataset.

Open your Windows command prompt and go the following directory where MongoDB is installed:

- cd C:\Program Files\MongoDB\Server\4.2**bin**

To run MongoDB, execute ***mongod***

- mongod

When MongoDB starts successfully, open another Windows command prompt and go the same *bin* directory:

- cd C:\Program Files\MongoDB\Server\4.2**bin**

and execute ***mongo***

- mongo

Or you execute a batch file to start up MongoDB.

You will import products.json to the *inventory* database. To import data, go to the *bin* directory:

- cd C:\Program Files\MongoDB\Server\4.2**bin**

Execute the following command:

- mongoimport --db college --collection students --file ..\dataset\students.json

For the *json* file, provide the full path to the students.json. After executing the command, the data is imported to the *college* database. To make sure data is imported successfully, go to the MongoDB shell and execute the following command to see the imported documents:

- show dbs

You should see the database *college* added to the list of your databases. To see the documents inside the database:

- use college
- db.products.find().forEach(printjson)

Submission

You submit this file with answers (in the provided space). Name the file L09_ID#_LASTNAME.docx".

Tasks

1. Write a query to return *name* and *price* of each product in the *inventory* database.

```
db.inventory.find({}, {name:1, price:1});
```

2. Write a query to return *name* and *price* for products of type *accessory* in the *inventory* database.

```
db.inventory.find({type: "accessory"}, {name:1, price:1});
```

3. Write a query to return *name* and *price* for products with price between $12 and $20 (Values *12* and *20* are included).

```
db.inventory.find({price: {$gte:12, $lte:20}},{name:1, price:1});
```

4. Write a query to return *id*, *name*, *price*, and *type* for products that are not of type *accessory*.

```
db.inventory.find({type: {$ne: "accessory"}}, {name:1, price:1, type:1});
```

5. Write a query to return *id*, *name*, *price*, and type for products with type *accessory* or *service*.

```
db.inventory.find({type: {$in: ["accessory", "service"]}}, {name:1, price:1,
type:1});
```

6. Write a query to return *id*, *name*, *price*, and *type* for products that do have the *type* key.

```
db.inventory.find({type: {$exists:true}}, {name:1, price:1, type:1});
```

7. Write a query to return *id*, *name*, *price*, and *type* for products that their type is both *accessory* and *case*.

```
db.inventory.find({type: {$all: ["accessory", "case"]}}, {name:1, price:1, type:1});
```