

Funkcjonalności systemu – lista użytkowników i ich uprawnienia

Mokrzycki Filip, Mateusz Wójcik, Piotr Kacprzak

Uczestnik webinarów

1. Możliwość usunięcia swojego konta.
2. Dostęp do listy dostępnych webinarów (cena, język, krótki opis).
3. Możliwość zakupienia dostępu do płatnych webinarów.
4. Informacja zwrotna o pomyślnym przeprowadzeniu płatności.
5. Dostęp do opłaconych webinarów.
6. Dostęp do linku z nagraniami webinarów.
7. Możliwość złożenia wniosku do Dyrektora Szkoły w sprawie odstąpienia od regulaminu płatności.

Uczestnik kursów

1. Dostęp do informacji o godzinie, dacie i miejscu odbywania się kursu.
2. Dostęp do listy kursów (ceny, język, typ, krótki opis).
3. Wgląd do frekwencji, aktualnych postępów oraz wyników.
4. Dostęp do nagrań kursów synchronicznych oraz asynchronicznych.
5. Możliwość opłacenia kursu.
6. Informacja zwrotna o pomyślnym przeprowadzeniu płatności.
7. Możliwość złożenia wniosku do Dyrektora Szkoły w sprawie odstąpienia od regulaminu płatności.

Student

1. Dostęp do sylabusu.
2. Dostęp do harmonogramu spotkań.

3. Dostęp do informacji o godzinie, dacie i miejscu odbywania się zajęć.
4. Wgląd do frekwencji, aktualnych postępów oraz wyników.
5. Dostęp do informacji na temat praktyk.
6. Informacja o sposobie odrobienia danej nieobecności.
7. Możliwość opłacenia studium.
8. Informacja zwrotna o pomyślnym przeprowadzeniu płatności.
9. Możliwość złożenia wniosku do Dyrektora Szkoły w sprawie odstąpienia od regulaminu płatności.

Administrator

1. Możliwość usuwania webinarów.
2. Możliwość tworzenia webinarów oraz kursów.

Dyrektor Szkoły

1. Wgląd do historii płatności użytkowników.
2. Możliwość rozpatrzenia wniosków złożonych przez uczestników.
3. Możliwość układania planu i dobierania wykładowców.
4. Możliwość ustalania limitu miejsc dla kursów stacjonarnych oraz studiów.

Wykładowca

1. Dostęp do harmonogramu własnych zajęć.
2. Wgląd do listy studentów.
3. Możliwość sprawdzania obecności.

Potencjalny klient

1. Możliwość założenia konta na platformie.
2. Dostęp do sylabusu.

3. Dostęp do harmonogramu spotkań.
4. Wgląd do kosztu pojedynczego spotkania studyjnego.
5. Wgląd do kosztu webinaru, kursu, studium.
6. Dostęp do listy webinarów (cena, język, krótki opis).
7. Dostęp do listy kursów (ceny, język, typ, krótki opis).

Funkcjonalność bazy danych dla osób uprawnionych przez klienta

1. Raporty finansowe – zestawienie przychodów dla każdego webinaru/kursu/studium.
2. Lista „dłużników” – osoby, które skorzystały z usług, ale nie uiściły opłat.
3. Raport dotyczący liczby zapisanych osób na przyszłe wydarzenia (z informacją, czy wydarzenie jest stacjonarne, czy zdalne).
4. Raport dotyczący frekwencji na zakończonych już wydarzeniach.
5. Lista obecności dla każdego szkolenia z datą, imieniem, nazwiskiem i informacją, czy uczestnik był obecny, czy nie.
6. Raport bilokacji – lista osób, które są zapisane na co najmniej dwa przyszłe szkolenia, które kolidują czasowo.

Schemat bazy danych

Kod do generowania bazy danych

```
-- tables
-- Table: AdresDetails
CREATE TABLE AdresDetails (
  AdressID int NOT NULL,
  City text NOT NULL,
  Street text NOT NULL,
  BuildingNr int NOT NULL,
  Floor int NOT NULL,
  ClassNumber int NOT NULL,
  CONSTRAINT AdresDetails_pk PRIMARY KEY (AdressID)
);

-- Table: CourseDetails
```

```

CREATE TABLE CourseDetails (
    CoruseID int NOT NULL,
    StudentID int NOT NULL,
    ModulesPassed int NOT NULL,
    CONSTRAINT CourseDetails_pk PRIMARY KEY (CoruseID)
);

-- Table: CourseSchedule
CREATE TABLE CourseSchedule (
    ModuleID int NOT NULL,
    AdressID int NOT NULL,
    LiveLink text NOT NULL,
    VideoLink text NOT NULL,
    Date datetime NOT NULL,
    CONSTRAINT CourseSchedule_pk PRIMARY KEY (ModuleID)
);

-- Table: Courses
CREATE TABLE Courses (
    CourseID int NOT NULL,
    EmployeeID int NOT NULL,
    Price money NOT NULL,
    CourseType text NOT NULL,
    Limit int NOT NULL,
    TranslatorID int NOT NULL,
    Languages_LanguageID int NOT NULL,
    ModulesQuantity int NOT NULL,
    CONSTRAINT Courses_pk PRIMARY KEY (CourseID)
);

-- Table: EmloyeeType
CREATE TABLE EmloyeeType (
    EmployeeID int NOT NULL,
    HeldPosition text NOT NULL,
    CONSTRAINT EmloyeeType_pk PRIMARY KEY (EmployeeID)
);

-- Table: Employees
CREATE TABLE Employees (
    EmployeeID int NOT NULL IDENTITY,
    FirstName text NOT NULL,
    LastName text NOT NULL,
    Country text NOT NULL,
    Region text NOT NULL,
    City text NOT NULL,
    Address text NOT NULL,

```

```

        DateOfBirth date NOT NULL,
        Mail text NOT NULL,
        Phone int NOT NULL,
        CONSTRAINT Employees_pk PRIMARY KEY (EmployeeID)
    );

-- Table: Faculties
CREATE TABLE Faculties (
    FacultyID int NOT NULL,
    Dean int NOT NULL,
    FacultyName int NOT NULL,
    Description text NOT NULL,
    EmployeeID int NOT NULL,
    CONSTRAINT Faculties_pk PRIMARY KEY (FacultyID)
);

-- Table: Field
CREATE TABLE Field (
    FieldID int NOT NULL,
    FacultyID int NOT NULL,
    Name text NOT NULL,
    Description text NOT NULL,
    Limit int NOT NULL,
    EntryFee int NOT NULL,
    EmployeeID int NOT NULL,
    CONSTRAINT Field_pk PRIMARY KEY (FieldID)
);

-- Table: FieldDetails
CREATE TABLE FieldDetails (
    FieldID int NOT NULL,
    StudentID int NOT NULL,
    Semester int NOT NULL,
    CONSTRAINT FieldDetails_pk PRIMARY KEY (FieldID)
);

-- Table: Internships
CREATE TABLE Internships (
    InternshipID int NOT NULL,
    FieldID int NOT NULL,
    StartDate date NOT NULL,
    EndDate date NOT NULL,
    CONSTRAINT Internships_pk PRIMARY KEY (InternshipID)
);

-- Table: InternshipsDetails

```

```

CREATE TABLE InternshipsDetails (
    InternshipID int NOT NULL,
    Presence int NOT NULL,
    StudentID int NOT NULL,
    CONSTRAINT InternshipsDetails_pk PRIMARY KEY (InternshipID)
);

-- Table: Languages
CREATE TABLE Languages (
    LanguageID int NOT NULL,
    Language text NOT NULL,
    TranslatorID int NOT NULL,
    CONSTRAINT LanguageID PRIMARY KEY (LanguageID)
);

-- Table: Meeting
CREATE TABLE Meeting (
    MeetingID int NOT NULL,
    MeetingTypeID int NOT NULL,
    SubjectID int NOT NULL,
    Date datetime NOT NULL,
    Link int NOT NULL,
    AddressID int NOT NULL,
    LanguageID int NOT NULL,
    TranslatorID int NOT NULL,
    EmployeeID int NOT NULL,
    CONSTRAINT Meeting_pk PRIMARY KEY (MeetingID)
);

-- Table: MeetingType
CREATE TABLE MeetingType (
    MeetingTypeID int NOT NULL,
    Description text NOT NULL,
    CONSTRAINT MeetingType_pk PRIMARY KEY (MeetingTypeID)
);

-- Table: ModuleDetails
CREATE TABLE ModuleDetails (
    ModuleID int NOT NULL,
    StudentID int NOT NULL,
    Presence int NOT NULL,
    CONSTRAINT ModuleDetails_pk PRIMARY KEY (ModuleID)
);

-- Table: ModuleType
CREATE TABLE ModuleType (

```

```

ModuleTypeID int NOT NULL,
Description text NOT NULL,
CONSTRAINT ModuleType_pk PRIMARY KEY (ModuleTypeID)
);

-- Table: Modules
CREATE TABLE Modules (
ModuleID int NOT NULL,
CourseID int NOT NULL,
ModuleTypeID int NOT NULL,
MettingsQuantity int NOT NULL,
CONSTRAINT Modules_pk PRIMARY KEY (ModuleID)
);

-- Table: OrderCourse
CREATE TABLE OrderCourse (
OrderDetailsID int NOT NULL,
CourseID int NOT NULL,
CONSTRAINT OrderCourse_pk PRIMARY KEY (OrderDetailsID)
);

-- Table: OrderDetails
CREATE TABLE OrderDetails (
OrderDetailsID int NOT NULL,
PaidDate datetime NOT NULL,
OrderID int NOT NULL,
CONSTRAINT OrderDetails_pk PRIMARY KEY (OrderDetailsID)
);

-- Table: OrderMeeting
CREATE TABLE OrderMeeting (
OrderDetailsID int NOT NULL,
MeetingID int NOT NULL,
CONSTRAINT OrderMeeting_pk PRIMARY KEY (OrderDetailsID)
);

-- Table: OrderStudies
CREATE TABLE OrderStudies (
DetailsID int NOT NULL,
FacultyID int NOT NULL,
CONSTRAINT OrderStudies_pk PRIMARY KEY (DetailsID)
);

-- Table: OrderWebinar
CREATE TABLE OrderWebinar (
OrderDetailsID int NOT NULL,

```

```

        WebinarID int NOT NULL,
        CONSTRAINT OrderWebinar_pk PRIMARY KEY (OrderDetailsID)
    );

-- Table: Orders
CREATE TABLE Orders (
    OrderID int NOT NULL,
    Price money NOT NULL,
    Paid money NULL,
    OrderDate datetime NOT NULL,
    StudentID int NOT NULL,
    CONSTRAINT OrderID PRIMARY KEY (OrderID)
);

-- Table: Students
CREATE TABLE Students (
    StudentID int NOT NULL IDENTITY,
    FirstName text NOT NULL,
    LastName text NOT NULL,
    Country text NOT NULL,
    Region text NOT NULL,
    City text NOT NULL,
    Address text NOT NULL,
    DateOfBirth date NOT NULL,
    Mail text NOT NULL,
    Phone int NOT NULL,
    CONSTRAINT Students_pk PRIMARY KEY (StudentID)
);

-- Table: Studies
CREATE TABLE Studies (
    FacultyID int NOT NULL,
    FacultyName int NOT NULL,
    CONSTRAINT Studies_pk PRIMARY KEY (FacultyID)
);

-- Table: SubjectDetails
CREATE TABLE SubjectDetails (
    SubjectID int NOT NULL,
    Grade int NOT NULL,
    Presence int NOT NULL,
    StudenID int NOT NULL,
    CONSTRAINT SubjectDetails_pk PRIMARY KEY (SubjectID)
);

-- Table: Subjects

```



```

CREATE TABLE Subjects (
    SubjectID int NOT NULL,
    FieldID int NOT NULL,
    SubjectName text NOT NULL,
    Description text NOT NULL,
    MeetingTypeID int NOT NULL,
    MeetingsQuantity int NOT NULL,
    EmployeeID int NOT NULL,
    CONSTRAINT Subjects_pk PRIMARY KEY (SubjectID)
);

-- Table: Translator
CREATE TABLE Translator (
    TranslatorID int NOT NULL,
    FirstName text NOT NULL,
    LastName text NOT NULL,
    DateOfBirth date NOT NULL,
    Contry text NOT NULL,
    Region text NOT NULL,
    City text NOT NULL,
    Address int NOT NULL,
    Mail text NOT NULL,
    Phone int NOT NULL,
    CONSTRAINT Translator_pk PRIMARY KEY (TranslatorID)
);

-- Table: Webinar
CREATE TABLE Webinar (
    WebinarID int NOT NULL,
    Price int NOT NULL,
    Date date NOT NULL,
    LanguageID int NOT NULL,
    TranslatorID int NOT NULL,
    EmployeeID int NOT NULL,
    OnlineLink int NOT NULL,
    CONSTRAINT Webinar_pk PRIMARY KEY (WebinarID)
);

-- Table: WebinarDetails
CREATE TABLE WebinarDetails (
    WebinarID int NOT NULL,
    StudentID int NOT NULL,
    expr_date date NOT NULL,
    CONSTRAINT WebinarDetails_pk PRIMARY KEY (WebinarID)
);

```

```

-- Table: WebinarSchedule
CREATE TABLE WebinarSchedule (
    WebinarID int NOT NULL,
    Date datetime NOT NULL,
    CONSTRAINT WebinarSchedule_pk PRIMARY KEY (WebinarID)
);

-- foreign keys
-- Reference: CourseDetails_Courses (table: CourseDetails)
ALTER TABLE CourseDetails ADD CONSTRAINT CourseDetails_Courses
    FOREIGN KEY (CourseID)
    REFERENCES Courses (CourseID);

-- Reference: CourseDetails_Students (table: CourseDetails)
ALTER TABLE CourseDetails ADD CONSTRAINT CourseDetails_Students
    FOREIGN KEY (StudentID)
    REFERENCES Students (StudentID);

-- Reference: CourseSchedule_AdresDetails (table: CourseSchedule)
ALTER TABLE CourseSchedule ADD CONSTRAINT CourseSchedule_AdresDetails
    FOREIGN KEY (AdressID)
    REFERENCES AdresDetails (AdressID);

-- Reference: CourseSchedule_Modules (table: CourseSchedule)
ALTER TABLE CourseSchedule ADD CONSTRAINT CourseSchedule_Modules
    FOREIGN KEY (ModuleID)
    REFERENCES Modules (ModuleID);

-- Reference: Courses_Employees (table: Courses)
ALTER TABLE Courses ADD CONSTRAINT Courses_Employees
    FOREIGN KEY (EmployeeID)
    REFERENCES Employees (EmployeeID);

-- Reference: Courses_Languages (table: Courses)
ALTER TABLE Courses ADD CONSTRAINT Courses_Languages
    FOREIGN KEY (Languages_LanguageID)
    REFERENCES Languages (LanguageID);

-- Reference: Courses_Translator (table: Courses)
ALTER TABLE Courses ADD CONSTRAINT Courses_Translator
    FOREIGN KEY (TranslatorID)
    REFERENCES Translator (TranslatorID);

-- Reference: EmployeeType_Employees (table: EmployeeType)
ALTER TABLE EmployeeType ADD CONSTRAINT EmployeeType_Employees
    FOREIGN KEY (EmployeeID)

```

```

REFERENCES Employees (EmployeeID);

-- Reference: Faculties_Employees (table: Faculties)
ALTER TABLE Faculties ADD CONSTRAINT Faculties_Employees
FOREIGN KEY (EmployeeID)
REFERENCES Employees (EmployeeID);

-- Reference: Faculties_Studies (table: Faculties)
ALTER TABLE Faculties ADD CONSTRAINT Faculties_Studies
FOREIGN KEY (FacultyID)
REFERENCES Studies (FacultyID);

-- Reference: FieldDetails_Field (table: FieldDetails)
ALTER TABLE FieldDetails ADD CONSTRAINT FieldDetails_Field
FOREIGN KEY (FieldID)
REFERENCES Field (FieldID);

-- Reference: FieldDetails_Students (table: FieldDetails)
ALTER TABLE FieldDetails ADD CONSTRAINT FieldDetails_Students
FOREIGN KEY (StudentID)
REFERENCES Students (StudentID);

-- Reference: Field_Employees (table: Field)
ALTER TABLE Field ADD CONSTRAINT Field_Employees
FOREIGN KEY (EmployeeID)
REFERENCES Employees (EmployeeID);

-- Reference: Field_Faculties (table: Field)
ALTER TABLE Field ADD CONSTRAINT Field_Faculties
FOREIGN KEY (FacultyID)
REFERENCES Faculties (FacultyID);

-- Reference: InternshipsDetails_Internships (table: InternshipsDetails)
ALTER TABLE InternshipsDetails ADD CONSTRAINT InternshipsDetails_Internships
FOREIGN KEY (InternshipID)
REFERENCES Internships (InternshipID);

-- Reference: InternshipsDetails_Students (table: InternshipsDetails)
ALTER TABLE InternshipsDetails ADD CONSTRAINT InternshipsDetails_Students
FOREIGN KEY (StudentID)
REFERENCES Students (StudentID);

-- Reference: Internships_Field (table: Internships)
ALTER TABLE Internships ADD CONSTRAINT Internships_Field
FOREIGN KEY (FieldID)
REFERENCES Field (FieldID);

```

```

-- Reference: Languages_Translator (table: Languages)
ALTER TABLE Languages ADD CONSTRAINT Languages_Translator
    FOREIGN KEY (TranslatorID)
    REFERENCES Translator (TranslatorID);

-- Reference: Meeting_AdresDetails (table: Meeting)
ALTER TABLE Meeting ADD CONSTRAINT Meeting_AdresDetails
    FOREIGN KEY (AdressID)
    REFERENCES AdresDetails (AdressID);

-- Reference: Meeting_Employees (table: Meeting)
ALTER TABLE Meeting ADD CONSTRAINT Meeting_Employees
    FOREIGN KEY (EmployeeID)
    REFERENCES Employees (EmployeeID);

-- Reference: Meeting_Languages (table: Meeting)
ALTER TABLE Meeting ADD CONSTRAINT Meeting_Languages
    FOREIGN KEY (LanguageID)
    REFERENCES Languages (LanguageID);

-- Reference: Meeting_MeetingType (table: Meeting)
ALTER TABLE Meeting ADD CONSTRAINT Meeting_MeetingType
    FOREIGN KEY (MeetingTypeID)
    REFERENCES MeetingType (MeetingTypeID);

-- Reference: Meeting_Subjects (table: Meeting)
ALTER TABLE Meeting ADD CONSTRAINT Meeting_Subjects
    FOREIGN KEY (SubjectID)
    REFERENCES Subjects (SubjectID);

-- Reference: Meeting_Translator (table: Meeting)
ALTER TABLE Meeting ADD CONSTRAINT Meeting_Translator
    FOREIGN KEY (TranslatorID)
    REFERENCES Translator (TranslatorID);

-- Reference: ModuleDetails_Modules (table: ModuleDetails)
ALTER TABLE ModuleDetails ADD CONSTRAINT ModuleDetails_Modules
    FOREIGN KEY (ModuleID)
    REFERENCES Modules (ModuleID);

-- Reference: ModuleDetails_Students (table: ModuleDetails)
ALTER TABLE ModuleDetails ADD CONSTRAINT ModuleDetails_Students
    FOREIGN KEY (StudentID)
    REFERENCES Students (StudentID);

```

```

-- Reference: Modules_Courses (table: Modules)
ALTER TABLE Modules ADD CONSTRAINT Modules_Courses
    FOREIGN KEY (CourseID)
    REFERENCES Courses (CourseID);

-- Reference: Modules_ModuleType (table: Modules)
ALTER TABLE Modules ADD CONSTRAINT Modules_ModuleType
    FOREIGN KEY (ModuleTypeID)
    REFERENCES ModuleType (ModuleTypeID);

-- Reference: OrderCourse_Courses (table: OrderCourse)
ALTER TABLE OrderCourse ADD CONSTRAINT OrderCourse_Courses
    FOREIGN KEY (CourseID)
    REFERENCES Courses (CourseID);

-- Reference: OrderCourse_OrderDetails (table: OrderCourse)
ALTER TABLE OrderCourse ADD CONSTRAINT OrderCourse_OrderDetails
    FOREIGN KEY (OrderDetailsID)
    REFERENCES OrderDetails (OrderDetailsID);

-- Reference: OrderDetails_Orders (table: OrderDetails)
ALTER TABLE OrderDetails ADD CONSTRAINT OrderDetails_Orders
    FOREIGN KEY (OrderID)
    REFERENCES Orders (OrderID);

-- Reference: OrderMeeting_Meeting (table: OrderMeeting)
ALTER TABLE OrderMeeting ADD CONSTRAINT OrderMeeting_Meeting
    FOREIGN KEY (MeetingID)
    REFERENCES Meeting (MeetingID);

-- Reference: OrderMeeting_OrderDetails (table: OrderMeeting)
ALTER TABLE OrderMeeting ADD CONSTRAINT OrderMeeting_OrderDetails
    FOREIGN KEY (OrderDetailsID)
    REFERENCES OrderDetails (OrderDetailsID);

-- Reference: OrderStudies_OrderDetails (table: OrderStudies)
ALTER TABLE OrderStudies ADD CONSTRAINT OrderStudies_OrderDetails
    FOREIGN KEY (DetailsID)
    REFERENCES OrderDetails (OrderDetailsID);

-- Reference: OrderStudies_Studies (table: OrderStudies)
ALTER TABLE OrderStudies ADD CONSTRAINT OrderStudies_Studies
    FOREIGN KEY (FacultyID)
    REFERENCES Studies (FacultyID);

-- Reference: OrderWebinar_OrderDetails (table: OrderWebinar)

```

```

ALTER TABLE OrderWebinar ADD CONSTRAINT OrderWebinar_OrderDetails
    FOREIGN KEY (OrderDetailsID)
    REFERENCES OrderDetails (OrderDetailsID);

-- Reference: OrderWebinar_Webinar (table: OrderWebinar)
ALTER TABLE OrderWebinar ADD CONSTRAINT OrderWebinar_Webinar
    FOREIGN KEY (WebinarID)
    REFERENCES Webinar (WebinarID);

-- Reference: Orders_Students (table: Orders)
ALTER TABLE Orders ADD CONSTRAINT Orders_Students
    FOREIGN KEY (StudentID)
    REFERENCES Students (StudentID);

-- Reference: SubjectDetails_Students (table: SubjectDetails)
ALTER TABLE SubjectDetails ADD CONSTRAINT SubjectDetails_Students
    FOREIGN KEY (StudenID)
    REFERENCES Students (StudentID);

-- Reference: SubjectDetails_Subjects (table: SubjectDetails)
ALTER TABLE SubjectDetails ADD CONSTRAINT SubjectDetails_Subjects
    FOREIGN KEY (SubjectID)
    REFERENCES Subjects (SubjectID);

-- Reference: Subjects_Employees (table: Subjects)
ALTER TABLE Subjects ADD CONSTRAINT Subjects_Employees
    FOREIGN KEY (EmployeeID)
    REFERENCES Employees (EmployeeID);

-- Reference: Subjects_Field (table: Subjects)
ALTER TABLE Subjects ADD CONSTRAINT Subjects_Field
    FOREIGN KEY (FieldID)
    REFERENCES Field (FieldID);

-- Reference: WebinarDetails_Students (table: WebinarDetails)
ALTER TABLE WebinarDetails ADD CONSTRAINT WebinarDetails_Students
    FOREIGN KEY (StudentID)
    REFERENCES Students (StudentID);

-- Reference: WebinarDetails_Webinar (table: WebinarDetails)
ALTER TABLE WebinarDetails ADD CONSTRAINT WebinarDetails_Webinar
    FOREIGN KEY (WebinarID)
    REFERENCES Webinar (WebinarID);

-- Reference: Webinar_Employees (table: Webinar)
ALTER TABLE Webinar ADD CONSTRAINT Webinar_Employees

```

```

FOREIGN KEY (EmployeeID)
REFERENCES Employees (EmployeeID);

-- Reference: Webinar_Languages (table: Webinar)
ALTER TABLE Webinar ADD CONSTRAINT Webinar_Languages
FOREIGN KEY (LanguageID)
REFERENCES Languages (LanguageID);

-- Reference: Webinar_Translator (table: Webinar)
ALTER TABLE Webinar ADD CONSTRAINT Webinar_Translator
FOREIGN KEY (TranslatorID)
REFERENCES Translator (TranslatorID);

-- Reference: WebinarySchedule_Webinar (table: WebinarySchedule)
ALTER TABLE WebinarySchedule ADD CONSTRAINT WebinarySchedule_Webinar
FOREIGN KEY (WebinarID)
REFERENCES Webinar (WebinarID);

```