CME 241: Reinforcement Learning for Stochastic Control Problems in Finance

Ashwin Rao

ICME, Stanford University

Meet your Instructor

- My educational background: Algorithms Theory & Abstract Algebra
- 10 years at Goldman Sachs (NY) Rates/Mortgage Derivatives Trading
- 4 years at Morgan Stanley as Managing Director Market Modeling
- Founded Tech Startup ZLemma, Acquired by hired.com in 2015
- One of our products was algorithmic jobs/career guidance for students
- I've been teaching short/medium-length courses for 25 years
- Topics across Pure & Applied Math, CS, Programming, Finance
- Current Interest: A.I. for Dynamic Decisioning under Uncertainty
- V.P. Data Science at Target focused on Optimal Inventory Control
- Joined Stanford ICME as Adjunct in Fall 2018
- Apart from CME 241, I am a technical mentor to ICME students

Ashwin Rao (Stanford) RL for Finance 2/30

Requirements and Setup

- (Light) Pre-requisites:
 - Undergraduate-level background in Applied Mathematics (Linear Algebra, Probability Theory, Optimization)
 - Background in Data Structures & Algorithms, with programming experience in numpy/scipy
 - Basic background in Pricing and Portfolio Theory, but we will do an overview of the requisite Finance/Economics
 - No background required in MDP, DP, RL (we will cover these topics from scratch)
- Install Python 3 and supporting IDE/tools (eg: PyCharm, Jupyter)
- Note: Python 2 doesn't support *Type Annotations*
- Create git repo for this course (for assignments/sharing)
- Send the git repo details to the Course Assistant (for reviews/grading)
- Install LaTeX and supporting editor (eg: TeXShop)

Housekeeping

- Grade based on:
 - 25% Mid-Term Exam (on Theory, Modeling, Algorithms)
 - 40% Final Exam (on Theory, Modeling, Algorithms)
 - 35% Assignments: Programming, Technical Writing, Theory Problems
- Lectures Wed & Fri 4:30pm 5:50pm, Jan 9 March 15
- Classes in Building 200 (Lane History Corner) Room 203
- Office Hours 2-4pm Fri (or by appointment) in my office (ICME M09)
- Course Web Site: cme241.stanford.edu
- Ask Questions and engage in Discussions on <u>Piazza</u>
- Course Assistant (CA) is Jeffrey Gu (ICME student)
- My e-mail: <u>ashwin.rao@stanford.edu</u>, CA e-mail: <u>jeffgu@stanford.edu</u>

Purpose and Grading of Assignments

- Assignments shouldn't be treated as "tests" with right/wrong answer
- Rather, they should be treated as part of your learning experience
- You will truly understand ideas/models/algorithms only when you write down the Mathematics and the Code precisely
- Simply reading Math/Code gives you a false sense of understanding
- Take the initiative to make up your own assignments
- Especially on topics you feel you don't quite understand
- Individual assignments won't get a grade and there are no due dates
- Rather, the entire body of assignments work will be graded
- It will be graded less on correctness and completeness, and more on:
 - Coding and Technical Writing style that is clear and modular
 - Demonstration of curiosity and commitment to learning through the overall body of assignments work
 - Engagement in asking questions and seeking feedback for improvements

Resources


- I recommend <u>Sutton-Barto</u> as the companion book for this course
 - I won't follow the structure of Sutton-Barto book
 - But I will follow his approach/treatment
- I will follow the structure of David Silver's RL course
 - I encourage you to augment my lectures with David's lecture videos
 - Occasionally, I will wear away or speed up/slow down from this flow
- We will do a bit more Theory & a lot more coding (relative to above)
- You can freely use my open-source code for your coding work
 - I expect you to duplicate the functionality of above code in this course
- We will go over some classical papers on the Finance applications
- To understand in-depth the analytical solutions in simple settings
- I will augment the above content with many of my own slides
- All of this will be organized on the course web site

Ashwin Rao (Stanford) RL for Finance 6/30

A.I. for Dynamic Decisioning under Uncertainty

- Let's browse some terms used to characterize this branch of A.I.
- Stochastic: Uncertainty in key quantities, evolving over time
- Optimization: A well-defined metric to be maximized ("The Goal")
- *Dynamic*: Decisions need to a function of the changing situations
- Control: Overpower uncertainty by persistent steering towards goal
- Jargon overload due to confluence of Control Theory, O.R. and A.I.
- For language clarity, let's just refer to this area as Stochastic Control
- The core framework is called *Markov Decision Processes* (MDP)

The MDP Framework



Components of the MDP Framework

- The Agent and the Environment interact in a time-sequenced loop
- Agent responds to [State, Reward] by taking an Action
- Environment responds by producing next step's (random) State
- Environment also produces a (random) scalar denoted as Reward
- Each State is assumed to have the Markov Property, meaning:
 - Next State/Reward depends only on Current State (for a given Action)
 - Current State captures all relevant information from History
 - Current State is a sufficient statistic of the future (for a given Action)
- Goal of Agent is to maximize Expected Sum of all future Rewards
- ullet By controlling the (*Policy* : State
 ightarrow Action) function
- This is a dynamic (time-sequenced control) system under uncertainty

Ashwin Rao (Stanford) RL for Finance 9/30


Formal MDP Framework

The following notation is for discrete time steps. Continuous-time formulation is analogous (often involving <u>Stochastic Calculus</u>)

- Time steps denoted as $t = 1, 2, 3, \dots$
- ullet Markov States $S_t \in \mathcal{S}$ where \mathcal{S} is the State Space
- Actions $A_t \in \mathcal{A}$ where \mathcal{A} is the Action Space
- ullet Rewards $R_t \in \mathbb{R}$ denoting numerical feedback
- Transitions $p(s', r|s, a) = Pr\{S_{t+1} = s', R_{t+1} = r|S_t = s, A_t = a\}$
- \bullet $\gamma \in [0,1]$ is the Discount Factor for Reward when defining Return
- Return $G_t = R_t + \gamma \cdot R_{t+1} + \gamma^2 \cdot R_{t+1} + \dots$
- ullet Policy $\pi(a|s)$ is probability that Agent takes action a in states s
- ullet The goal is find a policy that maximizes $\mathbb{E}[G_t|S_t=s]$ for all $s\in\mathcal{S}$

Ashwin Rao (Stanford) RL for Finance 10/30

How a baby learns to walk




Many real-world problems fit this MDP framework

- Self-driving vehicle (speed/steering to optimize safety/time)
- Game of Chess (Boolean Reward at end of game)
- Complex Logistical Operations (eg: movements in a Warehouse)
- Make a humanoid robot walk/run on difficult terrains
- Manage an investment portfolio
- Control a power station
- Optimal decisions during a football game
- Strategy to win an election (high-complexity MDP)

12 / 30

Self-Driving Vehicle



Why are these problems hard?

- State space can be large or complex (involving many variables)
- Sometimes, Action space is also large or complex
- No direct feedback on "correct" Actions (only feedback is Reward)
- Time-sequenced complexity (Actions influence future States/Actions)
- Actions can have delayed consequences (late Rewards)
- Agent often doesn't know the Model of the Environment
- "Model" refers to probabilities of state-transitions and rewards
- So, Agent has to learn the Model AND solve for the Optimal Policy
- Agent Actions need to tradeoff between "explore" and "exploit"

Value Function and Bellman Equations

ullet Value function (under policy π) $V_\pi(s)=\mathbb{E}[G_t|S_t=s]$ for all $s\in\mathcal{S}$

$$V_{\pi}(s) = \sum_{a} \pi(a|s) \sum_{s',r} p(s',r|s,a) \cdot (r + \gamma V_{\pi}(s'))$$
 for all $s \in \mathcal{S}$

ullet Optimal Value Function $V_*(s) = \max_{\pi} V_{\pi}(s)$ for all $s \in \mathcal{S}$

$$V_*(s) = \max_a \sum_{s',r} p(s',r|s,a) \cdot (r + \gamma V_*(s')) \text{ for all } s \in \mathcal{S}$$

- There exists an Optimal Policy π_* achieving $V_*(s)$ for all $s \in \mathcal{S}$
- ullet Determining $V_\pi(s)$ known as *Prediction*, and $V_*(s)$ known as *Control*
- The above recursive equations are called Bellman equations
- In continuous time, refered to as Hamilton-Jacobi-Bellman (HJB)
- The algorithms based on Bellman equations are broadly classified as:
 - Dynamic Programming
 - Reinforcement Learning

Dynamic Programming versus Reinforcement Learning

- When Model is known \Rightarrow *Dynamic Programming* (DP)
- DP Algorithms take advantage of knowledge of probabilities
- So, DP Algorithms do not require interaction with the environment
- Model-based/DP algorithms often refered to as *Planning Algorithms*
- When Model is unknown ⇒ Reinforcement Learning (RL)
- RL Algorithms interact with the Environment and incrementally learn
- Environment interaction could be real interaction or a simulator
- RL approach: Try different actions & learn what works, what doesn't
- RL Algorithms' key challenge is to tradeoff "explore" versus "exploit"
- DP or RL, Good approximation of Value Function is vital to success
- Deep Neural Networks are typically used for function approximation


Ashwin Rao (Stanford) RL for Finance 16/30

Why is RL interesting/useful to learn about?


- RL solves MDP problem when Environment Model is unknown
- Or when only an *Environment Simulator* is available
- The above two situations are typical in real-world problems
- Promise of modern A.I. is based on success of RL algorithms
- Potential for automated decision-making in many industries
- In 10-20 years: Bots that act or behave more optimal than humans
- RL already solves various low-complexity real-world problems
- RL might soon be the most-desired skill in the technical job-market
- Possibilities in Finance are endless (we cover 3 important problems)
- Learning RL is a lot of fun! (interesting in theory as well as coding)

RL for Finance 17 / 30

Many Faces of Reinforcement Learning



Vague (but in-vogue) Classification of Machine Learning



Overview of the Course

- Theory of Markov Decision Processes (MDPs)
- Dynamic Programming (DP) Algorithms
- Reinforcement Learning (RL) Algorithms
- Plenty of Python implementations of models and algorithms
- Apply these algorithms to 3 Financial/Trading problems:
 - (Dynamic) Asset-Allocation to maximize Utility of Consumption
 - Optimal Exercise/Stopping of Path-dependent American Options
 - Optimal Trade Order Execution (managing Price Impact)
- By treating each of the problems as MDPs (i.e., Stochastic Control)
- We will go over classical/analytical solutions to these problems
- Then introduce real-world considerations, and tackle with RL (or DP)

Optimal Asset Allocation to Maximize Consumption Utility

- You can invest in (allocate wealth to) a collection of assets
- Investment horizon is a fixed length of time
- Each risky asset has an unknown distribution of returns
- Transaction Costs & Constraints on trading hours/quantities/shorting
- Allowed to consume a fraction of your wealth at specific times
- Dynamic Decision: Time-Sequenced Allocation & Consumption
- To maximize horizon-aggregated Utility of Consumption
- Utility function represents degree of risk-aversion
- So, we effectively maximize aggregate Risk-Adjusted Consumption

Ashwin Rao (Stanford) RL for Finance 21/30

MDP for Optimal Asset Allocation problem

- State is [Current Time, Current Holdings, Current Prices]
- Action is [Allocation Quantities, Consumption Quantity]
- Actions limited by various real-world trading constraints
- Reward is Utility of Consumption less Transaction Costs
- State-transitions governed by risky asset movements

Optimal Exercise of Path-dependent American Options

- An American option can be exercised anytime before option maturity
- Key decision at any time is to exercise or continue
- The default algorithm is Backward Induction on a tree/grid
- But it doesn't work for path-dependent options
- Also, it's not feasible when state dimension is large
- Industry-Standard: Longstaff-Schwartz's simulation-based algorithm
- RL is an attractive alternative to Longstaff-Schwartz
- RL is straightforward once Optimal Exercise is modeled as an MDP

MDP for Optimal Options Exercise

- State is [Current Time, History of Underlying Security Prices]
- Action is Boolean: Exercise (i.e., Payoff and Stop) or Continue
- Reward always 0, except upon Exercise (= Payoff)
- State-transitions governed by Underlying Prices' Stochastic Process
- ullet Optimal Policy \Rightarrow Optimal Stopping \Rightarrow Option Price
- Can be generalized to other Optimal Stopping problems

24 / 30

Optimal Trade Order Execution (controlling Price Impact)

- You are tasked with selling a large qty of a (relatively less-liquid) stock
- You have a fixed horizon over which to complete the sale
- Goal is to maximize aggregate sales proceeds over horizon
- If you sell too fast, Price Impact will result in poor sales proceeds
- If you sell too slow, you risk running out of time
- We need to model temporary and permanent *Price Impacts*
- Objective should incorporate penalty for variance of sales proceeds
- Which is equivalent to maximizing aggregate Utility of sales proceeds

Ashwin Rao (Stanford) RL for Finance 25/30

MDP for Optimal Trade Order Execution

- State is [Time Remaining, Stock Remaining to be Sold, Market Info]
- Action is Quantity of Stock to Sell at current time
- Reward is Utility of Sales Proceeds (i.e., Variance-adjusted-Proceeds)

26 / 30

- Reward & State-transitions governed by Price Impact Model
- Real-world Model can be quite complex (Order Book Dynamics)

Week by Week (Tentative) Schedule

- W1: Markov Decision Processes & Overview of Finance Problems
- W2: Bellman Equations & Dynamic Programming Algorithms
- W3: Optimal Asset Allocation problem
- W4: Optimal Exercise of American Options problem
- W5: Optimal Trade Order Execution problem, and Mid-Term Exam
- W6: Model-free Prediction (RL for Value Function Estimation)
- W7: Model-Free Control (RL for Optimal Value Function/Policy)
- W8: RL with Function Approximation (including Deep RL)
- W9: Batch Methods (DQN, LSTDQ/LSPI), and Gradient TD
- W10: Policy Gradient Algorithms
- W11: Final Exam

Sneak Peek into a few lectures in this course

- HJB Equation and Merton's Portfolio Problem
- Policy Gradient Theorem and Compatible Approximation Theorem
- Value Function Geometry and Gradient TD

Landmark Papers we will cover in detail

- Merton's solution for Optimal Portfolio Allocation/Consumption
- Longstaff-Schwartz Algorithm for Pricing American Options
- Bertsimas-Lo paper on Optimal Execution Cost
- Almgren-Chriss paper on Optimal Risk-Adjusted Execution Cost
- Original DQN paper and Nature DQN paper
- Lagoudakis-Parr paper on Least Squares Policy Iteration
- Sutton et al's paper on Policy Gradient

Similar Courses offered at Stanford

- AA 228/CS 238 (Mykel Kochenderfer Autumn 2018)
- CS 234 (Emma Brunskill Winter 2019)
- MS&E 251 (Edison Tse Spring 2019)
- CS 332 (Emma Brunskill Autumn 2018)
- MS&E 338 (Ben Van Roy Spring 2019)
- MS&E 348 (Gerd Infanger Winter 2020)
- MS&E 351 (Ben Van Roy Winter 2019)