



Department of Econometrics and Business Statistics

<http://monash.edu/business/ebs/research/publications>

## **Our great idea**

Marie Curie, Genghis Khan, Monique Ash

February 2024

Working Paper no/yr

# Our great idea

**Marie Curie**

Department of Radiation

University of Paris

Paris PX2039

France

Email: mcurie.notreal@gmail.com

*Corresponding author*

**Genghis Khan**

Department of Econometrics & Business Statistics

Monash University

Clayton VIC 3800

Australia

**Monique Ash**

Email: Monique.Ash@monash.edu

1 February 2024

**JEL classification:** C10,C14,C22

# Our great idea

---

## Abstract


A brief summary of our ideas

**Keywords:** blah; blah

---

## 1 Introduction

In a famous paper, Box & Cox ([1964](#)) introduced a family of transformations ...



**Figure 1:** *Simulated data from a  $N(0,1)$  distribution.*

Figure [1](#) shows a kernel density estimate of simulated data from a  $N(0,1)$  distribution. The sample variance is given by

$$s^2 = \frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})^2 = 0.98. \quad (1)$$

Note that Equation [1](#) is an unbiased estimate of the variance, but it is not the maximum likelihood estimate (Rice [2007](#), p.269).

New paragraph.

## 1.1 Subsection header

### References

Box, GEP & DR Cox (1964). An analysis of transformations. *Journal of the Royal Statistical Society, Series B* **26**(2), 211–252.

Rice, JA (2007). *Mathematical Statistics and Data Analysis*. 3rd edition. Duxbury.