





per Javascript regelmäßig neuladen







```
pi@raspberry /sys/bus/w1/devices $ cat 10-00080277a5db/w1 slave 10-00080277abe1/w1 slave
2f 00 4b 46 ff ff 04 10 35 : crc=35 YES
2f 00 4b 46 ff ff 04 10 35 t=23500
30 00 4b 46 ff ff 0f 10 b8 : crc=b8 YES
30 00 4b 46 ff ff 0f 10 b8 t=23812
pi@raspberry /sys/bus/w1/devices $ ls
10-00080277a5db 10-00080277abe1 w1 bus master1
pi@raspberry /sys/bus/w1/devices $ w1 bus master1
-bash: w1 bus master1: Kommando nicht gefunden.
pi@raspberry /sys/bus/w1/devices $ cd w1 bus master1
pi@raspberry /sys/bus/w1/devices/w1 bus master1 $ ls
10-00080277a5db uevent
                                           w1 master pointer
                                                                  w1 master slaves
10-00080277abe1 w1 master add
                                           w1 master pullup
                                                                  w1 master timeout
driver
                w1 master attempts
                                           w1 master remove
                w1 master max slave count w1 master search
power
subsystem
                w1 master name
                                           w1 master slave count
pi@raspberry /sys/bus/w1/devices/w1 bus master1 $ cat w1 master s
w1 master search w1 master slave count w1 master slaves
pi@raspberry /sys/bus/w1/devices/w1 bus master1 $ cat w1 master slave
cat: w1 master slave: Datei oder Verzeichnis nicht gefunden
pi@raspberry /sys/bus/w1/devices/w1 bus master1 $ cat w1 master slaves
10-00080277abe1
10-00080277a5db
pi@raspberry /sys/bus/w1/devices/w1 bus master1 $ cat w1 master slave count
pi@raspberry /sys/bus/w1/devices/w1 bus master1 $ cd ../
pi@raspberry /sys/bus/w1/devices $ cat 10-00080277a5db/w1 slave 10-00080277abe1/w1 slave
2f 00 4b 46 ff ff 08 10 78 : crc=78 YES
2f 00 4b 46 ff ff 08 10 78 t=23250
2f 00 4b 46 ff ff 08 10 78 : crc=78 YES
2f 00 4b 46 ff ff 08 10 78 t=23250
pi@raspberry /sys/bus/w1/devices $ cat 10-00080277a5db/w1 slave 10-00080277abe1/w1 slave
2f 00 4b 46 ff ff 01 10 ca : crc=ca YES
2f 00 4b 46 ff ff 01 10 ca t=23687
2f 00 4b 46 ff ff 07 10 60 : crc=60 YES
2f 00 4b 46 ff ff 07 10 60 t=23312
pi@raspberry /sys/bus/w1/devices $
```








Uhrzeit: 19.84 11:56:45


Innentemperatur 23.8 °C

Luftaualität 546









fritzing

