MONTREVE

Cabin Plan — presentation drawing set

Three-level cabin with walk-out basement pool room, 33'-4" x 33'-4" footprint plus 9'-0" rear deck

AREA SUMMARY

Basement (pool room, rec room, bath, mechanical)	684 SF
First floor	880 SF
Second floor	880 SF
TOTAL CONDITIONED	**2,444 SF**

Conditioned areas are the source sheets' labeled areas (684 / 880 / 880 SQFT).

OUTDOOR / UNCONDITIONED (measured on this redraw)

First-floor rear deck, 33'-4" x 9'-0"	300 SF
Second-floor deck, 13'-4" x 9'-0"	120 SF
Second-floor balcony, 11'-9" x 5'-8"	67 SF
Basement deck slab (under deck), 33'-4" x 9'-0"	300 SF
Covered entry with metal canopy	—
Crawl space under master wing and foyer	—

PROJECT

- Cabin of three levels stacked on a 33'-4" x 33'-4" footprint: walk-out basement with indoor pool room, rec room, bath and mechanical; first floor with open kitchen / dining / great room (two-storey, fireplace), master suite, powder room, foyer and covered entry; second floor with two bedrooms, bath, laundry closet, balcony and deck.
- Footprint for site planning: house 33'-4" wide x 33'-4" deep (front entry wing set back 4'-10" right of the master wing), rear deck 9'-0" deep across the full width, exterior deck stair 3'-0" wide on the left side.


GENERAL NOTES

- Redrawn at true scale from four owner-supplied CAD screenshots. Dimension strings on the source were treated as authoritative; geometry not covered by a string was taken from the drawing at its 1/4" scale.
- Window and door tags (e.g. SH 3060, 3282, TYPE B) repeat the source callouts. Opening widths are drawn as they appear on the source sheets; confirm rough openings against the window/door schedule.
- Floor areas are the source's labeled areas. Room areas marked ≈ are net interior areas measured on this redraw.
- Finish tags (F1, W-1, CL-1 ...) refer to the source finish schedule (not included).


LEGEND

- Exterior wall, 2x6 framed (approx. 7")
- Interior partition (4-1/2")
- Foundation wall, 8" CMU filled solid (drawn 9" incl. finish)
- Window (tag = source callout, e.g. SH 3060)
- Door swing
- Above / below / hidden / footing


KEY PLANS



BASEMENT
684 SF • 1/8" = 1'-0"



FIRST FLOOR
880 SF • 1/8" = 1'-0"



SECOND FLOOR
880 SF • 1/8" = 1'-0"

0' 2' 4' 8' 16' GRAPHIC SCALE 1/8" = 1'-0"

MONTREVE

— Cabin Plan

Presentation drawing set

SHEET INDEX

A-000	**COVER SHEET / PROJECT SUMMARY**
A-100	BASEMENT / FOUNDATION PLAN
A-101	FIRST FLOOR PLAN
A-102	SECOND FLOOR PLAN
A-103	ROOF PLAN


NOT FOR CONSTRUCTION

Redrawn from owner-supplied plans for presentation; verify all dimensions with the architect of record before construction. Not for construction.

SCALE	As noted (key plans 1/8" = 1'-0")
DATE	2026-10-30
SOURCE	Owner-supplied CAD screenshots (4 sheets)
DRAWN	Vector redraw, dimensions reconciled to source strings

COVER SHEET / PROJECT SUMMARY

SHEET **A-000**



1 **BASEMENT / FOUNDATION PLAN**

SCALE: 1/4" = 1'-0" 684 SF (as labeled on source)

0' 2' 4' 8' 16' GRAPHIC SCALE 1/4" = 1'-0"

BASEMENT NOTES (FROM SOURCE)

- 8" CMU foundation filled solid w/ horizontal reinforcement metal truss (typ.).
- Continuous spread footing over 6" min. compacted gravel: 30"W x 16"D w/ (3) #5 cont. rebar along bottom of footing; #5 anchor bolts @ 32" o.c.; 3,500 psi min. concrete.
- Rec room: 4" conc. slab w/ 4x4 WWM over 8 mil poly vapor barrier & 6" compacted crushed gravel.
- Deck area: 4" conc. slab over compacted gravel. Pre-cast lintels over both rear sliding doors.
- Pool area designed by others. Anti-skid tile finish in pool room.
- All pool doors: out-swing, self-close, self-latch w/ knob at 54". Install a UL2017 pool alarm system with a single-button bypass on each side.
- Reinforcement wall at front of rec room / stair (see source).

LEGEND

- Exterior wall, 2x6 framed (approx. 7")
- Interior partition (4-1/2")
- Foundation wall, 8" CMU filled solid (drawn 9" incl. finish)
- Window (tag = source callout, e.g. SH 3060)
- Door swing
- Above / below / hidden / footing

GENERAL NOTES

- Redrawn at true scale from four owner-supplied CAD screenshots. Dimension strings on the source were treated as authoritative; geometry not covered by a string was taken from the drawing at its 1/4" scale.
- Window and door tags (e.g. SH 3060, 3282, TYPE B) repeat the source callouts. Opening widths are drawn as they appear on the source sheets; confirm rough openings against the window/door schedule.
- Floor areas are the source's labeled areas. Room areas marked ≈ are net interior areas measured on this redraw.
- Finish tags (F1, W-1, CL-1 ...) refer to the source finish schedule (not included).

MONTREVE

— Cabin Plan

Presentation drawing set

SHEET INDEX

A-000	COVER SHEET / PROJECT SUMMARY
A-100	**BASEMENT / FOUNDATION PLAN**
A-101	FIRST FLOOR PLAN
A-102	SECOND FLOOR PLAN
A-103	ROOF PLAN


NOT FOR CONSTRUCTION

Redrawn from owner-supplied plans for presentation; verify all dimensions with the architect of record before construction. Not for construction.

SCALE	1/4" = 1'-0" (24x36 sheet)
DATE	2026-10-30
SOURCE	Owner-supplied CAD screenshots (4 sheets)
DRAWN	Vector redraw, dimensions reconciled to source strings

BASEMENT / FOUNDATION PLAN

SHEET **A-100**



2 FIRST FLOOR PLAN

SCALE: 1/4" = 1'-0" 880 SF (as labeled on source)

0' 2' 4' 8' 16' GRAPHIC SCALE 1/4" = 1'-0"

FIRST FLOOR NOTES (FROM SOURCE)

- Interior wood stair; 15 risers / 14 treads; risers 8-1/4" max; treads 9" + 1" nosing (see source detail 1/A-400). Basement flight descends from the hall door; the flight to the second floor rises from the landing at the right.
- 5-1/4" LVL headers over rear openings and the front window group.
- Left-side dimension string (9'-0" / 17'-1" / 5'-6" / 9'-0", 40'-7" overall) is to window centerlines, as on the source; overall house depth is 33'-4".
- Dashed line in the kitchen marks the edge of the second floor above; the great room and dining area are open to the roof.

LEGEND

- Exterior wall, 2x6 framed (approx. 7")
- Interior partition (4-1/2")
- Foundation wall, 8" CMU filled solid (drawn 9" incl. finish)
- Window (tag = source callout, e.g. SH 3060)
- Door swing
- Above / below / hidden / footing

GENERAL NOTES

- Redrawn at true scale from four owner-supplied CAD screenshots. Dimension strings on the source were treated as authoritative; geometry not covered by a string was taken from the drawing at its 1/4" scale.
- Window and door tags (e.g. SH 3060, 3282, TYPE B) repeat the source callouts. Opening widths are drawn as they appear on the source sheets; confirm rough openings against the window/door schedule.
- Floor areas are the source's labeled areas. Room areas marked ≈ are net interior areas measured on this redraw.
- Finish tags (F1, W-1, CL-1 ...) refer to the source finish schedule (not included).

MONTREVE

— Cabin Plan

Presentation drawing set

SHEET INDEX

A-000	COVER SHEET / PROJECT SUMMARY
A-100	BASEMENT / FOUNDATION PLAN
A-101	**FIRST FLOOR PLAN**
A-102	SECOND FLOOR PLAN
A-103	ROOF PLAN


NOT FOR CONSTRUCTION

Redrawn from owner-supplied plans for presentation; verify all dimensions with the architect of record before construction. Not for construction.

SCALE	1/4" = 1'-0" (24x36 sheet)
DATE	2026-10-30
SOURCE	Owner-supplied CAD screenshots (4 sheets)
DRAWN	Vector redraw, dimensions reconciled to source strings

FIRST FLOOR PLAN

SHEET **A-101**



3 SECOND FLOOR PLAN

SCALE: 1/4" = 1'-0" 880 SF (as labeled on source)

0' 2' 4' 8' 16' GRAPHIC SCALE 1/4" = 1'-0"

SECOND FLOOR NOTES (FROM SOURCE)

- Great room, dining area and foyer are open to below (dashed X); guards at open edges.
- Lower deck area: Trex decking over 2x8 joists sloped 1/4" per foot.
- Left-side dimension string is to window centerlines; it sums to the 33'-4" house depth.
- Exterior wall at the hall between the foyer and the balcony door is not drawn on the source; it is shown here to close the envelope (verify).

LEGEND

- Exterior wall, 2x6 framed (approx. 7")
- Interior partition (4-1/2")
- Foundation wall, 8" CMU filled solid (drawn 9" incl. finish)
- Window (tag = source callout, e.g. SH 3060)
- Door swing
- Above / below / hidden / footing

GENERAL NOTES

- Redrawn at true scale from four owner-supplied CAD screenshots. Dimension strings on the source were treated as authoritative; geometry not covered by a string was taken from the drawing at its 1/4" scale.
- Window and door tags (e.g. SH 3060, 3282, TYPE B) repeat the source callouts. Opening widths are drawn as they appear on the source sheets; confirm rough openings against the window/door schedule.
- Floor areas are the source's labeled areas. Room areas marked ≈ are net interior areas measured on this redraw.
- Finish tags (F1, W-1, CL-1 ...) refer to the source finish schedule (not included).

MONTREVE

— Cabin Plan

Presentation drawing set

SHEET INDEX

A-000	COVER SHEET / PROJECT SUMMARY
A-100	BASEMENT / FOUNDATION PLAN
A-101	FIRST FLOOR PLAN
A-102	**SECOND FLOOR PLAN**
A-103	ROOF PLAN


NOT FOR CONSTRUCTION

Redrawn from owner-supplied plans for presentation; verify all dimensions with the architect of record before construction. Not for construction.

SCALE	1/4" = 1'-0" (24x36 sheet)
DATE	2026-10-30
SOURCE	Owner-supplied CAD screenshots (4 sheets)
DRAWN	Vector redraw, dimensions reconciled to source strings

SECOND FLOOR PLAN

SHEET **A-102**



4 ROOF PLAN

SCALE: 1/4" = 1'-0"

0' 2' 4' 8' 16' GRAPHIC SCALE 1/4" = 1'-0"

ROOF NOTES (FROM SOURCE)

- Low-slope roofs: EPDM roofing over rigid insulation, pitched to roof drains.
- Metal coping at parapet. Ice & water shield 3'-0" from exterior walls.
- 4" gutters with downspouts to ground level at the left wing, the foyer roof and the right side.
- Metal canopy with steel tie rods over the entry.
- Roof overhangs 1'-0" past the exterior walls (13'-10" wing + 1'-0" each side, per source).
- The source roof sheet's 31'-7" side string runs from the rear wall to the front window centerline; the house depth is 33'-4".

LEGEND

- – – – – Line of exterior walls below
- Deck / balcony edge (double line)

GENERAL NOTES

- Redrawn at true scale from four owner-supplied CAD screenshots. Dimension strings on the source were treated as authoritative; geometry not covered by a string was taken from the drawing at its 1/4" scale.
- Window and door tags (e.g. SH 3060, 3282, TYPE B) repeat the source callouts. Opening widths are drawn as they appear on the source sheets; confirm rough openings against the window/door schedule.
- Floor areas are the source's labeled areas. Room areas marked ≈ are net interior areas measured on this redraw.
- Finish tags (F1, W-1, CL-1 …) refer to the source finish schedule (not included).

MONTREVE

— Cabin Plan

Presentation drawing set

SHEET INDEX

A-000	COVER SHEET / PROJECT SUMMARY
A-100	BASEMENT / FOUNDATION PLAN
A-101	FIRST FLOOR PLAN
A-102	SECOND FLOOR PLAN
A-103	**ROOF PLAN**

NOT FOR CONSTRUCTION

Redrawn from owner-supplied plans for presentation; verify all dimensions with the architect of record before construction. Not for construction.

SCALE	1/4" = 1'-0" (24x36 sheet)
DATE	2026-10-30
SOURCE	Owner-supplied CAD screenshots (4 sheets)
DRAWN	Vector redraw, dimensions reconciled to source strings

ROOF PLAN

SHEET **A-103**