

The ICPC Balloon Utility



An ICPC Tool

The ICPC Balloon Utility (BU) is a tool for keeping track of balloons earned by contest teams for successful run submissions. It receives submission information from one of several input sources, displays information about each submission (such as the problem, team, run ID, school, submission time, etc.) and optionally automatically prints "balloon notification" messages to assist runners in delivering balloons. It also provides runners with an interactive mechanism for tracking delivered balloons, and is even capable of printing maps showing runners where to go find the appropriate balloon and where on the contest floor the receiving team is located (although instructions for configuring it to do that are beyond the scope of this introductory guide).

The following shows a screen shot of the Balloon Utility main screen, after it has been loaded with run submission information from a Contest Control System:

Print

Contest Information

Name: ICPC World Finals 2015

Length: 5h

Start time: 3:00:00 AM on May 20, 2015

Contest time: contest over

Connect...

Balloons

Filter by group: [All...](#)

#	Run	Problem	Team	University	Time	Firsts	Printed	Delivered
104	132	A - Burgundy	1	Al Akhawayn University	19	T	Y	Y
70	95	A - Burgundy	2	Amrita School of Engineering, Kollam	14	T	Y	Y
586	987	D - Black	2	Amrita School of Engineering, Kollam	238		Y	
183	255	F - White	16	Arab Academy for Science and Technolo...	64		Y	
92	119	A - Burgundy	16	Arab Academy for Science and Technolo...	16	T		
57	82	A - Burgundy	3	Beihang University	13	T		
224	322	D - Black	3	Beihang University	83			
257	374	F - White	3	Beihang University	94			

Print Preview...

Print

Toggle Delivery

☒ Automatically print new balloons

1 of 599 balloons

Print Selected Summary

Print Full Summary

Using the Balloon Utility

Installation

To install the Balloon Utility, download its distribution package from <https://icpc.baylor.edu/icpctools/> and unzip it to any convenient location. The BU is a Java program. The distribution is a self-contained package which contains all the Java libraries and other components necessary to run the Balloon Utility. (Note that Java, Version 1.8 or higher, must also be installed on the machine.)

Execution

The Balloon Utility distribution includes a set of scripts which can be used to launch the program, `balloon.bat` for Windows platforms and `balloon.sh` for macOS and Linux. To start the BU, open a terminal window (command shell), change to the folder where you unzipped the distribution, and

type the name of the appropriate script. The scripts do not require any parameters, although adding "--help" will generate a mildly-useful message, and "--clean" will remove any saved balloon data. For more advanced use, you can enter a Contest API URL, user, and password to connect directly to a Contest API server upon startup.

Input Data Sources

When the BU starts it displays a screen similar to the following:

ICPC Balloon Utility

Print

Contest Information

Name: Start time:

Length: Contest time:

Connect...

Balloons

Filter by group: [All...](#)

#	Run	Problem	Team	University	Time	Firsts	Printed	Delivered

Print Preview...

Print

Toggle Delivery

☒ Automatically print new balloons

0 of 0 balloons


Print Selected Summary

Print Full Summary

(If existing data was loaded it will be displayed in the screen; otherwise the screen will be unpopulated as shown above.)

In order to use the BU once it is started, it must be connected to the output of a *Contest Control System (CCS)*. The Balloon Utility will work with any CCS or the CDS which is compliant with the *CLI Contest API Specification* defined at <https://clics.ecs.baylor.edu/>. Tools known to produce compliant event feeds include [Contest Data Server](#), [DOMjudge](#), [PC-Squared](#), and [Kattis](#); other Contest Control Systems may also produce compatible event feeds and hence work with the Balloon Utility.

The BU is capable of operating with contest data obtained from one of two different sources: a Contest API source (e.g. CCS or CDS) or a local contest path. If you don't specify a source on the command line you will be prompted on startup.



The image shows a Windows-style dialog box titled "ICPC Tools Balloon Utility Connection". It has a blue title bar with a green balloon icon on the left and a red close button on the right. The main area is light gray and contains the question "How do you want to connect to a contest?". There are three radio button options: "Connect to CDS over HTTPS" (selected), "Connect to CCS via socket", and "Read local event feed". Each option has associated input fields: "URL:", "User:", and "Password:" for the first option; "Host:" and "Port:" for the second; and "File:" for the third. A "Browse..." button is next to the "File:" input. At the bottom right are "Connect" and "Cancel" buttons.

How do you want to connect to a contest?

☒ Connect to CDS over HTTPS

URL:

User:

Password:

☐ Connect to CCS via socket

Host:

Port:

☐ Read local event feed

File:

Connecting the BU directly to a running (compatible) CCS or CDS is done using the REST selection in the dialog and entering a valid Contest API URL, user, and password. The BU can be connected to a folder or event feed file using the Disk selection.

Operating the Balloon Utility

Each time a successful-run notification arrives in the event feed the BU will display the run information in its grid. If the run represents special conditions, such as being the first solution for a Team (T), Problem (P), Region or Group (R), or in the entire Contest (C), corresponding flags are displayed in the "Firsts" column. The display grid can be sorted on any column by clicking in the corresponding column header.

One of the most common uses of the BU is for printing "Balloon Notification" messages for runners delivering balloons to teams. Balloon Notification printouts contain information identifying the team (by name and number), problem (by letter), the run submission that earned the balloon (by run ID and submission time) and the color of the balloon which should be delivered.

Balloon Notifications may also contain additional information such as how many other balloons the team has and any special award categories associated with the new balloon (such as an indication that it is the team's *first* balloon or that the balloon represents the first solution (by any team) of the specified problem. Balloon Notifications can also be configured to print a map showing where the team is located on the contest floor, although the mechanism for configuring this map is not documented at this time.

A sample Balloon Notification is shown below:

Balloon Print Preview

Team
62
A - Burgundy
Run 20
Time 5
Balloon 1
Team has no existing balloons

Peking University

A B C D E F G H

Burgundy Pink Light green Black Purple White Red Yellow

I J K L M

Blue Silver Orange Green Gold

First balloon in contest!
Deliver additional gold foil balloon with dignitaries

First solution to problem A!
Deliver burgundy foil balloon

First balloon for this team
Escort photographers to team

0 0 0 0 0 1 0 0 0 2 0 7

M																
L	123	127	120	125	124	123	122	121	120	119	118	117	116	115	114	113
K	91	88	97	100	101	100	100	100	100	100	100	100	100	100	100	100
J																
I	90	95	94	95	92	91	90	89	88	87	86	85	84	83	82	81
H	68	64	61	66	66	70										
G																
F																
E	84	85	82	81	80	79	58	57	56	55	54	53	52	51	50	49
D	34	33	34	34	34	34	34	34	34	34	34	34	34	34	34	34
C																
B	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17
A	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Delivered _____

ICPC World Finals 2015

Powered by:

2015 World Finals Morocco
acm International Collegiate Programming Contest
IBM event sponsor

Printed 4/20/16 7:22 PM

To select the printer to be used for printing Balloon Notifications, pull down the "Print" menu in the upper left corner of the main screen and select "Configure Printer"; this will display a list of all printers known to the underlying system and any of these can be selected for use by the BU.

The selected printer can be changed at any time (again, using the Print menu), and the same menu also allows for sending a "Test Message" to the printer to be sure it is working.

The *Automatically print new balloons* checkbox at the bottom of the main screen can be used to enable or disable automatic printing; if enabled, then whenever a new successful-run notification is received in the event feed the BU will automatically print a new Balloon Notification message to the currently-configured printer.


Selecting one or more rows in the grid (by clicking on them) and then pressing *Print Preview* will print an on-screen version of the Balloon Notification(s) for the selected row(s). Selecting one or more rows and pressing *Print* will send Balloon Notification(s) for the selected rows to the currently configured printer (even if the notifications have previously been printed). Whenever a notification has been printed (including as a result of "automatic printing"), the BU places a "Y" indication in the "Printed" column.

The *Print Summary* buttons allow you to print a complete list of balloons for verification, either a list for rows currently selected in the grid or a complete summary of all balloon notifications for the contest up to the moment. This can be used for example to verify that the balloons which should have been sent to a given team are actually present on the contest floor (by sorting on the Team column and then selecting all runs for that team followed by pressing *Print Selected*

Summary), or to check that all of the balloons on the contest floor match what they should be.

The "Delivered" column is used to track when balloons have actually been delivered to teams. Each time a runner delivers a balloon, they should select the corresponding row in the grid and click the *Toggle Delivery* button. This will insert a "Y" in the "Delivered" column, providing an easy way to keep track of delivered notifications. The "Y" notification can be removed if desired by selecting the row and clicking "Toggle Delivery" again. Note also that Balloon Notification printouts have a "Delivered By" signature space near the bottom to allow balloon runners to record that they delivered the corresponding balloon.

The *Filter by group* label (just above the main screen grid, on the left side) can be used to restrict the balloons which are processed by the BU. Clicking on the text next to the label (it shows as "All..." in the following screenshot) produces a drop-down list of the currently-defined "groups" (also called "regions") defined in the contest, similar to the following:



Disabling one or more groups (by unchecking the corresponding checkbox) suppresses the Balloon Utility's processing of Balloon Notifications for the disabled group(s). This allows the balloon handling crew at contests taking place simultaneously at multiple sites to avoid having to deal with Balloon Notifications for teams which are not at their site.

Note that the definition of the groups in a contest comes from data in the event feed read by the BU; groups cannot be directly defined within the Balloon Utility itself.