

Malware Analysis Report For

electrorat_b0a50e6a459b99ee0b7bae4227a43b8bf201dfa02c055487514918c3ccfa7ea5

Binary Type

Mach-O (Mach Object). (Approved)

Analyzing File

- **File Name:** electrorat_b0a50e6a459b99ee0b7bae4227a43b8bf201dfa02c055487514918c3ccfa7ea5
- **File Extension:**
- **File Type:** Mach-O (Mach Object).
- **MD5 Hash:** 852061774206ac434ddfe0c69ddf99b8
- **SHA256 Hash:** b0a50e6a459b99ee0b7bae4227a43b8bf201dfa02c055487514918c3ccfa7ea5

File Identification

File detected as a valid macOS/iOS executable.

Mach-O File Analysis

Mach-O File Analysis: True

Mach-O File Imports

- AppKit
- Carbon
- Cocoa
- CoreFoundation
- CoreGraphics
- CoreServices
- Foundation
- IOKit
- OpenGL
- libSystem.B.dylib
- libc++.1.dylib
- libobjc.A.dylib
- libz.1.dylib

Mach-O File Exports

- -[NSClipboardProxy pasteboardChangedOwner:]
- -[NSClipboardProxy removeClient]
- -[NSClipboardProxy setPasteboardName:]
- -[NSClipboardProxy setupTypes:]
- -[NSData(RSDDataAdditions) dataComponentsSeparatedByData:]
- -[NSData(RSDDataAdditions) locationOfData:startingAtLocation:]
- -[NSFileManager(RSFileManagerAdditions) ensureDirectoryAtPath:attributes:]
- -[RendezvousDelegate netService:didNotPublish:]
- -[RendezvousDelegate netServiceDidStop:]
- -[VNCServer checkModifierState]
- -[VNCServer clientConnected:]
- -[VNCServer connectHost:]
- -[VNCServer handleKeyboard:forSym:forClient:]
- -[VNCServer init]
- -[VNCServer loadKeyTable]
- -[VNCServer loadUnicodeKeyboard]
- -[VNCServer registerRendezvous]
- -[VNCServer releaseModifiersForClient:]
- -[VNCServer rfbConnect]
- -[VNCServer rfbDisconnect]
- -[VNCServer rfbPoll]
- -[VNCServer rfbReceivedClientMessage]
- -[VNCServer rfbShutdown]
- -[VNCServer sendKeyEvent:down:modifiers:]
- -[VNCServer systemServerShouldContinue:]
- -[VNCServer systemServerShouldQuit:]
- -[VNCServer userSwitchedIn:]
- ..@17..EMITBYTEEND
- ..@20..EMITBYTEEND
- ..@25..EMITBYTEEND
- ..@28..EMITBYTEEND

- ..@36..EMITBYTEEND
- ..@39..EMITBYTEEND
- ..@45..EMITBYTEEND
- ..@53..EMITBYTEEND
- ..@56..EMITBYTEEND
- ..@7..ELOAD15
- ..@9..ELOAD7
- .o
- /DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/corre.o
- /Users/Valera/Internal/rat-app/service/
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/auth.o
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/d3des.o
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/hextile.o
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/mousecursor.o
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/tight.o
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/translate.o
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ecbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/zrle.o
- 13ZlibOutputStreamC2EPNS_9OutputStreamEi
- 1EPNS_9OutputStreamEi
- 1downsample_sse2.columnloop
- 1extbrgbmergedupsample_sse2.column_st32
- 1mergedupsample_sse2.return
- 1upsampleavx2.columnloop
- 2
- 2.Yloop_2nd
- 2EPNS_9OutputStreamEi
- 2v1mergedupsampleavx2.columnst1
- 3ZlibOutputStreamE
- 3rdr13ZlibOutputStream6lengthEv
- 5flushEv
- 6lengthEv
- BTables8to32
- ClientFailures
- E
- Ei
- F0344_F0285
- FilePath/mdworker.build/Release/service.build/Objects-normal/x86_64/cutpaste.o
- FilePath/mdworker.build/Release/service.build/Objects-normal/x86_64/zlibhex.o
- FontPboard
- GCCexcepttable10
- GCCexcepttable13
- GCCexcepttable9
- N3rdr13ZlibOutputStreamC1EPNS_9OutputStreamEi
- N3rdr13ZlibOutputStreamD2Ev
- N3rdr9OutputStreamE
- NS_9OutputStreamE
- OutputStream13setUnderlyingEPNS_9OutputStreamE
- OutputStream7overrunEmm
- ToKeyCodes
- ZTIN3rdr9ExceptionE
- ZlibOutputStream7overrunEmm
- apool/slop
- able32to16
- ader
- amD1Ev
- amD2Ev
- ample_avx2
- at
- ata(RSDDataAdditions) locationOfData:startingAtLocation:]
- atural_order

- avx2.column_id1
- bOutputStreamD0Ev
- bSendRichCursorUpdate
- backing_store
- bx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/corre.o
- c
- ccoefcontroller
- cconvertsse2.column_id1
- cquanttable
- canh2v2merged_upsample
- ceptionC1EPKcS2_
- compress
- cryptPasswd
- ct
- ctEncodingRaw
- ctfloatsse2.rowloop
- ctredsse2
- ction
- d/Objects-normal/x86_64/getMACAddress.o
- dh2v1extrgbmergedupsample_sse2.out0
- drgbgrayconvertsse2.column_id1
- dyccextrgbconvertsse2.return
- dyccextbgrconvertsse2
- derlyingEPNS_9OutputStreamE
- dim_time
- dimming.c
- dr13ZlibOutputStream7overrunEmm
- dr13ZlibOutputStreamC1EPNS_9OutputStreamEi
- dr9OutputStreamE
- dworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/cutpaste.o
- e_16
- e_prepare
- ed_upsample
- ent
- eptionE
- ermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/corre.o
- erter
- extbgrxmergedupsample_avx2.out1
- fbDebugLog
- gfinishcompress
- ggetsmall
- ge
- getMACAddress.c
- hEv
- hk
- iates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/cutpaste.o
- iiPN3rdr9OutputStreamEPNS_13ZlibOutputStreamEPvP12rfbClientRec
- imdh2v2fancyupsamplesse2.rowloop
- imple
- in_controller
- initphuffencoder
- itcoef_controller
- ith_encoder
- jsimdcanycr_rgb565
- ker
- leTable32to32
- libOutputStream6lengthEv
- m7overrunEmm
- m:forClient:]
- main.m
- mdh2v1upsample
- me
- miregion.c
- mutex_lock
- nh2v1fancy_upsample
- ncoder
- ntrol
- oadDynamicBundles
- onvert_sse2.out1
- orChange
- p
- psamplesse2.columnst15
- r13ZlibOutputStream5flushEv
- r13ZlibOutputStream6lengthEv
- r13ZlibOutputStreamE

- rClient
- *rmergedupsamplesse2.columnst1*
- *ryccoconvertavx2.columnld16*
- rdr13ZlibOutputStreamD2Ev
- rdr13ZlibOutputStreamE
- rdr9ExceptionE
- reamC1EPNS_9OutputStreamEi
- reamC2EPNS_9OutputStreamEi
- reamE
- rep_controller
- rfbMaxLoginAttempts
- rfbserver.c
- rleEncode24BiiiiPN3rdr9OutputStreamEPNS_13ZlibOutputStreamEPvP12rfbClientRec
- rleEncode32iiiiPN3rdr9OutputStreamEPNS_13ZlibOutputStreamEPvP12rfbClientRec
- rt_sse2.columnloop
- ry/Developer/Xcode/DerivedData/mdworker-ecbrijgtpvhueedimzjglqfpxbx/Build/Intermediates.noindex/ArchiveIntermediates/mdworker/IntermediateBuildFilesPath/mdworker.build/Release/service.build/Objects-normal/x86_64/zlibhex.o
- s-normal/x86_64/vncauth.o
- *sampleavx2.above16*
- se2.columnDCT
- service/rdr/MemOutputStream.h
- service/tableinittctemplate.c
- service/zrieEncode.h
- *simdextbgrgrayconvertavx2.column_ld32*
- *simdh2v1upsample_avx2.nextrow*
- *simdidctfastsse2.columnend*
- sockets.c
- sse2
- stats.c
- steboardChange
- tStreamE
- t_sse2.nextrow
- table
- te
- tenerRun
- treamEi
- umber
- umnDCT
- utStreamD1Ev
- *vertavx2.columnst64*
- ycc
- yingEPNS_9OutputStreamE
- ytesPerRow
- zlibhex.c

String Analysis

ASCII Strings

- __PAGEZERO
- __TEXT
- __text
- __TEXT
- __stubs
- __TEXT
- *_stubhelper*
- __TEXT
- __cstring
- __TEXT
- __const
- __TEXT
- *_objcmethname*
- __TEXT
- **objc_classname**TEXT
- *_objcmethtype*
- __TEXT
- **gccexcepttab**TEXT
- *_unwindinfo*
- __TEXT
- *_ehframe*
- __TEXT
- __DATA
- *_nlsymbol_ptr*
- __DATA

- __DATA
- _asymbol_ptr
- __DATA
- __const
- __DATA
- _cfstring
- __DATA
- **objc_classlist**DATA
- _objcclatlist
- __DATA
- **objc_protolist**DATA
- **objc_imageinfo**DATA
- _objcconst
- __DATA
- _objcselrefs
- __DATA
- **objc_classrefs**DATA
- **objc_superrefs**DATA
- _objcivar
- __DATA
- _objcdata
- __DATA
- __data
- __DATA
- __DATA
- __common
- __DATA
- __LINKEDIT
- /usr/lib/dyld
- /System/Library/Frameworks/OpenGL.framework/Versions/A/OpenGL
- /System/Library/Frameworks/IOKit.framework/Versions/A/IOKit
- /System/Library/Frameworks/Cocoa.framework/Versions/A/Cocoa
- /System/Library/Frameworks/Carbon.framework/Versions/A/Carbon
- /usr/lib/libz.1.dylib
- /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
- /usr/lib/libobjc.A.dylib
- /usr/lib/libc++.1.dylib
- /usr/lib/libSystem.B.dylib
- /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit
- /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
- /System/Library/Frameworks/CoreGraphics.framework/Versions/A/CoreGraphics
- /System/Library/Frameworks/CoreServices.framework/Versions/A/CoreServices
- AWAVAUATSH
- H[A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSH
- ffffff.
- ffffff.
- *fffff.
- ffffff.
- ffffff.
- ffffff.
- ffffff.
- fD9
- fD9:uMH
-)fffff.
- [A^A]A^A_
- ffffff.
- AWAVAUATSH
- ;fffff.
- [A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSPI
- [A^A]A^A_
- [A^A]A^A_
- ffffff.
- ffffff.
- ffffff.
- AWAVSPH
- [A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- [A^A]A^A_
- AWAVAUATSPM

- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- ffffff.
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVATSA
- [A\A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- t3fff.
- ffffff.
- fffff.
- x[A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVSH
- [A^A_]
- fffff.
- AWAVAUATSH
- fffff.
- ([A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- ffffff.
- ffffff.
- 8[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- ffffff.
- AWAVSH
- [A^A_]
- AWAVAUATSH
- offfff.
- .fff.
- rPfff.
- ([A\A]A^A_]
- fffff.
- AWAVAUATSH
- Ufffff.
- ffffff.
- >fffff.
- ([A\A]A^A_]
- AWAVAUATSPI
- fffff.
- ffffff.
- [A\A]A^A_]
- AWAVAUATSH
- ARASAW
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- fffff.
- X[A\A]A^A_]

- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
-
- t'fff.
- t'fff.
- ffff.
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- ffff.
- ffff.
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- vfff.
- t&fff.
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- vfff.
- t&fff.
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- vfff.
- t&fff.
- [A\A]A^A_]
- AWAVAUATSH
- h[A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- ffff.
- AWAVAUATSH
- ffff.
- fffff.
- wJfE9^
- uSfE9^
- uWfE9^
- uJfE9^
- u_fE9^
- ucE9^
- Efffff.
- rDfff.
- .ffff.
- rDfff.
- wJfE9Z
- uSfE9Z
- uWfE9Z
- uJfE9Z
- u_fE9Z
- ucE9Z
- Efffff.
- 3fffff.
- (fffff.
- fffff.
- [A\A]A^A_]
- AWAVAUATSH
- ffff.
- fffff.

- [A\A]A^A_]
- AWAVAUATSH
- fffff.
- [A\A]A^A_]
- fffff.
- AWAVAUATSPA
- [A\A]A^A_]
- Kfffff.
- Pfffff.
- 7fffff.
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- fffff.
- AWAVSH
- [A^A_]
- fffff.
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- Effff.
- ([A\A]A^A_]
- AWAVAUATSPHc
- [A\A]A^A_]
- t'fff.
- offfff.
- [A\A]A^A_]
- AWAVSP
- [A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ffffff.
- [A\A]A^A_]
- fffff.
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVSPH
- [A^A_]
- fffff.
- AWAVATSH
- 0[A\A^A_]
- fffff.
- AWAVAUATSH
- ffffff.
- [A\A]A^A_]
- ffffff.
- AWAVSH
- 8[A^A_]
- fffff.
- AWAVSH
- fffff.
- AWAVAUATSH
- ffffff.
- *fffff.
- fffff.
- .fffff.
- ffffff.
- [A\A]A^A_]
- AWAVSPL
- [A^A_]
- ffffff.
- AWAVAUATSH
- H[A\A]A^A_]
- fffff.
- AWAVSH
- [A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVSH
- [A^A_]
- ffffff.

- AWAVSH
- [A^A_]
- AWAVAUATSH
- 8[AVA]A^A_]]
- AWAVAUATSPI
- [AVA]A^A_]]
- AWAVAUATSH
- fffff.
- fffff.
- fffff.
- fffff.
- [AVA]A^A_]]
- AWAVAUATSH
- 8[AVA]A^A_]]
- fffff.
- AWAVSPI
- [A^A_]
- AWAVAUATSPI
- [AVA]A^A_]]
- fffff.
- AWAVAUATSH
- ([AVA]A^A_]]
- AWAVAUATSH
- fffff.
- H[AVA]A^A_]]
- AWAVAUATSH
- fffff.
- [AVA]A^A_]]
- AWAVAUATSH
- 8[AVA]A^A_]]
- fffff.
- AWAVAUATSH
- ([AVA]A^A_]]
- AWAVAUATSD
- fffff.
- [AVA]A^A_]]
- AWAVAUATSD
- [AVA]A^A_]]
- AWAVAUATSD
- [AVA]A^A_]]
- fffff.
- AWAVAUATSD
- fffff.
- [AVA]A^A_]]
- AWAVAUATSD
- fffff.
- [AVA]A^A_]]
- AWAVAUATSD
- [AVA]A^A_]]
- AWAVAUATSI
- [AVA]A^A_]]
- AWAVAUATSH
- fffff.
- [AVA]A^A_]]
- AWAVAUATSH
- [AVA]A^A_]]
- AWAVAUATSI
- [AVA]A^A_]]
- AWAVAUATSH
- [AVA]A^A_]]
- fffff.
- AWAVAUATSD
- [AVA]A^A_]]
- AWAVAUATSI
- [AVA]A^A_]]
- AWAVAUATSH
- [AVA]A^A_]]
- AWAVAUATSD
- fffff.
- [AVA]A^A_]]
- AWAVAUATSPM
- [AVA]A^A_]]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- fffff.

- [A\A]A^A_]
- AWAVAUATSH
- fffff.
- fffff.
- fffff.
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- }*ffff.
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVATSH
- y FailurH
- Securith
- Too ManyH
- y FailurH
- Securith
- Too ManyH
- [A\A^A_]
- urity TyH
- rted SecH
- No Suppo
- fffff.
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- fffff.
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- fffff.
- AWAVATSI
- ;[A\A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- fffff.
- X[A\A]A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- fffff.
- AWAVAUATSPA
- t" fffff.
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- fffff.

- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- 3333H1
- %3333H1
- [A\A]A^A_]
- AWAVAUATSH
- SASARA
- ([A\A]A^A_]
- AUATUH
- [A\A]A^
- [A\A]
- AWAVAUATI
- [A\A]A^A_
- AUATUSH
- 9L\$tQ
- [A\A]A^A_
- AUATUSH
- |\$49|\$@H
- s4ZYA9
- D\$49D\$@
- X[A\A]A^A_
- [A\A]A^A_
- AVAUATI
- A9\$LI
- [A\A]A^A_
- [A\A]A^A_
- AVAUATUSH
- H[A\A]A^A_
- AWAVAUATUS
- [A\A]A^A_
- AUATUS
- [A\A]
- [A\A]A^A_
- AVAUATUSH
- [A\A]A^A_
- o0Lc_8
- AVAUATE
- [A\A]A^A_
- AVAUATUSH
- ([A\A]A^A_
- AVAUATUSH
- ([A\A]A^A_
- AWAVAUATUSH
-)d\$0fD
- `E9\$L
- X[A\A]A^A_
- AWAVAU
- D\$(HcJ
- [A\A]A^A_
- AVAUATUSH
- [A\A]A^
- AWAVAUATUH
- [A\A]A^A_
- H+T\$@H
- \$ Lc H
- H+D\$@H
- AWAVAUATUSH
- [A\A]A^A_
- AUATUH
- [A\A]A^A_
- [A\A]A^A_
- AWAVAU
- t Mc.E
- [A\A]A^A_
- AWAVAUATUSH
- 8[A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- [A\A]A^A_
- [A\A]
- [A\A]
- t=[A\
- [A\A]A^A_

- []A\A^A_
- AUATUH
- []A\A^A_
- []A\]
- t^[]A\
- AWAVAUATUSH
- ([]A\A^A_
- ([]A\A^A_
- AUATUSH
- \N;\$\$lc
- []A\A^A_
- []A\A^A_
- AUATUSH
- []A\]
- D\$0[]A\A^A^
- []A\A^A^
- AVAUATUS
- []A\A^A^
- []A\A^A^
- \A\A^A^
- \A\A^A^
- \A\A^A^
- []A\A^A^
- AUATUS~hA
- \A\A\]
- AWAVAUATUS
- \A\A^A^A_
- AVAUATE1
- []A\A^A^A_
- AWAVAUATUSH
- []A\A^A^A_
- AVAUATUSH
- []A\A^A^A_
- AUATUSH
- []A\A\]
- []A\A\]
- AWAVAU
- []A\A^A^A_
- AWAVAU
- {X[]A\A^A^A_H
- []A\A^A^A_
- []A\A^A^A_
- AWAVAUATUSH
- w(lcGh
- HcD\$4H
- []A\A^A^A_
- AWAVAUATUH
- []A\A^A^A_
- AWAVAUATUH
- DH9D\$0H
- v(lcFh
- HcD\$
- []A\A^A^A_
- N(lcVhD
- AVAUATUSH
- A9GL~;H
- H[]A\A^A^A_
- H[]A\A^A^A_
- AVAUATUSH
- X[]A\A^A^A_
- AWAVAUATUSH
- x[]A\A^A^A_
- 9D\$`t&
- x[]A\A^A^A_
- AWAVAUATUSH
- []A\A^A^A_
- AWAVAU
- \ \$ Hc\ \$PH
- \\$(H9)\$
- h[]A\A^A^A_
- AWAVAU
- []A\A^A^A_
- AWAVAUATUH
- []A\A^A^A_
- AWAVAU
- X[]A\A^A^A_

- [illegible]

- fffff.
- [A^A]A\A[AZH
- [A^A]A\A[AZH
- [A^A]A\A[AZH
- [A^A]A\A[AZH
- [A^A]A\A[AZH
- [A^A]A\A[AZH
- [A^A]A\A[AZH
- [A_A^A]A\A[AZH
- fffff.
- A_A^A]A\A[AZH
- A_A^A]A\A[AZH
- fffff.
- A_A^A]A\A[AZ]
- fffff.
- A_A^A]A\A[AZ]
- PWRSVQH
- Y^[Z_XH
- [A^A]A\A[AZH
- PWRSVQH
- Y^[Z_XH
- [A^A]A\A[AZH
- PWRSVQH
- Y^[Z_XH
- [A^A]A\A[AZH
- PWRSVQH
- Y^[Z_XH
- [A^A]A\A[AZH
- PWRSVQH
- ~Y^[Z_XH
- [A^A]A\A[AZH
- PWRSVQH
- ~7Y^[Z_XH
- [A^A]A\A[AZH
- PWRSVQH
- ~7Y^[Z_XH
- [A^A]A\A[AZH
- [A]A\A[AZH
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- [A]A\A[AZH
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- [A]A\A[AZH
- fffff.
- fffff.
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- [A]A\A[AZH
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- [A]A\A[AZH
- fffff.
- fffff.
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- [A]A\A[AZH
- fffff.
- fffff.
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- [A]A\A[AZH
- fffff.
- fffff.
- XY_^[ZH
- XY_^[Z[A]A\A[AZ]
- fffff.
- A]A\A[AZ]
- fffff.
- fffff.

- ?PQWVH
- [A]A\A[AZH
- ffffff.
- ffffff.
- A]A\A[AZ]
- ffffff.
- [A]A\A[AZ]
- ffffff.
- ffffff.
- ffffff.
- [A]A\A[AZH
- ffffff.
- A]A\A[AZH
- A]A\A[AZH
- A]A\A[AZH
- [A]A\A[AZ]
- ffffff.
- ffffff.
- [A\A[AZ]
- ffffff.
- A\A[AZ]
- [A\A[AZ]
- A\A[AZ]
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- ffffff.
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- ffffff.
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- ffffff.
- RSWVQH
- Y^_[ZH
- wA^A]A\A[AZH
- ffffff.
- wA^A]A\A[AZH
- ffffff.
- wA^A]A\A[AZH
- wA^A]A\A[AZH
- wA^A]A\A[AZH
- wA_A^A]A\A[AZ]
- ffffff.
- wA_A^A]A\A[AZ]
- PWRSVQH
- Y^[Z_XH
- wA^A]A\A[AZH
- ffffff.
- PWRSVQH
- Y^[Z_XH
- wA^A]A\A[AZH
- ffffff.
- PWRSVQH
- Y^[Z_XH
- wA^A]A\A[AZH
- ffffff.
- PWRSVQH
- Y^[Z_XH
- wA^A]A\A[AZH
- ffffff.
- PWRSVQH
- Y^[Z_XH

- wA^A]A\A[AZH
- ffffff.
- PWRSVQHQ
- ~Y^Z_XH
- wA^A]A\A[AZH
- ffffff.
- PWRSVQHQ
- ~7Y^Z_XH
- wA^A]A\A[AZH
- ffffff.
- wA]A\A[AZH
- XY_^ZH
- XY_^Z[A]A\A[AZ]
- ffffff.
- wA]A\A[AZH
- XY_^ZH
- XY_^Z[A]A\A[AZ]
- ffffff.
- wA]A\A[AZH
- XY_^ZH
- XY_^Z[A]A\A[AZ]
- ffffff.
- wA]A\A[AZH
- XY_^ZH
- XY_^Z[A]A\A[AZ]
- ffffff.
- wA]A\A[AZH
- XY_^ZH
- XY_^Z[A]A\A[AZ]
- ffffff.
- wA]A\A[AZH
- XY_^ZH
- XY_^Z[A]A\A[AZ]
- ffffff.
- wA]A\A[AZ]
- ffffff.
- ?PQWVH
- wA]A\A[AZH
- ffffff.
- wA]A\A[AZ]
- ffffff.
- wA]A\A[AZ]
- ffffff.
- A]A\A[AZ]
- wA\A[AZ]
- wA\A[AZ]
- u lc^ H
- AWAVAUATSPI
- HcC L9
- [A]A^A_]
- AWAVATSI
- [A^A^_]
- AWAVSPH
- [A^A_]
- [A^A_]
- 1.2.11
- zlib deflation error: %s
- rfbSendRectEncodingHextile: bpp %d?
- KeyStates
- Keyboard detected: %@ - loading keys
- Multiple Characters For %d (%#04x): %S
- Error Translating %d (%04x): %@ - %d
- Unable To determine key map - reverting to US mapping
- Loading %ld XKeysym special keys
- Error selecting input source:
- Unable to get session dictionary.
- kCGSessionOnConsoleKey
- UnicodeKeyboard

- DynamicKeyboard
- UnicodeKeyboardIdentifier
- EventSource
- EventTap
- ModifierDelay
- SystemServer
- keyboardLoading
- pressModsForKeys
- System Server for non-console session, pausing until we receive console access
- Received Result: %d during event loop, Shutting Down
- Keyboard Loading - Enabled
- Press Modifiers For Keys - Enabled
- Press Modifiers For Keys - Disabled
- Error unable to load current keyboard layout
- User Switched Out, Stopping System Server - %@
- User Switched In, Starting System Server - %@
- Using Private Event Source
- Using Combined Event Source, WARNING: Doesn't work if we FUS off-screen (10.5.1)
- Using HID Event Source, WARNING: Doesn't allow keys if we FUS off-screen (10.5.7)
- No Event Source -- Using 10.3 API
- Using Smart Event Tap -- HID for console user
- Using Smart Event Tap -- Session for off-screen user
- Using Annotated Session Event Tap
- Using Session Event Tap
- Using HID Event Tap
- User Switched In, Using HID Tap - %@
- User Switched Out, Using Session Tap - %@
- com.apple.scrollwheel.scaling
- IPv6: Unable to open socket
- IPv6: setsockopt IPV6_V6ONLY failed
- IPv6: setsockopt SO_REUSEADDR failed
- IPv6: Failed to Bind Socket: Port %d may be in use by another VNC
- IPv6: Listen failed
- Started listener thread on IPv6 port %d
- NewRFBClient
- IPv6: Accept failed %d
- -rendezvous
- -bonjour
- *rfb*.tcp.
- *vnc*.tcp.
- User Switched Restarting - %@
- New IPv6 Client Notification - %@
- ConnectHost
- ConnectPort
- Connecting VNC Client %s(%d)
- Registering Bonjour Service(%@) - %@
- An error occurred with service %@. %@. %@, error code = %@
- Disabling Bonjour Service - %@
- superclass
- description
- T@"NSString",R,C
- debugDescription
- -keyboardLoading flag This feature allows OSXvnc to look at the users selected keyboard
- and map keystrokes using it. Disabling this returns OSXvnc to
- standard (U.S. Keyboard) which will work better with dead keys.
- (default: no)
- -pressModsForKeys flag If OSXvnc finds the key you want it will temporarily toggle the modifier keys
- This flag works well if you have different keyboards on the local and remote
- Only works if -keyboardLoading is on.
- (default: yes)
- -bonjour flag Allow OSXvnc to advertise VNC server using Bonjour discovery services.
- 'VNC' will enable the service named VNC (For Eggplant & Chicken 2.02b).
- 'Both' or '2' will enable the services named RFB and VNC.
- (default: RFB:YES VNC:NO)
- -ipv4 Listen for connections on IPv4 only (default: off)
- -ipv6 Listen for connections on IPv6 only (default: off)
- Error obtaining cursor location
- Error obtaining cursor data - cursor not sent
- location (err %d) = %d, %d
- data size (err %d) = %d
- rect origin (%g, %g), dimensions (%g, %g)
- hotspot (%g, %g)
- depth: %d
- components: %d
- bits per component: %d
- Bytes Per Row: %d

- Components (err %d):
- released connection (err %d)
- Error obtaining CGSConnection (%u)%s
- -- giving up
- zrleEncodeTile8
- service/zrleEncode.h
- ph.size < 17
- zrleEncodeTile16
- zrleEncodeTile32
- zrleEncodeTile24A
- zrleEncodeTile24B
- lookup
- size <= MAX_SIZE
- %s: %s
- Screen geometry changed - (%d,%d) depth: %d
- Client connected - registering screen update notification
- Error (%d) registering for Screen Update Notification
- setsockopt TCP_NODELAY failed
- There was an error getting screen shot
- Unable to obtain base address
- Unable to obtain base address -- Giving up
- There was an error getting scaled images
- BitsPerPixel MISMATCH: frameBuffer %zu, rect image %zu
- Removing Observers
- RFB shutdown complete
- Unable to find open port 5900-5909
- com.redstonesoftware.VineServer
- VNCConnectHost
- OSXvnc%d
- NonBlocking
- UnRegistering screen update notification - waiting for clients
- Waiting for clients
- -----RRRRRRRRGGGGGGGBBBBBBBB
- -RRRRRGGGGGBBBBB
- PPPPPPP
- Detected HiDPI Display with scaling factor of %f
- Running in Little Endian
- Running in Big Endian
- OSXvnc-server received signal: %d
- -usage
- --usage
- Available options:
- -rfbport port TCP port for RFB protocol (0=autodetect first open port 5900-5909)
- -rfbwait time Maximum time in ms to wait for RFB client
- -rfbnoauth Run the server without password protection
- -rfbauth passwordFile Use this password file for VNC authentication
- (use 'storepasswd' to create a password file)
- -rfbpass Supply a password directly to the server
- -maxauthattempts num Maximum number of auth tries before disabling access from a host
- (default: 5), zero disables
- -deferupdate time Time in ms to defer updates (default %d)
- -desktop name VNC desktop name (default: host name)
- -alwaysshared Always treat new clients as shared
- -nevershared Never treat new clients as shared
- -dontdisconnect Don't disconnect existing clients when a new non-shared
- connection comes in (refuse new connection instead)
- -nodimming Never allow the display to dim
- (default: display can dim, input undims)
- -maxdepth bits Maximum allowed bit depth for connecting clients (32, 16, 8).
- (default: bit depth of display)
- -allowssleep Allow machine to sleep
- (default: sleep is disabled)
- -disableScreenSaver Disable screen saver while users are connected
- (default: no, allow screen saver to engage)
- -swapButtons Swap mouse buttons 2 & 3
- (default: yes)
- -dontswapButtons Disable swap mouse buttons 2 & 3
- (default: no)
- -disableRemoteEvents Ignore remote keyboard, pointer, and clipboard event
- (default: no, process them)
- -disableRichClipboards Don't share rich clipboard events
- (default: no, process them)
- -connectHost host Host name or IP of listening client to establish a reverse connect
- -connectPort port TCP port of listening client to establish a reverse connect
- (default: 5500)
- -noupdates Prevent registering for screen updates, for use with x2vnc or win2vnc

- -protocol protocol Force a particular RFB protocol version (eg 3.3)
- (default: %u.%u)
- -bigEndian Force big-endian mode (PPC)
- (default: detect)
- -littleEndian Force little-endian mode (INTEL)
- (default: detect)
- -display DisplayID displayID to indicate which display to serve
- %d = (%zu, %zu)
- -rfbport
- -protocol
- Forcing: %u.%u
- -rfbwait
- -rfbnoauth
- Warning: No Auth specified, running with no password protection
- -rfbauth
- -rfbpass
- ERROR: The supplied password failed to initialize. Now exiting!!
- -maxauthattempts
- -connecthost
- -connectport
- -deferupdate
- -maxdepth
- Invalid maxDepth
- -desktop
- -display
- -alwaysshared
- -nevershared
- -dontdisconnect
- -nodimming
- -allowsleep
- -reversemods
- -disablescreensaver
- -swapbuttons
- -dontswapbuttons
- -disableremoteevents
- -disablerichclipboards
- -localhost
- -inhibitevents
- -noupdates
- -littleendian
- -bigendian
- -keepregistration
- -dontkeepregistration
- -restartonuserswitch
- -disablelog
- -useopengl
- OpenGL no longer supported
- ERROR: No authentication specified, use -rfbauth passwordfile OR -rfbnoauth
- Unable to open socket
- fcntl O_NONBLOCK failed
- setsockopt SO_REUSEADDR failed
- Failed to bind socket: port %d maybe in use by another VNC
- Listen failed
- Started listener thread on IPv4 port %d
- Accept failed %d
- Listener thread exiting
- Listener disabled
- -localhost Only allow connections from the same machine,
- literally localhost (127.0.0.1)
- If you use SSH and want to stop non-SSH connections from any other hosts
- (default: no, allow remote connections)
- -restartonuserswitch flag
- For use on Panther 10.3 systems, this will cause the
- server to restart when a fast user switch occurs
- (default: no)
- -disableLog Don't log anything in console
- rfbSendRectEncodingZlibHex: bpp %d?
- deflateInit2 returned error:%d:%s
- deflate returned error:%d:%s
- clientIP
- VNCConnections
- clientList
- Error resolving reverse host %s
- Error creating reverse socket
- Error connecting to reverse host %s:%d
- Error resolving reverse host %s: %s

- Error creating reverse socket: unrecognized protocol family %d
- Error creating reverse socket: %s
- Error connecting to reverse host %s:%d: %s
- RFB %03d.%03d
- rfbNewClient: write
- Client %s disconnected
- rfbProcessClientProtocolVersion: client gone
- rfbProcessClientProtocolVersion: read
- rfbProcessClientProtocolVersion: not a valid RFB client
- Protocol version %d.%d
- Major version mismatch
- RFB protocol version mismatch - server %d.%d, client %d.%d
- Ignoring minor version mismatch
- rfbClientConnFailed: write
- rfbProcessClientInitMessage: client gone
- rfbProcessClientInitMessage: read
- rfbProcessClientInitMessage: write
- -dontdisconnect: Not shared & existing client
- refusing new client %s
- Not shared - closing connection to client %s
- rfbProcessClientNormalMessage: read
- rfbProcessClientNormalMessage: Unable to set requested bit depth %d to greater than MaxBitDepth (%d)
- rfbProcessClientNormalMessage: %s
- FixColourMapEntries unsupported
- ENCODING: %s for client %s
- ULTRA Encoding not supported(ignored): %u (%X)
- Enabling LastRect protocol extension for client %s
- Enabling Cursor Shape protocol extension for client %s
- Enabling Cursor Position protocol extension for client %s
- Enabling Dynamic Desktop Sizing for client %s
- Enabling Immediate updates for client %s
- Enabling pasteboard request %s
- Enabling rich pasteboard %s
- Using compression level %d for client %s
- Using jpeg image quality level %d for client %s
- Unknown Encoding Type(ignored): %u (%X)
- Server Side Scaling: %d for client %s
- rfbProcessClientNormalMessage: write
- ERROR: Client Sent Message: unknown message type %d
- Closing connection to client %s
- Error Sending Cursor Position
- Error Sending New Screen Size
- rfbSendRectEncodingRaw: send buffer too small for %d bytes per line
- rfbSendUpdateBuf: write
- rfbSendServerCutText: write
- Pixel format for client %s:
- %s: server bits per pixel not 8, 16 or 32
- rfbSetTranslateFunction
- %s: client bits per pixel not 8, 16 or 32
- rfbSetTranslateFunction: client has colour map but %d-bit - can only cope with 8-bit colour maps
- setting the client's color map to BGR233
- 1 bpp, %s sig bit in each byte is leftmost on the screen.
- %d bpp, depth %d%s
- , big endian
- , little endian
- true colour: max r %d g %d b %d, shift r %d g %d b %d
- uses a colour map (not true colour).
- %s: client not 8 bits per pixel
- rfbSetClientColourMapBGR233
- rfbSetClientColourMapBGR233: write
- getBgColour: bpp %d?
- CopyRect
- [encoding 3]
- Hextile
- ZlibHextile
- [encoding 9]
- Cursor Shape Updates
- Cursor Position Updates
- Screen Resize
- Statistics:
- key events received %d, pointer events %d
- framebuffer updates %d, rectangles %d, bytes %d
- LastRect markers %d, bytes %d
- %s rectangles %d, bytes %d
- raw bytes equivalent %d, compression ratio %f
- ReadExact: select

- WriteExact: write returned 0?
- WriteExact: select
- rfbSecurityResultMessage: write
- Too Many Security Failures
- rfbAuthNewClient: write
- rfbAuthNewClient: authentication failed from %s (too many failures)
- No Supported Security Types
- No Authentication Types Enabled
- rfbProcessAuthVersion: read
- rfbProcessAuthVersion: write
- rfbProcessAuthVersion: invalid authorization type from %s
- Invalid Security Type
- rfbAuthProcessClientMessage: read
- rfbAuthProcessClientMessage: could not access password from %s
- Could not access password file
- rfbAuthProcessClientMessage: authentication failed from %s (incorrect password)
- Incorrect Password
- Registering Types With Pasteboard
- VineRemoteProxy
- RSFileWrapper:
- /tmp/Vine-
-
- Files-
- CopiedFiles_%02d
- CorePasteboardFlavorType 0x6675726C
- Error: received data type: %@
- Pasteboard Inaccessible - Pasteboard sharing disabled
-
- MaxFileTransferSize
- DebugPB
- Problem Writing Cut Text To Pasteboard: %@
- Warning - Pasteboard with no types, ignored
- RSPBID:%@:%@
- CorePasteboardFlavorType 0x66636363
- Sending CB Request [%@] Types: %@
- Received CB Available [%@] Types: %@
- rfbReceiveRichClipboardAvailable: read
- Rich clipboard info appears to be from our own account (%@:%@) -- ignored.
- CorePasteboardFlavorType 0xC46C7374
- Maximum Size Exceeded
- Total size of files being transferred exceeds the maximum allowed.
- Received CB Request [%s] For type: %s
- flst list to Send CB Data for filenames: %@
- Error Unable To Read File:%@
- Unable to copy files - %@
- Clipboard Data Unavailable
- rfbReceiveRichClipboardDataRequest: read
- Received CB Data [%@] Type: %s Length: %d bytes
- Sending CB Data [%s] Type: %s
- rfbSendServerNewPasteboardInfo: write
- rfbSendRichClipboardAck: write
- Sending CB Available [%s] Types: %@
- seldtype
- PROBLEM: flst data doesn't start with 'dle2' !!
- nameseld
- PROBLEM: flst component doesn't start with 'utxt' !!
- Out of memory
- Fatal server error:
- FindEthernetInterfaces returned 0x%08x
- GetMACAddress returned 0x%08x
- %02x:%02x:%02x:%02x:%02x:%02x
- IOEthernetInterface
- IOPrimaryInterface
- IOPropertyMatch
- IOServiceGetMatchingServices returned 0x%08x
- IOService
- IORegistryEntryGetParentEntry returned 0x%08x
- IOMACAddress
- CFDictionaryCreateMutable returned a NULL dictionary.
- IOServiceMatching returned a NULL dictionary.
- libjpeg-turbo version 2.0.0 (build 20180727)
- Bogus message code %d
- Sorry, arithmetic coding is not implemented
- ALIGN_TYPE is wrong, please fix
- MAXALLOCCHUNK is wrong, please fix
- Bogus buffer control mode

- Invalid component ID %d in SOS
- DCT coefficient out of range
- IDCT output block size %d not supported
- Bogus Huffman table definition
- Bogus input colorspace
- Bogus JPEG colorspace
- Bogus marker length
- Wrong JPEG library version: library is %d, caller expects %d
- Sampling factors too large for interleaved scan
- Invalid memory pool code %d
- Unsupported JPEG data precision %d
- Invalid progressive parameters Ss=%d Se=%d Ah=%d Al=%d
- Invalid progressive parameters at scan script entry %d
- Bogus sampling factors
- Invalid scan script at entry %d
- Improper call to JPEG library in state %d
- JPEG parameter struct mismatch: library thinks size is %u, caller expects %u
- Bogus virtual array access
- Buffer passed to JPEG library is too small
- Suspension not allowed here
- CCIR601 sampling not implemented yet
- Too many color components: %d, max %d
- Unsupported color conversion request
- Bogus DAC index %d
- Bogus DAC value 0x%x
- Bogus DHT index %d
- Bogus DQT index %d
- Empty JPEG image (DNL not supported)
- Read from EMS failed
- Write to EMS failed
- Didn't expect more than one scan
- Input file read error
- Output file write error --- out of disk space?
- Fractional sampling not implemented yet
- Huffman code size table overflow
- Missing Huffman code table entry
- Maximum supported image dimension is %u pixels
- Empty input file
- Premature end of input file
- Cannot transcode due to multiple use of quantization table %d
- Scan script does not transmit all data
- Invalid color quantization mode change
- Not implemented yet
- Requested feature was omitted at compile time
- Backing store not supported
- Huffman table 0x%02x was not defined
- JPEG datastream contains no image
- Quantization table 0x%02x was not defined
- Not a JPEG file: starts with 0x%02x 0x%02x
- Insufficient memory (case %d)
- Cannot quantize more than %d color components
- Cannot quantize to fewer than %d colors
- Cannot quantize to more than %d colors
- Invalid JPEG file structure: two SOF markers
- Invalid JPEG file structure: missing SOS marker
- Unsupported JPEG process: SOF type 0x%02x
- Invalid JPEG file structure: two SOI markers
- Invalid JPEG file structure: SOS before SOF
- Failed to create temporary file %s
- Read failed on temporary file
- Seek failed on temporary file
- Write failed on temporary file --- out of disk space?
- Application transferred too few scanlines
- Unsupported marker type 0x%02x
- Virtual array controller messed up
- Image too wide for this implementation
- Read from XMS failed
- Write to XMS failed
- Copyright (C) 1991-2018 The libjpeg-turbo Project and many others
- 6b 27-Mar-1998
- Caution: quantization tables are too coarse for baseline JPEG
- Adobe APP14 marker: version %d, flags 0x%04x 0x%04x, transform %d
- Unknown APP0 marker (not JFIF), length %u
- Unknown APP14 marker (not Adobe), length %u
- Define Arithmetic Table 0x%02x: 0x%02x
- Define Huffman Table 0x%02x

- Define Quantization Table %d precision %d
- Define Restart Interval %u
- Freed EMS handle %u
- Obtained EMS handle %u
- End Of Image
- %3d %3d %3d %3d %3d %3d %3d
- JFIF APP0 marker: version %d.%02d, density %dx%d %d
- Warning: thumbnail image size does not match data length %u
- JFIF extension marker: type 0x%02x, length %u
- with %d x %d thumbnail image
- Miscellaneous marker 0x%02x, length %u
- Unexpected marker 0x%02x
- %4u %4u %4u %4u %4u %4u %4u %4u
- Quantizing to %d = %d%d%d colors
- Quantizing to %d colors
- Selected %d colors for quantization
- At marker 0x%02x, recovery action %d
- Smoothing not supported with nonstandard sampling ratios
- Start Of Frame 0x%02x: width=%u, height=%u, components=%d
- Component %d: %dhx%dv q=%d
- Start of Image
- Start Of Scan: %d components
- Component %d: dc=%d ac=%d
- Ss=%d, Se=%d, Ah=%d, Al=%d
- Closed temporary file %s
- Opened temporary file %s
- JFIF extension marker: JPEG-compressed thumbnail image, length %u
- JFIF extension marker: palette thumbnail image, length %u
- JFIF extension marker: RGB thumbnail image, length %u
- Unrecognized component IDs %d %d %d, assuming YCbCr
- Freed XMS handle %u
- Obtained XMS handle %u
- Unknown Adobe color transform code %d
- Inconsistent progression sequence for component %d coefficient %d
- Corrupt JPEG data: %u extraneous bytes before marker 0x%02x
- Corrupt JPEG data: premature end of data segment
- Corrupt JPEG data: bad Huffman code
- Warning: unknown JFIF revision number %d.%02d
- Premature end of JPEG file
- Corrupt JPEG data: found marker 0x%02x instead of RST%d
- Invalid SOS parameters for sequential JPEG
- Application transferred too many scanlines
- Invalid crop request
- Arithmetic table 0x%02x was not defined
- Corrupt JPEG data: bad arithmetic code
- Corrupt JPEG data: bad ICC marker
- JPEGMEM
- JSIMD_FORCESSE2
- JSIMD_FORCEAVX2
- JSIMD_FORCENONE
- JSIMD_NOHUFFENC
- ZlibOutputStream: deflateInit failed
- rdr::Exception
- ZlibOutputStream: deflate failed
- ZlibOutputStream overrun: max itemSize exceeded
- z out buf not full, but in data not consumed
- N3dr12MemOutputStreamE
- 0EArguments:
- ;3+#>6.&
- '2, /+0&7!4-)1#
- BKbhTb~XBK!;
- &()*56789:CDEFGHJUSTUVWXYZcdefghijstuvwxyz
- %&()*456789:CDEFGHJUSTUVWXYZcdefghijstuvwxyz
- N3dr9ExceptionE
- N3dr13ZlibOutputStreamE
- N3dr9OutputStreamE
- loadKeyTable
- standardUserDefaults
- arrayForKey:
- objectAtIndexedSubscript:
- intValue
- errorWithDomain:code:userInfo:
- numberWithInt:
- arrayWithObjects:count:
- dictionaryWithObjects:forKeys:count:
- registerDefaults:

- boolForKey:
- sharedWorkspace
- notificationCenter
- systemServerShouldQuit:
- addObserver.selector.name.object:
- systemServerShouldContinue:
- integerForKey:
- loadKeyboard:
- processInfo
- arguments
- indexOfObject:
- loadUnicodeKeyboard
- registerRendezvous
- setupIPv6:
- detachNewThreadSelector:toTarget:withObject:
- userSwitchedIn:
- userSwitchedOut:
- initWithUser:
- floatForKey:
- dealloc
- release
- setKeyModifiers:
- sendKeyEvent:down:modifiers:
- checkModifierState
- defaultCenter
- notificationWithName:object:
- postNotification:
- hasPrefix:
- stringWithUTF8String:
- initWithDomain:type:name:port:
- setDelegate:
- publish
- object
- userInfo
- objectForKeyedSubscript:
- UTF8String
- sharedServer
- rfbStartup:
- rfbRunning
- rfbConnect
- rfbDisconnect
- rfbUsage
- rfbPoll
- rfbShutdown
- handleMouseButtons:atPoint:forClient:
- handleKeyboard:forSym:forClient:
- releaseModifiersForClient:
- rfbReceivedClientMessage
- userSwitched:
- clientConnected:
- connectHost:
- rfbService
- vncService
- keyboardLoading
- loadedKeyboardRef
- useIPv6
- listenerFinished
- theServer
- readyToStartup
- dynamicKeyboard
- pressModsForKeys
- vncSourceRef
- vncTapLocation
- unicodeInputSource
- currentInputSource
- currentModifiers
- keyTable
- keyTableMods
- keyCodeShift
- keyCodeOption
- keyCodeControl
- keyCodeCommand
- modifierDelay
- domain
- isEqual:
- performSelector:

- performSelector:withObject:
- performSelector:withObject:withObject:
- isProxy
- isKindOfClass:
- isMemberOfClass:
- conformsToProtocol:
- respondsToSelector:
- retain
- autorelease
- retainCount
- superclass
- description
- debugDescription
- netServiceWillPublish:
- netServiceDidPublish:
- netService:didNotPublish:
- netServiceWillResolve:
- netServiceDidResolveAddress:
- netService:didNotResolve:
- netServiceDidStop:
- netService:didUpdateTXTRecordData:
- netService:didAcceptConnectionWithInputStream:outputStream:
- initWithUTF8String:
- mutableCopy
- mutableBytes
- removeObserver:
- addSuiteNamed:
- stringWithFormat:
- mainScreen
- backingScaleFactor
- addObject:
- postNotificationName:object:userInfo:
- initWithCString:encoding:
- unlock
- initWithInt:
- setObject:forKeyedSubscript:
- removeObjectForKey:
- length
- stringByStandardizingPath
- fileExistsAtPath:isDirectory:
- isEqualToString:
- stringByDeletingLastPathComponent
- ensureDirectoryAtPath:attributes:
- createDirectoryAtPath:withIntermediateDirectories:attributes:error:
- locationOfData:startingAtLocation:
- subdataWithRange:
- dataComponentsSeparatedByData:
- pasteboardWithName:
- arrayByAddingObject:
- declareTypes:owner:
- numberWithInteger:
- substringFromIndex:
- setData:forType:
- initWithSerializedRepresentation:
- defaultManager
- globallyUniqueString
- stringByAppendingString:
- preferredFilename
- stringByAppendingPathComponent:
- fileWrappers
- keyEnumerator
- nextObject
- writeToFile:atomically:updateFileNames:
- setPropertyList:forType:
- fileURLWithPath:
- absoluteString
- dataUsingEncoding:
- initWithData:encoding:
- initWithClientPtr:
- setPasteboardName:
- setupTypes:
- pasteboard:provideDataForType:
- removeClient
- pasteboardChangedOwner:
- clientPointer
- pasteboardName

- generalPasteboard
- initWithString:
- objectEnumerator
- arrayWithObjects:
- numberWithUnsignedLongLong:
- objectForKey:
- unsignedLongLongValue
- dataWithBytes:length:
- setString:forType:
- changeCount
- availableTypeFromArray:
- stringForType:
- setObject:atIndexedSubscript:
- containsObject:
- dataUsingEncoding:allowLossyConversion:
- componentsSeparatedByString:
- removeObjectAtIndex:
- performSelectorOnMainThread:withObject:waitUntilDone:
- contentsOfDirectoryAtPath:error:
- stringByResolvingSymlinksInPath
- attributesOfItemAtPath:error:
- raise:format:
- propertyListForType:
- initWithPath:
- dictionary
- fileExistsAtPath:
- initDirectoryWithFileWrappers:
- setFilename:
- setPreferredFilename:
- URLFromPasteboard:
- isFileURL
- serializedRepresentation
- dataForType:
- initWithLength:
- componentsJoinedByString:
- initWithFormat:
- VNCServer
- RendezvousDelegate
- NSNetServiceDelegate
- NSObject
- RSFileManagerAdditions
- RSDataAdditions
- NSClipboardProxy
- @16@0:8
- v16@0:8
- v24@0:8^(__TISInputSource=)16
- v24@0:8^{rfbserver=@*ic{opaquepthreadmutex=q[56c]}{opaquepthreadcondt=q[40c]}}16
- v24@0:8@16
- v44@0:8i16(CGPoint=dd)20^{rfbClientRec=i*ii{opaquepthreadmutex=q[56c]}iii^v^16C}{opaquepthr
- v36@0:8i16Q20^{rfbClientRec=i*ii{opaquepthreadmutex=q[56c]}iii^v^16C}{opaquepthreadmutex
- v24@0:8^{rfbClientRec=i*ii{opaquepthreadmutex=q[56c]}iii^v^16C}{opaquepthreadmutex=q[56c
- v24@0:8Q16
- c16@0:8
- v32@0:8S16c20Q24
- @"NSNetService"
- ^(__TISInputSource=)
- ^{rfbserver=@*ic{opaquepthreadmutex=q[56c]}{opaquepthreadcondt=q[40c]}}
- ^(__CGEventSource=)
- [65535S]
- [65535C]
- c24@0:8@16
- #16@0:8
- @24@0:8:16
- @32@0:8:16@24
- @40@0:8:16@24@32
- c24@0:8#16
- c24@0:8:16
- Vv16@0:8
- Q16@0:8
- ^(_NSZone=)16@0:8
- c24@0:8@"Protocol"16
- @"NSString"16@0:8
- v32@0:8@16@24
- v40@0:8@16@24@32
- v24@0:8@"NSNetService"16
- v32@0:8@"NSNetService"16@"NSDictionary"24

- v32@0:8@"NSNetService"16@"NSData"24
- v40@0:8@"NSNetService"16@"NSInputStream"24@"NSOutputStream"32
- c32@0:8@16@24
- Q32@0:8@16Q24
- @24@0:8@16
- @24@0:8^[rbClientRec=i"ii{opaquepthreadmutex=q[56c]iii^v^v[16C]{opaquepthreadmutex=q[56c]}iii^v^v[16C]{opaquepthreadmutex=q[56c]}[_opa
- ^[rbClientRec=i"ii{opaquepthreadmutex=q[56c]iii^v^v[16C]{opaquepthreadmutex=q[56c]}[_opa
- @ "NSString"
- @-@-@-@-@-@-@-
- Z@v@v@v@v@v@v@v@v
- @E@E@E@E@E@E@E@E@E
- HTA_KD bDWARA`
- WBSCRE`QASDRap
- RARARARARARARARARARARARARARARARARARARB`
- RARARARARARARARAYAp p
- p YAXCSBp
- TAp0WAp@p0`
- ASASDRAp
- RCp p RCp p
- p@SASAYAYA]CQ
- @_kIOMasterPortDefault
- @_kTISPropertyLocalizedName
- @_kTISPropertyUnicodeKeyLayoutData
- @_NSFileSize
- @_NSNetServicesErrorCode
- @_NSOSStatusErrorDomain
- @OBJCCLASS\$NSAutoreleasePool
- @OBJCCLASS\$NSDistributedNotificationCenter
- @OBJCCLASS\$NSError
- @OBJCCLASS\$NSFileManager
- @OBJCCLASS\$NSFileWrapper
- @OBJCCLASS\$NSLock
- @OBJCCLASS\$NSNetService
- @OBJCCLASS\$NSNotification
- @OBJCCLASS\$NSNotificationCenter
- @OBJCCLASS\$NSNumber
- @OBJCCLASS\$NSProcessInfo
- @OBJCCLASS\$NSRecursiveLock
- @OBJCCLASS\$NSString
- @OBJCCLASS\$NSThread
- @OBJCCLASS\$NSObject
- @OBJCMETACLASS\$NSObject
- @_objcpersonalityv0
- @_objcmpty_cache
- @_objcmsgSend
- @ZTVN10cxxabiv117_classtype_infoE
- @ZTVN10cxxabiv120_siclasstypeinfoE
- @__ZdaPv
- @__ZdlPv
- @__Znam
- @__Znwm
- @_gxxpersonalityv0
- @_stackchkguard
- @_stderrp
- @bootstrapport
- @in6addrany
- @in6addrtloopback
- @dyldstubfinder
- @_NSAppKitVersionNumber
- @_NSDragPboard
- @_NSFileContentsPboardType
- @_NSFilenamesPboardType
- @_NSFindPboard
- @_NSFontPboard
- @_NSGeneralPboard
- @_NSRulerPboard
- @_NSStringPboardType
- @_NSURLPboardType
- @_NSWorkspaceSessionDidBecomeActiveNotification
- @_NSWorkspaceSessionDidResignActiveNotification
- @OBJCCLASS\$NSPasteboard
- @OBJCCLASS\$NSScreen
- @OBJCCLASS\$NSWorkspace
- @OBJCCLASS\$NSArray
- @OBJCCLASS\$NSData

- @OBJCCLASS\$NSDictionary
- @OBJCCLASS\$NSException
- @OBJCCLASS\$NSMutableArray
- @OBJCCLASS\$NSMutableData
- @OBJCCLASS\$NSMutableDictionary
- @OBJCCLASS\$NSURL
- @OBJCCLASS\$NSUserDefaults
- @OBJCEHTYPE\$NSException
- @_CFConstantStringClassReference
- @_kCFAllocatorDefault
- @_kCFBooleanTrue
- @_kCFTypesDictionaryKeyCallBacks
- @_kCFTypesDictionaryValueCallBacks
- @_kCGColorSpaceGenericRGB
- @__ZTIN3rd9ExceptionE
- @__ZTIN3rd9OutStreamE
- @__ZTSN3rd9ExceptionE
- @__ZTSN3rd9OutStreamE
- @__ZdaPv
- @__ZdlPv
- @__Znam
- @__Znwm
- @__CFBooleanGetValue
- @__CFDataGetBytePtr
- @__CFDataGetBytes
- @__CFDictionaryCreateMutable
- @__CFDictionaryGetValue
- @__CFDictionarySetValue
- @__CFRelease
- @__CFStringCompare
- @__CGBitmapContextCreate
- @__CGBitmapContextCreateImage
- @__CGColorSpaceCreateDeviceRGB
- @__CGColorSpaceCreateWithName
- @__CGColorSpaceRelease
- @__CGContextDrawImage
- @__CGContextRelease
- @__CGDataProviderCopyData
- @__CGDisplayBaseAddress
- @__CGDisplayBytesPerRow
- @__CGDisplayCopyDisplayMode
- @__CGDisplayCreateImage
- @__CGDisplayCreateImageForRect
- @__CGDisplayModeCopyPixelEncoding
- @__CGDisplayModeRelease
- @__CGDisplayPixelsHigh
- @__CGDisplayPixelsWide
- @__CGEventCreateKeyboardEvent
- @__CGEventCreateScrollWheelEvent
- @__CGEventPost
- @__CGEventSetFlags
- @__CGEventSourceCreate
- @__CGEventSourceFlagsState
- @__CGEventSourceGetSourceStateID
- @__CGGetActiveDisplayList
- @__CGImageGetBitsPerComponent
- @__CGImageGetBitsPerPixel
- @__CGImageGetBytesPerRow
- @__CGImageGetDataProvider
- @__CGImageRelease
- @__CGMainDisplayID
- @__CGPostMouseEvent
- @__CGRegisterScreenRefreshCallback
- @__CGSCurrentCursorSeed
- @__CGSGetCurrentCursorLocation
- @__CGSGetGlobalCursorData
- @__CGSGetGlobalCursorDataSize
- @__CGSNewConnection
- @__CGSReleaseConnection
- @__CGSessionCopyCurrentDictionary
- @__CGUnregisterScreenRefreshCallback
- @__GetMainEventLoop
- @__IOIteratorNext
- @__IOMasterPort
- @__IOObjectRelease
- @__IOPMFindPowerManagement

- @_IOPMGetAggressiveness
- @_IOPMSetAggressiveness
- @_IORegistryEntryCreateCFProperty
- @_IORegistryEntryGetParentEntry
- @_IOServiceGetMatchingServices
- @_IOServiceMatching
- @_InstallEventLoopTimer
- @_LMGetKbdType
- @_NSLog
- @_NSLogv
- @_NSUserName
- @_RemoveEventLoopTimer
- @_RunCurrentEventLoop
- @_TISCopyCurrentKeyboardInputSource
- @_TISCopyCurrentKeyboardLayoutInputSource
- @_TISGetInputSourceProperty
- @_TISSelectInputSource
- @_UKeyTranslate
- @_UpdateSystemActivity
- @_UnwindResume
- @_ZSt9terminatev
- @_assert_rtn
- @_bzero
- @_cxaallocexception
- @_cxabegincatch
- @_cxaendcatch
- @_cxafreeexception
- @_cxa_throw
- @_error
- @_memcpy_chk
- @_sprintf_chk
- @_stackchkfail
- @_strcat_chk
- @_strcpy_chk
- @_tolower
- @_accept
- @_atof
- @_atoi
- @_bind
- @_calloc
- @_chmod
- @_close
- @_connect
- @_deflate
- @_deflateEnd
- @deflateInit2
- @deflateInit
- @_deflateParams
- @_exit
- @_fclose
- @_fcntl
- @_fopen
- @_fork
- @_fprintf
- @_fputc
- @_free
- @_freearrinfo
- @_fwrite
- @gaisterror
- @_getaddrinfo
- @_getc
- @_getdtablesize
- @_getenv
- @_gethostbyname
- @_gethostname
- @_getnameinfo
- @_getpeername
- @inetaddr
- @inetntoa
- @_listen
- @_malloc
- @_memcpy
- @_memmove
- @_memset
- @objcbegin_catch

- @objcend_catch
- @objcmsgSendSuper2
- @objcsync_enter
- @objcsync_exit
- @_printf
- @pthreadcond_destroy
- @pthreadcond_init
- @pthreadcond_signal
- @pthreadcond_wait
- @pthreadcreate
- @pthreadexit
- @pthreadjoin
- @pthreadmutex_destroy
- @pthreadmutex_init
- @pthreadmutex_lock
- @pthreadmutex_unlock
- @_putc
- @_putchar
- @_puts
- @_random
- @_read
- @_realloc
- @_select\$1050
- @_setsid
- @_setsockopt
- @_signal
- @_sleep
- @_socket
- @_sprintf
- @_srandom
- @_sscanf
- @_strcmp
- @_strcpy
- @_strdup
- @_strerror
- @_strlen
- @_strncat
- @_strncmp
- @_strncpy
- @_time
- @_umask
- @_usleep
- @_vprintf
- @_write
- mhexecuteheader
- oinit_
- divroundup
- round_up
- zero_far
- CreateCompress
- write_
- quality_scaling
- openbackingstore
- natural_order
- fault_colorspace
- _compress
- ddquanttable
- _compress
- uppress_tables
- imple_progression
- inish_compress
- tables
- scanlines
- raw_data
- header
- art_compress
- forward_dct
- huff_encoder
- phuff_encoder
- downsampler
- arith_encoder
- coef_controller
- prep_controller
- lor_converter
- mpress_master
- akecderived_tbl

- *noptimal*table
- in_controller
- ster_control
- arker_writer
- emory_mgr
- quant_table
- huff_table
- linear_quality
- quality
- colorspace
- defaults
- message_table
- sample_rows
- block_row
- available
- ycc_rgb
- quantize
- encodemcuAC_
- onvsamp
- ycc_rgb
- convsamp
- quantize
- encodemcuAC_
- ycc_convert
- gray_convert
- _convert
- 565_convert
- uffencodeone_block
- downsample
- upsample
- fancy_upsample
- merged_upsample
- downsample
- upsample
- fancy_upsample
- merged_upsample
- uffencodeone_block
- downsample
- upsample
- fancy_upsample
- merged_upsample
- downsample
- upsample
- fancy_upsample
- merged_upsample
- _float
- _float
- _float
- _float
- first_prepare
- refine_prepare
- first_prepare
- refine_prepare
- N3rdr13ZlibOutStream
- 13setUnderlyingEPNS_9OutStreamE
- 6lengthEv
- 5flushEv
- 7overrunEmm
- 2EPNS_9OutStreamEi
- 1EPNS_9OutStreamEi
- SN3rdr
- VN3rdr13ZlibOutStreamE
- IN3rdr
- 13ZlibOutStreamE
- ExceptionE
- OutStreamE
- 13ZlibOutStreamE
- ExceptionE
- OutStreamE
- pPP'P PP
- @@@@@00PP00PP
- @@ P@@0 P
- __ZN3rdr13ZlibOutStream13setUnderlyingEPNS9OutStreamE
- __ZN3rdr13ZlibOutStream5flushEv
- __ZN3rdr13ZlibOutStream6lengthEv
- __ZN3rdr13ZlibOutStream7overrunEmm

- *__ZN3rd13ZlibOutStreamC1EPNS9OutStreamEi*
- *__ZN3rd13ZlibOutStreamC2EPNS9OutStreamEi*
- *__ZN3rd13ZlibOutStreamD0Ev*
- *__ZN3rd13ZlibOutStreamD1Ev*
- *__ZN3rd13ZlibOutStreamD2Ev*
- *__ZTIN3rd13ZlibOutStreamE*
- *__ZTIN3rd9ExceptionE*
- *__ZTIN3rd9OutStreamE*
- *__ZTSN3rd13ZlibOutStreamE*
- *__ZTSN3rd9ExceptionE*
- *__ZTSN3rd9OutStreamE*
- *__ZTVN3rd13ZlibOutStreamE*
- *__mhexecute_header*
- *jcopyblock_row*
- *jcopysample_rows*
- *jdivround_up*
- *jinitarith_encoder*
- *jinitcoefcontroller*
- *jinitmaincontroller*
- *jinitmastercontrol*
- *jinitprepcontroller*
- *jinitcolor_converter*
- *jinitcompress_master*
- *jinitdownsampler*
- *jinitforward_dct*
- *jinit Huff_encoder*
- *jinitmarker_writer*
- *jinitmemory_mgr*
- *jinitphuff_encoder*
- *jpegCreateCompress*
- *jpegabort*
- *jpegabort_compress*
- *jpegaddquanttable*
- *jpegallochufftable*
- *jpegallocquanttable*
- *jpegaritab*
- *jpegdefault_colorspace*
- *jpegdestroy*
- *jpegdestroy_compress*
- *jpegfdct_float*
- *jpegfdct_ifast*
- *jpegfdct_islow*
- *jpegfinish_compress*
- *jpegfree_large*
- *jpegfree_small*
- *jpeggenoptimaltable*
- *jpegget_large*
- *jpegget_small*
- *jpegmakecdderived_tbl*
- *jpegmem_available*
- *jpegmem_init*
- *jpegmem_term*
- *pegnatural_order*
- *jpegopenbackingstore*
- *jpegquality_scaling*
- *jpegset_colorspace*
- *jpegset_defaults*
- *jpegsetlinearquality*
- *jpegset_quality*
- *pegsimple_progression*
- *jpegstart_compress*
- *jpegstd_error*
- *jpegstdmessagetable*
- *jpegsuppress_tables*
- *jpegwritembyte*
- *jpegwritemheader*
- *jpegwrite_marker*
- *jpegwriterawdata*
- *jpegwrite_scanlines*
- *jpegwrite_tables*
- *jroundup*
- *jsimdcan_convsamp*
- *jsimdcanconvsampfloat*
- *jsimdcanencodemcuACfirst_prepare*

- *jsimdcanencodemcuACrefine_prepare*
- *jsimdcanfdctfloat*
- *jsimdcanfdctfast*
- *jsimdcanfdctslow*
- *jsimdcanh2v1downsample*
- *jsimdcanh2v1fancy_upsample*
- *jsimdcanh2v1merged_upsample*
- *jsimdcanh2v1upsample*
- *jsimdcanh2v2downsample*
- *jsimdcanh2v2fancy_upsample*
- *jsimdcanh2v2merged_upsample*
- *jsimdcanh2v2upsample*
- *jsimdcanhuffencodeoneblock*
- *jsimdcanidct2x2*
- *jsimdcanidct4x4*
- *jsimdcanidctfloat*
- *jsimdcanidctfast*
- *jsimdcanidctslow*
- *jsimdcan_quantize*
- *jsimdcanquantizefloat*
- *jsimdcanrgbgray*
- *jsimdcanrgbycc*
- *jsimdcanycrgb*
- *jsimdcanycrgb565*
- *jsimdconvsamp*
- *jsimdconvsamp_float*
- *jsimdencodemcuACfirstprepare*
- *jsimdencodemcuACrefineprepare*
- *jsimdfdct_float*
- *jsimdfdct_ifast*
- *jsimdfdct_islow*
- *jsimdh2v1_downsample*
- *jsimdh2v1fancyupsample*
- *jsimdh2v1mergedupsample*
- *jsimdh2v1_upsample*
- *jsimdh2v2_downsample*
- *jsimdh2v2fancyupsample*
- *jsimdh2v2mergedupsample*
- *jsimdh2v2_upsample*
- *jsimdhuffencodeone_block*
- *jsimdidct_2x2*
- *jsimdidct_4x4*
- *jsimdidct_float*
- *jsimdidct_ifast*
- *jsimdidct_islow*
- *jsimdquantize*
- *jsimdquantize_float*
- *jsimdrbggrayconvert*
- *jsimdrgbccconvert*
- *jsimdyccrgb565convert*
- *jsimdyccrgbconvert*
- *jzerofar*
- *_CFBooleanGetValue*
- *_CFDataGetBytePtr*
- *_CFDataGetBytes*
- *_CFDictionaryCreateMutable*
- *_CFDictionaryGetValue*
- *_CFDictionarySetValue*
- *_CFRelease*
- *_CFStringCompare*
- *_CGBitmapContextCreate*
- *_CGBitmapContextCreateImage*
- *_CGColorSpaceCreateDeviceRGB*
- *_CGColorSpaceCreateWithName*
- *_CGColorSpaceRelease*
- *_CGContextDrawImage*
- *_CGContextRelease*
- *_CGDataProviderCopyData*
- *_CGDisplayBaseAddress*
- *_CGDisplayBytesPerRow*
- *_CGDisplayCopyDisplayMode*
- *_CGDisplayCreateImage*
- *_CGDisplayCreateImageForRect*
- *_CGDisplayModeCopyPixelEncoding*

- _CGDisplayModeRelease
- _CGDisplayPixelsHigh
- _CGDisplayPixelsWide
- _CGEventCreateKeyboardEvent
- _CGEventCreateScrollWheelEvent
- _CGEventPost
- _CGEventSetFlags
- _CGEventSourceCreate
- _CGEventSourceFlagsState
- _CGEventSourceGetSourceStateID
- _CGGetActiveDisplayList
- _CGImageGetBitsPerComponent
- _CGImageGetBitsPerPixel
- _CGImageGetBytesPerRow
- _CGImageGetDataProvider
- _CGImageRelease
- _CGMainDisplayID
- _CGPostMouseEvent
- _CGRegisterScreenRefreshCallback
- _CGSCurrentCursorSeed
- _CGSGetCurrentCursorLocation
- _CGSGetGlobalCursorData
- _CGSGetGlobalCursorDataSize
- _CGSNewConnection
- _CGSReleaseConnection
- _CGSessionCopyCurrentDictionary
- _CGUnregisterScreenRefreshCallback
- _GetMainEventLoop
- _IOIteratorNext
- _IOMasterPort
- _IOObjectRelease
- _IOPMFindPowerManagement
- _IOPMGetAggressiveness
- _IOPMSetAggressiveness
- _IORRegistryEntryCreateCFProperty
- _IORRegistryEntryGetParentEntry
- _IOServiceGetMatchingServices
- _IOServiceMatching
- _InstallEventLoopTimer
- _LMGetKbdType
- _NSAppKitVersionNumber
- _NSDragPboard
- _NSFileContentsPboardType
- _NSFileSize
- _NSFileNamesPboardType
- _NSFindPboard
- _NSFontPboard
- _NSGeneralPboard
- _NSLog
- _NSLogv
- _NSNetServicesErrorCode
- _NSOSStatusErrorDomain
- _NSRulerPboard
- _NSStringPboardType
- _NSURLPboardType
- _NSUserName
- _NSWorkspaceSessionDidBecomeActiveNotification
- _NSWorkspaceSessionDidResignActiveNotification
- OBJCCLASS\$NSArray
- OBJCCLASS\$NSAutoreleasePool
- OBJCCLASS\$NSData
- OBJCCLASS\$NSDictionary
- OBJCCLASS\$NSDistributedNotificationCenter
- OBJCCLASS\$NSError
- OBJCCLASS\$NSException
- OBJCCLASS\$NSFileManager
- OBJCCLASS\$NSFileWrapper
- OBJCCLASS\$NSLock
- OBJCCLASS\$NSMutableArray
- OBJCCLASS\$NSMutableData
- OBJCCLASS\$NSMutableDictionary
- OBJCCLASS\$NSNetService
- OBJCCLASS\$NSNotification
- OBJCCLASS\$NSNotificationCenter
- OBJCCLASS\$NSNumber
- OBJCCLASS\$NSObject

- *OBJCCLASS\$NSPasteboard*
- *OBJCCLASS\$NSProcessInfo*
- *OBJCCLASS\$NSRecursiveLock*
- *OBJCCLASS\$NSScreen*
- *OBJCCLASS\$NSString*
- *OBJCCLASS\$NSThread*
- *OBJCCLASS\$NSURL*
- *OBJCCLASS\$NSUserDefaults*
- *OBJCCLASS\$NSWorkspace*
- *OBJCEHTYPE\$NSEException*
- *OBJCMETACLASS\$NSObject*
- *_RemoveEventLoopTimer*
- *_RunCurrentEventLoop*
- *_TISCopyCurrentKeyboardInputSource*
- *_TISCopyCurrentKeyboardLayoutInputSource*
- *_TISGetInputSourceProperty*
- *_TISSelectInputSource*
- *_UCKeyTranslate*
- *_UpdateSystemActivity*
- *_UnwindResume*
- *_ZSt9terminatev*
- **ZTVN10***cxxabiv117_classtype_infoE*
- **ZTVN10***cxxabiv120_siclasstypeinfoE*
- *__ZdaPv*
- *__ZdlPv*
- *__Znam*
- *__Znwm*
- *_CFConstantStringClassReference*
- *_assert_rtn*
- *_bzero*
- *_cxaallocatexception*
- *_cxabegincatch*
- *_cxaendcatch*
- *_cxafreeexception*
- *_cxa_throw*
- *_error*
- *_gxxpersonalityv0*
- *_memcpy_chk*
- *_objcpersonalityv0*
- *_sprintf_chk*
- *_stackchkfail*
- *_stackchkguard*
- *_stderrp*
- *_strcat_chk*
- *_strcpy_chk*
- *_tolower*
- *_objcempty_cache*
- *_accept*
- *bootstrapport*
- *_calloc*
- *_chmod*
- *_close*
- *_connect*
- *_deflate*
- *_deflateEnd*
- *deflateInit2*
- *deflateInit*
- *_deflateParams*
- *_fclose*
- *_fcntl*
- *_fopen*
- *_fprintf*
- *_fputc*
- *_freeaddrinfo*
- *_fwrite*
- *gaistrerror*
- *_getaddrinfo*
- *_getdtablesize*
- *_getenv*
- *_gethostbyname*
- *_gethostname*
- *_getnameinfo*
- *_getpeername*
- *in6addrany*
- *in6addrhoopback*

- *inetaddr*
- *inetntoa*
- *_kCFAllocatorDefault*
- *_kCFBooleanTrue*
- *_kCFTTypeDictionaryKeyCallBacks*
- *_kCFTTypeDictionaryValueCallBacks*
- *_kCGColorSpaceGenericRGB*
- *_kIOMasterPortDefault*
- *_kTISPropertyLocalizedName*
- *_kTISPropertyUnicodeKeyLayoutData*
- *_listen*
- *_malloc*
- *_memcpy*
- *_memmove*
- *_memset*
- *objcbegin_catch*
- *objcend_catch*
- *objcmsgSend*
- *objcmsgSendSuper2*
- *objcsync_enter*
- *objcsync_exit*
- *_printf*
- *pthreadcond_destroy*
- *pthreadcond_init*
- *pthreadcond_signal*
- *pthreadcond_wait*
- *pthreadcreate*
- *pthreadexit*
- *pthreadjoin*
- *pthreadmutex_destroy*
- *pthreadmutex_init*
- *pthreadmutex_lock*
- *pthreadmutex_unlock*
- *_putchar*
- *_random*
- *_realloc*
- *_select\$1050*
- *_setsid*
- *_setsockopt*
- *_signal*
- *_sleep*
- *_socket*
- *_sprintf*
- *_srandom*
- *_sscanf*
- *_strcmp*
- *_strcpy*
- *_strdup*
- *_sterror*
- *_strlen*
- *_strncat*
- *_strncmp*
- *_strncpy*
- *_umask*
- *_usleep*
- *_vprintf*
- *_write*
- *dyldestubfinder*
- */Users/Valera/Internal/rat-app/service/*
- *zlib.c*
- */Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm*
- *_rfbSendOneRectEncodingZlib*
- */Applications/Xcode.app/Contents/Developer/Platforms/MacOSX.platform/Developer/SDKs/MacOSX10.14.sdk/*
- *_rfbSendRectEncodingZlib*
- *hextile.c*
- */Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm*
- *_rfbSendRectEncodingHexTile*
- *VNCServer.m*
- */Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm*
- *+{VNCServer sharedServer}*
- *-{VNCServer init}*
- *-{VNCServer loadKeyTable}*
- *-{VNCServer loadKeyboard:}*
- *_SyncSetKeyboardLayout*
- *_isConsoleSession*
- *-{VNCServer rfbStartup:}*

- -[VNCServer systemServerShouldQuit:]
- -[VNCServer systemServerShouldContinue:]
- -[VNCServer rfbRunning]
- -[VNCServer loadUnicodeKeyboard]
- -[VNCServer userSwitchedIn:]
- -[VNCServer userSwitchedOut:]
- -[VNCServer rfbConnect]
- -[VNCServer rfbDisconnect]
- -[VNCServer rfbUsage]
- -[VNCServer rfbPoll]
- -[VNCServer rfbShutdown]
- -[VNCServer handleMouseButtons:atPoint:forClient:]
- -[VNCServer handleKeyboard:forSym:forClient:]
- -[VNCServer releaseModifiersForClient:]
- -[VNCServer setKeyModifiers:]
- -[VNCServer checkModifierState]
- -[VNCServer sendKeyEvent:down:modifiers:]
- -[VNCServer setupIPv6:]
- -[VNCServer registerRendezvous]
- -[VNCServer rfbReceivedClientMessage]
- -[VNCServer userSwitched:]
- -[VNCServer clientConnected:]
- -[VNCServer connectHost:]
- -[RendezvousDelegate netServiceWillPublish:]
- -[RendezvousDelegate netService:didNotPublish:]
- -[RendezvousDelegate netServiceDidStop:]
- _USKeyCodes
- _SpecialKeyCodes
- _loadKeyboard:.modifierKeyStates
- _unicodeNumbersToKeyCodes
- OBJCIVAR\$VNCServer.keyboardLoading
- OBJCIVAR\$VNCServer.useIPv6
- OBJCIVAR\$VNCServer.listenerFinished
- OBJCIVAR\$VNCServer.readyToStartup
- OBJCIVAR\$VNCServer.dynamicKeyboard
- OBJCIVAR\$VNCServer.keyTable
- OBJCIVAR\$VNCServer.keyTableMods
- OBJCIVAR\$VNCServer.keyCodeShift
- OBJCIVAR\$VNCServer.keyCodeOption
- OBJCIVAR\$VNCServer.keyCodeControl
- OBJCIVAR\$VNCServer.keyCodeCommand
- OBJCIVAR\$VNCServer.theServer
- OBJCIVAR\$VNCServer.modifierDelay
- OBJCIVAR\$VNCServer.pressModsForKeys
- OBJCIVAR\$VNCServer.loadedKeyboardRef
- OBJCIVAR\$VNCServer.vncSourceRef
- OBJCIVAR\$VNCServer.vncTapLocation
- OBJCIVAR\$VNCServer.unicodeInputSource
- OBJCIVAR\$VNCServer.currentInputSource
- OBJCIVAR\$VNCServer.rfbService
- OBJCIVAR\$VNCServer.vncService
- OBJCIVAR\$VNCServer.currentModifiers
- OBJCCLASS\$VNCServer
- OBJCCLASS\$RendezvousDelegate
- OBJCMETACLASS\$VNCServer
- OBJCMETACLASS\$RendezvousDelegate
- _sharedServer
- miregion.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _miRegionCreate
- _miRegionInit
- _miRegionDestroy
- _miRegionUninit
- _miRectAlloc
- _miRegionCopy
- _miSetExtents
- _miIntersect
- _miRegionOp
- _miIntersectO
- _miUnion
- _miUnionO
- _miRegionAppend
- _miRegionValidate
- _QuickSortRects
- _miRectsToRegion

- _miSubtract
- _miSubtractO
- _miInverse
- _miRectIn
- _miTranslateRegion
- _miRegionReset
- _miPointInRegion
- _miRegionNotEmpty
- _miRegionEmpty
- _miRegionExtents
- _miClipSpans
- _QuickSortSpans
- _miFindMaxBand
- _miEmptyBox
- _miEmptyData
- mousecursor.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _currentCursorLoc
- _loadCurrentCursorData
- _GetCursorInfo
- _rfbCheckForCursorChange
- _rfbShouldSendNewCursor
- _rfbShouldSendNewPosition
- /Applications/Xcode.app/Contents/Developer/Platforms/MacOSX.platform/Developer/SDKs/MacOSX10.14.sdk/
- _rfbSendCursorPos
- _rfbSendRichCursorUpdate
- _maxFailsRemaining
- _cursorDataSize
- _cursorData
- _cursorRowBytes
- _cursorRect
- _hotspot
- _cursorDepth
- _components
- _cursorBitsPerComponent
- _cursorFormat
- _cursorMaskSize
- _cursorMaskData
- _cursorMutex
- _lastCursorPosition
- _lastCursorSeed
- _sharedConnection
- kbdptr.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _KbdAddEvent
- _keyboardReleaseKeysForClient
- _PtrAddEvent
- zrle.cc
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _Z11zrleEncode8iiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- service/zrleEncode.h
- __Z15zrleEncodeTile8PhiiPN3rdr9OutStreamE
- service/rdr/OutStream.h
- _Z12zrleEncode16iiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z16zrleEncodeTile16PtiiPN3rdr9OutStreamE
- _Z12zrleEncode32iiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z16zrleEncodeTile32PjiiPN3rdr9OutStreamE
- _Z13zrleEncode24AiiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z17zrleEncodeTile24APjiiPN3rdr9OutStreamE
- _Z13zrleEncode24BiiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z17zrleEncodeTile24BPjiiPN3rdr9OutStreamE
- _rfbSendRectEncodingZRLE
- service/rdr/MemOutStream.h
- _FreeZrleData
- __ZN3rdr12MemOutStreamD1Ev
- __ZN3rdr12MemOutStreamD0Ev
- __ZN3rdr12MemOutStream10writeBytesEPKvm
- __ZN3rdr12MemOutStream6lengthEv
- __ZN3rdr9OutStream5flushEv
- __ZN3rdr12MemOutStream7overrunEmm
- __ZL18bitsPerPackedPixel
- __ZTSN3rdr12MemOutStreamE
- GCCexcepttable10
- __ZTVN3rdr12MemOutStreamE
- __ZTIN3rdr12MemOutStreamE
- tight.c

- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpbx/Build/Interm
- _rfbNumCodedRectsTight
- _rfbSendRectEncodingTight
- _SendRectSimple
- _CheckSolidTile
- _SendSubrect
- _DetectSmoothImage
- _SendJpegRect
- _PaletteInsert
- _SendCompressedData
- _JpegInitDestination
- _JpegEmptyOutputBuffer
- _JpegTermDestination
- _CompressData
- _tightConf
- _rfbTightDisableGradient
- main.m
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpbx/Build/Interm
- _rfbLog
- _rfbDebugLog
- _rfbLogPerror
- _loadDynamicBundles
- _refreshCallback
- _rfbCheckForScreenResolutionChange
- _bitsPerPixelForDisplay
- _rfbScreenInit
- _rfbGetFramebuffer
- _clientInput
- _clientOutput
- _rfbStartClientWithFD
- _connectReverseClient
- _rfbGetFramebufferUpdateInRect
- _rfbShutdown
- _daemonize
- _rfbShutdownOnSignal
- _scanForOpenPort
- _runningLittleEndian
- /Applications/Xcode.app/Contents/Developer/Platforms/MacOSX.platform/Developer/SDKs/MacOSX10.14.sdk/
- _executeEventLoop
- _listenerRun
- _usage
- GCCexcepttable0
- GCCexcepttable9
- _rfbProtocolMajorVersion
- _rfbProtocolMinorVersion
- _keepRunning
- _rfbSwapButtons
- _rfbShouldSendUpdates
- _useIP4
- _logEnable
- _rfbDeferUpdateTime
- _reversePort
- _logMutex
- _displayID
- _frameBufferData
- _displayScale
- _frameBufferBytesPerRow
- _frameBufferBitsPerPixel
- _screensaverTimer
- _screensaverTimerUPP
- _reverseHost
- _hackScreen
- _didSupplyPass
- _littleEndian
- _rfbPort
- _rfbMaxBitDepth
- _rfbAlwaysShared
- _rfbNeverShared
- _rfbDontDisconnect
- _rfbLocalhostOnly
- _rfbInhibitEvents
- _rfbReverseMods
- _rfbDisableRemote
- _rfbDisableRichClipboards
- _rfbRemapShortcuts
- _registered

- _restartOnUserSwitch
- _unregisterWhenNoConnections
- _nonBlocking
- _rfbDisableScreenSaver
- _vncServerObject
- _thisServer
- _desktopName
- _listenerAccepting
- _listenerGotNewClient
- _rfbScreen
- *listener*thread
- _displayErr
- dimming.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ec1brjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbScreensaverTimer
- _rfbDimmingInit
- _rfbUndim
- _rfbDimmingShutdown
- _rfbNoSleep
- *dimming*mutex
- *master*dev_port
- *power*mgt
- _initialized
- *dim*time_saved
- *sleep*time_saved
- *dim*time
- *sleep*time
- _rfbNoDimming
- zlibhex.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ec1brjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbSendRectEncodingZlibHex
- _zlibCompress
- rfbserver.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ec1brjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbClientListInit
- _rfbGetClientIterator
- _rfbClientIteratorNext
- _rfbReleaseClientIterator
- _rfbClientsConnected
- _rfbSendClientList
- _rfbNewClientConnection
- _rfbNewClient
- _rfbReverseConnection
- _rfbClientConnectionGone
- _rfbProcessClientMessage
- _rfbProcessClientProtocolVersion
- _rfbProcessClientInitMessage
- _rfbProcessClientNormalMessage
- _rfbClientConnFailed
- _rfbSendScreenUpdateEncoding
- _rfbSendFramebufferUpdate
- _rfbSendRectEncodingRaw
- _rfbSendLastRectMarker
- _rfbSendUpdateBuf
- _rfbSendServerCutText
- _rfbClientListMutex
- _rfbClientIteratorInstance
- _pointerClient
- _rfbClientHead
- translate.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-ec1brjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbInitTrueColourSingleTable8
- service/tableinittctemplate.c
- _rfbInitTrueColourSingleTable16
- _rfbInitTrueColourSingleTable32
- _rfbInitTrueColourRGBTables8
- _rfbInitTrueColourRGBTables16
- _rfbInitTrueColourRGBTables32
- _rfbTranslateWithSingleTable8to8
- service/tabletranstemplate.c
- _rfbTranslateWithSingleTable8to16
- _rfbTranslateWithSingleTable8to32
- _rfbTranslateWithSingleTable16to8
- _rfbTranslateWithSingleTable16to16
- _rfbTranslateWithSingleTable16to32
- _rfbTranslateWithSingleTable32to8

- _rfbTranslateWithSingleTable32to16
- _rfbTranslateWithSingleTable32to32
- _rfbTranslateWithRGBTables8to8
- _rfbTranslateWithRGBTables8to16
- _rfbTranslateWithRGBTables8to32
- _rfbTranslateWithRGBTables16to8
- _rfbTranslateWithRGBTables16to16
- _rfbTranslateWithRGBTables16to32
- _rfbTranslateWithRGBTables32to8
- _rfbTranslateWithRGBTables32to16
- _rfbTranslateWithRGBTables32to32
- _rfbTranslateNone
- _rfbSetTranslateFunction
- _PrintPixelFormat
- _rfbSetTranslateFunctionUsingFormat
- _BGR233Format
- _rfbInitTrueColourSingleTableFns
- _rfbInitTrueColourRGBTablesFns
- _rfbTranslateWithSingleTableFns
- _rfbTranslateWithRGBTablesFns
- _rfbEconomicTranslate
- _rfbServerFormat
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbSendRectEncodingRRE
- _rreBeforeBufSize
- _rreBeforeBuf
- _rreAfterBufSize
- _rreAfterBuf
- _rreAfterBufLen
- _getBgColour.counts
- stats.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbResetStats
- _rfbPrintStats
- _encNames
- corre.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbSendRectEncodingCoRRE
- _rreBeforeBufSize
- _rreBeforeBuf
- _rreAfterBufSize
- _rreAfterBuf
- _rreAfterBufLen
- _getBgColour.counts
- sockets.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbCloseClient
- _ReadExact
- _WriteExact
- _rfbMaxClientWait
- auth.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _rfbAuthInit
- _failedAttemptsForClient
- _incrementFailedAttemptsForClient
- _clearFailedAttemptsForClient
- _rfbSecurityResultMessage
- _rfbAuthNewClient
- _enterSuppliedPassword
- _rfbProcessAuthVersion
- _rfbAuthProcessClientMessage
- _rfbMaxLoginAttempts
- _suppliedPass
- _storedPass
- _allowNoAuth
- _authClientLock
- _authClientFailures
- _rfbAuthPasswdFile
- cutpaste.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- -[NSFileManager(RSFileManagerAdditions) ensureDirectoryAtPath:attributes:]
- -[NSData(RSDDataAdditions) locationOfData:startingAtLocation:]
- -[NSData(RSDDataAdditions) dataComponentsSeparatedByData:]
- -[NSClipboardProxy initWithClientPtr:]
- -[NSClipboardProxy setPasteboardName:]
- -[NSClipboardProxy setupTypes:]

- -[NSClipboardProxy pasteboard:provideDataForType:]
- -[NSClipboardProxy removeClient]
- -[NSClipboardProxy pasteboardChangedOwner:]
- _initPasteboard
- _initPasteboardForClient
- _freePasteboardForClient
- _rfbSetCutText
- _rfbCheckForPasteboardChange
- _pasteboardRepresentsExistingFile
- _rfbSendRichClipboardRequest
- _rfbClientUpdatePasteboard
- _rfbReceiveRichClipboardAvailable
- _checkTotalSize
- _rfbReceiveRichClipboardRequest
- _rfbReceiveRichClipboardData
- GCCexcepttable13
- GCCexcepttable16
- GCCexcepttable19
- OBJCIVAR\$NSClipboardProxy.clientPointer
- OBJCIVAR\$NSClipboardProxy.pasteboardName
- OBJCCLASS\$NSClipboardProxy
- OBJCMETACLASS\$NSClipboardProxy
- _maxTransferSize
- _pasteboardStringEncoding
- _generalPBLastChangeCount
- _debugPB
- _pasteboard:provideDataForType:.batchCounter
- _pasteboardLock
- _pasteboardVariablesLock
- _pasteboardString
- _clientCutText
- _pasteboards
- xalloc.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _Xalloc
- _FatalError
- _XNFFalloc
- _Xcalloc
- _Xrealloc
- _XNFFrealloc
- _Xfree
- *Musthave_memory*
- vncauth.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _vncEncryptPasswd
- _vncEncryptAndStorePasswd
- _vncDecryptPasswdFromFile
- _vncRandomBytes
- _vncEncryptBytes
- _fixedkey
- d3des.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _deskey
- _cpkey
- _usekey
- _bytebit
- _totrot
- _bigbyte
- getMACAddress.c
- /Users/Valera/Library/Developer/Xcode/DerivedData/mdworker-eclbrjgtpvhueedimzjglqfpxbx/Build/Interm
- _getMACAddressString
- _getMACAddressString.addressString
- _rfbSendOneRectEncodingZlib
- _rfbSendRectEncodingZlib
- _rfbSendRectEncodingHextile
- +[VNCServer sharedServer]
- -[VNCServer init]
- -[VNCServer loadKeyTable]
- -[VNCServer loadKeyboard:]
- _SyncSetKeyboardLayout
- _isConsoleSession
- -[VNCServer rfbStartup:]
- -[VNCServer systemServerShouldQuit:]
- -[VNCServer systemServerShouldContinue:]
- -[VNCServer rfbRunning]
- -[VNCServer loadUnicodeKeyboard]

- -[VNCServer userSwitchedIn:]
- -[VNCServer userSwitchedOut:]
- -[VNCServer rfbConnect:]
- -[VNCServer rfbDisconnect:]
- -[VNCServer rfbUsage:]
- -[VNCServer rfbPoll:]
- -[VNCServer rfbShutdown:]
- -[VNCServer handleMouseButtons:atPoint:forClient:]
- -[VNCServer handleKeyboard:forSym:forClient:]
- -[VNCServer releaseModifiersForClient:]
- -[VNCServer setKeyModifiers:]
- -[VNCServer checkModifierState:]
- -[VNCServer sendKeyEvent:down:modifiers:]
- -[VNCServer setupIPv6:]
- -[VNCServer registerRendezvous:]
- -[VNCServer rfbReceivedClientMessage:]
- -[VNCServer userSwitched:]
- -[VNCServer clientConnected:]
- -[VNCServer connectHost:]
- -[RendezvousDelegate netServiceWillPublish:]
- -[RendezvousDelegate netService:didNotPublish:]
- -[RendezvousDelegate netServiceDidStop:]
- _miRegionCreate
- _miRegionInit
- _miRegionDestroy
- _miRegionUninit
- _miRectAlloc
- _miRegionCopy
- _miSetExtents
- _miIntersect
- _miRegionOp
- _miIntersectO
- _miUnion
- _miUnionO
- _miRegionAppend
- _miRegionValidate
- _QuickSortRects
- _miRectsToRegion
- _miSubtract
- _miSubtractO
- _miInverse
- _miRectIn
- _miTranslateRegion
- _miRegionReset
- _miPointInRegion
- _miRegionNotEmpty
- _miRegionEmpty
- _miRegionExtents
- _miClipSpans
- _QuickSortSpans
- _miFindMaxBand
- _currentCursorLoc
- _loadCurrentCursorData
- _GetCursorInfo
- _rfbCheckForCursorChange
- _rfbShouldSendNewCursor
- _rfbShouldSendNewPosition
- _rfbSendCursorPos
- _rfbSendRichCursorUpdate
- _KbdAddEvent
- _keyboardReleaseKeysForClient
- _PtrAddEvent
- _Z11zrleEncode8iiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z15zrleEncodeTile8PhiiPN3rdr9OutStreamE
- _Z12zrleEncode16iiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z16zrleEncodeTile16PtiiPN3rdr9OutStreamE
- _Z12zrleEncode32iiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z16zrleEncodeTile32PjiiPN3rdr9OutStreamE
- _Z13zrleEncode24AiiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z17zrleEncodeTile24APjiiPN3rdr9OutStreamE
- _Z13zrleEncode24BiiiiPN3rdr9OutStreamEPNS13ZlibOutStreamEPvP12rfbClientRec
- __Z17zrleEncodeTile24BPjiiPN3rdr9OutStreamE
- _rfbSendRectEncodingZrLE
- _FreeZrleData
- __ZN3rdr12MemOutStreamD1Ev
- __ZN3rdr12MemOutStreamD0Ev

- __ZN3dr12MemOutStream10writeBytesEPKvm
- __ZN3dr12MemOutStream6lengthEv
- __ZN3dr9OutStream5flushEv
- __ZN3dr12MemOutStream7overrunEmm
- _rfbNumCodedRectsTight
- _rfbSendRectEncodingTight
- _SendRectSimple
- _CheckSolidTile
- _SendSubrect
- _DetectSmoothImage
- _SendJpegRect
- _PaletteInsert
- _SendCompressedData
- _JpegInitDestination
- _JpegEmptyOutputBuffer
- _JpegTermDestination
- _CompressData
- _rfbLog
- _rfbDebugLog
- _rfbLogPerror
- _loadDynamicBundles
- _refreshCallback
- _rfbCheckForScreenResolutionChange
- _bitsPerPixelForDisplay
- _rfbScreenInit
- _rfbGetFramebuffer
- _clientInput
- _clientOutput
- _rfbStartClientWithFD
- _connectReverseClient
- _rfbGetFramebufferUpdateInRect
- _rfbShutdown
- _daemonize
- _rfbShutdownOnSignal
- _scanForOpenPort
- _runningLittleEndian
- _executeEventLoop
- _listenerRun
- _usage
- _rfbScreensaverTimer
- _rfbDimmingInit
- _rfbUndim
- _rfbDimmingShutdown
- _rfbSendRectEncodingZlibHex
- _zlibCompress
- _rfbClientListInit
- _rfbGetClientIterator
- _rfbClientIteratorNext
- _rfbReleaseClientIterator
- _rfbClientsConnected
- _rfbSendClientList
- _rfbNewClientConnection
- _rfbNewClient
- _rfbReverseConnection
- _rfbClientConnectionGone
- _rfbProcessClientMessage
- _rfbProcessClientProtocolVersion
- _rfbProcessClientInitMessage
- _rfbProcessClientNormalMessage
- _rfbClientConnFailed
- _rfbSendScreenUpdateEncoding
- _rfbSendFramebufferUpdate
- _rfbSendRectEncodingRaw
- _rfbSendLastRectMarker
- _rfbSendUpdateBuf
- _rfbSendServerCutText
- _rfbInitTrueColourSingleTable8
- _rfbInitTrueColourSingleTable16
- _rfbInitTrueColourSingleTable32
- _rfbInitTrueColourRGBTables8
- _rfbInitTrueColourRGBTables16
- _rfbInitTrueColourRGBTables32
- _rfbTranslateWithSingleTable8to8
- _rfbTranslateWithSingleTable8to16
- _rfbTranslateWithSingleTable8to32
- _rfbTranslateWithSingleTable16to8

- `_rfbTranslateWithSingleTable16to16`
- `_rfbTranslateWithSingleTable16to32`
- `_rfbTranslateWithSingleTable32to8`
- `_rfbTranslateWithSingleTable32to16`
- `_rfbTranslateWithSingleTable32to32`
- `_rfbTranslateWithRGBTables8to8`
- `_rfbTranslateWithRGBTables8to16`
- `_rfbTranslateWithRGBTables8to32`
- `_rfbTranslateWithRGBTables16to8`
- `_rfbTranslateWithRGBTables16to16`
- `_rfbTranslateWithRGBTables16to32`
- `_rfbTranslateWithRGBTables32to8`
- `_rfbTranslateWithRGBTables32to16`
- `_rfbTranslateWithRGBTables32to32`
- `_rfbTranslateNone`
- `_rfbSetTranslateFunction`
- `_PrintPixelFormat`
- `_rfbSetTranslateFunctionUsingFormat`
- `_rfbSendRectEncodingRRE`
- `_rfbResetStats`
- `_rfbPrintStats`
- `_rfbSendRectEncodingCoRRE`
- `_rfbCloseClient`
- `_ReadExact`
- `_WriteExact`
- `_rfbAuthInit`
- `_failedAttemptsForClient`
- `_incrementFailedAttemptsForClient`
- `_clearFailedAttemptsForClient`
- `_rfbSecurityResultMessage`
- `_rfbAuthNewClient`
- `_enterSuppliedPassword`
- `_rfbProcessAuthVersion`
- `_rfbAuthProcessClientMessage`
- `-[NSFileManager(RSFileManagerAdditions) ensureDirectoryAtPath:attributes:]`
- `-[NSData(RSDDataAdditions) locationOfData:startingAtLocation:]`
- `-[NSData(RSDDataAdditions) dataComponentsSeparatedByData:]`
- `-[NSClipboardProxy initWithClientPtr:]`
- `-[NSClipboardProxy setPasteboardName:]`
- `-[NSClipboardProxy setupTypes:]`
- `-[NSClipboardProxy pasteboard:provideDataForType:]`
- `-[NSClipboardProxy removeClient]`
- `-[NSClipboardProxy pasteboardChangedOwner:]`
- `_initPasteboard`
- `_initPasteboardForClient`
- `_freePasteboardForClient`
- `_rfbSetCutText`
- `_rfbCheckForPasteboardChange`
- `_pasteboardRepresentsExistingFile`
- `_rfbSendRichClipboardRequest`
- `_rfbClientUpdatePasteboard`
- `_rfbReceiveRichClipboardAvailable`
- `_checkTotalSize`
- `_rfbReceiveRichClipboardRequest`
- `_rfbReceiveRichClipboardData`
- `_Xalloc`
- `_FatalError`
- `_XNFalloc`
- `_Xcalloc`
- `_Xrealloc`
- `_XNFrealloc`
- `_Xfree`
- `_vncEncryptPasswd`
- `_vncEncryptAndStorePasswd`
- `_vncDecryptPasswdFromFile`
- `_vncRandomBytes`
- `_vncEncryptBytes`
- `_deskey`
- `_cpkey`
- `_usekey`
- `_getMACAddressString`
- `startpass_coef`
- `compressoutput`
- `compressfirst_pass`
- `compressdata`
- `rgbycc_start`

- *rgbycc_convert*
- *rgbgray_convert*
- *rgbrgb_convert*
- *cmykyck_convert*
- *grayscaleconvert*
- *nullconvert*
- *nullmethod*
- *_convsamp*
- *_quantize*
- *forwardDCT*
- *convsampfloat*
- *quantizefloat*
- *forwardDCT_float*
- *startpass_fdctmgr*
- *encodemcu_gather*
- *flushbits*
- *encodemcu_huff*
- *finishpass_huff*
- *startpass_huff*
- *finishpass_gather*
- *startpass_main*
- *processdatasimplemain*
- *writemarker_byte*
- *writefile_trailer*
- *writemarker_header*
- *emitsof*
- *emitdht*
- *emitdqt*
- *writeframe_header*
- *writetables_only*
- *writefile_header*
- *writescan_header*
- *validatescript*
- *passstartup*
- *finishpass_master*
- *perscan_setup*
- *selectscan_parameters*
- *preparefor_pass*
- *encodemcuACfirst_prepare*
- *encodemcuACrefine_prepare*
- *startpass_phuff*
- *emitbits*
- *emiteobrun*
- *finishpassgatherphuff*
- *finishpass_phuff*
- *emitrestart*
- *encodemcuDCfirst*
- *encodemcuACfirst*
- *encodemcuDCrefine*
- *encodemcuACrefine*
- *startpass_prep*
- *preprocess_data*
- *preprocess_context*
- *startpass_downsample*
- *sepdownsample*
- *intdownsample*
- *h2v1downsample*
- *h2v2downsample*
- *h2v2smooth_downsample*
- *fullsizedsmooth_downsample*
- *fullsizedownsample*
- *emitmessage*
- *reseterror_mgr*
- *formatmessage*
- *outputmessage*
- *errorexit*
- *allocsmall*
- *freepool*
- *selfdestruct*
- *alloclarge*
- *accessvirt_barray*
- *accessvirt_sarray*
- *allocbarray*

- *allocsarray*
- *realizevirt_arrays*
- *requestvirt_sarray*
- *requestvirt_barray*
- *startpass*
- *arithencode*
- *arithencode.constprop.1*
- *arithencode.constprop.2*
- *finishpass*
- *emitstart*
- *encodemcu*
- *encodemcuACrefine*
- *encodemcuDCrefine*
- *encodemcuACfirst*
- *encodemcuDCfirst*
- *jpegsimdcpusupport*
- *jpegsimdcpusupport.return*
- *jsimdfdctfloatsse*
- *jsimdfdctfloatsse.rowloop*
- *jsimdfdctfloatsse.columnloop*
- *jsimdrbgbyccconvert_sse2*
- *jsimdrbgbyccconvert_sse2.rowloop*
- *jsimdrbgbyccconvertsse2.columnld1*
- *jsimdrbgbyccconvertsse2.columnld2*
- *jsimdrbgbyccconvertsse2.columnld4*
- *jsimdrbgbyccconvertsse2.columnld8*
- *jsimdrbgbyccconvertsse2.columnld16*
- *jsimdrbgbyccconvertsse2.columnld32*
- *jsimdrbgbyccconvert_sse2.columnloop*
- *jsimdrbgbyccconvertsse2.rgbycc_cnv*
- *jsimdrbgbyccconvert_sse2.return*
- *jsimdextrbgbyccconvert_sse2*
- *jsimdextrbgbyccconvert_sse2.rowloop*
- *jsimdextrbgbyccconvertsse2.columnld1*
- *jsimdextrbgbyccconvertsse2.columnld2*
- *jsimdextrbgbyccconvertsse2.columnld4*
- *jsimdextrbgbyccconvertsse2.columnld8*
- *jsimdextrbgbyccconvertsse2.columnld16*
- *jsimdextrbgbyccconvertsse2.columnld32*
- *jsimdextrbgbyccconvert_sse2.columnloop*
- *jsimdextrbgbyccconvertsse2.rgbycc_cnv*
- *jsimdextrbgbyccconvert_sse2.return*
- *jsimdextrgbxyccconvert_sse2*
- *jsimdextrgbxyccconvert_sse2.rowloop*
- *jsimdextrgbxyccconvertsse2.columnld1*
- *jsimdextrgbxyccconvertsse2.columnld2*
- *jsimdextrgbxyccconvertsse2.columnld4*
- *jsimdextrgbxyccconvertsse2.columnld8*
- *jsimdextrgbxyccconvert_sse2.columnloop*
- *jsimdextrgbxyccconvertsse2.rgbycc_cnv*
- *jsimdextrgbxyccconvert_sse2.return*
- *jsimdextbgryccconvert_sse2*
- *jsimdextbgryccconvert_sse2.rowloop*
- *jsimdextbgryccconvertsse2.columnld1*
- *jsimdextbgryccconvertsse2.columnld2*
- *jsimdextbgryccconvertsse2.columnld4*
- *jsimdextbgryccconvertsse2.columnld8*
- *jsimdextbgryccconvertsse2.columnld16*
- *jsimdextbgryccconvertsse2.columnld32*
- *jsimdextbgryccconvert_sse2.columnloop*
- *jsimdextbgryccconvertsse2.rgbycc_cnv*
- *jsimdextbgryccconvert_sse2.return*
- *jsimdextbgrxyccconvert_sse2*
- *jsimdextbgrxyccconvert_sse2.rowloop*
- *jsimdextbgrxyccconvertsse2.columnld1*
- *jsimdextbgrxyccconvertsse2.columnld2*
- *jsimdextbgrxyccconvertsse2.columnld4*
- *jsimdextbgrxyccconvertsse2.columnld8*
- *jsimdextbgrxyccconvert_sse2.columnloop*
- *jsimdextbgrxyccconvertsse2.rgbycc_cnv*
- *jsimdextbgrxyccconvert_sse2.return*
- *jsimdextbgryccconvert_sse2*
- *jsimdextbgryccconvert_sse2.rowloop*

- *jsimdextxbgryccoconvertsse2.columnld1*
- *jsimdextxbgryccoconvertsse2.columnld2*
- *jsimdextxbgryccoconvertsse2.columnld4*
- *jsimdextxbgryccoconvertsse2.columnld8*
- *jsimdextxbgryccoconvert_sse2.columnloop*
- *jsimdextxbgryccoconvertsse2.rgbycc_cnv*
- *jsimdextxbgryccoconvert_sse2.return*
- *jsimdextxrgbyccoconvert_sse2*
- *jsimdextxrgbyccoconvert_sse2.rowloop*
- *jsimdextxrgbyccoconvertsse2.columnld1*
- *jsimdextxrgbyccoconvertsse2.columnld2*
- *jsimdextxrgbyccoconvertsse2.columnld4*
- *jsimdextxrgbyccoconvertsse2.columnld8*
- *jsimdextxrgbyccoconvert_sse2.columnloop*
- *jsimdextxrgbyccoconvertsse2.rgbycc_cnv*
- *jsimdextxrgbyccoconvert_sse2.return*
- *jsimdrgbgrayconvert_sse2*
- *jsimdrgbgrayconvert_sse2.rowloop*
- *jsimdrgbgrayconvertsse2.columnld1*
- *jsimdrgbgrayconvertsse2.columnld2*
- *jsimdrgbgrayconvertsse2.columnld4*
- *jsimdrgbgrayconvertsse2.columnld8*
- *jsimdrgbgrayconvertsse2.columnld16*
- *jsimdrgbgrayconvertsse2.columnld32*
- *jsimdrgbgrayconvert_sse2.columnloop*
- *jsimdrgbgrayconvertsse2.rgbgray_cnv*
- *jsimdrgbgrayconvert_sse2.return*
- *jsimdextrgbgrayconvert_sse2*
- *jsimdextrgbgrayconvert_sse2.rowloop*
- *jsimdextrgbgrayconvertsse2.columnld1*
- *jsimdextrgbgrayconvertsse2.columnld2*
- *jsimdextrgbgrayconvertsse2.columnld4*
- *jsimdextrgbgrayconvertsse2.columnld8*
- *jsimdextrgbgrayconvertsse2.columnld16*
- *jsimdextrgbgrayconvertsse2.columnld32*
- *jsimdextrgbgrayconvert_sse2.columnloop*
- *jsimdextrgbgrayconvertsse2.rgbgray_cnv*
- *jsimdextrgbgrayconvert_sse2.return*
- *jsimdextrgbxgrayconvert_sse2*
- *jsimdextrgbxgrayconvert_sse2.rowloop*
- *jsimdextrgbxgrayconvertsse2.columnld1*
- *jsimdextrgbxgrayconvertsse2.columnld2*
- *jsimdextrgbxgrayconvertsse2.columnld4*
- *jsimdextrgbxgrayconvertsse2.columnld8*
- *jsimdextrgbxgrayconvert_sse2.columnloop*
- *jsimdextrgbxgrayconvertsse2.rgbgray_cnv*
- *jsimdextrgbxgrayconvert_sse2.return*
- *jsimdextbgrgrayconvert_sse2*
- *jsimdextbgrgrayconvert_sse2.rowloop*
- *jsimdextbgrgrayconvertsse2.columnld1*
- *jsimdextbgrgrayconvertsse2.columnld2*
- *jsimdextbgrgrayconvertsse2.columnld4*
- *jsimdextbgrgrayconvertsse2.columnld8*
- *jsimdextbgrgrayconvertsse2.columnld16*
- *jsimdextbgrgrayconvertsse2.columnld32*
- *jsimdextbgrgrayconvert_sse2.columnloop*
- *jsimdextbgrgrayconvertsse2.rgbgray_cnv*
- *jsimdextbgrgrayconvert_sse2.return*
- *jsimdextbgrxgrayconvert_sse2*
- *jsimdextbgrxgrayconvert_sse2.rowloop*
- *jsimdextbgrxgrayconvertsse2.columnld1*
- *jsimdextbgrxgrayconvertsse2.columnld2*
- *jsimdextbgrxgrayconvertsse2.columnld4*
- *jsimdextbgrxgrayconvertsse2.columnld8*
- *jsimdextbgrxgrayconvert_sse2.columnloop*
- *jsimdextbgrxgrayconvertsse2.rgbgray_cnv*
- *jsimdextbgrxgrayconvert_sse2.return*
- *jsimdextxbgrgrayconvert_sse2*
- *jsimdextxbgrgrayconvert_sse2.rowloop*
- *jsimdextxbgrgrayconvertsse2.columnld1*
- *jsimdextxbgrgrayconvertsse2.columnld2*
- *jsimdextxbgrgrayconvertsse2.columnld4*
- *jsimdextxbgrgrayconvertsse2.columnld8*

- *jsimdextxbgrgrayconvert_sse2.columnloop*
- *jsimdextxbgrgrayconvertsse2.rgbgray_cnv*
- *jsimdextxbgrgrayconvert_sse2.return*
- *jsimdextxrgbgrayconvert_sse2*
- *jsimdextxrgbgrayconvert_sse2.rowloop*
- *jsimdextxrgbgrayconvertsse2.columnld1*
- *jsimdextxrgbgrayconvertsse2.columnld2*
- *jsimdextxrgbgrayconvertsse2.columnld4*
- *jsimdextxrgbgrayconvertsse2.columnld8*
- *jsimdextxrgbgrayconvert_sse2.columnloop*
- *jsimdextxrgbgrayconvertsse2.rgbgray_cnv*
- *jsimdextxrgbgrayconvert_sse2.return*
- *jsimdhuffencodeoneblocksse2*
- *..@15..EMITBYTEEND*
- *..@16..EMITBYTEEND*
- *..@17..EMITBYTEEND*
- *..@18..EMITBYTEEND*
- *..@19..EMITBYTEEND*
- *..@20..EMITBYTEEND*
- *..@14..CHECKBUF47_END*
- *..@24..EMITBYTEEND*
- *..@25..EMITBYTEEND*
- *..@26..EMITBYTEEND*
- *..@27..EMITBYTEEND*
- *..@28..EMITBYTEEND*
- *..@29..EMITBYTEEND*
- *..@23..CHECKBUF47_END*
- *jsimdhuffencodeoneblocksse2.BLOOP*
- *jsimdhuffencodeoneblocksse2.BRLOOP*
- *..@35..EMITBYTEEND*
- *..@36..EMITBYTEEND*
- *..@37..EMITBYTEEND*
- *..@38..EMITBYTEEND*
- *..@39..EMITBYTEEND*
- *..@40..EMITBYTEEND*
- *..@34..CHECKBUF47_END*
- *jsimdhuffencodeoneblocksse2.ERLOOP*
- *..@43..EMITBYTEEND*
- *..@44..EMITBYTEEND*
- *..@45..EMITBYTEEND*
- *..@46..EMITBYTEEND*
- *..@42..CHECKBUF31_END*
- *jsimdhuffencodeoneblocksse2.ELOOP*
- *..@51..EMITBYTEEND*
- *..@52..EMITBYTEEND*
- *..@53..EMITBYTEEND*
- *..@54..EMITBYTEEND*
- *..@55..EMITBYTEEND*
- *..@56..EMITBYTEEND*
- *..@50..CHECKBUF47_END*
- *jsimdhuffencodeoneblocksse2.EFN*
- *jsimdencodemcuACfirstprepare_sse2*
- *jsimdencodemcuACfirstprepare_sse2.BLOOP16*
- *jsimdencodemcuACfirstprepare_sse2.ELOOP16*
- *..@7..ELOAD15*
- *jsimdencodemcuACfirstprepare_sse2.TRY8*
- *jsimdencodemcuACfirstprepare_sse2.TRY7*
- *..@9..ELOAD7*
- *jsimdencodemcuACfirstprepare_sse2.PADDING*
- *jsimdencodemcuACfirstprepare_sse2.ZEROLOOP*
- *jsimdencodemcuACfirstprepare_sse2.EPADDING*
- *jsimdencodemcuACrefineprepare_sse2*
- *jsimdencodemcuACrefineprepare_sse2.BLOOPR16*
- *jsimdencodemcuACrefineprepare_sse2.CONTINUER16*
- *jsimdencodemcuACrefineprepare_sse2.ELOOPR16*
- *..@17..ELOAD15*
- *jsimdencodemcuACrefineprepare_sse2.CONTINUER15*
- *jsimdencodemcuACrefineprepare_sse2.TRYR8*
- *jsimdencodemcuACrefineprepare_sse2.CONTINUER8*
- *jsimdencodemcuACrefineprepare_sse2.TRYR7*
- *..@19..ELOAD7*
- *jsimdencodemcuACrefineprepare_sse2.CONTINUER7*
- *jsimdencodemcuACrefineprepare_sse2.PADDINGR*
- *jsimdencodemcuACrefineprepare_sse2.ZEROLOOPR*

- *jsimdencodemcuACrefineprepare_sse2.EPADDINGR*
- *jsimdh2v1downsamplesse2*
- *jsimdh2v1downsamplesse2.expandloop*
- *jsimdh2v1downsamplesse2.expand_end*
- *jsimdh2v1downsamplesse2.rowloop*
- *jsimdh2v1downsamplesse2.columnloop_r8*
- *jsimdh2v1downsamplesse2.columnloop*
- *jsimdh2v1downsamplesse2.downsample*
- *jsimdh2v1downsamplesse2.return*
- *jsimdh2v2downsamplesse2*
- *jsimdh2v2downsamplesse2.expandloop*
- *jsimdh2v2downsamplesse2.expand_end*
- *jsimdh2v2downsamplesse2.rowloop*
- *jsimdh2v2downsamplesse2.columnloop_r8*
- *jsimdh2v2downsamplesse2.columnloop*
- *jsimdh2v2downsamplesse2.downsample*
- *jsimdh2v2downsamplesse2.return*
- *jsimdyccrgbconvert_sse2*
- *jsimdyccrgbconvert_sse2.rowloop*
- *jsimdyccrgbconvert_sse2.columnloop*
- *jsimdyccrgbconvert_sse2.out1*
- *jsimdyccrgbconvert_sse2.out0*
- *jsimdyccrgbconvertsse2.columnst32*
- *jsimdyccrgbconvertsse2.columnst16*
- *jsimdyccrgbconvertsse2.columnst15*
- *jsimdyccrgbconvertsse2.columnst7*
- *jsimdyccrgbconvertsse2.columnst3*
- *jsimdyccrgbconvertsse2.columnst1*
- *jsimdyccrgbconvert_sse2.nextrow*
- *jsimdyccrgbconvert_sse2.return*
- *jsimdyccextrgbconvert_sse2*
- *jsimdyccextrgbconvert_sse2.rowloop*
- *jsimdyccextrgbconvert_sse2.columnloop*
- *jsimdyccextrgbconvert_sse2.out1*
- *jsimdyccextrgbconvert_sse2.out0*
- *jsimdyccextrgbconvertsse2.columnst32*
- *jsimdyccextrgbconvertsse2.columnst16*
- *jsimdyccextrgbconvertsse2.columnst15*
- *jsimdyccextrgbconvertsse2.columnst7*
- *jsimdyccextrgbconvertsse2.columnst3*
- *jsimdyccextrgbconvertsse2.columnst1*
- *jsimdyccextrgbconvert_sse2.nextrow*
- *jsimdyccextrgbconvert_sse2.return*
- *jsimdyccextrgbxconvert_sse2*
- *jsimdyccextrgbxconvert_sse2.rowloop*
- *jsimdyccextrgbxconvert_sse2.columnloop*
- *jsimdyccextrgbxconvert_sse2.out1*
- *jsimdyccextrgbxconvert_sse2.out0*
- *jsimdyccextrgbxconvertsse2.columnst32*
- *jsimdyccextrgbxconvertsse2.columnst16*
- *jsimdyccextrgbxconvertsse2.columnst15*
- *jsimdyccextrgbxconvertsse2.columnst7*
- *jsimdyccextrgbxconvert_sse2.nextrow*
- *jsimdyccextrgbxconvert_sse2.return*
- *jsimdyccextbgrconvert_sse2*
- *jsimdyccextbgrconvert_sse2.rowloop*
- *jsimdyccextbgrconvert_sse2.columnloop*
- *jsimdyccextbgrconvert_sse2.out1*
- *jsimdyccextbgrconvert_sse2.out0*
- *jsimdyccextbgrconvertsse2.columnst32*
- *jsimdyccextbgrconvertsse2.columnst16*
- *jsimdyccextbgrconvertsse2.columnst15*
- *jsimdyccextbgrconvertsse2.columnst7*
- *jsimdyccextbgrconvertsse2.columnst3*
- *jsimdyccextbgrconvertsse2.columnst1*
- *jsimdyccextbgrconvert_sse2.nextrow*
- *jsimdyccextbgrconvert_sse2.return*
- *jsimdyccextbgrxconvert_sse2*
- *jsimdyccextbgrxconvert_sse2.rowloop*
- *jsimdyccextbgrxconvert_sse2.columnloop*
- *jsimdyccextbgrxconvert_sse2.out1*
- *jsimdyccextbgrxconvert_sse2.out0*
- *jsimdyccextbgrxconvertsse2.columnst32*

- *jsimdyccextbgrxconvertsse2.columnst16*
- *jsimdyccextbgrxconvertsse2.columnst15*
- *jsimdyccextbgrxconvertsse2.columnst7*
- *jsimdyccextbgrxconvert_sse2.nextrow*
- *jsimdyccextbgrxconvert_sse2.return*
- *jsimdyccextbgrconvert_sse2*
- *jsimdyccextbgrconvert_sse2.rowloop*
- *jsimdyccextbgrconvert_sse2.columnloop*
- *jsimdyccextbgrconvert_sse2.out1*
- *jsimdyccextbgrconvert_sse2.out0*
- *jsimdyccextbgrconvertsse2.columnst32*
- *jsimdyccextbgrconvertsse2.columnst16*
- *jsimdyccextbgrconvertsse2.columnst15*
- *jsimdyccextbgrconvertsse2.columnst7*
- *jsimdyccextbgrconvert_sse2.nextrow*
- *jsimdyccextbgrconvert_sse2.return*
- *jsimdyccextrgbconvert_sse2*
- *jsimdyccextrgbconvert_sse2.rowloop*
- *jsimdyccextrgbconvert_sse2.columnloop*
- *jsimdyccextrgbconvert_sse2.out1*
- *jsimdyccextrgbconvert_sse2.out0*
- *jsimdyccextrgbconvertsse2.columnst32*
- *jsimdyccextrgbconvertsse2.columnst16*
- *jsimdyccextrgbconvertsse2.columnst15*
- *jsimdyccextrgbconvertsse2.columnst7*
- *jsimdyccextrgbconvert_sse2.nextrow*
- *jsimdyccextrgbconvert_sse2.return*
- *jsimdh2v1mergedupsample_sse2*
- *jsimdh2v1mergedupsample_sse2.columnloop*
- *jsimdh2v1mergedupsamplesse2.Yloop2nd*
- *jsimdh2v1mergedupsamplesse2.Yloop1st*
- *jsimdh2v1mergedupsample_sse2.out1*
- *jsimdh2v1mergedupsample_sse2.out0*
- *jsimdh2v1mergedupsamplesse2.columnst32*
- *jsimdh2v1mergedupsamplesse2.columnst16*
- *jsimdh2v1mergedupsamplesse2.columnst15*
- *jsimdh2v1mergedupsamplesse2.columnst7*
- *jsimdh2v1mergedupsamplesse2.columnst3*
- *jsimdh2v1mergedupsamplesse2.columnst1*
- *jsimdh2v1mergedupsample_sse2.endcolumn*
- *jsimdh2v1mergedupsample_sse2.return*
- *jsimdh2v2mergedupsample_sse2*
- *jsimdh2v1extrgbmergedupsamplesse2*
- *jsimdh2v1extrgbmergedupsamplesse2.columnloop*
- *jsimdh2v1extrgbmergedupsamplesse2.Yloop_2nd*
- *jsimdh2v1extrgbmergedupsamplesse2.Yloop_1st*
- *jsimdh2v1extrgbmergedupsamplesse2.out1*
- *jsimdh2v1extrgbmergedupsamplesse2.out0*
- *jsimdh2v1extrgbmergedupsamplesse2.column_st32*
- *jsimdh2v1extrgbmergedupsamplesse2.column_st16*
- *jsimdh2v1extrgbmergedupsamplesse2.column_st15*
- *jsimdh2v1extrgbmergedupsamplesse2.column_st7*
- *jsimdh2v1extrgbmergedupsamplesse2.column_st3*
- *jsimdh2v1extrgbmergedupsamplesse2.column_st1*
- *jsimdh2v1extrgbmergedupsamplesse2.endcolumn*
- *jsimdh2v1extrgbmergedupsamplesse2.return*
- *jsimdh2v2extrgbmergedupsamplesse2*
- *jsimdh2v1extrgbxmmergedupsamplesse2*
- *jsimdh2v1extrgbxmmergedupsamplesse2.columnloop*
- *jsimdh2v1extrgbxmmergedupsamplesse2.Yloop_2nd*
- *jsimdh2v1extrgbxmmergedupsamplesse2.Yloop_1st*
- *jsimdh2v1extrgbxmmergedupsamplesse2.out1*
- *jsimdh2v1extrgbxmmergedupsamplesse2.out0*
- *jsimdh2v1extrgbxmmergedupsamplesse2.column_st32*
- *jsimdh2v1extrgbxmmergedupsamplesse2.column_st16*
- *jsimdh2v1extrgbxmmergedupsamplesse2.column_st15*
- *jsimdh2v1extrgbxmmergedupsamplesse2.column_st7*
- *jsimdh2v1extrgbxmmergedupsamplesse2.endcolumn*
- *jsimdh2v1extrgbxmmergedupsamplesse2.return*
- *jsimdh2v2extrgbxmmergedupsamplesse2*
- *jsimdh2v1extbgmmergedupsamplesse2*
- *jsimdh2v1extbgmmergedupsamplesse2.columnloop*
- *jsimdh2v1extbgmmergedupsamplesse2.Yloop_2nd*

- *jsimdh2v1extbgmergedupsamplesse2.Yloop_1st*
- *jsimdh2v1extbgmergedupsamplesse2.out1*
- *jsimdh2v1extbgmergedupsamplesse2.out0*
- *jsimdh2v1extbgmergedupsamplesse2.column_st32*
- *jsimdh2v1extbgmergedupsamplesse2.column_st16*
- *jsimdh2v1extbgmergedupsamplesse2.column_st15*
- *jsimdh2v1extbgmergedupsamplesse2.column_st7*
- *jsimdh2v1extbgmergedupsamplesse2.column_st3*
- *jsimdh2v1extbgmergedupsamplesse2.column_st1*
- *jsimdh2v1extbgmergedupsamplesse2.endcolumn*
- *jsimdh2v1extbgmergedupsamplesse2.return*
- *jsimdh2v2extbgmergedupsamplesse2*
- *jsimdh2v1extbgrxmergedupsamplesse2*
- *jsimdh2v1extbgrxmergedupsamplesse2.columnloop*
- *jsimdh2v1extbgrxmergedupsamplesse2.Yloop_2nd*
- *jsimdh2v1extbgrxmergedupsamplesse2.Yloop_1st*
- *jsimdh2v1extbgrxmergedupsamplesse2.out1*
- *jsimdh2v1extbgrxmergedupsamplesse2.out0*
- *jsimdh2v1extbgrxmergedupsamplesse2.column_st32*
- *jsimdh2v1extbgrxmergedupsamplesse2.column_st16*
- *jsimdh2v1extbgrxmergedupsamplesse2.column_st15*
- *jsimdh2v1extbgrxmergedupsamplesse2.column_st7*
- *jsimdh2v1extbgrxmergedupsamplesse2.endcolumn*
- *jsimdh2v1extbgrxmergedupsamplesse2.return*
- *jsimdh2v2extbgrxmergedupsamplesse2*
- *jsimdh2v1extxbgmergedupsamplesse2*
- *jsimdh2v1extxbgmergedupsamplesse2.columnloop*
- *jsimdh2v1extxbgmergedupsamplesse2.Yloop_2nd*
- *jsimdh2v1extxbgmergedupsamplesse2.Yloop_1st*
- *jsimdh2v1extxbgmergedupsamplesse2.out1*
- *jsimdh2v1extxbgmergedupsamplesse2.out0*
- *jsimdh2v1extxbgmergedupsamplesse2.column_st32*
- *jsimdh2v1extxbgmergedupsamplesse2.column_st16*
- *jsimdh2v1extxbgmergedupsamplesse2.column_st15*
- *jsimdh2v1extxbgmergedupsamplesse2.column_st7*
- *jsimdh2v1extxbgmergedupsamplesse2.endcolumn*
- *jsimdh2v1extxbgmergedupsamplesse2.return*
- *jsimdh2v2extxbgmergedupsamplesse2*
- *jsimdh2v1extxrgbmergedupsamplesse2*
- *jsimdh2v1extxrgbmergedupsamplesse2.columnloop*
- *jsimdh2v1extxrgbmergedupsamplesse2.Yloop_2nd*
- *jsimdh2v1extxrgbmergedupsamplesse2.Yloop_1st*
- *jsimdh2v1extxrgbmergedupsamplesse2.out1*
- *jsimdh2v1extxrgbmergedupsamplesse2.out0*
- *jsimdh2v1extxrgbmergedupsamplesse2.column_st32*
- *jsimdh2v1extxrgbmergedupsamplesse2.column_st16*
- *jsimdh2v1extxrgbmergedupsamplesse2.column_st15*
- *jsimdh2v1extxrgbmergedupsamplesse2.column_st7*
- *jsimdh2v1extxrgbmergedupsamplesse2.endcolumn*
- *jsimdh2v1extxrgbmergedupsamplesse2.return*
- *jsimdh2v2extxrgbmergedupsamplesse2*
- *jsimdh2v1fancyupsample_sse2*
- *jsimdh2v1fancyupsample_sse2.rowloop*
- *jsimdh2v1fancyupsample_sse2.skip*
- *jsimdh2v1fancyupsamplesse2.columnloopplast*
- *jsimdh2v1fancyupsample_sse2.columnloop*
- *jsimdh2v1fancyupsample_sse2.upsample*
- *jsimdh2v1fancyupsample_sse2.return*
- *jsimdh2v2fancyupsample_sse2*
- *jsimdh2v2fancyupsample_sse2.rowloop*
- *jsimdh2v2fancyupsample_sse2.skip*
- *jsimdh2v2fancyupsamplesse2.columnloopplast*
- *jsimdh2v2fancyupsample_sse2.columnloop*
- *jsimdh2v2fancyupsample_sse2.upsample*
- *jsimdh2v2fancyupsample_sse2.return*
- *jsimdh2v1upsamplesse2*
- *jsimdh2v1upsamplesse2.rowloop*
- *jsimdh2v1upsamplesse2.columnloop*
- *jsimdh2v1upsamplesse2.nextrow*
- *jsimdh2v1upsamplesse2.return*
- *jsimdh2v2upsamplesse2*
- *jsimdh2v2upsamplesse2.rowloop*
- *jsimdh2v2upsamplesse2.columnloop*

- *jsimdh2v2upsamplesse2.nextrow*
- *jsimdh2v2upsamplesse2.return*
- *jsimdfdctifastsse2*
- *jsimdfdctislowse2*
- *jsimddctfloatsse2*
- *jsimddctfloatsse2.columnloop*
- *jsimddctfloatsse2.columnDCT*
- *jsimddctfloatsse2.nextcolumn*
- *jsimddctfloatsse2.rowloop*
- *jsimddctifastsse2*
- *jsimddctifastsse2.columnDCT*
- *jsimddctifastsse2.column_end*
- *jsimddctislowse2*
- *jsimddctislowse2.columnDCT*
- *jsimddctislowse2.column_end*
- *jsimddct4x4sse2*
- *jsimddct4x4sse2.columnDCT*
- *jsimddct4x4sse2.column_end*
- *jsimddct2x2sse2*
- *jsimdconvsampfloatsse2*
- *jsimdconvsampfloatsse2.convloop*
- *jsimdquantizefloatsse2*
- *jsimdquantizefloatsse2.quantloop*
- *jsimdconvsamp_sse2*
- *jsimdconvsamp_sse2.convloop*
- *jsimdquantize_sse2*
- *jsimdquantize_sse2.quantloop*
- *jsimdrgbccconvert_avx2*
- *jsimdrgbccconvert_avx2.rowloop*
- *jsimdrgbccconvertavx2.columnld1*
- *jsimdrgbccconvertavx2.columnld2*
- *jsimdrgbccconvertavx2.columnld4*
- *jsimdrgbccconvertavx2.columnld8*
- *jsimdrgbccconvertavx2.columnld16*
- *jsimdrgbccconvertavx2.columnld32*
- *jsimdrgbccconvertavx2.columnld64*
- *jsimdrgbccconvert_avx2.columnloop*
- *jsimdrgbccconvertavx2.rgbycc_cnv*
- *jsimdrgbccconvert_avx2.return*
- *jsimdextrgbccconvert_avx2*
- *jsimdextrgbccconvert_avx2.rowloop*
- *jsimdextrgbccconvertavx2.columnld1*
- *jsimdextrgbccconvertavx2.columnld2*
- *jsimdextrgbccconvertavx2.columnld4*
- *jsimdextrgbccconvertavx2.columnld8*
- *jsimdextrgbccconvertavx2.columnld16*
- *jsimdextrgbccconvertavx2.columnld32*
- *jsimdextrgbccconvertavx2.columnld64*
- *jsimdextrgbccconvert_avx2.columnloop*
- *jsimdextrgbccconvertavx2.rgbycc_cnv*
- *jsimdextrgbccconvert_avx2.return*
- *jsimdextrgbxyccconvert_avx2*
- *jsimdextrgbxyccconvert_avx2.rowloop*
- *jsimdextrgbxyccconvertavx2.columnld1*
- *jsimdextrgbxyccconvertavx2.columnld2*
- *jsimdextrgbxyccconvertavx2.columnld4*
- *jsimdextrgbxyccconvertavx2.columnld8*
- *jsimdextrgbxyccconvertavx2.columnld16*
- *jsimdextrgbxyccconvert_avx2.columnloop*
- *jsimdextrgbxyccconvertavx2.rgbycc_cnv*
- *jsimdextrgbxyccconvert_avx2.return*
- *jsimdextbgryccconvert_avx2*
- *jsimdextbgryccconvert_avx2.rowloop*
- *jsimdextbgryccconvertavx2.columnld1*
- *jsimdextbgryccconvertavx2.columnld2*
- *jsimdextbgryccconvertavx2.columnld4*
- *jsimdextbgryccconvertavx2.columnld8*
- *jsimdextbgryccconvertavx2.columnld16*
- *jsimdextbgryccconvertavx2.columnld32*
- *jsimdextbgryccconvertavx2.columnld64*
- *jsimdextbgryccconvert_avx2.columnloop*
- *jsimdextbgryccconvertavx2.rgbycc_cnv*
- *jsimdextbgryccconvert_avx2.return*

- *jsimdextbgrxyccconvert_avx2*
- *jsimdextbgrxyccconvert_avx2.rowloop*
- *jsimdextbgrxyccconvertavx2.columnld1*
- *jsimdextbgrxyccconvertavx2.columnld2*
- *jsimdextbgrxyccconvertavx2.columnld4*
- *jsimdextbgrxyccconvertavx2.columnld8*
- *jsimdextbgrxyccconvertavx2.columnld16*
- *jsimdextbgrxyccconvert_avx2.columnloop*
- *jsimdextbgrxyccconvertavx2.rgbycc_cnv*
- *jsimdextbgrxyccconvert_avx2.return*
- *jsimdextxbgryccconvert_avx2*
- *jsimdextxbgryccconvert_avx2.rowloop*
- *jsimdextxbgryccconvertavx2.columnld1*
- *jsimdextxbgryccconvertavx2.columnld2*
- *jsimdextxbgryccconvertavx2.columnld4*
- *jsimdextxbgryccconvertavx2.columnld8*
- *jsimdextxbgryccconvertavx2.columnld16*
- *jsimdextxbgryccconvert_avx2.columnloop*
- *jsimdextxbgryccconvertavx2.rgbycc_cnv*
- *jsimdextxbgryccconvert_avx2.return*
- *jsimdextrgbyccconvert_avx2*
- *jsimdextrgbyccconvert_avx2.rowloop*
- *jsimdextrgbyccconvertavx2.columnld1*
- *jsimdextrgbyccconvertavx2.columnld2*
- *jsimdextrgbyccconvertavx2.columnld4*
- *jsimdextrgbyccconvertavx2.columnld8*
- *jsimdextrgbyccconvertavx2.columnld16*
- *jsimdextrgbyccconvert_avx2.columnloop*
- *jsimdextrgbyccconvertavx2.rgbycc_cnv*
- *jsimdextrgbyccconvert_avx2.return*
- *jsimdrgbgrayconvert_avx2*
- *jsimdrgbgrayconvert_avx2.rowloop*
- *jsimdrgbgrayconvertavx2.columnld1*
- *jsimdrgbgrayconvertavx2.columnld2*
- *jsimdrgbgrayconvertavx2.columnld4*
- *jsimdrgbgrayconvertavx2.columnld8*
- *jsimdrgbgrayconvertavx2.columnld16*
- *jsimdrgbgrayconvertavx2.columnld32*
- *jsimdrgbgrayconvertavx2.columnld64*
- *jsimdrgbgrayconvert_avx2.columnloop*
- *jsimdrgbgrayconvertavx2.rgbgray_cnv*
- *jsimdrgbgrayconvert_avx2.return*
- *jsimdextrgbgrayconvert_avx2*
- *jsimdextrgbgrayconvert_avx2.rowloop*
- *jsimdextrgbgrayconvertavx2.columnld1*
- *jsimdextrgbgrayconvertavx2.columnld2*
- *jsimdextrgbgrayconvertavx2.columnld4*
- *jsimdextrgbgrayconvertavx2.columnld8*
- *jsimdextrgbgrayconvertavx2.columnld16*
- *jsimdextrgbgrayconvertavx2.columnld32*
- *jsimdextrgbgrayconvertavx2.columnld64*
- *jsimdextrgbgrayconvert_avx2.columnloop*
- *jsimdextrgbgrayconvertavx2.rgbgray_cnv*
- *jsimdextrgbgrayconvert_avx2.return*
- *jsimdextrgbxgrayconvert_avx2*
- *jsimdextrgbxgrayconvert_avx2.rowloop*
- *jsimdextrgbxgrayconvertavx2.columnld1*
- *jsimdextrgbxgrayconvertavx2.columnld2*
- *jsimdextrgbxgrayconvertavx2.columnld4*
- *jsimdextrgbxgrayconvertavx2.columnld8*
- *jsimdextrgbxgrayconvertavx2.columnld16*
- *jsimdextrgbxgrayconvert_avx2.columnloop*
- *jsimdextrgbxgrayconvertavx2.rgbgray_cnv*
- *jsimdextrgbxgrayconvert_avx2.return*
- *jsimdextbgrgrayconvert_avx2*
- *jsimdextbgrgrayconvert_avx2.rowloop*
- *jsimdextbgrgrayconvertavx2.columnld1*
- *jsimdextbgrgrayconvertavx2.columnld2*
- *jsimdextbgrgrayconvertavx2.columnld4*
- *jsimdextbgrgrayconvertavx2.columnld8*
- *jsimdextbgrgrayconvertavx2.columnld16*
- *jsimdextbgrgrayconvertavx2.columnld32*
- *jsimdextbgrgrayconvertavx2.columnld64*

- *jsimdextbgrgrayconvert_avx2.columnloop*
- *jsimdextbgrgrayconvertavx2.rgbgray_cnv*
- *jsimdextbgrgrayconvert_avx2.return*
- *jsimdextbgrxgrayconvert_avx2*
- *jsimdextbgrxgrayconvert_avx2.rowloop*
- *jsimdextbgrxgrayconvertavx2.columnld1*
- *jsimdextbgrxgrayconvertavx2.columnld2*
- *jsimdextbgrxgrayconvertavx2.columnld4*
- *jsimdextbgrxgrayconvertavx2.columnld8*
- *jsimdextbgrxgrayconvertavx2.columnld16*
- *jsimdextbgrxgrayconvert_avx2.columnloop*
- *jsimdextbgrxgrayconvertavx2.rgbgray_cnv*
- *jsimdextbgrxgrayconvert_avx2.return*
- *jsimdextxbgrgrayconvert_avx2*
- *jsimdextxbgrgrayconvert_avx2.rowloop*
- *jsimdextxbgrgrayconvertavx2.columnld1*
- *jsimdextxbgrgrayconvertavx2.columnld2*
- *jsimdextxbgrgrayconvertavx2.columnld4*
- *jsimdextxbgrgrayconvertavx2.columnld8*
- *jsimdextxbgrgrayconvertavx2.columnld16*
- *jsimdextxbgrgrayconvert_avx2.columnloop*
- *jsimdextxbgrgrayconvertavx2.rgbgray_cnv*
- *jsimdextxbgrgrayconvert_avx2.return*
- *jsimdextxrgbgrayconvert_avx2*
- *jsimdextxrgbgrayconvert_avx2.rowloop*
- *jsimdextxrgbgrayconvertavx2.columnld1*
- *jsimdextxrgbgrayconvertavx2.columnld2*
- *jsimdextxrgbgrayconvertavx2.columnld4*
- *jsimdextxrgbgrayconvertavx2.columnld8*
- *jsimdextxrgbgrayconvertavx2.columnld16*
- *jsimdextxrgbgrayconvert_avx2.columnloop*
- *jsimdextxrgbgrayconvertavx2.rgbgray_cnv*
- *jsimdextxrgbgrayconvert_avx2.return*
- *jsimdh2v1downsampleavx2*
- *jsimdh2v1downsampleavx2.expandloop*
- *jsimdh2v1downsampleavx2.expand_end*
- *jsimdh2v1downsampleavx2.rowloop*
- *jsimdh2v1downsampleavx2.columnloop_r24*
- *jsimdh2v1downsampleavx2.columnloop_r16*
- *jsimdh2v1downsampleavx2.columnloop_r8*
- *jsimdh2v1downsampleavx2.columnloop*
- *jsimdh2v1downsampleavx2.downsample*
- *jsimdh2v1downsampleavx2.return*
- *jsimdh2v2downsampleavx2*
- *jsimdh2v2downsampleavx2.expandloop*
- *jsimdh2v2downsampleavx2.expand_end*
- *jsimdh2v2downsampleavx2.rowloop*
- *jsimdh2v2downsampleavx2.columnloop_r24*
- *jsimdh2v2downsampleavx2.columnloop_r16*
- *jsimdh2v2downsampleavx2.columnloop_r8*
- *jsimdh2v2downsampleavx2.columnloop*
- *jsimdh2v2downsampleavx2.downsample*
- *jsimdh2v2downsampleavx2.return*
- *jsimdycrgbconvert_avx2*
- *jsimdycrgbconvert_avx2.rowloop*
- *jsimdycrgbconvert_avx2.columnloop*
- *jsimdycrgbconvert_avx2.out1*
- *jsimdycrgbconvert_avx2.out0*
- *jsimdycrgbconvertavx2.columnst64*
- *jsimdycrgbconvertavx2.columnst32*
- *jsimdycrgbconvertavx2.columnst31*
- *jsimdycrgbconvertavx2.columnst15*
- *jsimdycrgbconvertavx2.columnst7*
- *jsimdycrgbconvertavx2.columnst3*
- *jsimdycrgbconvertavx2.columnst1*
- *jsimdycrgbconvert_avx2.nextrow*
- *jsimdycrgbconvert_avx2.return*
- *jsimdycextrgbconvert_avx2*
- *jsimdycextrgbconvert_avx2.rowloop*
- *jsimdycextrgbconvert_avx2.columnloop*
- *jsimdycextrgbconvert_avx2.out1*
- *jsimdycextrgbconvert_avx2.out0*
- *jsimdycextrgbconvertavx2.columnst64*

- *jsimdyccextrgbconvertavx2.columnst32*
- *jsimdyccextrgbconvertavx2.columnst31*
- *jsimdyccextrgbconvertavx2.columnst15*
- *jsimdyccextrgbconvertavx2.columnst7*
- *jsimdyccextrgbconvertavx2.columnst3*
- *jsimdyccextrgbconvertavx2.columnst1*
- *jsimdyccextrgbconvert_avx2.nextrow*
- *jsimdyccextrgbconvert_avx2.return*
- *jsimdyccextrgbxconvert_avx2*
- *jsimdyccextrgbxconvert_avx2.rowloop*
- *jsimdyccextrgbxconvert_avx2.columnloop*
- *jsimdyccextrgbxconvert_avx2.out1*
- *jsimdyccextrgbxconvert_avx2.out0*
- *jsimdyccextrgbxconvertavx2.columnst64*
- *jsimdyccextrgbxconvertavx2.columnst32*
- *jsimdyccextrgbxconvertavx2.columnst16*
- *jsimdyccextrgbxconvertavx2.columnst15*
- *jsimdyccextrgbxconvertavx2.columnst7*
- *jsimdyccextrgbxconvert_avx2.nextrow*
- *jsimdyccextrgbxconvert_avx2.return*
- *jsimdyccextbgrconvert_avx2*
- *jsimdyccextbgrconvert_avx2.rowloop*
- *jsimdyccextbgrconvert_avx2.columnloop*
- *jsimdyccextbgrconvert_avx2.out1*
- *jsimdyccextbgrconvert_avx2.out0*
- *jsimdyccextbgrconvertavx2.columnst64*
- *jsimdyccextbgrconvertavx2.columnst32*
- *jsimdyccextbgrconvertavx2.columnst31*
- *jsimdyccextbgrconvertavx2.columnst15*
- *jsimdyccextbgrconvertavx2.columnst7*
- *jsimdyccextbgrconvertavx2.columnst3*
- *jsimdyccextbgrconvertavx2.columnst1*
- *jsimdyccextbgrconvert_avx2.nextrow*
- *jsimdyccextbgrconvert_avx2.return*
- *jsimdyccextbgrxconvert_avx2*
- *jsimdyccextbgrxconvert_avx2.rowloop*
- *jsimdyccextbgrxconvert_avx2.columnloop*
- *jsimdyccextbgrxconvert_avx2.out1*
- *jsimdyccextbgrxconvert_avx2.out0*
- *jsimdyccextbgrxconvertavx2.columnst64*
- *jsimdyccextbgrxconvertavx2.columnst32*
- *jsimdyccextbgrxconvertavx2.columnst16*
- *jsimdyccextbgrxconvertavx2.columnst15*
- *jsimdyccextbgrxconvertavx2.columnst7*
- *jsimdyccextbgrxconvert_avx2.nextrow*
- *jsimdyccextbgrxconvert_avx2.return*
- *jsimdyccextxbgrconvert_avx2*
- *jsimdyccextxbgrconvert_avx2.rowloop*
- *jsimdyccextxbgrconvert_avx2.columnloop*
- *jsimdyccextxbgrconvert_avx2.out1*
- *jsimdyccextxbgrconvert_avx2.out0*
- *jsimdyccextxbgrconvertavx2.columnst64*
- *jsimdyccextxbgrconvertavx2.columnst32*
- *jsimdyccextxbgrconvertavx2.columnst16*
- *jsimdyccextxbgrconvertavx2.columnst15*
- *jsimdyccextxbgrconvertavx2.columnst7*
- *jsimdyccextxbgrconvert_avx2.nextrow*
- *jsimdyccextxbgrconvert_avx2.return*
- *jsimdyccextxrgbconvert_avx2*
- *jsimdyccextxrgbconvert_avx2.rowloop*
- *jsimdyccextxrgbconvert_avx2.columnloop*
- *jsimdyccextxrgbconvert_avx2.out1*
- *jsimdyccextxrgbconvert_avx2.out0*
- *jsimdyccextxrgbconvertavx2.columnst64*
- *jsimdyccextxrgbconvertavx2.columnst32*
- *jsimdyccextxrgbconvertavx2.columnst16*
- *jsimdyccextxrgbconvertavx2.columnst15*
- *jsimdyccextxrgbconvertavx2.columnst7*
- *jsimdyccextxrgbconvert_avx2.nextrow*
- *jsimdyccextxrgbconvert_avx2.return*
- *jsimdh2v1mergedupsample_avx2*
- *jsimdh2v1mergedupsample_avx2.columnloop*
- *jsimdh2v1mergedupsampleavx2.Yloop2nd*

- *jsimdh2v1mergedupsampleavx2.Yloop1st*
- *jsimdh2v1mergedupsample_avx2.out1*
- *jsimdh2v1mergedupsample_avx2.out0*
- *jsimdh2v1mergedupsampleavx2.columnst64*
- *jsimdh2v1mergedupsampleavx2.columnst32*
- *jsimdh2v1mergedupsampleavx2.columnst31*
- *jsimdh2v1mergedupsampleavx2.columnst15*
- *jsimdh2v1mergedupsampleavx2.columnst7*
- *jsimdh2v1mergedupsampleavx2.columnst3*
- *jsimdh2v1mergedupsampleavx2.columnst1*
- *jsimdh2v1mergedupsample_avx2.endcolumn*
- *jsimdh2v1mergedupsample_avx2.return*
- *jsimdh2v2mergedupsample_avx2*
- *jsimdh2v1extrgbmergedupsampleavx2*
- *jsimdh2v1extrgbmergedupsampleavx2.columnloop*
- *jsimdh2v1extrgbmergedupsampleavx2.Yloop_2nd*
- *jsimdh2v1extrgbmergedupsampleavx2.Yloop_1st*
- *jsimdh2v1extrgbmergedupsampleavx2.out1*
- *jsimdh2v1extrgbmergedupsampleavx2.out0*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st64*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st32*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st31*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st15*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st7*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st3*
- *jsimdh2v1extrgbmergedupsampleavx2.column_st1*
- *jsimdh2v1extrgbmergedupsampleavx2.endcolumn*
- *jsimdh2v1extrgbmergedupsampleavx2.return*
- *jsimdh2v2extrgbmergedupsampleavx2*
- *jsimdh2v1extrgbxmergedupsampleavx2*
- *jsimdh2v1extrgbxmergedupsampleavx2.columnloop*
- *jsimdh2v1extrgbxmergedupsampleavx2.Yloop_2nd*
- *jsimdh2v1extrgbxmergedupsampleavx2.Yloop_1st*
- *jsimdh2v1extrgbxmergedupsampleavx2.out1*
- *jsimdh2v1extrgbxmergedupsampleavx2.out0*
- *jsimdh2v1extrgbxmergedupsampleavx2.column_st64*
- *jsimdh2v1extrgbxmergedupsampleavx2.column_st32*
- *jsimdh2v1extrgbxmergedupsampleavx2.column_st16*
- *jsimdh2v1extrgbxmergedupsampleavx2.column_st15*
- *jsimdh2v1extrgbxmergedupsampleavx2.column_st7*
- *jsimdh2v1extrgbxmergedupsampleavx2.endcolumn*
- *jsimdh2v1extrgbxmergedupsampleavx2.return*
- *jsimdh2v2extrgbxmergedupsampleavx2*
- *jsimdh2v1extbgmergedupsampleavx2*
- *jsimdh2v1extbgmergedupsampleavx2.columnloop*
- *jsimdh2v1extbgmergedupsampleavx2.Yloop_2nd*
- *jsimdh2v1extbgmergedupsampleavx2.Yloop_1st*
- *jsimdh2v1extbgmergedupsampleavx2.out1*
- *jsimdh2v1extbgmergedupsampleavx2.out0*
- *jsimdh2v1extbgmergedupsampleavx2.column_st64*
- *jsimdh2v1extbgmergedupsampleavx2.column_st32*
- *jsimdh2v1extbgmergedupsampleavx2.column_st31*
- *jsimdh2v1extbgmergedupsampleavx2.column_st15*
- *jsimdh2v1extbgmergedupsampleavx2.column_st7*
- *jsimdh2v1extbgmergedupsampleavx2.column_st3*
- *jsimdh2v1extbgmergedupsampleavx2.column_st1*
- *jsimdh2v1extbgmergedupsampleavx2.endcolumn*
- *jsimdh2v1extbgmergedupsampleavx2.return*
- *jsimdh2v2extbgmergedupsampleavx2*
- *jsimdh2v1extbgrxmergedupsampleavx2*
- *jsimdh2v1extbgrxmergedupsampleavx2.columnloop*
- *jsimdh2v1extbgrxmergedupsampleavx2.Yloop_2nd*
- *jsimdh2v1extbgrxmergedupsampleavx2.Yloop_1st*
- *jsimdh2v1extbgrxmergedupsampleavx2.out1*
- *jsimdh2v1extbgrxmergedupsampleavx2.out0*
- *jsimdh2v1extbgrxmergedupsampleavx2.column_st64*
- *jsimdh2v1extbgrxmergedupsampleavx2.column_st32*
- *jsimdh2v1extbgrxmergedupsampleavx2.column_st16*
- *jsimdh2v1extbgrxmergedupsampleavx2.column_st15*
- *jsimdh2v1extbgrxmergedupsampleavx2.column_st7*
- *jsimdh2v1extbgrxmergedupsampleavx2.endcolumn*
- *jsimdh2v1extbgrxmergedupsampleavx2.return*
- *jsimdh2v2extbgrxmergedupsampleavx2*

- *jsimdh2v1extxbgmergedupsampleavx2*
- *jsimdh2v1extxbgmergedupsampleavx2.columnloop*
- *jsimdh2v1extxbgmergedupsampleavx2.Yloop_2nd*
- *jsimdh2v1extxbgmergedupsampleavx2.Yloop_1st*
- *jsimdh2v1extxbgmergedupsampleavx2.out1*
- *jsimdh2v1extxbgmergedupsampleavx2.out0*
- *jsimdh2v1extxbgmergedupsampleavx2.column_st64*
- *jsimdh2v1extxbgmergedupsampleavx2.column_st32*
- *jsimdh2v1extxbgmergedupsampleavx2.column_st16*
- *jsimdh2v1extxbgmergedupsampleavx2.column_st15*
- *jsimdh2v1extxbgmergedupsampleavx2.column_st7*
- *jsimdh2v1extxbgmergedupsampleavx2.endcolumn*
- *jsimdh2v1extxbgmergedupsampleavx2.return*
- *jsimdh2v2extxbgmergedupsampleavx2*
- *jsimdh2v1extxrgbmergedupsampleavx2*
- *jsimdh2v1extxrgbmergedupsampleavx2.columnloop*
- *jsimdh2v1extxrgbmergedupsampleavx2.Yloop_2nd*
- *jsimdh2v1extxrgbmergedupsampleavx2.Yloop_1st*
- *jsimdh2v1extxrgbmergedupsampleavx2.out1*
- *jsimdh2v1extxrgbmergedupsampleavx2.out0*
- *jsimdh2v1extxrgbmergedupsampleavx2.column_st64*
- *jsimdh2v1extxrgbmergedupsampleavx2.column_st32*
- *jsimdh2v1extxrgbmergedupsampleavx2.column_st16*
- *jsimdh2v1extxrgbmergedupsampleavx2.column_st15*
- *jsimdh2v1extxrgbmergedupsampleavx2.column_st7*
- *jsimdh2v1extxrgbmergedupsampleavx2.endcolumn*
- *jsimdh2v1extxrgbmergedupsampleavx2.return*
- *jsimdh2v2extxrgbmergedupsampleavx2*
- *jsimdh2v1fancyupsample_avx2*
- *jsimdh2v1fancyupsample_avx2.rowloop*
- *jsimdh2v1fancyupsample_avx2.skip*
- *jsimdh2v1fancyupsampleavx2.columnlooplast*
- *jsimdh2v1fancyupsample_avx2.columnloop*
- *jsimdh2v1fancyupsample_avx2.upsample*
- *jsimdh2v1fancyupsample_avx2.return*
- *jsimdh2v2fancyupsample_avx2*
- *jsimdh2v2fancyupsample_avx2.rowloop*
- *jsimdh2v2fancyupsample_avx2.skip*
- *jsimdh2v2fancyupsampleavx2.columnlooplast*
- *jsimdh2v2fancyupsample_avx2.columnloop*
- *jsimdh2v2fancyupsample_avx2.upsample*
- *jsimdh2v2fancyupsample_avx2.return*
- *jsimdh2v1upsampleavx2*
- *jsimdh2v1upsampleavx2.rowloop*
- *jsimdh2v1upsampleavx2.columnloop*
- *jsimdh2v1upsampleavx2.above_16*
- *jsimdh2v1upsampleavx2.nextrow*
- *jsimdh2v1upsampleavx2.return*
- *jsimdh2v2upsampleavx2*
- *jsimdh2v2upsampleavx2.rowloop*
- *jsimdh2v2upsampleavx2.columnloop*
- *jsimdh2v2upsampleavx2.above_16*
- *jsimdh2v2upsampleavx2.nextrow*
- *jsimdh2v2upsampleavx2.return*
- *jsimddctislowavx2*
- *jsimddctislowavx2*
- *jsimddctislowavx2.columnDCT*
- *jsimddctislowavx2.column_end*
- *jsimdconvsamp_avx2*
- *jsimdquantize_avx2*
- *initsimd.part.0*
- *__ZN3rdr9ExceptionC1EPKcS2*
- *__clangcall/terminate*
- *__ZN3rdr9OutStream10writeBytesEPKvm*
- *__ZN3rdr9ExceptionC2EPKcS2*
- *__ZNK3rdr9Exception3strEv*
- *_USKeyCodes*
- *_SpecialKeyCodes*
- *_loadKeyboard::modifierKeyStates*
- *_unicodeNumbersToKeyCodes*
- *_ZL18bitsPerPackedPixel*
- *__ZTSN3rdr12MemOutStreamE*
- *_tightConf*
- *_BGR233Format*

- *_bytebit*
- *_totrot*
- *_bigbyte*
- *rgbpixelsize*
- *rgbblue*
- *rgbgreen*
- *rgbred*
- *_aanscalefactor.4691*
- *_aanscales.4683*
- *jpegnbits_table*
- *valac_chrominance.4427*
- *bitsac_chrominance.4426*
- *valdc_chrominance.4423*
- *bitsdc_chrominance.4422*
- *valac_luminance.4425*
- *bitsac_luminance.4424*
- *valdc_luminance.4421*
- *bitsdc_luminance.4420*
- *stdchrominancequanttbl*
- *stdluminancequanttbl*
- *jpegnbits_table*
- *extrapool_slop*
- *firstpool_slop*
- *GCCexcepttable10*
- *GCCexcepttable0*
- *GCCexcepttable9*
- *GCCexcepttable13*
- *GCCexcepttable16*
- *GCCexcepttable19*
- *GCCexcepttable0*
- *GCCexcepttable3*
- *GCCexcepttable9*
- *GCCexcepttable10*
- *__ZTVN3rdr12MemOutStreamE*
- *__ZTIN3rdr12MemOutStreamE*
- *const_base*
- *const_base*
- *PD0382*
- *jconstfdctfloatsse*
- *PD0707*
- *PD0541*
- *PD1306*
- *const_base*
- *PWF0299F0337*
- *jconstrgbyccconvert_sse2*
- *PWF0114F0250*
- *PWMF016MF033*
- *PWMF008MF041*
- *PDONEHALFM1CJ*
- *PD_ONEHALF*
- *const_base*
- *PWF0299F0337*
- *jconstrgbgrayconvert_sse2*
- *PWF0114F0250*
- *PD_ONEHALF*
- *jpegnbitstable*
- *const_base*
- *jconsthuffencodeone_block*
- *const_base*
- *const_base*
- *const_base*
- *PW_F0402*
- *jconstycrgbconvert_sse2*
- *PW_MF0228*
- *PWMF0344F0285*
- *PW_ONE*
- *PD_ONEHALF*
- *const_base*
- *PW_F0402*
- *jconstmergedupsamplesse2*
- *PW_MF0228*
- *PWMF0344F0285*
- *PW_ONE*
- *PD_ONEHALF*
- *const_base*

- PW_ONE
- *jconstfancyupsamplesse2*
- PW_TWO
- PW_THREE
- PW_SEVEN
- PW_EIGHT
- const_base
- PW_F0707
- *jconstfdctifastsse2*
- PW_F0382
- PW_F0541
- PW_F1306
- const_base
- PWF130F054
- *jconstfdctislowse2*
- PWF054MF130
- PWMF078F117
- PWF117F078
- PWMF060MF089
- PWMF089F060
- PWMF050MF256
- PWMF256F050
- PDDESCALEP1
- PDDESCALEP2
- PWDESCALEP2X
- const_base
- PD1414
- *jconstidctfloatsse2*
- PD1847
- PD1082
- PDM2613
- PDRNDINTMAGIC
- PB_CENTERJSAMP
- const_base
- PW_F1414
- *jconstidctifastsse2*
- PW_F1847
- PW_MF1613
- PW_F1082
- PB_CENTERJSAMP
- const_base
- PWF130F054
- *jconstidctislowse2*
- PWF054MF130
- PWMF078F117
- PWF117F078
- PWMF060MF089
- PWMF089F060
- PWMF050MF256
- PWMF256F050
- PDDESCALEP1
- PDDESCALEP2
- PB_CENTERJSAMP
- const_base
- PWF184MF076
- *jconstidctredsse2*
- PWF256F089
- PWF106MF217
- PWMF060MF050
- PWF145MF021
- PWF362MF127
- PWF085MF072
- PDDESCALEP1_4
- PDDESCALEP2_4
- PDDESCALEP1_2
- PDDESCALEP2_2
- PB_CENTERJSAMP
- const_base
- const_base
- const_base
- PWF0299F0337
- *jconstrgbccconvert_avx2*
- PWF0114F0250
- PWMF016MF033

- *PWMF008MF041*
- *PDONEHALFM1CJ*
- *PD_ONEHALF*
- *const_base*
- *PWF0299F0337*
- *jconstrgbgrayconvert_avx2*
- *PWF0114F0250*
- *PD_ONEHALF*
- *const_base*
- *const_base*
- *PW_F0402*
- *jconstycrgbconvert_avx2*
- *PW_MF0228*
- *PWMF0344F0285*
- *PW_ONE*
- *PD_ONEHALF*
- *const_base*
- *PW_F0402*
- *jconstmergedupsampleavx2*
- *PW_MF0228*
- *PWMF0344F0285*
- *PW_ONE*
- *PD_ONEHALF*
- *const_base*
- *PW_ONE*
- *jconstfancyupsampleavx2*
- *PW_TWO*
- *PW_THREE*
- *PW_SEVEN*
- *PW_EIGHT*
- *const_base*
- *PWF130F054MF130F054*
- *jconstfdctslowavx2*
- *PWMF078F117F078F117*
- *PWMF060MF089MF050MF256*
- *PWF050MF256F060MF089*
- *PDDESCALEP1*
- *PDDESCALEP2*
- *PWDESCALEP2X*
- *PW1NEG1*
- *const_base*
- *PWF130F054MF130F054*
- *jconstidctslowavx2*
- *PWMF078F117F078F117*
- *PWMF060MF089MF050MF256*
- *PWMF089F060MF256F050*
- *PDDESCALEP1*
- *PDDESCALEP2*
- *PB_CENTERJSAMP*
- *PW1NEG1*
- *const_base*
- *__ZTVN3rd9ExceptionE*
- *OBJCIVAR\$VNCServer.keyboardLoading*
- *OBJCIVAR\$VNCServer.useIP6*
- *OBJCIVAR\$VNCServer.listenerFinished*
- *OBJCIVAR\$VNCServer.readyToStartup*
- *OBJCIVAR\$VNCServer.dynamicKeyboard*
- *OBJCIVAR\$VNCServer.keyTable*
- *OBJCIVAR\$VNCServer.keyTableMods*
- *OBJCIVAR\$VNCServer.keyCodeShift*
- *OBJCIVAR\$VNCServer.keyCodeOption*
- *OBJCIVAR\$VNCServer.keyCodeControl*
- *OBJCIVAR\$VNCServer.keyCodeCommand*
- *OBJCIVAR\$VNCServer.theServer*
- *OBJCIVAR\$VNCServer.modifierDelay*
- *OBJCIVAR\$VNCServer.pressModsForKeys*
- *OBJCIVAR\$VNCServer.loadedKeyboardRef*
- *OBJCIVAR\$VNCServer.vncSourceRef*
- *OBJCIVAR\$VNCServer.vncTapLocation*
- *OBJCIVAR\$VNCServer.unicodeInputSource*
- *OBJCIVAR\$VNCServer.currentInputSource*
- *OBJCIVAR\$VNCServer.rfbService*
- *OBJCIVAR\$VNCServer.vncService*
- *OBJCIVAR\$VNCServer.currentModifiers*

- OBJCIVAR\$NSClipboardProxy.clientPointer
- OBJCIVAR\$NSClipboardProxy.pasteboardName
- OBJCCLASS\$VNCServer
- OBJCCLASS\$RendezvousDelegate
- OBJCMETACLASS\$VNCServer
- OBJCMETACLASS\$RendezvousDelegate
- OBJCCLASS\$NSClipboardProxy
- OBJCMETACLASS\$NSClipboardProxy
- _maxFailsRemaining
- _rfbProtocolMajorVersion
- _rfbProtocolMinorVersion
- _keepRunning
- _rfbSwapButtons
- _rfbShouldSendUpdates
- _useIP4
- _logEnable
- _rfbDeferUpdateTime
- _reversePort
- _rfbNoSleep
- _rfbInitTrueColourSingleTableFns
- _rfbInitTrueColourRGBTablesFns
- _rfbTranslateWithSingleTableFns
- _rfbTranslateWithRGBTablesFns
- _encNames
- _rfbMaxClientWait
- _rfbMaxLoginAttempts
- _maxTransferSize
- _pasteboardStringEncoding
- _generalPBLastChangeCount
- _fixedkey
- *simd*huffman
- *simd*support
- F0081
- F0114
- F0168
- F0250
- F0299
- F0331
- F0337
- F0418
- F0587
- F0114
- F0250
- F0299
- F0337
- F0587
- F0228
- F0285
- F0344
- F0402
- F0714
- F1402
- F1772
- F0228
- F0285
- F0344
- F0402
- F0714
- F1402
- F1772
- F0382
- F0541
- F0707
- F1306
- F0298
- F0390
- F0541
- F0765
- F0899
- F1175
- F1501
- F1847
- F1961
- F2053

- F2562
- F3072
- F1082
- F1414
- F1613
- F1847
- F2613
- F0298
- F0390
- F0541
- F0765
- F0899
- F1175
- F1501
- F1847
- F1961
- F2053
- F2562
- F3072
- F0211
- F0509
- F0601
- F0720
- F0765
- F0850
- F0899
- F1061
- F1272
- F1451
- F1847
- F2172
- F2562
- F3624
- F0081
- F0114
- F0168
- F0250
- F0299
- F0331
- F0337
- F0418
- F0587
- F0114
- F0250
- F0299
- F0337
- F0587
- F0228
- F0285
- F0344
- F0402
- F0714
- F1402
- F1772
- F0228
- F0285
- F0344
- F0402
- F0714
- F1402
- F1772
- F0298
- F0390
- F0541
- F0765
- F0899
- F1175
- F1501
- F1847
- F1961
- F2053
- F2562
- F3072

- F0298
- F0390
- F0541
- F0765
- F0899
- F1175
- F1501
- F1847
- F1961
- F2053
- F2562
- F3072
- _sharedServer
- _cursorDataSize
- _cursorData
- _cursorRowBytes
- _cursorRect
- _hotspot
- _cursorDepth
- _components
- _cursorBitsPerComponent
- _cursorFormat
- _cursorMaskSize
- _cursorMaskData
- _cursorMutex
- _lastCursorPosition
- _lastCursorSeed
- _sharedConnection
- _logMutex
- _displayID
- _frameBufferData
- _displayScale
- _frameBufferBytesPerRow
- _frameBufferBitsPerPixel
- _screensaverTimer
- _screensaverTimerUPP
- _reverseHost
- _hackScreen
- _didSupplyPass
- *dimming*mutex
- *masterdev*_port
- *powermgt*
- _initialized
- *dimtime*_saved
- *sleeptime*_saved
- *dimtime*
- *sleeptime*
- _rfbClientListMutex
- _rfbClientIteratorInstance
- _rreBeforeBufSize
- _rreBeforeBuf
- _rreAfterBufSize
- _rreAfterBuf
- _rreAfterBufLen
- _getBgColour.counts
- _rreBeforeBufSize
- _rreBeforeBuf
- _rreAfterBufSize
- _rreAfterBuf
- _rreAfterBufLen
- _getBgColour.counts
- _suppliedPass
- _storedPass
- _debugPB
- _pasteboard:provideDataForType::batchCounter
- _getMACAddressString.addressString
- _miEmptyBox
- _miEmptyData
- _rfbTightDisableGradient
- _littleEndian
- _rfbPort
- _rfbMaxBitDepth
- _rfbAlwaysShared
- _rfbNeverShared
- _rfbDontDisconnect
- _rfbLocalhostOnly

- `_rfbInhibitEvents`
- `_rfbReverseMods`
- `_rfbDisableRemote`
- `_rfbDisableRichClipboards`
- `_rfbRemapShortcuts`
- `_registered`
- `_restartOnUserSwitch`
- `_unregisterWhenNoConnections`
- `_nonBlocking`
- `_rfbDisableScreenSaver`
- `_vncServerObject`
- `_thisServer`
- `_desktopName`
- `_listenerAccepting`
- `_listenerGotNewClient`
- `_rfbScreen`
- `listenerthread`
- `_displayErr`
- `_rfbNoDimming`
- `_pointerClient`
- `_rfbClientHead`
- `_rfbEconomicTranslate`
- `_rfbServerFormat`
- `_allowNoAuth`
- `_authClientLock`
- `_authClientFailures`
- `_rfbAuthPasswdFile`
- `_pasteboardLock`
- `_pasteboardVariablesLock`
- `_pasteboardString`
- `_clientCutText`
- `_pasteboards`
- `Musthave_memory`
- `service-5555494490c6f4f1016a3b28af7a9a5e0e8190ee`
- `s<"8x.`
- `aH=T^]"%G`
- `+F`"7x`
- `5LBwOB%~`
- `lrYboJ`
- `8%,k=%5`
- `8LzX9}g``
- `xGWry9`
- `amnX4[p-^`
- `o~28JT`
- `rA,v1K4`

UTF-8 Strings

No detected.

UTF-16LE Strings

- `mN0yY1`

Extracted URLs

No detected.

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** `6.01`
- **Status:** This file is likely packed or encrypted.

VirusTotal Analysis

Scan Date: 2025-01-30 13:11:08

Scan Results

- Malicious: 19
- Suspicious: 0
- Undetected: 44

- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 13

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
Lionic	malicious	Trojan.OSX.ElectroRAT.4!c
Elastic	malicious	malicious (high confidence)
CTX	malicious	macho.trojan.electrorat
Skyhigh	malicious	OSX/ElectroRat.c
McAfee	malicious	OSX/ElectroRat.c
Zillya	malicious	Trojan.ElectroRat.OSX.1
Symantec	malicious	OSX.Trojan.Gen
Avast	malicious	MacOS:Agent-SF [Trj]
Tencent	malicious	Osx.Trojan.Electrorat.Yolw
F-Secure	malicious	Malware.OSX/ElectroRAT.A
DrWeb	malicious	Mac.BackDoor.VNC.1
Ikarus	malicious	OSX.ElectroRAT
Avira	malicious	OSX/ElectroRAT.A
Microsoft	malicious	Trojan:MacOS/Multiverze
Cynet	malicious	Malicious (score: 99)
MaxSecure	malicious	Trojan.Malware.113000427.susgen
AVG	malicious	MacOS:Agent-SF [Trj]
alibabacloud	malicious	Trojan:MacOS/Multiverze.Gen