

Malware Analysis Report For imobie_8e51e9feb867451f7c00f5446f9d6e8d4bbc5d8db31bf09cf8fdb625deaa6dbd

Binary Type

Mach-O (Mach Object). (Approved)

Analyzing File

- **File Name:** imobie_8e51e9feb867451f7c00f5446f9d6e8d4bbc5d8db31bf09cf8fdb625deaa6dbd
- **File Extension:**
- **File Type:** Mach-O (Mach Object).
- **MD5 Hash:** b932be69f75a3b8eb409b578c5dde563
- **SHA256 Hash:** 8e51e9feb867451f7c00f5446f9d6e8d4bbc5d8db31bf09cf8fdb625deaa6dbd

File Identification

File detected as a valid macOS/iOS executable.

Mach-O File Analysis

Mach-O File Analysis: True

Mach-O File Imports

- AppKit
- CoreFoundation
- CoreGraphics
- CoreServices
- CoreText
- Foundation
- ImageIO
- QuartzCore
- Security
- SystemConfiguration
- libSystem.B.dylib
- libobjc.A.dylib

Mach-O File Exports

- `radr://5614542`

String Analysis

ASCII Strings

- `__PAGEZERO`
- `__TEXT`
- `__text`
- `__TEXT`
- `__stubs`
- `__TEXT`
- `__stubhelper`
- `__TEXT`
- `__cstring`
- `__TEXT`
- `__objcmethname`
- `__TEXT`
- `objc_classnameTEXT`
- `__objcmethtype`
- `__TEXT`
- `gccexcepttabTEXT`
- `__const`
- `__TEXT`
- `__cstring`
- `__TEXT`
- `__unwindinfo`

- __TEXT
- __DATA
- _nl_symbol_ptr
- __DATA
- __DATA
- _l_symbol_ptr
- __DATA
- __const
- __DATA
- __cfstring
- __DATA
- objc_classlistDATA
- objc_nlistlistDATA
- _objccatlist
- __DATA
- objc_protolistDATA
- objc_imageinfoDATA
- _objccconst
- __DATA
- _objcselrefs
- __DATA
- objc_protorefsDATA
- objc_classrefsDATA
- objc_superrefsDATA
- _objcivar
- __DATA
- _objcdata
- __DATA
- __data
- __DATA
- __DATA
- __DATA
- __common
- __DATA
- __LINKEDIT
- /usr/lib/dyld
- /usr/lib/libSystem.B.dylib
- /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit
- /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
- /System/Library/Frameworks/CoreGraphics.framework/Versions/A/CoreGraphics
- /System/Library/Frameworks/CoreServices.framework/Versions/A/CoreServices
- /System/Library/Frameworks/CoreText.framework/Versions/A/CoreText
- /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
- /System/Library/Frameworks/ImageIO.framework/Versions/A/ImageIO
- /System/Library/Frameworks/QuartzCore.framework/Versions/A/QuartzCore
- /System/Library/Frameworks/Security.framework/Versions/A/Security
- /System/Library/Frameworks/SystemConfiguration.framework/Versions/A/SystemConfiguration
- /usr/lib/libobjc.A.dylib
- @executable_path/../Frameworks
- AWAVAUATSH
- [AA]A^A_]
- AWAVATSI
- [AA^A_]
- AWAVATSI
- [AA^A_]
- AWAVAUATSPI
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSPH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSPI
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSPI
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSPI
- [AA]A^A_]

- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- 0[A\A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVATSH
- 0[A\A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- 8[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- X[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVSPI

- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- 8[A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVATSI
- [A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSP

- [A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVSH
- [A^A_]
- AWAVSH
- AVASARA
- 8[A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- x[A^A]A^A_]
- AWAVSH
- [A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVSPI
- [A^A_]
- SARPAQ
- AWAVAUATSH
- PQRAPA
- X[A^A]A^A_]
- AWAVATSI
- [A^A^A_]
- [A^A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSH
- ARSPAQA
- h[A^A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVATSH
- [A^A^A_]

- [A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSPL
- [A^A]A^A_]
- AWAVATSH
- AQARATASA
- [A^A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- [A^A^A_]
- AWAVATSH
- [A^A^A_]
- [A^A^A_]
- AWAVAUATSH
- =tesmH
- =ndsmH
- =pusmH
- AVATAUM
- AWAPPAQARASQAVA
- \=ndsmH=tesm
- >=pusmH#tosmu)H
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVATSI
- ;[A^A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSPL
- [A^A_]
- [A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSPA
- [A^A]A^A_]
- AWAVAUATSH
- x[A^A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]

- AWAVSP
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVATSH
- [AA^A_]
- AWAVSPI
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVATSH
- [AA^A_]
- AWAVATSH
- [AA^A_]
- AWAVATSH
- [AA^A_]
- AWAVATSH
- [AA^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVATSH
- [AA^A_]
- AWAVAUATSP
- [AA]A^A_]
- AWAVSH
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVSH
- 8[A^A_]
- AWAVAUATSH
- H[AA]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPA
- [A^A_]
- AWAVSP
- [A^A_]
- AWAVAUATSP
- [AA]A^A_]
- AWAVSPH
- [A^A_]
- [A^A_]
- AWAVAUATSPI
- [AA]A^A_]
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- H[AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- ([AA]A^A_]
- AWAVAUATSH
- ([AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVATSH
- [AA^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH

- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- SARAUATAVASAW
- H[A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSPI

- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSH
- SAVAWAUP
- H[A^A]A^A_]
- AWAVAUATSH
- SAVAWAUP
- H[A^A]A^A_]
- AWAVAUATSH
- SAVAWAUP
- H[A^A]A^A_]
- AWAVAUATSH
- SAVAWAUP
- H[A^A]A^A_]
- AWAVAUATSH
- PSAWAVAU
- [A^A]A^A_]
- AWAVAUATSH
- SATAWAUP
- X[A^A]A^A_]
- AWAVAUATSH
- AWAVPSAT
- [A^A]A^A_]
- AWAVAUATSH
- PSATAVAW
- ([A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- X[A^A]A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVSP1
- [A^A_]
- AWAVAUATSP1
- [A^A]A^A_]
- AWAVAUATSPA
- [A^A]A^A_]
- AWAVSPA
- [A^A_]
- AWAVATSA
- [A^A^A_]
- [A^A^A_]
- AWAVSP
- [A^A_]
- [A^A_]
- AWAVATS
- [A^A^A_]
- [A^A^A_]
- AWAVATS
- [A^A^A_]
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSP
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVATSH

- [A^A_]
- AWAVAUATSH
- ([A]A^A_]
- AWAVAUATSPA
- [A]A^A_]
- [A]A^A_]
- AWAVAUATSH
- ([A]A^A_]
- AWAVAUATSH
- [A]A^A_]
- AWAVAUATSH
- ([A]A^A_]
- AWAVSPA
- [A^A_]
- AWAVSPA
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVATSH
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSPA
- [A]A^A_]
- AWAVAUATSPD
- [A]A^A_]
- [A]A^A_]
- AWAVAUATSH
- [A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A]A^A_]
- AWAVATSH
- [A^A_]
- AWAVAUATSPD
- [A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPH
- [A]A^A_]
- AWAVAUATSPH
- [A]A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- ([A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A]A^A_]
- AWAVATSA
- [A^A_]
- AWAVAUATSPE
- [A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- AWAVATSH
- [A^A_]
- AWAVAUATSH
- AVQSAPAQARPAS
- [A]A^A_]
- AWAVAUATSH
- 8[A]A^A_]
- AQSPAPA
- 8[A]A^A_]
- AWAVAUATSPA
- [A]A^A_]
- ARAPPAQA
- [A]A^A_]

- AWAVAUATSH
- [A]A^A_
- [A]A^A_
- AWAVSH
- [A^A_]
- AWAVAUATSH
- x[A]A^A_
- AWAVATSH
- [A^A^A_]
- [A^A^A_]
- AWAVAUATSH
- [A]A^A_
- ([A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSPH
- [A]A^A_
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A]A^A_
- AWAVATSI
- [A^A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- H[A]A^A_
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSPA
- [A]A^A_
- AWAVAUATSPI
- [A]A^A_
- AWAVAUATSPA
- [A]A^A_
- AWAVAUATSPA
- [A]A^A_
- AWAVAUATSPA
- [A]A^A_
- AWAVAUATSPI
- [A]A^A_
- AWAVAUATSP
- [A]A^A_
- AWAVSPL
- [A^A_]
- AWAVAUATSPH
- [A]A^A_
- AWAVATSH
- [A^A^A_]
- AWAVAUATSPI
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVAUATSH
- [A]A^A_
- AWAVATSH
- [A^A^A_]
- AWAVSPL
- [A^A_]

- AWAVAUATSH
- x[A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSPL
- [A^A]A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- h[A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSP
- [A^A]A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- AWAVAUATSH
- h[A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- h[A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSH

- [A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVAUATSH
- h[A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- x[A^A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- X[A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- PSATAV
- [A^A]A^A_]
- AWAVAUATSH
- PATSAVAU
- PATSAVAU
- PATSAVAU
- PATSAVAU
- PAVSAUL
- PQRAPH
- [A^A]A^A_]
- AWAVAUATSH
- PSATAV
- [A^A]A^A_]
- AWAVAUATSH
- PATSAWAU
- PATSAUAW
- [A^A]A^A_]
- AWAVAUATSH
- PATSAWAU
- PATSAWAU
- PAUSAWAT
- PAUSAWAT
- PAUSATAW
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- [A^A]A^A_]

- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ASAQPARAVATSAUA
- x[A^A]A^A_]
- AWAVATSH
- ARSPAQA
- [A^A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSPM
- [A^A]A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSP
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSPM
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSPM
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSPM
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVATSH
- SARASATAUH

- [AA]A^A_]
- AWAVAUATSPM
- [AA]A^A_]
- AWAVAUATSPI
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVAUATSH
- [AA]A^A_]
- AWAVATSI
- [AA^A_]
- In order to validate a domain name for self signed certificates, you MUST use pinning.
- pinnedCertificates
- SSLPinningMode
- TQ,N,V_SSLPinningMode
- pinnedPublicKeys
- T@"NSSet",&,N,V_pinnedPublicKeys
- T@"NSSet",&,N,V_pinnedCertificates
- allowInvalidCertificates
- Tc,N,V_allowInvalidCertificates
- validatesDomainName
- Tc,N,V_validatesDomainName
- com.alamofire.networking.task.resume
- com.alamofire.networking.task.complete
- com.alamofire.networking.task.suspend
- com.alamofire.networking.session.invalidate
- com.alamofire.networking.session.download.file-manager-error
- com.alamofire.networking.task.complete.serializedresponse
- com.alamofire.networking.task.complete.responseserializer
- com.alamofire.networking.complete.finish.responseData
- com.alamofire.networking.task.complete.error
- com.alamofire.networking.task.complete.assetPath
- com.alamofire.networking.session.manager.lock
- superclass
- description
- T@"NSString",R,C
- debugDescription
- manager
- T@"AFURLSessionManager",W,N,V_manager
- mutableData
- T@"NSMutableData",&,N,V_mutableData
- uploadProgress
- T@"NSProgress",&,N,V_uploadProgress
- downloadProgress
- T@"NSProgress",&,N,V_downloadProgress
- downloadFileURL
- T@"NSURL",C,N,V_downloadFileURL
- downloadTaskDidFinishDownloading
- T@?,C,N,V_downloadTaskDidFinishDownloading
- uploadProgressBlock
- T@?,C,N,V_uploadProgressBlock
- downloadProgressBlock
- T@?,C,N,V_downloadProgressBlock
- completionHandler
- T@?,C,N,V_completionHandler
- com.alamofire.networking.nsurlsessiontask.resume
- com.alamofire.networking.nsurlsessiontask.suspend
- NSURLSessionTask
- v32@?0@"NSArray"8@"NSArray"16@"NSArray"24
- @"NSURL"32@?0@"NSURLSession"8@"NSURLSessionDownloadTask"16@"NSURL"24
- @unionOfArrays.self
- <%@: %p, session: %@, operationQueue: %@>
- Content-Length
- sessionConfiguration
- T@"NSURLSessionConfiguration",&,N,V_sessionConfiguration
- operationQueue
- T@"NSOperationQueue",&,N,V_operationQueue
- session
- T@"NSURLSession",&,N,V_session
- mutableTaskDelegatesKeyedByTaskIdentifier
- T@"NSMutableDictionary",&,N,V_mutableTaskDelegatesKeyedByTaskIdentifier

- taskDescriptionForSessionTasks
- T@"NSString",R,C,N
- T@"NSLock",&,N,V,_lock
- sessionDidBecomeInvalid
- T@?,C,N,V_sessionDidBecomeInvalid
- sessionDidReceiveAuthenticationChallenge
- T@?,C,N,V_sessionDidReceiveAuthenticationChallenge
- didFinishEventsForBackgroundURLSession
- T@?,C,N,V_didFinishEventsForBackgroundURLSession
- taskWillPerformHTTPRedirection
- T@?,C,N,V_taskWillPerformHTTPRedirection
- taskDidReceiveAuthenticationChallenge
- T@?,C,N,V_taskDidReceiveAuthenticationChallenge
- taskNeedNewBodyStream
- T@?,C,N,V_taskNeedNewBodyStream
- taskDidSendBodyData
- T@?,C,N,V_taskDidSendBodyData
- taskDidComplete
- T@?,C,N,V_taskDidComplete
- dataTaskDidReceiveResponse
- T@?,C,N,V_dataTaskDidReceiveResponse
- dataTaskDidBecomeDownloadTask
- T@?,C,N,V_dataTaskDidBecomeDownloadTask
- dataTaskDidReceiveData
- T@?,C,N,V_dataTaskDidReceiveData
- dataTaskWillCacheResponse
- T@?,C,N,V_dataTaskWillCacheResponse
- downloadTaskDidWriteData
- T@?,C,N,V_downloadTaskDidWriteData
- downloadTaskDidResume
- T@?,C,N,V_downloadTaskDidResume
- responseSerializer
- T@"",&,N,V_responseSerializer
- securityPolicy
- T@"AFSecurityPolicy",&,N,V_securityPolicy
- reachabilityManager
- T@"AFNetworkReachabilityManager",&,N,V_reachabilityManager
- T@"NSArray",R,N
- dataTasks
- uploadTasks
- downloadTasks
- completionQueue
- T@"NSObject",&,N,V_completionQueue
- completionGroup
- T@"NSObject",&,N,V_completionGroup
- attemptsToRecreateUploadTasksForBackgroundSessions
- Tc,N,V_attemptsToRecreateUploadTasksForBackgroundSessions
- com.alamofire.networking.session.manager.processing
- com.alamofire.networking.session.manager.creation
- strokeEnd
- CFBundleName
- AppleLanguages
- CFBundleVersion
- Mozilla/5.0 (Macintosh; Intel Mac OS X %@; rv:49.0) Gecko/20100101 Firefox/49.0
- %d.%d.%d
- Error: if_nametoindex error/n
- Error: sysctl, take 1/n
- Could not allocate memory. error!/n
- Error: sysctl, take 2
- %02x:%02x:%02x:%02x:%02x:%02x
- Open Or Close
- Downloader
- Install SW
- Undefined Event
- Launch App
- Click Close
- Start DownloadUrl
- Start Download
- Download Try Again
- Download Successful
- Download Failed
- Install Start

- Install Finish
- Install Error
- Start Application
- Download Close
- Cancel Close
- Undefine Action
- Success---%@
- Success
- Failed---%@
- Failed
- Undefine Label
- params:
- <https://www.google-analytics.com/collect?>
- v=%@&an=%@&tid=%@&av=%@&cid=%@&t=%@&ua=%@
- &%@=%@
- ea=First%20Launch
- tracker error:%@
- v32?@0@"NSURLResponse"8@"NSData"16@"NSError"24
- screenview
- exception
- chooseLanguage
- T@"NSString",&,N,V_cid
- appName
- T@"NSString",&,N,V_appName
- appVersion
- T@"NSString",&,N,V_appVersion
- MPVersion
- T@"NSString",&,N,V_MPVersion
- T@"NSString",&,N,V_ua
- T@"NSString",&,N,V_tid
- customDictionary
- T@"NSDictionary",&,N,V_customDictionary
- T@"NSString",&,N,V_chooseLanguage
- lineHeight
- Tf,N,V_lineSpace
- hasUnderLine
- Tc,N,V_hasUnderLine
- bgColor
- T@"NSColor",&,N,V_bgColor
- isSingleLine
- Tc,N,V_isSingleLine
- normalString
- T@"NSString",&,N,V_normalString
- isMove
- Tc,N,V_isMove
- isRegisteredTextView
- Tc,N,V_isRegisteredTextView
- isBommt
- Tc,N,V_isBommt
- isHaveLine
- Tc,N,V_isHaveLine
- isNOCanDraw
- Tc,N,V_isNOCanDraw
- isUpline
- Tc,N,V_isUpline
- isDrawFrame
- Tc,N,V_isDrawFrame
- hasCorner
- Tc,N,V_hasCorner
- backgroundColor
- T@"NSColor",&,N,V_backgroundColor
- cornerRadius
- Tf,N,V_cornerRadius
- MainWindowBecomeKeyWindow
- maxAndminView
- T@"BackGroundView",N,V_maxAndminView
- closeButton
- T@"NSButton",N,V_closeButton
- minButton
- T@"NSButton",N,V_minButton
- maxButton
- T@"NSButton",N,V_maxButton
- pressed

- rollover
- normal
- Helvetica Neue Medium
- Helvetica Neue
- isOpenMenu
- Tc,N,V_isOpenMenu
- isAddButton
- Tc,N,V_isAddButton
- isNoGridient
- Tc,N,V_isNoGridient
- isAnimation
- Tc,N,V_isAnimation
- isLeftRightGridient
- Tc,N,V_isleftRightGridient
- hasBorder
- Tc,N,V_hasBorder
- borderWidth
- Tf,N,V_borderLineWidth
- hasLeftImage
- Tc,N,V_hasLeftImage
- leftImage
- T@"NSImage",&,N,V_leftImage
- hasRightImage
- Tc,N,V_hasRightImage
- rightImage
- T@"NSImage",&,N,V_rightImage
- spaceWithText
- Tf,N,V_spaceWithText
- T@"NSMutableDictionary",&,N,V_dic
- delegate
- T@"",N,V_delegate
- buttonTitle
- T@"NSString",&,N,V_buttonTitle
- isRightAlignment
- Tc,N,V_isRightAlignment
- isMediumSize
- Tc,N,V_isMediumSize
- background
- T@"NSColor",&,N,V_background
- borderLineSize
- Td,N,V_borderLineSize
- lineColor
- T@"NSColor",&,N,V_lineColor
- isOffsetY
- Tc,N,V_isOffsetY
- offsetY
- Tf,N,V_offsetY
- blurRadius
- Tf,N,V_blurRadius
- IMBInstallProgressViewController
- IMBAlertViewController
- ati_ad1
- ati_ad2
- ati_ad3
- ati_ad4
- Product_Name
- InstallingATAd_Sub1
- InstallingATAd_Sub2
- InstallingATAd_Sub3
- InstallingATAd_Sub4
- InstallingATAd_Prompt1
- InstallingATAd_Prompt2
- InstallingATAd_Prompt3
- InstallingATAd_Prompt4
- ProductiOSSuffix_Name
- ata_ad1
- ata_ad2
- ata_ad3
- ata_ad4
- InstallingATAAd_Sub1
- InstallingATAAd_Sub2
- InstallingATAAd_Sub3

- InstallingATAAd_Sub4
- InstallingATAAd_Prompt1
- InstallingATAAd_Prompt2
- InstallingATAAd_Prompt3
- InstallingATAAd_Prompt4
- ProductSuffexName
- pri_install
- ProductPRName
- InstallingPRIPrompt
- pra_install
- InstallingPRAPrompt
- atc_install
- ProductCloudSuffex_Name
- InstallingATCPrompt
- mc_install
- ProductMCName
- InstallingMCPrompt
- pc_install
- ProductPCName
- InstallingPCPrompt
- InstallDownloadPrepare
- animation1
- animation2
- animation3
- animation4
- ProductATiOS_Name
- ati_failed
- ata_failed
- ProductATAndroid_Name
- pri_failed
- ProductPRIiOS_Name
- pra_failed
- ProductPRAndroid_Name
- atc_failed
- ProductATCloud_Name
- mc_failed
- pc_failed
- InstallFailedName
- DownloadErrorMsg
- DownloadErrorMsg_tip
- InstallTryAgainBtn_Name
- ContactUsUrl
- aHR0cHM6Ly9kbC5pbW9iaWUuY29tL2FjdGlvbi9hbnl0cmFucy1iYWNaG9tZS56aXA=
- AnyTrans.app
- aHR0cDovL2RsanAuaW1vYmllLmNvbS9hbnl0cmFucy1mb3ltYW5kcm9pZC56aXA=
- aHR0cDovL2RsZGUuaW1vYmllLmNvbS9hbnl0cmFucy1mb3ltYW5kcm9pZC56aXA=
- aHR0cDovL2RsLmltb2JpZS5jb20vYW55dHJhbnMtZm9yLWFuZlJvaWQuemlw
- AnyTrans for Android.app
- aHR0cDovL2RsanAuaW1vYmllLmNvbS9waG9uZXJlc2N1ZS1mb3ltaW9zLnppcA==
- aHR0cDovL2RsZGUuaW1vYmllLmNvbS9waG9uZXJlc2N1ZS1mb3ltaW9zLnppcA==
- aHR0cDovL2RsLmltb2JpZS5jb20vcGhvbmlVYXNjdWUitZm9yLWlvcy56aXA=
- PhoneRescue.app
- aHR0cDovL2RsanAuaW1vYmllLmNvbS9waG9uZXJlc2N1ZS1mb3ltYW5kcm9pZC56aXA=
- aHR0cDovL2RsZGUuaW1vYmllLmNvbS9waG9uZXJlc2N1ZS1mb3ltYW5kcm9pZC56aXA=
- aHR0cDovL2RsLmltb2JpZS5jb20vcGhvbmlVYXNjdWUitZm9yLWFuZlJvaWQuemlw
- PhoneRescue for Android.app
- aHR0cDovL2RsanAuaW1vYmllLmNvbS9hbnl0cmFucy1mb3ltY2xvdWQuemlw
- aHR0cDovL2RsZGUuaW1vYmllLmNvbS9hbnl0cmFucy1mb3ltY2xvdWQuemlw
- aHR0cDovL2RsLmltb2JpZS5jb20vYW55dHJhbnMtZm9yLWNsb3VkLnppcA==
- AnyTrans for Cloud.app
- aHR0cDovL2RsLmltb2JpZW5kb3JpZm9yLWUuY29tL2FjdGlvbi9hbnl0cmFucy1iYWNaG9tZS56aXA=
- MacClean.app
- aHR0cDovL2RsLmltb2JpZS5jb20vcGhvbmlVbGVhbi56aXA=
- PhoneClean.app
- realUrl:%@
- %0.2f%%
- Unknown error
- InstallDownloadPro
- InstallAppError_Msg
- Unzip error
- Unzip Exception:%@

- [illegible]

- InstallAppPrompt_Msg1
- window
- T@"NSWindow",V_window
- com.alamofire.networking.reachability.change
- AFNetworkingReachabilityNotificationStatusItem
- Not Reachable
- AFNetworking
- Reachable via WWAN
- Reachable via WiFi
- Unknown
- v16@?0q8
- reachable
- reachableViaWWAN
- reachableViaWiFi
- networkReachabilityStatus
- networkReachability
- T^{_SCNetworkReachability=},R,N,VnetworkReachability
- Tq,N,V_networkReachabilityStatus
- networkReachabilityStatusBlock
- T@?,C,N,V_networkReachabilityStatusBlock
- Tc,R,N,GisReachable
- Tc,R,N,GisReachableViaWWAN
- Tc,R,N,GisReachableViaWiFi
- com.alamofire.error.serialization.request
- com.alamofire.serialization.request.error.response
- !\$&'()*+,-.=
- T@,&,N,V_field
- T@,&,N,V_value
- %@[%@]
- %@;q=%0.1g
- v32@?0@8Q16^c24
- Accept-Language
- %@/%@ (Mac OS X %@)
- CFBundleShortVersionString
- Any-Latin; Latin-ASCII; [-^ASCII:] Remove
- User-Agent
- Basic %@
- Authorization
- v32@?0@8@16^c24
- Content-Type
- application/x-www-form-urlencoded
- mutableObservedChangedKeyPaths
- T@"NSMutableSet",&,N,V_mutableObservedChangedKeyPaths
- mutableHTTPRequestHeaders
- T@"NSMutableDictionary",&,N,V_mutableHTTPRequestHeaders
- queryStringSerializationStyle
- TQ,N,V_queryStringSerializationStyle
- queryStringSerialization
- T@?,C,N,V_queryStringSerialization
- stringEncoding
- TQ,N,V_stringEncoding
- allowsCellularAccess
- Tc,N,V_allowsCellularAccess
- cachePolicy
- TQ,N,V_cachePolicy
- HTTPShouldHandleCookies
- Tc,N,V_HTTPShouldHandleCookies
- HTTPShouldUsePipelining
- Tc,N,V_HTTPShouldUsePipelining
- networkServiceType
- TQ,N,V_networkServiceType
- timeoutInterval
- Td,N,V_timeoutInterval
- HTTPRequestHeaders
- T@"NSDictionary",R,N
- HTTPMethodsEncodingParametersInURI
- T@"NSSet",&,N,V_HTTPMethodsEncodingParametersInURI
- Expected URL to be a file URL
- File URL not reachable.
- form-data; name="%@"; filename="%@"
- Content-Disposition
- form-data; name="%@"

- multipart/form-data; boundary=%@
- request
- T@"NSMutableURLRequest",C,N,V_request
- boundary
- T@"NSString",C,N,V_boundary
- bodyStream
- T@"AFMultipartBodyStream",&,N,V_bodyStream
- HTTPBodyParts
- T@"NSMutableArray",&,N,V_HTTPBodyParts
- HTTPBodyPartEnumerator
- T@"NSEnumerator",&,N,V_HTTPBodyPartEnumerator
- currentHTTPBodyPart
- T@"AFHTTPBodyPart",&,N,V_currentHTTPBodyPart
- outputStream
- T@"NSOutputStream",&,N,V_outputStream
- buffer
- T@"NSMutableData",&,N,V_buffer
- numberOfBytesInPacket
- TQ,N,V_numberOfBytesInPacket
- Td,N,V_delay
- inputStream
- T@"NSInputStream",&,N,V_inputStream
- contentLength
- TQ,R,N
- Tc,R,N,IsEmpty
- %@: %@%@
- headers
- T@"NSDictionary",&,N,V_headers
- T@,&,N,V_body
- bodyContentLength
- TQ,N,V_bodyContentLength
- hasInitialBoundary
- Tc,N,V_hasInitialBoundary
- hasFinalBoundary
- Tc,N,V_hasFinalBoundary
- bytesAvailable
- Tc,R,N,GhasBytesAvailable
- application/json
- writingOptions
- TQ,N,V_writingOptions
- application/x-plist
- format
- TQ,N,V_format
- writeOptions
- TQ,N,V_writeOptions
- Boundary+%08X%08X
- application/octet-stream
- --%@%@
- %@--%@%@
- %@--%@--%@
- application-x-zip
- Accept-Encoding
- progress:%f
- v16@?0@"NSProgress"8
- downFileLocalPath:%@
- @"NSURL"24@?0@"NSURL"8@"NSURLResponse"16
- %@, error code:%ld ,error FailureReason:%@
- /Applications
- zipFolder
- downFileLocalPath
- completionHandler----%@
- v32@?0@"NSURLResponse"8@"NSURL"16@"NSError"24
- InstallAppPrompt_Msg3
- %@,remove old app errorCode:%ld, errorReason:%@
- unzip -d "%@" "%@"
- Unzip error:%d; MD5=%@; CMD=%@ errorcode:%ld, errorFailureReason:%@
- v16@?0@"NSAnimationContext"8
- otheralertati
- otheralertata
- otheralertpri
- otheralertpra
- otheralertatc

- otherAlertmc
- otherAlertpc
- Helvetica Neue Bold
- isBackMainView
- Tc,N,V_isBackMainView
- T@,N,V_delegate
- IMBMainViewController
- Product_Prompt
- ati_install
- InstallBtnName
- ata_install
- InstallAppPrompt_Msg
- Button_Replace
- backgroundImage
- T@"NSImage",&,N,V_backgroundImage
- backGroundColor
- T@"NSColor",&,N,V_backGroundColor
- 3.0.0.1
- Info.plist
- InstallProduct
- Backup at Home-es
- language array des: %@
- installProduct
- Ti,N,V_installProduct
- versionTrack
- T@"NSString",&,N,V_versionTrack
- linkTrack
- T@"NSString",&,N,V_linkTrack
- isNoYouToBePhoto
- Tc,N,V_isNoYouToBePhoto
- Tq,N,V_atiLenght
- Tq,N,V_ataLenght
- Tq,N,V_atcLenght
- Tq,N,V_priLenght
- Tq,N,V_praLenght
- Tq,N,V_mcLenght
- Tq,N,V_pcLenght
- trackTestVersionID
- T@"NSString",&,N,V_trackTestVersionID
- com.alamofire.error.serialization.response
- com.alamofire.serialization.response.error.response
- com.alamofire.serialization.response.error.data
- Request failed: unacceptable content-type: %@
- Request failed: %@ (%ld)
- acceptableStatusCodes
- T@"NSIndexSet",C,N,V_acceptableStatusCodes
- acceptableContentTypes
- T@"NSSet",C,N,V_acceptableContentTypes
- text/json
- text/javascript
- text/html
- text/plain
- readingOptions
- TQ,N,V_readingOptions
- removesKeysWithNullValues
- Tc,N,V_removesKeysWithNullValues
- application/xml
- text/xml
- application/atom+xml
- options
- TQ,N,V_options
- readOptions
- TQ,N,V_readOptions
- image/tiff
- image/jpeg
- image/gif
- image/png
- image/ico
- image/x-icon
- image/bmp
- image/x-bmp
- image/x-bitmap

- image/x-win-bitmap
- responseSerializers
- T@"NSArray",C,N,V_responseSerializers
- pathsForResourcesOfType:inDirectory:
- setWithCapacity:
- countByEnumeratingWithState:objects:count:
- dataWithContentsOfFile:
- addObject:
- setWithSet:
- bundleForClass:
- certificatesInBundle:
- setSSLPinningMode:
- setAllowInvalidCertificates:
- setValidatesDomainName:
- defaultPinnedCertificates
- policyWithPinningMode:withPinnedCertificates:
- setPinnedCertificates:
- pinnedCertificates
- setPinnedPublicKeys:
- allowInvalidCertificates
- validatesDomainName
- SSLPinningMode
- reverseObjectEnumerator
- containsObject:
- pinnedPublicKeys
- setWithObject:
- decodeObjectOfClass:forKey:
- unsignedIntegerValue
- decodeBoolForKey:
- numberWithUnsignedInteger:
- encodeObject:forKey:
- encodeBool:forKey:
- allocWithZone:
- copyWithZone:
- defaultPolicy
- policyWithPinningMode:
- keyPathsForValuesAffectingPinnedPublicKeys
- supportsSecureCoding
- encodeWithCoder:
- initWithCoder:
- evaluateServerTrust:forDomain:
- .cxx_destruct
- _allowInvalidCertificates
- _validatesDomainName
- _SSLPinningMode
- _pinnedCertificates
- _pinnedPublicKeys
- arrayWithCapacity:
- arrayWithArray:
- isEqual:
- setMutableData:
- initWithParent:userInfo:
- setUploadProgress:
- uploadProgress
- setTotalUnitCount:
- setDownloadProgress:
- downloadProgress
- countOfBytesExpectedToSend
- countOfBytesExpectedToReceive
- setCancellable:
- cancel
- setCancellationHandler:
- setPausable:
- suspend
- setPausingHandler:
- setResumingHandler:
- respondsToSelector:
- resume
- countOfBytesReceived
- addObserver:forKeyPath:options:context:
- countOfBytesSent
- fractionCompleted
- removeObserver:forKeyPath:

- isKindOfClass:
- isEqualToString:
- objectForKeyedSubscript:
- longLongValue
- setCompletedUnitCount:
- downloadProgressBlock
- uploadProgressBlock
- manager
- dictionary
- responseSerializer
- setObjectForKeyedSubscript:
- mutableData
- downloadFileURL
- completionGroup
- completionQueue
- completionHandler
- response
- defaultCenter
- postNotificationName:object:userInfo:
- responseObjectForResponse:data:error:
- appendData:
- setDownloadFileURL:
- downloadTaskDidFinishDownloading
- defaultManager
- moveItemAtURL:toURL:error:
- userInfo
- performSelector:
- performSelector:withObject:
- performSelector:withObject:withObject:
- isProxy
- isMemberOfClass:
- conformsToProtocol:
- retain
- release
- autorelease
- retainCount
- superclass
- description
- debugDescription
- URLSession:didBecomeInvalidWithError:
- URLSession:didReceiveChallenge:completionHandler:
- URLSessionDidFinishEventsForBackgroundURLSession:
- URLSession:task:willBeginDelayedRequest:completionHandler:
- URLSession:tasksWaitingForConnectivity:
- URLSession:task:willPerformHTTPRedirection:newRequest:completionHandler:
- URLSession:task:didReceiveChallenge:completionHandler:
- URLSession:task:needNewBodyStream:
- URLSession:task:didSendBodyData:totalBytesSent:totalBytesExpectedToSend:
- URLSession:task:didFinishCollectingMetrics:
- URLSession:task:didCompleteWithError:
- URLSession:dataTask:didReceiveResponse:completionHandler:
- URLSession:dataTask:didBecomeDownloadTask:
- URLSession:dataTask:didBecomeStreamTask:
- URLSession:dataTask:didReceiveData:
- URLSession:dataTask:willCacheResponse:completionHandler:
- URLSession:downloadTask:didFinishDownloadingToURL:
- URLSession:downloadTask:didWriteData:totalBytesWritten:totalBytesExpectedToWrite:
- URLSession:downloadTask:didResumeAtOffset:expectedTotalBytes:
- setupProgressForTask:
- cleanUpProgressForTask:
- observeValueForKeyPath:ofObject:change:context:
- setManager:
- setDownloadTaskDidFinishDownloading:
- setUploadProgressBlock:
- setDownloadProgressBlock:
- completionHandler:
- _manager
- _mutableData
- _uploadProgress
- _downloadProgress
- _downloadFileURL
- _downloadTaskDidFinishDownloading

- _uploadProgressBlock
- _downloadProgressBlock
- _completionHandler
- ephemeralSessionConfiguration
- sessionWithConfiguration:
- dataTaskWithURL:
- af_resume
- swizzleResumeAndSuspendMethodForClass:
- finishTasksAndInvalidate
- af_suspend
- postNotificationName:object:
- initWithSessionConfiguration:
- defaultSessionConfiguration
- setSessionConfiguration:
- setOperationQueue:
- operationQueue
- setMaxConcurrentOperationCount:
- sessionConfiguration
- sessionWithConfiguration:delegate:delegateQueue:
- setSession:
- serializer
- setResponseSerializer:
- setSecurityPolicy:
- sharedManager
- setReachabilityManager:
- setMutableTaskDelegatesKeyedByTaskIdentifier:
- setLock:
- setName:
- session
- addDelegateForDataTask:uploadProgress:downloadProgress:completionHandler:
- addDelegateForUploadTask:progress:completionHandler:
- addDelegateForDownloadTask:progress:destination:completionHandler:
- getTasksWithCompletionHandler:
- removeObserver:
- dealloc
- stringWithFormat:
- object
- taskDescription
- taskDescriptionForSessionTasks
- mutableTaskDelegatesKeyedByTaskIdentifier
- taskIdentifier
- unlock
- addNotificationObserverForTask:
- setTaskDescription:
- setDelegate:forTask:
- delegateForTask:
- removeNotificationObserverForTask:
- removeObjectForKey:
- dataTasks
- uploadTasks
- downloadTasks
- arrayWithObjects:count:
- valueForKeyPath:
- tasksForKeyPath:
- invalidateAndCancel
- taskDidResume:
- addObserver:selector:name:object:
- taskDidSuspend:
- removeObserver:name:object:
- dataTaskWithRequest:uploadProgress:downloadProgress:completionHandler:
- dataTaskWithRequest:
- uploadTaskWithRequest:fromFile:
- attemptsToRecreateUploadTasksForBackgroundSessions
- configuration
- identifier
- uploadTaskWithRequest:fromData:
- uploadTaskWithStreamedRequest:
- downloadTaskWithRequest:
- downloadTaskWithResumeData:
- setSessionDidBecomeInvalid:
- setSessionDidReceiveAuthenticationChallenge:
- setDidFinishEventsForBackgroundURLSession:
- setTaskNeedNewBodyStream:

- setTaskWillPerformHTTPRedirection:
- setTaskDidReceiveAuthenticationChallenge:
- setTaskDidSendBodyData:
- setTaskDidComplete:
- setDataTaskDidReceiveResponse:
- setDataTaskDidBecomeDownloadTask:
- setDataTaskDidReceiveData:
- setDataTaskWillCacheResponse:
- setDownloadTaskDidWriteData:
- setDownloadTaskDidResume:
- taskWillPerformHTTPRedirection
- dataTaskDidReceiveResponse
- dataTaskWillCacheResponse
- didFinishEventsForBackgroundURLSession
- instancesRespondToSelector:
- sessionDidBecomeInvalid
- sessionDidReceiveAuthenticationChallenge
- protectionSpace
- authenticationMethod
- securityPolicy
- serverTrust
- credentialForTrust:
- taskDidReceiveAuthenticationChallenge
- taskNeedNewBodyStream
- originalRequest
- HTTPBodyStream
- valueForHTTPHeaderField:
- taskDidSendBodyData
- removeDelegateForTask:
- taskDidComplete
- dataTaskDidBecomeDownloadTask
- dataTaskDidReceiveData
- downloadTaskDidWriteData
- downloadTaskDidResume
- invalidateSessionCancelingTasks:
- dataTaskWithRequest:completionHandler:
- uploadTaskWithRequest:fromFile:progress:completionHandler:
- uploadTaskWithRequest:fromData:progress:completionHandler:
- uploadTaskWithStreamedRequest:progress:completionHandler:
- downloadTaskWithRequest:progress:destination:completionHandler:
- downloadTaskWithResumeData:progress:destination:completionHandler:
- uploadProgressForTask:
- downloadProgressForTask:
- setSessionDidBecomeInvalidBlock:
- setSessionDidReceiveAuthenticationChallengeBlock:
- setDidFinishEventsForBackgroundURLSessionBlock:
- setTaskNeedNewBodyStreamBlock:
- setTaskWillPerformHTTPRedirectionBlock:
- setTaskDidReceiveAuthenticationChallengeBlock:
- setTaskDidSendBodyDataBlock:
- setTaskDidCompleteBlock:
- setDataTaskDidReceiveResponseBlock:
- setDataTaskDidBecomeDownloadTaskBlock:
- setDataTaskDidReceiveDataBlock:
- setDataTaskWillCacheResponseBlock:
- setDownloadTaskDidFinishDownloadingBlock:
- setDownloadTaskDidWriteDataBlock:
- setDownloadTaskDidResumeBlock:
- reachabilityManager
- setCompletionQueue:
- setCompletionGroup:
- setAttemptsToRecreateUploadTasksForBackgroundSessions:
- _attemptsToRecreateUploadTasksForBackgroundSessions
- _session
- _operationQueue
- _responseSerializer
- _securityPolicy
- _reachabilityManager
- _completionQueue
- _completionGroup
- _sessionConfiguration
- _mutableTaskDelegatesKeyedByTaskIdentifier

- _sessionIdBecomeInvalid
- _sessionIdReceiveAuthenticationChallenge
- _didFinishEventsForBackgroundURLSession
- _taskWillPerformHTTPRedirection
- _taskDidReceiveAuthenticationChallenge
- _taskNeedNewBodyStream
- _taskDidSendBodyData
- _taskDidComplete
- _dataTaskDidReceiveResponse
- _dataTaskDidBecomeDownloadTask
- _dataTaskDidReceiveData
- _dataTaskWillCacheResponse
- _downloadTaskDidWriteData
- _downloadTaskDidResume
- elementCount
- elementAtIndex:associatedPoints:
- quartzPath
- setFocusRingType:
- setWantsLayer:
- setCornerRadius:
- setMasksToBounds:
- setNeedsDisplay:
- setProgress:
- removeAllAnimations
- bezierPathWithRect:
- setWindingRule:
- addClip
- clearColor
- closePath
- bezierPathWithRoundedRect:xRadius:yRadius:
- colorWithDeviceRed:green:blue:alpha:
- setFill
- bounds
- bezierPath
- moveToPoint:
- lineToPoint:
- setPath:
- setLineWidth:
- CGColor
- setStrokeColor:
- setFillColor:
- addSublayer:
- setStrokeStart:
- setStrokeEnd:
- animationWithKeyPath:
- setDuration:
- numberWithInt:
- setFromValue:
- setToValue:
- setRemovedOnCompletion:
- setFillMode:
- functionName:
- setTimingFunction:
- addAnimation:forKey:
- removeAllAnimations
- removeFromSuperlayer
- awakeFromNib
- reInitProgress
- drawRect:
- progressDrawCount:
- _progress
- _animLayer
- mainBundle
- bundleIdentifier
- infoDictionary
- objectForKey:
- URLsForDirectory:inDomains:
- objectAtIndex:
- stringByAppendingPathComponent:
- fileExistsAtPath:
- createDirectoryAtPath:withIntermediateDirectories:attributes:error:
- getAppSupportPath
- initWithString:

- defaultParagraphStyle
- mutableCopy
- setAlignment:
- dictionaryWithObjectsAndKeys:
- string
- sizeWithAttributes:
- length
- addAttribute:value:range:
- setLineSpacing:
- dictionaryWithObject:forKey:
- addAttributes:range:
- standardUserDefaults
- hasPrefix:
- pathForResource ofType:
- bundleWithPath:
- localizedStringForKey:value:table:
- stringWithCapacity:
- appendFormat:
- processInfo
- operatingSystemVersionString
- componentsSeparatedByString:
- compare:options:
- getAppTempPath
- getAppCachePath
- getApplicationPath
- stringIsNilOrEmpty:
- calcuTextBounds:font:
- setTextWordStyle:withFont:withLineSpacing:withAlignment:withColor:
- currentSelectionLanguage:
- getDefaultsLocalizableLanguages:
- md5ForFile:
- getSystemLastNumberString
- isVersionMajorEqual:withEqualStr:
- setCid:
- setAppName:
- setAppVersion:
- setMPVersion:
- setUa:
- setTid:
- setCustomDictionary:
- setChooseLanguage:
- getMacOSVersion
- getInstance
- stringForKey:
- getMacAddress
- setObject:forKey:
- uppercaseString
- singleton
- installProduct
- chooseLanguage
- dictionaryWithObjects:forKeys:count:
- initWithDictionary:
- valueForKey:
- send:andParams:
- MPVersion
- appName
- appVersion
- appendString:
- stringByAddingPercentEscapesUsingEncoding:
- requestWithURL:
- mainQueue
- rangeOfString:
- statusCode
- sendAsynchronousRequest:queue:completionHandler:
- trackTestVersionID
- versionTrack
- customDictionary
- setupWithTrackingID:
- event:action:label:labelParameters:transferCount:customParameters:
- scrollView:customParameters:
- excpetionWithDescription:isFatal:customParameters:
- customDimension:

- getCustomDictionary
- _appName
- _appVersion
- _MPVersion
- _customDictionary
- _chooseLanguage
- setDrawsBackground:
- setTitleStyle
- setLinkTextAttributes:
- alignment
- arrowCursor
- pointingHandCursor
- setLineBreakMode:
- textStorage
- setAttributedString:
- mouseDown:
- setNormalString:WithLinkString1:WithLinkString2:WithLinkString3:WithNormalColor:WithLinkNormalColor:
- mouseEntered:
- mouseExited:
- mouseUp:
- lineSpace
- setLineSpace:
- hasUnderLine
- setHasUnderLine:
- bgColor
- setBgColor:
- isSingleLine
- setSingleLine:
- normalString
- setNormalString:
- _normalString
- _linkString1
- _linkNormalColor
- _linkEnterColor
- _linkDownColor
- _normalColor
- _mouseType
- _linkColor
- _linkString2
- _linkString3
- _lineSpace
- _hasUnderLine
- _bgColor
- _isSingleLine
- initWithFrame:
- viewWillDraw
- whiteColor
- setStroke
- stroke
- setBackgroundColor:
- mouseDownCanMoveWindow
- setDrawFrame:
- setBorderColor:
- isHaveLine
- setHaveLine:
- isNOCanDraw
- setNOCanDraw:
- isBommt
- setBommt:
- isUpline
- setUpline:
- isRegisteredTextView
- setRegisteredTextView:
- isDrawFrame
- hasCorner
- setHasCorner:
- isMove
- setMove:
- cornerRadius
- backgroundColor
- _backgroundColor
- _borderColor
- _isHaveLine

- _isNOCanDraw
- _isBommt
- _isUpline
- _isDrawFrame
- _hasCorner
- _isMove
- _cornerRadius
- _isRegisteredTextView
- initWithContentRect:styleMask:backing:defer:
- setMovableByWindowBackground:
- setHasShadow:
- coreUIState
- standardWindowButton:forStyleMask:
- setOpaque:
- contentView
- setAnchorPointZ:
- setCanDrawConcurrently:
- setFrameOrigin:
- addSubview:
- setHidden:
- setAutoresizesSubviews:
- setAutoresizingMask:
- closeWindow:
- setAction:
- setTarget:
- minWindow:
- setTrackingArea:
- initWithRect:options:owner:userInfo:
- addTrackingArea:
- becomeKeyWindow
- setTitleButtonsNeedDisplay
- resignKeyWindow
- miniaturize:
- mouseDragged:
- window
- setViewsNeedDisplay:
- sendEvent:
- addCloseBtnToContentView
- canBecomeKeyWindow
- canBecomeMainWindow
- acceptsFirstResponder
- closeButton
- setCloseButton:
- minButton
- setMinButton:
- maxButton
- setMaxButton:
- maxAndminView
- setMaxAndminView:
- _closeButton
- _minButton
- _maxButton
- _maxAndminView
- isHighlighted
- updateTrackingAreas
- removeTrackingArea:
- isEnabled
- mouseUpTag:
- locationInWindow
- convertPoint:fromView:
- isFlipped
- action
- target
- sendAction:to:from:
- clickCount
- mouseEnterTag:
- setEnabled:
- TIFFRepresentation
- calcuTextBounds:fontSize:
- pointSize
- currentContext
- graphicsPort

- quartzPath:
- redComponent
- greenComponent
- blueComponent
- fontWithName:size:
- dictionaryWithObjects:forKeys:
- drawInRect:withAttributes:
- drawInRect:fromRect:operation:fraction:respectFlipped:hints:
- drawInRect:fromRect:operation:fraction:
- setLeftRightGradient:withLeftNormalBgColor:withRightNormalBgColor:withLeftEnterBgColor:withRightEn
- setButtonBorder:withNormalBorderColor:withEnterBorderColor:withDownBorderColor:withForbiddenBorderCo
- setButtonTitle:withNormalTitleColor:withEnterTitleColor:withDownTitleColor:withForbiddenTitleColor:w
- setNormalFillColor:WithEnterFillColor:WithDownFillColor:
- NSImageToCGImageRef:
- setDic:
- setIsAddButton:
- setIsOpenMenu:
- isLeftRightGradient
- setLeftRightGradient:
- hasBorder
- setHasBorder:
- borderWidth
- setBorderLineWidth:
- hasLeftImage
- setHasLeftImage:
- hasRightImage
- setHasRightImage:
- spaceWithText
- setSpaceWithText:
- leftImage
- setLeftImage:
- rightImage
- setRightImage:
- isAnimation
- setIsAnimation:
- delegate
- setDelegate:
- buttonTitle
- setButtonTitle:
- isNoGradient
- setIsNoGradient:
- isRightAlignment
- setIsRightAlignment:
- isMediumSize
- setIsMediumSize:
- isOpenMenu
- isAddButton
- _trackingArea
- _isleftRightGradient
- _borderLineWidth
- _leftNormalBgColor
- _rightNormalBgColor
- _leftEnterBgColor
- _rightEnterBgColor
- _leftDownBgColor
- _rightDownBgColor
- _leftForbiddenBgColor
- _rightForbiddenBgColor
- _hasBorder
- _normalBorderColor
- _enterBorderColor
- _downBorderColor
- _forbiddenBorderColor
- _buttonTitle
- _normalTitleColor
- _enterTitleColor
- _downTitleColor
- _forbiddenTitleColor
- _titleSize
- _normalFillColor
- _enterFillColor
- _downFillColor
- _bgNormalFillColor

- _bgEnterFillColor
- _bgDownFillColor
- _buttonType
- _lightImageView
- _hasLeftImage
- _leftImage
- _hasRightImage
- _rightImage
- _spaceWithText
- _isAnimation
- _delegate
- _isNoGradient
- _isRightAlignment
- _isMediumSize
- _isOpenMenu
- _isAddButton
- setShadowColor:
- setShadowOffset:
- setShadowBlurRadius:
- setOffsetY:
- setBlurRadius:
- setLineColor:
- setBackground:
- background
- borderLineSize
- setBorderLineSize:
- lineColor
- isOffsetY
- setIsOffsetY:
- offsetY
- blurRadius
- _background
- _borderLineSize
- _lineColor
- gradient
- outerShadow
- _isOffsetY
- _offsetY
- _blurRadius
- initWithNibName:bundle:
- setTextColor:
- imageNamed:
- setImage:
- setStringValue:
- addTimer
- setContentView:
- setFont:
- changeContentView
- timerWithTimeInterval:target:selector:userInfo:repeats:
- mainRunLoop
- addTimer:forMode:
- distantFuture
- setFireDate:
- numberWithFloat:
- opacityChange_ _Animation:fromValue:toValue:duration:times:
- removeCustomView:
- performSelector:withObject:afterDelay:
- removeFromSuperview
- killTimer
- setTimerNil
- setSelectable:
- setTag:
- tryAgainInstallApp:
- URLWithString:
- sharedWorkspace
- openURL:
- startDownloadInstall:
- atLength
- atLength
- priLength
- praLength
- atLength

- mclenght
- pclenght
- stringFromBase64String:
- timeIntervalSince1970
- initWithDelegate:downloadUrlPath:downFileName:TotalSize:
- downloadSpecifiedApp
- configErrorView
- removeItemAtPath:error:
- linkTrack
- isNoYouToBePhoto
- numberWithBool:
- writeToFile:atomically:
- fileSystemRepresentationWithPath:
- UTF8String
- settsInstall:
- stringByDeletingPathExtension
- showAlertText:withCancelButton:withOKButton:
- subviews
- superview
- showAlertText:withCancelButton:withOKButton:withSuperView:
- downProgressWithFileName:withProgress:
- downErrorWithFileName:withDisplayErrorStr:withGSError:DownloadErrorEnum:
- downComplete:
- installStart:
- installComplete:
- installError:withError:DownloadErrorEnum:
- showPromptView:
- textShouldBeginEditing:
- textShouldEndEditing:
- textDidBeginEditing:
- textDidEndEditing:
- textDidChange:
- textView:clickedOnLink:atIndex:
- textView:clickedOnCell:inRect:atIndex:
- textView:doubleClickedOnCell:inRect:atIndex:
- textView:draggedCell:inRect:event:atIndex:
- textView:writablePasteboardTypesForCell:atIndex:
- textView:writeCell:atIndex:toPasteboard:type:
- textView:willChangeSelectionFromCharacterRange:toCharacterRange:
- textView:willChangeSelectionFromCharacterRanges:toCharacterRanges:
- textView:shouldChangeTextInRanges:replacementStrings:
- textView:shouldChangeTypingAttributes:toAttributes:
- textViewDidChangeSelection:
- textViewDidChangeTypingAttributes:
- textView:willDisplayToolTip:forCharacterAtIndex:
- textView:completions:forPartialWordRange:indexOfSelectedItem:
- textView:shouldChangeTextInRange:replacementString:
- textView:doCommandBySelector:
- textView:shouldSetSpellingState:range:
- textView:menu:forEvent:atIndex:
- textView:willCheckTextInRange:options:types:
- textView:didCheckTextInRange:types:options:results:orthography:wordCount:
- textView:URLForContentsOfTextAttachment:atIndex:
- textView:willShowSharingServicePicker:forItems:
- undoManagerForTextView:
- textView:shouldUpdateTouchBarItemIdentifiers:
- textView:candidatesForSelectedRange:
- textView:candidates:forSelectedRange:
- textView:shouldSelectCandidateAtIndex:
- textView:clickedOnLink:
- textView:clickedOnCell:inRect:
- textView:doubleClickedOnCell:inRect:
- textView:draggedCell:inRect:event:
- initWithDelegate:Tag:
- ninetyPercentFalseProgress:
- startDownloadTime
- setStartDownloadTime:
- _progressCustomView
- _contentBox
- _proDownloadLabel
- _proValueLabel
- _progressView
- _proIconLabel

- _proSubview
- _errorCustomView
- _errorImageView
- _errorTitleLabel
- _errorPromptLabel
- _errorTryAgainBtn
- _errorProImageView
- _errorIconLabel
- _textScrollView
- _errorTextView
- _errorSubview
- _adCustomView1
- _adImageView1
- _adTitleLabel1
- _adSubTitleLabel1
- _adPromptLabel1
- _adIconLabel1
- _adSuffexLabel1
- _adCustomView2
- _adImageView2
- _adTitleLabel2
- _adSubTitleLabel2
- _adPromptLabel2
- _adIconLabel2
- _adSuffexLabel2
- _adCustomView3
- _adImageView3
- _adTitleLabel3
- _adSubTitleLabel3
- _adPromptLabel3
- _adIconLabel3
- _adSuffexLabel3
- _adCustomView4
- _adImageView4
- _adTitleLabel4
- _adSubTitleLabel4
- _adPromptLabel4
- _adIconLabel4
- _adSuffexLabel4
- _prCustomView
- _prImageView
- _prTitleLabel
- _prPromptLabel
- _prIconLabel
- _prSuffexLabel
- _errorReason
- _downloadManager
- _startDownloadTime
- _endDownloadTime
- _isFalseProgressComplete
- _timer
- _count
- _alertViewController
- _curErrorEnum
- setAutoreverses:
- setRepeatCount:
- setBeginTime:
- animation
- setAnimations:
- valueWithPoint:
- setValue:forKey:
- position
- valueWithCATransform3D:
- setCumulative:
- convertTime:fromLayer:
- setSpeed:
- setTimeOffset:
- timeOffset
- setType:
- setSubtype:
- setStartProgress:
- setEndProgress:

- opacityForever_Animation:
- opacityTimes_Animation:duration:beginTime:
- moveX:X:
- moveX:X:repeatCount:beginTime:
- moveX:fromX:toX:repeatCount:beginTime:
- moveY:X:Y:repeatCount:
- moveY:X:Y:
- moveY:X:Y:repeatCount:beginTime:isAutoreverses:
- scale:origin:duration:Repeat:beginTime:
- scale:origin:duration:Repeat:
- groupAnimationChips:duration:Repeat:beginTime:
- groupAnimation:duration:Repeat:beginTime:
- keyframeAnimation:cp1x:cp1y:cp2x:cp2y:endPointX:endPointY:layer:
- keyframeAnimation:duration:cp1x:cp1y:cp2x:cp2y:endPointX:endPointY:layer:
- rotation:toValue:
- rotation:degree:direction:repeatCount:beginTime:
- rotation:degree:direction:repeatCount:
- endAnimation:
- pauseAnimation:
- resumeAnimation:
- destroyAnimation:
- pushAnimation:duration:
- verticalAnimationWithduration:isFromBottom:
- rotation:toValue:duration:
- animationMouseEnteredExitedWithView:fromValue:toValue:timeInterval:
- requestWithURL:cachePolicy:timeoutInterval:
- initWithRequest:delegate:
- setDestination:allowOverwrite:
- dictionaryWithContentsOfFile:
- allKeys
- setAtiLength:
- setAtaLength:
- setAtcLength:
- setPriLength:
- setPraLength:
- setMcLength:
- setPcLength:
- parsePlistContent:
- downloadDidBegin:
- download:willSendRequest:redirectResponse:
- download:canAuthenticateAgainstProtectionSpace:
- download:didReceiveAuthenticationChallenge:
- download:didCancelAuthenticationChallenge:
- downloadShouldUseCredentialStorage:
- download:didReceiveResponse:
- download:willResumeWithResponse:fromByte:
- download:didReceiveDataOfLength:
- download:shouldDecodeSourceDataOfMIMEType:
- download:decideDestinationWithSuggestedFilename:
- download:didCreateDestination:
- downloadDidFinish:
- download:didFailWithError:
- checkUpdate
- setListener:
- _updateFileName
- _updateFileLocalPath
- _updateFileUrlPath
- _listener
- _software
- _urlDown
- initWithBaseURL:
- initWithBaseURL:sessionConfiguration:
- absoluteString
- hasSuffix:
- URLByAppendingPathComponent:
- setBaseURL:
- setRequestSerializer:
- GET:parameters:progress:success:failure:
- dataTaskWithHTTPMethod:URLString:parameters:uploadProgress:downloadProgress:success:failure:
- POST:parameters:progress:success:failure:
- POST:parameters:constructingBodyWithBlock:progress:success:failure:
- requestSerializer
- baseURL

- URLWithString:relativeToURL:
- multipartFormRequestWithMethod:URLString:parameters:constructingBodyWithBlock:error:
- requestWithMethod:URLString:parameters:error:
- backgroundSessionConfiguration:
- GET:parameters:success:failure:
- HEAD:parameters:success:failure:
- POST:parameters:success:failure:
- POST:parameters:constructingBodyWithBlock:success:failure:
- PUT:parameters:success:failure:
- PATCH:parameters:success:failure:
- DELETE:parameters:success:failure:
- _baseURL
- _requestSerializer
- stringByReplacingOccurrencesOfString:withString:
- dataUsingEncoding:
- initWithBytes:length:
- initWithBytes:length:encoding:
- dataFromBase64String:
- base64StringFromData:
- dataWithJSONObject:options:error:
- exceptionWithName:reason:userInfo:
- jsonString
- checkNotNull:withName:
- isLittle_Endian
- reverseBytes:offset:count:
- integerValue
- insertString:atIndex:
- binaryString
- isNilOrEmpty:
- pathComponents
- substringWithRange:
- scannerWithString:
- scanHexInt:
- appendBytes:length:
- bytesToHex:length:
- stringByAppendingString:
- initWithCapacity:
- rangeOfComposedCharacterSequenceAtIndex:
- attributedSubstringFromRange:
- rangeOfString:options:
- containsString:options:
- startWithString:options:
- rangeOfString:options:range:
- dataWithBytes:length:
- cStringUsingEncoding:
- AES256EncryptWithKey:
- base64Encoding
- dataWithBase64EncodedString:
- AES256DecryptWithKey:
- initWithData:encoding:
- fileURLWithPath:
- JSONObjectWithData:options:error:
- getParentDirectory
- hexToBytes
- stringOfIndex:
- isGreaterThan:
- isGreaterThanOrEqual:
- isLessThan:
- isLessThanOrEqual:
- isMajorEqual:
- contains:
- containsString:
- startWithString:
- rangeOfString:atOccurrence:
- typeOfPath
- sha1Hex
- toDataByEncoding:
- base64String
- isAlias
- jsonValue
- dataToHex:
- intToHex:

- decimalTOBinary:backLength:
- getBinaryByhex:
- generateGUID
- MD5FromData:
- MD5Digest:
- propertyListFromData:mutabilityOption:format:errorDescription:
- arrayWithObject:
- getCString:maxLength:encoding:
- dataWithBytesNoCopy:length:
- removePadding:withLength:withBlockSize:
- initWithBase64EncodedString:
- dataWithCapacity:
- initWithData:
- base64EncodingWithLineLength:
- stringWithString:
- getBytes:length:
- bytesEqual:
- sha256
- MD5Digest
- dataToDictionary
- dataToMutableDictionary
- dataToArray
- dataToMutableArray
- dataToHex
- mediaAES256EncryptWithKey:
- mediaAES256DecryptWithKey:
- AES128EncryptWithKey:iv:
- AES128DecryptWithKey:iv:
- AES256EncryptWithKey:withIV:
- AES256DecryptWithKey:withIV:withPadding:
- aeswrapkey:withKekLength:
- aesunwrapkey:withKekLength:
- hasPrefixBytes:length:
- hasSuffixBytes:length:
- detectImageSuffix
- rangeOfNullTerminatedBytesFrom:
- jsonDataToArrayOrNSDictionary
- dataWithHexString:
- dataWithBase64String:
- setFixedSize:
- setLimit:
- fixedSize
- intValue
- replaceBytesInRange:withBytes:length:
- resetBytesInRange:
- initWithInt:
- setPosition:
- setMark:
- subdataWithRange:
- replaceBytesInRange:withBytes:
- remaining
- initWithSize:
- copyFromIndex:withSource:withSourceIndex:withLength:
- clearFromIndex:withLength:
- checkIndex:
- checkIndex:withSizeOfType:
- checkGetBounds:withLength:withOffset:withCount:
- checkPutBounds:withLength:withOffset:withCount:
- checkStartEndRemaining:withEnd:
- hasRemaining
- markPosition
- rewind
- nextBytes:
- mutableDeepCopy
- dataWithPropertyList:format:options:error:
- isValidJSONObject:
- dictionaryToData
- toJson
- dataFromPropertyList:format:errorDescription:
- mutableDictionaryToData
- dateWithTimeIntervalSince1970:
- systemTimeZone

- secondsFromGMTForDate:
- dateByAddingTimeInterval:
- defaultTimeZone
- dateWithTimeInterval:sinceDate:
- timeZoneWithAbbreviation:
- setTimeZone:
- setDateFormat:
- dateFromString:
- initWithTimeInterval:sinceDate:
- utcToLocalDate
- localToUtcDate
- toLocalTime
- toGlobalTime
- utcSinceDate
- getDateTimeFromTimeStamp2001:
- objectAtIndexedSubscript:
- unsignedCharValue
- fillToNSMutableData
- removeObjectInRange:
- setObject:atIndexedSubscript:
- fileSystemRepresentation
- initWithFileDescriptor:closeOnDealloc:
- accessMode
- initWithPath:withAccess:
- synchronizeFile
- offsetInFile
- seekToEndOfFile
- seekToFileOffset:
- truncateFileAtOffset:
- readDataOfLength:
- writeData:
- read:withOffset:withCount:
- write:withOffset:withCount:
- seek:withOrigin:
- canRead
- canSeek
- canWrite
- setLength:
- available
- readByte
- writeByte:
- transferTo:
- openPath:withAccess:
- read:withOff:withLen:
- readFully:withBuf:withOffset:withLength:
- writeWithByte:
- readFully:withBuf:
- write:
- markSupported
- setStream:
- stream
- initWithInternal
- memoryStreamEx
- availableData
- _stream
- _offsetInStream
- numberOfComponents
- colorSpace
- CGColorSpace
- getComponents:
- colorWithCGColor:
- colorWithCGColor:
- toCGColor
- colorFromCGColor:
- lockFocus
- setImageInterpolation:
- drawInRect:operation:fraction:method:
- unlockFocus
- imageToFitSize:method:
- transform
- translateXBy:yBy:
- transformSize:
- concat

- bestRepresentationForDevice:
- drawAtPoint:
- imageToFitRect:method:
- imageCroppedToFitSize:
- imageScaledToFitSize:
- imageFromRect:
- sleepForTimeInterval:
- synchronize
- initWithDelegate:
- setLevel:
- checkForUpdateOnbackground
- promptAlertViewCancelButtonClick
- changeIninstallBtn
- applicationShouldTerminate:
- application:openURLs:
- application:openFile:
- application:openFiles:
- application:openTempFile:
- applicationShouldOpenUntitledFile:
- applicationOpenUntitledFile:
- application:openFileWithoutUI:
- application:printFile:
- application:printFiles:withSettings:showPrintPanels:
- applicationShouldTerminateAfterLastWindowClosed:
- applicationShouldHandleReopen:hasVisibleWindows:
- applicationDockMenu:
- application:willPresentError:
- application:didRegisterForRemoteNotificationsWithDeviceToken:
- application:didFailToRegisterForRemoteNotificationsWithError:
- application:didReceiveRemoteNotification:
- application:willEncodeRestorableState:
- application:didDecodeRestorableState:
- application:willContinueUserActivityWithType:
- application:continueUserActivity:restorationHandler:
- application:didFailToContinueUserActivityWithType:error:
- application:didUpdateUserActivity:
- application:userDidAcceptCloudKitShareWithMetadata:
- application:delegateHandlesKey:
- applicationWillFinishLaunching:
- applicationDidFinishLaunching:
- applicationWillHide:
- applicationDidHide:
- applicationWillUnhide:
- applicationDidUnhide:
- applicationWillBecomeActive:
- applicationDidBecomeActive:
- applicationWillResignActive:
- applicationDidResignActive:
- applicationWillUpdate:
- applicationDidUpdate:
- applicationWillTerminate:
- applicationDidChangeScreenParameters:
- applicationDidChangeOcclusionState:
- switchView:
- setWindow:
- _mainViewController
- _progressViewController
- _mainBox
- _isInstall
- _checkUpdater
- _window
- initWithReachability:
- managerForAddress:
- setNetworkReachabilityStatus:
- stopMonitoring
- isReachableViaWWAN
- isReachableViaWiFi
- networkReachabilityStatus
- networkReachability
- networkReachabilityStatusBlock
- setNetworkReachabilityStatusBlock:
- keyPathsForValuesAffectingValueForKey:

- managerForDomain:
- isReachable
- startMonitoring
- localizedNetworkReachabilityStatusString
- setReachabilityStatusChangeBlock:
- _networkReachabilityStatus
- _networkReachability
- _networkReachabilityStatusBlock
- numberWithInteger:
- URLQueryAllowedCharacterSet
- removeCharactersInString:
- rangeOfComposedCharacterSequencesForRange:
- stringByAddingPercentEncodingWithAllowedCharacters:
- setField:
- setValue:
- initWithField:value:
- URLEncodedStringValue
- _field
- _value
- componentsJoinedByString:
- compare:
- sortDescriptorWithKey:ascending:selector:
- sortedArrayUsingDescriptors:
- addObjectsFromArray:
- setStringEncoding:
- setMutableHTTPRequestHeaders:
- preferredLanguages
- enumerateObjectsUsingBlock:
- setValue:forHTTPHeaderField:
- canBeConvertedToEncoding:
- setWithObjects:
- setHTTPMethodsEncodingParametersInURI:
- setMutableObservedChangedKeyPaths:
- removeObserver:forKeyPath:context:
- allowsCellularAccess
- willChangeValueForKey:
- didChangeValueForKey:
- cachePolicy
- HTTPShouldHandleCookies
- HTTPShouldUsePipelining
- networkServiceType
- timeoutInterval
- mutableHTTPRequestHeaders
- dictionaryWithDictionary:
- base64EncodedStringWithOptions:
- setQueryStringSerializationStyle:
- setQueryStringSerialization:
- initWithURL:
- setHTTPMethod:
- mutableObservedChangedKeyPaths
- requestBySerializingRequest:withParameters:error:
- initWithURLRequest:stringEncoding:
- stringEncoding
- appendPartWithFormData:name:
- requestByFinalizingMultipartFormData
- initWithURL:append:
- currentRunLoop
- scheduleInRunLoop:forMode:
- hasBytesAvailable
- hasSpaceAvailable
- read:maxLength:
- streamError
- write:maxLength:
- setHTTPBodyStream:
- HTTPRequestHeaders
- enumerateKeysAndObjectsUsingBlock:
- queryStringSerialization
- queryStringSerializationStyle
- HTTPMethodsEncodingParametersInURI
- HTTPMethod
- stringByAppendingFormat:
- setURL:
- setHTTPBody:

- automaticallyNotifiesObserversForKey:
- removeObject:
- encodeInteger:forKey:
- mutableCopyWithZone:
- setAllowsCellularAccess:
- setCachePolicy:
- setHTTPShouldHandleCookies:
- setHTTPShouldUsePipelining:
- setNetworkServiceType:
- setTimeoutInterval:
- setAuthorizationHeaderFieldWithUsername:password:
- clearAuthorizationHeader
- setQueryStringSerializationWithStyle:
- setQueryStringSerializationWithBlock:
- requestWithMultipartFormRequest:writingStreamContentsToFile:completionHandler:
- _allowsCellularAccess
- _HTTPShouldHandleCookies
- _HTTPShouldUsePipelining
- _stringEncoding
- _cachePolicy
- _networkServiceType
- _timeoutInterval
- _HTTPMethodsEncodingParametersInURI
- _mutableObservedChangedKeyPaths
- _mutableHTTPRequestHeaders
- _queryStringSerializationStyle
- _queryStringSerialization
- setRequest:
- setBoundary:
- initWithStringEncoding:
- setBodyStream:
- lastPathComponent
- pathExtension
- appendPartWithFileURL:name:fileName:mimeType:error:
- isFileURL
- initWithDomain:code:userInfo:
- checkResourcesReachableAndReturnError:
- attributesOfItemAtPath:error:
- setHeaders:
- boundary
- setBody:
- unsignedLongLongValue
- setBodyContentLength:
- bodyStream
- appendHTTPBodyPart:
- appendPartWithHeaders:body:
- setNumberOfBytesInPacket:
- setDelay:
- isEmpty
- request
- setInitialAndFinalBoundaries
- contentLength
- appendPartWithFileURL:name:error:
- appendPartWithInputStream:name:fileName:length:mimeType:
- appendPartWithFileData:name:fileName:mimeType:
- throttleBandwidthWithPacketSize:delay:
- _request
- _boundary
- _bodyStream
- setHTTPBodyParts:
- HTTPBodyParts
- setHasInitialBoundary:
- setHasFinalBoundary:
- firstObject
- lastObject
- streamStatus
- numberOfBytesInPacket
- currentHTTPBodyPart
- HTTPBodyPartEnumerator
- nextObject
- setCurrentHTTPBodyPart:
- inputStream

- setError:
- setErrorStatus:
- objectEnumerator
- setHTTPBodyPartEnumerator:
- stream:handleEvent:
- getBuffer:length:
- propertyForKey:
- setProperty:forKey:
- removeFromRunLoop:forMode:
- _scheduleInCFRunLoop:forMode:
- _unscheduleFromCFRunLoop:forMode:
- _setCFClientFlags:callback:context:
- setInputStream:
- outputStream
- setOutputStream:
- buffer
- setBuffer:
- _numberOfBytesInPacket
- _delay
- _inputStream
- _HTTPBodyParts
- _HTTPBodyPartEnumerator
- _currentHTTPBodyPart
- _outputStream
- _buffer
- transitionToNextPhase
- inputStreamWithData:
- inputStreamWithURL:
- headers
- hasInitialBoundary
- stringForHeaders
- hasFinalBoundary
- readData:intoBuffer:maxLength:
- getBytes:range:
- currentThread
- isMainThread
- bodyContentLength
- _phase
- _phaseReadOffset
- _hasInitialBoundary
- _hasFinalBoundary
- _headers
- _bodyContentLength
- serializerWithWritingOptions:
- setWritingOptions:
- writingOptions
- _writingOptions
- serializerWithFormat:writeOptions:
- setFormat:
- setWriteOptions:
- format
- writeOptions
- _format
- _writeOptions
- completedUnitCount
- totalUnitCount
- localizedDescription
- localizedFailureReason
- removeItemAtURL:error:
- doPrompt:
- performSelectorOnMainThread:withObject:waitUntilDone:
- doUnzip:
- reason
- jundDownloadFilesExist
- _downloadFileName
- _fileName
- _downloadUrl
- _expectedContentLength
- _bytesReceived
- _totalSize
- setFrame:
- setupAlertRect:
- removeAnimationForKey:

- runAnimationGroup:completionHandler:
- sharedApplication
- mainWindow
- setFrameSize:
- loadAlertView:alertView:
- closePromptAlertView
- stringValue
- promptAlertViewOkButtonClick
- beginModalSessionForWindow:
- runModalSession:
- runMode:beforeDate:
- endModalSession:
- closePromptAlertView3
- titlePromptAlertViewOkButtonClick
- titlePromptAlertViewCancelButtonClick
- unloadAlertView:
- showAlertText:withAlertButton:withSuperView:
- showAlertText:withAlertSubText:withAlertButton:withSuperView:
- showAlertText:withAlertSubText:withCancelButton:withOKButton:withSuperView:
- isBackMainView
- settsBackMainView:
- _promptAlertView
- _promptAlertImage
- _promptAlertTitle
- _promptAlertButton
- _promptAlertView2
- _promptAlertImage2
- _promptAlertTitle2
- _promptAlertCancelBtn
- _promptAlertOKBtn
- _promptAlertView3
- _promptAlertImage3
- _promptAlertTitle3
- _promptAlertSubTitle3
- _promptAlertButton3
- _promptAlertView4
- _promptAlertImage4
- _promptAlertTitle4
- _promptAlertSubTitle4
- _promptAlertCancelBtn4
- _promptAlertOKBtn4
- _mainView
- _endRunLoop
- _result
- _isBackMainView
- installApp:
- setSingleTextAttributedString:withFont:withColor:
- _topCustomView
- _topIconImageView
- _topTitleLabel
- _topPromptLabel
- _topIconLabel
- _topSuffixLabel
- _bottomCustomView
- _installBtn
- arrayWithObjects:
- registerForDraggedTypes:
- becomeFirstResponder
- draggingEntered:
- draggingUpdated:
- rightMouseDown:
- mouseMoved:
- backgroundImage
- setBackgroundImage:
- backgroundColor
- setBackgroundColor:
- _backgroundColor
- _backgroundImage
- bundlePath
- defaultLanguage
- setInstallProduct:
- setVersionTrack:

- setLinkTrack:
- setIsNoYouToBePhoto:
- setTrackTestVersionID:
- _installProduct
- _versionTrack
- _linkTrack
- _isNoYouToBePhoto
- _atiLenght
- _ataLenght
- _atcLenght
- _priLenght
- _praLenght
- _mcLenght
- _pcLenght
- _trackTestVersionID
- indexSetWithIndexesInRange:
- setAcceptableStatusCodes:
- setAcceptableContentTypes:
- acceptableContentTypes
- MIMEType
- errorWithDomain:code:userInfo:
- acceptableStatusCodes
- containsIndex:
- localizedStringForStatusCode:
- validateResponse:data:error:
- _acceptableStatusCodes
- _acceptableContentTypes
- serializerWithReadingOptions:
- setReadingOptions:
- isEqualToData:
- readingOptions
- removesKeysWithNullValues
- boolValue
- setRemovesKeysWithNullValues:
- _removesKeysWithNullValues
- _readingOptions
- initWithObjects:
- serializerWithXMLDocumentOptions:
- setOptions:
- options
- initWithData:options:error:
- _options
- serializerWithFormat:readOptions:
- setReadOptions:
- readOptions
- propertyListWithData:options:format:error:
- _readOptions
- pixelsWide
- pixelsHigh
- addRepresentation:
- setResponseSerializers:
- responseSerializers
- compoundSerializerWithResponseSerializers:
- _responseSerializers
- domain
- AFSecurityPolicy
- NSSecureCoding
- NSCoding
- NSCopying
- AFURLSessionManagerTaskDelegate
- NSURLSessionTaskDelegate
- NSURLSessionDelegate
- NSObject
- NSURLSessionDataDelegate
- NSURLSessionDownloadDelegate
- _AFURLSessionTaskSwizzling
- AFURLSessionManager
- BezierPathQuartzUtilities
- IMBDownloadProgressView
- TempHelper
- ATracker
- IMBCanClickText
- IMBWhiteView

- IMBNoTitleBarWindow
- BackGroundView
- MBImageView
- MBGradientButton
- MBAlertSuperView
- MBBorderRectAndColorView
- MBInstallProgressViewController
- MBDownloadProgress
- NSTextViewDelegate
- NSTextDelegate
- MBAnimation
- MBCheckUpdater
- NSURLDownloadDelegate
- AFHTTPSessionManager
- Base64Codec
- ExtendTool
- BitConverter
- Stream
- MemoryStreamEx
- AppDelegate
- NSApplicationDelegate
- AFNetworkReachabilityManager
- AFQueryStringPair
- AFHTTPRequestSerializer
- AFURLRequestSerialization
- AFStreamingMultipartFormData
- AFMultipartFormData
- AFMultipartBodyStream
- NSSStreamDelegate
- AFHTTPBodyPart
- AFJSONRequestSerializer
- AFPropertyListRequestSerializer
- MBDownloadManager
- MBAlertViewController
- MBMainViewController
- MBScreenClickView
- MBSoftwareInfo
- AFHTTPResponseSerializer
- AFURLResponseSerialization
- AFJSONResponseSerializer
- AFXMLParserResponseSerializer
- AFXMLDocumentResponseSerializer
- AFPropertyListResponseSerializer
- AFImageResponseSerializer
- AFCompoundResponseSerializer
- @24@0:8@16
- @16@0:8
- @24@0:8Q16
- @32@0:8Q16@24
- c16@0:8
- v24@0:8@16
- v24@0:8@"NSCoder"16
- @24@0:8@"NSCoder"16
- @24@0:8^[_NSZone=}16
- c32@0:8^[_SecTrust=}16@24
- v16@0:8
- Q16@0:8
- v24@0:8Q16
- v20@0:8c16
- @"NSSet"
- c24@0:8@16
- #16@0:8
- @24@0:8:16
- @32@0:8:16@24
- @40@0:8:16@24@32
- c24@0:8#16
- c24@0:8:16
- Vv16@0:8
- ^[_NSZone=}16@0:8
- c24@0:8@"Protocol"16
- @"NSString"16@0:8
- v32@0:8@16@24

- v40@0:8@16@24@?32
- v32@0:8@"NSURLSession"16@"NSError"24
- v40@0:8@"NSURLSession"16@"NSURLAuthenticationChallenge"24@?32
- v24@0:8@"NSURLSession"16
- v48@0:8@16@24@32@?40
- v56@0:8@16@24@32@40@?48
- v56@0:8@16@24q32q40q48
- v40@0:8@16@24@32
- v48@0:8@"NSURLSession"16@"NSURLSessionTask"24@"NSURLRequest"32@?40
- v32@0:8@"NSURLSession"16@"NSURLSessionTask"24
- v56@0:8@"NSURLSession"16@"NSURLSessionTask"24@"NSHTTPURLResponse"32@"NSURLRequest"40@?
- v48@0:8@"NSURLSession"16@"NSURLSessionTask"24@"NSURLAuthenticationChallenge"32@?
- v40@0:8@"NSURLSession"16@"NSURLSessionTask"24@?32
- v56@0:8@"NSURLSession"16@"NSURLSessionTask"24q32q40q48
- v40@0:8@"NSURLSession"16@"NSURLSessionTask"24@"NSURLSessionTaskMetrics"32
- v40@0:8@"NSURLSession"16@"NSURLSessionTask"24@"NSError"32
- v48@0:8@"NSURLSession"16@"NSURLSessionDataTask"24@"NSURLResponse"32@?40
- v40@0:8@"NSURLSession"16@"NSURLSessionDataTask"24@"NSURLSessionDownloadTask"32
- v40@0:8@"NSURLSession"16@"NSURLSessionDataTask"24@"NSURLSessionStreamTask"32
- v40@0:8@"NSURLSession"16@"NSURLSessionDataTask"24@"NSData"32
- v48@0:8@"NSURLSession"16@"NSURLSessionDataTask"24@"NSCachedURLResponse"32@?
- v48@0:8@16@24q32q40
- v40@0:8@"NSURLSession"16@"NSURLSessionDownloadTask"24@"NSURL"32
- v56@0:8@"NSURLSession"16@"NSURLSessionDownloadTask"24q32q40q48
- v48@0:8@"NSURLSession"16@"NSURLSessionDownloadTask"24q32q40
- v48@0:8@16@24@32^v40
- @?16@0:8
- v24@0:8@?16
- @"AFURLSessionManager"
- @"NSMutableData"
- @"NSProgress"
- @"NSURL"
- v24@0:8#16
- q16@0:8
- v48@0:8@16@?24@?32@?40
- v40@0:8@16@?24@?32
- @32@0:8@16@?24
- @48@0:8@16@?24@?32@?40
- @48@0:8@16@24@?32@?40
- @40@0:8@16@?24@?32
- @"NSURLSession"
- @"NSOperationQueue"
- @""
- @"AFSecurityPolicy"
- @"AFNetworkReachabilityManager"
- @"NSObject"
- @"NSObject"
- @"NSURLSessionConfiguration"
- @"NSMutableDictionary"
- @"NSLock"
- ^{CGRect=}16@0:8
- v24@0:8d16
- v48@0:8{CGRect={CGPoint=dd}{CGSize=dd}}16
- v20@0:8f16
- @"CAShapeLayer"
- {CGRect={CGPoint=dd}{CGSize=dd}}32@0:8@16@24
- @52@0:8@16@24f32q36@44
- @20@0:8i16
- c32@0:8@16@24
- v64@0:8q16q24q32@40q48@56
- v36@0:8@16c24@28
- @"NSString"
- @"NSDictionary"
- v88@0:8@16@24@32@40@48@56@64@72@80
- f16@0:8
- @"NSColor"
- @"NSFont"
- @48@0:8{CGRect={CGPoint=dd}{CGSize=dd}}16
- @68@0:8{CGRect={CGPoint=dd}{CGSize=dd}}16Q48Q56c64
- v20@0:8i16
- @"NSButton"
- @"BackGroundView"
- v84@0:8c16@20@28@36@44@52@60@68@76

- v56@0:8c16@20@28@36@44f52
- v64@0:8@16@24@32@40@48f56c60
- ^[CGImage=]24@0:8@16
- {CGRect={CGPoint=dd}{CGSize=dd}}28@0:8@16f24
- ^[CGPath=]24@0:8@16
- @@"NSTrackingArea"
- @@"NSImageView"
- @@"NSImage"
- @""
- d16@0:8
- @@"NSGradient"
- @@"NSShadow"
- v32@0:8@16d24
- v44@0:8@16@24@32i40
- v36@0:8@16@24i32
- i24@0:8@16
- v32@0:8@"NSString"16d24
- v44@0:8@"NSString"16@"NSString"24@"NSString"32i40
- v24@0:8@"NSString"16
- v36@0:8@"NSString"16@"NSString"24i32
- i24@0:8@"NSString"16
- c24@0:8@"NSText"16
- v24@0:8@"NSNotification"16
- c40@0:8@16@24Q32
- v72@0:8@16@24{CGRect={CGPoint=dd}{CGSize=dd}}32Q64
- v80@0:8@16@24{CGRect={CGPoint=dd}{CGSize=dd}}32@64Q72
- @40@0:8@16@24Q32
- c56@0:8@16@24Q32@40@48
- {NSRange=QQ}56@0:8@16{NSRange=QQ}24{ _NSRange=QQ}40
- @40@0:8@16@24@32
- c40@0:8@16@24@32
- @56@0:8@16@24{ _NSRange=QQ}32^q48
- c48@0:8@16{ _NSRange=QQ}24@40
- c32@0:8@16:24
- q48@0:8@16q24{ _NSRange=QQ}32
- @48@0:8@16@24@32Q40
- @56@0:8@16{ _NSRange=QQ}24@40^Q48
- @80@0:8@16{ _NSRange=QQ}24Q40@48@56@64q72
- @32@0:8@16@24
- @40@0:8@16{ _NSRange=QQ}24
- @48@0:8@16@24{ _NSRange=QQ}32
- c32@0:8@16Q24
- v64@0:8@16@24{CGRect={CGPoint=dd}{CGSize=dd}}32
- v72@0:8@16@24{CGRect={CGPoint=dd}{CGSize=dd}}32@64
- c40@0:8@"NSTextView"16@24Q32
- v72@0:8@"NSTextView"16@""24{CGRect={CGPoint=dd}{CGSize=dd}}32Q64
- v80@0:8@"NSTextView"16@""24{CGRect={CGPoint=dd}{CGSize=dd}}32@"NSEvent"64Q72
- @@"NSArray"40@0:8@"NSTextView"16@""24Q32
- c56@0:8@"NSTextView"16@""24Q32@"NSPasteboard"40@"NSString"48
- {NSRange=QQ}56@0:8@"NSTextView"16{NSRange=QQ}24{ _NSRange=QQ}40
- @@"NSArray"40@0:8@"NSTextView"16@"NSArray"24@"NSArray"32
- c40@0:8@"NSTextView"16@"NSArray"24@"NSArray"32
- @@"NSDictionary"40@0:8@"NSTextView"16@"NSDictionary"24@"NSDictionary"32
- @@"NSString"40@0:8@"NSTextView"16@"NSString"24Q32
- @@"NSArray"56@0:8@"NSTextView"16@"NSArray"24{ _NSRange=QQ}32^q48
- c48@0:8@"NSTextView"16{ _NSRange=QQ}24@"NSString"40
- c32@0:8@"NSTextView"16:24
- q48@0:8@"NSTextView"16q24{ _NSRange=QQ}32
- @@"NSMenu"48@0:8@"NSTextView"16@"NSMenu"24@"NSEvent"32Q40
- @@"NSDictionary"56@0:8@"NSTextView"16{ _NSRange=QQ}24@"NSDictionary"40^Q48
- @@"NSArray"80@0:8@"NSTextView"16{ _NSRange=QQ}24Q40@"NSDictionary"48@"NSArray"56@"NSOrthography"64q72
- @@"NSURL"40@0:8@"NSTextView"16@"NSTextAttachment"24Q32
- @@"NSSharingServicePicker"40@0:8@"NSTextView"16@"NSSharingServicePicker"24@"NSArray"32
- @@"NSUndoManager"24@0:8@"NSTextView"16
- @@"NSArray"32@0:8@"NSTextView"16@"NSArray"24
- @@"NSArray"40@0:8@"NSTextView"16{ _NSRange=QQ}24
- @@"NSArray"48@0:8@"NSTextView"16@"NSArray"24{ _NSRange=QQ}32
- c32@0:8@"NSTextView"16Q24
- c32@0:8@"NSTextView"16@24
- v64@0:8@"NSTextView"16@""24{CGRect={CGPoint=dd}{CGSize=dd}}32
- v72@0:8@"NSTextView"16@""24{CGRect={CGPoint=dd}{CGSize=dd}}32@"NSEvent"64
- @28@0:8@16i24

- i40@0:8@16@24@32
- i16@0:8
- v24@0:8q16
- @"IMBWhiteView"
- @"NSBox"
- @"NSTextField"
- @"IMBDownloadProgressView"
- @"NSView"
- @"IMBGradientButton"
- @"NSScrollView"
- @"IMBCanClickText"
- @"IMBDownloadManager"
- @"NSTimer"
- @"IMBAlertViewController"
- @20@0:8f16
- @28@0:8f16f20f24
- @40@0:8f16@20@28f36
- @28@0:8f16@20
- @36@0:8f16@20f28f32
- @44@0:8f16@20@28f36f40
- @36@0:8f16@20@28
- @48@0:8f16@20@28f36f40c44
- @44@0:8@16@24f32f36f40
- @40@0:8@16@24f32f36
- @36@0:8@16f24f28f32
- @72@0:8^{CGPath=}16d24d32d40d48f56f60@64
- @76@0:8^{CGPath=}16f24d28d36d44d52f60f64@68
- @40@0:8f16f20i24q28f36
- @32@0:8f16f20i24i28
- @28@0:8@16f24
- @24@0:8f16c20
- @32@0:8f16@20f28
- v48@0:8@16@24@32d40
- v40@0:8@16@24q32
- v32@0:8@16Q24
- v24@0:8@"NSURLDownload"16
- @"NSURLRequest"40@0:8@"NSURLDownload"16@"NSURLRequest"24@"NSURLResponse"32
- c32@0:8@"NSURLDownload"16@"NSURLProtectionSpace"24
- v32@0:8@"NSURLDownload"16@"NSURLAuthenticationChallenge"24
- c24@0:8@"NSURLDownload"16
- v32@0:8@"NSURLDownload"16@"NSURLResponse"24
- v40@0:8@"NSURLDownload"16@"NSURLResponse"24q32
- v32@0:8@"NSURLDownload"16Q24
- c32@0:8@"NSURLDownload"16@"NSString"24
- v32@0:8@"NSURLDownload"16@"NSString"24
- v32@0:8@"NSURLDownload"16@"NSError"24
- @"IMBSoftwareInfo"
- @"NSURLDownload"
- @56@0:8@16@24@?32@?40@?48
- @64@0:8@16@24@?32@?40@?48@?56
- @72@0:8@16@24@32@?40@?48@?56@?64
- @"AFHTTPRequestSerializer"
- 32@0:8i16i24i28
- {_NSRange=QQ}28@0:8@16i24
- @28@0:8*16i24
- @24@0:8i16i20
- @32@0:81624
- @36@0:81624c32
- @36@0:8*16Q24i32
- c32@0:8r^v16Q24
- {_NSRange=QQ}20@0:8i16
- i36@0:8i16@20i28i32
- i24@0:8i16i20
- c20@0:8i16
- c24@0:8i16i20
- c32@0:8i16i20i24i28
- @24@0:8d16
- Q28@0:8Q16i24
- i32@0:8@16i24i28
- v20@0:8C16
- v32@0:8@16i24i28
- q24@0:8@16

- i32@0:8@16@24
- i40@0:8@16@24i32i36
- q24@0:8q16
- ^{CGColor=}16@0:8
- @24@0:8^{CGColor=}16
- v64@0:8{CGRect={CGPoint=dd}{CGSize=dd}}16Q48f56i60
- @36@0:8{CGSize=dd}16i32
- @52@0:8{CGRect={CGPoint=dd}{CGSize=dd}}16i48
- @32@0:8{CGSize=dd}16
- Q24@0:8@16
- Q44@0:8@16@24@32c40
- c28@0:8@16c24
- c40@0:8@16@24@?32
- Q24@0:8@"NSApplication"16
- v32@0:8@"NSApplication"16@"NSArray"24
- c32@0:8@"NSApplication"16@"NSString"24
- c24@0:8@"NSApplication"16
- c32@0:8@16@"NSString"24
- Q44@0:8@"NSApplication"16@"NSArray"24@"NSDictionary"32c40
- c28@0:8@"NSApplication"16c24
- @@"NSMenu"24@0:8@"NSApplication"16
- @@"NSError"32@0:8@"NSApplication"16@"NSError"24
- v32@0:8@"NSApplication"16@"NSData"24
- v32@0:8@"NSApplication"16@"NSError"24
- v32@0:8@"NSApplication"16@"NSDictionary"24
- v32@0:8@"NSApplication"16@"NSCoder"24
- c40@0:8@"NSApplication"16@"NSUserActivity"24@?32
- v40@0:8@"NSApplication"16@"NSString"24@"NSError"32
- v32@0:8@"NSApplication"16@"NSUserActivity"24
- v32@0:8@"NSApplication"16@"CKShareMetadata"24
- @@"IMBMainViewController"
- @@"IMBInstallProgressViewController"
- @@"IMBCheckUpdater"
- @@"NSWindow"
- @24@0:8r^v16
- @24@0:8^{__SCNetworkReachability=}16
- ^{__SCNetworkReachability=}16@0:8
- ^{__SCNetworkReachability=}
- @40@0:8@16@24^@32
- @@"NSURLRequest"40@0:8@"NSURLRequest"16@24^@32
- @48@0:8@16@24@32^@40
- @56@0:8@16@24@32@?40^@48
- @40@0:8@16@24@?32
- @@"NSMutableSet"
- c40@0:8@16@24^@32
- c56@0:8@16@24@32@40^@48
- v56@0:8@16@24@32q40@48
- v48@0:8@16@24@32@40
- v32@0:8Q16d24
- c40@0:8@"NSURL"16@"NSString"24^@32
- c56@0:8@"NSURL"16@"NSString"24@"NSString"32@"NSString"40^@48
- v56@0:8@"NSInputStream"16@"NSString"24@"NSString"32q40@"NSString"48
- v48@0:8@"NSData"16@"NSString"24@"NSString"32@"NSString"40
- v32@0:8@"NSData"16@"NSString"24
- v32@0:8@"NSDictionary"16@"NSData"24
- @32@0:8@16Q24
- @@"NSMutableURLRequest"
- @@"AFMultipartBodyStream"
- v32@0:8@"NSStream"16Q24
- q32@0:8*16Q24
- c32@0:8^*16^Q24
- v32@0:8^{CFRunLoop=}16^{CFString=}24
- c40@0:8Q16^?24^{?=q^v^?^?^?}32
- @""
- @@"NSError"
- @@"NSInputStream"
- @@"NSMutableArray"
- @@"NSEnumerator"
- @@"AFHTTPBodyPart"
- @@"NSOutputStream"
- q40@0:8@16*24Q32
- @32@0:8Q16Q24
- @48@0:8@16@24@32q40

- @ "NSFileManager"
- i48@0:8@16@24@32@40
- i56@0:8@16@24@32@40@48
- @ "IMBBorderRectAndColorView"
- @40@0:8@"NSURLResponse"16@"NSData"24^@32
- @ "NSIndexSet"
- @ "NSArray"
- ?}}}}}}}
- YYYYYY
- ?:::~:::
- ?456789;:<=
- !"#%&'()*+,-./0123
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/ugernknukniInknukcosnknunknunknunknu
- ^@333333
- ?]]]]]]
- ?QQQQQQ
- ?www
- ?_
- ?~~~~~
- O@??????
- ?>>>>>
- N*g~b0R
- B^BSCSCSCSCSCSCSCSCSCSCSCSCp
- RBRBRBRBSCSCSCSCSCSCSCSCSCTBSCSCSARBSCSCSCSCRBSCSCSCSASB
- ARARARAp
- RDSD`0ASASASASASBZBUAp
- RARARARARARARARARARARARARARARARARBRB`
- RARARASAp
- RARARARARARARARAXAp
- RARARARARAUAp
- RBRARASASDp
- p NASASASASASASASASASB
- BWAVCREYCRERAp
- SARARARAp
- ASB`FBUAp
- TAp@p0`
- ASASDRAp
- \$CRGp0 !CRE 9ASASASASASASASASB
- p0`6ASASASASASASASASASASASASASASASASASBZCRAp
- p0 ZASASASASASASASASASASB
- p0`KASASASASBXCRAp
- p0\ASBRCRAp
- p0YCRGp0`
- ASB`\$CRAp
- p0VCRGp0`-ASASASASASASASASB\ICRAp
- RARARARARARARAWARARARARARARARARARARARARARARARARBRB`
- RARARARARAUAp
- RA`
- p `KAS
- NCRGp0RARARARARARARARARARARARARARARARARBRB
- RARARARARARARARARARARARARARARA`Ap p
- ASASASASASASBXCRAp
- RARARAVAp
- RDSD`KASASBVBUAp
- VCRGp0SATAREVCRGp0TAp0 HA
- ARE WAJARE HASAYARAp
- ZAp0TAp0\AWAREWAp0`
- `6ASASARAp
- VCRE \$CRESCRE 9ASASBRCRAp
- SATARE`
- Ap0RARARARARARARARARARARARARARARARARARBRB`
- RA`(Ap p
- ASASASASASASASBZCTAp
- CRE`0ASASASB\BSAp
- ASASBTBSAp
- YARARARARARARARARARARARARARARARARARBRB`
- ARARARAp
- p SD ~ASASASASASASASASASASB "BUAp
- RARARARARARARAWAp p
- p `6ASASASASBXBUAp
- ASASASASASASASASASASASASB`
- p NASASASASASASASASASB

- ASBRCRAp
- ASASBTCRAp
- RARARARARARARARARARARARARARARARBRB`
- RARARARARARARARARARARARA^Ap p
- ASASASASASASASASBXCTAp
- p0'9ASBTCRAp
- ASASASASASASASASASASASDRAp(p0'0ASASBTCRAp
- SCRE NASASASASASASASASASASASB
- VARARARARARARARARARARARARARARARARBRB`
- ARARARAp
- p SD`ASASASB^BUAp
- ASASBTCRAp
- SCREVCREVCRE`
- ASBRCRAp
- ASASBTCRAp
- CRESCRE`
- ASBRBSAp
- SBppREp
- p RCp p RCRCp p RCp RCRCp RCp RCp RCRCp p RCp RCp RCp RCp p RCRCp SBp
- p RCp RCRCp SBp
- p RCRCp RCp RCRCp RCRC
- RCp RCp RCp RCp RCp RCp SBp
- @CCrfc3394iv
- @CCrfc3394ivLen
- @__NSConcreteGlobalBlock
- @__NSConcreteStackBlock
- @ _stackchkguard
- @ _dispatchmain_q
- @ _dispatchqueueattrconcurrent
- @dyldstubfinder
- @ _NSApp
- @ _NSBackgroundColorAttributeName
- @ _NSCursorAttributeName
- @ _NSFileNamesPboardType
- @ _NSFilesPromisePboardType
- @ _NSFontAttributeName
- @ _NSForegroundColorAttributeName
- @ _NSLinkAttributeName
- @ _NSParagraphStyleAttributeName
- @ _NSToolTipAttributeName
- @OBJCCLASS\$NSAnimationContext
- @OBJCCLASS\$NSApplication
- @OBJCCLASS\$NSBezierPath
- @OBJCCLASS\$NSBitmapImageRep
- @OBJCCLASS\$NSButton
- @OBJCCLASS\$NSColor
- @OBJCCLASS\$NSCursor
- @OBJCCLASS\$NSFont
- @OBJCCLASS\$NSGraphicsContext
- @OBJCCLASS\$NSImage
- @OBJCCLASS\$NSImageView
- @OBJCCLASS\$NSMutableParagraphStyle
- @OBJCCLASS\$NSParagraphStyle
- @OBJCCLASS\$NSShadow
- @OBJCCLASS\$NSTextView
- @OBJCCLASS\$NSTrackingArea
- @OBJCCLASS\$NSView
- @OBJCCLASS\$NSViewController
- @OBJCCLASS\$NSWindow
- @OBJCCLASS\$NSWorkspace
- @OBJCCLASS\$_NSThemeWidgetCell
- @OBJCMETACLASS\$NSButton
- @OBJCMETACLASS\$NSImageView
- @OBJCMETACLASS\$NSTextView
- @OBJCMETACLASS\$NSView
- @OBJCMETACLASS\$NSViewController
- @OBJCMETACLASS\$NSWindow
- @ _NSDefaultRunLoopMode
- @ _NSRunLoopCommonModes
- @OBJCCLASS\$NSArray
- @OBJCCLASS\$NSData

- @objcClass\$NSDate
- @objcClass\$NSDictionary
- @objcClass\$NSException
- @objcClass\$NSInputStream
- @objcClass\$NSLocale
- @objcClass\$NSMutableArray
- @objcClass\$NSMutableData
- @objcClass\$NSMutableDictionary
- @objcClass\$NSMutableSet
- @objcClass\$NSNull
- @objcClass\$NSOutputStream
- @objcClass\$NSRunLoop
- @objcClass\$NSSet
- @objcClass\$NSTimeZone
- @objcClass\$NSTimer
- @objcClass\$NSURL
- @objcClass\$NSUserDefaults
- @objcException\$NSException
- @objcMetaclass\$NSInputStream
- @_CFCConstantStringClassReference
- @_kCFAllocatorDefault
- @_kCFBooleanFalse
- @_kCFBundleExecutableKey
- @_kCFBundleIdentifierKey
- @_kCFBundleVersionKey
- @_kCFRunLoopCommonModes
- @_kCFURLsAliasFileKey
- @_kUTTagClassFilenameExtension
- @_kUTTagClassMIMETYPE
- @_kCTForegroundColorAttributeName
- @_kCTUnderlineStyleAttributeName
- @_NSFileSize
- @_NSFoundationVersionNumber
- @_NSKeyValueChangeNewKey
- @_NSLocalizedDescriptionKey
- @_NSLocalizedFailureReasonErrorKey
- @_NSURLAuthenticationMethodServerTrust
- @_NSURLErrorFailingURLErrorKey
- @_NSURLSessionTransferSizeUnknown
- @_NSUnderlyingErrorKey
- @_NSZeroPoint
- @_NSZeroRect
- @objcClass\$NSAffineTransform
- @objcClass\$NSAttributedString
- @objcClass\$NSBundle
- @objcClass\$NSCharacterSet
- @objcClass\$NSDateFormatter
- @objcClass\$NSError
- @objcClass\$NSFileHandle
- @objcClass\$NSFileManager
- @objcClass\$NSHTTPURLResponse
- @objcClass\$NSIndexSet
- @objcClass\$NSJSONSerialization
- @objcClass\$NSLock
- @objcClass\$NSMutableAttributedString
- @objcClass\$NSMutableString
- @objcClass\$NSMutableURLRequest
- @objcClass\$NSNotificationCenter
- @objcClass\$NSNumber
- @objcClass\$NSOperationQueue
- @objcClass\$NSProcessInfo
- @objcClass\$NSProgress
- @objcClass\$NSPropertyListSerialization
- @objcClass\$NSScanner
- @objcClass\$NSSortDescriptor
- @objcClass\$NSString
- @objcClass\$NSThread
- @objcClass\$NSURLConnection
- @objcClass\$NSURLCredential
- @objcClass\$NSURLDownload
- @objcClass\$NSURLRequest

- @OBJCCLASS\$NSURLSession
- @OBJCCLASS\$NSURLSessionConfiguration
- @OBJCCLASS\$NSURLSessionDownloadTask
- @OBJCCLASS\$NSURLSessionTask
- @OBJCCLASS\$NSNumber
- @OBJCCLASS\$NSXMLDocument
- @OBJCCLASS\$NSXMLParser
- @OBJCCLASS\$CAAnimationGroup
- @OBJCCLASS\$CABasicAnimation
- @OBJCCLASS\$CAKeyframeAnimation
- @OBJCCLASS\$CAMediaTimingFunction
- @OBJCCLASS\$CASHapeLayer
- @OBJCCLASS\$CATransition
- @OBJCCLASS\$UIColor
- @_kCAFillModeBackwards
- @_kCAFillModeForwards
- @_kCAFillRuleEvenOdd
- @_kCAMediaTimingFunctionEaseIn
- @_kCAMediaTimingFunctionEaseInEaseOut
- @_kCAMediaTimingFunctionEaseOut
- @_kCAMediaTimingFunctionLinear
- @_kCATransitionFromBottom
- @_kCATransitionFromLeft
- @_kCATransitionFromTop
- @_kCATransitionMoveIn
- @_kCATransitionReveal
- @_kSecRandomDefault
- @OBJCCLASS\$NSObject
- @OBJCMETACLASS\$NSObject
- @_objcpersonalityv0
- @_objcempty_cache
- @objcmsgSend
- @objcrelease
- @objcretain
- @CACurrentMediaTime
- @CATransform3DMakeRotation
- @CCCrypt
- @CCSymmetricKeyUnwrap
- @CCSymmetricKeyWrap
- @CCMD5
- @CCSHA1
- @CCSHA256
- @CFArrayCreate
- @CFBooleanGetValue
- @CFPropertyListCreateDeepCopy
- @CFRelease
- @CFRetain
- @CFRunLoopGetMain
- @CFStringTransform
- @CFURLCopyResourcePropertyForKey
- @CFUUIDCreate
- @CFUUIDCreateString
- @CGColorCreate
- @CGColorSpaceCreateDeviceRGB
- @CGColorSpaceRelease
- @CGContextAddPath
- @CGContextClip
- @CGContextDrawLinearGradient
- @CGContextRestoreGState
- @CGContextSaveGState
- @CGGradientCreateWithColorComponents
- @CGGradientRelease
- @CGImageSourceCreateImageAtIndex
- @CGImageSourceCreateWithData
- @CGPathAddCurveToPoint
- @CGPathAddLineToPoint
- @CGPathCloseSubpath
- @CGPathCreateCopy
- @CGPathCreateMutable
- @CGPathMoveToPoint
- @CGPathRelease
- @CGestalt

- @_NSApplicationMain
- @_NSClassFromString
- @_NSLog
- @_NSMouseInRect
- @_NSRectFill
- @_NSSearchPathForDirectoriesInDomains
- @_NSSelectorFromString
- @_NSStringFromClass
- @_NSStringFromSelector
- @_SCNetworkReachabilityCreateWithAddress
- @_SCNetworkReachabilityCreateWithName
- @_SCNetworkReachabilityGetFlags
- @_SCNetworkReachabilityScheduleWithRunLoop
- @_SCNetworkReachabilitySetCallback
- @_SCNetworkReachabilityUnscheduleFromRunLoop
- @_SecCertificateCopyData
- @_SecCertificateCreateWithData
- @_SecItemExport
- @_SecPolicyCreateBasicX509
- @_SecPolicyCreateSSL
- @_SecRandomCopyBytes
- @_SecTrustCopyPublicKey
- @_SecTrustCreateWithCertificates
- @_SecTrustEvaluate
- @_SecTrustGetCertificateAtIndex
- @_SecTrustGetCertificateCount
- @_SecTrustSetAnchorCertificates
- @_SecTrustSetPolicies
- @_UTTypeCopyPreferredTagWithClass
- @_UTTypeCreatePreferredIdentifierForTag
- @_Blockcopy
- @_Blockobject_assign
- @_Blockobject_dispose
- @_Blockrelease
- @_UnwindResume
- @_bzero
- @_stackchkfail
- @_arc4random
- @_ceil
- @classaddMethod
- @classgetInstanceMethod
- @classreplaceMethod
- @dispatchafter
- @dispatchasync
- @dispatchgetglobalqueue
- @dispatchgroup_async
- @dispatchgroup_create
- @dispatchchonce
- @dispatchqueue_create
- @dispatchsemaphore_create
- @dispatchsemaphore_signal
- @dispatchsemaphore_wait
- @dispatchsync
- @dispatchtime
- @_free
- @ifnametoindex
- @_lstat\$INODE64
- @_malloc
- @mallocsize
- @_memchr
- @_memcmp
- @_memcpy
- @_memset
- @methodexchangeImplementations
- @methodgetImplementation
- @methodgetTypeEncoding
- @objcautorelease
- @objcautoreleasePoolPop
- @objcautoreleasePoolPush
- @objcautoreleaseReturnValue
- @objcbegin_catch

- @objccopyWeak
- @objcdestroyWeak
- @objcend_catch
- @objcenumerationMutation
- @objcexception_rethrow
- @objcexception_throw
- @objcgetAssociatedObject
- @objcgetProperty
- @objcinitWeak
- @objcloadWeakRetained
- @objcmsgSendSuper2
- @objcmsgSend_stret
- @objcretainAutorelease
- @objcretainAutoreleaseReturnValue
- @objcretainAutoreleasedReturnValue
- @objcretainBlock
- @objcsetAssociatedObject
- @objcsetPropertyatomiccopy
- @objcsetProperty_nonatomic
- @objcsetPropertynonatomiccopy
- @objcstoreStrong
- @objcstoreWeak
- @objcsync_enter
- @objcsync_exit
- @objcterminate
- @_open
- @_printf
- @_round
- @_roundf
- @_strcmp
- @_strlen
- @_sysctl
- @_system
- _mhexecute_header
- D3PPPPNR
- #U#WU"
- l,1@@2
- QC0=X5
- _mhexecute_header
- _CACurrentMediaTime
- _CATransform3DMakeRotation
- _CCCrypt
- _CCSymmetricKeyUnwrap
- _CCSymmetricKeyWrap
- CCMD5
- CCSHA1
- CCSHA256
- CCrfc3394iv
- CCrfc3394ivLen
- _CFArrayCreate
- _CFBooleanGetValue
- _CFPropertyListCreateDeepCopy
- _CFRelease
- _CFRetain
- _CFRunLoopGetMain
- _CFStringTransform
- _CFURLCopyResourcePropertyForKey
- _CFUUIDCreate
- _CFUUIDCreateString
- _CGColorCreate
- _CGColorSpaceCreateDeviceRGB
- _CGColorSpaceRelease
- _CGContextAddPath
- _CGContextClip
- _CGContextDrawLinearGradient
- _CGContextRestoreGState
- _CGContextSaveGState
- _CGGradientCreateWithColorComponents
- _CGGradientRelease
- _CGImageSourceCreateImageAtIndex
- _CGImageSourceCreateWithData

- _CGPathAddCurveToPoint
- _CGPathAddLineToPoint
- _CGPathCloseSubpath
- _CGPathCreateCopy
- _CGPathCreateMutable
- _CGPathMoveToPoint
- _CGPathRelease
- _Gestalt
- _NSApp
- _NSApplicationMain
- _NSBackgroundColorAttributeName
- _NSClassFromString
- _NSCursorAttributeName
- _NSDefaultRunLoopMode
- _NSFileSize
- _NSFileNamesPboardType
- _NSFilesPromisePboardType
- _NSFontAttributeName
- _NSForegroundColorAttributeName
- _NSFoundationVersionNumber
- _NSKeyValueChangeNewKey
- _NSLinkAttributeName
- _NSLocalizedDescriptionKey
- _NSLocalizedFailureReasonErrorKey
- _NSLog
- _NSMouseInRect
- _NSParagraphStyleAttributeName
- _NSRectFill
- _NSRunLoopCommonModes
- _NSSearchPathForDirectoriesInDomains
- _NSSelectorFromString
- _NSStringFromClass
- _NSStringFromSelector
- _NSToolTipAttributeName
- _NSURLAuthenticationMethodServerTrust
- _NSErrorFailingURLErrorKey
- _NSURLSessionTransferSizeUnknown
- _NSErrorUnderlyingErrorKey
- _NSZeroPoint
- _NSZeroRect
- OBJCCLASS\$CAAnimationGroup
- OBJCCLASS\$CABasicAnimation
- OBJCCLASS\$CAKeyframeAnimation
- OBJCCLASS\$CAMediaTimingFunction
- OBJCCLASS\$CAShapeLayer
- OBJCCLASS\$CATransition
- OBJCCLASS\$CIColor
- OBJCCLASS\$NSAffineTransform
- OBJCCLASS\$NSAnimationContext
- OBJCCLASS\$NSApplication
- OBJCCLASS\$NSArray
- OBJCCLASS\$NSAttributedString
- OBJCCLASS\$NSBezierPath
- OBJCCLASS\$NSBitmapImageRep
- OBJCCLASS\$NSBundle
- OBJCCLASS\$NSButton
- OBJCCLASS\$NSCharacterSet
- OBJCCLASS\$NSColor
- OBJCCLASS\$NSCursor
- OBJCCLASS\$NSData
- OBJCCLASS\$NSDate
- OBJCCLASS\$NSDateFormatter
- OBJCCLASS\$NSDictionary
- OBJCCLASS\$NSError
- OBJCCLASS\$NSException
- OBJCCLASS\$NSFileHandle
- OBJCCLASS\$NSFileManager
- OBJCCLASS\$NSFont
- OBJCCLASS\$NSGraphicsContext
- OBJCCLASS\$NSHTTPURLResponse
- OBJCCLASS\$NSImage

- OBJCCCLASS\$NSImageView
- OBJCCCLASS\$NSIndexSet
- OBJCCCLASS\$NSInputStream
- OBJCCCLASS\$NSJSONSerialization
- OBJCCCLASS\$NSLocale
- OBJCCCLASS\$NSLock
- OBJCCCLASS\$NSMutableArray
- OBJCCCLASS\$NSMutableAttributedString
- OBJCCCLASS\$NSMutableData
- OBJCCCLASS\$NSMutableDictionary
- OBJCCCLASS\$NSMutableParagraphStyle
- OBJCCCLASS\$NSMutableSet
- OBJCCCLASS\$NSMutableString
- OBJCCCLASS\$NSMutableURLRequest
- OBJCCCLASS\$NSNotificationCenter
- OBJCCCLASS\$NSNull
- OBJCCCLASS\$NSNumber
- OBJCCCLASS\$NSObject
- OBJCCCLASS\$NSOperationQueue
- OBJCCCLASS\$NSOutputStream
- OBJCCCLASS\$NSParagraphStyle
- OBJCCCLASS\$NSProcessInfo
- OBJCCCLASS\$NSProgress
- OBJCCCLASS\$NSPropertyListSerialization
- OBJCCCLASS\$NSRunLoop
- OBJCCCLASS\$NSScanner
- OBJCCCLASS\$NSSet
- OBJCCCLASS\$NSShadow
- OBJCCCLASS\$NSSortDescriptor
- OBJCCCLASS\$NSString
- OBJCCCLASS\$NSTextView
- OBJCCCLASS\$NSThread
- OBJCCCLASS\$NSTimeZone
- OBJCCCLASS\$NSTimer
- OBJCCCLASS\$NSTrackingArea
- OBJCCCLASS\$NSURL
- OBJCCCLASS\$NSURLConnection
- OBJCCCLASS\$NSURLCredential
- OBJCCCLASS\$NSURLDownload
- OBJCCCLASS\$NSURLRequest
- OBJCCCLASS\$NSURLSession
- OBJCCCLASS\$NSURLSessionConfiguration
- OBJCCCLASS\$NSURLSessionDownloadTask
- OBJCCCLASS\$NSURLSessionTask
- OBJCCCLASS\$NSUserDefaults
- OBJCCCLASS\$NSValue
- OBJCCCLASS\$NSView
- OBJCCCLASS\$NSViewController
- OBJCCCLASS\$NSWindow
- OBJCCCLASS\$NSWorkspace
- OBJCCCLASS\$NSXMLDocument
- OBJCCCLASS\$NSXMLParser
- OBJCCCLASS\$_NSThemeWidgetCell
- OBJCEHTYPE\$NSException
- OBJCMETACLASS\$NSButton
- OBJCMETACLASS\$NSImageView
- OBJCMETACLASS\$NSInputStream
- OBJCMETACLASS\$NSObject
- OBJCMETACLASS\$NSTextView
- OBJCMETACLASS\$NSView
- OBJCMETACLASS\$NSViewController
- OBJCMETACLASS\$NSWindow
- _SCNetworkReachabilityCreateWithAddress
- _SCNetworkReachabilityCreateWithName
- _SCNetworkReachabilityGetFlags
- _SCNetworkReachabilityScheduleWithRunLoop
- _SCNetworkReachabilitySetCallback
- _SCNetworkReachabilityUnscheduleFromRunLoop
- _SecCertificateCopyData
- _SecCertificateCreateWithData

- `_SecItemExport`
- `_SecPolicyCreateBasicX509`
- `_SecPolicyCreateSSL`
- `_SecRandomCopyBytes`
- `_SecTrustCopyPublicKey`
- `_SecTrustCreateWithCertificates`
- `_SecTrustEvaluate`
- `_SecTrustGetCertificateAtIndex`
- `_SecTrustGetCertificateCount`
- `_SecTrustSetAnchorCertificates`
- `_SecTrustSetPolicies`
- `_UTTypeCopyPreferredTagWithClass`
- `_UTTypeCreatePreferredIdentifierForTag`
- `_Blockcopy`
- `_Blockobject_assign`
- `_Blockobject_dispose`
- `_Blockrelease`
- `__NSConcreteGlobalBlock`
- `__NSConcreteStackBlock`
- `_UnwindResume`
- `_CFConstantStringClassReference`
- `_bzero`
- `_objcpersonalityv0`
- `_stackchkfail`
- `_stackchkguard`
- `_dispatchmain_q`
- `_dispatchqueueattrconcurrent`
- `_objcempty_cache`
- `_arc4random`
- `classaddMethod`
- `classgetInstanceMethod`
- `classreplaceMethod`
- `dispatchafter`
- `dispatchasync`
- `dispatchgetglobalqueue`
- `dispatchgroup_async`
- `dispatchgroup_create`
- `dispatchonce`
- `dispatchqueue_create`
- `dispatchsemaphore_create`
- `dispatchsemaphore_signal`
- `dispatchsemaphore_wait`
- `dispatchsync`
- `dispatchtime`
- `ifnametoindex`
- `_kCAFillModeBackwards`
- `_kCAFillModeForwards`
- `_kCAFillRuleEvenOdd`
- `_kCAMediaTimingFunctionEaseIn`
- `_kCAMediaTimingFunctionEaseInEaseOut`
- `_kCAMediaTimingFunctionEaseOut`
- `_kCAMediaTimingFunctionLinear`
- `_kCATransitionFromBottom`
- `_kCATransitionFromLeft`
- `_kCATransitionFromTop`
- `_kCATransitionMoveIn`
- `_kCATransitionReveal`
- `_kCFAllocatorDefault`
- `_kCFBooleanFalse`
- `_kCFBundleExecutableKey`
- `_kCFBundleIdentifierKey`
- `_kCFBundleVersionKey`
- `_kCFRunLoopCommonModes`
- `_kCFURLsAliasFileKey`
- `_kCTForegroundColorAttributeName`
- `_kCTUnderlineStyleAttributeName`
- `_kSecRandomDefault`
- `_kUTTagClassFilenameExtension`
- `_kUTTagClassMIMEType`
- `_lstat$INODE64`
- `_malloc`

- *mallocsize*
- *_memchr*
- *_memcmp*
- *_memcpy*
- *_memset*
- *methodexchangeImplementations*
- *methodgetImplementation*
- *methodgetTypeEncoding*
- *objcautorelease*
- *objcautoreleasePoolPop*
- *objcautoreleasePoolPush*
- *objcautoreleaseReturnValue*
- *objcbegin_catch*
- *objccopyWeak*
- *objcdestroyWeak*
- *objcend_catch*
- *objcenumerationMutation*
- *objcexception_rethrow*
- *objcexception_throw*
- *objcgetAssociatedObject*
- *objcgetProperty*
- *objcinitWeak*
- *objcloadWeakRetained*
- *objcmsgSend*
- *objcmsgSendSuper2*
- *objcmsgSend_stret*
- *objcrelease*
- *objcretain*
- *objcretainAutorelease*
- *objcretainAutoreleaseReturnValue*
- *objcretainAutoreleasedReturnValue*
- *objcretainBlock*
- *objcsetAssociatedObject*
- *objcsetPropertyatomiccopy*
- *objcsetProperty_nonatomic*
- *objcsetPropertynonatomiccopy*
- *objcstoreStrong*
- *objcstoreWeak*
- *objcsync_enter*
- *objcsync_exit*
- *objcterminate*
- *_printf*
- *_round*
- *_roundf*
- *_strcmp*
- *_strlen*
- *_sysctl*
- *_system*
- *dyldstubbinder*
- *radr://5614542*
- *com.iMobie.AnyTrans-iOS-Installer*
- *2QJGLWL8Y6*
- *!com.iMobie.AnyTrans-iOS-Installer*
- *subject.OU*
- *2QJGLWL8Y6*
-
-
-
-
- *com.apple.security.cs.allow-jit*
-
-
-
- *com.iMobie.AnyTrans-iOS-Installer*
- *2QJGLWL8Y6*
- *+HY%\$f)#*
- *bE`N[0y*
- *S\$qf(b0*
- *z~*
- *KL7+nA*
- *UgJ!""*

- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 120201221215Z
- 270201221215Z0y1-0+
- \$Developer ID Certification Authority1&0\$
- Apple Certification Authority1
- Apple Inc.1
-)xEii`k_
- 1? v(m
- http://crl.apple.com/root.crl0
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 060425214036Z
- 350209214036Z0b1
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- https://www.apple.com/appleca/0
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- 0y1-0+
- \$Developer ID Certification Authority1&0\$
- Apple Certification Authority1
- Apple Inc.1
- 190416061846Z
- 240416061846Z0
- 2QJGLWL8Y61;09
- 2Developer ID Application: iMobie Inc. (2QJGLWL8Y6)1
- 2QJGLWL8Y61
- iMobie Inc.1
- \$http://ocsp.apple.com/ocsp03-devid060
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- *http://www.apple.com/certificateauthority/0
- 20131128000000Z0
- o9aMO+
- 0y1-0+
- \$Developer ID Certification Authority1&0\$
- Apple Certification Authority1
- Apple Inc.1
- 200408040002Z0/
- H
-
-
-
- cdhashes
-
-
- pRm8leH6YEff/dNXxwKvEgL5pbQ=
-
-
- BaRXvJJX8yA26+PbnbllcEJELw=
-
-
-
-
- 20200408040002Z0
- 0|100.
- 'Apple Timestamp Certification Authority1&0\$
- Apple Certification Authority1
- Apple Inc.1
- 200401221002Z
- 200513221002Z0B1
- Timestamp Signer RNO11
- Apple Inc.1
- No(`c+p
- http://www.apple.com/appleca0
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- "http://crl.apple.com/timestamp.crl0
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 120405120244Z

- **Entropy:** 6.02
- **Status:** This file is likely packed or encrypted.

VirusTotal Analysis

Scan Date: 2024-12-29 15:01:17

Scan Results

- Malicious: 17
- Suspicious: 0
- Undetected: 46
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 13

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
Elastic	malicious	malicious (high confidence)
CTX	malicious	macho.trojan.imobie
Skyhigh	malicious	RDN/Generic.osx
Symantec	malicious	OSX.Trojan.Gen
ESET-NOD32	malicious	a variant of OSX/iMobie.D potentially unwanted
TrendMicro-HouseCall	malicious	TROJ_FRS.VSNTJG23
Avast	malicious	MacOS:IMobie-AB [PUP]
Cynet	malicious	Malicious (score: 99)
Tencent	malicious	Osx.Trojan.Osx.Xdcl
F-Secure	malicious	PotentialRisk.PUA/OSX.iMobie.gtuzr
TrendMicro	malicious	TROJ_FRS.VSNTJG23
SentinelOne	malicious	Static AI - Malicious Mach-O
Avira	malicious	PUA/OSX.iMobie.gtuzr
Xcitium	malicious	ApplicUnwnt@#253b19kry45t8
Microsoft	malicious	PUA:MacOS/Imobie!MTB
McAfee	malicious	RDN/Generic.osx
AVG	malicious	MacOS:IMobie-AB [PUP]