

Malware Analysis Report For

keylogger_96b85492bf2538c84a05c7ffaa4ef9f2ac47779e116c3b9d0c8e04dc87c49fe6

Binary Type

Mach-O (Mach Object). (Approved)

Analyzing File

- File Name: keylogger_96b85492bf2538c84a05c7ffaa4ef9f2ac47779e116c3b9d0c8e04dc87c49fe6
- File Extension:
- File Type: Mach-O (Mach Object).
- MD5 Hash: f2f5ff32ad15f1ec35d6aa1d8f17582a
- SHA256 Hash: 96b85492bf2538c84a05c7ffaa4ef9f2ac47779e116c3b9d0c8e04dc87c49fe6

File Identification

File detected as a valid macOS/iOS executable.

Mach-O File Analysis

Mach-O File Analysis: True

Mach-O File Imports

- libSystem.B.dylib
- rbframework.dylib

Mach-O File Exports

No exported functions were found.

String Analysis

ASCII Strings

- 8_PAGEZERO
- __TEXT
- __text
- __TEXT
- picsymbol_stubTEXT
- (__cstring
- __TEXT
- __DATA
- __data
- __DATA
- __/asymbol_ptr
- __DATA
- __basicstring
- __DATA
- __/n/symbol_ptr
- __DATA
- __dyld
- __DATA
- __common
- __DATA
- 8_LINKEDIT
- /usr/lib/dyld
- @executable_path/rbframework.dylib
- /usr/lib/libSystem.B.dylib
- (REALbasic._GetImplicitWindow%o%s
- REALbasic.Quit%i4
- REALbasic.Break
- REALbasic.EnableMenuItems
- REALbasic.Len%i4%s
- REALbasic.Asc%i4%s
- REALbasic.Val%f8%s
- REALbasic.Cos%f8%f8
- REALbasic.Sin%f8%f8
- REALbasic.Round%f8%f8

- REALbasic.Format%s%f8s
- REALbasic.InStr%i4%i4ss
- \$REALbasic._SetProperties%%os
- 2REALbasic._UnhandledException%%o
- 3REALbasic._InstallInstanceEventHandler%%osp
- REALbasic._RuntimeRun
- 3REALbasic._RuntimeRegisterAppObject%%o
- REALbasic._InitPluginEntrypoints
- "REALbasic._GetAppObject%o%
- %REALbasic._RuntimeInitExternalClasses
- %REALbasic.mImplicitWindowList._Exit
- DragItem.__Lookup%x%
- l}c{xH
- t}c{xH
- l}c{xH
- DragItem.__ctblinit
- DragItem.__Exit%%o
- DragItem.__Init%%o
- \$DragItem.TextAvailable%b%o
- 'DragItem.PictureAvailable%b%o
- DragItem.Drag%%o
- *DragItem.FolderItemAvailable%b%o
- (DragItem.MacDataAvailable%b%os
- (DragItem.RawDataAvailable%b%os
- DragItem.MacData%s%os
- DragItem.RawData%s%os
- &DragItem.PrivateMacData%s%os
- &DragItem.PrivateRawData%s%os
- DragItem.NextItem%b%o
- %DragItem.AddItem%%oi4%i4i4
- 'DragItem.=PrivateRawData%%oss
- 'DragItem.=PrivateMacData%%oss
- DragItem.=RawData%%oss
- DragItem.=MacData%%oss
- !DragItem.Text.Get%s%oi4
- !DragItem.Text.Set%%oi4s
- -DragItem.Picture.Get%o%oi4
- -DragItem.Picture.Set%%oi4o
- 3DragItem.FolderItem.Get%o%oi4
- 3DragItem.FolderItem.Set%%oi4o
- 5DragItem.MouseCursor.Get%o%oi4
- 5DragItem.MouseCursor.Set%%oi4o
- &DragItem.DropLeft.Get%i4%oi4
- &DragItem.DropLeft.Set%%oi4i4
- %DragItem.DropTop.Get%i4%oi4
- %DragItem.DropTop.Set%%oi4i4
- 'DragItem.DropWidth.Get%i4%oi4
- 'DragItem.DropWidth.Set%%oi4i4
- (DragItem.DropHeight.Get%i4%oi4
- (DragItem.DropHeight.Set%%oi4i4
- 0DragItem.Destination.Get%o%oi4
- \$DragItem.Handle.Get%i4%oi4
- Window.__Lookup%x%
- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- .}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- Window.__ctblinit
- Window.__Exit%%o
- Window.__Init%%o
- Window.Show%%o
- 'Window.ShowWithin%%ooi4
- *Window.ShowModalWithin%%oo
- Window.Hide%%o
- Window.Close%%o
- Window.Refresh%%ob

- &Window.RefreshRect%%oi4i4i4b
- Window.ShowModal%%o
- 0Window.NewDragItem%o%oi4i4i4i4
- Window.AcceptTextDrop%%o
- #Window.AcceptPictureDrop%%o
- !Window.AcceptFileDrop%%os
- \$Window.AcceptMacDataDrop%%os
- \$Window.AcceptRawDataDrop%%os
- %Window.Control%o%oi4
- Window.SetFocus%%o
- *Window.DrawInto%%ooi4i4b
- 8Window._DrawBackground%%ooi4i4i4i4i4i4
- Window.UpdateNow%%o
- 'Window._AddControl%%oso
- #Window._AddMenuHandler%%osp
- Window.Window%%o
- .Window.Operator_Convert%?%o
- !Window.__New%o%ox
- Window._Move%%oi4i4i4i4
- Window.Maximize%%o
- Window.Minimize%%o
- Window.Restore%%o
- Window._Update%%o
- RuntimeWindowControlByName
- Window._CallMoved%%o
- /Window._EnableMenuItems%%oA1o
- RuntimeSwapSelfAndMe
- Window._CallActivated%%o
- "Window._CallDeactivated%%o
- 0Window._HandleMenuCommand%b%oo
- !Window._UnifiedClose%b%ob
- %Window._CallMouseDown%b%oi4i4
- Window._CallResized%%o
- Window._CallResizing%%o
- *Window._RemoveControl%%oo
- Window._MouseEnter%%o
- Window._MouseExit%%o
- Window._MouseMove%%oi4i4
- #Window._Paint%%oo
- &Window._MouseWheel%b%oi4i4i4i4
- Window._KeyDown%b%os
- "Window.__DependencyList%%o
- Window.Visible.Get%b%oi4
- Window.Visible.Set%%oi4b
- Window.Left.Get%i4%oi4
- Window.Left.Set%%oi4i4
- Window.Top.Get%i4%oi4
- Window.Top.Set%%oi4i4
- Window.Width.Get%i4%oi4
- Window.Width.Set%%oi4i4
- Window.Height.Get%i4%oi4
- Window.Height.Set%%oi4i4
- #Window.Placement.Get%i4%oi4
- #Window.Placement.Set%%oi4i4
- Window.Title.Get%s%oi4
- Window.Title.Set%%oi4s
- #Window.FullScreen.Get%b%oi4
- #Window.FullScreen.Set%%oi4b
- 'Window.MenuBarVisible.Get%b%oi4
- 'Window.MenuBarVisible.Set%%oi4b
- !Window.CloseBox.Get%b%oi4
- !Window.CloseBox.Set%%oi4b
- \$Window.CloseButton.Get%b%oi4
- \$Window.CloseButton.Set%%oi4b
- !Window.Growlcon.Get%b%oi4
- !Window.Growlcon.Set%%oi4b
- #Window.Resizeable.Get%b%oi4
- #Window.Resizeable.Set%%oi4b
- !Window.Zoomlcon.Get%b%oi4
- !Window.Zoomlcon.Set%%oi4b
- 'Window.MaximizeButton.Get%b%oi4
- 'Window.MaximizeButton.Set%%oi4b
- 'Window.MinimizeButton.Get%b%oi4
- 'Window.MinimizeButton.Set%%oi4b
- Window.Frame.Get%i4%oi4

- Window.Frame.Set%%oi4i4
- "Window.Composite.Get%b%oi4
- "Window.Composite.Set%%oi4b
- #Window.LiveResize.Get%b%oi4
- #Window.LiveResize.Set%%oi4b
- *Window.Backdrop.Get%o%oi4
- *Window.Backdrop.Set%%oi4o
- +Window.Graphics.Get%o%oi4
- +Window.Graphics.Set%%oi4o
- %Window.HasBackColor.Get%b%oi4
- %Window.HasBackColor.Set%%oi4b
- "Window.BackColor.Get%c%oi4
- "Window.BackColor.Set%%oi4c
- \$Window.BalloonHelp.Get%s%oi4
- \$Window.BalloonHelp.Set%%oi4s
- "Window.MinWidth.Get%i4%oi4
- "Window.MinWidth.Set%%oi4i4
- #Window.MinHeight.Get%i4%oi4
- #Window.MinHeight.Set%%oi4i4
- "Window.MaxWidth.Get%i4%oi4
- "Window.MaxWidth.Set%%oi4i4
- #Window.MaxHeight.Get%i4%oi4
- #Window.MaxHeight.Set%%oi4i4
- #Window.MacProclId.Get%i4%oi4
- #Window.MacProclId.Set%%oi4i4
- 1Window.MouseCursor.Get%o%oi4
- 1Window.MouseCursor.Set%%oi4o
- &Window.ControlCount.Get%i4%oi4
- 'Window.FloaterProcess.Get%s%oi4
- 'Window.FloaterProcess.Set%%oi4s
- Window.MouseX.Get%i4%oi4
- Window.MouseY.Get%i4%oi4
- &Window.MacWindowPtr.Get%i4%oi4
- !Window.WinHWND.Get%i4%oi4
- Window.Handle.Get%i4%oi4
- +Window.DockItem.Get%o%oi4
- +Window.DockItem.Set%%oi4o
-)Window.MenuBar.Get%o%oi4
-)Window.MenuBar.Set%%oi4o
- +Window.Focus.Get%o%oi4
- +Window.Focus.Set%%oi4o
- *WindowSupport.Windows._Init*
- *WindowSupport.Windows._Exit*
- MemoryBlock.__Lookup%x%
- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- .}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- t}c{xH
- l}c{xH
- MemoryBlock.__ctblinit
- "MemoryBlock.__Exit%%o
- "MemoryBlock.__Init%%o
- \$MemoryBlock.Long%i4%oi4
- /MemoryBlock.Ptr%o%oi4
- %MemoryBlock.Short%i4%oi4
- &MemoryBlock.UShort%i4%oi4
- \$MemoryBlock.Byte%i4%oi4
- &MemoryBlock.PString%s%oi4
- &MemoryBlock.CString%s%oi4
- &MemoryBlock.WString%s%oi4
- +MemoryBlock.SingleValue%f8%oi4
- +MemoryBlock.DoubleValue%f8%oi4
- -MemoryBlock.=StringValue%%oi4i4s
- ;MemoryBlock.StringValue%s%oi4i4o
- +MemoryBlock.BooleanValue%b%oi4

- +MemoryBlock.ColorValue%cc%oi4i4
-)MemoryBlock.MemoryBlock%%oi4
- -MemoryBlock.Operator_Convert%s%o
- -MemoryBlock.Operator_Convert%%os
- DMemoryBlock.Operator_Add%o%oo
- o
- -MemoryBlock.Operator_Convert%p%o
- -MemoryBlock.Operator_Convert%%op
- 1MemoryBlock.LeftB%o%oi4
- 0MemoryBlock.MidB%o%oi4
- 2MemoryBlock.MidB%o%oi4i4
- 2MemoryBlock.RightB%o%oi4
- ,MemoryBlock.=ColorValue%%oi4i4c
- ,MemoryBlock.=BooleanValue%%oi4b
- ,MemoryBlock.=DoubleValue%%oi4f8
- ,MemoryBlock.=SingleValue%%oi4f8
- 'MemoryBlock.=WString%%oi4s
- 'MemoryBlock.=CString%%oi4s
- 'MemoryBlock.=PString%%oi4s
- %MemoryBlock.=Byte%%oi4i4
- 'MemoryBlock.=UShort%%oi4i4
- &MemoryBlock.=Short%%oi4i4
- 0MemoryBlock.=Ptr%%oi4o
- %MemoryBlock.=Long%%oi4i4
- +MemoryBlock.=Int32Value%%oi4i4
- *MemoryBlock.Int32Value%i4%oi4
- *MemoryBlock.=Int8Value%%oi4i1
- +MemoryBlock.=Int16Value%%oi4i2
- +MemoryBlock.=Int64Value%%oi4i8
-)MemoryBlock.Int8Value%i1%oi4
- *MemoryBlock.Int16Value%i2%oi4
- *MemoryBlock.Int64Value%i8%oi4
- +MemoryBlock.=UInt8Value%%oi4u1
- ,MemoryBlock.=UInt16Value%%oi4u2
- ,MemoryBlock.=UInt32Value%%oi4u4
- ,MemoryBlock.=UInt64Value%%oi4u8
- *MemoryBlock.UInt8Value%u1%oi4
- +MemoryBlock.UInt16Value%u2%oi4
- +MemoryBlock.UInt32Value%u4%oi4
- +MemoryBlock.UInt64Value%u8%oi4
- ,MemoryBlock.CurrencyValue%e%oi4
- -MemoryBlock.=CurrencyValue%%oi4e
- /MemoryBlock.LittleEndian.Get%b%oi4
- /MemoryBlock.LittleEndian.Set%%oi4b
- (MemoryBlock.Size.Get%i4%oi4
- (MemoryBlock.Size.Set%%oi4i4
- Date.__Lookup%x%
- Date.__ctblinit
- Date.__Exit%%o
- Date.__Init%%o
- 'Date.Operator_Compare%i4%oo
- Date.Constructor%%o
- Date.Constructor%%oo
- Date.Year.Get%i4%oi4
- Date.Year.Set%%oi4i4
- Date.Month.Get%i4%oi4
- Date.Month.Set%%oi4i4
- Date.Day.Get%i4%oi4
- Date.Day.Set%%oi4i4
- Date.Hour.Get%i4%oi4
- Date.Hour.Set%%oi4i4
- Date.Minute.Get%i4%oi4
- Date.Minute.Set%%oi4i4
- Date.Second.Get%i4%oi4
- Date.Second.Set%%oi4i4
- Date.DayOfWeek.Get%i4%oi4
- Date.DayOfYear.Get%i4%oi4
- Date.WeekOfYear.Get%i4%oi4
- Date.ShortDate.Get%s%oi4
- Date.LongDate.Get%s%oi4
- \$Date.AbbreviatedDate.Get%s%oi4
- Date.ShortTime.Get%s%oi4
- Date.LongTime.Get%s%oi4
- "Date.TotalSeconds.Get%f8%oi4
- "Date.TotalSeconds.Set%%oi4f8

- Date.SQLDate.Get%*s*%*oi4*
- Date.SQLDate.Set%*%oi4s*
- Date.SQLDateTime.Get%*s*%*oi4*
- Date.SQLDateTime.Set%*%oi4s*
- Date.GMTOffset.Get%*f8*%*oi4*
- Date.GMTOffset.Set%*%oi4f8*
- SocketCore.__Lookup%*x*%
- SocketCore.__ctblinit
- SocketCore.Close%*%o*
- SocketCore.Poll%*%o*
- SocketCore.Purge%*%o*
- !SocketCore.Connect%*%o*
- *SocketCore.__DependencyList%*%o*
- &SocketCore.Port.Get%*i4*%*oi4*
- &SocketCore.Port.Set%*%oi4i4*
- -SocketCore.LocalAddress.Get%*s*%*oi4*
- /SocketCore.LastErrorCode.Get%*i4*%*oi4*
- ,SocketCore.IsConnected.Get%*b*%*oi4*
- CSocketCore.NetworkInterface.Get%*o*%*oi4*
- CSocketCore.NetworkInterface.Set%*%oi4o*
- (SocketCore.Handle.Get%*i4*%*oi4*
- NetworkInterface.__Lookup%*x*%
- NetworkInterface.__ctblinit
- 7NetworkInterface.MACAddress.Get%*s*%*oi4*
- 6NetworkInterface.IPAddress.Get%*s*%*oi4*
- 7NetworkInterface.SubnetMask.Get%*s*%*oi4*
- *MenuBarInstaller*.__Lookup%*x*%
- *MenuBarInstaller*.__ctblinit
- MenuBar.__Lookup%*x*%
- d)c|xH
- l)c|xH
- t)c|xH
- l)c|xH
- MenuBar.__ctblinit
- MenuBar.__Init%*%o*
- ,MenuBar._InstallClone%*%oo*
- MenuItem.__Lookup%*x*%
- l)c|xH
- t)c|xH
- l)c|xH
- MenuItem.__ctblinit
- MenuItem.__Exit%*%o*
- MenuItem.__Init%*%o*
- MenuItem.Enable%*%o*
- MenuItem.Close%*%o*
- 'MenuItem.Item%*o*%*oi4*
- MenuItem.Count%*i4*%*o*
- 'MenuItem.Child%*o*%*os*
- 'MenuItem.Append%*%oo*
-)MenuItem.Insert%*%oi4o*
- MenuItem.Remove%*%oi4*
- 'MenuItem.Remove%*%oo*
- MenuItem.Remove%*%os*
-)MenuItem.__Lookup%*o*%*os*
- +MenuItem.__Lookup%*o*%*osi4*
- MenuItem.MenuItem%*%o*
- MenuItem.MenuItem%*%osv*
- &MenuItem.PopUp%*o*%*o*
- *MenuItem.PopUp%*o*%*oi4i4*
- 'MenuItem._Swap%*%oso*
- &MenuItem._DisableEntirely%*%o*
- !MenuItem._SelfEnable%*%o*
- !MenuItem.Name.Get%*s*%*oi4*
- !MenuItem.Name.Set%*%oi4s*
- #MenuItem.Index.Get%*i4*%*oi4*
- #MenuItem.Index.Set%*%oi4i4*
- MenuItem.Tag.Get%*v*%*oi4*
- MenuItem.Tag.Set%*%oi4v*
- (MenuItem.BalloonHelp.Get%*s*%*oi4*
- (MenuItem.BalloonHelp.Set%*%oi4s*
- 0MenuItem.DisabledBalloonHelp.Get%*s*%*oi4*
- 0MenuItem.DisabledBalloonHelp.Set%*%oi4s*
- !MenuItem.Text.Get%*s*%*oi4*
- !MenuItem.Text.Set%*%oi4s*
- \$MenuItem.Checked.Get%*b*%*oi4*

- \$MenuItem.Checked.Set%%oi4b
- \$MenuItem.Enabled.Get%b%oi4
- \$MenuItem.Enabled.Set%%oi4b
- \$MenuItem.Visible.Get%b%oi4
- \$MenuItem.Visible.Set%%oi4b
- 'MenuItem.CommandKey.Get%s%oi4
- 'MenuItem.CommandKey.Set%%oi4s
- -MenuItem.KeyboardShortcut.Get%s%oi4
- -MenuItem.KeyboardShortcut.Set%%oi4s
- *MenuItem.Icon.Get%o%oi4
- *MenuItem.Icon.Set%%oi4o
- "MenuItem._Bold.Get%b%oi4
- "MenuItem._Bold.Set%%oi4b
- \$MenuItem._Italic.Get%b%oi4
- \$MenuItem._Italic.Set%%oi4b
- 'MenuItem._Underline.Get%b%oi4
- 'MenuItem._Underline.Set%%oi4b
- 'MenuItem.AutoEnable.Get%b%oi4
- 'MenuItem.AutoEnable.Set%%oi4b
- PrefsMenuItem.__Lookup%x%
- d}c}xH
- l}c}xH
- t}c}xH
- l}c}xH
- PrefsMenuItem.__ctblinit
- -PrefsMenuItem.Event_Action%b%o
- AppleMenuItem.__Lookup%x%
- l}c}xH
- t}c}xH
- l}c}xH
- AppleMenuItem.__ctblinit
- %FunctionNotFoundException.__Lookup%x%
- \$FunctionNotFoundException.__ctblinit
- OutOfBoundsException.__Lookup%x%
- OutOfBoundsException.__ctblinit
- ThreadEndException.__Lookup%x%
- ThreadEndException.__ctblinit
- RuntimeException.__Lookup%x%
- RuntimeException.__ctblinit
- ,RuntimeException.__Exit%%o
- ,RuntimeException.__Init%%o
- .RuntimeException.Stack%A1s%o
- 4RuntimeException.Message.Get%s%oi4
- 4RuntimeException.Message.Set%%oi4s
- 9RuntimeException.ErrorNumber.Get%i4%oi4
- 9RuntimeException.ErrorNumber.Set%%oi4i4
- NilObjectException.__Lookup%x%
- NilObjectException.__ctblinit
- IllegalCastException.__Lookup%x%
- IllegalCastException.__ctblinit
- %AppleEventObjectSpecifier.__Lookup%x%
- \$AppleEventObjectSpecifier.__ctblinit
- >AppleEventObjectSpecifier.__Exit%%o
- ResourceFork.__Lookup%x%
- l}c}xH
- t}c}xH
- l}c}xH
- ResourceFork.__ctblinit
- \$ResourceFork.__Exit%%o
- #ResourceFork.Close%%o
- -ResourceFork.ResourceType%s%oi4
- -ResourceFork.GetResource%s%osi4
- 1ResourceFork.GetNamedResource%s%oss
- .ResourceFork.ResourceCount%i4%os
- -ResourceFork.ResourceID%i4%osi4
- .ResourceFork.ResourceName%s%osi4
- .ResourceFork.AddResource%%ossi4s
- /ResourceFork.RemoveResource%%osi4
- 5ResourceFork.AddPicture%%ooi4s
- 4ResourceFork.GetPicture%o%oi4
- 8ResourceFork.GetNamedPicture%o%os
- 1ResourceFork.Geticn%o%oi4
- 0ResourceFork.Geticl%o%oi4
- 0ResourceFork.Getics%o%oi4
- 7ResourceFork.setCursor%o%oi4

- 0ResourceFork.GetSound%o%oi4
- ,ResourceFork.GetHandle%i4%osi4
- -ResourceFork.ReleaseHandle%%%oi4
- 0ResourceFork.ResourceLocked%b%osi4
- 3ResourceFork.ResourceProtected%b%osi4
- 1ResourceFork.ResourcePreload%b%osi4
- 3ResourceFork.ResourcePurgeable%b%osi4
- 1ResourceFork.ResourceSysHeap%b%osi4
- 2ResourceFork.=ResourceSysHeap%%%osi4b
- 4ResourceFork.=ResourcePurgeable%%%osi4b
- 2ResourceFork.=ResourcePreload%%%osi4b
- 4ResourceFork.=ResourceProtected%%%osi4b
- 1ResourceFork.=ResourceLocked%%%osi4b
- /ResourceFork.TypeCount.Get%i4%oi4
- DockItem.__Lookup%x%
- DockItem.__ctblinit
- DockItem.__Exit%%o
- DockItem.__Init%%o
- DockItem.ResetIcon%%o
- DockItem.UpdateNow%%o
- /DockItem.Graphics.Get%o%oi4
- /DockItem.Graphics.Set%%%oi4o
- AppleEventRecord.__Lookup%x%
- l}c{xH
- t}c{xH
- l}c{xH
- AppleEventRecord.__ctblinit
- ,AppleEventRecord.__Exit%%o
- ,AppleEventRecord.__Init%%o
- 5AppleEventRecord.IntegerParam%i4%os
- 4AppleEventRecord.SingleParam%f4%os
- 4AppleEventRecord.DoubleParam%f8%os
- 4AppleEventRecord.BooleanParam%b%os
- 3AppleEventRecord.StringParam%s%os
- 4AppleEventRecord.MacTypeParam%s%os
- 7AppleEventRecord.EnumeratedParam%s%os
- CAppleEventRecord.FolderItemParam%o%os
- lAppleEventRecord.DescListParam%o%os
- WAppleEventRecord.ObjectSpecifierParam%o%os
- EAppleEventRecord.RecordParam%o%os
- 3AppleEventRecord.SetNullParam%%os
- KAppleEventRecord.LoadFromTemplate%%oo
- FAppleEventRecord.=RecordParam%%oso
- XAppleEventRecord.=ObjectSpecifierParam%%oso
- JAppleEventRecord.=DescListParam%%oso
- DAppleEventRecord.=FolderItemParam%%oso
- 8AppleEventRecord.=EnumeratedParam%%oss
- 5AppleEventRecord.=MacTypeParam%%oss
- 4AppleEventRecord.=StringParam%%oss
- 5AppleEventRecord.=BooleanParam%%osb
- 5AppleEventRecord.=DoubleParam%%osf8
- 5AppleEventRecord.=SingleParam%%osf4
- 6AppleEventRecord.=IntegerParam%%osi4
- AppleEvent.__Lookup%x%
- l}c{xH
- t}c{xH
- l}c{xH
- AppleEvent.__ctblinit
- AppleEvent.__Exit%%o
-)AppleEvent.IntegerParam%i4%os
- (AppleEvent.SingleParam%f4%os
- (AppleEvent.DoubleParam%f8%os
- (AppleEvent.BooleanParam%b%os
- 'AppleEvent.StringParam%s%os
- (AppleEvent.MacTypeParam%s%os
- +AppleEvent.EnumeratedParam%s%os
- 7AppleEvent.FolderItemParam%o%os
- =AppleEvent.DescListParam%o%os
- KAppleEvent.ObjectSpecifierParam%o%os
- 9AppleEvent.RecordParam%o%os
- 'AppleEvent.SetNullParam%%os
- AppleEvent.Send%b%o
- ?AppleEvent.LoadFromTemplate%%oo
- :AppleEvent.=RecordParam%%oso
- LAppleEvent.=ObjectSpecifierParam%%oso

- >AppleEvent.=DescListParam%%oso
- 8AppleEvent.=FolderItemParam%%oso
- ,AppleEvent.=EnumeratedParam%%oss
-)AppleEvent.=MacTypeParam%%oss
- (AppleEvent.=StringParam%%oss
-)AppleEvent.=BooleanParam%%osb
-)AppleEvent.=DoubleParam%%osf8
-)AppleEvent.=SingleParam%%osf4
- *AppleEvent.=IntegerParam%%osi4
- ,AppleEvent.ReplyString.Get%%s%oi4
- ,AppleEvent.ReplyString.Set%%oi4s
- -AppleEvent.ReplyBoolean.Get%%b%oi4
- -AppleEvent.ReplyBoolean.Set%%oi4b
- ,AppleEvent.ReplyInteger.Get%%i4%oi4
- ,AppleEvent.ReplyInteger.Set%%oi4i4
- 0AppleEvent.ReplyEnumerated.Get%%s%oi4
- 0AppleEvent.ReplyEnumerated.Set%%oi4s
- -AppleEvent.ReplyMacType.Get%%s%oi4
- -AppleEvent.ReplyMacType.Set%%oi4s
- -AppleEvent.ReplySingle.Get%%f4%oi4
- -AppleEvent.ReplySingle.Set%%oi4f4
- -AppleEvent.ReplyDouble.Get%%f8%oi4
- -AppleEvent.ReplyDouble.Set%%oi4f8
- %oi4
- i4o
- PAppleEvent.ReplyObjectSpecifier.Get%%o%oi4
- PAppleEvent.ReplyObjectSpecifier.Set%%oi4o
- BAppleEvent.ReplyDescList.Get%%o%oi4
- BAppleEvent.ReplyDescList.Set%%oi4o
- >AppleEvent.ReplyRecord.Get%%o%oi4
- >AppleEvent.ReplyRecord.Set%%oi4o
-)AppleEvent.Timeout.Get%%i4%oi4
-)AppleEvent.Timeout.Set%%oi4i4
- %AppleEvent.Ptr.Get%%i4%oi4
- *AppleEvent.ReplyPtr.Get%%i4%oi4
- AppleEventTemplate.__Lookup%x%
- AppleEventTemplate.__ctblinit
- 0AppleEventTemplate.__Exit%%o
- :AppleEventTemplate.=IntegerParam%%osi4
- 8AppleEventTemplate.=StringParam%%oss
- HAppleEventTemplate.=FolderItemParam%%oso
- AppleEventDescList.__Lookup%x%
- l}c{xH
- AppleEventDescList.__ctblinit
- 0AppleEventDescList.__Exit%%o
- 0AppleEventDescList.__Init%%o
- 9AppleEventDescList.IntegerItem%i4%oi4
- 7AppleEventDescList.StringItem%s%oi4
- GAppleEventDescList.FolderItemItem%o%oi4
- lAppleEventDescList.RecordItem%o%oi4
- 8AppleEventDescList.BooleanItem%b%oi4
- MAppleEventDescList.DescListItem%o%oi4
- [AppleEventDescList.ObjectSpecifierItem%o%oi4
- 9AppleEventDescList.AppendInteger%%oi4
- 7AppleEventDescList.AppendString%%os
- GAppleEventDescList.AppendFolderItem%%oo
- lAppleEventDescList.AppendRecord%%oo
- 8AppleEventDescList.AppendBoolean%%ob
- MAppleEventDescList.AppendDescList%%oo
- [AppleEventDescList.AppendObjectSpecifier%%oo
- 7AppleEventDescList.Count.Get%%i4%oi4
- \$dataNotificationReceiver.__Lookup%x%
- #dataNotificationReceiver.__ctblinit
- dataNotifier.__Lookup%x%
- dataNotifier.__ctblinit
- StringInterface.__Lookup%x%
- StringInterface.__ctblinit
- BooleanProvider.__Lookup%x%
- BooleanProvider.__ctblinit
- bindingPartInterface.__Lookup%x%
- bindingPartInterface.__ctblinit
- Thread.__Lookup%x%
- Thread.__ctblinit
- Thread.__Init%%o
- Thread.Run%%o

- Thread.Suspend%%o
- Thread.Resume%%o
- Thread.Sleep%%oi4b
- Thread.Kill%%o
- #Thread.StackSize.Get%i4%oi4
- #Thread.StackSize.Set%i4%oi4
- "Thread.ThreadID.Get%i4%oi4
- "Thread.Priority.Get%i4%oi4
- "Thread.Priority.Set%i4%oi4
- Thread.State.Get%i4%oi4
- FolderItem.__Lookup%x%
- }c|xH
- }c|xH
- }c|xH
- \$}c|xH
- ,}c|xH
- 4}c|xH
- FolderItem.__ctblinit
- FolderItem.__Exit%%o
- \$FolderItem.FolderItem%%o
- 'FolderItem.FolderItem%%osi4
- 1FolderItem.FolderItem%%oo
- -FolderItem.Item%%o%oi4
- 1FolderItem.TrueItem%%o%oi4
- -FolderItem.Child%%o%os
- 1FolderItem.TrueChild%%o%os
- :FolderItem.OpenAsTextFile%%o%o
- =FolderItem.AppendToTextFile%%o%o
- ;FolderItem.CreateTextFile%%o%o
- =FolderItem.CreateVirtualVolume%%o%o
- =FolderItem.OpenAsVirtualVolume%%o%o
- :FolderItem.OpenAsBinaryFile%%o%ob
- :FolderItem.CreateBinaryFile%%o%os
- 9FolderItem.OpenResourceFork%%o%o
- %os
- 5FolderItem._OpenAsCursor%%o%o
- 2FolderItem._OpenAscons%A1o%o
- 1FolderItem.OpenAsPicture%%o%o
- 7FolderItem.OpenAsVectorPicture%%o%o
- -FolderItem.OpenAsSound%%o%o
- -FolderItem.OpenAsMovie%%o%o
- 5FolderItem.OpenResourceMovie%%o%oi4
- 9FolderItem.OpenStyledEditField%%oo
- 9FolderItem.SaveStyledEditField%%oo
- 3FolderItem.SaveAsPicture%%ooi4
- .FolderItem.SaveAsJPEG%%oo
- FolderItem.Delete%%o
- (FolderItem.CreateAsFolder%%o
- !FolderItem.Launch%%%ob
- "FolderItem.Launch%%%osb
- 1FolderItem.CopyFileTo%%%oo
- 1FolderItem.MoveFileTo%%%oo
- 5FolderItem.GetSaveInfo%s%ooi4
- 3FolderItem.GetRelative%%%os
- -FolderItem._MakeFileExecutable%%o
- 'FolderItem.Permissions%i4%o
- 4FolderItem.=Permissions%%%oo
- (FolderItem.=Permissions%%%oi4
- -FolderItem.AbsolutePath.Get%s%oi4
- 'FolderItem.Count.Get%i4%oi4
- %FolderItem.Name.Get%s%oi4
- %FolderItem.Name.Set%i4s
- ,FolderItem.DisplayName.Get%s%oi4
- (FolderItem.Length.Get%u8%oi4
- 4FolderItem.ResourceForkLength.Get%i4%oi4
- 1FolderItem.ExtensionVisible.Get%b%oi4
- 1FolderItem.ExtensionVisible.Set%i4b
- 'FolderItem.Locked.Get%b%oi4
- 'FolderItem.Locked.Set%i4b
- 'FolderItem.Exists.Get%b%oi4
- &FolderItem.Alias.Get%b%oi4
- (FolderItem.Visible.Get%b%oi4
- (FolderItem.Visible.Set%i4b
- *FolderItem.Directory.Get%b%oi4
- %FolderItem.Type.Get%s%oi4

- 3FolderItem.Parent.Get%o%oi4
- 3FolderItem.CreationDate.Get%o%oi4
- 3FolderItem.CreationDate.Set%o%oi4o
- 7FolderItem.ModificationDate.Get%o%oi4
- 7FolderItem.ModificationDate.Set%o%oi4o
- (FolderItem.MacType.Get%s%oi4
- (FolderItem.MacType.Set%o%oi4s
- +FolderItem.MacCreator.Get%s%oi4
- +FolderItem.MacCreator.Set%o%oi4s
- :FolderItem.DesktopFolder.Get%o%oi4
- 8FolderItem.TrashFolder.Get%o%oi4
- >FolderItem.SharedTrashFolder.Get%o%oi4
- %oi4
- =FolderItem.VirtualVolume.Get%o%oi4
- +FolderItem.IsReadable.Get%b%oi4
- ,FolderItem.IsWriteable.Get%b%oi4
- /FolderItem.LastErrorCode.Get%i4%oi4
- /FolderItem.LastErrorCode.Set%o%oi4i4
- ,FolderItem.MacVRefNum.Get%i4%oi4
- *FolderItem.MacDirID.Get%i4%oi4
- *FolderItem.ShellPath.Get%s%oi4
- (FolderItem.URLPath.Get%s%oi4
- &FolderItem.Group.Get%s%oi4
- &FolderItem.Group.Set%o%oi4s
- &FolderItem.Owner.Get%s%oi4
- &FolderItem.Owner.Set%o%oi4s
- Permissions.__Lookup%x%
- Permissions.__ctblinit
- "Permissions.__Init%o
-)Permissions.Permissions%oi4
- ,Permissions.StickyBit.Get%b%oi4
- ,Permissions.StickyBit.Set%o%oi4b
-)Permissions.GidBit.Get%b%oi4
-)Permissions.GidBit.Set%o%oi4b
-)Permissions.UidBit.Get%b%oi4
-)Permissions.UidBit.Set%o%oi4b
- /Permissions.OwnerExecute.Get%b%oi4
- /Permissions.OwnerExecute.Set%o%oi4b
- -Permissions.OwnerWrite.Get%b%oi4
- -Permissions.OwnerWrite.Set%o%oi4b
- ,Permissions.OwnerRead.Get%b%oi4
- ,Permissions.OwnerRead.Set%o%oi4b
- /Permissions.GroupExecute.Get%b%oi4
- /Permissions.GroupExecute.Set%o%oi4b
- -Permissions.GroupWrite.Get%b%oi4
- -Permissions.GroupWrite.Set%o%oi4b
- ,Permissions.GroupRead.Get%b%oi4
- ,Permissions.GroupRead.Set%o%oi4b
- 0Permissions.OthersExecute.Get%b%oi4
- 0Permissions.OthersExecute.Set%o%oi4b
- .Permissions.OthersWrite.Get%b%oi4
- .Permissions.OthersWrite.Set%o%oi4b
- -Permissions.OthersRead.Get%b%oi4
- -Permissions.OthersRead.Set%o%oi4b
- VirtualVolume.__Lookup%x%
- VirtualVolume.__ctblinit
- &VirtualVolume.__Exit%o
- 7VirtualVolume.Root.Get%o%oi4
- 7VirtualVolume.Root.Set%o%oi4o
- Writeable.__Lookup%x%
- Writeable.__ctblinit
- TextOutputStream.__Lookup%x%
- TextOutputStream.__ctblinit
- #TextOutputStream:Writeable.__Lookup
- ,TextOutputStream.__Exit%o
- ,TextOutputStream.__Init%o
- 0TextOutputStream.WriteLine%os
- ,TextOutputStream.Write%os
- +TextOutputStream.Close%o
- +TextOutputStream.Flush%o
- 1TextOutputStream.WriteError%b%o
- 5TextOutputStream.Constructor%oi4i4
- 0TextOutputStream.Handle%i4%oi4
- 6TextOutputStream.Delimiter.Get%s%oi4
- 6TextOutputStream.Delimiter.Set%o%oi4s

- ;TextOutputStream.LastErrorCode.Get%i4%oi4
- TextInputStream.__Lookup%x%
- }c|xH
- TextInputStream.__ctblinit
- !TextInputStream:Readable.__Lookup
- *TextInputStream.__Exit%%o
- *TextInputStream.__Init%%o
- :TextInputStream.Read%s%oi4o
- o
- ;TextInputStream.ReadAll%s%oo
-)TextInputStream.Close%%o
- (TextInputStream.EOF%b%o
- .TextInputStream.ReadError%b%o
- 3TextInputStream.Constructor%%oi4i4
- .TextInputStream.Handle%i4%oi4
- ATextInputStream.Encoding.Get%o%oi4
- ATextInputStream.Encoding.Set%%oi4o
- 5TextInputStream.PositionB.Get%u8%oi4
- 5TextInputStream.PositionB.Set%%oi4u8
- 9TextInputStream.LastErrorCode.Get%i4%oi4
- Readable.__Lookup%x%
- Readable.__ctblinit
- BinaryStream.__Lookup%x%
- l}|c|xH
- t}|c|xH
- l}|c|xH
- \$}|c|xH
- .}|c|xH
- 4}|c|xH
- <}|c|xH
- D}|c|xH
- L}|c|xH
- T}|c|xH
- BinaryStream.__ctblinit
- BinaryStream:Writeable.__Lookup
- BinaryStream:Readable.__Lookup
- \$BinaryStream.__Exit%%o
- \$BinaryStream.__Init%%o
- (BinaryStream.ReadByte%i4%o
-)BinaryStream.ReadShort%i4%o
- (BinaryStream.ReadLong%i4%o
- 9BinaryStream.ReadPString%s%oo
- *BinaryStream.ReadSingle%f8%o
- *BinaryStream.ReadDouble%f8%o
- *BinaryStream.ReadBoolean%b%o
- 4BinaryStream.Read%s%oi4o
-)BinaryStream.WriteByte%%oi4
- *BinaryStream.WriteShort%%oi4
-)BinaryStream.WriteLong%%oi4
- +BinaryStream.WritePString%%os
- +BinaryStream.WriteSingle%%of8
- +BinaryStream.WriteDouble%%of8
- +BinaryStream.WriteBoolean%%ob
- \$BinaryStream.Write%%os
- #BinaryStream.Close%%o
- #BinaryStream.Flush%%o
-)BinaryStream.WriteError%b%o
- "BinaryStream.EOF%b%o
- (BinaryStream.ReadError%b%o
- *BinaryStream.Constructor%%os
- 7BinaryStream.Constructor%%oo
- -BinaryStream.Constructor%%oi4i4
- (BinaryStream.Handle%i4%oi4
- (BinaryStream.ReadInt8%i1%o
-)BinaryStream.ReadInt16%i2%o
-)BinaryStream.ReadInt32%i4%o
-)BinaryStream.ReadInt64%i8%o
-)BinaryStream.ReadUInt8%u1%o
- *BinaryStream.ReadUInt16%u2%o
- *BinaryStream.ReadUInt32%u4%o
- *BinaryStream.ReadUInt64%u8%o
-)BinaryStream.WriteInt8%%oi1
- *BinaryStream.WriteInt16%%oi2
- *BinaryStream.WriteInt32%%oi4
- *BinaryStream.WriteInt64%%oi8

- *BinaryStream.WriteUInt8%%ou1
- +BinaryStream.WriteUInt16%%ou2
- +BinaryStream.WriteUInt32%%ou4
- +BinaryStream.WriteUInt64%%ou8
- +BinaryStream.ReadCurrency%e%o
- ,BinaryStream.WriteCurrency%%oe
- 1BinaryStream.LittleEndian.Get%b%oi4
- 1BinaryStream.LittleEndian.Set%%oi4b
- ,BinaryStream.Length.Get%u8%oi4
- ,BinaryStream.Length.Set%%oi4u8
- ,BinaryStream.Position.Get%u8%oi4
- ,BinaryStream.Position.Set%%oi4u8
- 3BinaryStream.LastErrorCode.Get%i4%oi4
- MDWindow.__Lookup%x%
- MDWindow.__ctblinit
- MDWindow.__Exit%%o
- MDWindow.__Init%%o
- MDWindow.Maximize%%o
- MDWindow.Minimize%%o
- MDWindow.Restore%%o
- \$MDWindow.Left.Get%i4%oi4
- \$MDWindow.Left.Set%%oi4i4
- #MDWindow.Top.Get%i4%oi4
- #MDWindow.Top.Set%%oi4i4
- %MDWindow.Width.Get%i4%oi4
- %MDWindow.Width.Set%%oi4i4
- &MDWindow.Height.Get%i4%oi4
- &MDWindow.Height.Set%%oi4i4
- (MDWindow.MinWidth.Get%i4%oi4
- (MDWindow.MinWidth.Set%%oi4i4
-)MDWindow.MinHeight.Get%i4%oi4
-)MDWindow.MinHeight.Set%%oi4i4
- (MDWindow.MaxWidth.Get%i4%oi4
- (MDWindow.MaxWidth.Set%%oi4i4
-)MDWindow.MaxHeight.Get%i4%oi4
-)MDWindow.MaxHeight.Set%%oi4i4
- \$MDWindow.Title.Get%s%oi4
- \$MDWindow.Title.Set%%oi4s
- &MDWindow.Visible.Get%b%oi4
- &MDWindow.Visible.Set%%oi4b
- &MDWindow.Handle.Get%i4%oi4
- TrayItem.__Lookup%x%
- TrayItem.__ctblinit
- TrayItem.__Exit%%o
- TrayItem.__Init%%o
- &TrayItem.__DependencyList%%o
- *TrayItem.Icon.Get%o%oi4
- *TrayItem.Icon.Set%%oi4o
- \$TrayItem.HelpTag.Get%s%oi4
- \$TrayItem.HelpTag.Set%%oi4s
- Paragraph.__Lookup%x%
- Paragraph.__ctblinit
-)Paragraph.Alignment.Get%i4%oi4
-)Paragraph.Alignment.Set%%oi4i4
- Range.__Lookup%x%
- Range.__ctblinit
- Range.StartPos.Get%i4%oi4
- Range.StartPos.Set%%oi4i4
- Range.EndPos.Get%i4%oi4
- Range.Length.Get%i4%oi4
- Range.Length.Set%%oi4i4
- TextEncoding.__Lookup%x%
- TextEncoding.__ctblinit
- \$TextEncoding.Chr%s%oi4
- 4TextEncoding.Equals%b%oo
- *TextEncoding.base.Get%i4%oi4
- -TextEncoding.variant.Get%i4%oi4
- ,TextEncoding.format.Get%i4%oi4
- 1TextEncoding.internetName.Get%s%oi4
- *TextEncoding.code.Get%i4%oi4
- Pollable.__Lookup%x%
- Pollable.__ctblinit
- Application.__Lookup%x%
- l]c[xH
- t]c[xH

-]c]xH
- Application.__ctblinit
- "Application.__Exit%%o
- "Application.__Init%%o
- 'Application.NewDocument%%o
- 5Application.OpenDocument%%oo
- &Application.DoEvents%%oi4
- -Application._AddMenuHandler%%osp
- :Application._AddPollableObject%%oo<_Pollable>
- =Application._RemovePollableObject%%oo<_Pollable>
- 2Application.AddTrayItem%%oo
- 5Application.RemoveTrayItem%%oo
- -Application.YieldToNextThread%%o
- 0Application.SleepCurrentThread%%oi4
- +Application._DoSingleEvent%%ob
- 9Application._EnableMenuItems%%oA1o
- %Application._CallOpen%%o
- :Application._HandleMenuCommand%b%%oo
- =Application._LoadPictureFromBundle%o%os
- 5Application._LoadBundleSound%o%os
- ,Application.__DependencyList%%o
- ;Application.MouseCursor.Get%%o%oi4
- ;Application.MouseCursor.Set%%oi4o
- =Application.ResourceFork.Get%%o%oi4
- =Application.ResourceFork.Set%%oi4o
- 7Application.MDIWindow.Get%%o%oi4
- 7Application.MDIWindow.Set%%oi4o
- 5Application.BalloonHelpVisible.Get%b%oi4
- 5Application.BalloonHelpVisible.Set%oi4b
- 0Application.MajorVersion.Get%i4%oi4
- 0Application.MinorVersion.Get%i4%oi4
- .Application.BugVersion.Get%i4%oi4
- -Application.StageCode.Get%i4%oi4
- 5Application.NonReleaseVersion.Get%i4%oi4
- .Application.RegionCode.Get%i4%oi4
- /Application.ShortVersion.Get%s%oi4
- .Application.LongVersion.Get%s%oi4
- .Application.PackageInfo.Get%s%oi4
- 3Application.MenuBar.Get%%o%oi4
- 3Application.MenuBar.Set%%oi4o
- 5Application.DockItem.Get%%o%oi4
- 5Application.DockItem.Set%%oi4o
- +Application.AutoQuit.Get%b%oi4
- +Application.AutoQuit.Set%%oi4b
- =Application.ExecutableFile.Get%%o%oi4
- =Application.ExecutableFile.Set%%oi4o
- 8Application.CurrentThread.Get%%o%oi4
- 8Application.CurrentThread.Set%%oi4o
- 5Application._CurrentEventTime.Get%i4%oi4
- Clipboard.__Lookup%x%
- Clipboard.__ctblinit
- Clipboard.__Exit%%o
- Clipboard.__Init%%o
- Clipboard.SetText%%os
- Clipboard.Close%%o
- &Clipboard.TextAvailable%b%o
-)Clipboard.PictureAvailable%b%o
- *Clipboard.MacDataAvailable%b%os
- *Clipboard.RawDataAvailable%b%os
- !Clipboard.MacData%s%os
- !Clipboard.RawData%s%os
- \$Clipboard.AddMacData%%oss
- \$Clipboard.AddRawData%%oss
- #Clipboard.Text.Get%s%oi4
- #Clipboard.Text.Set%%oi4s
- /Clipboard.Picture.Get%%o%oi4
- /Clipboard.Picture.Set%%oi4o
- *ScreenImplInterface._Lookup%x%*
- *ScreenImplInterface.__ctblinit*
- Screen.__Exit
- Screen.__Lookup%x%
- Screen.__ctblinit
- Screen.__init%%o
- Screen.Constructor%%oi4
- Screen.Left.Get%i4%oi4

- Screen.Top.Get%*i4*%*o4*
- Screen.Width.Get%*i4*%*o4*
- Screen.Height.Get%*i4*%*o4*
- Screen.Depth.Get%*i4*%*o4*
- 'Screen.AvailableLeft.Get%*i4*%*o4*
- &Screen.AvailableTop.Get%*i4*%*o4*
- (Screen.AvailableWidth.Get%*i4*%*o4*
-)Screen.AvailableHeight.Get%*i4*%*o4*
- RGBSurface.__Lookup%*x*%
- RGBSurface.__ctblinit
- RGBSurface.__Exit%*o*
- \$RGBSurface.Pixel%*c*%*o4i4*
- (RGBSurface.FloodFill%*o4i4c*
- 'RGBSurface.Transform%*oA1i4*
- /RGBSurface.Transform%*oA1i4A1i4*
- %RGBSurface.=Pixel%*o4i4c*
- StyleRun.__Lookup%*x*%
- StyleRun.__ctblinit
- StyleRun.StyleRun%*os*
- !StyleRun.Bold.Get%*b*%*o4*
- !StyleRun.Bold.Set%*o4b*
- #StyleRun.Italic.Get%*b*%*o4*
- #StyleRun.Italic.Set%*o4b*
- &StyleRun.Underline.Get%*b*%*o4*
- &StyleRun.Underline.Set%*o4b*
- &StyleRun.TextColor.Get%*c*%*o4*
- &StyleRun.TextColor.Set%*o4c*
- "StyleRun.Size.Get%*i4*%*o4*
- "StyleRun.Size.Set%*o4i4*
- !StyleRun.Font.Get%*s*%*o4*
- !StyleRun.Font.Set%*o4s*
- !StyleRun.Text.Get%*s*%*o4*
- !StyleRun.Text.Set%*o4s*
- StyledTextPrinter.__Lookup%*x*%
- StyledTextPrinter.__ctblinit
- .StyledTextPrinter.__Exit%*o*
- 7StyledTextPrinter.DrawBlock%*o4i4i4*
- 2StyledTextPrinter.EOF.Get%*b*%*o4*
- 5StyledTextPrinter.Width.Get%*i4*%*o4*
- 5StyledTextPrinter.Width.Set%*o4i4*
- StyledText.__Lookup%*x*%
- }c{xH
- t}c{xH
- }c{xH
- StyledText.__ctblinit
- StyledText.__Exit%*o*
- StyledText.__Init%*o*
- StyledText.Text%*s*%*o*
- #StyledText.Bold%*b*%*o4i4*
- %StyledText.Italic%*b*%*o4i4*
- (StyledText.Underline%*b*%*o4i4*
- #StyledText.Font%*s*%*o4i4*
- \$StyledText.Size%*i4*%*o4i4*
- (StyledText.TextColor%*c*%*o4i4*
-)StyledText.StyleRunCount%*i4*%*o*
- /StyledText.StyleRun%*o*%*o4*
- 1StyledText.StyleRunRange%*o*%*o4*
- 5StyledText.InsertStyleRun%*ooi4*
- 3StyledText.AppendStyleRun%*ooo*
- *StyledText.RemoveStyleRun%*o4*
- *StyledText.ParagraphCount%*i4*%*o*
- 1StyledText.Paragraph%*o*%*o4*
- 1StyledText.=ParagraphAlignment%*o4i4*
-)StyledText.=TextColor%*o4i4c*
- %StyledText.=Size%*o4i4i4*
- \$StyledText.=Font%*o4i4s*
-)StyledText.=Underline%*o4i4b*
- &StyledText.=Italic%*o4i4b*
- \$StyledText.=Bold%*o4i4b*
- StyledText.=Text%*os*
- +EmbeddedWindowControl:MouseEvents.__Lookup
- +EmbeddedWindowControl:FocusEvents.__Lookup
- !EmbeddedWindowControl.__Lookup%*x*%
- }c{xH
- t}c{xH

- \$}c|xH
- ,}c|xH
- 4}c|xH
- <}c|xH
- D}c|xH
- L}c|xH
- T}c|xH
- }c|xH
- d}c|xH
- l}c|xH
- t}c|xH
- l}c|xH
- EmbeddedWindowControl.__ctblinit
- EEmbeddedWindowControl.Event_EnableMenuItems%%o
- ?EmbeddedWindowControl.Event_LostFocus%%o
- >EmbeddedWindowControl.Event_GotFocus%%o
- ?EmbeddedWindowControl.Event_KeyDown%b%os
- AEmbeddedWindowControl.Event_MouseUp%%oi4i4
- CEmbeddedWindowControl.Event_MouseDrag%%oi4i4
- DEmbeddedWindowControl.Event_MouseDown%b%oi4i4
- FEmbeddedWindowControl.Event_Paint%%oo
- IEmbeddedWindowControl.Event_MouseWheel%b%oi4i4i4i4
- MEmbeddedWindowControl.Event_DropObject%o%oi4
- ?EmbeddedWindowControl.Event_MouseExit%%o
- @EmbeddedWindowControl.Event_MouseEnter%%o
- CEmbeddedWindowControl.Event_MouseMove%%oi4i4
- ;EmbeddedWindowControl.Event_Close%%o
- :EmbeddedWindowControl.Event_Open%%o
- 6EmbeddedWindowControl.__Exit%%o
- 6EmbeddedWindowControl.__Init%%o
- RectControl.__Lookup%x%
- RectControl.__ctblinit
- 3RectControl.DrawInto%o%ooi4i4
- \$RectControl.Refresh%%ob
- 0RectControl.RefreshRect%%oi4i4i4i4b
- \$RectControl.SetFocus%%o
- *RectControl.AcceptTextDrop%%o
- -RectControl.AcceptPictureDrop%%o
- +RectControl.AcceptFileDrop%%os
- .RectControl.AcceptMacDataDrop%%os
- .RectControl.AcceptRawDataDrop%%os
- :RectControl.NewDragItem%o%oi4i4i4i4
- -RectControl._AddMenuHandler%o%osp
- 'RectControl.RectControl%%o
-)RectControl._Move%%oi4i4i4i4
- 'RectControl._MouseEnter%%o
- &RectControl._MouseExit%%o
- *RectControl._MouseMove%%oi4i4
- 0RectControl._MouseWheel%b%oi4i4i4i4
- 'RectControl.Invalidate%%ob
- /RectControl.Invalidate%%oi4i4i4i4b
- &RectControl._KeyDown%b%os
- ,RectControl.__DependencyList%o%o
- *RectControl.HelpTag.Get%so%oi4
- *RectControl.HelpTag.Set%%oi4s
- .RectControl.BalloonHelp.Get%so%oi4
- .RectControl.BalloonHelp.Set%%oi4s
- 6RectControl.DisabledBalloonHelp.Get%so%oi4
- 6RectControl.DisabledBalloonHelp.Set%%oi4s
- ;RectControl.MouseCursor.Get%o%oi4
- ;RectControl.MouseCursor.Set%%oi4o
- *RectControl.Visible.Get%b%oi4
- *RectControl.Visible.Set%%oi4b
- (RectControl.Left.Get%i4%oi4
- (RectControl.Left.Set%%oi4i4
- 'RectControl.Top.Get%i4%oi4
- 'RectControl.Top.Set%%oi4i4
-)RectControl.Width.Get%i4%oi4
-)RectControl.Width.Set%%oi4i4
- *RectControl.Height.Get%i4%oi4
- *RectControl.Height.Set%%oi4i4
- *RectControl.Enabled.Get%b%oi4
- *RectControl.Enabled.Set%%oi4b
-)RectControl.Active.Get%b%oi4
- 1RectControl.AutoDeactivate.Get%b%oi4

- 1RectControl.AutoDeactivate.Set%%oi4b
- +RectControl.LockLeft.Get%b%oi4
- +RectControl.LockLeft.Set%%oi4b
- *RectControl.LockTop.Get%b%oi4
- *RectControl.LockTop.Set%%oi4b
- ,RectControl.LockRight.Get%b%oi4
- ,RectControl.LockRight.Set%%oi4b
- -RectControl.LockBottom.Get%b%oi4
- -RectControl.LockBottom.Set%%oi4b
- 6RectControl.Parent.Get%o%oi4
- 6RectControl.Parent.Set%%oi4o
- 0RectControl.InitialParent.Set%%oi4s
- ContainerControl.__Lookup%x%
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- .}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- ContainerControl.__ctblinit
- BContainerControl.EmbedWithin%%ooi4i4i4i4
- GContainerControl.EmbedWithin%%ooi4i4i4i4
- LContainerControl.EmbedWithinPanel%%ooi4i4i4i4i4
- ;ContainerControl.InitialParent.Set%%oi4s
- ;ContainerControl.TabPanelIndex.Get%i4%oi4
- ;ContainerControl.TabPanelIndex.Set%%oi4i4
- @ContainerControl.Parent.Get%o%oi4
- @ContainerControl.Parent.Set%%oi4o
- ;ContainerControl.Window.Get%o%oi4
- ;ContainerControl.Window.Set%%oi4o
- BContainerControl._Control.Get%o%oi4
- BContainerControl._Control.Set%%oi4o
- 5ContainerControl.LockLeft.Get%b%oi4
- 5ContainerControl.LockLeft.Set%%oi4b
- 4ContainerControl.LockTop.Get%b%oi4
- 4ContainerControl.LockTop.Set%%oi4b
- 6ContainerControl.LockRight.Get%b%oi4
- 6ContainerControl.LockRight.Set%%oi4b
- 7ContainerControl.LockBottom.Get%b%oi4
- 7ContainerControl.LockBottom.Set%%oi4b
- 4ContainerControl.Enabled.Get%b%oi4
- 4ContainerControl.Enabled.Set%%oi4b
- ;ContainerControl.AutoDeactivate.Get%b%oi4
- ;ContainerControl.AutoDeactivate.Set%%oi4b
- 8ContainerControl.AcceptFocus.Get%b%oi4
- 8ContainerControl.AcceptFocus.Set%%oi4b
- 7ContainerControl.AcceptTabs.Get%b%oi4
- 7ContainerControl.AcceptTabs.Set%%oi4b
- 9ContainerControl.UseFocusRing.Get%b%oi4
- 9ContainerControl.UseFocusRing.Set%%oi4b
- 4ContainerControl.HelpTag.Get%s%oi4
- 4ContainerControl.HelpTag.Set%%oi4s
- @ContainerControl.DisabledBalloonHelp.Get%s%oi4
- @ContainerControl.DisabledBalloonHelp.Set%%oi4s
- i4
- i4b
- Control.__Lookup%x%
- Control.__ctblinit
- Control.__Exit%%o
- Control.__Init%%o
- Control.Close%%o
- 'Control._SetWindow%%oo
- "Control._CallOpenEvent%%o
- Control.Name.Get%s%oi4
- Control.Name.Set%%oi4s

- !Control.Index.Get%i4%oi4
- !Control.Index.Set%%oi4i4
-)Control.TabPanelIndex.Get%i4%oi4
-)Control.TabPanelIndex.Set%%oi4i4
- &Control.PanelIndex.Get%i4%oi4
- &Control.PanelIndex.Set%%oi4i4
- "Control.MouseX.Get%i4%oi4
- "Control.MouseY.Get%i4%oi4
-)Control.Window.Get%o%oi4
-)Control.Window.Set%%oi4o
- "Control.Handle.Get%i4%oi4
- MouseCursor.__Lookup%x%
- MouseCursor.__ctblinit
- "MouseCursor.__Exit%%o
- EditField.__Lookup%x%
- ,}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- ,}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- t}c{xH
- l}c{xH
- t}CSxH
- EditField.__ctblinit
- "EditField:StringInterface.__Lookup
- EditField:MouseEvents._Lookup
- EditField:FocusEvents._Lookup
- (EditField.Event_CreatePane%%o
- EditField.__Exit%%o
- +EditField.ToggleSelectionBold%%o
- 0EditField.ToggleSelectionUnderline%%o
- -EditField.ToggleSelectionItalic%%o
- -EditField.ToggleSelectionShadow%%o
- .EditField.ToggleSelectionOutline%%o
- /EditField.ToggleSelectionCondense%%o
- -EditField.ToggleSelectionExtend%%o
-)EditField.SetTextAndStyle%%oss
- "EditField.setString%%os
- JEditField.styledTextPrinter%o%ooi4
- (EditField.ScrollPosition%i4%o
-)EditField.ScrollPositionX%i4%o
- .EditField.LineNumAtCharPos%i4%oi4
- .EditField.CharPosAtLineNum%i4%oi4
-)EditField.CharPosAtXY%i4%oi4i4
- .EditField.InsertionPosAtXY%i4%oi4i4
- EditField.Copy%%o
- EditField.Paste%%o
- !EditField.SelectAll%%o
- #EditField.AppendText%%os
- *EditField.=ScrollPositionX%%oi4
-)EditField.=ScrollPosition%%oi4
- 'EditField._MouseDown%b%oi4i4
- &EditField._MouseDrag%%oi4i4
- \$EditField._MouseUp%%oi4i4
- "EditField._LostFocus%%o
- !EditField._GotFocus%%o
- &EditField._CallSelChange%%o
- 'EditField._CallTextChange%%o
- (EditField.__DependencyList%%o

- #EditField.Text.Get%s%oi4
- #EditField.Text.Set%%oi4s
- ,EditField.TextStyleData.Get%s%oi4
- %EditField.Border.Get%b%oi4
- %EditField.Border.Set%%oi4b
- (EditField.MultiLine.Get%b%oi4
- (EditField.MultiLine.Set%%oi4b
- 'EditField.ReadOnly.Get%b%oi4
- 'EditField.ReadOnly.Set%%oi4b
- 'EditField.Password.Get%b%oi4
- 'EditField.Password.Set%%oi4b
- %EditField.Styled.Get%b%oi4
- %EditField.Styled.Set%%oi4b
-)EditField.AcceptTabs.Get%b%oi4
-)EditField.AcceptTabs.Set%%oi4b
- (EditField.TextColor.Get%c%oi4
- (EditField.TextColor.Set%%oi4c
- (EditField.BackColor.Get%c%oi4
- (EditField.BackColor.Set%%oi4c
- 2EditField.ScrollBarHorizontal.Get%b%oi4
- 2EditField.ScrollBarHorizontal.Set%%oi4b
- 0EditField.ScrollBarVertical.Get%b%oi4
- 0EditField.ScrollBarVertical.Set%%oi4b
- (EditField.ScrollBar.Get%b%oi4
- (EditField.ScrollBar.Set%%oi4b
- 'EditField.TextFont.Get%s%oi4
- 'EditField.TextFont.Set%%oi4s
- (EditField.TextSize.Get%i4%oi4
- (EditField.TextSize.Set%%oi4i4
- #EditField.Bold.Get%b%oi4
- #EditField.Bold.Set%%oi4b
- %EditField.Italic.Get%b%oi4
- %EditField.Italic.Set%%oi4b
- (EditField.Underline.Get%b%oi4
- (EditField.Underline.Set%%oi4b
- (EditField.SelStart.Get%i4%oi4
- (EditField.SelStart.Set%%oi4i4
-)EditField.SelLength.Get%i4%oi4
-)EditField.SelLength.Set%%oi4i4
- &EditField.SelText.Get%s%oi4
- &EditField.SelText.Set%%oi4s
-)EditField.LimitText.Get%i4%oi4
-)EditField.LimitText.Set%%oi4i4
- &EditField.SelBold.Get%b%oi4
- &EditField.SelBold.Set%%oi4b
- +EditField.SelUnderline.Get%b%oi4
- +EditField.SelUnderline.Set%%oi4b
- (EditField.SelItalic.Get%b%oi4
- (EditField.SelItalic.Set%%oi4b
-)EditField.SelOutline.Get%b%oi4
-)EditField.SelOutline.Set%%oi4b
- (EditField.SelShadow.Get%b%oi4
- (EditField.SelShadow.Set%%oi4b
- *EditField.SelCondense.Get%b%oi4
- *EditField.SelCondense.Set%%oi4b
- (EditField.SelExtend.Get%b%oi4
- (EditField.SelExtend.Set%%oi4b
- 'EditField.SelPlain.Get%b%oi4
- 'EditField.SelPlain.Set%%oi4b
- *EditField.SelTextFont.Get%s%oi4
- *EditField.SelTextFont.Set%%oi4s
- +EditField.SelTextSize.Get%i4%oi4
- +EditField.SelTextSize.Set%%oi4i4
- +EditField.SelTextColor.Get%c%oi4
- +EditField.SelTextColor.Set%%oi4c
-)EditField.LiveUpdate.Get%b%oi4
-)EditField.LiveUpdate.Set%%oi4b
- +EditField.UseFocusRing.Get%b%oi4
- +EditField.UseFocusRing.Set%%oi4b
-)EditField.DataSource.Get%s%oi4
-)EditField.DataSource.Set%%oi4s
- (EditField.DataField.Get%s%oi4
- (EditField.DataField.Set%%oi4s
-)EditField.Alignment.Get%i4%oi4
-)EditField.Alignment.Set%%oi4i4

- ,EditField.SelAlignment.Get%i4%oi4
- ,EditField.SelAlignment.Set%%oi4i4
- %EditField.Format.Get%s%oi4
- %EditField.Format.Set%%oi4s
- ,EditField.FormattedText.Get%s%oi4
- #EditField.Mask.Get%s%oi4
- #EditField.Mask.Set%%oi4s
- 5EditField.StyledText.Get%o%oi4
- 5EditField.StyledText.Set%%oi4o
- *MouseEvents*._Lookup%x%
- *MouseEvents*._ctblinit
- *FocusEvents*._Lookup%x%
- *FocusEvents*._ctblinit
- *PaneChild*._Lookup%x%
- *PaneChild*._ctblinit
- (_Panelmp.Pane.Set%%o<_Panelmp>i4o<_Pane>
- *Pane*._Init
- *Pane*._Exit
- *Pane*._Lookup%x%
- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- .}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- *Pane*._ctblinit
- _Pane.Createlmp%%o<_Pane>
- _Pane.Destructor%%o<_Pane>
- _Pane.HandleGotFocus%%o<_Pane>
- _Pane.HandleLostFocus%%o<_Pane>
- _Pane.AcceptFocus%b%o<_Pane>&b
- &_Pane.HandleMouseDown%b%o<_Pane>i4i4i4
- #_Pane.HandleMouseDownDrag%%o<_Pane>i4i4
- !_Pane.HandleMouseUp%%o<_Pane>i4i4
- #_Pane.HandleMouseMove%%o<_Pane>i4i4
- _Pane.HandleMouseEnter%%o<_Pane>
- _Pane.HandleMouseExit%%o<_Pane>
- _Pane.HandleMouseWheel%b%o<_Pane>i4i4i4i4
- #_Pane.HandleKeyDown%b%o<_Pane>si4i4
- _Pane.Close%%o<_Pane>
- %_Pane.DragEnter%b%o<_Pane>o
- #_Pane.DragExit%%o<_Pane>o
- (_Pane.DragOver%b%o<_Pane>i4i4o
- _Pane.IsRootControl%b%o<_Pane>
- _Pane.Refresh%%o<_Pane>b
- \$_Pane.RefreshRect%%o<_Pane>i4i4i4i4b
- _Pane.Invalidate%%o<_Pane>
- &_Pane.InvalidateRect%%o<_Pane>i4i4i4i4
- '_Pane.DrawInto%%o<_Pane>oi4i4
- _Pane.HandleActivate%%o<_Pane>
- _Pane.HandleDeactivate%%o<_Pane>
- _Pane.EnableMenuItems%%o<_Pane>A1o
- _Pane.HandleMenuCommand%b%o<_Pane>o
- %_Pane.Constructor%%o<_Pane>o
- _Pane.Handle%i4%o<_Pane>
- _Pane.SetFocus%%o<_Pane>
- _Pane.SuppressResizing%%o<_Pane>
- "_Pane.UnsuppressResizing%%o<_Pane>
- _Pane.ResizeControl%%o<_Pane>
- +_Pane.HonorControlLocking%%o<_Pane>i4i4i4i4
- _Pane.Paint%%o<_Pane>o
- #_Pane.Graphics%o%o<_Pane>
- !_Pane.CanAcceptFocus%b%o<_Pane>&b
- _Pane.ChildCount%i4%o<_Pane>
- _Pane.Child%o<_Pane>%o<_Pane>i4
- _Pane.EnableDisable%%o<_Pane>
- _Pane.AddToParentPane%%o<_Pane>
- _Pane.Open%%o<_Pane>
- %_Pane.Window.Get%o%o<_Pane>i4
- %_Pane.Window.Set%%o<_Pane>i4o
- _Pane.Enabled.Get%b%o<_Pane>i4
- _Pane.Enabled.Set%%o<_Pane>i4b

- _Pane.Height.Get%i4%o<_Pane>i4
- _Pane.Height.Set%%o<_Pane>i4i4
- _Pane.Left.Get%i4%o<_Pane>i4
- _Pane.Left.Set%%o<_Pane>i4i4
- \$_Pane.Parent.Get%o<_Pane>%o<_Pane>i4
- \$_Pane.Parent.Set%%o<_Pane>i4o<_Pane>
- &_Pane.TabPanelVisible.Get%b%o<_Pane>i4
- &_Pane.TabPanelVisible.Set%%o<_Pane>i4b
- _Pane.Top.Get%i4%o<_Pane>i4
- _Pane.Top.Set%%o<_Pane>i4i4
- _Pane.Visible.Get%b%o<_Pane>i4
- _Pane.Visible.Set%%o<_Pane>i4b
- _Pane.Width.Get%i4%o<_Pane>i4
- _Pane.Width.Set%%o<_Pane>i4i4
- '_Pane.Control.Get%o%o<_Pane>i4
- '_Pane.Control.Set%%o<_Pane>i4o
- "_Pane.PanelIndex.Get%i4%o<_Pane>i4
- "_Pane.PanelIndex.Set%%o<_Pane>i4i4
- *_Pane.Cursor.Get%o%o<_Pane>i4
- *_Pane.Cursor.Set%%o<_Pane>i4o
- StaticText.__Lookup%x%
- TjcxH
- }cxH
- d}cxH
- l}cxH
- t}cxH
- l}cxH
- t}CSxH
- StaticText.__ctblinit
- #StaticText:StringInterface.__Lookup
- StaticText:MouseEvents.__Lookup
- *StaticText.Event_CreatePane%%o
- StaticText.__Exit%%o
- \$StaticText.setString%%os
-)StaticText_MouseDown%b%oi4i4
- (StaticText_MouseDrag%%oi4i4
- &StaticText_MouseUp%%oi4i4
- *StaticText__DependencyList%%o
- %StaticText.Text.Get%s%oi4
- %StaticText.Text.Set%%oi4s
- (StaticText.Caption.Get%s%oi4
- (StaticText.Caption.Set%%oi4s
- +StaticText.TextAlign.Get%i4%oi4
- +StaticText.TextAlign.Set%%oi4i4
- *StaticText.TextColor.Get%c%oi4
- *StaticText.TextColor.Set%%oi4c
-)StaticText.TextFont.Get%s%oi4
-)StaticText.TextFont.Set%%oi4s
- *StaticText.TextSize.Get%i4%oi4
- *StaticText.TextSize.Set%%oi4i4
- %StaticText.Bold.Get%b%oi4
- %StaticText.Bold.Set%%oi4b
- 'StaticText.Italic.Get%b%oi4
- 'StaticText.Italic.Set%%oi4b
- *StaticText.Underline.Get%b%oi4
- *StaticText.Underline.Set%%oi4b
- *StaticText.MultiLine.Get%b%oi4
- *StaticText.MultiLine.Set%%oi4b
- +StaticText.DataSource.Get%s%oi4
- +StaticText.DataSource.Set%%oi4s
- *StaticText.DataField.Get%s%oi4
- *StaticText.DataField.Set%%oi4s
- Graphics.__Lookup%x%
- l}cxH
- t}cxH
- l}cxH
- Graphics.__ctblinit
- Graphics.__Exit%%o
- 'Graphics.ClearRect%%oi4i4i4i4
- &Graphics.DrawLine%%oi4i4i4i4
- &Graphics.DrawOval%%oi4i4i4i4
- &Graphics.DrawRect%%oi4i4i4i4
- /Graphics.DrawRoundRect%%oi4i4i4i4i4i4
- &Graphics.FillOval%%oi4i4i4i4
- &Graphics.FillRect%%oi4i4i4i4

- /Graphics.FillRoundRect%%oi4i4i4i4i4
- ;Graphics.DrawPicture%%ooi4i4i4i4i4i4i4
- (Graphics.DrawString%%osi4i4i4b
- /Graphics.DrawObject%%ooi4i4
- \$Graphics.StringWidth%f8%os
- 'Graphics.StringHeight%i4%osi4
- (Graphics.StringDirection%i4%os
- "Graphics.TextHeight%i4%o
- "Graphics.TextAscent%i4%o
- Graphics.NextPage%%o
- &Graphics.DrawStopIcon%%oi4i4
- &Graphics.DrawNotelIcon%%oi4i4
-)Graphics.DrawCautionIcon%%oi4i4
- Graphics.Pixel%c%oi4i4
- %Graphics.DrawPolygon%%oA1i4
- %Graphics.FillPolygon%%oA1i4
- ,Graphics._DrawFocusRing%%oi4i4i4i4
- Graphics.Handle%i4%oi4
- !Graphics.=Pixel%%oi4i4c
- -Graphics.Clip%o%oi4i4i4i4
- &Graphics.ForeColor.Get%c%oi4
- &Graphics.ForeColor.Set%%oi4c
- #Graphics.Width.Get%i4%oi4
- \$Graphics.Height.Get%i4%oi4
- %Graphics.TextFont.Get%s%oi4
- %Graphics.TextFont.Set%%oi4s
- &Graphics.TextSize.Get%i4%oi4
- &Graphics.TextSize.Set%%oi4i4
- \$Graphics.Copies.Get%i4%oi4
- 'Graphics.FirstPage.Get%i4%oi4
- &Graphics.LastPage.Get%i4%oi4
- !Graphics.Bold.Get%b%oi4
- !Graphics.Bold.Set%%oi4b
- #Graphics.Italic.Get%b%oi4
- #Graphics.Italic.Set%%oi4b
- &Graphics.Underline.Get%b%oi4
- &Graphics.Underline.Set%%oi4b
- &Graphics.PenWidth.Get%i4%oi4
- &Graphics.PenWidth.Set%%oi4i4
- 'Graphics.PenHeight.Get%i4%oi4
- 'Graphics.PenHeight.Set%%oi4i4
- +Graphics.UseOldRenderer.Get%b%oi4
- +Graphics.UseOldRenderer.Set%%oi4b
- CheckBox.__Lookup%x%
- \$}c|xH
- ,}c|xH
- 4}c|xH
- <}c|xH
- D}c|xH
- L}c|xH
- T}c|xH
- }c|xH
- d}c|xH
- l}c|xH
- t}c|xH
- l}c|xH
- t}CSxH
- CheckBox.__ctblinit
- &CheckBox.bindingPartInterface.__Lookup
- CheckBox:dataNotifier.__Lookup
- !CheckBox:BooleanProvider.__Lookup
- CheckBox:FocusEvents._Lookup
- CheckBox:MouseEvent._Lookup
- &CheckBox.Event_CreatePane%%o
- CheckBox.__Exit%%o
- !CheckBox.getBoolean%b%o
- !CheckBox.setBoolean%b%ob
- LCheckBox.addDataNotificationReceiver%%oo
- OCheckBox.removeDataNotificationReceiver%%oo
- ,CheckBox.getBoundPart%o%os
- !CheckBox.__CallAction%%o
- CheckBox.__GotFocus%%o
- CheckBox.__LostFocus%%o
- %CheckBox._MouseDown%b%oi4i4
- "CheckBox._MouseUp%%oi4i4

- \$CheckBox._MouseDown%%oi4i4
- &CheckBox.__DependencyList%%o
- \$CheckBox.Caption.Get%%s%oi4
- \$CheckBox.Caption.Set%%oi4s
- "CheckBox.Value.Get%%b%oi4
- "CheckBox.Value.Set%%oi4b
- "CheckBox.State.Get%%b%oi4
- "CheckBox.State.Set%%oi4b
- %CheckBox.TextFont.Get%%s%oi4
- %CheckBox.TextFont.Set%%oi4s
- &CheckBox.TextSize.Get%i4%oi4
- &CheckBox.TextSize.Set%%oi4i4
- !CheckBox.Bold.Get%%b%oi4
- !CheckBox.Bold.Set%%oi4b
- #CheckBox.Italic.Get%%b%oi4
- #CheckBox.Italic.Set%%oi4b
- &CheckBox.Underline.Get%%b%oi4
- &CheckBox.Underline.Set%%oi4b
- 'CheckBox.DataSource.Get%%s%oi4
- 'CheckBox.DataSource.Set%%oi4s
- &CheckBox.DataField.Get%%s%oi4
- &CheckBox.DataField.Set%%oi4s
- Picture.__Lookup%x%
- Picture.__ctblinit
- Picture.__Exit%%o
- !Picture.Picture%%oi4i4i4
- ,Picture.IndexedImage%%o%oi4
- bPicture._LockDescription%b%o&t<_Plugins._REALpictureDescription>i4<_Plugins._PictureType>
- &Picture._UnlockDescription%%o
- !Picture.Width.Get%i4%oi4
- "Picture.Height.Get%i4%oi4
- -Picture.Graphics.Get%o%oi4
- -Picture.Graphics.Set%%oi4o
- +Picture.Objects.Get%o%oi4
- +Picture.Objects.Set%%oi4o
- 'Picture.Transparent.Get%i4%oi4
- 'Picture.Transparent.Set%%oi4i4
- 1Picture.RGBSurface.Get%o%oi4
- 1Picture.RGBSurface.Set%%oi4o
- &Picture.ImageCount.Get%i4%oi4
- (Picture.Mask.Get%o%oi4
- (Picture.Mask.Set%%oi4o
- !Picture.Depth.Get%i4%oi4
- 0Picture.HorizontalResolution.Get%i4%oi4
- 0Picture.HorizontalResolution.Set%%oi4i4
- .Picture.VerticalResolution.Get%i4%oi4
- .Picture.VerticalResolution.Set%%oi4i4
- Canvas.__Lookup%x%
- <|c|xH
- D|c|xH
- L|c|xH
- T|c|xH
- |c|xH
- d|c|xH
- |c|xH
- t|c|xH
- |c|xH
- t|CSxH
- Canvas.__ctblinit
- Canvas:MouseEvents._Lookup
- Canvas:FocusEvents._Lookup

- "Canvas.Event_CreatePane%%o

- Canvas.__Exit%%o

- Canvas.__Init%%o
- %Canvas.Scroll%%o
- !Canvas._MouseDown%b%o
- Canvas._MouseDown%%o
- Canvas._MouseUp%%o
- Canvas._GotFocus%%o
- Canvas._LostFocus%%o
- #Canvas._Paint%%o
- "Canvas.__DependencyList%%o
- +Canvas.Graphics.Get%%o%o
- +Canvas.Graphics.Set%%o
- *Canvas.Backdrop.Get%%o%o

- *Canvas.Backdrop.Set%%o
- \$Canvas.AcceptFocus.Get%b%o
- \$Canvas.AcceptFocus.Set%%o
- #Canvas.AcceptTabs.Get%b%o
- #Canvas.AcceptTabs.Set%%o
- %Canvas.UseFocusRing.Get%b%o
- %Canvas.UseFocusRing.Set%%o
- (Canvas.EraseBackground.Get%b%o
- (Canvas.EraseBackground.Set%%o
- GroupBox.__Lookup%x%
- }c[xH
- d)c[xH
- l)c[xH
- t)c[xH
- l)c[xH
- t)CSxH
- GroupBox.__ctblinit
- GroupBox:MouseEvents._Lookup
- &GroupBox.Event_CreatePane%%o
- GroupBox.__Exit%%o
- %GroupBox._MouseDown%b%oi4i4
- \$GroupBox._MouseDown%%oi4i4
- "GroupBox._MouseDown%%oi4i4
- &GroupBox.__DependencyList%%o
- \$GroupBox.Caption.Get%s%oi4
- \$GroupBox.Caption.Set%%oi4s
- %GroupBox.TextFont.Get%s%oi4
- %GroupBox.TextFont.Set%%oi4s

- &GroupBox.TextSize.Get%i4%oi4
- &GroupBox.TextSize.Set%%oi4i4
- !GroupBox.Bold.Get%b%oi4
- !GroupBox.Bold.Set%%oi4b
- #GroupBox.Italic.Get%b%oi4
- #GroupBox.Italic.Set%%oi4b
- &GroupBox.Underline.Get%b%oi4
- &GroupBox.Underline.Set%%oi4b
- PagePanel.__Lookup%x%
- }c|xH
- d}|c|xH
- |}|c|xH
- t}|c|xH
- |}|c|xH
- t}|CSxH
- PagePanel.__ctblinit
- (PagePanel.Event_CreatePane%%o
- PagePanel.Append%%o
- PagePanel.Insert%%oi4
- PagePanel.Remove%%oi4
- #PagePanel._CallChange%%o
- &PagePanel.Enabled.Get%b%oi4
- &PagePanel.Enabled.Set%%oi4b
- %PagePanel.Value.Get%i4%oi4
- %PagePanel.Value.Set%%oi4i4
- *PagePanel.PanelCount.Get%i4%oi4
- *PagePanel.PanelCount.Set%%oi4i4
- TabPanel.__Lookup%x%
- \$}|c|xH
- .}|c|xH
- 4}|c|xH
- <}|c|xH
- D}|c|xH
- L}|c|xH
- T}|c|xH
- }c|xH
- d}|c|xH
- |}|c|xH
- t}|c|xH
- |}|c|xH
- |}|CSxH
- TabPanel.__ctblinit
- TabPanel:MouseEvents._Lookup
- TabPanel:FocusEvents._Lookup
- TabPanel.__Exit%%o
- TabPanel.Caption%s%oi4
- TabPanel.Append%%os
- TabPanel.Insert%%oi4s
- TabPanel.Remove%%oi4
-)TabPanel._TabClickedOn%i4%oi4i4
- !TabPanel.=Caption%%oi4s
- %TabPanel._MouseDown%b%oi4i4
- \$TabPanel._MouseDrag%%oi4i4
- "TabPanel._MouseUp%%oi4i4
- TabPanel._GotFocus%%o
- TabPanel._LostFocus%%o
- &TabPanel.__DependencyList%%o
- \$TabPanel.Enabled.Get%b%oi4
- \$TabPanel.Enabled.Set%%oi4b
- *TabPanel.TabDefinition.Set%%oi4s
- #TabPanel.Value.Get%i4%oi4
- #TabPanel.Value.Set%%oi4i4
- \$TabPanel.Facing.Get%i4%oi4
- \$TabPanel.Facing.Set%%oi4i4
- &TabPanel.SmallTabs.Get%b%oi4
- &TabPanel.SmallTabs.Set%%oi4b
- %TabPanel.TextFont.Get%s%oi4
- %TabPanel.TextFont.Set%%oi4s
- &TabPanel.TextSize.Get%i4%oi4
- &TabPanel.TextSize.Set%%oi4i4
- !TabPanel.Bold.Get%b%oi4
- !TabPanel.Bold.Set%%oi4b
- #TabPanel.Italic.Get%b%oi4
- #TabPanel.Italic.Set%%oi4b
- &TabPanel.Underline.Get%b%oi4

- &TabPanel.Underline.Set%%oi4b
- Sound.__Lookup%x%
- Sound.__ctblinit
- Sound.__Exit%%o
- Sound.__Init%%o
- Sound.Play%%o
- Sound.Stop%%o
- Sound.PlayLooping%%o
- Sound.IsPlaying%b%o
- Sound.Clone%o%o
- Sound.Pan.Get%i4%oi4
- Sound.Pan.Set%%oi4i4
- Sound.Volume.Get%i4%oi4
- Sound.Volume.Set%%oi4i4
- Movie.__Lookup%x%
- Movie.__ctblinit
- Movie.__Exit%%o
- "Movie.MovieWidth.Get%i4%oi4
- #Movie.MovieHeight.Get%i4%oi4
- &Movie.BaseMovieWidth.Get%i4%oi4
- 'Movie.BaseMovieHeight.Get%i4%oi4
- Movie.Handle.Get%i4%oi4
- *Object2DImp.__Lookup%x%*
- *Object2DImp.__ctblinit*
- '_Object2DImp.SetXY%%o<_Object2DImp>f8f8
- (_Object2DImp.SetScale%%o<_Object2DImp>f8
- +_Object2DImp.SetRotation%%o<_Object2DImp>f8
- _Object2DImp.TransformWorldToObject%%o<_Object2DImp>&f8&f8
- _Object2DImp.Constructor%%o<_Object2DImp>
- '_Object2DImp.X.Get%f8%o<_Object2DImp>i4
- '_Object2DImp.X.Set%%o<_Object2DImp>i4f8
- '_Object2DImp.Y.Get%f8%o<_Object2DImp>i4
- '_Object2DImp.Y.Set%%o<_Object2DImp>i4f8
- _Object2DImp.Rotation.Get%f8%o<_Object2DImp>i4
- _Object2DImp.Rotation.Set%%o<_Object2DImp>i4f8
- +_Object2DImp.Scale.Get%f8%o<_Object2DImp>i4
- +_Object2DImp.Scale.Set%%o<_Object2DImp>i4f8
- *Group2DImp.__Init*
- *Group2DImp.__Exit*
- *Group2DImp.__Lookup%x%*
- *Group2DImp.__ctblinit*
- %_Group2DImp.SetXY%%o<_Group2DImp>f8f8
- &_Group2DImp.SetScale%%o<_Group2DImp>f8
- _Group2DImp.SetRotation%%o<_Group2DImp>f8
- Group2D.__Lookup%x%
- Group2D.__ctblinit
- Group2D.__Exit%%o
- Group2D.__Init%%o
- %Group2D.Append%%oo
- 'Group2D.Insert%%oi4o
- %Group2D.Item%o%oi4
- %Group2D.Remove%%oo
- Group2D.Remove%%oi4
- &Group2D.=Item%%oi4o
- Group2D.CreateImp%%o
- !Group2D.Count.Get%i4%oi4
- Object2D.__Exit
- Object2D.__Lookup%x%
- Object2D.__ctblinit
- Object2D.__Init%%o
- Object2D.CreateImp%%o
- Object2D.X.Get%f8%oi4
- Object2D.X.Set%%oi4f8
- Object2D.Y.Get%f8%oi4
- Object2D.Y.Set%%oi4f8
- &Object2D.Rotation.Get%f8%oi4
- &Object2D.Rotation.Set%%oi4f8
- #Object2D.Scale.Get%f8%oi4
- #Object2D.Scale.Set%%oi4f8
- "Object2D.Fill.Get%f8%oi4
- "Object2D.Fill.Set%%oi4f8
- &Object2D.FillColor.Get%c%oi4
- &Object2D.FillColor.Set%%oi4c
- \$Object2D.Border.Get%f8%oi4
- \$Object2D.Border.Set%%oi4f8

- (Object2D.BorderColor.Get%*c%*oi4
- (Object2D.BorderColor.Set%*%*oi4c
-)Object2D.BorderWidth.Get%*f8%*oi4
-)Object2D.BorderWidth.Set%*%*oi4f8
- *VariantCurrency._Lookup%*x%
- *VariantCurrency._ctblinit*
- 8*VariantCurrency.OperatorConvert%i4%o<_VariantCurrency>*
- 8*VariantCurrency.OperatorConvert%u4%o<_VariantCurrency>*
- 8*VariantCurrency.OperatorConvert%i8%o<_VariantCurrency>*
- 8*VariantCurrency.OperatorConvert%u8%o<_VariantCurrency>*
- 7*VariantCurrency.OperatorConvert%b%o<_VariantCurrency>*
- 8*VariantCurrency.OperatorConvert%f4%o<_VariantCurrency>*
- 8*VariantCurrency.OperatorConvert%f8%o<_VariantCurrency>*
- 7*VariantCurrency.OperatorConvert%s%o<_VariantCurrency>*
- 7*VariantCurrency.OperatorConvert%e%o<_VariantCurrency>*
- 5*VariantCurrency.OperatorHash%i4%o<_VariantCurrency>*
- *VariantColor._Lookup%*x%
- *VariantColor._ctblinit*
- 2*VariantColor.OperatorConvert%i4%o<_VariantColor>*
- 2*VariantColor.OperatorConvert%u4%o<_VariantColor>*
- 2*VariantColor.OperatorConvert%i8%o<_VariantColor>*
- 2*VariantColor.OperatorConvert%u8%o<_VariantColor>*
- 1*VariantColor.OperatorConvert%b%o<_VariantColor>*
- 2*VariantColor.OperatorConvert%f4%o<_VariantColor>*
- 2*VariantColor.OperatorConvert%f8%o<_VariantColor>*
- 1*VariantColor.OperatorConvert%c%o<_VariantColor>*
- 1*VariantColor.OperatorConvert%s%o<_VariantColor>*
- */VariantColor.OperatorHash%i4%o<_VariantColor>*
- *VariantBoolean._Lookup%*x%
- *VariantBoolean._ctblinit*
- 6*VariantBoolean.OperatorConvert%i4%o<_VariantBoolean>*
- 6*VariantBoolean.OperatorConvert%u4%o<_VariantBoolean>*
- 6*VariantBoolean.OperatorConvert%i8%o<_VariantBoolean>*
- 6*VariantBoolean.OperatorConvert%u8%o<_VariantBoolean>*
- 5*VariantBoolean.OperatorConvert%b%o<_VariantBoolean>*
- 6*VariantBoolean.OperatorConvert%f4%o<_VariantBoolean>*
- 6*VariantBoolean.OperatorConvert%f8%o<_VariantBoolean>*
- 5*VariantBoolean.OperatorConvert%c%o<_VariantBoolean>*
- 5*VariantBoolean.OperatorConvert%s%o<_VariantBoolean>*
- 3*VariantBoolean.OperatorHash%i4%o<_VariantBoolean>*
- *VariantDouble._Lookup%*x%
- *VariantDouble._ctblinit*
- 4*VariantDouble.OperatorConvert%i4%o<_VariantDouble>*
- 4*VariantDouble.OperatorConvert%u4%o<_VariantDouble>*
- 4*VariantDouble.OperatorConvert%i8%o<_VariantDouble>*
- 4*VariantDouble.OperatorConvert%u8%o<_VariantDouble>*
- 3*VariantDouble.OperatorConvert%b%o<_VariantDouble>*
- 4*VariantDouble.OperatorConvert%f4%o<_VariantDouble>*
- 4*VariantDouble.OperatorConvert%f8%o<_VariantDouble>*
- 3*VariantDouble.OperatorConvert%c%o<_VariantDouble>*
- 3*VariantDouble.OperatorConvert%s%o<_VariantDouble>*
- 1*VariantDouble.OperatorHash%i4%o<_VariantDouble>*
- 3*VariantDouble.OperatorConvert%e%o<_VariantDouble>*
- *VariantSingle._Lookup%*x%
- *VariantSingle._ctblinit*
- 4*VariantSingle.OperatorConvert%i4%o<_VariantSingle>*
- 4*VariantSingle.OperatorConvert%u4%o<_VariantSingle>*
- 4*VariantSingle.OperatorConvert%i8%o<_VariantSingle>*
- 4*VariantSingle.OperatorConvert%u8%o<_VariantSingle>*
- 3*VariantSingle.OperatorConvert%b%o<_VariantSingle>*
- 4*VariantSingle.OperatorConvert%f4%o<_VariantSingle>*
- 4*VariantSingle.OperatorConvert%f8%o<_VariantSingle>*
- 3*VariantSingle.OperatorConvert%c%o<_VariantSingle>*
- 3*VariantSingle.OperatorConvert%s%o<_VariantSingle>*
- 1*VariantSingle.OperatorHash%i4%o<_VariantSingle>*
- 3*VariantSingle.OperatorConvert%e%o<_VariantSingle>*
- *VariantString._Lookup%*x%
- *VariantString._ctblinit*
- 4*VariantString.OperatorConvert%i4%o<_VariantString>*
- 4*VariantString.OperatorConvert%u4%o<_VariantString>*
- 4*VariantString.OperatorConvert%i8%o<_VariantString>*
- 4*VariantString.OperatorConvert%u8%o<_VariantString>*

- 3VariantString.OperatorConvert%b%o<_VariantString>
- 4VariantString.OperatorConvert%f4%o<_VariantString>
- 4VariantString.OperatorConvert%f8%o<_VariantString>
- 3VariantString.OperatorConvert%c%o<_VariantString>
- 3VariantString.OperatorConvert%s%o<_VariantString>
- 1VariantString.OperatorHash%i4%o<_VariantString>
- (VariantString._exit%o<_VariantString>
- _VariantString.Destructor%o<_VariantString>
- 3VariantString.OperatorConvert%e%o<_VariantString>
- VariantUInt64._Lookup%x%
- VariantUInt64._ctblinit
- 4VariantUInt64.OperatorConvert%i4%o<_VariantUInt64>
- 4VariantUInt64.OperatorConvert%u4%o<_VariantUInt64>
- 4VariantUInt64.OperatorConvert%i8%o<_VariantUInt64>
- 4VariantUInt64.OperatorConvert%u8%o<_VariantUInt64>
- 3VariantUInt64.OperatorConvert%b%o<_VariantUInt64>
- 4VariantUInt64.OperatorConvert%f4%o<_VariantUInt64>
- 4VariantUInt64.OperatorConvert%f8%o<_VariantUInt64>
- 3VariantUInt64.OperatorConvert%c%o<_VariantUInt64>
- 3VariantUInt64.OperatorConvert%s%o<_VariantUInt64>
- 1VariantUInt64.OperatorHash%i4%o<_VariantUInt64>
- 3VariantUInt64.OperatorConvert%e%o<_VariantUInt64>
- VariantInt64._Lookup%x%
- VariantInt64._ctblinit
- 2VariantInt64.OperatorConvert%i4%o<_VariantInt64>
- 2VariantInt64.OperatorConvert%u4%o<_VariantInt64>
- 2VariantInt64.OperatorConvert%i8%o<_VariantInt64>
- 2VariantInt64.OperatorConvert%u8%o<_VariantInt64>
- 1VariantInt64.OperatorConvert%b%o<_VariantInt64>
- 2VariantInt64.OperatorConvert%f4%o<_VariantInt64>
- 2VariantInt64.OperatorConvert%f8%o<_VariantInt64>
- 1VariantInt64.OperatorConvert%c%o<_VariantInt64>
- 1VariantInt64.OperatorConvert%s%o<_VariantInt64>
- /VariantInt64.OperatorHash%i4%o<_VariantInt64>
- 1VariantInt64.OperatorConvert%e%o<_VariantInt64>
- VariantInt32._Lookup%x%
- VariantInt32._ctblinit
- 2VariantInt32.OperatorConvert%i4%o<_VariantInt32>
- 2VariantInt32.OperatorConvert%u4%o<_VariantInt32>
- 2VariantInt32.OperatorConvert%i8%o<_VariantInt32>
- 2VariantInt32.OperatorConvert%u8%o<_VariantInt32>
- 1VariantInt32.OperatorConvert%b%o<_VariantInt32>
- 2VariantInt32.OperatorConvert%f4%o<_VariantInt32>
- 2VariantInt32.OperatorConvert%f8%o<_VariantInt32>
- 1VariantInt32.OperatorConvert%c%o<_VariantInt32>
- 1VariantInt32.OperatorConvert%s%o<_VariantInt32>
- /VariantInt32.OperatorHash%i4%o<_VariantInt32>
- 1VariantInt32.OperatorConvert%e%o<_VariantInt32>
- VariantUInt32._Lookup%x%
- VariantUInt32._ctblinit
- 4VariantUInt32.OperatorConvert%i4%o<_VariantUInt32>
- 4VariantUInt32.OperatorConvert%u4%o<_VariantUInt32>
- 4VariantUInt32.OperatorConvert%i8%o<_VariantUInt32>
- 4VariantUInt32.OperatorConvert%u8%o<_VariantUInt32>
- 3VariantUInt32.OperatorConvert%b%o<_VariantUInt32>
- 4VariantUInt32.OperatorConvert%f4%o<_VariantUInt32>
- 4VariantUInt32.OperatorConvert%f8%o<_VariantUInt32>
- 3VariantUInt32.OperatorConvert%c%o<_VariantUInt32>
- 3VariantUInt32.OperatorConvert%s%o<_VariantUInt32>
- 1VariantUInt32.OperatorHash%i4%o<_VariantUInt32>
- 3VariantUInt32.OperatorConvert%e%o<_VariantUInt32>
- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- .}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH

- l}c{xH
- t}c{xH
- l}c{xH
- \$}c{xH
- ,}c{xH
- 4}c{xH
- <}c{xH
- D}c{xH
- L}c{xH
- T}c{xH
- }c{xH
- d}c{xH
- l}c{xH
- DragItem
- TextAvailable%b%o
- PictureAvailable%b%o
- Drag%%o
- !FolderItemAvailable%b%o
- MacDataAvailable%b%os
- RawDataAvailable%b%os
- MacData%s%os
- RawData%s%os
- PrivateMacData%s%os
- PrivateRawData%s%os
- NextItem%b%o
- AddItem%%oi4i4i4i4
- =PrivateRawData%%oss
- =PrivateMacData%%oss
- =RawData%%oss
- =MacData%%oss
- Text%s%
- Picture%o%
- FolderItem%o%
- MouseCursor%o%
- DropLeft%i4%
- DropTop%i4%
- DropWidth%i4%
- DropHeight%i4%
- Destination%o%
- Handle%i4%
- Window
- Show%%o
- ShowWithin%%ooi4
- #ShowModalWithin%%oo
- Hide%%o
- Close%%o
- Refresh%%ob
- RefreshRect%%oi4i4i4i4b
- ShowModal%%o
-)NewDragItem%o%oi4i4i4i4
- AcceptTextDrop%%o
- AcceptPictureDrop%%o
- AcceptFileDrop%%os
- AcceptMacDataDrop%%os
- AcceptRawDataDrop%%os
- Control%o%oi4
- SetFocus%%o
- #DrawInto%%ooi4i4b
- 1_DrawBackground%%ooi4i4i4i4i4i4
- UpdateNow%%o
- _AddControl%%oso
- _AddMenuHandler%%osp
- Window%%o
- 'Operator_Convert%?%o
- __New%%ox
- _Move%%oi4i4i4i4i4
- Maximize%%o
- Minimize%%o
- Restore%%o
- _Update%%o
- _CallMoved%%o
- (_EnableMenuItems%%oA1o
- _CallActivated%%o
- _CallDeactivated%%o
-) _HandleMenuCommand%b%oo

- _UnifiedClose%b%ob
- _CallMouseDown%b%oi4i4
- _CallResized%%o
- _CallResizing%%o
- # _RemoveControl%%oo
- _MouseEnter%%o
- _MouseExit%%o
- _MouseMove%%oi4i4
- _Paint%%oo
- _MouseWheel%b%oi4i4i4i4
- _KeyDown%b%os
- __DependencyList%%o
- Layout
- CreateControls
- AddMenuHandlers
- SetupBindings
- CancelClose
- KeyDown
- MouseMove
- MouseEnter
- MouseExit
- MouseDown
- MouseDrag
- MouseUp
- EnableMenuItems
- Resized
- Resizing
- DropObject
- Activate
- Deactivate
- Minimize
- Maximize
- Restore
- MouseWheel
- ConstructContextualMenu
- ContextualMenuAction
- DragEnter
- DragExit
- DragOver
- Visible%b%
- Left%i4%
- Top%i4%
- Width%i4%
- Height%i4%
- Placement%i4%
- Title%s%
- FullScreen%b%
- MenuBarVisible%b%
- CloseBox%b%
- CloseButton%b%
- Growlcon%b%
- Resizeable%b%
- Zoomlcon%b%
- MaximizeButton%b%
- MinimizeButton%b%
- Frame%i4%
- Composite%b%
- LiveResize%b%
- Backdrop%o%
- Graphics%o%
- HasBackColor%b%
- BackColor%c%
- BalloonHelp%s%
- MinWidth%i4%
- MinHeight%i4%
- MaxWidth%i4%
- MaxHeight%i4%
- MacProckd%i4%
- ControlCount%i4%
- FloaterProcess%s%
- MouseX%i4%
- MouseY%i4%
- MacWindowPtr%i4%
- WinHWND%i4%
- DockItem%o%

- MenuBar%%
- Focus%%
- _mImp%o<_WindowImp>%
- _mControls%%
- _mMenuHandlers%%
- _mControlList%A1o%
- _mContentPane%o<_Pane>%
- _mFocusControl%%
- _mInitialControlsCreated%i4%
- MemoryBlock
- Long%i4%oi4
- #Ptr%%oi4
- Short%i4%oi4
- UShort%i4%oi4
- Byte%i4%oi4
- PString%s%oi4
- CString%s%oi4
- WString%s%oi4
- SingleValue%f8%oi4
- DoubleValue%f8%oi4
- !=StringValue%%oi4i4s
- /StringValue%s%oi4i4o
- BooleanValue%b%oi4
- ColorValue%c%oi4i4
- MemoryBlock%%oi4
- !Operator_Convert%s%o
- !Operator_Convert%%os
- 8Operator_Add%o%oo
- 0Operator_Compare%i4%oo
- !Operator_Convert%p%o
- !Operator_Convert%%op
- %LeftB%o%oi4
- \$MidB%o%oi4
- &MidB%o%oi4i4
- &RightB%o%oi4
- =ColorValue%%oi4i4c
- =BooleanValue%%oi4b
- =DoubleValue%%oi4f8
- =SingleValue%%oi4f8
- =WString%%oi4s
- =CString%%oi4s
- =PString%%oi4s
- =Byte%%oi4i4
- =UShort%%oi4i4
- =Short%%oi4i4
- \$=Ptr%%oi4o
- =Long%%oi4i4
- =Int32Value%%oi4i4
- Int32Value%i4%oi4
- =Int8Value%%oi4i1
- =Int16Value%%oi4i2
- =Int64Value%%oi4i8
- Int8Value%i1%oi4
- Int16Value%i2%oi4
- Int64Value%i8%oi4
- =UInt8Value%%oi4u1
- =UInt16Value%%oi4u2
- =UInt32Value%%oi4u4
- =UInt64Value%%oi4u8
- UInt8Value%u1%oi4
- UInt16Value%u2%oi4
- UInt32Value%u4%oi4
- UInt64Value%u8%oi4
- CurrencyValue%e%oi4
- !=CurrencyValue%%oi4e
- LittleEndian%b%
- Size%i4%
- "Operator_Compare%i4%oo
- Constructor%%o
- Constructor%%oo
- Year%i4%
- Month%i4%
- Day%i4%
- Hour%i4%
- Minute%i4%

- Second%i4%
- DayOfWeek%i4%
- DayOfYear%i4%
- WeekOfYear%i4%
- ShortDate%s%
- LongDate%s%
- AbbreviatedDate%s%
- ShortTime%s%
- LongTime%s%
- TotalSeconds%f8%
- SQLDate%s%
- SQLDateTime%s%
- GMTOffset%f8%
- SocketCore
- Close%%o
- Poll%%o
- Purge%%o
- Connect%%o
- __DependencyList%%o
- DataAvailable
- SendComplete
- Port%i4%
- LocalAddress%s%
- LastErrorCode%i4%
- IsConnected%b%
- %NetworkInterface%o%
- NetworkInterface
- MACAddress%s%
- IPAddress%s%
- SubnetMask%s%
- _MenuBarInstaller
- MenuBar
- \$_InstallClone%%oo
- Enable%%o
- Close%%o
- Item%o%i4
- Count%i4%o
- Child%o%os
- Append%%oo
- Insert%%oi4o
- Remove%%oi4
- Remove%%oo
- Remove%%os
- _Lookup%o%os
- " _Lookup%o%osi4
- MenuItem%%o
- MenuItem%%osv
- PopUp%o%o
- !PopUp%o%i4i4
- _Swap%%oso
- _DisableEntirely%%o
- _SelfEnable%%o
- MenuItem
- Action
- EnableMenu
- Name%s%
- Index%i4%
- Tag%v%
- DisabledBalloonHelp%s%
- Checked%b%
- Enabled%b%
- CommandKey%s%
- KeyboardShortcut%s%
- Icon%o%
- _Bold%b%
- _Italic%b%
- _Underline%b%
- AutoEnable%b%
- _mImp%o<_MenuItemImp2>%
- _mName%s%
- _mTag%v%
- _mIndex%i4%
- _mChildren%A1o%
- PrefsMenuItem
- Event _Action%b%o

- AppleMenuItem
- FunctionNotFoundException
- Stack%A1s%o
- OutOfBoundsException
- ThreadEndException
- RuntimeException
- Message%s%
- ErrorNumber%i4%
- NilObjectException
- IllegalCastException
- AppleEventObjectSpecifier
- ResourceFork
- Close%%o
- ResourceType%s%oi4
- GetResource%s%osi4
- \$GetNamedResource%s%oss
- !ResourceCount%i4%os
- ResourceID%i4%osi4
- !ResourceName%s%osi4
- !AddResource%%%ossi4s
- "RemoveResource%%%osi4
- (AddPicture%%%oi4s
- 'GetPicture%o%oi4
- +GetNamedPicture%o%os
- \$GetIcon%o%oi4
- #GetIcon%o%oi4
- #GetIcons%o%oi4
- *getCursor%o%oi4
- #GetSound%o%oi4
- GetHandle%i4%osi4
- ReleaseHandle%%%oi4
- #ResourceLocked%b%osi4
- &ResourceProtected%b%osi4
- \$ResourcePreload%b%osi4
- &ResourcePurgeable%b%osi4
- \$ResourceSysHeap%b%osi4
- %=ResourceSysHeap%%%osi4b
- '=ResourcePurgeable%%%osi4b
- %=ResourcePreload%%%osi4b
- '=ResourceProtected%%%osi4b
- \$=ResourceLocked%%%osi4b
- TypeCount%i4%
- DockItem
- ResetIcon%%o
- UpdateNow%%o
- AppleEventRecord
- \$IntegerParam%i4%os
- #SingleParam%f4%os
- #DoubleParam%f8%os
- #BooleanParam%b%os
- "StringParam%s%os
- #MacTypeParam%s%os
- &EnumeratedParam%s%os
- 2FolderItemParam%o%os
- 8DescListParam%o%os
- FObjectSpecifierParam%o%os
- 4RecordParam%o%os
- "SetNullParam%%os
- :LoadFromTemplate%%oo
- 5=RecordParam%%%oso
- G=ObjectSpecifierParam%%%oso
- 9=DescListParam%%%oso
- 3=FolderItemParam%%%oso
- '=EnumeratedParam%%%oss
- \$=MacTypeParam%%%oss
- #=StringParam%%%oss
- \$=BooleanParam%%%osb
- \$=DoubleParam%%%osf8
- \$=SingleParam%%%osf4
- %=IntegerParam%%%osi4
- AppleEvent
- IntegerParam%i4%os
- SingleParam%f4%os
- DoubleParam%f8%os
- BooleanParam%b%os

- StringParam%s%os
- MacTypeParam%s%os
- EnumeratedParam%s%os
- ,FolderItemParam%o%os
- 2DescListParam%o%os
- @ObjectSpecifierParam%o%os
- .RecordParam%o%os
- SetNullParam%os
- Send%b%o
- 4LoadFromTemplate%%oo
- /=RecordParam%%oso
- A=ObjectSpecifierParam%%oso
- 3=DescListParam%%oso
- -=FolderItemParam%%oso
- !=EnumeratedParam%%oss
- =MacTypeParam%%oss
- =StringParam%%oss
- =BooleanParam%%osb
- =DoubleParam%%osf8
- =SingleParam%%osf4
- =IntegerParam%%osi4
- ReplyString%s%
- ReplyBoolean%b%
- ReplyInteger%i4%
- ReplyEnumerated%s%
- ReplyMacType%s%
- ReplySingle%f4%
- ReplyDouble%f8%
- ReplyFolderItem%o%
- 2ReplyObjectSpecifier%o%
- \$ReplyDescList%o%
- ReplyRecord%o%
- Timeout%i4%
- Ptr%i4%
- ReplyPtr%i4%
- AppleEventTemplate
- '=IntegerParam%%osi4
- %=StringParam%%oss
- 5=FolderItemParam%%oso
- AppleEventDescList
- &IntegerItem%i4%oi4
- \$StringItem%s%oi4
- 4FolderItemItem%o%oi4
- 6RecordItem%o%oi4
- %BooleanItem%b%oi4
- :DescListItem%o%oi4
- HObjectSpecifierItem%o%oi4
- &AppendInteger%%oi4
- \$AppendString%%os
- 4AppendFolderItem%%oo
- 6AppendRecord%%oo
- %AppendBoolean%%ob
- :AppendDescList%%oo
- HAppendObjectSpecifier%%oo
- Count%i4%
- dataNotificationReceiver
- dataNotifier
- StringInterface
- BooleanProvider
- bindingPartInterface
- Thread
- Run%%o
- Suspend%%o
- Resume%%o
- Sleep%i4b
- Kill%%o
- StackSize%i4%
- ThreadID%i4%
- Priority%i4%
- State%i4%
- FolderItem
- FolderItem%%o
- FolderItem%%osi4
- &FolderItem%%oo
- "Item%o%oi4

- &TrueItem%o%i4
- "Child%o%os
- &TrueChild%o%os
- /OpenAsTextFile%o%o
- 2AppendToTextFile%o%o
- 0CreateTextFile%o%o
- 2CreateVirtualVolume%o%o
- 2OpenAsVirtualVolume%o%o
- /OpenAsBinaryFile%o%ob
- /CreateBinaryFile%o%os
- .OpenResourceFork%o%o
- 1CreateResourceFork%o%os
- *_OpenAsCursor%o%o
- '_OpenAsIcons%A1o%o
- &OpenAsPicture%o%o
- .OpenAsVectorPicture%o%o
- "OpenAsSound%o%o
- "OpenAsMovie%o%o
- *OpenResourceMovie%o%i4
- .OpenStyledEditField%%oo
- .SaveStyledEditField%%oo
- (SaveAsPicture%%ooi4
- #SaveAsJPEG%%oo
- Delete%%o
- CreateAsFolder%%o
- Launch%%ob
- Launch%%osb
- &CopyFileTo%%oo
- &MoveFileTo%%oo
- *GetSaveInfo%s%ooi4
- (GetRelative%o%os
- "_MakeFileExecutable%%o
- Permissions%i4%o
-)=Permissions%%oo
- =Permissions%%oi4
- AbsolutePath%s%
- DisplayName%s%
- Length%u8%
- ResourceForkLength%i4%
- ExtensionVisible%b%
- Locked%b%
- Exists%b%
- Alias%b%
- Directory%b%
- Type%s%
- Parent%o%
- CreationDate%o%
- ModificationDate%o%
- MacType%s%
- MacCreator%s%
- DesktopFolder%o%
- TrashFolder%o%
- SharedTrashFolder%o%
- TemporaryFolder%o%
- VirtualVolume%o%
- IsReadable%b%
- IsWriteable%b%
- MacVRefNum%i4%
- MacDirID%i4%
- ShellPath%s%
- URLPath%s%
- Group%s%
- Owner%s%
- Permissions
- Permissions%%oi4
- StickyBit%b%
- GidBit%b%
- UidBit%b%
- OwnerExecute%b%
- OwnerWrite%b%
- OwnerRead%b%
- GroupExecute%b%
- GroupWrite%b%
- GroupRead%b%
- OthersExecute%b%

- OthersWrite%b%
- OthersRead%b%
- VirtualVolume
- Root%o%
- Writeable
- TextOutputStream
- WriteLine%%os
- Write%%os
- Close%%o
- Flush%%o
- WriteError%b%o
- \$Constructor%%oi4i4
- Handle%i4%oi4
- Delimiter%s%
- TextInputStream
- *Read%s%oi4o
- ,ReadLine%s%oo
- +ReadAll%s%oo
- Close%%o
- EOF%b%o
- ReadError%b%o
- #Constructor%%oi4i4
- Handle%i4%oi4
- Encoding%o%
- PositionB%u8%
- Readable
- BinaryStream
- ReadByte%i4%o
- ReadShort%i4%o
- ReadLong%i4%o
- ,ReadPString%s%oo
- ReadSingle%f8%o
- ReadDouble%f8%o
- ReadBoolean%b%o
- 'Read%s%oi4o
- WriteByte%%oi4
- WriteShort%%oi4
- WriteLong%%oi4
- WritePString%%os
- WriteSingle%%of8
- WriteDouble%%of8
- WriteBoolean%%ob
- Write%%os
- Close%%o
- Flush%%o
- WriteError%b%o
- EOF%b%o
- ReadError%b%o
- Constructor%%os
- *Constructor%%oo
- Constructor%%oi4i4
- Handle%i4%oi4
- ReadInt8%i1%o
- ReadInt16%i2%o
- ReadInt32%i4%o
- ReadInt64%i8%o
- ReadUInt8%u1%o
- ReadUInt16%u2%o
- ReadUInt32%u4%o
- ReadUInt64%u8%o
- WriteInt8%%oi1
- WriteInt16%%oi2
- WriteInt32%%oi4
- WriteInt64%%oi8
- WriteUInt8%%ou1
- WriteUInt16%%ou2
- WriteUInt32%%ou4
- WriteUInt64%%ou8
- ReadCurrency%e%o
- WriteCurrency%%oe
- Position%u8%
- MDWindow
- Maximize%%o
- Minimize%%o
- Restore%%o

- TrayItem
- __DependencyList%%o
- HelpTag%s%
- Paragraph
- Alignment%i4%
- StartPos%i4%
- EndPos%i4%
- Length%i4%
- TextEncoding
- Chr%s%oi4
- 'Equals%b%oo
- base%i4%
- variant%i4%
- format%i4%
- internetName%s%
- code%i4%
- _Pollable
- Application
- NewDocument%%o
-)OpenDocument%%oo
- DoEvents%%oi4
- !_AddMenuHandler%%osp
- _AddPollableObject%%oo<_Pollable>
- 1_RemovePollableObject%%oo<_Pollable>
- &AddTrayItem%%oo
-)RemoveTrayItem%%oo
- !YieldToNextThread%%o
- \$SleepCurrentThread%%oi4
- _DoSingleEvent%%ob
- -_EnableMenuItems%%oA1o
- _CallOpen%%o
- _HandleMenuCommand%b%oo
- 1_LoadPictureFromBundle%%o%os
-)_LoadBundleSound%%o%os
- __DependencyList%%o
- NewDocument
- OpenDocument
- HandleAppleEvent
- UnhandledException
- ResourceFork%o%
- MDIWindow%o%
- BalloonHelpVisible%b%
- MajorVersion%i4%
- MinorVersion%i4%
- BugVersion%i4%
- StageCode%i4%
- NonReleaseVersion%i4%
- RegionCode%i4%
- ShortVersion%s%
- LongVersion%s%
- PackageInfo%s%
- AutoQuit%b%
- ExecutableFile%o%
- CurrentThread%o%
- _CurrentEventTime%i4%
- _mMenuBar%o%
- Resources
- Clipboard
- SetText%%os
- Close%%o
- TextAvailable%b%o
- PictureAvailable%b%o
- MacDataAvailable%b%os
- RawDataAvailable%b%os
- MacData%s%os
- RawData%s%os
- AddMacData%%oss
- AddRawData%%oss
- _ScreenImpInterface
- Screen
- Constructor%%oi4
- Depth%i4%
- AvailableLeft%i4%
- AvailableTop%i4%
- AvailableWidth%i4%

- AvailableHeight%i4%
- _mimp%o<_ScreenImplInterface>%
- RGBSurface
- Pixel%c%oi4i4
- FloodFill%%oi4i4c
- Transform%%oA1i4
- \$Transform%%oA1i4A1i4A1i4
- =Pixel%%oi4i4c
- StyleRun
- StyleRun%%os
- Bold%b%
- Italic%b%
- Underline%b%
- TextColor%c%
- Font%s%
- StyledTextPrinter
- %DrawBlock%%oi4i4i4
- EOF%b%
- StyledText
- Text%s%o
- Bold%b%oi4i4
- Italic%b%oi4i4
- Underline%b%oi4i4
- Font%s%oi4i4
- Size%i4%oi4i4
- TextColor%c%oi4i4
- StyleRunCount%i4%o
- \$StyleRun%o%oi4
- &StyleRunRange%o%oi4
- *InsertStyleRun%%ooi4
- (AppendStyleRun%%oo
- RemoveStyleRun%%oi4
- ParagraphCount%i4%o
- &Paragraph%o%oi4
- &=ParagraphAlignment%%oi4i4
- =TextColor%%oi4i4c
- =Size%%oi4i4i4
- =Font%%oi4i4s
- =Underline%%oi4i4b
- =Italic%%oi4i4b
- =Bold%%oi4i4b
- =Text%%os

- _MouseDown%b%o

- _MouseDrag%%o

- _MouseUp%%o

- _GotFocus%%o

- _LostFocus%%o
- EmbeddedWindowControl
- /Event_EnableMenuItems%%o

-)Event_LostFocus%%o
- (Event_GotFocus%%o
-)Event_KeyDown%b%os
- +Event_MouseUp%%oi4i4
- -Event_MouseDrag%%oi4i4
- .Event_MouseDown%b%oi4i4
- 0Event_Paint%%oo
- 3Event_MouseWheel%b%oi4i4i4i4
- 7Event_DropObject%%ooi4
-)Event_MouseExit%%o
- *Event_MouseEnter%%o
- -Event_MouseMove%%oi4i4
- %Event_Close%%o
- \$Event_Open%%o

- Event_CreatePane%%o

- Scroll%%o

- _Paint%%o

- __DependencyList%%o
- 'DrawInto%%ooi4i4
- Refresh%%ob
- \$RefreshRect%%oi4i4i4b
- SetFocus%%o
- AcceptTextDrop%%o
- !AcceptPictureDrop%%o
- AcceptFileDrop%%os
- "AcceptMacDataDrop%%os
- "AcceptRawDataDrop%%os
- .NewDragItem%%oi4i4i4i4
- !_AddMenuHandler%%osp
- RectControl%%o
- _Move%%oi4i4i4i4
- _MouseEnter%%o
- _MouseExit%%o
- _MouseMove%%oi4i4
- \$_MouseWheel%b%oi4i4i4i4
- Invalidate%%ob
- #Invalidate%%oi4i4i4b
- _KeyDown%b%os
- Close%%o
- _SetWindow%%oo
- _CallOpenEvent%%o
- RectControl
- __DependencyList%%o
- Active%b%
- AutoDeactivate%b%
- LockLeft%b%
- LockTop%b%
- LockRight%b%
- LockBottom%b%
- Parent%o%
- InitialParent%s%
- ContainerControl
- 1EmbedWithin%%ooi4i4i4i4
- 6EmbedWithin%%ooi4i4i4i4

- ;EmbedWithinPanel%%ooi4i4i4i4
- GotFocus
- LostFocus
- TabPanelIndex%i4%
- Window%o%
- _Control%o%
- AcceptFocus%b%
- AcceptTabs%b%
- UseFocusRing%b%
- EraseBackground%b%
- Control
- CreatePane
- PanelIndex%i4%
- _mImp%o<_Pane>%
- _mWindow%o%
- _mPanelIndex%i4%
- _mInitialParent%s%
- MouseCursor
- _mImp%o<_MouseCursorImp>%
- EditField
- Event_CreatePane%%o
- !ToggleSelectionBold%%o
- &ToggleSelectionUnderline%%o
- #ToggleSelectionItalic%%o
- #ToggleSelectionShadow%%o
- \$ToggleSelectionOutline%%o
- %ToggleSelectionCondense%%o
- #ToggleSelectionExtend%%o
- SetTextAndStyle%%oss
- setString%%os
- @styledTextPrinter%o%ooi4
- ScrollPosition%i4%o
- ScrollPositionX%i4%o
- "LineNumAtCharPos%i4%oi4
- "CharPosAtLineNum%i4%oi4
- CharPosAtXY%i4%oi4i4
- \$InsertionPosAtXY%i4%oi4i4
- Copy%%o
- Paste%%o
- SelectAll%%o
- AppendText%%os
- =ScrollPositionX%%oi4
- =ScrollPosition%%oi4
- _MouseDown%b%oi4i4
- _MouseDrag%%oi4i4
- _MouseUp%%oi4i4
- _LostFocus%%o
- _GotFocus%%o
- _CallSelChange%%o
- _CallTextChange%%o
- __DependencyList%%o
- SelChange
- TextChange
- ValidationError
- TextStyleData%s%
- Border%b%
- MultiLine%b%
- ReadOnly%b%
- Password%b%
- Styled%b%
- ScrollBarHorizontal%b%
- ScrollBarVertical%b%
- ScrollBar%b%
- TextFont%s%
- TextSize%i4%
- SelStart%i4%
- SelLength%i4%
- SelText%s%
- LimitText%i4%
- SelBold%b%
- SelUnderline%b%
- SelItalic%b%
- SelOutline%b%
- SelShadow%b%
- SelCondense%b%

- SelExtend%b%
- SelPlain%b%
- SelTextFont%s%
- SelTextSize%i4%
- SelTextColor%c%
- LiveUpdate%b%
- DataSource%s%
- DataField%s%
- SelAlignment%i4%
- Format%s%
- FormattedText%s%
- Mask%s%
- StyledText%o%
- _MouseEvents
- _FocusEvents
- _PaneChild
- CreateImp%%o<_Pane>
- Destructor%%o<_Pane>
- HandleGotFocus%%o<_Pane>
- HandleLostFocus%%o<_Pane>
- AcceptFocus%b%o<_Pane>&b
- HandleMouseDown%b%o<_Pane>i4i4
- HandleMouseDownDrag%%o<_Pane>i4i4
- HandleMouseUp%%o<_Pane>i4i4
- HandleMouseMove%%o<_Pane>i4i4
- HandleMouseEnter%%o<_Pane>
- HandleMouseExit%%o<_Pane>
- #HandleMouseWheel%b%o<_Pane>i4i4i4
- HandleKeyDown%b%o<_Pane>si4i4
- Close%%o<_Pane>
- DragEnter%b%o<_Pane>o
- DragExit%%o<_Pane>o
- "DragOver%b%o<_Pane>i4i4o
- IsRootControl%b%o<_Pane>
- Refresh%%o<_Pane>b
- RefreshRect%%o<_Pane>i4i4i4b
- Invalidate%%o<_Pane>
- InvalidateRect%%o<_Pane>i4i4i4i4
- !DrawInto%%o<_Pane>oi4i4
- HandleActivate%%o<_Pane>
- HandleDeactivate%%o<_Pane>
- &EnableMenuItems%%o<_Pane>A1o
- 'HandleMenuCommand%b%o<_Pane>o
- Constructor%%o<_Pane>o
- Handle%i4%o<_Pane>
- SetFocus%%o<_Pane>
- SuppressResizing%%o<_Pane>
- UnsuppressResizing%%o<_Pane>
- ResizeControl%%o<_Pane>
- %HonorControlLocking%%o<_Pane>i4i4i4i4
- Paint%%o<_Pane>o
- Graphics%o%o<_Pane>
- CanAcceptFocus%b%o<_Pane>&b
- ChildCount%i4%o<_Pane>
- Child%o<_Pane>%o<_Pane>i4
- EnableDisable%%o<_Pane>
- AddToParentPane%%o<_Pane>
- Open%%o<_Pane>
- mLeft%i4%
- mTop%i4%
- mWidth%i4%
- mHeight%i4%
- mVisible%b%
- mEnabled%b%
- mTabPanelVisible%b%
- mWindow%o%
- mParent%o<_Pane>%
- mChildren%A1o<_Pane>%
- mImp%o<_PaneImp>%
- Parent%o<_Pane>%
- TabPanelVisible%b%
- mControl%o%
- Control%o%
- mPanelIndex%i4%
- mMouseWasInBounds%b%

- mSuppressionLevel%i4%
- mCursor%o%
- Cursor%o%
- StaticText
- Event_CreatePane%%o
- setString%%os
- _MouseDown%b%oi4i4
- _MouseDrag%%oi4i4
- _MouseUp%%oi4i4
- __DependencyList%%o
- AcceleratorKey
- Caption%s%
- TextAlign%i4%
- Graphics
- ClearRect%%oi4i4i4i4
- DrawLine%%oi4i4i4i4
- DrawOval%%oi4i4i4i4
- DrawRect%%oi4i4i4i4
- &DrawRoundRect%%oi4i4i4i4i4
- FillOval%%oi4i4i4i4
- FillRect%%oi4i4i4i4
- &FillRoundRect%%oi4i4i4i4i4i4
- 2DrawPicture%%ooi4i4i4i4i4i4i4
- DrawString%%osi4i4i4b
- &DrawObject%%oi4i4
- StringWidth%f8%os
- StringHeight%i4%osi4
- StringDirection%i4%os
- TextHeight%i4%o
- TextAscent%i4%o
- NextPage%%o
- DrawStopIcon%%oi4i4
- DrawNotelIcon%%oi4i4
- DrawCautionIcon%%oi4i4
- Pixel%c%oi4i4
- DrawPolygon%%oA1i4
- FillPolygon%%oA1i4
- #_DrawFocusRing%%oi4i4i4i4
- Handle%i4%oi4
- =Pixel%%oi4i4c
- \$Clip%o%oi4i4i4i4
- ForeColor%c%
- Copies%i4%
- FirstPage%i4%
- LastPage%i4%
- PenWidth%i4%
- PenHeight%i4%
- UseOldRenderer%b%
- _mlmp%o<_GraphicsImp>%
- CheckBox
- Event_CreatePane%%o
- getBoolean%b%o
- setBoolean%%ob
- CaddDataNotificationReceiver%%oo
- FremoveDataNotificationReceiver%%oo
- #getBoundPart%o%os
- _CallAction%%o
- _GotFocus%%o
- _LostFocus%%o
- _MouseDown%b%oi4i4
- _MouseUp%%oi4i4
- _MouseDrag%%oi4i4
- __DependencyList%%o
- Value%b%
- State%b%
- Picture
- Picture%%oi4i4i4
- \$IndexedImage%o%oi4
- Z_LockDescription%b%o&t<_Plugins_REALpictureDescription>i4<_Plugins_PictureType>
- _UnlockDescription%%o
- Objects%o%
- Transparent%i4%
- RGBSurface%o%
- ImageCount%i4%
- Mask%o%

- HorizontalResolution%i4%
- VerticalResolution%i4%
- _mImp%o<_PictureImp>%
- Canvas
- GroupBox
- Event_CreatePane%%o
- _MouseDown%b%oi4i4
- _MouseDrag%%oi4i4
- _MouseUp%%oi4i4
- __DependencyList%%o
- PagePanel
- Event_CreatePane%%o
- Append%%o
- Insert%%oi4
- Remove%%oi4
- _CallChange%%o
- Change
- Value%i4%
- PanelCount%i4%
- TabPanel
- Caption%s%oi4
- Append%%os
- Insert%%oi4s
- Remove%%oi4
- _TabClickedOn%i4%oi4i4
- =Caption%%oi4s
- _MouseDown%b%oi4i4
- _MouseDrag%%oi4i4
- _MouseUp%%oi4i4
- _GotFocus%%o
- _LostFocus%%o
- __DependencyList%%o
- TabDefinition%s%
- Facing%i4%
- SmallTabs%b%
- Play%%o
- Stop%%o
- PlayLooping%%o
- IsPlaying%b%o
- Clone%%o%o
- Pan%i4%
- Volume%i4%
- _mImp%o<_SoundImp>%
- MovieWidth%i4%
- MovieHeight%i4%
- BaseMovieWidth%i4%
- BaseMovieHeight%i4%
- _mImp%o<_MovieImp>%
- _Object2DImp
- SetXY%%o<_Object2DImp>f8f8
- SetScale%%o<_Object2DImp>f8
- SetRotation%%o<_Object2DImp>f8
- -TransformWorldToObject%%o<_Object2DImp>&f8&f8
- Constructor%%o<_Object2DImp>
- Border%f8%
- BorderColor%c%
- BorderWidth%f8%
- Fill%f8%
- FillColor%c%
- mRotation%f8%
- mScale%f8%
- mY%f8%
- mX%f8%
- Rotation%f8%
- Scale%f8%
- _Group2DImp
- SetXY%%o<_Group2DImp>f8f8
- SetScale%%o<_Group2DImp>f8
- SetRotation%%o<_Group2DImp>f8
- mItems%A1o%
- Group2D
- Append%%oo
- Insert%%oi4o
- Item%o%oi4
- Remove%%oo

- Remove%oi4
- =Item%oi4o
- CreateImp%
- Object2D
- CreateImp%
- _mlmp%o<_Object2DImp>%
- _VariantCurrency
- 'Operator_Convert%i4%o<_VariantCurrency>
- 'Operator_Convert%u4%o<_VariantCurrency>
- 'Operator_Convert%i8%o<_VariantCurrency>
- 'Operator_Convert%u8%o<_VariantCurrency>
- &Operator_Convert%b%o<_VariantCurrency>
- 'Operator_Convert%f4%o<_VariantCurrency>
- 'Operator_Convert%f8%o<_VariantCurrency>
- &Operator_Convert%s%o<_VariantCurrency>
- &Operator_Convert%e%o<_VariantCurrency>
- \$Operator_Hash%i4%o<_VariantCurrency>
- _VariantColor
- \$Operator_Convert%i4%o<_VariantColor>
- \$Operator_Convert%u4%o<_VariantColor>
- \$Operator_Convert%i8%o<_VariantColor>
- \$Operator_Convert%u8%o<_VariantColor>
- #Operator_Convert%b%o<_VariantColor>
- \$Operator_Convert%f4%o<_VariantColor>
- \$Operator_Convert%f8%o<_VariantColor>
- #Operator_Convert%c%o<_VariantColor>
- #Operator_Convert%s%o<_VariantColor>
- !Operator_Hash%i4%o<_VariantColor>
- _VariantBoolean
- &Operator_Convert%i4%o<_VariantBoolean>
- &Operator_Convert%u4%o<_VariantBoolean>
- &Operator_Convert%i8%o<_VariantBoolean>
- &Operator_Convert%u8%o<_VariantBoolean>
- %Operator_Convert%b%o<_VariantBoolean>
- &Operator_Convert%f4%o<_VariantBoolean>
- &Operator_Convert%f8%o<_VariantBoolean>
- %Operator_Convert%c%o<_VariantBoolean>
- %Operator_Convert%s%o<_VariantBoolean>
- #Operator_Hash%i4%o<_VariantBoolean>
- _VariantDouble
- %Operator_Convert%i4%o<_VariantDouble>
- %Operator_Convert%u4%o<_VariantDouble>
- %Operator_Convert%i8%o<_VariantDouble>
- %Operator_Convert%u8%o<_VariantDouble>
- \$Operator_Convert%b%o<_VariantDouble>
- %Operator_Convert%f4%o<_VariantDouble>
- %Operator_Convert%f8%o<_VariantDouble>
- \$Operator_Convert%c%o<_VariantDouble>
- \$Operator_Convert%s%o<_VariantDouble>
- "Operator_Hash%i4%o<_VariantDouble>
- \$Operator_Convert%e%o<_VariantDouble>
- _VariantSingle
- %Operator_Convert%i4%o<_VariantSingle>
- %Operator_Convert%u4%o<_VariantSingle>
- %Operator_Convert%i8%o<_VariantSingle>
- %Operator_Convert%u8%o<_VariantSingle>
- \$Operator_Convert%b%o<_VariantSingle>
- %Operator_Convert%f4%o<_VariantSingle>
- %Operator_Convert%f8%o<_VariantSingle>
- \$Operator_Convert%c%o<_VariantSingle>
- \$Operator_Convert%s%o<_VariantSingle>
- "Operator_Hash%i4%o<_VariantSingle>
- \$Operator_Convert%e%o<_VariantSingle>
- _VariantString
- %Operator_Convert%i4%o<_VariantString>
- %Operator_Convert%u4%o<_VariantString>
- %Operator_Convert%i8%o<_VariantString>
- %Operator_Convert%u8%o<_VariantString>
- \$Operator_Convert%b%o<_VariantString>
- %Operator_Convert%f4%o<_VariantString>
- %Operator_Convert%f8%o<_VariantString>
- \$Operator_Convert%c%o<_VariantString>
- \$Operator_Convert%s%o<_VariantString>
- "Operator_Hash%i4%o<_VariantString>
- \$Operator_Convert%e%o<_VariantString>

- _VariantUInt64
- %Operator_Convert%i4%o<_VariantUInt64>
- %Operator_Convert%u4%o<_VariantUInt64>
- %Operator_Convert%i8%o<_VariantUInt64>
- %Operator_Convert%u8%o<_VariantUInt64>
- \$Operator_Convert%b%o<_VariantUInt64>
- %Operator_Convert%f4%o<_VariantUInt64>
- %Operator_Convert%f8%o<_VariantUInt64>
- \$Operator_Convert%c%o<_VariantUInt64>
- \$Operator_Convert%s%o<_VariantUInt64>
- "Operator_Hash%i4%o<_VariantUInt64>
- \$Operator_Convert%e%o<_VariantUInt64>
- _VariantInt64
- \$Operator_Convert%i4%o<_VariantInt64>
- \$Operator_Convert%u4%o<_VariantInt64>
- \$Operator_Convert%i8%o<_VariantInt64>
- \$Operator_Convert%u8%o<_VariantInt64>
- #Operator_Convert%b%o<_VariantInt64>
- \$Operator_Convert%f4%o<_VariantInt64>
- \$Operator_Convert%f8%o<_VariantInt64>
- #Operator_Convert%c%o<_VariantInt64>
- #Operator_Convert%s%o<_VariantInt64>
- !Operator_Hash%i4%o<_VariantInt64>
- #Operator_Convert%e%o<_VariantInt64>
- _VariantInt32
- \$Operator_Convert%i4%o<_VariantInt32>
- \$Operator_Convert%u4%o<_VariantInt32>
- \$Operator_Convert%i8%o<_VariantInt32>
- \$Operator_Convert%u8%o<_VariantInt32>
- #Operator_Convert%b%o<_VariantInt32>
- \$Operator_Convert%f4%o<_VariantInt32>
- \$Operator_Convert%f8%o<_VariantInt32>
- #Operator_Convert%c%o<_VariantInt32>
- #Operator_Convert%s%o<_VariantInt32>
- !Operator_Hash%i4%o<_VariantInt32>
- #Operator_Convert%e%o<_VariantInt32>
- _VariantUInt32
- %Operator_Convert%i4%o<_VariantUInt32>
- %Operator_Convert%u4%o<_VariantUInt32>
- %Operator_Convert%i8%o<_VariantUInt32>
- %Operator_Convert%u8%o<_VariantUInt32>
- \$Operator_Convert%b%o<_VariantUInt32>
- %Operator_Convert%f4%o<_VariantUInt32>
- %Operator_Convert%f8%o<_VariantUInt32>
- \$Operator_Convert%c%o<_VariantUInt32>
- \$Operator_Convert%s%o<_VariantUInt32>
- "Operator_Hash%i4%o<_VariantUInt32>
- \$Operator_Convert%e%o<_VariantUInt32>
- Window1.Window1
- Layout%%o
- "CreateControls%%o
- \$_CreateControls0%%o
- 'EditField1_GotFocus%%o
-)EditField1_TextChange%%o
- (EditField1_KeyDown%b%os
- (EditField1_LostFocus%%o
- 'EditField2_GotFocus%%o
-)EditField2_TextChange%%o
- (EditField2_KeyDown%b%os
- 'EditField3_GotFocus%%o
-)EditField3_TextChange%%o
- (EditField3_KeyDown%b%os
- \$CheckBox1_Action%%o
- \$CheckBox2_Action%%o
- .AddMenuHandlers%%oo
- Event_Open%%o
- Event_Close%%o
- Calc%%o
- Placement
- Width
- Height
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight

- Frame
- Composite
- HasBackColor
- BackColor
- Title
- Reverse TaxVisible
- FullScreen
- MenuBarVisible
- CloseButton
- Resizable
- LiveResize
- MaximizeButton
- MinimizeButton
- BalloonHelp
- MacProcID
- GroupBox1
- GroupBox1Index
- Width
- Height
- PLockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Caption
- TotalEnabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- InitialParent
- EditField1
- EditField1Index
- Width
- qHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Border
- Multiline
- ScrollbarHorizontal
- ScrollbarVertical
- Styled
- Password
- UseFocusRing
- TextColor
- BackColor
- Enabled
- Format
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- 0.00Mask
- ReadOnly
- LimitText
- AcceptTabs
- Alignment
- DataSource
- DataField
- InitialParent
- GroupBox1
- (String) as Boolean
- EditField2
- EditField2Index
- \$Width
- Height

- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Border
- Multiline
- ScrollbarHorizontal
- ScrollbarVertical
- Styled
- Password
- UseFocusRing
- TextColor
- BackColor
- Enabled
- Format
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- 5Mask
- ReadOnly
- LimitText
- AcceptTabs
- Alignment
- DataSource
- DataField
- InitialParent
- GroupBox1
- EditField3
- EditField3Index
- 7Width
- Height
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Border
- Multiline
- ScrollbarHorizontal
- ScrollbarVertical
- Styled
- Password
- UseFocusRing
- TextColor
- BackColor
- Enabled
- Format
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- 7Mask
- ReadOnly
- LimitText
- AcceptTabs
- Alignment
- DataSource
- DataField
- InitialParent
- GroupBox1
- CheckBox1
- CheckBox1Index
- \$Width
- RHeight
- LockLeft
- LockTop
- LockRight

- LockBottom
- TabPanelIndex
- Caption
- Includes GSTEnabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- Value
- DataSource
- DataField
- InitialParent
- GroupBox1
- CheckBox2
- CheckBox2Index
- :Width
- RHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Caption
- Includes PSTEnabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- Value
- DataSource
- DataField
- InitialParent
- GroupBox1
- GroupBox2
- GroupBox2Index
- RWidth
- Height
- FLockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Caption
- SeparatedEnabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- InitialParent
- StaticText1
- StaticText1Index
- eWidth
- dHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- Sub-Total:TextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont

- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- StaticText2
- StaticText2Index
- tWidth
- dHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- GST:TextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- StaticText3
- StaticText3Index
- Width
- dHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- PST:TextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- Label6
- Label6Index
- `Width
- dHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- UntitledTextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent

- Label7
- Label7Index
- pWidth
- dHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- UntitledTextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- Label8
- Label8Index
- Width
- dHeight
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- UntitledTextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- StaticText4
- StaticText4Index
- Width
- \$Height
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- TOTALTextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- GroupBox1
- StaticText5
- StaticText5Index
- (Width
- \$Height
- LockLeft

- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- GST %TextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- GroupBox1
- StaticText6
- StaticText6Index
-
- \$Height
- LockLeft
- LockTop
- LockRight
- LockBottom
- TabPanelIndex
- PST %TextAlign
- TextColor
- Multiline
- Enabled
- Visible
- HelpTag
- AutoDeactivate
- TextFont
- SystemTextSize
- Italic
- Underline
- DataSource
- DataField
- InitialParent
- GroupBox1
- #####0.00
- #####0.00
- _dyldmakedelayedmoduleinitializercalls
- _% main
- __InitFileTypes
- __NewAppInstance
- __ApplicationAddMenuHandlers
- __MakeDefaultView
- __Main
- *REALbasic*.GetImplicitWindow%o%s
- _REALbasic.Quit%i4
- _REALbasic.Break
- _REALbasic.EnableMenuItems
- _REALbasic.Len%i4%s
- _REALbasic.Asc%i4%s
- _REALbasic.Val%f8%
- _REALbasic.Cos%f8%f8
- _REALbasic.Sin%f8%f8
- _REALbasic.Round%f8%f8
- _REALbasic.Format%s%f8s
- _REALbasic.InStr%i4%i4ss
- *REALbasic*.SetProperties%o%s
- *REALbasic*.UnhandledException%o
- *REALbasic*.InstallInstanceEventHandler%osp
- *REALbasic*.RuntimeRun
- *REALbasic*.RuntimeRegisterAppObject%o
- *REALbasic*.InitPluginEntrypoints
- *REALbasic*.GetAppObject%o
- *REALbasic*.RuntimeInitExternalClasses
- *REALbasic*.mImplicitWindowList.__Exit
- *DragItem*._Lookup%x%
- *DragItem*._ctblinit

- *DragItem._Exit%*%o
- *DragItem._Init%*%o
- *_DragItem.TextAvailable%*b%o
- *_DragItem.PictureAvailable%*b%o
- *_DragItem.Drag%*%o
- *_DragItem.FolderItemAvailable%*b%o
- *_DragItem.MacDataAvailable%*b%os
- *_DragItem.RawDataAvailable%*b%os
- *_DragItem.MacData%*s%os
- *_DragItem.RawData%*s%os
- *_DragItem.PrivateMacData%*s%os
- *_DragItem.PrivateRawData%*s%os
- *_DragItem.NextItem%*b%o
- *_DragItem.AddItem%*oi4i4i4i4
- *_DragItem.=PrivateRawData%*%oss
- *_DragItem.=PrivateMacData%*%oss
- *_DragItem.=RawData%*%oss
- *_DragItem.=MacData%*%oss
- *_DragItem.Text.Get%*s%oi4
- *_DragItem.Text.Set%*%oi4s
- *_DragItem.Picture.Get%*o%oi4
- *_DragItem.Picture.Set%*%oi4o
- *_DragItem.FolderItem.Get%*o%oi4
- *_DragItem.FolderItem.Set%*%oi4o
- *_DragItem.MouseCursor.Get%*o%oi4
- *_DragItem.MouseCursor.Set%*%oi4o
- *_DragItem.DropLeft.Get%*i4%oi4
- *_DragItem.DropLeft.Set%*%oi4i4
- *_DragItem.DropTop.Get%*i4%oi4
- *_DragItem.DropTop.Set%*%oi4i4
- *_DragItem.DropWidth.Get%*i4%oi4
- *_DragItem.DropWidth.Set%*%oi4i4
- *_DragItem.DropHeight.Get%*i4%oi4
- *_DragItem.DropHeight.Set%*%oi4i4
- *_DragItem.Destination.Get%*o%oi4
- *_DragItem.Handle.Get%*i4%oi4
- *Window_Lookup%*x%
- *Window_ctblinit*
- *Window._Exit%*%o
- *Window._Init%*%o
- *_Window.Show%*%o
- *_Window.ShowWithin%*%ooi4
- *_Window.ShowModalWithin%*%oo
- *_Window.Hide%*%o
- *_Window.Close%*%o
- *_Window.Refresh%*%ob
- *_Window.RefreshRect%*oi4i4i4i4b
- *_Window.ShowModal%*%o
- *_Window.NewDragItem%*o%oi4i4i4i4
- *_Window.AcceptTextDrop%*%o
- *_Window.AcceptPictureDrop%*%o
- *_Window.AcceptFileDrop%*%os
- *_Window.AcceptMacDataDrop%*%os
- *_Window.AcceptRawDataDrop%*%os
- *_Window.Control%*o%oi4
- *_Window.SetFocus%*%o
- *_Window.DrawInto%*%ooi4i4b
- *WindowDrawBackground%*%ooi4i4i4i4i4
- *_Window.UpdateNow%*%o
- *WindowAddControl%*%oso
- *WindowAddMenuHandler%*%osp
- *_Window.Window%*%o
- *WindowOperatorConvert%*?%o
- *Window._New%*o%ox
- *WindowMove%*%oi4i4i4i4
- *_Window.Maximize%*%o
- *_Window.Minimize%*%o
- *_Window.Restore%*%o
- *WindowUpdate%*%o
- *_RuntimeWindowControlByName*
- *WindowCallMoved%*%o
- *WindowEnableMenuItems%*%oA1o
- *_RuntimeSwapSelfAndMe*
- *WindowCallActivated%*%o

- *Window*.CallDeactivated%%o
- *Window*.HandleMenuCommand%b%oo
- *Window*.UnifiedClose%b%ob
- *Window*.CallMouseDown%b%oi4i4
- *Window*.CallResized%%o
- *Window*.CallResizing%%o
- *Window*.RemoveControl%%oo
- *Window*.MouseEnter%%o
- *Window*.MouseExit%%o
- *Window*.MouseMove%%oi4i4
- *Window*.Paint%%oo
- *Window*.MouseWheel%b%oi4i4i4i4
- *Window*.KeyDown%b%os
- *Window*._DependencyList%%o
- *_Window*.Visible.Get%b%oi4
- *_Window*.Visible.Set%%oi4b
- *_Window*.Left.Get%i4%oi4
- *_Window*.Left.Set%%oi4i4
- *_Window*.Top.Get%i4%oi4
- *_Window*.Top.Set%%oi4i4
- *_Window*.Width.Get%i4%oi4
- *_Window*.Width.Set%%oi4i4
- *_Window*.Height.Get%i4%oi4
- *_Window*.Height.Set%%oi4i4
- *_Window*.Placement.Get%i4%oi4
- *_Window*.Placement.Set%%oi4i4
- *_Window*.Title.Get%s%oi4
- *_Window*.Title.Set%%oi4s
- *_Window*.FullScreen.Get%b%oi4
- *_Window*.FullScreen.Set%%oi4b
- *_Window*.MenuBarVisible.Get%b%oi4
- *_Window*.MenuBarVisible.Set%%oi4b
- *_Window*.CloseBox.Get%b%oi4
- *_Window*.CloseBox.Set%%oi4b
- *_Window*.CloseButton.Get%b%oi4
- *_Window*.CloseButton.Set%%oi4b
- *_Window*.Growlcon.Get%b%oi4
- *_Window*.Growlcon.Set%%oi4b
- *_Window*.Resizeable.Get%b%oi4
- *_Window*.Resizeable.Set%%oi4b
- *_Window*.Zoomlcon.Get%b%oi4
- *_Window*.Zoomlcon.Set%%oi4b
- *_Window*.MaximizeButton.Get%b%oi4
- *_Window*.MaximizeButton.Set%%oi4b
- *_Window*.MinimizeButton.Get%b%oi4
- *_Window*.MinimizeButton.Set%%oi4b
- *_Window*.Frame.Get%i4%oi4
- *_Window*.Frame.Set%%oi4i4
- *_Window*.Composite.Get%b%oi4
- *_Window*.Composite.Set%%oi4b
- *_Window*.LiveResize.Get%b%oi4
- *_Window*.LiveResize.Set%%oi4b
- *_Window*.Backdrop.Get%o%oi4
- *_Window*.Backdrop.Set%%oi4o
- *_Window*.Graphics.Get%o%oi4
- *_Window*.Graphics.Set%%oi4o
- *_Window*.HasBackColor.Get%b%oi4
- *_Window*.HasBackColor.Set%%oi4b
- *_Window*.BackColor.Get%c%oi4
- *_Window*.BackColor.Set%%oi4c
- *_Window*.BalloonHelp.Get%s%oi4
- *_Window*.BalloonHelp.Set%%oi4s
- *_Window*.MinWidth.Get%i4%oi4
- *_Window*.MinWidth.Set%%oi4i4
- *_Window*.MinHeight.Get%i4%oi4
- *_Window*.MinHeight.Set%%oi4i4
- *_Window*.MaxWidth.Get%i4%oi4
- *_Window*.MaxWidth.Set%%oi4i4
- *_Window*.MaxHeight.Get%i4%oi4
- *_Window*.MaxHeight.Set%%oi4i4
- *_Window*.MacProclId.Get%i4%oi4
- *_Window*.MacProclId.Set%%oi4i4
- *_Window*.MouseCursor.Get%o%oi4
- *_Window*.MouseCursor.Set%%oi4o
- *_Window*.ControlCount.Get%i4%oi4

- `_Window.FloaterProcess.Get%``s%i4`
- `_Window.FloaterProcess.Set%``%i4s`
- `_Window.MouseX.Get%``i4%i4`
- `_Window.MouseY.Get%``i4%i4`
- `_Window.MacWindowPtr.Get%``i4%i4`
- `_Window.WinHWND.Get%``i4%i4`
- `_Window.Handle.Get%``i4%i4`
- `_Window.DockItem.Get%``o%i4`
- `_Window.DockItem.Set%``%i4o`
- `_Window.MenuBar.Get%``o%i4`
- `_Window.MenuBar.Set%``%i4o`
- `_Window.Focus.Get%``o%i4`
- `_Window.Focus.Set%``%i4o`
- **WindowSupport.Windows.Init**
- **WindowSupport.Windows.Exit**
- *MemoryBlock*.`_Lookup%``x%`
- *MemoryBlock*.`_ctblinit`
- *MemoryBlock*.`_Exit%``%o`
- *MemoryBlock*.`_Init%``%o`
- `_MemoryBlock.Long%``i4%i4`
- `_MemoryBlock.Ptr%``o%i4`
- `_MemoryBlock.Short%``i4%i4`
- `_MemoryBlock.UShort%``i4%i4`
- `_MemoryBlock.Byte%``i4%i4`
- `_MemoryBlock.PString%``s%i4`
- `_MemoryBlock.CString%``s%i4`
- `_MemoryBlock.WString%``s%i4`
- `_MemoryBlock.SingleValue%``f8%i4`
- `_MemoryBlock.DoubleValue%``f8%i4`
- `_MemoryBlock.=StringValue%``%i4i4s`
- `_MemoryBlock.StringValue%``s%i4i4o`
- `_MemoryBlock.BooleanValue%``b%i4`
- `_MemoryBlock.ColorValue%``c%i4i4`
- `_MemoryBlock.MemoryBlock%``%i4`
- *MemoryBlock*.`OperatorConvert%``s%o`
- *MemoryBlock*.`OperatorConvert%``%os`
- *MemoryBlock*.`OperatorAdd%``o%oo`
- *MemoryBlock*.`OperatorCompare%``i4%oo`
- *MemoryBlock*.`OperatorConvert%``p%o`
- *MemoryBlock*.`OperatorConvert%``%op`
- `_MemoryBlock.LeftB%``o%i4`
- `_MemoryBlock.MidB%``o%i4`
- `_MemoryBlock.MidB%``o%i4i4`
- `_MemoryBlock.RightB%``o%i4`
- `_MemoryBlock.=ColorValue%``%i4i4c`
- `_MemoryBlock.=BooleanValue%``%i4b`
- `_MemoryBlock.=DoubleValue%``%i4f8`
- `_MemoryBlock.=SingleValue%``%i4f8`
- `_MemoryBlock.=WString%``%i4s`
- `_MemoryBlock.=CString%``%i4s`
- `_MemoryBlock.=PString%``%i4s`
- `_MemoryBlock.=Byte%``%i4i4`
- `_MemoryBlock.=UShort%``%i4i4`
- `_MemoryBlock.=Short%``%i4i4`
- `_MemoryBlock.=Ptr%``%i4o`
- `_MemoryBlock.=Long%``%i4i4`
- `_MemoryBlock.=Int32Value%``%i4i4`
- `_MemoryBlock.Int32Value%``i4%i4`
- `_MemoryBlock.=Int8Value%``%i4i1`
- `_MemoryBlock.=Int16Value%``%i4i2`
- `_MemoryBlock.=Int64Value%``%i4i8`
- `_MemoryBlock.Int8Value%``i1%i4`
- `_MemoryBlock.Int16Value%``i2%i4`
- `_MemoryBlock.Int64Value%``i8%i4`
- `_MemoryBlock.=UInt8Value%``%i4u1`
- `_MemoryBlock.=UInt16Value%``%i4u2`
- `_MemoryBlock.=UInt32Value%``%i4u4`
- `_MemoryBlock.=UInt64Value%``%i4u8`
- `_MemoryBlock.UInt8Value%``u1%i4`
- `_MemoryBlock.UInt16Value%``u2%i4`
- `_MemoryBlock.UInt32Value%``u4%i4`
- `_MemoryBlock.UInt64Value%``u8%i4`
- `_MemoryBlock.CurrencyValue%``e%i4`
- `_MemoryBlock.=CurrencyValue%``%i4e`
- `_MemoryBlock.LittleEndian.Get%``%b%i4`

- `_MemoryBlock.LittleEndian.Set%%oi4b`
- `_MemoryBlock.Size.Get%i4%oi4`
- `_MemoryBlock.Size.Set%%oi4i4`
- `Date._Lookup%x%`
- `Date._ctblinit`
- `Date._Exit%%o`
- `Date._Init%%o`
- `Date.OperatorCompare%i4%oo`
- `_Date.Constructor%%o`
- `_Date.Constructor%%oo`
- `_Date.Year.Get%i4%oi4`
- `_Date.Year.Set%%oi4i4`
- `_Date.Month.Get%i4%oi4`
- `_Date.Month.Set%%oi4i4`
- `_Date.Day.Get%i4%oi4`
- `_Date.Day.Set%%oi4i4`
- `_Date.Hour.Get%i4%oi4`
- `_Date.Hour.Set%%oi4i4`
- `_Date.Minute.Get%i4%oi4`
- `_Date.Minute.Set%%oi4i4`
- `_Date.Second.Get%i4%oi4`
- `_Date.Second.Set%%oi4i4`
- `_Date.DayOfWeek.Get%i4%oi4`
- `_Date.DayOfYear.Get%i4%oi4`
- `_Date.WeekOfYear.Get%i4%oi4`
- `_Date.ShortDate.Get%s%oi4`
- `_Date.LongDate.Get%s%oi4`
- `_Date.AbbreviatedDate.Get%s%oi4`
- `_Date.ShortTime.Get%s%oi4`
- `_Date.LongTime.Get%s%oi4`
- `_Date.TotalSeconds.Get%f8%oi4`
- `_Date.TotalSeconds.Set%%oi4f8`
- `_Date.SQLDate.Get%s%oi4`
- `_Date.SQLDate.Set%%oi4s`
- `_Date.SQLDateTime.Get%s%oi4`
- `_Date.SQLDateTime.Set%%oi4s`
- `_Date.GMTOffset.Get%f8%oi4`
- `_Date.GMTOffset.Set%%oi4f8`
- `SocketCore._Lookup%x%`
- `SocketCore._ctblinit`
- `_SocketCore.Close%%o`
- `_SocketCore.Poll%%o`
- `_SocketCore.Purge%%o`
- `_SocketCore.Connect%%o`
- `SocketCore._DependencyList%%o`
- `_SocketCore.Port.Get%i4%oi4`
- `_SocketCore.Port.Set%%oi4i4`
- `_SocketCore.LocalAddress.Get%s%oi4`
- `_SocketCore.LastErrorCode.Get%i4%oi4`
- `_SocketCore.IsConnected.Get%b%oi4`
- `_SocketCore.NetworkInterface.Get%o%oi4`
- `_SocketCore.NetworkInterface.Set%%oi4o`
- `_SocketCore.Handle.Get%i4%oi4`
- `NetworkInterface._Lookup%x%`
- `NetworkInterface._ctblinit`
- `_NetworkInterface.MACAddress.Get%s%oi4`
- `_NetworkInterface.IPAddress.Get%s%oi4`
- `_NetworkInterface.SubnetMask.Get%s%oi4`
- **`MenuBarInstaller.Lookup%x%`**
- **`MenuBarInstaller.ctblinit`**
- `MenuBar._Lookup%x%`
- `MenuBar._ctblinit`
- `MenuBar._Init%%o`
- `MenuBar.InstallClone%%oo`
- `MenuItem._Lookup%x%`
- `MenuItem._ctblinit`
- `MenuItem._Exit%%o`
- `MenuItem._Init%%o`
- `_MenuItem.Enable%%o`
- `_MenuItem.Close%%o`
- `_MenuItem.Item%o%oi4`
- `_MenuItem.Count%i4%o`
- `_MenuItem.Child%o%os`
- `_MenuItem.Append%%oo`

- `_MenuItem.Insert%%oi4o`
- `_MenuItem.Remove%%oi4`
- `_MenuItem.Remove%%oo`
- `_MenuItem.Remove%%os`
- `MenuItem.Lookup%o%os`
- `MenuItem.Lookup%o%osi4`
- `_MenuItem.MenuItem%%o`
- `_MenuItem.MenuItem%%osv`
- `_MenuItem.PopUp%o%o`
- `_MenuItem.PopUp%o%oi4i4`
- `MenuItem.Swap%%oso`
- `MenuItem.DisableEntirely%%o`
- `MenuItem.SelfEnable%%o`
- `_MenuItem.Name.Get%s%oi4`
- `_MenuItem.Name.Set%%oi4s`
- `_MenuItem.Index.Get%i4%oi4`
- `_MenuItem.Index.Set%%oi4i4`
- `_MenuItem.Tag.Get%v%oi4`
- `_MenuItem.Tag.Set%%oi4v`
- `_MenuItem.BalloonHelp.Get%s%oi4`
- `_MenuItem.BalloonHelp.Set%%oi4s`
- `_MenuItem.DisabledBalloonHelp.Get%s%oi4`
- `_MenuItem.DisabledBalloonHelp.Set%%oi4s`
- `_MenuItem.Text.Get%s%oi4`
- `_MenuItem.Text.Set%%oi4s`
- `_MenuItem.Checked.Get%b%oi4`
- `_MenuItem.Checked.Set%%oi4b`
- `_MenuItem.Enabled.Get%b%oi4`
- `_MenuItem.Enabled.Set%%oi4b`
- `_MenuItem.Visible.Get%b%oi4`
- `_MenuItem.Visible.Set%%oi4b`
- `_MenuItem.CommandKey.Get%s%oi4`
- `_MenuItem.CommandKey.Set%%oi4s`
- `_MenuItem.KeyboardShortcut.Get%s%oi4`
- `_MenuItem.KeyboardShortcut.Set%%oi4s`
- `_MenuItem.Icon.Get%o%oi4`
- `_MenuItem.Icon.Set%%oi4o`
- `MenuItem.Bold.Get%b%oi4`
- `MenuItem.Bold.Set%%oi4b`
- `MenuItem.Italic.Get%b%oi4`
- `MenuItem.Italic.Set%%oi4b`
- `MenuItem.Underline.Get%b%oi4`
- `MenuItem.Underline.Set%%oi4b`
- `_MenuItem.AutoEnable.Get%b%oi4`
- `_MenuItem.AutoEnable.Set%%oi4b`
- `PrefsMenuItem._Lookup%x%`
- `PrefsMenuItem._ctblinit`
- `PrefsMenuItem.EventAction%b%o`
- `AppleMenuItem._Lookup%x%`
- `AppleMenuItem._ctblinit`
- `FunctionNotFoundException._Lookup%x%`
- `FunctionNotFoundException._ctblinit`
- `OutOfBoundsException._Lookup%x%`
- `OutOfBoundsException._ctblinit`
- `ThreadEndException._Lookup%x%`
- `ThreadEndException._ctblinit`
- `RuntimeException._Lookup%x%`
- `RuntimeException._ctblinit`
- `RuntimeException._Exit%%o`
- `RuntimeException._Init%%o`
- `_RuntimeException.Stack%A1s%o`
- `_RuntimeException.Message.Get%s%oi4`
- `_RuntimeException.Message.Set%%oi4s`
- `_RuntimeException.ErrorNumber.Get%i4%oi4`
- `_RuntimeException.ErrorNumber.Set%%oi4i4`
- `NilObjectException._Lookup%x%`
- `NilObjectException._ctblinit`
- `IllegalCastException._Lookup%x%`
- `IllegalCastException._ctblinit`
- `AppleEventObjectSpecifier._Lookup%x%`
- `AppleEventObjectSpecifier._ctblinit`
- `AppleEventObjectSpecifier._Exit%%o`
- `ResourceFork._Lookup%x%`
- `ResourceFork._ctblinit`

- *ResourceFork._Exit*%%o
- *_ResourceFork.Close*%%o
- *_ResourceFork.ResourceType*%s%oi4
- *_ResourceFork.GetResource*%s%osi4
- *_ResourceFork.GetNamedResource*%s%oss
- *_ResourceFork.ResourceCount*%i4%os
- *_ResourceFork.ResourceID*%i4%osi4
- *_ResourceFork.ResourceName*%s%osi4
- *_ResourceFork.AddResource*%%ossi4s
- *_ResourceFork.RemoveResource*%%osi4
- *_ResourceFork.AddPicture*%%ooi4s
- *_ResourceFork.GetPicture*%o%oi4
- *_ResourceFork.GetNamedPicture*%o%os
- *_ResourceFork.Getcicn*%o%oi4
- *_ResourceFork.Geticl*%o%oi4
- *_ResourceFork.Getics*%o%oi4
- *_ResourceFork.setCursor*%o%oi4
- *_ResourceFork.GetSound*%o%oi4
- *_ResourceFork.GetHandle*%i4%osi4
- *_ResourceFork.ReleaseHandle*%%oi4
- *_ResourceFork.ResourceLocked*%b%osi4
- *_ResourceFork.ResourceProtected*%b%osi4
- *_ResourceFork.ResourcePreload*%b%osi4
- *_ResourceFork.ResourcePurgeable*%b%osi4
- *_ResourceFork.ResourceSysHeap*%b%osi4
- *_ResourceFork.=ResourceSysHeap*%%osi4b
- *_ResourceFork.=ResourcePurgeable*%%osi4b
- *_ResourceFork.=ResourcePreload*%%osi4b
- *_ResourceFork.=ResourceProtected*%%osi4b
- *_ResourceFork.=ResourceLocked*%%osi4b
- *_ResourceFork.TypeCount.Get*%i4%oi4
- *DockItem._Lookup*%x%
- *DockItem._ctblinit*
- *DockItem._Exit*%%o
- *DockItem._Init*%%o
- *_DockItem.ResetIcon*%%o
- *_DockItem.UpdateNow*%%o
- *_DockItem.Graphics.Get*%o%oi4
- *_DockItem.Graphics.Set*%%oi4o
- *AppleEventRecord._Lookup*%x%
- *AppleEventRecord._ctblinit*
- *AppleEventRecord._Exit*%%o
- *AppleEventRecord._Init*%%o
- *_AppleEventRecord.IntegerParam*%i4%os
- *_AppleEventRecord.SingleParam*%f4%os
- *_AppleEventRecord.DoubleParam*%f8%os
- *_AppleEventRecord.BooleanParam*%b%os
- *_AppleEventRecord.StringParam*%s%os
- *_AppleEventRecord.MacTypeParam*%s%os
- *_AppleEventRecord.EnumeratedParam*%s%os
- *_AppleEventRecord.FolderItemParam*%o%os
- *_AppleEventRecord.DescListParam*%o%os
- *_AppleEventRecord.ObjectSpecifierParam*%o%os
- *_AppleEventRecord.RecordParam*%o%os
- *_AppleEventRecord.SetNullParam*%%os
- *_AppleEventRecord.LoadFromTemplate*%%oo
- *_AppleEventRecord.=RecordParam*%%oso
- *_AppleEventRecord.=ObjectSpecifierParam*%%oso
- *_AppleEventRecord.=DescListParam*%%oso
- *_AppleEventRecord.=FolderItemParam*%%oso
- *_AppleEventRecord.=EnumeratedParam*%%oss
- *_AppleEventRecord.=MacTypeParam*%%oss
- *_AppleEventRecord.=StringParam*%%oss
- *_AppleEventRecord.=BooleanParam*%%osb
- *_AppleEventRecord.=DoubleParam*%%osf8
- *_AppleEventRecord.=SingleParam*%%osf4
- *_AppleEventRecord.=IntegerParam*%%osi4
- *AppleEvent._Lookup*%x%
- *AppleEvent._ctblinit*
- *AppleEvent._Exit*%%o
- *_AppleEvent.IntegerParam*%i4%os
- *_AppleEvent.SingleParam*%f4%os
- *_AppleEvent.DoubleParam*%f8%os
- *_AppleEvent.BooleanParam*%b%os
- *_AppleEvent.StringParam*%s%os

- `_AppleEvent.MacTypeParam%%s%os`
- `_AppleEvent.EnumeratedParam%%s%os`
- `_AppleEvent.FolderItemParam%o%os`
- `_AppleEvent.DescListParam%o%os`
- `_AppleEvent.ObjectSpecifierParam%o%os`
- `_AppleEvent.RecordParam%o%os`
- `_AppleEvent.SetNullParam%%os`
- `_AppleEvent.Send%b%o`
- `_AppleEvent.LoadFromTemplate%%oo`
- `_AppleEvent.=RecordParam%%oso`
- `_AppleEvent.=ObjectSpecifierParam%%oso`
- `_AppleEvent.=DescListParam%%oso`
- `_AppleEvent.=FolderItemParam%%oso`
- `_AppleEvent.=EnumeratedParam%%oss`
- `_AppleEvent.=MacTypeParam%%oss`
- `_AppleEvent.=StringParam%%oss`
- `_AppleEvent.=BooleanParam%%osb`
- `_AppleEvent.=DoubleParam%%osf8`
- `_AppleEvent.=SingleParam%%osf4`
- `_AppleEvent.=IntegerParam%%osi4`
- `_AppleEvent.ReplyString.Get%%s%oi4`
- `_AppleEvent.ReplyString.Set%%oi4s`
- `_AppleEvent.ReplyBoolean.Get%b%oi4`
- `_AppleEvent.ReplyBoolean.Set%%oi4b`
- `_AppleEvent.ReplyInteger.Get%i4%oi4`
- `_AppleEvent.ReplyInteger.Set%%oi4i4`
- `_AppleEvent.ReplyEnumerated.Get%%s%oi4s`
- `_AppleEvent.ReplyEnumerated.Set%%oi4s`
- `_AppleEvent.ReplyMacType.Get%%s%oi4`
- `_AppleEvent.ReplyMacType.Set%%oi4s`
- `_AppleEvent.ReplySingle.Get%f4%oi4`
- `_AppleEvent.ReplySingle.Set%%oi4f4`
- `_AppleEvent.ReplyDouble.Get%f8%oi4`
- `_AppleEvent.ReplyDouble.Set%%oi4f8`
- `_AppleEvent.ReplyFolderItem.Get%o%oi4`
- `_AppleEvent.ReplyFolderItem.Set%%oi4o`
- `_AppleEvent.ReplyObjectSpecifier.Get%o%oi4`
- `_AppleEvent.ReplyObjectSpecifier.Set%%oi4o`
- `_AppleEvent.ReplyDescList.Get%o%oi4`
- `_AppleEvent.ReplyDescList.Set%%oi4o`
- `_AppleEvent.ReplyRecord.Get%o%oi4`
- `_AppleEvent.ReplyRecord.Set%%oi4o`
- `_AppleEvent.Timeout.Get%i4%oi4`
- `_AppleEvent.Timeout.Set%%oi4i4`
- `_AppleEvent.Ptr.Get%i4%oi4`
- `_AppleEvent.ReplyPtr.Get%i4%oi4`
- `AppleEventTemplate._Lookup%x%`
- `AppleEventTemplate._ctblinit`
- `AppleEventTemplate._Exit%%o`
- `_AppleEventTemplate.=IntegerParam%%osi4`
- `_AppleEventTemplate.=StringParam%%oss`
- `_AppleEventTemplate.=FolderItemParam%%oso`
- `AppleEventDescList._Lookup%x%`
- `AppleEventDescList._ctblinit`
- `AppleEventDescList._Exit%%o`
- `AppleEventDescList._Init%%o`
- `_AppleEventDescList.IntegerItem%i4%oi4`
- `_AppleEventDescList.StringItem%s%oi4`
- `_AppleEventDescList.FolderItemItem%o%oi4`
- `_AppleEventDescList.RecordItem%o%oi4`
- `_AppleEventDescList.BooleanItem%b%oi4`
- `_AppleEventDescList.DescListItem%o%oi4`
- `_AppleEventDescList.ObjectSpecifierItem%o%oi4`
- `_AppleEventDescList.AppendInteger%%oi4`
- `_AppleEventDescList.AppendString%%os`
- `_AppleEventDescList.AppendFolderItem%%oo`
- `_AppleEventDescList.AppendRecord%%oo`
- `_AppleEventDescList.AppendBoolean%%ob`
- `_AppleEventDescList.AppendDescList%%oo`
- `_AppleEventDescList.AppendObjectSpecifier%%oo`
- `_AppleEventDescList.Count.Get%i4%oi4`
- `dataNotificationReceiver._Lookup%x%`
- `dataNotificationReceiver._ctblinit`
- `dataNotifier._Lookup%x%`
- `dataNotifier._ctblinit`

- *StringInterface*._Lookup%x%
- *StringInterface*._ctblinit
- *BooleanProvider*._Lookup%x%
- *BooleanProvider*._ctblinit
- *bindingPartInterface*._Lookup%x%
- *bindingPartInterface*._ctblinit
- *Thread*._Lookup%x%
- *Thread*._ctblinit
- *Thread*._Init%%o
- *_Thread*.Run%%o
- *_Thread*.Suspend%%o
- *_Thread*.Resume%%o
- *_Thread*.Sleep%%oi4b
- *_Thread*.Kill%%o
- *_Thread*.StackSize.Get%i4%oi4
- *_Thread*.StackSize.Set%%oi4i4
- *_Thread*.ThreadID.Get%i4%oi4
- *_Thread*.Priority.Get%i4%oi4
- *_Thread*.Priority.Set%%oi4i4
- *_Thread*.State.Get%i4%oi4
- *FolderItem*._Lookup%x%
- *FolderItem*._ctblinit
- *FolderItem*._Exit%%o
- *_FolderItem*.FolderItem%%o
- *_FolderItem*.FolderItem%%osi4
- *_FolderItem*.FolderItem%%oo
- *_FolderItem*.Item%o%oi4
- *_FolderItem*.TrueItem%o%oi4
- *_FolderItem*.Child%o%os
- *_FolderItem*.TrueChild%o%os
- *_FolderItem*.OpenAsTextFile%o%o
- *_FolderItem*.AppendToTextFile%o%o
- *_FolderItem*.CreateTextFile%o%o
- *_FolderItem*.CreateVirtualVolume%o%o
- *_FolderItem*.OpenAsVirtualVolume%o%o
- *_FolderItem*.OpenAsBinaryFile%o%ob
- *_FolderItem*.CreateBinaryFile%o%os
- *_FolderItem*.OpenResourceFork%o%o
- *_FolderItem*.CreateResourceFork%o%os
- *FolderItem*.OpenAsCursor%o%o
- *FolderItem*.OpenAscons%A1o%o
- *_FolderItem*.OpenAsPicture%o%o
- *_FolderItem*.OpenAsVectorPicture%o%o
- *_FolderItem*.OpenAsSound%o%o
- *_FolderItem*.OpenAsMovie%o%o
- *_FolderItem*.OpenResourceMovie%o%oi4
- *_FolderItem*.OpenStyledEditField%%oo
- *_FolderItem*.SaveStyledEditField%%oo
- *_FolderItem*.SaveAsPicture%%ooi4
- *_FolderItem*.SaveAsJPEG%%oo
- *_FolderItem*.Delete%%o
- *_FolderItem*.CreateAsFolder%%o
- *_FolderItem*.Launch%%ob
- *_FolderItem*.Launch%%osb
- *_FolderItem*.CopyFileTo%%oo
- *_FolderItem*.MoveFileTo%%oo
- *_FolderItem*.GetSaveInfo%s%ooi4
- *_FolderItem*.GetRelative%o%os
- *FolderItem*.MakeFileExecutable%%o
- *_FolderItem*.Permissions%i4%o
- *_FolderItem*.=Permissions%%oo
- *_FolderItem*.=Permissions%%oi4
- *_FolderItem*.AbsolutePath.Get%s%oi4
- *_FolderItem*.Count.Get%i4%oi4
- *_FolderItem*.Name.Get%s%oi4
- *_FolderItem*.Name.Set%%oi4s
- *_FolderItem*.DisplayName.Get%s%oi4
- *_FolderItem*.Length.Get%u8%oi4
- *_FolderItem*.ResourceForkLength.Get%i4%oi4
- *_FolderItem*.ExtensionVisible.Get%b%oi4
- *_FolderItem*.ExtensionVisible.Set%%oi4b
- *_FolderItem*.Locked.Get%b%oi4
- *_FolderItem*.Locked.Set%%oi4b
- *_FolderItem*.Exists.Get%b%oi4
- *_FolderItem*.Alias.Get%b%oi4

- `_FolderItem.Visible.Get%``b%i4`
- `_FolderItem.Visible.Set%``%i4b`
- `_FolderItem.Directory.Get%``b%i4`
- `_FolderItem.Type.Get%``s%i4`
- `_FolderItem.Parent.Get%``o%i4`
- `_FolderItem.CreationDate.Get%``o%i4`
- `_FolderItem.CreationDate.Set%``%i4o`
- `_FolderItem.ModificationDate.Get%``o%i4`
- `_FolderItem.ModificationDate.Set%``%i4o`
- `_FolderItem.MacType.Get%``s%i4`
- `_FolderItem.MacType.Set%``%i4s`
- `_FolderItem.MacCreator.Get%``s%i4`
- `_FolderItem.MacCreator.Set%``%i4s`
- `_FolderItem.DesktopFolder.Get%``o%i4`
- `_FolderItem.TrashFolder.Get%``o%i4`
- `_FolderItem.SharedTrashFolder.Get%``o%i4`
- `_FolderItem.TemporaryFolder.Get%``o%i4`
- `_FolderItem.VirtualVolume.Get%``o%i4`
- `_FolderItem.IsReadable.Get%``b%i4`
- `_FolderItem.IsWriteable.Get%``b%i4`
- `_FolderItem.LastErrorCode.Get%``i4%i4`
- `_FolderItem.LastErrorCode.Set%``%i4i4`
- `_FolderItem.MacVRefNum.Get%``i4%i4`
- `_FolderItem.MacDirID.Get%``i4%i4`
- `_FolderItem.ShellPath.Get%``s%i4`
- `_FolderItem.URLPath.Get%``s%i4`
- `_FolderItem.Group.Get%``s%i4`
- `_FolderItem.Group.Set%``%i4s`
- `_FolderItem.Owner.Get%``s%i4`
- `_FolderItem.Owner.Set%``%i4s`
- `Permissions._Lookup%``x%`
- `Permissions._ctblinit`
- `Permissions._Init%``%o`
- `_Permissions.Permissions%``%i4`
- `_Permissions.StickyBit.Get%``b%i4`
- `_Permissions.StickyBit.Set%``%i4b`
- `_Permissions.GidBit.Get%``b%i4`
- `_Permissions.GidBit.Set%``%i4b`
- `_Permissions.UidBit.Get%``b%i4`
- `_Permissions.UidBit.Set%``%i4b`
- `_Permissions.OwnerExecute.Get%``b%i4`
- `_Permissions.OwnerExecute.Set%``%i4b`
- `_Permissions.OwnerWrite.Get%``b%i4`
- `_Permissions.OwnerWrite.Set%``%i4b`
- `_Permissions.OwnerRead.Get%``b%i4`
- `_Permissions.OwnerRead.Set%``%i4b`
- `_Permissions.GroupExecute.Get%``b%i4`
- `_Permissions.GroupExecute.Set%``%i4b`
- `_Permissions.GroupWrite.Get%``b%i4`
- `_Permissions.GroupWrite.Set%``%i4b`
- `_Permissions.GroupRead.Get%``b%i4`
- `_Permissions.GroupRead.Set%``%i4b`
- `_Permissions.OthersExecute.Get%``b%i4`
- `_Permissions.OthersExecute.Set%``%i4b`
- `_Permissions.OthersWrite.Get%``b%i4`
- `_Permissions.OthersWrite.Set%``%i4b`
- `_Permissions.OthersRead.Get%``b%i4`
- `_Permissions.OthersRead.Set%``%i4b`
- `VirtualVolume._Lookup%``x%`
- `VirtualVolume._ctblinit`
- `VirtualVolume._Exit%``%o`
- `_VirtualVolume.Root.Get%``o%i4`
- `_VirtualVolume.Root.Set%``%i4o`
- `Writeable._Lookup%``x%`
- `Writeable._ctblinit`
- `TextOutputStream._Lookup%``x%`
- `TextOutputStream._ctblinit`
- `TextOutputStream:Writeable._Lookup`
- `TextOutputStream._Exit%``%o`
- `TextOutputStream._Init%``%o`
- `_TextOutputStream.WriteLine%``%os`
- `_TextOutputStream.Write%``%os`
- `_TextOutputStream.Close%``%o`
- `_TextOutputStream.Flush%``%o`

- `_TextOutputStream.WriteError%b%o`
- `_TextOutputStream.Constructor%%oi4i4`
- `_TextOutputStream.Handle%i4%oi4`
- `_TextOutputStream.Delimiter.Get%s%oi4`
- `_TextOutputStream.Delimiter.Set%%oi4s`
- `_TextOutputStream.LastErrorCode.Get%i4%oi4`
- `TextInputStream._Lookup%x%`
- `TextInputStream._ctblinit`
- `TextInputStream:Readable._Lookup`
- `TextInputStream._Exit%%o`
- `TextInputStream._Init%%o`
- `_TextInputStream.Read%s%oi4o`
- `_TextInputStream.ReadLine%s%oo`
- `_TextInputStream.ReadAll%s%oo`
- `_TextInputStream.Close%%o`
- `_TextInputStream.EOF%b%o`
- `_TextInputStream.ReadError%b%o`
- `_TextInputStream.Constructor%%oi4i4`
- `_TextInputStream.Handle%i4%oi4`
- `_TextInputStream.Encoding.Get%o%oi4`
- `_TextInputStream.Encoding.Set%%oi4o`
- `_TextInputStream.PositionB.Get%u8%oi4`
- `_TextInputStream.PositionB.Set%u8%oi4u8`
- `_TextInputStream.LastErrorCode.Get%i4%oi4`
- `Readable._Lookup%x%`
- `Readable._ctblinit`
- `BinaryStream._Lookup%x%`
- `BinaryStream._ctblinit`
- `BinaryStream:Writable._Lookup`
- `BinaryStream:Readable._Lookup`
- `BinaryStream._Exit%%o`
- `BinaryStream._Init%%o`
- `_BinaryStream.ReadByte%i4%o`
- `_BinaryStream.ReadShort%i4%o`
- `_BinaryStream.ReadLong%i4%o`
- `_BinaryStream.ReadPString%s%oo`
- `_BinaryStream.ReadSingle%f8%o`
- `_BinaryStream.ReadDouble%f8%o`
- `_BinaryStream.ReadBoolean%b%o`
- `_BinaryStream.Read%s%oi4o`
- `_BinaryStream.WriteByte%%oi4`
- `_BinaryStream.WriteShort%%oi4`
- `_BinaryStream.WriteLong%%oi4`
- `_BinaryStream.WritePString%%os`
- `_BinaryStream.WriteSingle%%of8`
- `_BinaryStream.WriteDouble%%of8`
- `_BinaryStream.WriteBoolean%%ob`
- `_BinaryStream.Write%%os`
- `_BinaryStream.Close%%o`
- `_BinaryStream.Flush%%o`
- `_BinaryStream.WriteError%b%o`
- `_BinaryStream.EOF%b%o`
- `_BinaryStream.ReadError%b%o`
- `_BinaryStream.Constructor%%os`
- `_BinaryStream.Constructor%%oo`
- `_BinaryStream.Constructor%%oi4i4`
- `_BinaryStream.Handle%i4%oi4`
- `_BinaryStream.ReadInt8%i1%o`
- `_BinaryStream.ReadInt16%i2%o`
- `_BinaryStream.ReadInt32%i4%o`
- `_BinaryStream.ReadInt64%i8%o`
- `_BinaryStream.ReadUInt8%u1%o`
- `_BinaryStream.ReadUInt16%u2%o`
- `_BinaryStream.ReadUInt32%u4%o`
- `_BinaryStream.ReadUInt64%u8%o`
- `_BinaryStream.WriteInt8%%oi1`
- `_BinaryStream.WriteInt16%%oi2`
- `_BinaryStream.WriteInt32%%oi4`
- `_BinaryStream.WriteInt64%%oi8`
- `_BinaryStream.WriteUInt8%ou1`
- `_BinaryStream.WriteUInt16%ou2`
- `_BinaryStream.WriteUInt32%ou4`
- `_BinaryStream.WriteUInt64%ou8`
- `_BinaryStream.ReadCurrency%e%o`
- `_BinaryStream.WriteCurrency%%oe`

- `_BinaryStream.LittleEndian.Get%b%oi4`
- `_BinaryStream.LittleEndian.Set%%oi4b`
- `_BinaryStream.Length.Get%u8%oi4`
- `_BinaryStream.Length.Set%%oi4u8`
- `_BinaryStream.Position.Get%u8%oi4`
- `_BinaryStream.Position.Set%%oi4u8`
- `_BinaryStream.LastErrorCode.Get%i4%oi4`
- `MDIWindow._Lookup%x%`
- `MDIWindow._ctblinit`
- `MDIWindow._Exit%%o`
- `MDIWindow._Init%%o`
- `_MDIWindow.Maximize%%o`
- `_MDIWindow.Minimize%%o`
- `_MDIWindow.Restore%%o`
- `_MDIWindow.Left.Get%i4%oi4`
- `_MDIWindow.Left.Set%%oi4i4`
- `_MDIWindow.Top.Get%i4%oi4`
- `_MDIWindow.Top.Set%%oi4i4`
- `_MDIWindow.Width.Get%i4%oi4`
- `_MDIWindow.Width.Set%%oi4i4`
- `_MDIWindow.Height.Get%i4%oi4`
- `_MDIWindow.Height.Set%%oi4i4`
- `_MDIWindow.MinWidth.Get%i4%oi4`
- `_MDIWindow.MinWidth.Set%%oi4i4`
- `_MDIWindow.MinHeight.Get%i4%oi4`
- `_MDIWindow.MinHeight.Set%%oi4i4`
- `_MDIWindow.MaxWidth.Get%i4%oi4`
- `_MDIWindow.MaxWidth.Set%%oi4i4`
- `_MDIWindow.MaxHeight.Get%i4%oi4`
- `_MDIWindow.MaxHeight.Set%%oi4i4`
- `_MDIWindow.Title.Get%s%oi4`
- `_MDIWindow.Title.Set%%oi4s`
- `_MDIWindow.Visible.Get%b%oi4`
- `_MDIWindow.Visible.Set%%oi4b`
- `_MDIWindow.Handle.Get%i4%oi4`
- `TrayItem._Lookup%x%`
- `TrayItem._ctblinit`
- `TrayItem._Exit%%o`
- `TrayItem._Init%%o`
- `TrayItem._DependencyList%%o`
- `_TrayItem.Icon.Get%o%oi4`
- `_TrayItem.Icon.Set%%oi4o`
- `_TrayItem.HelpTag.Get%s%oi4`
- `_TrayItem.HelpTag.Set%%oi4s`
- `Paragraph._Lookup%x%`
- `Paragraph._ctblinit`
- `_Paragraph.Alignment.Get%i4%oi4`
- `_Paragraph.Alignment.Set%%oi4i4`
- `Range._Lookup%x%`
- `Range._ctblinit`
- `_Range.StartPos.Get%i4%oi4`
- `_Range.StartPos.Set%%oi4i4`
- `_Range.EndPos.Get%i4%oi4`
- `_Range.Length.Get%i4%oi4`
- `_Range.Length.Set%%oi4i4`
- `TextEncoding._Lookup%x%`
- `TextEncoding._ctblinit`
- `_TextEncoding.Chr%s%oi4`
- `_TextEncoding.Equals%b%oo`
- `_TextEncoding.base.Get%i4%oi4`
- `_TextEncoding.variant.Get%i4%oi4`
- `_TextEncoding.format.Get%i4%oi4`
- `_TextEncoding.internetName.Get%s%oi4`
- `_TextEncoding.code.Get%i4%oi4`
- **Pollable.Lookup%x%**
- **Pollable.ctblinit**
- `Application._Lookup%x%`
- `Application._ctblinit`
- `Application._Exit%%o`
- `Application._Init%%o`
- `_Application.NewDocument%%o`
- `_Application.OpenDocument%%oo`
- `_Application.DoEvents%oi4`
- `Application.AddMenuHandler%%osp`

- *Application.AddPollableObject*%%oo<_Pollable>
- *Application.RemovePollableObject*%%oo<_Pollable>
- *_Application.AddTrayItem*%%oo
- *_Application.RemoveTrayItem*%%oo
- *_Application.YieldToNextThread*%%o
- *_Application.SleepCurrentThread*%%oi4
- *Application.DoSingleEvent*%%ob
- *Application.EnableMenuItems*%%oA1o
- *Application.CallOpen*%%o
- *Application.HandleMenuCommand*%b%oo
- *Application.LoadPictureFromBundle*%o%os
- *Application.LoadBundleSound*%o%os
- *Application._DependencyList*%%o
- *_Application.MouseCursor.Get*%o%oi4
- *_Application.MouseCursor.Set*%%oi4o
- *_Application.ResourceFork.Get*%o%oi4
- *_Application.ResourceFork.Set*%%oi4o
- *_Application.MDIWindow.Get*%o%oi4
- *_Application.MDIWindow.Set*%%oi4o
- *_Application.BalloonHelpVisible.Get*%b%oi4
- *_Application.BalloonHelpVisible.Set*%%oi4b
- *_Application.MajorVersion.Get*%i4%oi4
- *_Application.MinorVersion.Get*%i4%oi4
- *_Application.BugVersion.Get*%i4%oi4
- *_Application.StageCode.Get*%i4%oi4
- *_Application.NonReleaseVersion.Get*%i4%oi4
- *_Application.RegionCode.Get*%i4%oi4
- *_Application.ShortVersion.Get*%s%oi4
- *_Application.LongVersion.Get*%s%oi4
- *_Application.PackageInfo.Get*%s%oi4
- *_Application.MenuBar.Get*%o%oi4
- *_Application.MenuBar.Set*%%oi4o
- *_Application.DockItem.Get*%o%oi4
- *_Application.DockItem.Set*%%oi4o
- *_Application.AutoQuit.Get*%b%oi4
- *_Application.AutoQuit.Set*%%oi4b
- *_Application.ExecutableFile.Get*%o%oi4
- *_Application.ExecutableFile.Set*%%oi4o
- *_Application.CurrentThread.Get*%o%oi4
- *_Application.CurrentThread.Set*%%oi4o
- *Application.CurrentEventTime.Get*%i4%oi4
- *Clipboard._Lookup*%x%
- *Clipboard._ctblinit*
- *Clipboard._Exit*%%o
- *Clipboard._Init*%%o
- *_Clipboard.SetText*%%os
- *_Clipboard.Close*%%o
- *_Clipboard.TextAvailable*%b%o
- *_Clipboard.PictureAvailable*%b%o
- *_Clipboard.MacDataAvailable*%b%os
- *_Clipboard.RawDataAvailable*%b%os
- *_Clipboard.MacData*%s%os
- *_Clipboard.RawData*%s%os
- *_Clipboard.AddMacData*%%oss
- *_Clipboard.AddRawData*%%oss
- *_Clipboard.Text.Get*%s%oi4
- *_Clipboard.Text.Set*%%oi4s
- *_Clipboard.Picture.Get*%o%oi4
- *_Clipboard.Picture.Set*%%oi4o
- **ScreenImplInterface.Lookup**%x%
- **ScreenImplInterface.ctblinit**
- *Screen._Exit*
- *Screen._Lookup*%x%
- *Screen._ctblinit*
- *Screen._init*%%o
- *_Screen.Constructor*%%oi4
- *_Screen.Left.Get*%i4%oi4
- *_Screen.Top.Get*%i4%oi4
- *_Screen.Width.Get*%i4%oi4
- *_Screen.Height.Get*%i4%oi4
- *_Screen.Depth.Get*%i4%oi4
- *_Screen.AvailableLeft.Get*%i4%oi4
- *_Screen.AvailableTop.Get*%i4%oi4
- *_Screen.AvailableWidth.Get*%i4%oi4

- `_Screen.AvailableHeight.Get%``i4%i4`
- `RGBSurface._Lookup%``x%`
- `RGBSurface._ctblinit`
- `RGBSurface._Exit%%o`
- `_RGBSurface.Pixel%``c%i4i4`
- `_RGBSurface.FloodFill%%i4i4c`
- `_RGBSurface.Transform%%oA1i4`
- `_RGBSurface.Transform%%oA1i4A1i4A1i4`
- `_RGBSurface.=Pixel%%i4i4c`
- `StyleRun._Lookup%``x%`
- `StyleRun._ctblinit`
- `_StyleRun.StyleRun%%os`
- `_StyleRun.Bold.Get%``b%i4`
- `_StyleRun.Bold.Set%%i4b`
- `_StyleRun.Italic.Get%``b%i4`
- `_StyleRun.Italic.Set%%i4b`
- `_StyleRun.Underline.Get%``b%i4`
- `_StyleRun.Underline.Set%%i4b`
- `_StyleRun.TextColor.Get%``c%i4`
- `_StyleRun.TextColor.Set%%i4c`
- `_StyleRun.Size.Get%``i4%i4`
- `_StyleRun.Size.Set%%i4i4`
- `_StyleRun.Font.Get%``s%i4`
- `_StyleRun.Font.Set%%i4s`
- `_StyleRun.Text.Get%``s%i4`
- `_StyleRun.Text.Set%%i4s`
- `StyledTextPrinter._Lookup%``x%`
- `StyledTextPrinter._ctblinit`
- `StyledTextPrinter._Exit%%o`
- `_StyledTextPrinter.DrawBlock%%i4i4i4`
- `_StyledTextPrinter.EOF.Get%``b%i4`
- `_StyledTextPrinter.Width.Get%``i4%i4`
- `_StyledTextPrinter.Width.Set%%i4i4`
- `StyledText._Lookup%``x%`
- `StyledText._ctblinit`
- `StyledText._Exit%%o`
- `StyledText._Init%%o`
- `_StyledText.Text%``s%o`
- `_StyledText.Bold%``b%i4i4`
- `_StyledText.Italic%``b%i4i4`
- `_StyledText.Underline%``b%i4i4`
- `_StyledText.Font%``s%i4i4`
- `_StyledText.Size%``i4%i4i4`
- `_StyledText.TextColor%``c%i4i4`
- `_StyledText.StyleRunCount%``i4%o`
- `_StyledText.StyleRun%``o%i4`
- `_StyledText.StyleRunRange%``o%i4`
- `_StyledText.InsertStyleRun%%ooi4`
- `_StyledText.AppendStyleRun%%oo`
- `_StyledText.RemoveStyleRun%%i4`
- `_StyledText.ParagraphCount%``i4%o`
- `_StyledText.Paragraph%``o%i4`
- `_StyledText.=ParagraphAlignment%%i4i4`
- `_StyledText.=TextColor%``i4i4c`
- `_StyledText.=Size%``i4i4i4`
- `_StyledText.=Font%%i4i4s`
- `_StyledText.=Underline%%i4i4b`
- `_StyledText.=Italic%%i4i4b`
- `_StyledText.=Bold%%i4i4b`
- `_StyledText.=Text%%os`
- `EmbeddedWindowControl.MouseEvents.__Lookup`
- `EmbeddedWindowControl.FocusEvents.__Lookup`
- `EmbeddedWindowControl._Lookup%``x%`
- `EmbeddedWindowControl._ctblinit`
- `EmbeddedWindowControl.EventEnableMenuItems%%o`
- `EmbeddedWindowControl.EventLostFocus%%o`
- `EmbeddedWindowControl.EventGotFocus%%o`
- `EmbeddedWindowControl.EventKeyDown%``b%os`
- `EmbeddedWindowControl.EventMouseUp%``i4i4`
- `EmbeddedWindowControl.EventMouseDown%``i4i4`
- `EmbeddedWindowControl.EventMouseDown%``b%i4i4`
- `EmbeddedWindowControl.EventPaint%%oo`
- `EmbeddedWindowControl.EventMouseWheel%``b%i4i4i4i4`
- `EmbeddedWindowControl.EventDropObject%%ooi4`

- *EmbeddedWindowControl.EventMouseExit*%%o
- *EmbeddedWindowControl.EventMouseEnter*%%o
- *EmbeddedWindowControl.EventMouseMove*%%oi4i4
- *EmbeddedWindowControl.EventClose*%%o
- *EmbeddedWindowControl.EventOpen*%%o
- *EmbeddedWindowControl._Exit*%%o
- *EmbeddedWindowControl._Init*%%o
- *RectControl._Lookup*%x%
- *RectControl._ctblinit*
- *_RectControl.DrawInto*%%ooi4i4
- *_RectControl.Refresh*%%ob
- *_RectControl.RefreshRect*%%oi4i4i4b
- *_RectControl.SetFocus*%%o
- *_RectControl.AcceptTextDrop*%%o
- *_RectControl.AcceptPictureDrop*%%o
- *_RectControl.AcceptFileDrop*%%os
- *_RectControl.AcceptMacDataDrop*%%os
- *_RectControl.AcceptRawDataDrop*%%os
- *_RectControl.NewDragItem*%%oi4i4i4i4
- *RectControl.AddMenuHandler*%%osp
- *_RectControl.RectControl*%%o
- *RectControl.Move*%%oi4i4i4i4
- *RectControl.MouseEnter*%%o
- *RectControl.MouseExit*%%o
- *RectControl.MouseMove*%%oi4i4
- *RectControl.MouseWheel*%b%oi4i4i4i4
- *_RectControl.Invalidate*%%ob
- *_RectControl.Invalidate*%%oi4i4i4i4b
- *RectControl.KeyDown*%b%os
- *RectControl._DependencyList*%%o
- *_RectControl.HelpTag.Get*%s%oi4
- *_RectControl.HelpTag.Set*%%oi4s
- *_RectControl.BalloonHelp.Get*%s%oi4
- *_RectControl.BalloonHelp.Set*%%oi4s
- *_RectControl.DisabledBalloonHelp.Get*%s%oi4
- *_RectControl.DisabledBalloonHelp.Set*%%oi4s
- *_RectControl.MouseCursor.Get*%o%oi4
- *_RectControl.MouseCursor.Set*%%oi4o
- *_RectControl.Visible.Get*%b%oi4
- *_RectControl.Visible.Set*%%oi4b
- *_RectControl.Left.Get*%i4%oi4
- *_RectControl.Left.Set*%%oi4i4
- *_RectControl.Top.Get*%i4%oi4
- *_RectControl.Top.Set*%%oi4i4
- *_RectControl.Width.Get*%i4%oi4
- *_RectControl.Width.Set*%%oi4i4
- *_RectControl.Height.Get*%i4%oi4
- *_RectControl.Height.Set*%%oi4i4
- *_RectControl.Enabled.Get*%b%oi4
- *_RectControl.Enabled.Set*%%oi4b
- *_RectControl.Active.Get*%b%oi4
- *_RectControl.AutoDeactivate.Get*%b%oi4
- *_RectControl.AutoDeactivate.Set*%%oi4b
- *_RectControl.LockLeft.Get*%b%oi4
- *_RectControl.LockLeft.Set*%%oi4b
- *_RectControl.LockTop.Get*%b%oi4
- *_RectControl.LockTop.Set*%%oi4b
- *_RectControl.LockRight.Get*%b%oi4
- *_RectControl.LockRight.Set*%%oi4b
- *_RectControl.LockBottom.Get*%b%oi4
- *_RectControl.LockBottom.Set*%%oi4b
- *_RectControl.Parent.Get*%o%oi4
- *_RectControl.Parent.Set*%%oi4o
- *_RectControl.InitialParent.Set*%%oi4s
- *ContainerControl._Lookup*%x%
- *ContainerControl._ctblinit*
- *_ContainerControl.EmbedWithin*%%ooi4i4i4i4
- *_ContainerControl.EmbedWithin*%%ooi4i4i4i4
- *_ContainerControl.EmbedWithinPanel*%%ooi4i4i4i4i4
- *_ContainerControl.InitialParent.Set*%%oi4s
- *_ContainerControl.TabPanelIndex.Get*%i4%oi4
- *_ContainerControl.TabPanelIndex.Set*%%oi4i4
- *_ContainerControl.Parent.Get*%o%oi4
- *_ContainerControl.Parent.Set*%%oi4o

- `_ContainerControl.Window.Get%`
- `_ContainerControl.Window.Set%`
- `ContainerControl.Control.Get%`
- `ContainerControl.Control.Set%`
- `_ContainerControl.LockLeft.Get%`
- `_ContainerControl.LockLeft.Set%`
- `_ContainerControl.LockTop.Get%`
- `_ContainerControl.LockTop.Set%`
- `_ContainerControl.LockRight.Get%`
- `_ContainerControl.LockRight.Set%`
- `_ContainerControl.LockBottom.Get%`
- `_ContainerControl.LockBottom.Set%`
- `_ContainerControl.Enabled.Get%`
- `_ContainerControl.Enabled.Set%`
- `_ContainerControl.AutoDeactivate.Get%`
- `_ContainerControl.AutoDeactivate.Set%`
- `_ContainerControl.AcceptFocus.Get%`
- `_ContainerControl.AcceptFocus.Set%`
- `_ContainerControl.AcceptTabs.Get%`
- `_ContainerControl.AcceptTabs.Set%`
- `_ContainerControl.UseFocusRing.Get%`
- `_ContainerControl.UseFocusRing.Set%`
- `_ContainerControl.HelpTag.Get%`
- `_ContainerControl.HelpTag.Set%`
- `_ContainerControl.DisabledBalloonHelp.Get%`
- `_ContainerControl.DisabledBalloonHelp.Set%`
- `_ContainerControl.EraseBackground.Get%`
- `_ContainerControl.EraseBackground.Set%`
- `Control._Lookup%`
- `Control._ctblinit`
- `Control._Exit%`
- `Control._Init%`
- `_Control.Close%`
- `Control.SetWindow%`
- `Control.CallOpenEvent%`
- `_Control.Name.Get%`
- `_Control.Name.Set%`
- `_Control.Index.Get%`
- `_Control.Index.Set%`
- `_Control.TabPanelIndex.Get%`
- `_Control.TabPanelIndex.Set%`
- `_Control.PanelIndex.Get%`
- `_Control.PanelIndex.Set%`
- `_Control.MouseX.Get%`
- `_Control.MouseY.Get%`
- `_Control.Window.Get%`
- `_Control.Window.Set%`
- `_Control.Handle.Get%`
- `MouseCursor._Lookup%`
- `MouseCursor._ctblinit`
- `MouseCursor._Exit%`
- `EditField._Lookup%`
- `EditField._ctblinit`
- `EditField:StringInterface._Lookup`
- `EditField.MouseEvents.__Lookup`
- `EditField.FocusEvents.__Lookup`
- `EditField.EventCreatePane%`
- `EditField._Exit%`
- `_EditField.ToggleSelectionBold%`
- `_EditField.ToggleSelectionUnderline%`
- `_EditField.ToggleSelectionItalic%`
- `_EditField.ToggleSelectionShadow%`
- `_EditField.ToggleSelectionOutline%`
- `_EditField.ToggleSelectionCondense%`
- `_EditField.ToggleSelectionExtend%`
- `_EditField.SetTextAndStyle%`
- `_EditField.setString%`
- `_EditField.styledTextPrinter%`
- `_EditField.ScrollPosition%`
- `_EditField.ScrollPositionX%`
- `_EditField.LineNumAtCharPos%`
- `_EditField.CharPosAtLineNum%`
- `_EditField.CharPosAtXY%`
- `_EditField.InsertionPosAtXY%`

- `_EditField.Copy%%o`
- `_EditField.Paste%%o`
- `_EditField.SelectAll%%o`
- `_EditField.AppendText%%os`
- `_EditField.=ScrollPositionX%%oi4`
- `_EditField.=ScrollPosition%%oi4`
- `EditField.MouseDown%b%oi4i4`
- `EditField.MouseDrag%%oi4i4`
- `EditField.MouseUp%%oi4i4`
- `EditField.LostFocus%%o`
- `EditField.GotFocus%%o`
- `EditField.CallSelChange%%o`
- `EditField.CallTextChange%%o`
- `EditField._DependencyList%%o`
- `_EditField.Text.Get%%s%oi4`
- `_EditField.Text.Set%%oi4s`
- `_EditField.TextStyleData.Get%%s%oi4`
- `_EditField.Border.Get%b%oi4`
- `_EditField.Border.Set%%oi4b`
- `_EditField.MultiLine.Get%b%oi4`
- `_EditField.MultiLine.Set%%oi4b`
- `_EditField.ReadOnly.Get%b%oi4`
- `_EditField.ReadOnly.Set%%oi4b`
- `_EditField.Password.Get%b%oi4`
- `_EditField.Password.Set%%oi4b`
- `_EditField.Styled.Get%b%oi4`
- `_EditField.Styled.Set%%oi4b`
- `_EditField.AcceptTabs.Get%b%oi4`
- `_EditField.AcceptTabs.Set%%oi4b`
- `_EditField.TextColor.Get%c%oi4`
- `_EditField.TextColor.Set%%oi4c`
- `_EditField.BackColor.Get%c%oi4`
- `_EditField.BackColor.Set%%oi4c`
- `_EditField.ScrollBarHorizontal.Get%b%oi4`
- `_EditField.ScrollBarHorizontal.Set%%oi4b`
- `_EditField.ScrollBarVertical.Get%b%oi4`
- `_EditField.ScrollBarVertical.Set%%oi4b`
- `_EditField.ScrollBar.Get%b%oi4`
- `_EditField.ScrollBar.Set%%oi4b`
- `_EditField.TextFont.Get%%s%oi4`
- `_EditField.TextFont.Set%%oi4s`
- `_EditField.TextSize.Get%i4%oi4`
- `_EditField.TextSize.Set%%oi4i4`
- `_EditField.Bold.Get%b%oi4`
- `_EditField.Bold.Set%%oi4b`
- `_EditField.Italic.Get%b%oi4`
- `_EditField.Italic.Set%%oi4b`
- `_EditField.Underline.Get%b%oi4`
- `_EditField.Underline.Set%%oi4b`
- `_EditField.SelStart.Get%i4%oi4`
- `_EditField.SelStart.Set%%oi4i4`
- `_EditField.SelLength.Get%i4%oi4`
- `_EditField.SelLength.Set%%oi4i4`
- `_EditField.SelText.Get%%s%oi4`
- `_EditField.SelText.Set%%oi4s`
- `_EditField.LimitText.Get%i4%oi4`
- `_EditField.LimitText.Set%%oi4i4`
- `_EditField.SelBold.Get%b%oi4`
- `_EditField.SelBold.Set%%oi4b`
- `_EditField.SelUnderline.Get%b%oi4`
- `_EditField.SelUnderline.Set%%oi4b`
- `_EditField.SelItalic.Get%b%oi4`
- `_EditField.SelItalic.Set%%oi4b`
- `_EditField.SelOutline.Get%b%oi4`
- `_EditField.SelOutline.Set%%oi4b`
- `_EditField.SelShadow.Get%b%oi4`
- `_EditField.SelShadow.Set%%oi4b`
- `_EditField.SelCondense.Get%b%oi4`
- `_EditField.SelCondense.Set%%oi4b`
- `_EditField.SelExtend.Get%b%oi4`
- `_EditField.SelExtend.Set%%oi4b`
- `_EditField.SelPlain.Get%b%oi4`
- `_EditField.SelPlain.Set%%oi4b`
- `_EditField.SelTextFont.Get%%s%oi4`
- `_EditField.SelTextFont.Set%%oi4s`

- `_EditField.SelTextSize.Get%i4%oi4`
- `_EditField.SelTextSize.Set%%oi4i4`
- `_EditField.SelTextColor.Get%c%oi4`
- `_EditField.SelTextColor.Set%%oi4c`
- `_EditField.LiveUpdate.Get%b%oi4`
- `_EditField.LiveUpdate.Set%%oi4b`
- `_EditField.UseFocusRing.Get%b%oi4`
- `_EditField.UseFocusRing.Set%%oi4b`
- `_EditField.DataSource.Get%s%oi4`
- `_EditField.DataSource.Set%%oi4s`
- `_EditField.DataField.Get%s%oi4`
- `_EditField.DataField.Set%%oi4s`
- `_EditField.Alignment.Get%i4%oi4`
- `_EditField.Alignment.Set%%oi4i4`
- `_EditField.SelAlignment.Get%i4%oi4`
- `_EditField.SelAlignment.Set%%oi4i4`
- `_EditField.Format.Get%s%oi4`
- `_EditField.Format.Set%%oi4s`
- `_EditField.FormattedText.Get%s%oi4`
- `_EditField.Mask.Get%s%oi4`
- `_EditField.Mask.Set%%oi4s`
- `_EditField.StyledText.Get%o%oi4`
- `_EditField.StyledText.Set%%oi4o`
- **MouseEvents**.Lookup%x%
- **MouseEvents**.ctblinit
- **FocusEvents**.Lookup%x%
- **FocusEvents**.ctblinit
- **PaneChild**.Lookup%x%
- **PaneChild**.ctblinit
- `__Panelmp.Pane.Set%%o<_Panelmp>i4o<_Pane>`
- **Pane**.Init
- **Pane**.Exit
- **Pane**.Lookup%x%
- **Pane**.ctblinit
- `__Pane.CreateImp%%o<_Pane>`
- `__Pane.Destructor%%o<_Pane>`
- `__Pane.HandleGotFocus%%o<_Pane>`
- `__Pane.HandleLostFocus%%o<_Pane>`
- `__Pane.AcceptFocus%b%o<_Pane>&b`
- `__Pane.HandleMouseDown%b%o<_Pane>i4i4i4`
- `__Pane.HandleMouseDrag%%o<_Pane>i4i4`
- `__Pane.HandleMouseUp%%o<_Pane>i4i4`
- `__Pane.HandleMouseMove%%o<_Pane>i4i4`
- `__Pane.HandleMouseEnter%%o<_Pane>`
- `__Pane.HandleMouseExit%%o<_Pane>`
- `__Pane.HandleMouseWheel%b%o<_Pane>i4i4i4i4`
- `__Pane.HandleKeyDown%b%o<_Pane>si4i4`
- `__Pane.Close%%o<_Pane>`
- `__Pane.DragEnter%b%o<_Pane>o`
- `__Pane.DragExit%%o<_Pane>o`
- `__Pane.DragOver%b%o<_Pane>i4i4o`
- `__Pane.IsRootControl%b%o<_Pane>`
- `__Pane.Refresh%%o<_Pane>b`
- `__Pane.RefreshRect%%o<_Pane>i4i4i4i4b`
- `__Pane.Invalidate%%o<_Pane>`
- `__Pane.InvalidateRect%%o<_Pane>i4i4i4i4`
- `__Pane.DrawInto%%o<_Pane>oi4i4`
- `__Pane.HandleActivate%%o<_Pane>`
- `__Pane.HandleDeactivate%%o<_Pane>`
- `__Pane.EnableMenuItems%%o<_Pane>A1o`
- `__Pane.HandleMenuCommand%b%o<_Pane>o`
- `__Pane.Constructor%%o<_Pane>o`
- `__Pane.Handle%i4%o<_Pane>`
- `__Pane.SetFocus%%o<_Pane>`
- `__Pane.SuppressResizing%%o<_Pane>`
- `__Pane.UnsuppressResizing%%o<_Pane>`
- `__Pane.ResizeControl%%o<_Pane>`
- `__Pane.HonorControlLocking%%o<_Pane>i4i4i4i4`
- `__Pane.Paint%%o<_Pane>o`
- `__Pane.Graphics%o%o<_Pane>`
- `__Pane.CanAcceptFocus%b%o<_Pane>&b`
- `__Pane.ChildCount%i4%o<_Pane>`
- `__Pane.Child%o<_Pane>%o<_Pane>i4`
- `__Pane.EnableDisable%%o<_Pane>`
- `__Pane.AddToParentPane%%o<_Pane>`

- __Pane.Open%%o<_Pane>
- __Pane.Window.Get%%o<_Pane>i4
- __Pane.Window.Set%%o<_Pane>i4o
- __Pane.Enabled.Get%%b%o<_Pane>i4
- __Pane.Enabled.Set%%o<_Pane>i4b
- __Pane.Height.Get%i4%o<_Pane>i4
- __Pane.Height.Set%%o<_Pane>i4i4
- __Pane.Left.Get%i4%o<_Pane>i4
- __Pane.Left.Set%%o<_Pane>i4i4
- __Pane.Parent.Get%o<_Pane>%o<_Pane>i4
- __Pane.Parent.Set%%o<_Pane>i4o<_Pane>
- __Pane.TabPanelVisible.Get%%b%o<_Pane>i4
- __Pane.TabPanelVisible.Set%%o<_Pane>i4b
- __Pane.Top.Get%i4%o<_Pane>i4
- __Pane.Top.Set%%o<_Pane>i4i4
- __Pane.Visible.Get%%b%o<_Pane>i4
- __Pane.Visible.Set%%o<_Pane>i4b
- __Pane.Width.Get%i4%o<_Pane>i4
- __Pane.Width.Set%%o<_Pane>i4i4
- __Pane.Control.Get%o%o<_Pane>i4
- __Pane.Control.Set%%o<_Pane>i4o
- __Pane.PanelIndex.Get%i4%o<_Pane>i4
- __Pane.PanelIndex.Set%%o<_Pane>i4i4
- __Pane.Cursor.Get%o%o<_Pane>i4
- __Pane.Cursor.Set%%o<_Pane>i4o
- *StaticText*._Lookup%x%
- *StaticText*._ctblinit
- *StaticText:StringInterface*._Lookup
- *StaticText*.MouseEvents._Lookup
- *StaticText.EventCreatePane%%o*
- *StaticText*._Exit%%o
- __StaticText.setString%%os
- *StaticText*.MouseDown%b%oi4i4
- *StaticText*.MouseDownDrag%oi4i4
- *StaticText*.MouseDownUp%oi4i4
- *StaticText*._DependencyList%o
- __StaticText.Text.Get%s%oi4
- __StaticText.Text.Set%oi4s
- __StaticText.Caption.Get%s%oi4
- __StaticText.Caption.Set%oi4s
- __StaticText.TextAlign.Get%i4%oi4
- __StaticText.TextAlign.Set%oi4i4
- __StaticText.TextColor.Get%c%oi4
- __StaticText.TextColor.Set%oi4c
- __StaticText.TextFont.Get%s%oi4
- __StaticText.TextFont.Set%oi4s
- __StaticText.TextSize.Get%i4%oi4
- __StaticText.TextSize.Set%oi4i4
- __StaticText.Bold.Get%b%oi4
- __StaticText.Bold.Set%oi4b
- __StaticText.Italic.Get%b%oi4
- __StaticText.Italic.Set%oi4b
- __StaticText.Underline.Get%b%oi4
- __StaticText.Underline.Set%oi4b
- __StaticText.MultiLine.Get%b%oi4
- __StaticText.MultiLine.Set%oi4b
- __StaticText.DataSource.Get%s%oi4
- __StaticText.DataSource.Set%oi4s
- __StaticText.DataField.Get%s%oi4
- __StaticText.DataField.Set%oi4s
- *Graphics*._Lookup%x%
- *Graphics*._ctblinit
- *Graphics*._Exit%%o
- __Graphics.ClearRect%oi4i4i4i4
- __Graphics.DrawLine%oi4i4i4i4
- __Graphics.DrawOval%oi4i4i4i4
- __Graphics.DrawRect%oi4i4i4i4
- __Graphics.DrawRoundRect%oi4i4i4i4i4
- __Graphics.FillOval%oi4i4i4i4
- __Graphics.FillRect%oi4i4i4i4
- __Graphics.FillRoundRect%oi4i4i4i4i4
- __Graphics.DrawPicture%ooi4i4i4i4i4i4
- __Graphics.DrawString%osi4i4i4b
- __Graphics.DrawObject%ooi4i4
- __Graphics.StringWidth%f8%os

- `_Graphics.StringHeight%i4%osi4`
- `_Graphics.StringDirection%i4%os`
- `_Graphics.TextHeight%i4%o`
- `_Graphics.TextAscent%i4%o`
- `_Graphics.NextPage%%o`
- `_Graphics.DrawStopIcon%%oi4i4`
- `_Graphics.DrawNotelcon%%oi4i4`
- `_Graphics.DrawCautioncon%%oi4i4`
- `_Graphics.Pixel%c%oi4i4`
- `_Graphics.DrawPolygon%%oA1i4`
- `_Graphics.FillPolygon%%oA1i4`
- `Graphics.DrawFocusRing%%oi4i4i4i4`
- `_Graphics.Handle%i4%oi4`
- `_Graphics.=Pixel%%oi4i4c`
- `_Graphics.Clip%o%oi4i4i4i4`
- `_Graphics.ForeColor.Get%c%oi4`
- `_Graphics.ForeColor.Set%%oi4c`
- `_Graphics.Width.Get%i4%oi4`
- `_Graphics.Height.Get%i4%oi4`
- `_Graphics.TextFont.Get%s%oi4`
- `_Graphics.TextFont.Set%%oi4s`
- `_Graphics.TextSize.Get%i4%oi4`
- `_Graphics.TextSize.Set%%oi4i4`
- `_Graphics.Copies.Get%i4%oi4`
- `_Graphics.FirstPage.Get%i4%oi4`
- `_Graphics.LastPage.Get%i4%oi4`
- `_Graphics.Bold.Get%b%oi4`
- `_Graphics.Bold.Set%%oi4b`
- `_Graphics.Italic.Get%b%oi4`
- `_Graphics.Italic.Set%%oi4b`
- `_Graphics.Underline.Get%b%oi4`
- `_Graphics.Underline.Set%%oi4b`
- `_Graphics.PenWidth.Get%i4%oi4`
- `_Graphics.PenWidth.Set%%oi4i4`
- `_Graphics.PenHeight.Get%i4%oi4`
- `_Graphics.PenHeight.Set%%oi4i4`
- `_Graphics.UseOldRenderer.Get%b%oi4`
- `_Graphics.UseOldRenderer.Set%%oi4b`
- `CheckBox._Lookup%x%`
- `CheckBox._ctblinit`
- `CheckBox:bindingPartInterface._Lookup`
- `CheckBox:dataNotifier._Lookup`
- `CheckBox:BooleanProvider._Lookup`
- `CheckBox:FocusEvents.__Lookup`
- `CheckBox:MouseEvents.__Lookup`
- `CheckBox.EventCreatePane%%o`
- `CheckBox._Exit%%o`
- `_CheckBox.getBoolean%b%o`
- `_CheckBox.setBoolean%%ob`
- `_CheckBox.addDataNotificationReceiver%%oo`
- `_CheckBox.removeDataNotificationReceiver%%oo`
- `_CheckBox.getBoundPart%o%os`
- `CheckBox.CallAction%%o`
- `CheckBox.GotFocus%%o`
- `CheckBox.LostFocus%%o`
- `CheckBox.MouseDown%b%oi4i4`
- `CheckBox.MouseUp%%oi4i4`
- `CheckBox.MouseDrag%%oi4i4`
- `CheckBox._DependencyList%%o`
- `_CheckBox.Caption.Get%s%oi4`
- `_CheckBox.Caption.Set%%oi4s`
- `_CheckBox.Value.Get%b%oi4`
- `_CheckBox.Value.Set%%oi4b`
- `_CheckBox.State.Get%b%oi4`
- `_CheckBox.State.Set%%oi4b`
- `_CheckBox.TextFont.Get%s%oi4`
- `_CheckBox.TextFont.Set%%oi4s`
- `_CheckBox.TextSize.Get%i4%oi4`
- `_CheckBox.TextSize.Set%%oi4i4`
- `_CheckBox.Bold.Get%b%oi4`
- `_CheckBox.Bold.Set%%oi4b`
- `_CheckBox.Italic.Get%b%oi4`
- `_CheckBox.Italic.Set%%oi4b`
- `_CheckBox.Underline.Get%b%oi4`

- *_CheckBox.Underline.Set%*%oi4b
- *_CheckBox.DataSource.Get%*%s%oi4
- *_CheckBox.DataSource.Set%*%oi4s
- *_CheckBox.DataField.Get%*%s%oi4
- *_CheckBox.DataField.Set%*%oi4s
- *Picture._Lookup%*%x%
- *Picture._ctblinit*
- *Picture._Exit%*%o
- *_Picture.Picture%*%oi4i4i4
- *_Picture.IndexedImage%*%o%oi4
- *Picture.LockDescription%*%b%o&t<_Plugins._REALpictureDescription>i4<_Plugins._PictureType>
- *Picture.UnlockDescription%*%o
- *_Picture.Width.Get%*%i4%oi4
- *_Picture.Height.Get%*%i4%oi4
- *_Picture.Graphics.Get%*%o%oi4
- *_Picture.Graphics.Set%*%oi4o
- *_Picture.Objects.Get%*%o%oi4
- *_Picture.Objects.Set%*%oi4o
- *_Picture.Transparent.Get%*%i4%oi4
- *_Picture.Transparent.Set%*%oi4i4
- *_Picture.RGBSurface.Get%*%o%oi4
- *_Picture.RGBSurface.Set%*%oi4o
- *_Picture.ImageCount.Get%*%i4%oi4
- *_Picture.Mask.Get%*%o%oi4
- *_Picture.Mask.Set%*%oi4o
- *_Picture.Depth.Get%*%i4%oi4
- *_Picture.HorizontalResolution.Get%*%i4%oi4
- *_Picture.HorizontalResolution.Set%*%oi4i4
- *_Picture.VerticalResolution.Get%*%i4%oi4
- *_Picture.VerticalResolution.Set%*%oi4i4
- *Canvas._Lookup%*%x%
- *Canvas._ctblinit*
- *Canvas:MouseEvents.___Lookup*
- *Canvas:FocusEvents.___Lookup*

- *Canvas.EventCreatePane%*%o

- *Canvas._Exit%*%o

- *Canvas._Init%*%o

- *_Canvas.Scroll%*%o

- *Canvas.MouseDown%*%b%o

- *Canvas.MouseDrag%*%o

- *Canvas.MouseUp*%%o
- *Canvas.GotFocus*%%o
- *Canvas.LostFocus*%%o
- *Canvas.Paint*%%o
- *Canvas._DependencyList*%%o
- *_Canvas.Graphics.Get*%%o
- *_Canvas.Graphics.Set*%%o
- *_Canvas.Backdrop.Get*%%o
- *_Canvas.Backdrop.Set*%%o
- *_Canvas.AcceptFocus.Get*%%b%o
- *_Canvas.AcceptFocus.Set*%%o
- *_Canvas.AcceptTabs.Get*%%b%o

- `_Canvas.AcceptTabs.Set%%o`

- `_Canvas.UseFocusRing.Get%b%o`

- `_Canvas.UseFocusRing.Set%%o`

- `_Canvas.EraseBackground.Get%b%o`

- `_Canvas.EraseBackground.Set%%o`

- `GroupBox._Lookup%x%`

- `GroupBox._ctblinit`

- `GroupBox.MouseEvents.__Lookup`

- `GroupBox.EventCreatePane%%o`

- `GroupBox._Exit%%o`

- `GroupBox.MouseDown%b%oi4i4`

- `GroupBox.MouseDrag%%oi4i4`

- `GroupBox.MouseUp%%oi4i4`

- `GroupBox._DependencyList%%o`

- `_GroupBox.Caption.Get%s%oi4`

- `_GroupBox.Caption.Set%%oi4s`

- `_GroupBox.TextFont.Get%s%oi4`

- `_GroupBox.TextFont.Set%%oi4s`

- `_GroupBox.TextSize.Get%i4%oi4`

- `_GroupBox.TextSize.Set%%oi4i4`

- `_GroupBox.Bold.Get%b%oi4`

- `_GroupBox.Bold.Set%%oi4b`

- `_GroupBox.Italic.Get%b%oi4`

- `_GroupBox.Italic.Set%%oi4b`

- `_GroupBox.Underline.Get%b%oi4`

- `_GroupBox.Underline.Set%%oi4b`

- `PagePanel._Lookup%x%`

- `PagePanel._ctblinit`

- `PagePanel.EventCreatePane%%o`

- `_PagePanel.Append%%o`

- `_PagePanel.Insert%%oi4`

- `_PagePanel.Remove%%oi4`

- `PagePanel.CallChange%%o`

- `_PagePanel.Enabled.Get%b%oi4`

- `_PagePanel.Enabled.Set%%oi4b`

- `_PagePanel.Value.Get%i4%oi4`

- `_PagePanel.Value.Set%%oi4i4`

- `_PagePanel.PanelCount.Get%i4%oi4`

- `_PagePanel.PanelCount.Set%%oi4i4`

- `TabPanel._Lookup%x%`

- `TabPanel._ctblinit`

- `TabPanel.MouseEvents.__Lookup`

- `TabPanel.FocusEvents.__Lookup`

- `TabPanel._Exit%%o`

- `_TabPanel.Caption%s%oi4`

- `_TabPanel.Append%%os`

- `_TabPanel.Insert%%oi4s`

- `_TabPanel.Remove%%oi4`

- *TabPanel.TabClickedOn%*i4%i4i4
- *_TabPanel.=Caption%*%i4s
- *TabPanel.MouseDown%*b%i4i4
- *TabPanel.MouseDrag%*%i4i4
- *TabPanel.MouseUp%*%i4i4
- *TabPanel.GotFocus%*%o
- *TabPanel.LostFocus%*%o
- *TabPanel._DependencyList%*%o
- *_TabPanel.Enabled.Get%*b%i4
- *_TabPanel.Enabled.Set%*%i4b
- *_TabPanel.TabDefinition.Set%*%i4s
- *_TabPanel.Value.Get%*i4%i4
- *_TabPanel.Value.Set%*%i4i4
- *_TabPanel.Facing.Get%*i4%i4
- *_TabPanel.Facing.Set%*%i4i4
- *_TabPanel.SmallTabs.Get%*b%i4
- *_TabPanel.SmallTabs.Set%*%i4b
- *_TabPanel.TextFont.Get%*s%i4
- *_TabPanel.TextFont.Set%*%i4s
- *_TabPanel.TextSize.Get%*i4%i4
- *_TabPanel.TextSize.Set%*%i4i4
- *_TabPanel.Bold.Get%*b%i4
- *_TabPanel.Bold.Set%*%i4b
- *_TabPanel.Italic.Get%*b%i4
- *_TabPanel.Italic.Set%*%i4b
- *_TabPanel.Underline.Get%*b%i4
- *_TabPanel.Underline.Set%*%i4b
- *Sound._Lookup%*x%
- *Sound._ctblinit*
- *Sound._Exit%*%o
- *Sound._Init%*%o
- *_Sound.Play%*%o
- *_Sound.Stop%*%o
- *_Sound.PlayLooping%*%o
- *_Sound.IsPlaying%*b%i4
- *_Sound.Clone%*%o
- *_Sound.Pan.Get%*i4%i4
- *_Sound.Pan.Set%*%i4i4
- *_Sound.Volume.Get%*i4%i4
- *_Sound.Volume.Set%*%i4i4
- *Movie._Lookup%*x%
- *Movie._ctblinit*
- *Movie._Exit%*%o
- *_Movie.MovieWidth.Get%*i4%i4
- *_Movie.MovieHeight.Get%*i4%i4
- *_Movie.BaseMovieWidth.Get%*i4%i4
- *_Movie.BaseMovieHeight.Get%*i4%i4
- *_Movie.Handle.Get%*i4%i4
- **Object2DImp.Lookup%**x%
- **Object2DImp.ctblinit**
- **__Object2DImp.SetXY%**%o<_Object2DImp>f8f8
- **__Object2DImp.SetScale%**%o<_Object2DImp>f8
- **__Object2DImp.SetRotation%**%o<_Object2DImp>f8
- **__Object2DImp.TransformWorldToObject%**%o<_Object2DImp>&f8&f8
- **__Object2DImp.Constructor%**%o<_Object2DImp>
- **__Object2DImp.X.Get%**f8%i4o<_Object2DImp>i4
- **__Object2DImp.X.Set%**%o<_Object2DImp>i4f8
- **__Object2DImp.Y.Get%**f8%i4o<_Object2DImp>i4
- **__Object2DImp.Y.Set%**%o<_Object2DImp>i4f8
- **__Object2DImp.Rotation.Get%**f8%i4o<_Object2DImp>i4
- **__Object2DImp.Rotation.Set%**%o<_Object2DImp>i4f8
- **__Object2DImp.Scale.Get%**f8%i4o<_Object2DImp>i4
- **__Object2DImp.Scale.Set%**%o<_Object2DImp>i4f8
- **Group2DImp.Init**
- **Group2DImp.Exit**
- **Group2DImp.Lookup%**x%
- **Group2DImp.ctblinit**
- **__Group2DImp.SetXY%**%o<_Group2DImp>f8f8
- **__Group2DImp.SetScale%**%o<_Group2DImp>f8
- **__Group2DImp.SetRotation%**%o<_Group2DImp>f8
- *Group2D._Lookup%*x%
- *Group2D._ctblinit*
- *Group2D._Exit%*%o
- *Group2D._Init%*%o

- `_Group2D.Append%%oo`
- `_Group2D.Insert%%oi4o`
- `_Group2D.Item%%oi4`
- `_Group2D.Remove%%oo`
- `_Group2D.Remove%%oi4`
- `_Group2D.=Item%%oi4o`
- `_Group2D.CreateImp%%o`
- `_Group2D.Count.Get%i4%oi4`
- `Object2D._Exit`
- `Object2D._Lookup%x%`
- `Object2D._ctblinit`
- `Object2D._Init%%o`
- `_Object2D.CreateImp%%o`
- `_Object2D.X.Get%f8%oi4`
- `_Object2D.X.Set%%oi4f8`
- `_Object2D.Y.Get%f8%oi4`
- `_Object2D.Y.Set%%oi4f8`
- `_Object2D.Rotation.Get%f8%oi4`
- `_Object2D.Rotation.Set%%oi4f8`
- `_Object2D.Scale.Get%f8%oi4`
- `_Object2D.Scale.Set%%oi4f8`
- `_Object2D.Fill.Get%f8%oi4`
- `_Object2D.Fill.Set%%oi4f8`
- `_Object2D.FillColor.Get%c%oi4`
- `_Object2D.FillColor.Set%%oi4c`
- `_Object2D.Border.Get%f8%oi4`
- `_Object2D.Border.Set%%oi4f8`
- `_Object2D.BorderColor.Get%c%oi4`
- `_Object2D.BorderColor.Set%%oi4c`
- `_Object2D.BorderWidth.Get%f8%oi4`
- `_Object2D.BorderWidth.Set%%oi4f8`
- **VariantCurrency.Lookup%x%**
- **VariantCurrency.ctblinit**
- `_VariantCurrency.OperatorConvert%i4%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%u4%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%i8%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%u8%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%b%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%f4%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%f8%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%s%o<_VariantCurrency>`
- `_VariantCurrency.OperatorConvert%e%o<_VariantCurrency>`
- `_VariantCurrency.OperatorHash%i4%o<_VariantCurrency>`
- **VariantColor.Lookup%x%**
- **VariantColor.ctblinit**
- `_VariantColor.OperatorConvert%i4%o<_VariantColor>`
- `_VariantColor.OperatorConvert%u4%o<_VariantColor>`
- `_VariantColor.OperatorConvert%i8%o<_VariantColor>`
- `_VariantColor.OperatorConvert%u8%o<_VariantColor>`
- `_VariantColor.OperatorConvert%b%o<_VariantColor>`
- `_VariantColor.OperatorConvert%f4%o<_VariantColor>`
- `_VariantColor.OperatorConvert%f8%o<_VariantColor>`
- `_VariantColor.OperatorConvert%c%o<_VariantColor>`
- `_VariantColor.OperatorConvert%s%o<_VariantColor>`
- `_VariantColor.OperatorHash%i4%o<_VariantColor>`
- **VariantBoolean.Lookup%x%**
- **VariantBoolean.ctblinit**
- `_VariantBoolean.OperatorConvert%i4%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%u4%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%i8%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%u8%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%b%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%f4%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%f8%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%c%o<_VariantBoolean>`
- `_VariantBoolean.OperatorConvert%s%o<_VariantBoolean>`
- `_VariantBoolean.OperatorHash%i4%o<_VariantBoolean>`
- **VariantDouble.Lookup%x%**
- **VariantDouble.ctblinit**
- `_VariantDouble.OperatorConvert%i4%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%u4%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%i8%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%u8%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%b%o<_VariantDouble>`

- `_VariantDouble.OperatorConvert%f4%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%f8%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%c%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%s%o<_VariantDouble>`
- `_VariantDouble.OperatorHash%i4%o<_VariantDouble>`
- `_VariantDouble.OperatorConvert%e%o<_VariantDouble>`
- VariantSingle.Lookup%x%**
- VariantSingle.ctblinit**
- `_VariantSingle.OperatorConvert%i4%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%u4%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%i8%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%u8%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%b%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%f4%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%f8%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%c%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%s%o<_VariantSingle>`
- `_VariantSingle.OperatorHash%i4%o<_VariantSingle>`
- `_VariantSingle.OperatorConvert%e%o<_VariantSingle>`
- VariantString.Lookup%x%**
- VariantString.ctblinit**
- `_VariantString.OperatorConvert%i4%o<_VariantString>`
- `_VariantString.OperatorConvert%u4%o<_VariantString>`
- `_VariantString.OperatorConvert%i8%o<_VariantString>`
- `_VariantString.OperatorConvert%u8%o<_VariantString>`
- `_VariantString.OperatorConvert%b%o<_VariantString>`
- `_VariantString.OperatorConvert%f4%o<_VariantString>`
- `_VariantString.OperatorConvert%f8%o<_VariantString>`
- `_VariantString.OperatorConvert%c%o<_VariantString>`
- `_VariantString.OperatorConvert%s%o<_VariantString>`
- `_VariantString.OperatorHash%i4%o<_VariantString>`
- VariantString.exit%o<_VariantString>**
- `_VariantString.Destructor%o<_VariantString>`
- `_VariantString.OperatorConvert%e%o<_VariantString>`
- VariantUInt64.Lookup%x%**
- VariantUInt64.ctblinit**
- `_VariantUInt64.OperatorConvert%i4%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%u4%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%i8%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%u8%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%b%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%f4%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%f8%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%c%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%s%o<_VariantUInt64>`
- `_VariantUInt64.OperatorHash%i4%o<_VariantUInt64>`
- `_VariantUInt64.OperatorConvert%e%o<_VariantUInt64>`
- VariantInt64.Lookup%x%**
- VariantInt64.ctblinit**
- `_VariantInt64.OperatorConvert%i4%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%u4%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%i8%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%u8%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%b%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%f4%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%f8%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%c%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%s%o<_VariantInt64>`
- `_VariantInt64.OperatorHash%i4%o<_VariantInt64>`
- `_VariantInt64.OperatorConvert%e%o<_VariantInt64>`
- VariantInt32.Lookup%x%**
- VariantInt32.ctblinit**
- `_VariantInt32.OperatorConvert%i4%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%u4%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%i8%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%u8%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%b%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%f4%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%f8%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%c%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%s%o<_VariantInt32>`
- `_VariantInt32.OperatorHash%i4%o<_VariantInt32>`
- `_VariantInt32.OperatorConvert%e%o<_VariantInt32>`

- **VariantUInt32.Lookup**%x%
- **VariantUInt32.ctblinit**
- *_VariantUInt32.OperatorConvert*%i4%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%u4%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%i8%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%u8%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%b%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%f4%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%f8%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%c%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%s%o<_VariantUInt32>
- *_VariantUInt32.OperatorHash*%i4%o<_VariantUInt32>
- *_VariantUInt32.OperatorConvert*%e%o<_VariantUInt32>
- *App._Lookup*%x%
- *App._ctblinit*
- *Window1.Window1._Lookup*%x%
- *Window1.Window1._ctblinit*
- *_Window1.Window1.Layout*%%o
- *_Window1.Window1.CreateControls*%%o
- *Window1.Window1.CreateControls*0%%o
- *Window1.Window1.EditField1GotFocus*%%o
- *Window1.Window1.EditField1TextChange*%%o
- *Window1.Window1.EditField1KeyDown*%b%os
- *Window1.Window1.EditField1LostFocus*%%o
- *Window1.Window1.EditField2GotFocus*%%o
- *Window1.Window1.EditField2TextChange*%%o
- *Window1.Window1.EditField2KeyDown*%b%os
- *Window1.Window1.EditField3GotFocus*%%o
- *Window1.Window1.EditField3TextChange*%%o
- *Window1.Window1.EditField3KeyDown*%b%os
- *Window1.Window1.CheckBox1Action*%%o
- *Window1.Window1.CheckBox2Action*%%o
- *_Window1.Window1.AddMenuHandlers*%%oo
- *Window1.Window1.EventOpen*%%o
- *Window1.Window1.EventClose*%%o
- *_Window1.Window1.Calc*%%o
- *_Window1.Window1*%o%
- *Window1.Delegate.IMInvoke*%%
- *Window1.Delegate.IMInvoke*%b%s
- *__InitPluginEntrypoints*
- *_% initialize*
- *_% finalize*
- *dyldstubbindinghelper*
- *_start*
- *_dyldfunc_lookup*
- *_callmodinitfuncs*
- *__start*
- *_000005E9*
- *REALbasic.mImplicitWindowList*
- *DragItem._ctbl*
- *__WindowSupport.Windows*
- *Window._ctbl*
- *MemoryBlock._ctbl*
- *Date._ctbl*
- *SocketCore._ctbl*
- *NetworkInterface._ctbl*
- **MenuBarInstaller.ctbl**
- *MenuBar._ctbl*
- *MenuItem._ctbl*
- *PrefsMenuItem._ctbl*
- *AppleMenuItem._ctbl*
- *FunctionNotFoundException._ctbl*
- *OutOfBoundsException._ctbl*
- *ThreadEndException._ctbl*
- *RuntimeException._ctbl*
- *NilObjectException._ctbl*
- *IllegalCastException._ctbl*
- *AppleEventObjectSpecifier._ctbl*
- *ResourceFork._ctbl*
- *DockItem._ctbl*
- *AppleEventRecord._ctbl*
- *AppleEvent._ctbl*
- *AppleEventTemplate._ctbl*

- *AppleEventDescList._ctbl*
- *dataNotificationReceiver._ctbl*
- *dataNotifier._ctbl*
- *StringInterface._ctbl*
- *BooleanProvider._ctbl*
- *bindingPartInterface._ctbl*
- *Thread._ctbl*
- *FolderItem._ctbl*
- *Permissions._ctbl*
- *VirtualVolume._ctbl*
- *Writeable._ctbl*
- *TextOutputStream._ctbl*
- *TextInputStream._ctbl*
- *Readable._ctbl*
- *BinaryStream._ctbl*
- *MDIWindow._ctbl*
- *TrayItem._ctbl*
- *Paragraph._ctbl*
- *Range._ctbl*
- *TextEncoding._ctbl*
- **Pollable.ctbl**
- *Application._ctbl*
- *Clipboard._ctbl*
- **ScreenImpInterface.ctbl**
- *Screen._ctbl*
- *RGBSurface._ctbl*
- *StyleRun._ctbl*
- *StyledTextPrinter._ctbl*
- *StyledText._ctbl*
- *EmbeddedWindowControl._ctbl*
- *RectControl._ctbl*
- *ContainerControl._ctbl*
- *Control._ctbl*
- *MouseCursor._ctbl*
- *EditField._ctbl*
- **MouseEvents.ctbl**
- **FocusEvents.ctbl**
- **PaneChild.ctbl**
- **Pane.ctbl**
- *StaticText._ctbl*
- *Graphics._ctbl*
- *CheckBox._ctbl*
- *Picture._ctbl*
- *Canvas._ctbl*
- *GroupBox._ctbl*
- *PagePanel._ctbl*
- *TabPanel._ctbl*
- *Sound._ctbl*
- *Movie._ctbl*
- **Object2DImp.ctbl**
- **Group2DImp.ctbl**
- *Group2D._ctbl*
- *Object2D._ctbl*
- **VariantCurrency.ctbl**
- **VariantColor.ctbl**
- **VariantBoolean.ctbl**
- **VariantDouble.ctbl**
- **VariantSingle.ctbl**
- **VariantString.ctbl**
- **VariantUInt64.ctbl**
- **VariantInt64.ctbl**
- **VariantInt32.ctbl**
- **VariantUInt32.ctbl**
- *App._ctbl*
- *Window1.Window1._ctbl*
- *%pluginentrypoints*
- *_mhexecute_header*
- *_NXArgc*
- *_NXArgv*
- *_environ*
- *catchexception_raise*
- *catchexceptionraisestate*
- *catchexceptionraisestate_identity*

- *domachnotifydead_name*
- *doseqnosmachnotifydeadname*
- *domachnotifyno_senders*
- *doseqnosmachnotifynosenders*
- *domachnotifyport_deleted*
- *doseqnosmachnotifyportdeleted*
- *domachnotifysend_once*
- *doseqnosmachnotifysendonce*
- *clockalarm_reply*
- *receivesamples*
- *_progname*
- *_darwincc3preregisterframeinfo*
- *__objclnit*
- *_RuntimeInit*
- *_RuntimeExit*
- *_RuntimeStackCheck*
- *_RuntimeReraiseException*
- *_RuntimeUnlockObject*
- *_RuntimeNewObject*
- *_RuntimeLockUnlockObjects*
- *_RuntimeGetImplicitWindow*
- *_RuntimeObjectIsa*
- *RBApplicationQuit*
- *_RuntimeDebuggerBreak*
- *_enableMenuItems*
- *_StringDBCSLen*
- *_StringDBCSAsc*
- *_StringVal*
- *_RuntimeCos*
- *_RuntimeSin*
- *_RuntimeRound*
- *_RuntimeUnlockString*
- *_StringFormat*
- *_RuntimeLockUnlockStrings*
- *_StringInStr*
- *_RuntimeMassPropertySetter*
- *_RuntimeUnhandledException*
- *_RuntimeInstallInstanceEventHandler*
- *_RuntimeRun*
- *_RuntimeRegisterAppObject*
- *_getAppObject*
- *_RuntimeInitExternalClasses*
- *_RuntimeNewClass*
- *_RuntimeLockString*
- *_DragItemFinalizer*
- *_DragItemInitializer*
- *_DragItemTextAvailable*
- *_DragItemPictureAvailable*
- *_DragItemDrag*
- *_DragItemFolderItemAvailable*
- *_DragItemMacDataAvailable*
- *_DragItemGetMacData*
- *_DragItemNextItem*
- *_DragItemAddItem*
- *_DragItemSetPrivateMacData*
- *_DragItemSetMacData*
- *_dragItemTextGetter*
- *_dragItemTextSetter*
- *_dragItemPictureGetter*
- *_dragItemPictureSetter*
- *_dragItemFolderItemGetter*
- *_dragItemFolderItemSetter*
- *_objGetter*
- *_objSetter*
- *_dragItemDropLeft*
- *_dragItemDropLeftSetter*
- *_dragItemDropTop*
- *_dragItemDropTopSetter*
- *_dragItemDropWidth*
- *_dragItemDropWidthSetter*
- *_dragItemDropHeight*
- *_dragItemDropHeightSetter*
- *_dragItemGetHandle*
- *_RuntimeViewDestructor*
- *_RuntimeCreateWindow*

- _RuntimeShowWindow
- _RuntimeShowWithinWindow
- _RuntimeShowModalWithinWindow
- _RuntimeHideWindow
- _RuntimeCloseWindow
- _formRefresh
- _formRefreshRect
- _RuntimeShowModal
- _formNewDragItem
- _formAcceptTextDrop
- _formAcceptPictureDrop
- _formAcceptFileDrop
- _formAcceptMacDataDrop
- _windowControl
- _formSetFocus
- _formDrawInto
- _formDrawBackground
- _WindowForceUpdateFrontBuffer
- _WindowAddControl
- _WindowAddMenuHandler
- _WindowDefaultConstructor
- _WindowToWindowPtr
- _WindowAllocateObject
- _WindowMove
- _WindowMaximize
- _WindowMinimize
- _WindowRestore
- _RuntimeLockObject
- _RuntimeControlReference
- _RaiseNilObjectException
- _StringToVariant
- _RuntimeBackgroundTask
- _RuntimeCheckCast
- _RuntimeLookupInterfaceVtable
- _VariantToObject
- _ObjectToVariant
- _VariantToString
- _WindowVisibleGetter
- _WindowVisibleSetter
- _windowPosGetter
- _windowPosSetter
- _windowPlacementGetter
- _windowPlacementSetter
- _windowTitleGetter
- _windowTitleSetter
- _windowFullScreenGetter
- _windowFullScreenSetter
- _windowMenusVisibleGetter
- _windowMenusVisibleSetter
- _windowCloseBoxGetter
- _windowCloseBoxSetter
- _windowGrowIconGetter
- _windowGrowIconSetter
- _windowZoomIconGetter
- _windowZoomIconSetter
- _boolGetter
- _boolSetter
- _windowFrameGetter
- _windowFrameSetter
- _windowLiveResizeGetter
- _windowLiveResizeSetter
- _windowBackdropGetter
- _windowBackdropSetter
- _windowGraphicsGetter
- _windowHasBackColorGetter
- _windowHasBackColorSetter
- _windowBackColorGetter
- _windowBackColorSetter
- _stringGetter
- _windowBalloonHelpSetter
- _windowMinMaxWidthHeightGetter
- _windowMinMaxWidthHeightSetter
- _intGetter
- _intSetter
- _formMouseCursorSetter

- _windowControlCountGetter
- _stringSetter
- _windowMouseXGetter
- _windowMouseYGetter
- _windowWindowPtrGetter
- _windowHWNDGetter
- _WindowHandleGetter
- _WindowDockItemGetter
- _WindowMenuBarGetter
- _WindowMenuBarSetter
- _WindowFocusGetter
- _WindowFocusSetter
- _CreateArray
- _MemoryBlockFinalizer
- _MemoryBlockInitializer
- _memoryGetLong
- _memoryGetPtr
- _memoryGetShort
- _memoryGetUShort
- _memoryGetByte
- _memoryGetPString
- _memoryGetCString
- _memoryGetWString
- _memoryGetSingle
- _memoryGetDouble
- _memorySetString
- _memoryGetString
- _memoryGetBoolean
- _memoryGetColor
- _memoryBlockNewConstructor
- _MemoryBlockToStringOperator
- _MemoryBlockFromStringOperator
- _MemoryBlockAddOperator
- _MemoryBlockCompareOperator
- _memoryBlockGetPtr
- _ConvertPtrToMemoryBlock
- _MemoryBlockLeftB
- _MemoryBlockMidB2
- _MemoryBlockMidB3
- _MemoryBlockRightB
- _memorySetColor
- _memorySetBoolean
- _memorySetDouble
- _memorySetSingle
- _memorySetWString
- _memorySetCString
- _memorySetPString
- _memorySetByte
- _memorySetShort
- _memorySetPtr
- _memorySetLong
- _memorySetInt8
- _memorySetInt16
- _memorySetInt64
- _memoryGetInt8
- _memoryGetInt16
- _memoryGetInt64
- _memorySetUInt8
- _memorySetUInt16
- _memorySetUInt32
- _memorySetUInt64
- _memoryGetUInt8
- _memoryGetUInt16
- _memoryGetUInt32
- _memoryGetUInt64
- _memoryGetCurrency
- _memorySetCurrency
- _memoryBlockGetSize
- _memoryBlockSetSize
- _DateFinalizer
- _AutoInitDate
- _DateCompare
- _dateFieldGetter
- _dateFieldSetter
- _dateStringGetter

- _dateTotalSecondsGetter
- _dateTotalSecondsSetter
- _dateSQLDateGetter
- _dateSQLDateSetter
- _dateSQLDateTimeGetter
- _dateSQLDateTimeSetter
- _dateGMTOffsetGetter
- _dateGMTOffsetSetter
- _socketClose
- _socketPoll
- _SocketPurge
- _SocketConnect
- _SocketPortGetter
- _SocketPortSetter
- _socketLocalAddressGetter
- _socketLastErrorCode
- _SocketIsConnected
- _SocketGetHandle
- _SystemGetMACAddress
- _SystemGetIPAddress
- _SystemGetSubnetMask
- _MenuBarInitializer
- _MenuBarInstallClone
- _MenuItemFinalizer
- _MenuItemInitializer
- _RuntimeEnableMenu
- _RuntimeCloseMenuItem
- _RuntimeMenuItemItem
- _RuntimeMenuItemCount
- _RuntimeMenuItemChild
- _RuntimeMenuItemAppend
- _RuntimeMenuItemInsert
- _RuntimeMenuItemRemoveIndex
- _RuntimeMenuItemRemoveItem
- _RuntimeMenuItemRemoveByName
- _RuntimeMenuItemLookup
- _RuntimeMenuItemLookupArray
- _RuntimeMenuItemDefaultConstructor
- _MenuItemConstructor
- _RuntimeMenuItemPopUpByCursor
- _RuntimeMenuItemPopUp
- _RuntimeMenuItemSwap
- _RuntimeMenuItemNameGetter
- _RuntimeMenuItemNameSetter
- _RuntimeMenuItemIndexGetter
- _RuntimeMenuItemIndexSetter
- _RuntimeMenuItemTagGetter
- _RuntimeMenuItemTagSetter
- _RuntimeMenuItemBalloonHelpGetter
- _RuntimeMenuItemBalloonHelpSetter
- _RuntimeMenuItemDisabledHelpGetter
- _RuntimeMenuItemDisabledHelpSetter
- _RuntimeMenuItemTextGetter
- _RuntimeMenuItemTextSetter
- _RuntimeMenuItemCheckedGetter
- _RuntimeMenuItemCheckedSetter
- _RuntimeMenuItemEnabledGetter
- _RuntimeMenuItemEnabledSetter
- _RuntimeMenuItemVisibleGetter
- _RuntimeMenuItemVisibleSetter
- _RuntimeMenuItemCommandKeyGetter
- _RuntimeMenuItemCommandKeySetter
- _RuntimeMenuItemEnabledIconGetter
- _RuntimeMenuItemEnabledIconSetter
- _RuntimeMenuItemBoldGetter
- _RuntimeMenuItemBoldSetter
- _RuntimeMenuItemItalicsGetter
- _RuntimeMenuItemItalicsSetter
- _RuntimeMenuItemUnderlineGetter
- _RuntimeMenuItemUnderlineSetter
- _RuntimeMenuItemAutoEnableGetter
- _RuntimeMenuItemAutoEnableSetter
- _PrefsMenuAction
- _RuntimeExceptionFinalizer
- _RuntimeExceptionInitializer

- _RuntimeExceptionStack
- _appleEventItemDestructor
- _ResourceForkDestructor
- _resourceForkClose
- _resourceForkResourceType
- _resourceForkGetResource
- _resourceForkGetNamedResource
- _resourceForkResourceCount
- _resourceForkResourceID
- _resourceForkResourceName
- _resourceForkAddResource
- _resourceForkRemoveResource
- _resourceForkAddPicture
- _resourceForkGetPicture
- _resourceForkGetNamedPicture
- _resourceForkGetCicn
- _resourceForkGetIcl
- _resourceForkGetIcs
- _resourceForkGetCursor
- _resourceForkGetSound
- _resourceForkGetHandle
- _resourceForkReleaseHandle
- _resourceForkGetLocked
- _resourceForkGetProtected
- _resourceForkGetPreload
- _resourceForkGetPurgeable
- _resourceForkGetSysHeap
- _resourceForkSetSysHeap
- _resourceForkSetPurgeable
- _resourceForkSetPreload
- _resourceForkSetProtected
- _resourceForkSetLocked
- _resourceForkTypeCount
- _DockItemFinalizer
- _DockItemInitializer
- _DockItemResetIcon
- _DockItemIconUpdate
- _DockItemIconGraphicsGetter
- _appleEventDestructor
- _appleEventRecordConstructor
- _appleEventGetIntParam
- _appleEventGetSingleParam
- _appleEventGetDoubleParam
- _appleEventGetBooleanParam
- _appleEventGetStringParam
- _appleEventGetMacTypeParam
- _appleEventGetEnumeratedParam
- _appleEventGetFolderItemParam
- _appleEventGetDescListParam
- _appleEventGetDescParam
- _appleEventGetRecordParam
- _appleEventSetNullParam
- _appleEventLoadFromTemplate
- _appleEventSetDescParam
- _appleEventSetFolderItemParam
- _appleEventSetEnumeratedParam
- _appleEventSetMacTypeParam
- _appleEventSetStringParam
- _appleEventSetBooleanParam
- _appleEventSetDoubleParam
- _appleEventSetSingleParam
- _appleEventSetIntParam
- _appleEventSend
- _appleEventReplyStringGetter
- _appleEventReplyStringSetter
- _appleEventReplyBooleanGetter
- _appleEventReplyBooleanSetter
- _appleEventReplyIntegerGetter
- _appleEventReplyIntegerSetter
- _appleEventReply4CharCodeGetter
- _appleEventReply4CharCodeSetter
- _appleEventReplySingleGetter
- _appleEventReplySingleSetter
- _appleEventReplyDoubleGetter
- _appleEventReplyDoubleSetter

- _appleEventReplyFolderItemGetter
- _appleEventReplyFolderItemSetter
- _appleEventReplyObjSpecGetter
- _appleEventReplyObjSpecSetter
- _appleEventReplyDescListGetter
- _appleEventReplyRecordGetter
- _appleEventPtrGetter
- _appleEventTemplateDestructor
- _aeTemplateSetIntParam
- _aeTemplateSetStringParam
- _aeTemplateSetFolderItemParam
- _appleEventDescListConstructor
- _appleEventDescListGetIntItem
- _appleEventDescListGetStringItem
- _appleEventDescListGetFolderItemItem
- _appleEventDescListGetRecordItem
- _appleEventDescListGetBooleanItem
- _appleEventDescListGetDescListItem
- _appleEventDescListGetObjSpecItem
- _appleEventDescListAppendInteger
- _appleEventDescListAppendString
- _appleEventDescListAppendFolderItem
- _appleEventDescListAppendRecord
- _appleEventDescListAppendBoolean
- _appleEventDescListCount
- _ThreadInitializer
- _threadRun
- _ThreadSuspend
- _ThreadResume
- _ThreadSleep
- _ThreadKill
- _ThreadGetStackSize
- _ThreadSetStackSize
- _ThreadGetID
- _ThreadGetPriority
- _ThreadSetPriority
- _ThreadGetState
- _FolderItemDestructor
- _FolderItemPathCtorNoParams
- _FolderItemPathCtor
- _FolderItemCopyCtor
- _FolderItemItem
- _FolderItemTrueItem
- _FolderChild
- _FolderTrueChild
- _FolderItemOpenTextFile
- _FolderItemAppendTextFile
- _FolderItemCreateTextFile
- _FolderItemCreateVirtualVolume
- _FolderItemOpenAsVirtualVolume
- _FolderItemOpenBinaryFile
- _FolderItemCreateBinaryFile
- _folderOpenResourceFork
- _folderCreateResourceFork
- _FolderItemOpenAsCursor
- _FolderItemOpenAsIcons
- _FolderItemOpenImage
- _FolderItemOpenVectorImage
- _FolderItemOpenSound
- _FolderItemOpenMovie
- _FolderItemOpenResourceMovie
- _FolderItemOpenStyledEditField
- _FolderItemSaveStyledEditField
- _FolderItemSaveAsPicture
- _FolderItemSaveAsJPEG
- _FolderItemDelete
- _FolderItemCreateAsFolder
- _FolderItemLaunch
- _FolderItemLaunchWithParameters
- _FolderItemCopyFileTo
- _FolderItemMoveFileTo
- _FolderItemGetSaveInfo
- _FolderItemGetRelative
- _FolderItemImpMakeFileExecutable
- _FolderItemGetPermissions

- _FolderItemSetPermissionsClass
- _FolderItemSetPermissionsInteger
- _fileAbsolutePathGetter
- _fileCountGetter
- _fileNameGetter
- _fileNameSetter
- _FileDisplayNameGetter
- _fileSizeGetter
- _fileRFSizeGetter
- _FileExtensionVisibleGetter
- _FileExtensionVisibleSetter
- _fileLockedGetter
- _fileLockedSetter
- _fileExistsGetter
- _fileAliasGetter
- _fileVisibleGetter
- _fileVisibleSetter
- _fileDirectoryGetter
- _fileTypeGetter
- _folderParentGetter
- _folderGetCreation
- _folderSetCreation
- _folderGetModified
- _folderSetModified
- _fileMacTypeGetter
- _fileMacTypeSetter
- _fileMacCreatorGetter
- _fileMacCreatorSetter
- _folderFindFolder
- _folderVirtVolGetter
- _FolderItemsCurrentlyReadable
- _FolderItemsCurrentlyWriteable
- _FolderItemGetLastError
- _FolderItemSetLastError
- _fileVRefNumGetter
- _fileDirIDGetter
- _FileShellPathGetter
- _FileURLGetter
- _FolderItemGroupGetter
- _FolderItemGroupSetter
- _FolderItemOwnerGetter
- _FolderItemOwnerSetter
- _PermissionsInitializer
- _PermissionsCtor
- _PermissionsGetter
- _PermissionsSetter
- _VirtVolDestructor
- _VirtVolRootGetter
- _RuntimeNewVtable
- _TextOutputStreamDestructor
- _TextOutputStreamInitializer
- _TextOutputStreamWriteLine
- _TextOutputStreamWrite
- _TextOutputStreamClose
- _TextOutputStreamFlush
- _TextOutputStreamLastErrorGetter
- _TextOutputStreamHandleCtor
- _TextOutputStreamHandleGetter
- _TextInputStreamDestructor
- _TextInputStreamInitializer
- _TextInputStreamRead
- _TextInputStreamReadLine
- _TextInputStreamReadAll
- _TextInputStreamClose
- _TextInputStreamEOF
- _TextInputStreamLastErrorGetter
- _TextInputStreamHandleCtor
- _TextInputStreamHandleGetter
- _TextInputStreamGetPosition
- _TextInputStreamSetPosition
- _BinaryStreamDestructor
- _BinaryStreamInitializer
- _BinaryStreamReadByte
- _BinaryStreamReadShort
- _BinaryStreamReadLong

- _BinaryStreamReadPString
- _BinaryStreamReadFloat
- _BinaryStreamReadDouble
- _BinaryStreamReadBoolean
- _BinaryStreamRead
- _BinaryStreamWriteByte
- _BinaryStreamWriteShort
- _BinaryStreamWriteLong
- _BinaryStreamWritePString
- _BinaryStreamWriteFloat
- _BinaryStreamWriteDouble
- _BinaryStreamWriteBoolean
- _BinaryStreamWrite
- _BinaryStreamClose
- _BinaryStreamFlush
- _BinaryStreamLastErrorGetter
- _BinaryStreamEOF
- _BinaryStringStringCtor
- _BinaryStringMemoryBlockCtor
- _BinaryStreamHandleCtor
- _BinaryStreamHandleGetter
- _BinaryStreamReadInt8
- _BinaryStreamReadInt16
- _BinaryStreamReadInt64
- _BinaryStreamReadUInt8
- _BinaryStreamReadUInt16
- _BinaryStreamReadUInt32
- _BinaryStreamReadUInt64
- _BinaryStreamWriteInt8
- _BinaryStreamWriteInt16
- _BinaryStreamWriteInt64
- _BinaryStreamWriteUInt8
- _BinaryStreamWriteUInt16
- _BinaryStreamWriteUInt32
- _BinaryStreamWriteUInt64
- _BinaryStreamReadCurrency
- _BinaryStreamWriteCurrency
- _BinaryStreamGetLength
- _BinaryStreamSetLength
- _BinaryStreamGetPosition
- _BinaryStreamSetPosition
- _MDIWindowDestructor
- _MDIWindowConstructor
- _MDIWindowMaximize
- _MDIWindowMinimize
- _MDIWindowRestore
- _MDIWindowPosGetter
- _MDIWindowPosSetter
- _shortGetter
- _shortSetter
- _MDIWindowTitleGetter
- _MDIWindowTitleSetter
- _MDIWindowVisibleGetter
- _MDIWindowVisibleSetter
- _MDIWindowHandleGetter
- _TrayItemFinalizer
- _TrayItemInitializer
- _TrayItemSetPicture
- _TrayItemSetHelpTag
- _RangeEndPosGetter
- _TextEncodingChr
- _TextEncodingEquals
- _textEncodingBaseGetter
- _textEncodingVariantGetter
- _textEncodingFormatGetter
- _textEncodingInternetName
- _ApplicationFinalizer
- _ApplicationInitializer
- _ApplicationNewDocument
- _ApplicationOpenDocument
- _RuntimeDoEvents
- _ApplicationAddMenuHandler
- _ApplicationAddPollableObject
- _ApplicationRemovePollableObject
- _AddTrayItem

- _RemoveTrayItem
- _YieldToNextThread
- _AppSleepCurrentThread
- _ApplicationDoSingleEvent
- _RuntimeAddString
- _appMouseCursorSetter
- _appResourceForkGetter
- _AppBalloonHelpVisibleGetter
- _AppBalloonHelpVisibleSetter
- _AppIntegerVersionStuffGetter
- _AppStringVersionStuffGetter
- _AppMenuBarGetter
- _AppMenuBarSetter
- _AppDockItemGetter
- _AppAutoCloseGetter
- _AppAutoCloseSetter
- _AppFolderItemGetter
- _REALGetCurrentThread
- _AppGetCurrentEventTime
- _ClipboardFinalizer
- _ClipboardInitializer
- _clipboardSetText
- _clipboardClose
- _clipboardTextAvailable
- _clipboardPictureAvailable
- _clipboardMacDataAvailable
- _clipboardMacData
- _clipboardAddMacData
- _clipboardTextGetter
- _clipboardTextSetter
- _clipboardPictureGetter
- _clipboardPictureSetter
- _screenLeftGetter
- _screenTopGetter
- _screenWidthGetter
- _screenHeightGetter
- _screenDepthGetter
- _RGBSurfaceDestructor
- _rgbSurfaceGetPixel
- _rgbSurfaceSeedFill
- _rgbSurfaceTransform
- _rgbSurfaceTransformRGB
- _rgbSurfaceSetPixel
- _StyleRunRBConstructor
- _StyledTextDestructor
- _styledPrinterDrawBlock
- _styledPrinterEOF
- _styledPrinterWidthSetter
- _StyledTextClassFinalizer
- _StyledTextClassInitializer
- _StyledTextGetter
- _StyledTextGetBold
- _StyledTextGetItalic
- _StyledTextGetUnderline
- _StyledTextGetFont
- _StyledTextGetSize
- _StyledTextGetColor
- _StyledTextRunCountGetter
- _StyledTextRunGetter
- _TextRangeGetter
- _InsertStyledTextRun
- _AppendStyledTextRun
- _RemoveStyledTextRun
- _StyledTextParagraphCountGetter
- _StyledTextParagraphGetter
- _StyledTextSetAlignment
- _StyledTextSetColor
- _StyledTextSetSize
- _StyledTextSetFont
- _StyledTextSetUnderline
- _StyledTextSetItalic
- _StyledTextSetBold
- _StyledTextSetter
- _ewcEnableMenuItems
- _ewcLostFocus

- _ewcGotFocus
- _ewcKeyDown
- _ewcMouseUp
- _ewcMouseDown
- _ewcPaint
- _ewcMouseWheel
- _ewcDropObject
- _ewcMouseExit
- _ewcMouseEnter
- _ewcMouseMove
- _ewcClose
- _ewcOpen
- _EmbeddedWindowControlFinalizer
- _EmbeddedWindowControlInitializer
- _RuntimeControlDrawInto
- _RuntimeControlRefresh
- _RuntimeControlRefreshRect
- _RuntimeSetFocus
- _controlAcceptTextDrop
- _controlAcceptPictureDrop
- _controlAcceptFileDrop
- _controlAcceptMacDataDrop
- _controlNewDragItem
- _ControlAddMenuHandler
- _RectControlDefaultConstructor
- _RuntimeControlMove
- _RuntimeControlInvalidate
- _RuntimeControlInvalidateRect
- _controlHelpTagSetter
- _controlBalloonHelpSetter
- _controlDisabledBalloonHelpSetter
- _controlMouseCursorSetter
- _controlVisibleGetter
- _ControlVisibleSetter
- _ctlPosGetter
- _ctlPosSetter
- _controlEnabledGetter
- _controlEnabledSetter
- _controlActiveGetter
- _controlAutoDeactivateGetter
- _controlAutoDeactivateSetter
- _controlLockLeftGetter
- _controlLockLeftSetter
- _controlLockTopGetter
- _controlLockTopSetter
- _controlLockRightGetter
- _controlLockRightSetter
- _controlLockBottomGetter
- _controlLockBottomSetter
- _ControlParentGetter
- _ControlParentSetter
- _ControlInitialParentSetter
- _EmbedWithin
- _EmbedWithinControl
- _EmbedWithinPanel
- _eWindowInitialParentSetter
- _eWindowIntPassThroughGetter
- _eWindowTabPanelIndexSetter
- _eWindowParentGetter
- _eWindowParentSetter
- _eWindowContainingWindowGetter
- _eWindowControlGetter
- _eWindowBoolPassThroughGetter
- _eWindowBoolPassThroughSetter
- _eWindowEnabledGetter
- _eWindowEnabledSetter
- _eWindowAutoDeactivateSetter
- _eWindowStringPassThroughGetter
- _eWindowHelpTagSetter
- _eWindowDisabledBalloonHelpSetter
- _RuntimeControlFinalizer
- _RuntimeControlInitializer
- _ControlClose
- _ControlTabPanelIndexSetter

- _ControlPanelIndexGetter
- _ControlPanelIndexSetter
- _controlMouseXGetter
- _controlMouseYGetter
- _controlWindowGetter
- _controlMacControlHandleGetter
- _mouseCursorDestructor
- _EditCreatePane
- _RuntimeEditDestructor
- _editToggleSelectionBold
- _editToggleSelectionUnderline
- _editToggleSelectionItalic
- _editToggleSelectionShadow
- _editToggleSelectionOutline
- _editToggleSelectionCondense
- _editToggleSelectionExtend
- _editSetTextAndStyle
- _editSetString
- _editStyleTextPrinter
- _editScrollPositionGetter
- _EditScrollPositionXGetter
- _editLineNumAtCharPos
- _editCharPosAtLineNum
- _editCharPosAtXY
- _editInsertionPosAtXY
- _editCopyToClipboard
- _editPasteFromClipboard
- _editSelectAll
- _editAppendText
- _EditScrollPositionXSetter
- _editScrollPositionSetter
- _editTextGetter
- _editTextSetter
- _editTextStyleDataGetter
- _editBorderGetter
- _editBorderSetter
- _editMultiLineGetter
- _editMultiLineSetter
- _editReadOnlyGetter
- _editReadOnlySetter
- _editPasswordGetter
- _editPasswordSetter
- _editTextColorSetter
- _editBackColorSetter
- _editScrollBarGetter
- _editScrollBarSetter
- _editTextFontGetter
- _editTextFontSetter
- _editTextSizeGetter
- _editTextSizeSetter
- _editBoldGetter
- _editBoldSetter
- _editItalicGetter
- _editItalicSetter
- _editUnderlineGetter
- _editUnderlineSetter
- _editSelStartGetter
- _editSelStartSetter
- _editSelLengthGetter
- _editSelLengthSetter
- _editSelTextGetter
- _editSelTextSetter
- _editLimitTextGetter
- _editLimitTextSetter
- _editSelBoldGetter
- _editSelBoldSetter
- _editSelUnderlineGetter
- _editSelUnderlineSetter
- _editSelItalicGetter
- _editSelItalicSetter
- _editSelOutlineGetter
- _editSelOutlineSetter
- _editSelShadowGetter
- _editSelShadowSetter
- _editSelCondenseGetter

- _editSelCondenseSetter
- _editSelExtendGetter
- _editSelExtendSetter
- _editSelPlainGetter
- _editSelPlainSetter
- _editSelTextFontGetter
- _editSelTextFontSetter
- _editSelTextSizeGetter
- _editSelTextSizeSetter
- _editSelTextColorGetter
- _editSelTextColorSetter
- _EditDataSourceGetter
- _EditDataSourceSetter
- _EditDataFieldSetter
- _EditAlignmentSetter
- _EditSelAlignmentGetter
- _EditSelAlignmentSetter
- _EditMaskSetter
- _StyledTextObjectGetter
- _StyledTextObjectSetter
- _StaticTextCreatePane
- _StaticTextDestructor
- _StaticTextSetString
- _staticCaptionSetter
- _staticTextAlignSetter
- _staticTextColorSetter
- _staticTextFontSetter
- _staticTextSizeSetter
- _staticAttributeSetter
- _StaticTextMultilineSetter
- _StaticTextDataSourceGetter
- _StaticTextDataSourceSetter
- _StaticTextDataFieldSetter
- _RuntimeGraphicsDestructor
- _RuntimeGraphicsClearRect
- _RuntimeGraphicsDrawLine
- _RuntimeGraphicsDrawOval
- _RuntimeGraphicsDrawRect
- _RuntimeGraphicsDrawRoundRect
- _RuntimeGraphicsFillOval
- _RuntimeGraphicsFillRect
- _RuntimeGraphicsFillRoundRect
- _RuntimeGraphicsDrawPicture
- _RuntimeGraphicsDrawStringCondensed
- _RuntimeGraphicsDrawObjectXY
- _RuntimeGraphicsStringWidthPrecise
- _RuntimeGraphicsStringHeight
- _RuntimeGraphicsStringDirection
- _RuntimeGraphicsTextHeight
- _RuntimeGraphicsTextAscent
- _RuntimeGraphicsNextPage
- _graphicsDrawStopIcon
- _graphicsDrawNotelIcon
- _graphicsDrawCautionIcon
- _graphicsPixelGetter
- _graphicsDrawPolygon
- _graphicsFillPolygon
- _RuntimeGraphicsDrawFocusRing
- _RuntimeGraphicsHandleGetter
- _graphicsPixelSetter
- _RuntimeGraphicsClip
- _graphicsForeColorGetter
- _graphicsForeColorSetter
- _graphicsWidthGetter
- _graphicsHeightGetter
- _graphicsTextFontGetter
- _graphicsTextFontSetter
- _graphicsTextSizeGetter
- _graphicsTextSizeSetter
- _graphicsCopiesGetter
- _graphicsFirstPageGetter
- _graphicsLastPageGetter
- _graphicsBoldGetter
- _graphicsBoldSetter
- _graphicsItalicGetter

- _graphicsItalicSetter
- _graphicsUnderlineGetter
- _graphicsUnderlineSetter
- _graphicsPenWidthGetter
- _graphicsPenWidthSetter
- _graphicsPenHeightGetter
- _graphicsPenHeightSetter
- _graphicsUseOldRendererGetter
- _graphicsUseOldRendererSetter
- _CheckBoxCreatePane
- _checkBoxDestructor
- _checkBoxGetBoolean
- _checkBoxSetBoolean
- _checkBoxAddDataNotificationReceiver
- _checkBoxRemoveDataNotificationReceiver
- _checkBoxGetBoundPart
- _checkBoxTitleGetter
- _checkBoxTitleSetter
- _checkBoxValueGetter
- _checkBoxValueSetter
- _checkBoxTextFontGetter
- _checkBoxTextFontSetter
- _checkBoxTextSizeGetter
- _checkBoxTextSizeSetter
- _checkBoxBoldGetter
- _checkBoxBoldSetter
- _checkBoxItalicGetter
- _checkBoxItalicSetter
- _checkBoxUnderlineGetter
- _checkBoxUnderlineSetter
- _CheckBoxDataSourceGetter
- _CheckBoxDataSourceSetter
- _CheckBoxDataFieldSetter
- _RuntimePictureDestructor
- _PictureConstructor
- _pictureIndexedImage
- _pictureWidthGetter
- _pictureHeightGetter
- _pictureGraphicsGetter
- _pictureGroup2DGetter
- _pictureGroup2DSetter
- _pictureTransparentGetter
- _pictureTransparentSetter
- _pictureRGBSurfaceGetter
- _pictureImageCountGetter
- _pictureMaskGetter
- _PictureDepthGetter
- _PictureHResGetter
- _PictureHResSetter
- _PictureVResGetter
- _PictureVResSetter
- _CanvasCreatePane
- _RuntimeCanvasDestructor
- _RuntimeCanvasInitializer
- _canvasScroll
- _canvasGraphicsGetter
- _canvasBackdropSetter
- _GroupBoxCreatePane
- _groupBoxDestructor
- _groupCaptionGetter
- _groupCaptionSetter
- _groupTextFontGetter
- _groupTextFontSetter
- _groupTextSizeGetter
- _groupTextSizeSetter
- _groupBoldGetter
- _groupBoldSetter
- _groupItalicGetter
- _groupItalicSetter
- _groupUnderlineGetter
- _groupUnderlineSetter
- _PagePanelCreatePane
- _PagePanelAppendPage
- _PagePanelInsertPage
- _PagePanelRemovePage

- _PagePanelValueGetter
- _PagePanelValueSetter
- _PagePanelCountGetter
- _tabPanelDestructor
- _tabPanelCaptionGetter
- _TabPanelAppendTab
- _TabPanelInsertTab
- _TabPanelRemoveTab
- _TabPanelTabClickedOn
- _tabPanelCaptionSetter
- _tabPanelValueGetter
- _tabPanelValueSetter
- _tabPanelTextFontSetter
- _tabPanelTextSizeSetter
- _tabPanelBoldSetter
- _tabPanelItalicSetter
- _tabPanelUnderlineSetter
- _RuntimeSoundDestructor
- _RuntimeSoundConstructor
- _soundPlay
- _soundStop
- _soundPlayLooping
- _soundsPlaying
- _SoundClone
- _SoundPanGetter
- _SoundPanSetter
- _SoundVolumeGetter
- _SoundVolumeSetter
- _RuntimeMovieDestructor
- _movieWidthGetter
- _movieHeightGetter
- _movieBaseWidthGetter
- _movieBaseHeightGetter
- _movieHandleGetter
- _Group2DDestructor
- _Group2DConstructor
- _Group2DAppend
- _Group2DInsert
- _Group2DGetItem
- _Group2DRemoveByObject
- _Group2DRemoveByIndex
- _Group2DSetItem
- _Group2DCount
- _Object2DConstructor
- _doubleGetter
- _Object2DDoubleSetter
- _doublePercentGetter
- _doublePercentSetter
- _doubleSetter
- _CurrencyObjectToInt32
- _CurrencyObjectToUInt32
- _CurrencyObjectToInt64
- _CurrencyObjectToUInt64
- _CurrencyObjectToBoolean
- _CurrencyObjectToSingle
- _CurrencyObjectToDouble
- _CurrencyObjectToString
- _CurrencyObjectToCurrency
- _CurrencyObjectHash
- _ColorObjectToInt32
- _ColorObjectToInt64
- _ColorObjectToBoolean
- _ColorObjectToSingle
- _ColorObjectToDouble
- _ColorObjectToColor
- _ColorObjectToString
- _ColorObjectHash
- _BooleanObjectToInt32
- _BooleanObjectToInt64
- _BooleanObjectToBoolean
- _BooleanObjectToSingle
- _BooleanObjectToDouble
- _BooleanObjectToColor
- _BooleanObjectToString
- _BooleanObjectHash

- _DoubleObjectToInt32
- _DoubleObjectToUInt32
- _DoubleObjectToInt64
- _DoubleObjectToUInt64
- _DoubleObjectToBoolean
- _DoubleObjectToSingle
- _DoubleObjectToDouble
- _DoubleObjectToColor
- _DoubleObjectToString
- _DoubleObjectHash
- _DoubleObjectToCurrency
- _SingleObjectToInt32
- _SingleObjectToUInt32
- _SingleObjectToInt64
- _SingleObjectToUInt64
- _SingleObjectToBoolean
- _SingleObjectToSingle
- _SingleObjectToDouble
- _SingleObjectToColor
- _SingleObjectToString
- _SingleObjectHash
- _SingleObjectToCurrency
- _StringObjectToInt32
- _StringObjectToUInt32
- _StringObjectToInt64
- _StringObjectToUInt64
- _StringObjectToBoolean
- _StringObjectToSingle
- _StringObjectToDouble
- _StringObjectToColor
- _StringObjectToString
- _StringObjectHash
- _StringObjectFinalizer
- _StringObjectDestructor
- _StringObjectToCurrency
- _UInt64ObjectToInt32
- _UInt64ObjectToUInt32
- _UInt64ObjectToInt64
- _UInt64ObjectToUInt64
- _UInt64ObjectToBoolean
- _UInt64ObjectToSingle
- _UInt64ObjectToDouble
- _UInt64ObjectToColor
- _UInt64ObjectToString
- _UInt64ObjectHash
- _UInt64ObjectToCurrency
- _Int64ObjectToInt32
- _Int64ObjectToUInt32
- _Int64ObjectToInt64
- _Int64ObjectToUInt64
- _Int64ObjectToBoolean
- _Int64ObjectToSingle
- _Int64ObjectToDouble
- _Int64ObjectToColor
- _Int64ObjectToString
- _Int64ObjectHash
- _Int64ObjectToCurrency
- _Int32ObjectToInt32
- _Int32ObjectToInt64
- _Int32ObjectToUInt64
- _Int32ObjectToBoolean
- _Int32ObjectToSingle
- _Int32ObjectToDouble
- _Int32ObjectToColor
- _Int32ObjectToString
- _Int32ObjectHash
- _Int32ObjectToCurrency
- _UInt32ObjectToUInt32
- _UInt32ObjectToInt64
- _UInt32ObjectToUInt64
- _UInt32ObjectToBoolean
- _UInt32ObjectToSingle
- _UInt32ObjectToDouble
- _UInt32ObjectToColor
- _UInt32ObjectToString

- _Uln32ObjectHash
- _Uln32ObjectToCurrency
- _RuntimeCreateDelegate
- _RuntimeAllocatePluginEntrypointsTable
- _keymgrdwarf2register_sections
- machinit_routine
- _cthreadinit_routine
- _ermo

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

No detected.

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 5.99
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

Scan Date: 2024-09-07 14:55:35

Scan Results

- Malicious: 1
- Suspicious: 0
- Undetected: 63
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 13

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
MaxSecure	malicious	Virus.Mac.OSX.Reshe.ac