

Malware Analysis Report For

maxofferdeal_6bef369700a473304bacb359bc4a84c4b0574b596c88da5a4708d179b02aec22

Binary Type

Mach-O (Mach Object). (Approved)

Analyzing File

- **File Name:** maxofferdeal_6bef369700a473304bacb359bc4a84c4b0574b596c88da5a4708d179b02aec22
- **File Extension:**
- **File Type:** Mach-O (Mach Object).
- **MD5 Hash:** 13bc6db4a86ca4f2a57c839111d9021a
- **SHA256 Hash:** 6bef369700a473304bacb359bc4a84c4b0574b596c88da5a4708d179b02aec22

File Identification

File detected as a valid macOS/iOS executable.

Mach-O File Analysis

Mach-O File Analysis: True

Mach-O File Imports

- AppKit
- CoreFoundation
- CoreServices
- Foundation
- IOKit
- libSystem.B.dylib
- libc++.1.dylib
- libobjc.A.dylib

Mach-O File Exports

- /Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/lib/arc/libarc-lite_macosx.a(arc-lite.o)
- 1objc_object
- ClassNamesForImagePKcPj
- FStringGetCStringPtr
- GCCexcepttable13
- GCCexcepttable2
- GCCexcepttable8
- KKMSindexForKeyP11objcobjectP13objcselectorS0
- LASS\$NSDate
- Lm7ELi88EEcvPcEv
- NSLog
- SRunLoop
- SS\$NSDate
- Send
- StringGetCStringPtr
- aderIE7patches
- atch
- cPv
- cWithEntityP11objcobjectP13objcselectorS0_
- cclassPK15objcimage_info
- ch_headerIE7patches
- cliteobjcobjectgetIndexedIvarsP11objc_object
- ct
- cute_header
- der
- eaderIE7patches
- edSetP13objcselectorP11objcobjectm
- edSetobjcobjectAtIndexedSubscriptP12NSOrderedSetP13objcselectorm
- electorS0_
- er
- ersonality_v0
- fail
- forKeyP11objcobjectP13objcselectorS0S0
- gedObject_allocWithEntity
- gin_catch
- h
- hEntity
- iginalobjclookUpClass
- irectory

- iredClass
- isKindOfClassP11objcobjectP13objcselectorP10objc_class
- jc_copyClassNamesForImage
- jcojectS4
- lprotocolgetName
- nLoopMode
- nit
- oop
- orImage
- ort
- ory
- r
- rcliteobjclockUpClassPKc
- ry
- scriptP14NSMutableArrayP13objc.selectorP11objcobjectm
- seReturnValueP11objc_object
- source/arclite.mm
- ss_getName
- stackchkguard
- tOffset
- tPKcPv
- tionary_class
- tm
- tringPtr
- xecute_header
- y

String Analysis

ASCII Strings

- __PAGEZERO
- __TEXT
- __text
- __TEXT
- __stubs
- __TEXT
- _stubhelper
- __TEXT
- gccexcepttabTEXT
- __cstring
- __TEXT
- _objcmethname
- __TEXT
- __const
- __TEXT
- objc_classnameTEXT
- _objcmethtype
- __TEXT
- _unwindinfo
- __TEXT
- __DATA
- _nlsymbol_ptr
- __DATA
- __DATA
- _asymbol_ptr
- __DATA
- __cstring
- __DATA
- objc_nlslistDATA
- objc_protolistDATA
- objc_imageinfoDATA
- _objcoconst
- __DATA
- _objcselrefs
- __DATA
- objc_protorefsDATA
- objc_classrefsDATA
- _objcdata
- __DATA
- __data
- __DATA
- __DATA
- __LINKEDIT
- /usr/lib/dyld
- /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit
- /System/Library/Frameworks/IOKit.framework/Versions/A/IOKit
- /System/Library/Frameworks/CoreServices.framework/Versions/A/CoreServices
- /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

- /usr/lib/libobjc.A.dylib
- /usr/lib/libc++.1.dylib
- /usr/lib/libSystem.B.dylib
- /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation.framework
- @executable_path/../Frameworks
- AWAVATSH
- [A^A_]
- AWAVAUATSH
- x[A^A]A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVATS1
- [A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVATSL
- [A^A^A_]
- [A^A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVATSI
- [A^A^A_]
- AWAVATSI
- [A^A^A_]
- [A^A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVATSH
- [A^A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- NSAutoreleasePool
- objcautoreleasepoolPush
- objcautoreleasepoolPop
- __TEXT
- LINKEDIT

- NSArray
- NSMutableArray
- NSDictionary
- NSOrderedSet
- NSMutableOrderedSet
- NSMutableDictionary
- *objcloadClassref*
- *objectsetInstanceVariable*
- *objectsetVar*
- *objectcopy*
- *objcretain*
- *objcretainBlock*
- *objcrelease*
- *objcautorelease*
- *objcretainAutorelease*
- *objcautoreleaseReturnValue*
- *objcretainAutoreleaseReturnValue*
- *objcretainAutoreleasedReturnValue*
- *objcstoreStrong*
- NSUndoManagerProxy
- *_targetClass*
- NSManagedObject
- NSConstantString
- NSString
- NSKnownKeysMappingStrategy1
- NSKnownKeysDictionary1
- *objcreadClassPair*
- *objcallocateClassPair*
- *objectgetIndexedIvars*
- *objcogetClass*
- *objcogetMetaClass*
- *objcogetRequiredClass*
- *objclookUpClass*
- *objcogetProtocol*
- *classgetName*
- *protocolgetName*
- *objcocopyClassNamesForImage*
- *_Tt%cs%zu%.*s%s*
- *_Tt%c%zu%.s%zu%.s%s*
- *%s.s.%s*
- stringWithUTF8String:
- stringWithFormat:
- stringByReplacingOccurrencesOfString:withString:
- UTF8String
- currentRunLoop
- distantFuture
- runMode:beforeDate:
- description
- objectAtIndexedSubscript:
- setObject:atIndexedSubscript:
- objectForKeyedSubscript:
- objectAtIndex:
- addObject:
- replaceObjectAtIndex:withObject:
- objectForKey:
- setObject:forKeyedSubscript:
- setObject:atIndex:
- setObject:forKey:
- removeObjectForKey:
- retain
- release
- autorelease
- isKindOfClass:
- allocWithEntity:
- allocBatch:withEntity:count:
- fastIndexForKey:
- indexForKey:
- addEntriesFromDictionary:
- initialize
- lengthOfBytesUsingEncoding:
- getCString:maxLength:encoding:
- initWithBytes:length:encoding:
- keyEnumerator
- nextObject
- **@ARCLite**
- **ARCLiteIndexedSubscripting**
- **ARCLiteKeyedSubscripting**
- @24@0:8Q16
- v32@0:8@16Q24

- @24@0:8@16
- v32@0:8@16@24
- SDRGp0SARARARARARA'-CRBRCp
- @OBJCCLASS\$NSString
- @_objcpersonalityv0
- @_objcempty_cache
- @_objcempty_vtable
- @classgetName
- @objcallocateClassPair
- AobjcautoreleasePoolPush
- @objccopyClassNamesForImage
- @objcgetClass
- @objcgetMetaClass
- @objcgetProtocol
- @objcgetRequiredClass
- AobjcloadClassref
- @objclookupClass
- @objcmsgSend
- AobjcreadClassPair
- @objcrelease
- @objcretain
- @objectgetIndexedIvars
- @protocolgetName
- @__DefaultRunLoopLocale
- @_stackchkguard
- @dyldstubbinder
- @__NSDefaultRunLoopMode
- @OBJCCLASS\$NSDate
- @OBJCCLASS\$NSRunLoop
- @OBJCEHTYPE\$NSException
- @_CFConstantStringClassReference
- @_kCFCoreFoundationVersionNumber
- @_CFStringGetCStringPtr
- @_NSHomeDirectory
- @_NSLog
- @_Blockcopy
- @_UnwindResume
- @_cxa_atexit
- @_cxabegincatch
- @_cxaendcatch
- @_cxaguardabort
- @_cxaguardacquire
- @_cxaguardrelease
- @_stackchkfail
- @_dyldregisterfuncforaddimage
- @_abort
- @_asprintf
- @_bzero
- @_calloc
- @classaddMethod
- AclassaddProperty
- @classaddProtocol
- @classgetInstanceMethod
- @classgetInstanceSize
- @classgetInstanceVariable
- @classgetivarLayout
- @classgetSuperclass
- @classisMetaClass
- @classreplaceMethod
- @classesrespondsToSelector
- @_dlclose
- @_dlopen
- @_exit
- @_free
- @hashcreate
- @hashsearch
- @ivargetName
- @ivargetOffset
- @_malloc
- @_memcpy
- @methodsetImplementation
- @objcautoreleasePoolPop
- @objcautoreleasePoolPush
- @objcconstructInstance
- @objcgetClass
- @objcgetMetaClass
- @objcgetProtocol
- @objcgetRequiredClass

- @objc_initializeClassPair
- @objc_lookupClass
- @objc_registerClassPair
- @objc_retainAutorelease
- @objc_retainAutoreleasedReturnValue
- @objc_storeStrong
- @object_getClass
- @object_getVar
- @object_setVar
- ApropertycopyAttributeList
- @protocol_getMethodDescription
- @pthread_mutex_lock
- @pthread_mutex_unlock
- @set_getUid
- @_signal
- @_strcmp
- @_strlen
- @_strncmp
- _mh_execute_header
- Pp p p p p
- BRRRTi
- QUUUUX
- _mh_execute_header
- _CFStringGetCStringPtr
- _NSDefaultRunLoopMode
- _NSHomeDirectory
- _NSLog
- OBJCCLASS\$NSDate
- OBJCCLASS\$NSRunLoop
- OBJCCLASS\$NSString
- OBJCETYPE\$NSEException
- _Blockcopy
- __DefaultRuneLocale
- _UnwindResume
- _CFConstantStringClassReference
- _cxa_atexit
- _cxa_begin_catch
- _cxa_end_catch
- _cxa_guard_abort
- _cxa_guard_acquire
- _cxa_guard_release
- _objc_personality_v0
- _stack_chk_fail
- _stack_chk_guard
- _dyld_register_func_for_add_image
- _objc_empty_cache
- _objc_empty_vtable
- _abort
- _asprintf
- _bzero
- _calloc
- class_addMethod
- class_addProperty
- class_addProtocol
- class_getInstanceMethod
- class_getInstanceSize
- class_getInstanceVariable
- class_getIvarLayout
- class_getName
- class_getSuperclass
- class_isMetaClass
- class_replaceMethod
- class_respondsToSelector
- _dlclose
- _dlopen
- hash_create
- hash_search
- ivar_getName
- ivar_getOffset
- _kCFCoreFoundationVersionNumber
- _malloc
- _memcpy
- method_setImplementation
- objc_allocateClassPair
- objc_autoreleasePoolPop
- objc_autoreleasePoolPush
- objc_constructInstance
- objc_copyClassNamesForImage

- *objcgetClass*
- *objcgetMetaClass*
- *objcgetProtocol*
- *objcgetRequiredClass*
- *objcinitializeClassPair*
- *objcloadClassref*
- *objclookUpClass*
- *objcmsgSend*
- *objcreadClassPair*
- *objcregisterClassPair*
- *objcrelease*
- *objcretain*
- *objcretainAutorelease*
- *objcretainAutoreleasedReturnValue*
- *objcstoreStrong*
- *objectgetClass*
- *objectgetIndexedIvars*
- *objectgetIvar*
- *objectsetIvar*
- *propertycopyAttributeList*
- *protocolgetMethodDescription*
- *protocolgetName*
- *pthreadmutex_lock*
- *pthreadmutex_unlock*
- *selgetUid*
- *_signal*
- *_strcmp*
- *_strlen*
- *_stncmp*
- *dyldstubbinder*
- *__ZL8u9jjjG6iv*
- *__ZZ4mainENK3\$0cIEv*
- *__ZN2ay6OBJCR1ILm61ELi88EEcvPcEv*
- *__ZZ4mainENK3\$1cIEv*
- *__ZN2ay6OBJCR1ILm15ELi88EEcvPcEv*
- *__ZZ4mainENK3\$2cIEv*
- *__ZN2ay6OBJCR1ILm7ELi88EEcvPcEv*
- *__ZZ4mainENK3\$3cIEv*
- *__ZN2ay6OBJCR1ILm36ELi88EEcvPcEv*
- *__ZZ4mainENK3\$4cIEv*
- *__ZZ4mainENK3\$5cIEv*
- *__ZN2ay6OBJCR1ILm37ELi88EEcvPcEv*
- *__ZZ4mainENK3\$6cIEv*
- *__ZN2ay6OBJCR1ILm14ELi88EEcvPcEv*
- *__ZL8z6dq7hGti*
- *__ZN2ay6OBJCR1ILm61ELi88EEC1ERKNS6OBJCR2ILm61ELi88EEEE*
- *__ZN2ay6OBJCR1ILm61ELi88EED1Ev*
- *__ZN2ay6OBJCR1ILm61ELi88EEC2ERKNS6OBJCR2ILm61ELi88EEEE*
- *__ZNK2ay6OBJCR2ILm61ELi88EE2gdEv*
- *__ZN2ay6OBJCR1ILm61ELi88EED2Ev*
- *__ZN2ay6OBJCR1ILm15ELi88EEC1ERKNS6OBJCR2ILm15ELi88EEEE*
- *__ZN2ay6OBJCR1ILm15ELi88EED1Ev*
- *__ZN2ay6OBJCR1ILm15ELi88EEC2ERKNS6OBJCR2ILm15ELi88EEEE*
- *__ZNK2ay6OBJCR2ILm15ELi88EE2gdEv*
- *__ZN2ay6OBJCR1ILm15ELi88EED2Ev*
- *__ZN2ay6OBJCR1ILm7ELi88EEC1ERKNS6OBJCR2ILm7ELi88EEEE*
- *__ZN2ay6OBJCR1ILm7ELi88EED1Ev*
- *__ZN2ay6OBJCR1ILm7ELi88EEC2ERKNS6OBJCR2ILm7ELi88EEEE*
- *__ZNK2ay6OBJCR2ILm7ELi88EE2gdEv*
- *__ZN2ay6OBJCR1ILm7ELi88EED2Ev*
- *__ZN2ay6OBJCR1ILm36ELi88EEC1ERKNS6OBJCR2ILm36ELi88EEEE*
- *__ZN2ay6OBJCR1ILm36ELi88EED1Ev*
- *__ZN2ay6OBJCR1ILm36ELi88EEC2ERKNS6OBJCR2ILm36ELi88EEEE*
- *__ZNK2ay6OBJCR2ILm36ELi88EE2gdEv*
- *__ZN2ay6OBJCR1ILm36ELi88EED2Ev*
- *__ZN2ay6OBJCR1ILm37ELi88EEC1ERKNS6OBJCR2ILm37ELi88EEEE*
- *__ZN2ay6OBJCR1ILm37ELi88EED1Ev*
- *__ZN2ay6OBJCR1ILm37ELi88EEC2ERKNS6OBJCR2ILm37ELi88EEEE*
- *__ZNK2ay6OBJCR2ILm37ELi88EE2gdEv*
- *__ZN2ay6OBJCR1ILm37ELi88EED2Ev*
- *__ZN2ay6OBJCR1ILm14ELi88EEC1ERKNS6OBJCR2ILm14ELi88EEEE*
- *__ZN2ay6OBJCR1ILm14ELi88EED1Ev*
- *__ZN2ay6OBJCR1ILm14ELi88EEC2ERKNS6OBJCR2ILm14ELi88EEEE*
- *__ZNK2ay6OBJCR2ILm14ELi88EE2gdEv*
- *__ZN2ay6OBJCR1ILm14ELi88EED2Ev*
- *__ZN2ay6OBJCR1ILm61ELi88EE7decryptEv*
- *__ZNK2ay6OBJCR1ILm61ELi88EE2ieEv*
- *__ZN2ay6OBJCR1ILm15ELi88EE7decryptEv*
- *__ZNK2ay6OBJCR1ILm15ELi88EE2ieEv*

- `__ZN2ay6OBJCR1Lm7ELi88EE7decryptEv`
- `__ZNK2ay6OBJCR1Lm7ELi88EE2ieEv`
- `__ZN2ay6OBJCR1Lm36ELi88EE7decryptEv`
- `__ZNK2ay6OBJCR1Lm36ELi88EE2ieEv`
- `__ZN2ay6OBJCR1Lm37ELi88EE7decryptEv`
- `__ZNK2ay6OBJCR1Lm37ELi88EE2ieEv`
- `__ZN2ay6OBJCR1Lm14ELi88EE7decryptEv`
- `__ZNK2ay6OBJCR1Lm14ELi88EE2ieEv`
- `ZL15ARCLite__loadv`
- `_ZL30addimagehookautoreleasepoolPK11mach_headerl`
- `ZL34arcliteobjcautoreleasePoolPushv`
- `ZL33arcliteobjcautoreleasePoolPopPv`
- `_ZL19patchlazypointersPK11machheaderP7patch_tm`
- `ZL42arcliteNSArrayobjectAtIndexedSubscriptP7NSArrayP13objc_selectorm`
- `ZL53arcliteNSMutableArraysetObjectAtIndexedSubscriptP14NSMutableArrayP13objcselectorP11objc_`
- `ZL46arcliteNSDictionaryobjectForKeyedSubscriptP12NSDictionaryP13objcselectorP11objcobject`
- `ZL47arcliteNSOrderedSetobjectAtIndexedSubscriptP12NSOrderedSetP13objc_selectorm`
- `ZL58arcliteNSMutableOrderedSetsetObjectAtIndexedSubscriptP19NSMutableOrderedSetP13objcselect`
- `ZL58arcliteNSMutableDictionarysetObjectforKeyedSubscriptP19NSMutableDictionaryP13objc_select`
- `_ZL18addimagehookARCPK11mach_headerl`
- `ZL27arcliteobjcloadClassrefPP10objc_class`
- `ZL36arcliteobjectsetInstanceVariableP11objc_objectPKcPv`
- `ZL24arcliteobjectsetVarP11objcobjectP9objcivarS0_`
- `ZL21arcliteobjectcopyP11objc_objectm`
- `ZL21arcliteobjcretainP11objc_object`
- `ZL26arcliteobjcretainBlockP11objc_object`
- `ZL22arcliteobjcreleaseP11objc_object`
- `ZL26arcliteobjcautoreleaseP11objc_object`
- `ZL32arcliteobjcretainAutoreleaseP11objc_object`
- `ZL37arcliteobjcautoreleaseReturnValueP11objc_object`
- `ZL43arcliteobjcretainAutoreleaseReturnValueP11objc_object`
- `ZL44arcliteobjcretainAutoreleasedReturnValueP11objc_object`
- `ZL26arcliteobjcstoreStrongPP11objcobjectS0`
- `_ZL22addimagehookswiftV1PK11mach_headerl`
- `ZL42arcliteNSUndoManagerProxyisKindOfClassP11objcobjectP13objcselectorP10objc_class`
- `ZL30arcliteNSManagedObjectfnitP11objcobjectP13objcselector`
- `ZL41arcliteNSManagedObjectallocWithEntityP11objcobjectP13objcselectorS0_`
- `ZL36arcliteNSManagedObjectallocBatchP11objcobjectP13objcselectorPS0S0j`
- `ZL37arcliteNSKKMSfastIndexForKnownKeyP11objcobjectP13objcselectorS0_`
- `ZL28arcliteNSKKMSindexForKeyP11objcobjectP13objcselectorS0_`
- `ZL29arcliteNSKKsDobjectForKeyP11objcobjectP13objcselectorS0_`
- `ZL35arcliteNSKKsDremoveObjectForKeyP11objcobjectP13objcselectorS0_`
- `ZL33arcliteNSKKsDsetObjectforKeyP11objcobjectP13objcselectorS0S0_`
- `ZL41arcliteNSKKsDaddEntriesFromDictionaryP11objcobjectP13objcselectorP12NSDictionary`
- `ZL28arcliteobjcreadClassPairP10objcclassPK15objcimage_info`
- `ZL32arcliteobjccallocateClassPairP10objc_classPKcm`
- `ZL32arcliteobjectgetIndexdIvarsP11objc_object`
- `ZL23arcliteobjcgetClassPKc`
- `ZL27arcliteobjcgetMetaClassPKc`
- `ZL31arcliteobjcgetRequiredClassPKc`
- `ZL26arcliteobjclookUpClassPKc`
- `ZL26arcliteobjcgetProtocolPKc`
- `ZL23arcliteclassgetNameP10objc_class`
- `ZL26arcliteprotocolgetNameP8Protocol`
- `ZL37arcliteobjccopyClassNamesForImagePKcPj`
- `_ZL17transcribeMethodsP10objcclassP15glueclassro_t`
- `_ZL19transcribeProtocolsP10objcclassP15glueclassro_t`
- `_ZL20transcribePropertiesP10objcclassP15glueclassro_t`
- `_ZL14initializeimpP11objcobjectP13objcselector`
- `_ZL18allocateMaybeSwiftP18glueswiftclasstm`
- `__ZL22copySwiftV1MangledNamePKcb`
- `__ZL13demangledNamePKcb`
- `_ZL16scanMangledFieldRPPKcS0S1_Ri`
- `_ZL30arcliteuninitialized_functionv`
- `_ZL12cxxConstructP11objcobject`
- `_ZL20fixStringForCoreDataP11objcobject`
- `GCCexcepttable0`
- `GCCexcepttable2`
- `GCCexcepttable4`
- `GCCexcepttable6`
- `GCCexcepttable8`
- `GCCexcepttable10`
- `GCCexcepttable11`
- `GCCexcepttable13`
- `_ZL17loadmethodname`
- `_ZZZ4mainENK3$0cIeVe6OBJCR2`
- `_ZZZ4mainENK3$1cIeVe6OBJCR2`

- `_ZZZ4mainENK3$2cEvE6OBJCR2`
- `_ZZZ4mainENK3$3cEvE6OBJCR2`
- `_ZZZ4mainENK3$4cEvE6OBJCR2`
- `_ZZZ4mainENK3$5cEvE6OBJCR2`
- `_ZZZ4mainENK3$6cEvE6OBJCR2`
- `_ZL11class_name`
- `_ZL17loadmethodtype`
- `_nonlazy_classes`
- `OBJCLABELPROTOCOL$ARCLiteIndexedSubscribing__`
- `OBJCLABELPROTOCOL$ARCLiteKeyedSubscribing__`
- `ZL31OBJCMETACLASSRO$ARCLite__`
- `ZL27OBJCCLASSRO$ARCLite__`
- `ZL32OBJC$CLASSMETHODSARCLite__`
- `OBJCMETACLASS$ARCLite`
- `ZL24OBJCCLASS$ARCLite__`
- `OBJCPROTOCOL$ARCLiteIndexedSubscribing__`
- `OBJCPROTOCOL$ARCLiteKeyedSubscribing__`
- `__ZL12demangleLock`
- `_ZZZ4mainENK3$0cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$0cEvE6OBJCR1`
- `_ZZZ4mainENK3$1cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$1cEvE6OBJCR1`
- `_ZZZ4mainENK3$2cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$2cEvE6OBJCR1`
- `_ZZZ4mainENK3$3cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$3cEvE6OBJCR1`
- `_ZZZ4mainENK3$4cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$4cEvE6OBJCR1`
- `_ZZZ4mainENK3$5cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$5cEvE6OBJCR1`
- `_ZZZ4mainENK3$6cEvE6OBJCR1`
- `_ZGVZZ4mainENK3$6cEvE6OBJCR1`
- `_ZL23NSAutoreleasePoolclass`
- `_ZZL30addimagehookautoreleasepoolPK11mach_headerIE7patches`
- `_ZGVZL30addimagehookautoreleasepoolPK11mach_headerIE7patches`
- `_ZZL18addimagehookARCPK11mach_headerIE7patches`
- `_ZGVZL18addimagehookARCPK11mach_headerIE7patches`
- `_ZL30NSUndoManagerProxytargetClass`
- `_ZL29originalNSManagedObject_init`
- `_ZL40originalNSManagedObject_allocWithEntity`
- `_ZL35originalNSManagedObject_allocBatch`
- `_ZL25NSMutableDictionaryclass`
- `_ZL22NSConstantStringclass`
- `_ZL14NSSStringclass`
- `_ZL36originalNSKKMS_fastIndexForKnownKey`
- `_ZL27originalNSKKMS_indexForKey`
- `_ZL28originalNSKKsD_objectForKey`
- `_ZL34originalNSKKsD_removeObjectForKey`
- `_ZL32originalNSKKsD_setObjectForKey`
- `_ZL40originalNSKKsD_addEntriesFromDictionary`
- `_ZZL22addimagehookswiftV1PK11mach_headerIE7patches`
- `_ZGVZL22addimagehookswiftV1PK11mach_headerIE7patches`
- `_ZL31originalobjc_allocateClassPair`
- `_ZL31originalobject_getIndexedIvars`
- `_ZL22originalobjc_getClass`
- `_ZL26originalobjc_getMetaClass`
- `_ZL30originalobjc_getRequiredClass`
- `_ZL25originalobjc_lookUpClass`
- `_ZL25originalobjc_getProtocol`
- `_ZL22originalclass_getName`
- `_ZL25originalprotocol_getName`
- `_ZL36originalobjc_copyClassNamesForImage`
- `__ZL9Demangled`
- `/Library/Caches/com.apple.xbs/Sources/arclite/arclite-76/source/`
- `arclite.mm`
- `/Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/lib/arc/libarclite`
- `ZL15ARCLite__loadv`
- `source/arclite.mm`
- `_ZL30addimagehookautoreleasepoolPK11mach_headerI`
- `ZL34arcliteobjcautoreleasePoolPushv`
- `ZL33arcliteobjcautoreleasePoolPopPv`
- `_ZL19patchlazypointersPK11mach_headerP7patch_tm`
- `ZL42arcliteNSArrayobjectAtIndexedSubscriptP7NSArrayP13objc_selectorm`
- `ZL53arcliteNSMutableArraysetObjectAtIndexedSubscriptP14NSMutableArrayP13objcselectorP11objc__`
- `ZL46arcliteNSDictionaryobjectForKeyedSubscriptP12NSDictionaryP13objcselectorP11objcobject`
- `ZL47arcliteNSOrderedSetobjectAtIndexedSubscriptP12NSOrderedSetP13objc_selectorm`
- `ZL58arcliteNSMutableOrderedSetsetObjectAtIndexedSubscriptP19NSMutableOrderedSetP13objcselect`
- `ZL58arcliteNSMutableDictionarysetObjectForKeyedSubscriptP19NSMutableDictionaryP13objc_select`

- `_ZL18addimagehookARCPK11mach_headerI`
- **ZL27**`arcLiteobjcloadClassrefPP11objc_class`
- **ZL36**`arcLiteobjectsetInstanceVariableP11objc_objectPKcPv`
- **ZL24**`arcLiteobjectsetVarP11objcobjectP9objcivarS0_`
- **ZL21**`arcLiteobjectcopyP11objc_objectm`
- **ZL21**`arcLiteobjcretainP11objc_object`
- **ZL26**`arcLiteobjcretainBlockP11objc_object`
- **ZL22**`arcLiteobjcreleaseP11objc_object`
- **ZL26**`arcLiteobjcautoreleaseP11objc_object`
- **ZL32**`arcLiteobjcretainAutoreleaseP11objc_object`
- **ZL37**`arcLiteobjcautoreleaseReturnValueP11objc_object`
- **ZL43**`arcLiteobjcretainAutoreleaseReturnValueP11objc_object`
- **ZL44**`arcLiteobjcretainAutoreleasedReturnValueP11objc_object`
- **ZL26**`arcLiteobjcstoreStrongPP11objcobjectS0`
- `_ZL22addimagehookswiftV1PK11mach_headerI`
- **ZL42**`arcLiteNSUndoManagerProxyisKindOfClassP11objcobjectP13objcselectorP10objc_class`
- **ZL30**`arcLiteNSManagedObjectinitP11objcobjectP13objcselector`
- **ZL41**`arcLiteNSManagedObjectallocWithEntityP11objcobjectP13objcselectorS0_`
- **ZL36**`arcLiteNSManagedObjectallocBatchP11objcobjectP13objcselectorPS0S0j`
- **ZL37**`arcLiteNSKKMSfastIndexForKnownKeyP11objcobjectP13objcselectorS0_`
- **ZL28**`arcLiteNSKKMSindexForKeyP11objcobjectP13objcselectorS0_`
- **ZL29**`arcLiteNSKKSDobjectForKeyP11objcobjectP13objcselectorS0_`
- **ZL35**`arcLiteNSKKSDremoveObjectForKeyP11objcobjectP13objcselectorS0_`
- **ZL33**`arcLiteNSKKSDsetObjectforKeyP11objcobjectP13objcselectorS0S0_`
- **ZL41**`arcLiteNSKKSDaddEntriesFromDictionaryP11objcobjectP13objcselectorP12NSDictionary`
- **ZL28**`arcLiteobjcreadClassPairP10objcclassPK15objcimage_info`
- **ZL32**`arcLiteobjcallocateClassPairP10objc_classPKcm`
- **ZL32**`arcLiteobjectgetIndexedIvarsP11objc_object`
- **ZL23**`arcLiteobjcgetClassPKc`
- **ZL27**`arcLiteobjcgetMetaClassPKc`
- **ZL31**`arcLiteobjcgetRequiredClassPKc`
- **ZL26**`arcLiteobjclookupClassPKc`
- **ZL26**`arcLiteobjcgetProtocolPKc`
- **ZL23**`arcLiteclassgetNameP10objc_class`
- **ZL26**`arcLiteprotocolgetNameP8Protocol`
- **ZL37**`arcLiteobjccopyClassNamesForImagePKcPj`
- `_ZL17transcribeMethodsP10objcclassP15glueclassro_t`
- `_ZL19transcribeProtocolsP10objcclassP15glueclassro_t`
- `_ZL20transcribePropertiesP10objcclassP15glueclassro_t`
- `_ZL14initializeimpP11objcobjectP13objcselector`
- `_ZL18allocateMaybeSwiftP18glueswiftclasstm`
- `__ZL22copySwiftV1MangledNamePKcb`
- `__ZL13demangledNamePKcb`
- `_ZL16scanMangledFieldRPKcS0S1_Ri`
- `/Applications/Xcode.app/Contents/Developer/Platforms/MacOSX.platform/Developer/SDKs/MacOSX10.15.Inte`
- `_ZL30arcLiteuninitialized_functionv`
- `_ZL12cxxConstructP11objcobject`
- `_ZL20fixStringForCoreDataP11objcobject`
- `_nonlazy_classes`
- **OBJCLABELPROTOCOL\$ARCLiteIndexedSubscribing__**
- **OBJCLABELPROTOCOL\$ARCLiteKeyedSubscribing__**
- **ZL31OBJCMETACLASSRO\$ARCLite__**
- **ZL27OBJCCLASSRO\$ARCLite__**
- **ZL32OBJC\$CLASSMETHODSARCLite__**
- **OBJCMETACLASS\$ARCLite**
- **ZL24OBJCCLASS\$ARCLite_**
- **OBJCPROTOCOL\$ARCLiteIndexedSubscribing_**
- **OBJCPROTOCOL\$ARCLiteKeyedSubscribing_**
- `__ZL12demangleLock`
- `_ZL23NSAutoreleasePoolclass`
- `_ZZL30addimagehookautoreleasepoolPK11mach_headerIE7patches`
- `_ZGVZL30addimagehookautoreleasepoolPK11mach_headerIE7patches`
- `_ZZL18addimagehookARCPK11mach_headerIE7patches`
- `_ZGVZL18addimagehookARCPK11mach_headerIE7patches`
- `_ZL30NSUndoManagerProxytargetClass`
- `_ZL29originalNSManagedObject_init`
- `_ZL40originalNSManagedObject_allocWithEntity`
- `_ZL35originalNSManagedObject_allocBatch`
- `_ZL25NSMutableDictionaryclass`
- `_ZL22NSConstantStringclass`
- `_ZL14NSStringclass`
- `_ZL36originalNSKKMS_fastIndexForKnownKey`
- `_ZL27originalNSKKMS_indexForKey`
- `_ZL28originalNSKKSD_objectForKey`
- `_ZL34originalNSKKSD_removeObjectForKey`
- `_ZL32originalNSKKSDsetObjectforKey`
- `_ZL40originalNSKKSD_addEntriesFromDictionary`
- `_ZZL22addimagehookswiftV1PK11mach_headerIE7patches`

- `_ZGVZL22addimagehookswiftV1PK11mach_headerIE7patches`
- `_ZL31originalobjc_allocateClassPair`
- `_ZL31originalobject_getIndexedIvars`
- `_ZL22originalobjc_getClass`
- `_ZL26originalobjc_getMetaClass`
- `_ZL30originalobjc_getRequiredClass`
- `_ZL25originalobjc_lookUpClass`
- `_ZL25originalobjc_getProtocol`
- `_ZL22original/class_getName`
- `_ZL25originalprotocol_getName`
- `_ZL36originalobjc_copyClassNamesForImage`
- `__ZL9Demangled`

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

No detected.

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 5.43
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

Scan Date: 2024-08-30 18:44:11

Scan Results

- Malicious: 34
- Suspicious: 0
- Undetected: 32
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 12

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
Lionic	malicious	Adware.OSX.MaxOfferDeal.2!c
Elastic	malicious	malicious (high confidence)
DrWeb	malicious	Mac.Trojan.Genieo.682
MicroWorld-eScan	malicious	Trojan.MAC.Agent.FF
FireEye	malicious	Trojan.MAC.Agent.FF
Skyhigh	malicious	RDN/Generic.osx
McAfee	malicious	RDN/Generic.osx
VIPRE	malicious	Trojan.MAC.Agent.LFF
K7GW	malicious	EmailWorm (0040f1211)
Symantec	malicious	OSX.Trojan.Gen
ESET-NOD32	malicious	a variant of OSX/Adware.MaxOfferDeal.R
Cynet	malicious	Malicious (score: 99)
TrendMicro-HouseCall	malicious	TROJ_FRS.0NA103JG23
Avast	malicious	MacOS:AdAgent-FO [Adw]
Kaspersky	malicious	not-a-virus:HEUR:AdWare.OSX.Ketin.m
BitDefender	malicious	Trojan.MAC.Agent.FF

Engine Name	Detection Category	Detection
Tencent	malicious	Osx.Risk.ADWARE.Ckjl
Emsisoft	malicious	Trojan.MAC.Agent.FF (B)
F-Secure	malicious	Adware.ADWARE/OSX.MaxOfferDeal.qcvri
Zillya	malicious	Adware.MaxOfferDeal.OSX.655
TrendMicro	malicious	TROJ_FRS.0NA103JG23
SentinelOne	malicious	Static AI - Malicious Mach-O
Avira	malicious	ADWARE/OSX.MaxOfferDeal.qcvri
Microsoft	malicious	PUA:MacOS/MaxOfferDeal.C!MTB
Xcitium	malicious	ApplicUnwnt@#pf8jk2h7peh1
Arcabit	malicious	Trojan.MAC.Agent.FF
ZoneAlarm	malicious	not-a-virus:HEUR:AdWare.OSX.Ketin.m
GData	malicious	Trojan.MAC.Agent.FF
ALYac	malicious	Trojan.MAC.Agent.FF
MAX	malicious	malware (ai score=81)
Rising	malicious	Adware.MaxOfferDeal/OSX!1.D92E (CLASSIC)
MaxSecure	malicious	Trojan.Malware.104311832.susgen
Fortinet	malicious	Adware/Ketin!OSX
AVG	malicious	MacOS:AdAgent-FO [Adw]