

Malware Analysis Report For

osxmonitor308854c058a2fa626237abe97267c29bed7dc40330683e80d813084eb65bdc93

Binary Type

Mach-O (Mach Object). (Approved)

Analyzing File

- **File Name:** osxmonitor308854c058a2fa626237abe97267c29bed7dc40330683e80d813084eb65bdc93
- **File Extension:**
- **File Type:** Mach-O (Mach Object).
- **MD5 Hash:** 6dee236726f019800a60c4af19521d99
- **SHA256 Hash:** 308854c058a2fa626237abe97267c29bed7dc40330683e80d813084eb65bdc93

File Identification

File detected as a valid macOS/iOS executable.

Mach-O File Analysis

Mach-O File Analysis: True

Mach-O File Imports

- AppKit
- ApplicationServices
- Cocoa
- CoreFoundation
- Foundation
- OmniAppKit
- OmniBase
- OmniFoundation
- libSystem.B.dylib
- libgcc_s.1.dylib
- libobjc.A.dylib
- libz.1.dylib

Mach-O File Exports

No exported functions were found.

String Analysis

ASCII Strings

- __TEXT
- __text
- __TEXT
- **picsymbolstub1**TEXT
- __cstring
- __TEXT
- __const
- __TEXT
- __TEXT
- __literal4
- __TEXT
- __literal8
- __TEXT
- X__DATA
- __data
- __DATA
- __dyld
- __DATA
- */*asymbol_ptr
- __DATA
- __cstring
- __DATA
- __const
- __DATA
- */n*symbol_ptr
- __DATA

- __DATA
- __common
- __DATA
- x_OBJC
- _cafinst_meth
- __OBJC
- _messagerefs
- __OBJC
- _clsrefs
- __OBJC
- __class
- __OBJC
- _metaclass
- __OBJC
- _clsmeth
- __OBJC
- _instmeth
- __OBJC
- __protocol
- __OBJC
- _instancevars
- __OBJC
- _moduleinfo
- __OBJC
- __symbols
- __OBJC
- __category
- __OBJC
- _catcls_meth
- __OBJC
- _clasext
- __OBJC
- __property
- __OBJC
- _imageinfo
- __OBJC
- 8_LINKEDIT
- @rpath/OmniPDFParser.framework/Versions/A/OmniPDFParser
- /System/Library/Frameworks/Cocoa.framework/Versions/A/Cocoa
- /usr/lib/libz.1.dylib
- @rpath/OmniBase.framework/Versions/A/OmniBase
- @rpath/OmniFoundation.framework/Versions/A/OmniFoundation
- @rpath/OmniAppKit.framework/Versions/A/OmniAppKit
- /usr/lib/libgcc_s.1.dylib
- /usr/lib/libSystem.B.dylib
- /usr/lib/libobjc.A.dylib
- /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
- /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit
- /System/Library/Frameworks/ApplicationServices.framework/Versions/A/ApplicationServices
- /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
- [cFp]
- (@)i[xA
- (@)@(P8B
- x8cqHH
- x8cqXH
- x8cqhH
- x8c5XH
- ,[cX8N
- [BH08B
- >`H9L
- };Kx}9Kx}8KxH
- };Kx}9Kx}8KxH
- ;x}6Kx
- Cx}9Kx}XSx
- }SH8|@
- }y[x
- }"PP[B
- p}XP}
- }^Sx<_
- [T8B{[
- [BX0]K
- OmniPDFEndString
- Parent
- MediaBox
- CropBox
- Resources
- Rotate

- Contents
- Annots
- OmniPDFEndString
- pageDictionary
- mediaBox
- cropBox
- displayBox
- rotation
- resources
- contents
- pdfStorage
- @"OPDFStorage"
- pageNumber
- pagesDictionary
- @"NSDictionary"
- {CGRect="origin"{CGPoint="x"f"y"f"}size"{CGSize="width"f"height"f}}
- resourceDictionary
- @"OPDFObject"
- annotationsArray
- @"NSMutableArray"
- objectNumber
- pageData
- @"NSData"
- triedToReadThumbnail
- thumbnailPDFImage
- @"OPDFImage"
- thumbnailImage
- @"NSImage"
- pageLays
- @"OPDFPageLays"
- pageNumber:fromPagesDictionary:pdfStorage:
- @20@0:4l8@12@16
- xrefForPage:inStorage:
- @16@0:4l8@12
- debugDictionary
- @8@0:4
- i8@0:4
- {CGRect={CGPoint=ff}{CGSize=ff}}8@0:4
- l8@0:4
- forceThumbnailLoad
- thumbnailSize
- {CGSize=ff}8@0:4
- c8@0:4
- readPageLaysInPDFView:
- @12@0:4@8
- drawInPDFView:
- v12@0:4@8
- inheritedObjectForKey:
- readPageDictionary
- v8@0:4
- dealloc
- initPageNumber:fromPagesDictionary:pdfStorage:
- OPDFPage
- OFObject
- NSObject
- arrayWithObjects:
- numberWithInt:
- setObject:forKey:
- isGood
- parseUpToString:drawer:
- initWithPDFView:addToPageLays:
- drawingClass
- initWithData:
- appendBytes:length:
- dataUsingEncoding:
- mutableCopy
- appendData:
- unpackedData
- objectType
- realObject
- initName:fromXref:
- initWithCapacity:
- intValue
- isEqualToString:
- objectAtIndex:
- dictionary
- objectForKey:
- catalogDictionary

- colorWithCalibratedRed:green:blue:alpha:
- retain
- raise:format:
- length
- mutableBytes
- setLength:
- release
- scanString:peek:
- autorelease
- initWithCharacterSet:
- fetchMoreData
- bundleWithIdentifier:
- tableViewTypeAheadSelectionColumn:
- tableView.writeRows:toPasteboard:
- c20@0:4@8@12@16
- tableView.deleteRows:
- v16@0:4@8@12
- NSTableViewOAEExtendedDataSourceDeprecated
- fileManager:willProcessPath:
- fileManager:shouldProceedAfterError:
- c16@0:4@8@12
- NSFileManagerHandlerDeprecated
- NSBundle
- OFCharacterSet
- NSMutableData
- NSRangeException
- NSColor
- NSMutableArray
- OPDFImage
- OPDFPageLays
- OPDFParser
- OPDFDrawer
- NSArray
- NSNumber
- PDF Page Corrupt
- Inline image bad data
- PDF invalid: found end of file while scanning for %@
- BoundsCheck Failed
- Array length %d indexed by %d!
- stream
- pdfData
- pdfDataLength
- pdfBytes
- scanOffset
- @"OPDFArray"
- nameTranslationDictionary
- cryptor
- @""
- parserWithData:offset:xrefs:
- @20@0:4@8@12@16
- parseInlineImageStream
- pushMark
- setNameTranslationDictionary:
- @16@0:4@8@12
- parseUpToString:
- setDecryptor:
- initWithData:offset:xrefs:
- endDrawing
- initWithData:offsetPointer:stack:
- falseValue
- trueValue
- initWithData:xrefs:stack:
- setICCBasedAndSpecialStroke:
- setICCBasedAndSpecialFill:
- cStringUsingEncoding:
- UTF8String
- lastObject
- initWithString:
- stringValue
- initWithBytes:offsetPointer:endOffset:
- initWithArray:
- addObject:
- initWithHexBytes:offsetPointer:endOffset:
- parserDispatchTable
- beginDrawing
- setParser:
- OPDFArray
- NSAutoreleasePool

- OPDFString
- OPDFDictionary
- OPDFName
- OPDFXref
- OPDFConstant
- OPDFStream
- OPDFInlineImageStream
- Warning, operand %@ too long for registry.
- Warning, parser no selector named %@
- Warning, parser no implementation named %@
- _class
- [94[94{?="implementation"^^?"selector":."argumentTypes"i}]]
- registerMethodName:forOperandName:argumentTypes:
- v20@0:4@8@12i16
- initWithClass:
- @12@0:4#8
- OPDFParserDispatchTable
- instanceMethodForSelector:
- getCString:maxLength:encoding:
- lengthOfBytesUsingEncoding:
- /Volumes/LocalSSD/Shared/ryan/ReleaseProduct/Source/OmniGroup/Applications/OmniPDF/Framework/Atoms.s
- appendToData:after:
- i16@0:4@8i12
- generationNumber
- @12@0:4i8
- c12@0:4@8
- floatValue
- f8@0:4
- OPDFObject
- %d %d R
- Warning, using out of date object #%
- endobj
- Warning, object #%
- Warning, object #%
- Warning, object #%
- @20@0:4@8@12@16
- appendString:encoding:
- initWithFormat:
- setRealObject:
- handlerForObject:generation:
- decryptor
- offset
- isKindOfClass:
- popInt
- OPDFXrefTableEntry
- NSString
- <>)0123456789
- ^{?(?="object"@."OPDFObject""floatValue"f"intValue"i)}
- maxSize
- newFromRect:
- @24@0:4{CGRect={CGPoint=ff}{CGSize=ff}}8
- popFloat
- addRect:integral:
- v28@0:4{CGRect={CGPoint=ff}{CGSize=ff}}8c24
- addInt:
- v12@0:4i8
- addFloat:
- v12@0:4f8
- addObjects:
- fillIntBuffer:length:
- v16@0:4^i8i12
- fillFloatBuffer:length:
- v16@0:4^f8i12
- rectScaledBy:
- {CGRect={CGPoint=ff}{CGSize=ff}}16@0:4{CGSize=ff}8
- intAtIndex:
- i12@0:4i8
- floatAtIndex:
- f12@0:4i8
- arrayWithCapacity:
- initWithInt:
- initWithFloat:
- OPDFNumber
- unknownvalue
- constant
- initialize
- lastCharacter
- Subtype
- J)0123456789

- @"NSMutableDictionary"
- initWithDictionary:
- appendName:toData:after:
- sortedArrayUsingFunction:context:
- allKeys
- compare:
- NSMutableDictionary
- string
- @"NSString"
- i20@0:4@8@12i16
- nameWithString:
- @20@0:4r*8^12i16
- initWithData:encoding:
- dataWithCapacity:
- [](<=>)
- numberType
- @12@0:4i8
- @12@0:4f8
- numberWithFloat:
- Stream [dict: %@
- data: %@]
- Filter
- DecodeParms
- Length
- endstream
- OPDF Corrupt
- Stream end corrupted, found %@ instead of 'endstream'
- Error: Skipping stream with unknown decompression type - %@
- ASCIIHexDecode
- ASCII85Decode
- LZWDecode
- EarlyChange
- FlateDecode
- zlib error (%d): %s
- decodeDCTDataRetainedFromData:
- Private
- streamData
- isPacked
- filterArray
- decodeParmsArray
- decrypt
- retainedUnpackedData:forFilter:parameters:
- description
- streamDataLength
- unpack
- parseFilters
- @20@0:4@8^12@16
- stringWithFormat:
- decryptMutableData:
- initWithLength:
- process
- decoderWithInputData:codeSize:bitMask:earlyChange:consumer:outputChunkSize:outputSelector:
- initWith85Bytes:offsetPointer:endOffset:
- arrayWithObject:
- subdataWithRange:
- OPDFLZWDecoder
- PDF Data Garbled
- EOF in middle of literal string
- EOF in middle of hex string
- ()\nrtbf
- EOF in middle of ASCII85 string
- ASCII85Stream found badly placed EOD
- ASCII85Stream found ~ with no > after it
- @"NSMutableData"
- stringWithString:
- l12@0:4@8
- initWithNSData:
- dataWithBytesNoCopy:length:freeWhenDone:
- getCharacters:
- precomposedStringWithCanonicalMapping
- unadornedLowercaseHexString
- defaultCStringEncoding
- NSData
- OmniPDFResource%d
- resourceName
- resourceName:fromXref:
- loadFromPDFResourcesDictionary:intoPageResourceDictionary:contextResourceDictionary:
- v20@0:4@8@12@16

- resourceFromPDFResourcesDictionary:
- initName:
- OPDFResource
- nextObject
- objectEnumerator
- keyEnumerator
- removeAllObjects
- Can't draw image with dataStream dict %@
- dataStream unpacked filters %@
- Height
- BitsPerComponent
- ColorSpace
- ImageMask
- SMaskInData
- Warning: ignoring smask data
- Intent
- AbsoluteColorimetric
- RelativeColorimetric
- Saturation
- Perceptual
- Decode
- Interpolate
- _imageFromBitmapData:
- _imageFromPNGData:
- _imageFromJPEGData:
- _imageFromData:
- drawBadImageRectangle
- height
- bitsPerComponent
- decodeFloatArray
- decodeLength
- colorSpace
- @"OPDFColorSpace"
- shouldInterpolate
- isImageMask
- isBadImage
- softMask
- ^(CGImage=)
- intent
- imageMaskingColors
- imageFromStream:
- imageMaskFromStream:
- ^(CGImage=)12@0:4@8
- executeInState:isInline:
- v16@0:4@8c12
- executeInState:pdfView:
- readXObjectDictionary
- initFromStream:
- OPDFXObject
- getBytes:range:
- initWithBitmapDataPlanes:pixelsWide:pixelsHigh:bitsPerSample:samplesPerPixel:hasAlpha:isPlanar:color
- coreGraphicsColorSpace
- initWithSize:
- graphicsPort
- currentContext
- addRepresentation:
- initWithCGImage:
- CGImage
- imageRepOfClass:
- initWithBytes:length:
- pixelsHigh
- bytesPerRow
- bitmapData
- canInitWithData:
- numberOfComponents
- OPDFColorSpace
- OPDFColorSpaceIndexed
- NSBitmapImageRep
- NSImage
- NSGraphicsContext
- { XObject:%@ }
- XObject
- XObject %@ subtype %@, not supported yet, ignored.
- xObjectDataStream
- @"OPDFStream"
- xObjectDictionary
- OPDFForm
- Cannot determine bundle for class %@.

- Cannot determine path for encoding array file "%@.%@".
- Encoding
- BaseEncoding
- Differences
- {0 = zero; 1 = one; 2 = two; 3 = three; 4 = four; 5 = five; 6 = six; 7 = seven; 8 = eight; 9 = nine;
- StandardEncoding
- MacRomanEncoding
- MacExpertEncoding
- WinAnsiEncoding
- SymbolEncoding
- PDFDocEncoding
- .notdef
- readEncodingNamed:
- computeNativeToMacOSRomanEncoding
- OPDFFont
- fontDictionary
- fontMatrix
- @"NSAffineTransform"
- nativeEncoding
- @"NSAArray"
- boundingBox
- nativeToMacOSRomanEncoding
- [256C]
- spaceCharacterInFontEncoding
- widths
- [256d]
- allCaps
- encodingWithName:
- pdfToMacOSRomanConversionArray
- ^[256C]8@0:4
- rtfFontScaleFactor
- d8@0:4
- rtfFontName
- drawCharacter:textMatrix:inView:
- v20@0:4C8@12@16
- executeWithSize:
- setNativeEncodingToName:withDifferences:
- getEncodingName:andDifferences:
- v16@0:4^@8^@12
- initWithContentsOfFile:
- pathForResource ofType:
- bundleForClass:
- indexOfObject:
- replaceObjectAtIndex:withObject:
- propertyList
- OPDFFontType3
- OPDFFontType1
- { PDF:%@, Base:%@, Name:%@ }
- MissingWidth
- Widths
- FirstChar
- LastChar
- Italic
- Oblique
- Courier
- Monaco
- Palatino
- Symbol
- FontDescriptor
- Courier-Bold
- Courier-Oblique
- Courier-BoldOblique
- Helvetica
- Helvetica-Bold
- Helvetica-Oblique
- Helvetica-BoldOblique
- Times-Roman
- Times-Bold
- Times-Italic
- Times-BoldItalic
- ZapfDingbats
- Univers
- Arial-Bold
- Univers-Bold
- ArialNarrow
- Univers-Condensed
- Univers-CondensedLight
- ArialNarrow-Bold

- Univers-CondensedBold
- FontName
- BaseFont
- ZapfDingbatsITC
- FontFile
- FontBBox
- Font ref %x, encoding %@
- Courier-Italic
- Courier-BoldItalic
- _parseMetricsForFontName:encoding:
- _calculateWidths
- _reencodeFont
- _closestResidentFontName
- _deriveFont
- _processFont
- pdfFontName
- fontRef
- ^{CGFont=}
- residentFontName
- fontDescriptor
- {?"isDownloaded"b1"isNative"b1}
- residentFontWidths
- cString
- containsString:
- boundingRectForFont
- transform
- writeToFile:atomically:
- componentsSeparatedByString:
- concat
- scaleXBy:yBy:
- fontWithName:size:
- initWithObjectsAndKeys:
- NSFont
- NSAffineTransform
- { Type 3 Font, Name:%@ }
- calculateWidths
- reencodeFont
- processFont
- glyphProcDictionary
- characterTransform
- /Volumes/LocalSSD/Shared/ryan/ReleaseProduct/Source/OmniGroup/Applications/OmniPDF/Framework/Resourc
- DeviceGray
- DeviceRGB
- DeviceCMYK
- CalGray
- CalRGB
- CalCMYK
- Indexed
- Pattern
- Separation
- ICCBased
- colorSpaceClassForName:
- #12@0:4@8
- didLoad
- ^v8@0:4
- setFillColor:
- v28@0:4{?=@[4f]}8
- setStrokeColor:
- colorForPDFColor:
- @28@0:4{?=@[4f]}8
- initName:fromArray:
- OPDFColorSpaceDeviceGray
- OPDFColorSpaceDeviceRGB
- OPDFColorSpaceDeviceCMYK
- OPDFColorSpaceCalGray
- OPDFColorSpaceCalRGB
- OPDFColorSpaceCalCMYK
- OPDFColorSpaceLab
- OPDFColorSpacePattern
- OPDFColorSpaceSeparation
- OPDFColorSpaceICCBased
- cgColorSpace
- ^{CGColorSpace=}
- colorWithDeviceWhite:alpha:
- colorWithDeviceRed:green:blue:alpha:
- colorWithDeviceCyan:magenta:yellow:black:alpha:
- WhitePoint
- BlackPoint

- whitePoint
- blackPoint
- colorWithCalibratedWhite:alpha:
- Matrix
- matrix
- lineMatrix
- invertedLineMatrix
- bounds
- characterRange
- { _NSRange="location"!length"!}
- addToRTFGenerator:range:
- v20@0:4@8{ _NSRange=ll}12
- drawCharactersRange:currentPDFFont:inView:
- v24@0:4{ _NSRange=ll}8^@16@20
- drawBackgroundRange:
- v16@0:4{ _NSRange=ll}8
- layAndLayIndex:forPageCharacterIndex:
- @16@0:4^i8i12
- rangeOfMousePoint:selectionMode:distance:
- { _NSRange=ll}24@0:4{CGPoint=ff}8i16^d20
- finishLine
- addLay:
- initWithCharactersBeforeLine:
- OPDFLineOfLays
- currentLay
- @"OPDFSimpleLay"
- currentLine
- @"OPDFLineOfLays"
- characterCount
- selectionRange
- selectionMode
- textWithoutReturns
- addToRTFGenerator:
- selectionRTFGenerator
- selectedString
- drawSelectedLaysInRect:inView:
- v28@0:4{CGRect={CGPoint=ff}{CGSize=ff}}8@24
- selectedLinesRect
- rangeOfMousePoint:
- { _NSRange=ll}16@0:4{CGPoint=ff}8
- clearSelectionRange
- setSelectionRange:
- { _NSRange=ll}8@0:4
- setSelectionMode:
- finishLays
- addLayCharacter:drawState:
- v16@0:4C8@12
- asciiData
- selectedTextColor
- selectedTextBackgroundColor
- OFRTFGenerator
- pdfFont
- {{%f, %f}, {%f, %f}}
- buffer
- ^{?=Cd}
- @"OPDFFont"
- firstCharacterMatrix
- invertedFirstCharacterMatrix
- toLineMatrix
- lastCharacterBeginX
- lastCharacterEndX
- extendRange:withinSet:
- {NSRange=ll}20@0:4{NSRange=ll}8@16
- byteSetForCharacterAtRange:
- @16@0:4{ _NSRange=ll}8
- initWithPDFFont:firstCharacterMatrix:
- OPDFSimpleLay
- dictionaryWithCapacity:
- transformPoint:
- invert
- initWithTransform:
- characterIsMember:
- alphanumericCharacterSet
- whitespaceCharacterSet
- OFByteSet
- NSCharacterSet
- Xref: %d %d %c
- isFree

- encryptionHandler
- nextFree
- initFromBuffer:
- @12@0:4r*8
- restore
- concat:::::
- setdashArray:phase:
- setflat:
- setlinejoin:
- setlinecap:
- setmiterlimit:
- setlinewidth:
- setgrayFill:
- setgrayStroke:
- setcmykcolorFill::::
- setcmykcolorStroke::::
- setrgbcolorFill:::
- setrgbcolorStroke:::
- setcolorFill
- setcolorStroke
- setcolorspaceFill:
- setcolorspaceStroke:
- setFillAlpha:
- setStrokeAlpha:
- shadedFill:
- moveto::
- lineto::
- curveto:::::
- curvetoDoubleFirstPoint:::
- curvetoDoubleFinalPoint:::
- rectangle::::
- closepath
- newpath
- stroke
- closepathStroke
- eofill
- fillStroke
- closepathFillStroke
- eofillStroke
- closePathEofillStroke
- eoclip
- beginText
- endText
- setCharacterSpace:
- setTextFont: size:
- setTextLeading:
- setTextRenderingMode:
- setTextRise:
- setWordSpace:
- setTextHorizontalScale:
- nextLineX:y:
- nextLineX:ySetLeading:
- setTextMatrix:::::
- nextLine
- showNextLine:
- showNextLineWordSpace:characterSpace:pdfString:
- showKerned:
- XObject:
- beginImage
- imageData
- endImage
- setcharwidth::
- setcachedevice:::::
- Warning: 'E' found, should never happen. Ignored.
- Pattern %@ not supported
- Pattern not supported.
- pdfView
- @"OPDFView"
- parser
- @"OPDFParser"
- drawStateHistoryArray
- drawState
- @"OPDFDrawState"
- setupParserDispatchTable:
- v12@0:4^@8
- #8@0:4
- setDrawingClass:
- v12@0:4#8

- v32@0:4f8f12f16f20f24f28
- v16@0:4f8f12
- v20@0:4f8f12@16
- drawCharacter:textMatrix:
- v16@0:4@8f12
- v24@0:4f8f12f16f20
- rmoveto::
- v20@0:4f8f12f16
- translateXBy:yBy:
- fontForResourceName:
- transformStruct
- colorSpaceForResourceName:
- appendTransform:
- setTransformStruct:
- removeObjectAtIndex:
- initFromState:
- OPDFDrawState
- { AHx = ASCIIHecDecode; A85 = ASCII85Decode; BPC = BitsPerComponent; CC = CalCMYK; CCF = C
- strokeColor
- {?"space"@OPDFColorSpace""c"[4f]
- fillColor
- strokeAlpha
- fillAlpha
- transformationMatrix
- characterSpace
- horizontalScale
- leading
- textMatrix
- fontSize
- renderingMode
- wordSpace
- textLineStartPoint
- {CGPoint="x"f"y"f}
- clipping
- currentPoint
- hasCurrentPoint
- subpathStartPoint
- drawStateFromState:
- hiValue
- lookupData
- lookupBytes
- basePDFColorWithPixelValue:
- {?"@[4f]12@0:4C8
- @OPDFString"
- tintFunction
- @OPDFFunction"
- outputsFromInputs:outputs:
- functionFromPDFObject:
- OPDFFunction
- classForEncryptionType:
- registerItemName:bundle:description:
- OPDFEncryptionManager
- bundledClass
- bundledClassNamed:
- createBundledClassWithName:bundle:description:
- OFBundledClass
- lzwData
- lzwDataLength
- lzwBytes
- codeSize
- bitMask
- consumer
- outputData
- outputDataLength
- outputBytes
- outputSelector
- outputMethod
- earlyChange
- @36@0:4@8i12i16c20@24i28:32
- initWithInputData:codeSize:bitMask:earlyChange:consumer:outputChunkSize:outputSelector:
- methodForSelector:
- finger.tiff
- OPDFViewBecameFirstResponderNotification
- OPDFViewResignedFirstResponderNotification
- nonretainedPDFDisplay
- @OPDFDisplay"
- xrefToContextResourceDictionary
- @OPDFPage"

- pageColorSpaceDictionary
- pageFontDictionary
- pageXObjectDictionary
- cacheWindow
- @"NSWindow"
- cacheView
- @"NSView"
- cacheIsValid
- pdfContext
- @"NSGraphicsContext"
- mainContext
- zoomFactor
- shouldConstrainWindow
- canDraw
- drawLinks
- jumpToSelection:
- saveAsASCII:
- saveAsRTF:
- selectAll:
- keyDown:
- isOpaque
- drawRect:
- v24@0:4{CGRect={CGPoint=ff}{CGSize=ff}}8
- writeSelectionToPasteboard.types:
- validRequestorForSendType:returnType:
- setCanDraw:
- v12@0:4c8
- constrainWindow
- maximumWindowSize
- setShouldConstrainWindow:
- readLaysForPage:
- drawPage:
- zoomTo:
- pdfDisplay
- refreshCache
- unlockFocusPDFContext
- destroyPDFContext
- lockFocusPDFContext
- useMainContext
- usePDFContext:
- xObjectForResourceName:
- loadResourceDictionary:
- resetCursorRects
- setLineCursorRect:annotations:annotationIndex:annotationCount:
- v36@0:4{CGRect={CGPoint=ff}{CGSize=ff}}8@24i28i32
- mouseDown:
- acceptsFirstMouse:
- resignFirstResponder
- becomeFirstResponder
- acceptsFirstResponder
- initWithDisplay:
- OPDFView
- NSView
- scrollRectToVisible:
- pageIndex
- saveAsType:fileType:
- pasteboardWithName:
- display
- characters
- drawIfLink
- drawInDisplay:
- compositeToPoint:operation:
- initWithWindow:rect:
- grayColor
- setString:forType:
- setData:forType:
- rtfData
- declareTypes:owner:
- asciiString
- setMaxSize:
- frameRectForContentRect:styleMask:
- styleMask
- frameSizeForContentSize:hasHorizontalScroller:hasVerticalScroller:borderType:
- superview
- contentView
- setReleasedWhenClosed:
- initWithContentRect:styleMask:backing:defer:
- setNeedsDisplay:

- setContentSize:
- setBoundsSize:
- setFrameSize:
- setBoundsOrigin:
- setBoundsRotation:
- storage
- visibleRect
- addCursorRect:cursor:
- clickable
- respondToMouseHit:inDisplay:
- unlockFocus
- nextEventMatchingMask:
- flushGraphics
- flushWindow
- IBeamCursor
- window
- clickCount
- modifierFlags
- lockFocus
- convertPoint:fromView:
- locationInWindow
- postNotificationName:object:userInfo:
- defaultCenter
- initWithFrame:
- registerServicesMenuSendTypes:returnTypes:
- initWithObjects:
- initWithImage:hotSpot:
- imageNamed:inBundleForClass:
- OAZoomableView
- NSCursor
- NSNotificationCenter
- NSWindow
- NSScrollView
- NSCachedImageRep
- NSPasteboard
- %u %u obj
- endobj
- %010u %05u n
- %010u %05u f
- trailer
- startxref
- updates
- freelist
- @"NSMutableSet"
- largestAllocatedNumber
- invalidate
- updateSection
- currentGenerationOfNumber:
- l12@0:4l8
- updatedObjectForNumber:
- referenceToNewIndirectObject:
- setObject:forNumber:
- v16@0:4@8l12
- initWithStorage:
- OPDFUpdate
- startXref
- addEntriesFromDictionary:
- removeObjectInRange:
- sortUsingSelector:
- initWithArray:
- initWithUpdate:number:generation:
- unsignedIntValue
- anyObject
- removeObject:
- numberWithUnsignedInt:
- xrefEntryForObject:
- trailerDictionary
- NSMutableSet
- OPDFUpdateXref
- update
- @"OPDFUpdate"
- @20@0:4@8l12l16
- setupOperatorTable
- private
- OPDFPageParser
- pdfPage
- {CGPDFPage=}
- operatorTable

- ^{CGPDFOperatorTable=}
- drawingStateStack
- setCurrentDrawingState:
- currentDrawingState
- delegate
- setDelegate:
- scanPage
- initWithPDFPage:
- @12@0:4^{CGPDFPage=}8
- drawImage:withState:
- xObjectWithName:
- widthForChar:
- appendFormat:
- charFromFontEncoding:
- hasMultipleLinesOfText
- setOriginalTextStart:
- currentText
- originalTextStart
- mergedLays
- setHorizontalScale:
- setRise:
- setLeading:
- setFontSize:
- setFont:
- fontWithName:
- setTextLineStartPoint:
- drawText:
- setMergedLays:
- setChangedLeading:
- setHasMultipleLinesOfText:
- setCurrentText:
- strokeAndFillPath:
- fillPath:
- strokePath:
- setPath:
- bezierPath
- closePath
- appendBezierPathWithRect:
- curveToPoint:controlPoint1:controlPoint2:
- lineToPoint:
- moveToPoint:
- colorSpaceWithName:
- stringWithCString:encoding:
- strokeColorSpace
- colorWithColorSpace:components:count:
- numberOfColorComponents
- fillColorSpace
- deviceRGBColorSpace
- deviceCMYKColorSpace
- setStrokeColorSpace:
- setFillColorSpace:
- deviceGrayColorSpace
- removeLastObject
- addXObjectsFromPage:
- addColorSpacesFromPage:
- addFontsFromPage:
- FontList
- ColorSpaceList
- XObjectList
- DrawingState
- NSColorSpace
- NSBezierPath
- NSMutableString
- v12@0:4^{CGPDFPage=}8
- setValue:forKey:
- fontFromPDFFont:
- DeviceRGD
- colorspace name %@
- Alternate
- colorSpaces
- initWithCGColorSpace:
- %@ (%@)
- @"NSColor"
- @"NSColorSpace"
- @"NSBezierPath"
- @"Font"
- @"NSMutableString"
- changedLeading

- setTransformationMatrix:
- setTextMatrix:
- setRenderingMode:
- v16@0:4{CGPoint=ff}8
- {CGPoint=ff}8@0:4
- copyWithZone:
- @12@0:4^[_NSZone=}8
- Tc,VchangedLeading
- Tc,VhasMultipleLinesOfText
- Tc,VmergedLays
- T(CGPoint="x"f"y"f,VoriginalTextStart
- T@"NSMutableString",&,VcurrentText
- T(CGPoint="x"f"y"f,VtextLineStartPoint
- Ti,VrenderingMode
- Tf,VwordSpace
- Tf,VfontSize
- Tf,Vrise
- T@"Font",&,Vfont
- T@"NSAffineTransform",&,VtextMatrix
- Tf,Vleading
- Tf,VhorizontalScale
- Tf,VcharacterSpace
- T@"NSBezierPath",&,Vpath
- Tf,VfillAlpha
- Tf,VstrokeAlpha
- T@"NSAffineTransform",&,VtransformationMatrix
- T@"NSColorSpace",&,VfillColorSpace
- T@"NSColor",&,VfillColor
- T@"NSColorSpace",&,VstrokeColorSpace
- T@"NSColor",&,VstrokeColor
- allocWithZone:
- XObjects of type %@ are not supported
- xobjects
- Futura-Medium
- FuturaT-Medium
- MMTType1
- TrueType
- CIDFontType0
- CIDFontType2
- _readEncodingNamed:
- _closestResidentFontNameForName:fontDescriptor:
- @16@0:4@8^{CGPDFDictionary=}12
- _parsePDFFont:
- v12@0:4^{CGPDFObject=}8
- _computeNativeToMacOSRomanEncoding
- _setNativeEncodingToName:withDifferences:
- v16@0:4@8^{CGPDFArray=}12
- @12@0:4^{CGPDFObject=}8
- cgFont
- ^{CGFont=}8@0:4
- f12@0:4C8
- C12@0:4C8
- rangeOfString:
- zlib error (%d) initializing stream: %s
- zlib error (%d) during inflate: %s
- Unknown compression type
- _numberComponents
- FunctionType
- Domain
- WARNING: Function type %i not supported
- domain
- v16@0:4^f8^f12
- initWithPDFObject:
- OPDFSampledFunction
- BitsPerSample
- Encode
- _sampleAtLocation:
- f12@0:4f8
- _interpolate:xMin:xMax:yMin:yMax:
- f28@0:4f8f12f16f20f24
- _parseFunction:
- bitsPerSample
- encode
- decode
- samplesData
- initWithUnsignedChar:
- PDF Corrupt
- This file has been truncated, and cannot be imaged.

- [illegible]

- \$Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup/
- `Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup
- \$Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup/
- `Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup
- \$Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup/
- `Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup
- \$Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup/
- \$Header:\$
- \$Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup/
- `Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup
- \$Header:\$
- \$Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup/
- `Header: svn+ssh://source.omnigroup.com/Source/svn/Omni/tags/OmniGraffle/5.3.5/GM-v138.31/OmniGroup
- ,D(p\$ (
- | 8
- LPPPP|
- T \$
- d\$ p \$
- (8\$,\$,\$,
- 040 P8
- - .objccategorynameFontPrivate
- .objccategorynameOPDFColorSpacePrivate
- .objccategorynameOPDFFontType1Private
- .objccategorynameOPDFFontType3Private
- .objccategorynameOPDFFontPrivate
- .objccategorynameOPDFImagePrivate
- .objccategorynameOPDFPageParserprivate
- .objccategorynameOPDFSampledFunctionprivate
- .objccategorynameOPDFStoragePrivate
- .objccategorynameOPDFStreamPrivate
- .objcclassname_ColorSpaceList
- .objcclassname_DrawingState
- .objcclassname_Font
- .objcclassname_FontList
- .objcclassname_OPDFArray
- .objcclassname_OPDFColorSpace
- .objcclassname_OPDFColorSpaceCalCMYK
- .objcclassname_OPDFColorSpaceCalGray
- .objcclassname_OPDFColorSpaceCalRGB
- .objcclassname_OPDFColorSpaceDeviceCMYK
- .objcclassname_OPDFColorSpaceDeviceGray
- .objcclassname_OPDFColorSpaceDeviceRGB
- .objcclassname_OPDFColorSpaceICCBased
- .objcclassname_OPDFColorSpaceIndexed
- .objcclassname_OPDFColorSpaceLab
- .objcclassname_OPDFColorSpacePattern
- .objcclassname_OPDFColorSpaceSeparation
- .objcclassname_OPDFConstant
- .objcclassname_OPDFDictionary
- .objcclassname_OPDFDrawState
- .objcclassname_OPDFDrawer
- .objcclassname_OPDFEncryptionManager
- .objcclassname_OPDFFont
- .objcclassname_OPDFFontType1
- .objcclassname_OPDFFontType3
- .objcclassname_OPDFForm
- .objcclassname_OPDFFunction
- .objcclassname_OPDFImage
- .objcclassname_OPDFInlineImageStream
- .objcclassname_OPDFLZWDecoder
- .objcclassname_OPDFLineOfLays
- .objcclassname_OPDFName
- .objcclassname_OPDFNumber
- .objcclassname_OPDFObject
- .objcclassname_OPDFPage
- .objcclassname_OPDFPageLays
- .objcclassname_OPDFPageParser
- .objcclassname_OPDFParser
- .objcclassname_OPDFParserDispatchTable
- .objcclassname_OPDFResource
- .objcclassname_OPDFSampledFunction
- .objcclassname_OPDFSimpleLay
- .objcclassname_OPDFStorage
- .objcclassname_OPDFStream

- `.objcclassname_OPDFString`
- `.objcclassname_OPDFUpdate`
- `.objcclassname_OPDFUpdateXref`
- `.objcclassname_OPDFView`
- `.objcclassname_OPDFXObject`
- `.objcclassname_OPDFXref`
- `.objcclassname_OPDFXrefTableEntry`
- `.objcclassname_XObjectList`
- `_CGPDFStreamCopyUnpackedData`
- `_OPDFDeviceCMYK`
- `_OPDFDeviceGray`
- `_OPDFDeviceRGB`
- `_OPDFDrawerNameForAbbreviationDictionary`
- `_OPDFNameBreakTable`
- `_OPDFStorageTimeTrace`
- `_OPDFViewBecameFirstResponderNotification`
- `_OPDFViewResignedFirstResponderNotification`
- `_OPDFXrefTableEntrySize`
- `__addText`
- `__colorFromSpace`
- `__flushTextGraphic`
- `__newText`
- `__nextLine`
- `__unpackData`
- `__unpackedDataFromPDFStream`
- `_colorSpaceForName`
- `_colorSpaceForPDFObject`
- `_colorSpaces`
- `_convertToPDFDocEncoding`
- `_currentDrawingState`
- `_delegate`
- `_drawingStateStack`
- `_fontNameSubstitution`
- `_fonts`
- `_getColorSpaceAndColorFromScannerStack`
- `opDo`
- `opEI`
- `opbeginImage`
- `opbeginText`
- `opclip`
- `opclosePathEOFillStroke`
- `opclosepath`
- `opclosepathFillStroke`
- `opclosepathStroke`
- `opconcat`
- `opcurveto`
- `opcurvetoDoubleFinalPoint`
- `opcurvetoDoubleFirstPoint`
- `opendImage`
- `opendText`
- `opeoclip`
- `opeofill`
- `opeofillStroke`
- `opfill`
- `opfillStroke`
- `opimageData`
- `oplineto`
- `opmoveto`
- `opnewpath`
- `opnextLine`
- `opnextLineAndSetLead`
- `oprectangle`
- `oprestore`
- `opsave`
- `opsetCharacterSpace`
- `opsetFillAlpha`
- `opsetKCBasedAndSpecialFill`
- `opsetKCBasedAndSpecialStroke`
- `opsetStrokeAlpha`
- `opsetTextFont`
- `opsetTextHorizontalScale`
- `opsetTextLeading`
- `opsetTextMatrix`
- `opsetTextRenderingMode`
- `opsetTextRise`
- `opsetWordSpace`

- *opsetcmykcolorFill*
- *opsetcmykcolorStroke*
- *opsetcolorFill*
- *opsetcolorStroke*
- *opsetcolorspaceFill*
- *opsetcolorspaceStroke*
- *opsetgrayFill*
- *opsetgrayStroke*
- *opsetrgbcolorFill*
- *opsetrgbcolorStroke*
- *opsh*
- *opshadedFill*
- *opshowKerned*
- *opshowNextLine*
- *opshowNextLineWordSpace*
- *opshowText*
- *opstartNewLine*
- *opstroke*
- *opxobject*
- *_parseColorSpace*
- *_parseFont*
- *_parseXObject*
- *_scanNumber*
- *_substituteFontNames*
- *_xObjectFromStream*
- *_xobjects*
- *.objc/classname_NSAffineTransform*
- *.objc/classname_NSArray*
- *.objc/classname_NSAutoreleasePool*
- *.objc/classname_NSBezierPath*
- *.objc/classname_NSBitmapImageRep*
- *.objc/classname_NSBundle*
- *.objc/classname_NSCachedImageRep*
- *.objc/classname_NSCharacterSet*
- *.objc/classname_NSColor*
- *.objc/classname_NSColorSpace*
- *.objc/classname_NSCursor*
- *.objc/classname_NSData*
- *.objc/classname_NSDate*
- *.objc/classname_NSException*
- *.objc/classname_NSFont*
- *.objc/classname_NSGraphicsContext*
- *.objc/classname_NSImage*
- *.objc/classname_NSMutableArray*
- *.objc/classname_NSMutableData*
- *.objc/classname_NSMutableDictionary*
- *.objc/classname_NSMutableSet*
- *.objc/classname_NSMutableString*
- *.objc/classname_NSNotificationCenter*
- *.objc/classname_NSNumber*
- *.objc/classname_NSObject*
- *.objc/classname_NSPasteboard*
- *.objc/classname_NSScrollView*
- *.objc/classname_NSString*
- *.objc/classname_NSView*
- *.objc/classname_NSWindow*
- *.objc/classname_OFBundledClass*
- *.objc/classname_OFByteSet*
- *.objc/classname_OFCharacterSet*
- *.objc/classname_OFObject*
- *.objc/classname_OFRTFGenerator*
- *_CFDataGetBytePtr*
- *_CFRelease*
- *_CFStringCreateWithCString*
- *_CGColorSpaceCreateCalibratedGray*
- *_CGColorSpaceCreateCalibratedRGB*
- *_CGColorSpaceCreateICCBased*
- *_CGColorSpaceCreateIndexed*
- *_CGColorSpaceCreateLab*
- *_CGColorSpaceCreateWithName*
- *_CGColorSpaceGetNumberOfComponents*
- *_CGColorSpaceRelease*
- *_CGContextFillRect*
- *_CGContextRestoreGState*
- *_CGContextSaveGState*
- *_CGContextSetCMYKFillColor*

- _CGContextSetCMYKStrokeColor
- _CGContextSetFont
- _CGContextSetGrayFillColor
- _CGContextSetGrayStrokeColor
- _CGContextSetRGBFillColor
- _CGContextSetRGBStrokeColor
- _CGDataProviderCreateWithCFData
- _CGDataProviderRelease
- _CGFontCreateWithDataProvider
- _CGFontCreateWithFontName
- _CGFontGetGlyphAdvances
- _CGFontGetGlyphWithGlyphName
- _CGFontGetUnitsPerEm
- _CGFontRelease
- _CGImageCreate
- _CGImageCreateWithJPEGDataProvider
- _CGImageCreateWithMask
- _CGImageCreateWithMaskingColors
- _CGImageCreateWithPNGDataProvider
- _CGImageMaskCreate
- _CGImageRelease
- _CGPDFArrayGetCount
- _CGPDFArrayGetName
- _CGPDFArrayGetNumber
- _CGPDFArrayGetObject
- _CGPDFArrayGetStream
- _CGPDFContentStreamCreateWithPage
- _CGPDFContentStreamRelease
- _CGPDFDictionaryApplyFunction
- _CGPDFDictionaryGetArray
- _CGPDFDictionaryGetBoolean
- _CGPDFDictionaryGetDictionary
- _CGPDFDictionaryGetInteger
- _CGPDFDictionaryGetName
- _CGPDFDictionaryGetNumber
- _CGPDFDictionaryGetObject
- _CGPDFDictionaryGetStream
- _CGPDFObjectGetType
- _CGPDFObjectGetValue
- _CGPDFOperatorTableCreate
- _CGPDFOperatorTableRelease
- _CGPDFOperatorTableSetCallback
- _CGPDFPageGetDictionary
- _CGPDFPageRelease
- _CGPDFPageRetain
- _CGPDFScannerCreate
- _CGPDFScannerPopArray
- _CGPDFScannerPopName
- _CGPDFScannerPopNumber
- _CGPDFScannerPopObject
- _CGPDFScannerPopStream
- _CGPDFScannerPopString
- _CGPDFScannerRelease
- _CGPDFScannerScan
- _CGPDFStreamCopyData
- _CGPDFStreamGetDictionary
- _CGPDFStringCopyTextString
- _CGPDFStringGetBytePtr
- _NSApp
- _NSDeviceRGBColorSpace
- _NSDeviceWhiteColorSpace
- _NSEqualSizes
- _NSEraseRect
- _NSGeneralPboard
- _NSIntegralRect
- _NSInternalInconsistencyException
- _NSIntersectionRange
- _NSIntersectionRect
- _NSIsEmptyRect
- _NSLog
- _NSPageSize
- _NSRTPboardType
- _NSRectFill
- _NSSelectorFromString
- _NSStringPboardType
- _NSUnionRange
- _NSUnionRect
- _NSZeroPoint

- `_NSZeroRect`
- `_NSZeroSize`
- `_NSZoneFree`
- `_NSZoneMalloc`
- `_NSZoneRealloc`
- `_OBShortObjectDescription`
- `_OFASCIIDecimalStringFromDouble`
- `___DefaultRuneLocale`
- `___OBRejectUnusedImplementation`
- `___OBRequestConcreteImplementation`
- `_CFConstantStringClassReference`
- `_maskrune`
- `_tolower`
- `_bsearch`
- `_ceilf`
- `_floorf`
- `_inflate`
- `_inflateEnd`
- `inflateInit`
- `_kCGColorSpaceGenericCMYK`
- `_kCGColorSpaceGenericGray`
- `_kCGColorSpaceGenericRGB`
- `_malloc`
- `_memmove`
- `_memset`
- `objcCopyStruct`
- `objcGetProperty`
- `objcMsgSendSuper`
- `objcMsgSend_stret`
- `objcSetProperty`
- `_rintf`
- `_snprintf$LDBL128`
- `_sscanf$LDBL128`
- `_strchr`
- `_strlen`
- `_strncmp`
- `single module`
- `_mhdylib_header`
- `dyldStubbinding_helper`
- `_dyldfunc_lookup`
- `-[OPDFPage thumbnailImage]`
- `-[OPDFPage triedToReadThumbnail]`
- `-[OPDFPage pageNumber]`
- `-[OPDFPage pageLays]`
- `-[OPDFPage pageDictionary]`
- `-[OPDFPage annotationsArray]`
- `-[OPDFPage resourceDictionary]`
- `-[OPDFPage rotation]`
- `-[OPDFPage displayBox]`
- `-[OPDFPage objectNumber]`
- `-[OPDFPage forceThumbnailLoad]`
- `-[OPDFPage readPageLaysInPDFView:]`
- `-[OPDFPage drawInPDFView:]`
- `-[OPDFPage inheritedObjectForKey:]`
- `-[OPDFPage dealloc]`
- `-[OPDFPage initWithPageNumber:fromPagesDictionary:pdfStorage:]`
- `+[OPDFPage pageNumber:fromPagesDictionary:pdfStorage:]`
- `+[OPDFPage xrefForPage:inStorage:]`
- `-[OPDFPage readPageDictionary]`
- `-[OPDFPage pageData]`
- `-[OPDFPage thumbnailSize]`
- `-[OPDFPage debugDictionary]`
- `-[OPDFParser stack]`
- `-[OPDFParser xrefs]`
- `-[OPDFParser parseInlineImageStream]`
- `-[OPDFParser pushMark]`
- `-[OPDFParser setNameTranslationDictionary:]`
- `-[OPDFParser parseUpToString:]`
- `-[OPDFParser setDecryptor:]`
- `-[OPDFParser dealloc]`
- `-[OPDFParser initWithData:]`
- `-[OPDFParser initWithData:offset:xrefs:]`
- `+[OPDFParser parserWithData:offset:xrefs:]`
- `-[OPDFParser parseUpToString:drawer:]`
- `-[OPDFParserDispatchTable initWithClass:]`
- `-[OPDFParserDispatchTable registerMethodName:forOperandName:argumentTypes:]`
- `-[OPDFObject intValue]`

- -[OPDFObject floatValue]
- -[OPDFObject data]
- -[OPDFObject stringValue]
- -[OPDFObject dictionary]
- -[OPDFObject objectForKey:]
- -[OPDFObject array]
- -[OPDFObject objectAtIndex:]
- -[OPDFObject realObject]
- -[OPDFObject objectNumber]
- -[OPDFObject generationNumber]
- -[OPDFObject setDecryptor:]
- -[OPDFObject objectType]
- -[OPDFObject isEqualToString:]
- -[OPDFObject unpackedData]
- -[OPDFObject appendToData:after:]
- -[OPDFXref objectNumber]
- -[OPDFXref generationNumber]
- -[OPDFXref objectType]
- -[OPDFXref appendToData:after:]
- -[OPDFXref stream]
- -[OPDFXref self]
- -[OPDFXref objectAtIndex:]
- -[OPDFXref array]
- -[OPDFXref objectForKey:]
- -[OPDFXref dictionary]
- -[OPDFXref floatValue]
- -[OPDFXref intValue]
- -[OPDFXref stringValue]
- -[OPDFXref isEqualToString:]
- -[OPDFXref initWithData:xrefs:stack:]
- -[OPDFXref debugDictionary]
- -[OPDFXref dealloc]
- -[OPDFXref realObject]
- -[OPDFArray array]
- -[OPDFArray count]
- -[OPDFArray objectType]
- -[OPDFArray addObjects:]
- -[OPDFArray fillIntBuffer:length:]
- -[OPDFArray fillFloatBuffer:length:]
- -[OPDFArray color]
- -[OPDFArray rect]
- +[OPDFArray newFromRect:]
- -[OPDFArray objectAtIndex:]
- -[OPDFArray popFloat]
- -[OPDFArray debugDictionary]
- -[OPDFArray dealloc]
- -[OPDFArray rectScaledBy:]
- -[OPDFArray appendToData:after:]
- -[OPDFArray addRect:integral:]
- -[OPDFArray lastObject]
- -[OPDFArray objectAtIndex:]
- -[OPDFArray floatValue]
- -[OPDFArray pop]
- -[OPDFArray addObject:]
- -[OPDFArray initWithArray:]
- -[OPDFArray addInt:]
- -[OPDFArray addFloat:]
- -[OPDFArray popInt]
- +[OPDFConstant mark]
- +[OPDFConstant null]
- +[OPDFConstant trueValue]
- +[OPDFConstant falseValue]
- -[OPDFConstant objectType]
- -[OPDFConstant stringValue]
- -[OPDFConstant dealloc]
- -[OPDFConstant debugDictionary]
- -[OPDFConstant appendToData:after:]
- +[OPDFConstant initialize]
- -[OPDFDictionary dictionary]
- -[OPDFDictionary objectType]
- _sillyComparison
- -[OPDFDictionary objectForKey:]
- -[OPDFDictionary debugDictionary]
- -[OPDFDictionary dealloc]
- -[OPDFDictionary initWithDictionary:]
- -[OPDFDictionary initWithArray:]
- -[OPDFDictionary appendToData:after:]
- -[OPDFName stringValue]

- -[OPDFName objectType]
- -[OPDFName appendToData:after:]
- -[OPDFName initWithString:]
- +[OPDFName nameWithString:]
- -[OPDFName initWithBytes:offsetPointer:endOffset:]
- -[OPDFName debugDictionary]
- -[OPDFName dealloc]
- +[OPDFName initialize]
- +[OPDFName appendName:toData:after:]
- -[OPDFNumber initWithFloat:]
- -[OPDFNumber initWithInt:]
- -[OPDFNumber intValue]
- -[OPDFNumber floatValue]
- -[OPDFNumber objectType]
- -[OPDFNumber appendToData:after:]
- -[OPDFNumber debugDictionary]
- -[OPDFNumber initWithBytes:offsetPointer:endOffset:]
- -[OPDFStream dictionary]
- -[OPDFStream filterArray]
- -[OPDFStream objectType]
- -[OPDFStream(Public) decodeDCTDataRetainedFromData:]
- -[OPDFStream description]
- -[OPDFStream streamDataLength]
- -[OPDFStream data]
- -[OPDFStream unpack]
- -[OPDFStream parseFilters]
- -[OPDFStream setDecryptor:]
- -[OPDFStream initWithData:offsetPointer:stack:]
- -[OPDFStream dealloc]
- -[OPDFStream unpackedData]
- +[OPDFStream retainedUnpackedData:forFilter:parameters:]
- -[OPDFInlinedImageStream initWithData:offsetPointer:stack:]
- -[OPDFString data]
- -[OPDFString objectType]
- *israwok*
- *transent_cmp*
- -[OPDFString compare:]
- -[OPDFString stringValue]
- -[OPDFString setDecryptor:]
- -[OPDFString initWithNSData:]
- -[OPDFString initWithBytes:offsetPointer:endOffset:]
- +[OPDFString stringWithString:]
- -[OPDFString initWithHexBytes:offsetPointer:endOffset:]
- -[OPDFString debugDictionary]
- -[OPDFString dealloc]
- -[OPDFString appendToData:after:]
- -[OPDFString initWith85Bytes:offsetPointer:endOffset:]
- +[OPDFResource resourceFromPDFResourcesDictionary:]
- -[OPDFResource dealloc]
- -[OPDFResource initName:fromXref:]
- -[OPDFResource initName:]
- +[OPDFResource resourceName:fromXref:]
- +[OPDFResource loadFromPDFResourcesDictionary:intoPageResourceDictionary:contextResourceDictionary:]
- -[OPDFImage size]
- -[OPDFImage isGood]
- -[OPDFImage executeInState:pdfView:]
- -[OPDFImage initFromStream:]
- +[OPDFImage imageFromStream:]
- -[OPDFImage dealloc]
- -[OPDFImage executeInState:isInline:]
- -[OPDFImage readXObjectDictionary]
- -[OPDFImage(Public) _imageFromData:]
- -[OPDFImage image]
- -[OPDFImage imageMaskFromStream:]
- -[OPDFImage(Public) drawBadImageRectangle]
- -[OPDFImage(Public) _imageFromJPEGData:]
- -[OPDFImage(Public) _imageFromPNGData:]
- -[OPDFImage(Public) _imageFromBitmapData:]
- -[OPDFXObject executeInState:pdfView:]
- -[OPDFXObject description]
- -[OPDFXObject dealloc]
- -[OPDFXObject initName:fromXref:]
- +[OPDFXObject resourceFromPDFResourcesDictionary:]
- +[OPDFXObject resourceName:fromXref:]
- +[OPDFFont pdfToMacOSRomanConversionArray]
- -[OPDFFont executeWithSize:]
- -[OPDFFont drawCharacter:textMatrix:inView:]
- -[OPDFFont rtfFontName]

- -[OPDFFont rtfFontScaleFactor]
- -[OPDFFont(Private) computeNativeToMacOSRomanEncoding]
- +[OPDFFont(Private) readEncodingNamed:]
- -[OPDFFont setNativeEncodingToName:withDifferences:]
- +[OPDFFont encodingWithName:]
- +[OPDFFont resourceName:fromXref:]
- +[OPDFFont resourceFromPDFResourcesDictionary:]
- -[OPDFFont getEncodingName:andDifferences:]
- -[OPDFFont(Private) dealloc]
- -[OPDFFont(Private) initName:fromXref:]
- +[OPDFFont initialize]
- -[OPDFFontType1 rtfFontName]
- -[OPDFFontType1(Private) description]
- -[OPDFFontType1(Private) _calculateWidths]
- -[OPDFFontType1(Private) _closestResidentFontName]
- -[OPDFFontType1 initName:fromXref:]
- +[OPDFFontType1 initialize]
- -[OPDFFontType1 dealloc]
- -[OPDFFontType1(Private) _processFont]
- -[OPDFFontType1 executeWithSize:]
- -[OPDFFontType1 drawCharacter:textMatrix:inView:]
- -[OPDFFontType1(Private) _deriveFont]
- -[OPDFFontType1(Private) _reencodeFont]
- +[OPDFFontType1(Private) _parseMetricsForFontName:encoding:]
- -[OPDFFontType3 rtfFontScaleFactor]
- -[OPDFFontType3(Private) processFont]
- -[OPDFFontType3 executeWithSize:]
- -[OPDFFontType3(Private) description]
- -[OPDFFontType3(Private) calculateWidths]
- -[OPDFFontType3(Private) reencodeFont]
- -[OPDFFontType3 drawCharacter:textMatrix:inView:]
- -[OPDFFontType3(Private) dealloc]
- -[OPDFFontType3(Private) initName:fromXref:]
- -[OPDFColorSpace colorForPDFColor:]
- -[OPDFColorSpace setStrokeColor:]
- -[OPDFColorSpace setFillColor:]
- -[OPDFColorSpace initName:fromArray:]
- -[OPDFColorSpace numberOfComponents]
- -[OPDFColorSpace coreGraphicsColorSpace]
- +[OPDFColorSpace(Private) colorSpaceClassForName:]
- +[OPDFColorSpace resourceName:fromXref:]
- +[OPDFColorSpace loadFromPDFResourcesDictionary:intoPageResourceDictionary:contextResourceDictionary]
- +[OPDFColorSpace resourceFromPDFResourcesDictionary:]
- +[OPDFColorSpace didLoad]
- -[OPDFColorSpaceDeviceGray numberOfComponents]
- -[OPDFColorSpaceDeviceGray coreGraphicsColorSpace]
- -[OPDFColorSpaceDeviceGray initName:fromArray:]
- -[OPDFColorSpaceDeviceGray dealloc]
- -[OPDFColorSpaceDeviceGray colorForPDFColor:]
- -[OPDFColorSpaceDeviceGray setStrokeColor:]
- -[OPDFColorSpaceDeviceGray setFillColor:]
- -[OPDFColorSpaceDeviceRGB numberOfComponents]
- -[OPDFColorSpaceDeviceRGB coreGraphicsColorSpace]
- -[OPDFColorSpaceDeviceRGB initName:fromArray:]
- -[OPDFColorSpaceDeviceRGB dealloc]
- -[OPDFColorSpaceDeviceRGB colorForPDFColor:]
- -[OPDFColorSpaceDeviceRGB setStrokeColor:]
- -[OPDFColorSpaceDeviceRGB setFillColor:]
- -[OPDFColorSpaceDeviceCMYK numberOfComponents]
- -[OPDFColorSpaceDeviceCMYK coreGraphicsColorSpace]
- -[OPDFColorSpaceDeviceCMYK initName:fromArray:]
- -[OPDFColorSpaceDeviceCMYK dealloc]
- -[OPDFColorSpaceDeviceCMYK colorForPDFColor:]
- -[OPDFColorSpaceDeviceCMYK setStrokeColor:]
- -[OPDFColorSpaceDeviceCMYK setFillColor:]
- -[OPDFColorSpaceCalGray numberOfComponents]
- -[OPDFColorSpaceCalGray coreGraphicsColorSpace]
- -[OPDFColorSpaceCalGray colorForPDFColor:]
- -[OPDFColorSpaceCalGray initName:fromArray:]
- -[OPDFColorSpaceCalGray dealloc]
- -[OPDFColorSpaceCalGray setStrokeColor:]
- -[OPDFColorSpaceCalGray setFillColor:]
- -[OPDFColorSpaceCalRGB numberOfComponents]
- -[OPDFColorSpaceCalRGB coreGraphicsColorSpace]
- -[OPDFColorSpaceCalRGB colorForPDFColor:]
- -[OPDFColorSpaceCalRGB initName:fromArray:]
- -[OPDFColorSpaceCalRGB dealloc]
- -[OPDFColorSpaceCalRGB setStrokeColor:]

- -[OPDFColorSpaceCalRGB setFillColor:]
- -[OPDFLineOfLays finishLine]
- -[OPDFLineOfLays frame]
- -[OPDFLineOfLays drawBackgroundRange:]
- -[OPDFLineOfLays layAndLayIndex:forPageCharacterIndex:]
- -[OPDFLineOfLays addLay:]
- -[OPDFLineOfLays initWithCharactersBeforeLine:]
- -[OPDFLineOfLays debugDictionary]
- -[OPDFLineOfLays dealloc]
- -[OPDFLineOfLays rangeOfMousePoint:selectionMode:distance:]
- -[OPDFLineOfLays drawCharactersRange:currentPDFFontInView:]
- -[OPDFLineOfLays addToRTFGenerator:range:]
- -[OPDFPageLays lines]
- -[OPDFPageLays addLayCharacter:drawState:]
- -[OPDFPageLays characterCount]
- -[OPDFPageLays setSelectionMode:]
- -[OPDFPageLays selectionRange]
- -[OPDFPageLays setSelectionRange:]
- -[OPDFPageLays addToRTFGenerator:]
- -[OPDFPageLays selectionRTFGenerator]
- -[OPDFPageLays selectedString]
- -[OPDFPageLays finishLays]
- -[OPDFPageLays init]
- -[OPDFPageLays debugDictionary]
- -[OPDFPageLays dealloc]
- -[OPDFPageLays clearSelectionRange]
- -[OPDFPageLays rangeOfMousePoint:]
- -[OPDFPageLays textWithoutReturns]
- -[OPDFPageLays selectedLinesRect]
- -[OPDFPageLays drawSelectedLaysInRect:inView:]
- -[OPDFPageLays addToRTFGenerator:range:]
- -[OPDFSimpleLay addToRTFGenerator:range:]
- -[OPDFSimpleLay initWithPDFFont:firstCharacterMatrix:]
- -[OPDFSimpleLay debugDictionary]
- -[OPDFSimpleLay dealloc]
- -[OPDFSimpleLay drawCharactersRange:currentPDFFontInView:]
- -[OPDFSimpleLay byteSetForCharacterAtRange:]
- -[OPDFSimpleLay extendRange:withinSet:]
- +[OPDFSimpleLay initialize]
- -[OPDFSimpleLay rangeOfMousePoint:selectionMode:distance:]
- -[OPDFXrefTableEntry isFree]
- -[OPDFXrefTableEntry offset]
- -[OPDFXrefTableEntry nextFree]
- -[OPDFXrefTableEntry generationNumber]
- -[OPDFXrefTableEntry decryptor]
- -[OPDFXrefTableEntry realObject]
- -[OPDFXrefTableEntry description]
- -[OPDFXrefTableEntry setRealObject:]
- -[OPDFXrefTableEntry setDecryptor:]
- -[OPDFXrefTableEntry dealloc]
- -[OPDFXrefTableEntry initFromBuffer:]
- +[OPDFDrawer setDrawingClass:]
- +[OPDFDrawer drawingClass]
- +[OPDFDrawer parserDispatchTable]
- -[OPDFDrawer beginDrawing]
- -[OPDFDrawer setdashArray:phase:]
- -[OPDFDrawer setflat:]
- -[OPDFDrawer setlinejoin:]
- -[OPDFDrawer setlinecap:]
- -[OPDFDrawer setmiterlimit:]
- -[OPDFDrawer setlinewidth:]
- -[OPDFDrawer setgrayStroke:]
- -[OPDFDrawer setFillAlpha:]
- -[OPDFDrawer setStrokeAlpha:]
- -[OPDFDrawer shadedFill:]
- -[OPDFDrawer rmoveto:]
- -[OPDFDrawer rectangle:::]
- -[OPDFDrawer closepath]
- -[OPDFDrawer newpath]
- -[OPDFDrawer stroke]
- -[OPDFDrawer closepathStroke]
- -[OPDFDrawer fill]
- -[OPDFDrawer eofill]
- -[OPDFDrawer fillStroke]
- -[OPDFDrawer closepathFillStroke]
- -[OPDFDrawer eofillStroke]
- -[OPDFDrawer closePathEofillStroke]
- -[OPDFDrawer clip]

- -[OPDFDrawer eoclip]
- -[OPDFDrawer endText]
- -[OPDFDrawer setCharacterSpace:]
- -[OPDFDrawer setTextLeading:]
- -[OPDFDrawer setTextRenderingMode:]
- -[OPDFDrawer setTextRise:]
- -[OPDFDrawer setWordSpace:]
- -[OPDFDrawer setTextHorizontalScale:]
- -[OPDFDrawer drawCharacter:textMatrix:]
- -[OPDFDrawer xObject:]
- -[OPDFDrawer setcharwidth:::]
- -[OPDFDrawer setcachedevice:::]:]
- -[OPDFDrawer imageData]
- -[OPDFDrawer beginImage]
- -[OPDFDrawer showKerned:]
- -[OPDFDrawer showNextLineWordSpace:characterSpace:pdfString:]
- -[OPDFDrawer showNextLine:]
- -[OPDFDrawer show:]
- -[OPDFDrawer nextLine]
- -[OPDFDrawer setTextMatrix:::]:]
- -[OPDFDrawer nextLineX:ySetLeading:]
- -[OPDFDrawer setTextFont:~size:]
- -[OPDFDrawer setcolorspaceStroke:]
- -[OPDFDrawer setcolorspaceFill:]
- -[OPDFDrawer concat:::]:]
- -[OPDFDrawer restore]
- -[OPDFDrawer save]
- -[OPDFDrawer endDrawing]
- -[OPDFDrawer setParser:]
- -[OPDFDrawer dealloc]
- -[OPDFDrawer initWithPDFView:addToPageLays:]
- +[OPDFDrawer setupParserDispatchTable:]
- +[OPDFDrawer initialize]
- -[OPDFDrawer endImage]
- -[OPDFDrawer moveto:::]
- -[OPDFDrawer lineto:::]
- -[OPDFDrawer curveto:::]:]
- -[OPDFDrawer curvetoDoubleFirstPoint:::]:]
- -[OPDFDrawer curvetoDoubleFinalPoint:::]:]
- -[OPDFDrawer beginText]
- -[OPDFDrawer nextLineX:y:]
- -[OPDFDrawer setgrayFill:]
- -[OPDFDrawer setICCBasedAndSpecialStroke:]
- -[OPDFDrawer setICCBasedAndSpecialFill:]
- -[OPDFDrawer setrgbcolorStroke:::]
- -[OPDFDrawer setrgbcolorFill:::]
- -[OPDFDrawer setcmykcolorStroke:::]:]
- -[OPDFDrawer setcmykcolorFill:::]:]
- -[OPDFDrawer setcolorFill]
- -[OPDFDrawer setcolorStroke]
- -[OPDFDrawState initWithState:]
- -[OPDFDrawState init]
- +[OPDFDrawState drawStateFromState:]
- -[OPDFDrawState dealloc]
- -[OPDFColorSpaceCalCMYK numberOfComponents]
- -[OPDFColorSpaceCalCMYK coreGraphicsColorSpace]
- -[OPDFColorSpaceCalCMYK initWithName:fromArray:]
- -[OPDFColorSpaceCalCMYK dealloc]
- -[OPDFColorSpaceCalCMYK colorForPDFColor:]
- -[OPDFColorSpaceCalCMYK setStrokeColor:]
- -[OPDFColorSpaceCalCMYK setFillColor:]
- -[OPDFColorSpaceIndexed numberOfComponents]
- -[OPDFColorSpaceIndexed coreGraphicsColorSpace]
- -[OPDFColorSpaceIndexed basePDFColorWithPixelValue:]
- -[OPDFColorSpaceIndexed initWithName:fromArray:]
- -[OPDFColorSpaceIndexed dealloc]
- -[OPDFColorSpaceIndexed setFillColor:]
- -[OPDFColorSpaceIndexed setStrokeColor:]
- -[OPDFColorSpaceIndexed colorForPDFColor:]
- -[OPDFColorSpaceLab numberOfComponents]
- -[OPDFColorSpaceLab coreGraphicsColorSpace]
- -[OPDFColorSpaceLab colorForPDFColor:]
- -[OPDFColorSpaceLab initWithName:fromArray:]
- -[OPDFColorSpaceLab dealloc]
- -[OPDFColorSpaceLab setStrokeColor:]
- -[OPDFColorSpaceLab setFillColor:]
- -[OPDFColorSpacePattern numberOfComponents]
- -[OPDFColorSpacePattern dealloc]

- -[OPDFColorSpacePattern initWithName:fromArray:]
- -[OPDFColorSpaceSeparation numberOfComponents]
- -[OPDFColorSpaceSeparation dealloc]
- -[OPDFColorSpaceSeparation initWithName:fromArray:]
- -[OPDFColorSpaceSeparation colorForPDFColor:]
- +[OPDFEncryptionManager classForEncryptionType:]
- +[OPDFEncryptionManager registerItemName:bundle:description:]
- +[OPDFEncryptionManager initialize]
- -[OPDFLZWDecoder description]
- -[OPDFLZWDecoder dealloc]
- -[OPDFLZWDecoder initWithInputData:codeSize:bitMask:earlyChange:consumer:outputChunkSize:outputSelect]
- +[OPDFLZWDecoder decoderWithInputData:codeSize:bitMask:earlyChange:consumer:outputChunkSize:outputSelect]
- -[OPDFLZWDecoder process]
- -[OPDFView acceptsFirstResponder]
- -[OPDFView acceptsFirstMouse:]
- -[OPDFView usePDFContext:]
- -[OPDFView useMainContext]
- -[OPDFView lockFocusPDFContext]
- -[OPDFView unlockFocusPDFContext]
- -[OPDFView pdfDisplay]
- -[OPDFView setShouldConstrainWindow:]
- -[OPDFView setCanDraw:]
- -[OPDFView canDraw]
- -[OPDFView isOpaque]
- -[OPDFView saveAsASCII:]
- -[OPDFView saveAsRTF:]
- -[OPDFView cut:]
- -[OPDFView copy:]
- -[OPDFView selectAll:]
- -[OPDFView selectedString]
- -[OPDFView keyDown:]
- -[OPDFView writeSelectionToPasteboard:types:]
- -[OPDFView readLaysForPage:]
- -[OPDFView pdfStorage]
- -[OPDFView destroyPDFContext]
- -[OPDFView xObjectForResourceName:]
- -[OPDFView fontForResourceName:]
- -[OPDFView colorSpaceForResourceName:]
- -[OPDFView loadResourceDictionary:]
- -[OPDFView resignFirstResponder]
- -[OPDFView becomeFirstResponder]
- -[OPDFView dealloc]
- -[OPDFView jumpToSelection:]
- -[OPDFView validRequestorForSendType:returnType:]
- -[OPDFView constrainWindow]
- -[OPDFView maximumWindowSize]
- -[OPDFView resetCursorRects]
- -[OPDFView refreshCache]
- -[OPDFView drawRect:]
- +[OPDFView initialize]
- -[OPDFView initWithDisplay:]
- -[OPDFView setLineCursorRect:annotations:annotationIndex:annotationCount:]
- -[OPDFView zoomTo:]
- -[OPDFView drawPage:]
- -[OPDFView mouseDown:]
- -[OPDFUpdate storage]
- -[OPDFUpdate invalidate]
- -[OPDFUpdate updateSection]
- -[OPDFUpdate currentGenerationOffNumber:]
- -[OPDFUpdate updatedObjectForNumber:]
- -[OPDFUpdate referenceToNewIndirectObject:]
- -[OPDFUpdate setObject:forNumber:]
- -[OPDFUpdate dealloc]
- -[OPDFUpdate initWithStorage:]
- _sortByObjectLocation
- -[OPDFUpdateXref dealloc]
- -[OPDFUpdateXref initWithUpdate:number:generation:]
- -[OPDFUpdateXref realObject]
- -[OPDFPageParser setDelegate:]
- -[OPDFPageParser delegate]
- -[OPDFPageParser currentDrawingState]
- -[OPDFPageParser setCurrentDrawingState:]
- -[OPDFPageParser drawingStateStack]
- -[OPDFPageParser initWithPDFPage:]
- -[OPDFPageParser dealloc]
- -[OPDFPageParser scanPage]
- -[OPDFPageParser(private) setupOperatorTable]
- -[FontList description]

- -[FontList fontWithName:]
- -[FontList dealloc]
- -[FontList init]
- -[FontList addFontsFromPage:]
- -[ColorSpaceList description]
- -[ColorSpaceList colorSpaceWithName:]
- -[ColorSpaceList dealloc]
- -[ColorSpaceList init]
- -[ColorSpaceList addColorSpacesFromPage:]
- -[DrawingState changedLeading]
- -[DrawingState setChangedLeading:]
- -[DrawingState hasMultipleLinesOfText]
- -[DrawingState setHasMultipleLinesOfText:]
- -[DrawingState mergedLays]
- -[DrawingState setMergedLays:]
- -[DrawingState renderingMode]
- -[DrawingState setRenderingMode:]
- -[DrawingState wordSpace]
- -[DrawingState setWordSpace:]
- -[DrawingState fontSize]
- -[DrawingState setFontSize:]
- -[DrawingState rise]
- -[DrawingState setRise:]
- -[DrawingState leading]
- -[DrawingState setLeading:]
- -[DrawingState horizontalScale]
- -[DrawingState setHorizontalScale:]
- -[DrawingState characterSpace]
- -[DrawingState setCharacterSpace:]
- -[DrawingState fillAlpha]
- -[DrawingState setFillAlpha:]
- -[DrawingState strokeAlpha]
- -[DrawingState setStrokeAlpha:]
- -[DrawingState dealloc]
- -[DrawingState init]
- -[DrawingState copyWithZone:]
- -[DrawingState description]
- -[DrawingState setTextLineStartPoint:]
- -[DrawingState textLineStartPoint]
- -[DrawingState setOriginalTextStart:]
- -[DrawingState originalTextStart]
- -[DrawingState strokeColor]
- -[DrawingState strokeColorSpace]
- -[DrawingState fillColor]
- -[DrawingState fillColorSpace]
- -[DrawingState transformationMatrix]
- -[DrawingState path]
- -[DrawingState textMatrix]
- -[DrawingState font]
- -[DrawingState currentText]
- -[DrawingState setStrokeColor:]
- -[DrawingState setStrokeColorSpace:]
- -[DrawingState setFillColor:]
- -[DrawingState setFillColorSpace:]
- -[DrawingState setTransformationMatrix:]
- -[DrawingState setPath:]
- -[DrawingState setTextMatrix:]
- -[DrawingState setFont:]
- -[DrawingState setCurrentText:]
- -[XObjectList description]
- -[XObjectList xObjectWithName:]
- -[XObjectList dealloc]
- -[XObjectList init]
- -[XObjectList addXObjectsFromPage:]
- -[Font charFromFontEncoding:]
- -[Font widthForChar:]
- -[Font cgFont]
- -[Font(PRIVATE) _computeNativeToMacOSRomanEncoding]
- +[Font(PRIVATE) _readEncodingNamed:]
- +[Font encodingWithName:]
- +[Font fontFromPDFFont:]
- -[Font dealloc]
- +[Font initialize]
- -[Font(PRIVATE) _setNativeEncodingToName:withDifferences:]
- -[Font(PRIVATE) _parsePDFFont:]
- -[Font(PRIVATE) _closestResidentFontNameForName:fontDescriptor:]
- +[Font(PRIVATE) _parseMetricsForFontName:encoding:]
- -[OPDFColorSpaceICCBased setStrokeColor:]

- -[OPDFColorSpaceICCBased setFillColor:]
- -[OPDFColorSpaceICCBased numberOfComponents]
- -[OPDFColorSpaceICCBased coreGraphicsColorSpace]
- -[OPDFColorSpaceICCBased colorForPDFColor:]
- -[OPDFColorSpaceICCBased initWithName:fromArray:]
- -[OPDFColorSpaceICCBased dealloc]
- -[OPDFFunction outputsFromInputs:outputs:]
- -[OPDFFunction initWithPDFObject:]
- +[OPDFFunction functionFromPDFObject:]
- -[OPDFSampledFunction(private) _interpolate:xMin:xMax:yMin:yMax:]
- -[OPDFSampledFunction(private) _parseFunction:]
- -[OPDFSampledFunction dealloc]
- -[OPDFSampledFunction initWithPDFObject:]
- -[OPDFSampledFunction(private) _sampleAtLocation:]
- -[OPDFSampledFunction outputsFromInputs:outputs:]
- -[OPDFForm executeInState:pdfView:]
- -[OPDFForm readXObjectDictionary]
- -[OPDFStorage pdfData]
- -[OPDFStorage pages]
- -[OPDFStorage pageCount]
- -[OPDFStorage catalogDictionary]
- -[OPDFStorage trailerDictionary]
- -[OPDFStorage startXref]
- -[OPDFStorage(Private) readLineBackwards]
- -[OPDFStorage(Private) readLine]
- -[OPDFStorage(Private) setupPages]
- -[OPDFStorage(Private) process]
- -[OPDFStorage xrefEntryForObject:]
- -[OPDFStorage pageFromPageObjectNumber:]
- -[OPDFStorage dealloc]
- -[OPDFStorage initWithData:]
- -[OPDFStorage(Private) readTail]
- -[OPDFStorage processData]
- -[OPDFStorage(Private) skipHead]
- -[OPDFStorage(Private) readXrefsAndTrailer]
- com.omnigroup.OmniGraffle
- PE !6
- PC\$VAeST
- p^NrH5_
- com.apple.translate
- com.omnigroup.OmniGraffle
- com.apple.Cocoa
- libz.1
- libSystem.B
- libSystem.B
- libobjc.A
- com.apple.CoreFoundation
- com.apple.AppKit
- com.apple.ApplicationServices
- com.apple.Foundation
- Omni Group CA1
- Omni Development, Inc.1#0!
- Omni Certificate Authority1
- Washington1
- Seattle1!0
- info@omnigroup.com0
- 080227194102Z
- 271114194102Z0
- Omni Group CA1
- Omni Development, Inc.1#0!
- Omni Certificate Authority1
- Washington1
- Seattle1!0
- info@omnigroup.com0
- Omni Group CA1
- Omni Development, Inc.1#0!
- Omni Certificate Authority1
- Washington1
- Seattle1!0
- info@omnigroup.com0
- 090518024441Z
- 100518024441Z0
- Washington1
- Seattle1
- Omni Development, Inc.1
- Engineering1
- Omni Code Signing1&0\$
- omnibuild@omnigroup.com0

- N1-HAP
- omnibuild@omnigroup.com0
- Omni Group CA1
- Omni Development, Inc.1#0!
- Omni Certificate Authority1
- Washington1
- Seattle1!0
- info@omnigroup.com
- 111018182310Z0#

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

No detected.

Base64 Strings

- Possible Base64 Encoded String: fileType -> Decoded: ~)^O*^

File Entropy Analysis

- **Entropy:** 5.99
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

Scan Date: 2024-09-07 14:40:25

Scan Results

- Malicious: 0
- Suspicious: 0
- Undetected: 63
- Harmless: 0
- Timeout: 1
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 13

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results