

# Malware Analysis Report For elf-Linux-lib-x64

---

## Binary Type

ELF (Executable and Linkable Format). (Approved)

---

## Analyzing File

- **File Name:** elf-Linux-lib-x64
  - **File Extension:** .so
  - **File Type:** ELF (Executable and Linkable Format).
  - **MD5 Hash:** 89a9ff6d56c3ad2ef9a185a17ef9f658
  - **SHA256 Hash:** 6c4b3ed6e699264a498e31b0bd32c7931117a5fda18c0cd287f28228404b6c76
- 

## File Identification

File detected as a valid Linux executable.

---

## ELF File Analysis

**ELF File Analysis:** True

### ELF File Imports

- libpthread.so.0
- libpixman-1.so.0
- libfontconfig.so.1
- libfreetype.so.6
- libEGL.so.1
- libdl.so.2
- libpng16.so.16
- libxcb-shm.so.0
- libxcb-render.so.0
- libxcb.so.1
- libXrender.so.1
- libX11.so.6
- libXext.so.6
- libz.so.1
- libGL.so.1
- librt.so.1
- libm.so.6
- libc.so.6

### ELF File Exports

No Exported functions were found.

---

# String Analysis

## ASCII Strings

- U!=G
- ~/ WRG
- K5To+I
- **gmon\_start**
- *ITM*deregisterTMCloneTable
- *ITM*registerTMCloneTable
- \_cxafinalize
- JvRegisterClasses
- \_assertfail
- malloc
- \_gnulto\_v1
- sincos
- realloc
- memcpy
- memset
- \_longjmpchk
- \_setjmp
- \_fprintfchk
- stderr
- cairo\_create
- cairo\_reference
- cairo\_destroy
- cairogetuser\_data
- cairosetuser\_data
- cairogetreference\_count
- cairo\_save
- cairo\_restore
- *cairopushgroupwithcontent*
- *cairopushgroup*
- *cairopopgroup*
- cairosetoperator
- cairosetsource\_rgb
- cairosetsource\_rgba
- cairosetsource\_surface
- cairosetsource
- *cairopopgroupertosource*
- *cairogetsource*
- *cairo settolerance*
- *cairo setantialias*
- *cairo setfill\_rule*
- *cairo setline\_width*
- *cairo setline\_cap*
- *cairo setline\_join*
- *cairo setdash*
- *cairo getdash\_count*
- *cairo getdash*
- *cairo setmiter\_limit*

- `cairo_translate`
- `cairo_scale`
- `cairo_rotate`
- `cairo_transform`
- `cairo_set_matrix`
- `cairo_identity_matrix`
- `cairo_user_to_device`
- `cairo_user_to_device_distance`
- `cairo_device_to_user`
- `cairo_device_to_user_distance`
- `cairo_new_path`
- `cairo_new_sub_path`
- `cairo_move_to`
- `cairo_line_to`
- `cairo_curve_to`
- `cairo_arc`
- `cairo_arc_negative`
- `cairo_rel_move_to`
- `cairo_rel_line_to`
- `cairo_rel_curve_to`
- `cairo_rectangle`
- `cairo_close_path`
- `cairo_path_extents`
- `cairo_paint`
- `cairo_paint_with_alpha`
- `cairo_mask`
- `cairo_mask_surface`
- `cairo_stroke`
- `cairo_stroke_preserve`
- `cairo_fill`
- `cairo_fill_preserve`
- `cairo_copy_page`
- `cairo_show_page`
- `cairo_in_stroke`
- `cairo_in_fill`
- `cairo_stroke_extents`
- `cairo_fill_extents`
- `cairo_clip`
- `cairo_clip_preserve`
- `cairo_reset_clip`
- `cairo_clip_extents`
- `cairo_in_clip`
- `cairo_copy_clip_rectangle_list`
- `cairo_select_font_face`
- `cairo_font_extents`
- `cairo_set_font_face`
- `cairo_get_font_face`
- `cairo_set_font_size`
- `cairo_set_font_matrix`
- `cairo_get_font_matrix`

- `cairoseffont_options`
- `cairogetfont_options`
- `cairosetscaled_font`
- `cairogetscaled_font`
- `cairoglyphextents`
- `cairoshowglyphs`
- `cairoshowtext_glyphs`
- `strlen`
- `cairoglyphpath`
- `cairogetoperator`
- `cairogettolerance`
- `cairogetantialias`
- `cairohascurrent_point`
- `cairogetcurrent_point`
- `cairotextpath`
- `cairotextextents`
- `cairogetfill_rule`
- `cairogetline_width`
- `cairogetline_cap`
- `cairogetline_join`
- `cairogetmiter_limit`
- `cairogetmatrix`
- `cairogettarget`
- `cairoshowtext`
- `cairogetgroup_target`
- `cairocopypath`
- `cairocopypath_flat`
- `cairoappendpath`
- `cairo_status`
- `memcmp`
- `fwrite`
- `cairorectanglelist_destroy`
- `cairodebugresetstaticdata`
- `putchar`
- `pthreadmutexattrinit`
- `pthreadmutexattrsettype`
- `pthreadmutexinit`
- `pthreadmutexattrdestroy`
- `cairodevicereference`
- `cairodevicestatus`
- `cairodeviceget_type`
- `pthreadmutexunlock`
- `cairodevicerelease`
- `pthreadmutexlock`
- `cairodeviceacquire`
- `cairodeviceflush`
- `cairodevicefinish`
- `pthreadmutexdestroy`
- `cairodevicedestroy`
- `cairodevicegetreferencecount`

- `cairodevicegetuserdata`
- `cairodevicesetuserdata`
- `cairofontface_reference`
- `cairofontface_destroy`
- `cairofontface_gettype`
- `cairofontface_getreference_count`
- `cairofontface_status`
- `cairofontface_getuser_data`
- `cairofontfacesetuser_data`
- `strncmp`
- `strtol`
- `cairofontoptions_create`
- `cairofontoptions_copy`
- `cairofontoptions_destroy`
- `cairofontoptions_status`
- `cairofontoptions_merge`
- `cairofontoptions_equal`
- `cairofontoptions_hash`
- `cairofontoptionssetantialias`
- `cairofontoptionsgetantialias`
- `cairofontoptionssetsubpixel_order`
- `cairofontoptionsgetsubpixel_order`
- `cairofontoptionssethint_style`
- `cairofontoptionsgethint_style`
- `cairofontoptionssethint_metrics`
- `cairofontoptionsgethint_metrics`
- `__finite`
- `calloc`
- `pixmanimagecomposite32`
- `pixmanimageunref`
- `pixman_blt`
- `pixmanimageget_data`
- `pixman_fill`
- `pixmanimagesetclipregion32`
- `pixmanglyphcache_freeze`
- `pixmanglyphcache_lookup`
- `pixmanglyphcache_insert`
- `pixmanglyphgetmaskformat`
- `pixmancompositегlyphs`
- `pixmanglyphcache_thaw`
- `pixmancompositегlyphsnomask`
- `pixmanglyphcache_create`
- `pixmanimagecreate_bits`
- `pixmanimageget_stride`
- `pixmanimagesetdestroyfunction`
- `pixmanrasterizetrapezoid`
- `pixmanaddtriangles`
- `pixmanglyphcache_remove`
- `pixmanimageset_transform`
- `pixmanimageset_filter`

- `pixmanimageset_repeat`
- `pixmanimagesetcomponentalpha`
- `pixmanimagecreatesolidfill`
- `pixmanimagecreateradialgradient`
- `pixmanimagecreatelineargradient`
- `pixmanimageref`
- `pixmanimageget_width`
- `pixmanimageget_height`
- `pixmanimageget_depth`
- `pixmanformatsupported_destination`
- `cairoimagesurface_create`
- `cairoimagesurfacegetdata`
- `cairoimagesurfacegetformat`
- `cairoimagesurfacegetwidth`
- `cairoimagesurfacegetheight`
- `cairoimagesurfacegetstride`
- `cairoformatstrideforwidth`
- `cairoimagesurfacecreatefor_data`
- `caiomatrixinit_identity`
- `caiomatrixinit`
- `caiomatrixinit_translate`
- `caiomatrixinit_scale`
- `caiomatrixinit_rotate`
- `caiomatrixmultiply`
- `caiomatrixrotate`
- `caiomatrixscale`
- `caiomatrixtranslate`
- `caiomatrixtransform_distance`
- `caiomatrixtransform_point`
- `caiomatrixinvert`
- `pixmantransformpoint_3d`
- `pixmanregion32rectangles`
- `cairostatusto_string`
- `cairoglyphallocate`
- `cairoglyphfree`
- `cairotextcluster_allocate`
- `cairotextcluster_free`
- `fflush`
- `ferror`
- `fclose`
- `localeconv`
- `_snprintfchk`
- `memmove`
- `_memcpychk`
- `_ermolocation`
- `cairopathdestroy`
- `cairopatterncreate_rgba`
- `cairopatterncreate_rgb`
- `cairopatterncreateforsurface`
- `cairopatterncreate_linear`

- *cairopatterncreate\_radial*
- *cairopatterncreate\_mesh*
- *cairopatternreference*
- *cairopatternget\_type*
- *cairopatternstatus*
- *cairopatterndestroy*
- *cairopatterngetreferencecount*
- *cairopatterngetuserdata*
- *cairopatternsetuserdata*
- *cairomeshpatternbeginpatch*
- *cairomeshpatternmoveto*
- *cairomeshpatterncurveto*
- *cairomeshpatternlineto*
- *cairomeshpatternendpatch*
- *cairomeshpatternsetcontrol\_point*
- *cairomeshpatternsetcornercolorrgba*
- *cairomeshpatternsetcornercolorrgb*
- *cairopatternaddcolorstop\_rgba*
- *cairopatternaddcolorstop\_rgb*
- *cairopatternset\_matrix*
- *cairopatternget\_matrix*
- *cairopatternset\_filter*
- *cairopatternget\_filter*
- *cairopatternset\_extend*
- *cairopatternget\_extend*
- *cairopatternget\_rgba*
- *cairopatternget\_surface*
- *cairopatterngetcolorstop\_rgba*
- *cairopatterngetcolorstop\_count*
- *cairopatterngetlinearpoints*
- *cairopatterngetradialcircles*
- *cairomeshpatterngetpatch\_count*
- *cairomeshpatterngetpath*
- *cairomeshpatterngetcornercolorrgba*
- *cairomeshpatterngetcontrol\_point*
- *\_printfchk*
- *cairopatterncreaterastersource*
- *caiorastersourcepatternsetcallbackdata*
- *caiorastersourcepatterngetcallbackdata*
- *caiorastersourcepatternset\_acquire*
- *caiorastersourcepatternget\_acquire*
- *caiorastersourcepatternset\_snapshot*
- *caiorastersourcepatternget\_snapshot*
- *caiorastersourcepatternset\_copy*
- *caiorastersourcepatternget\_copy*
- *caiorastersourcepatternset\_finish*
- *caiorastersourcepatternget\_finish*
- *cairorecordingsurface\_create*
- *cairorecordingsurfaceinkextents*
- *cairorecordingsurfacegetextents*

- `pixmanregion32init`
- `pixmanregion32init_rect`
- `pixmanregion32fini`
- `cairoregioncreate`
- `pixmanregion32init_rects`
- `cairoregioncreate_rectangles`
- `cairoregioncreate_rectangle`
- `cairoregionreference`
- `cairoregiondestroy`
- `pixmanregion32copy`
- `cairoregioncopy`
- `pixmanregion32n_rects`
- `cairoregionnum_rectangles`
- `cairoregionget_rectangle`
- `pixmanregion32extents`
- `cairoregionget_extents`
- `cairoregionstatus`
- `pixmanregion32subtract`
- `cairoregionsubtract`
- `cairoregionsubtract_rectangle`
- `pixmanregion32intersect`
- `cairoregionintersect`
- `cairoregionintersect_rectangle`
- `pixmanregion32union`
- `cairoregionunion`
- `cairoregionunion_rectangle`
- `cairoregionxor`
- `cairoregionxor_rectangle`
- `pixmanregion32not_empty`
- `cairoregionis_empty`
- `pixmanregion32translate`
- `cairoregiontranslate`
- `pixmanregion32contains_rectangle`
- `cairoregioncontains_rectangle`
- `pixmanregion32contains_point`
- `cairoregioncontains_point`
- `pixmanregion32equal`
- `cairoregionequal`
- `cairoscaledfontgettype`
- `cairoscaledfont_status`
- `cairoscaledfont_reference`
- `cairoscaledfont_destroy`
- `cairoscaledfont_create`
- `cairoscaledfontgetreference_count`
- `cairoscaledfontgetuser_data`
- `cairoscaledfontsetuser_data`
- `cairoscaledfont_extents`
- `cairoscaledfonttextto_glyphs`
- `cairoscaledfontglyphextents`
- `cairoscaledfonttextextents`



- `cairoscaledfontgetfont_face`
- `cairoscaledfontgetfont_matrix`
- `cairoscaledfontgetctm`
- `cairoscaledfontgetscale_matrix`
- `cairoscaledfontgetfont_options`
- `cairosurfaceget_type`
- `cairosurfaceget_content`
- `cairosurfacestatus`
- `cairosurfaceget_device`
- `cairosurfacereference`
- `cairosurfacegetreferencecount`
- `cairosurfacegetuserdata`
- `cairosurfacesetuserdata`
- `strcmp`
- `cairosurfacegetmimedata`
- `cairosurfacesetmimedata`
- `cairosurfacesupportsmimetype`
- `cairosurfacegetfontoptions`
- `cairosurfacedestroy`
- `cairosurfacefinish`
- `cairosurfaceflush`
- `cairosurfacemarkdirtyrectangle`
- `cairosurfacesetdeviceoffset`
- `cairosurfacegetdeviceoffset`
- `cairosurfacesetfallbackresolution`
- `cairosurfacegetfallbackresolution`
- `cairosurfaceunmap_image`
- `cairosurfacecopy_page`
- `cairosurfaceshow_page`
- `cairosurfacemark_dirty`
- `cairosurfacehasshowtext_glyphs`
- `cairosurfacemaptoimage`
- `cairosurfacecreatesimilarimage`
- `cairosurfacecreate_similar`
- `cairosurfacecreate_observer`
- `cairosurfaceobserveraddpaint_callback`
- `cairosurfaceobserveraddmask_callback`
- `cairosurfaceobserveraddfill_callback`
- `cairosurfaceobserveraddstroke_callback`
- `cairosurfaceobserveraddglyphs_callback`
- `cairosurfaceobserveraddflush_callback`
- `cairosurfaceobserveraddfinish_callback`
- `cairosurfaceobserver_print`
- `cairosurfaceobserver_elapsed`
- `cairodeviceobserver_print`
- `cairodeviceobserver_elapsed`
- `cairodeviceobserverpaintelapsed`
- `cairodeviceobservermaskelapsed`
- `cairodeviceobserverfillelapsed`
- `cairodeviceobserverstrokeelapsed`

- `cairodeviceobserverglyphselapsed`
- `cairosurfacecreateforrectangle`
- `clock_gettime`
- `__strdup`
- `cairotoyfontfacecreate`
- `cairotoyfontfaceget_family`
- `cairotoyfontfaceget_slant`
- `cairotoyfontfaceget_weight`
- `cairouserfontfacecreate`
- `cairouserfontfacesetinitfunc`
- `cairouserfontfacesetrenderglyph_func`
- `cairouserfontfacesettexttoglyphsfunc`
- `cairouserfontfacesetunicodetoglyphfunc`
- `cairouserfontfacegetinitfunc`
- `cairouserfontfacegetrenderglyph_func`
- `cairouserfontfacegettexttoglyphsfunc`
- `cairouserfontfacegetunicodetoglyphfunc`
- `cairo_version`
- `cairoversionstring`
- `strchr`
- `_stmcpychk`
- `strncpy`
- `strcpy`
- `sscanf`
- `_ctypeb_loc`
- `deflate`
- `deflateEnd`
- `deflateInit_`
- `XSetErrorHandler`
- `XRenderQueryVersion`
- `getenv`
- `strstr`
- `XAddExtension`
- `XSetCloseDisplay`
- `XRenderFindFormat`
- `XRenderFindStandardFormat`
- `cairoxlibdevicedebugcapxrenderversion`
- `cairoxlibdevicedebugset_precision`
- `cairoxlibdevicedebugget_precision`
- `XChangeGC`
- `XCopyArea`
- `XFillRectangle`
- `XRenderFreeGlyphSet`
- `XRenderFreeGlyphs`
- `XExtendedMaxRequestSize`
- `XMaxRequestSize`
- `XRenderCompositeTriStrip`
- `XRenderComposite`
- `XSetClipRectangles`
- `XSetClipMask`
- `XRenderSetPictureClipRectangles`

- XRenderChangePicture
- XRenderFillRectangles
- XRenderFillRectangle
- XRenderCompositeTrapezoids
- XRenderCompositeText32
- XRenderCompositeText16
- XRenderCompositeText8
- XRenderAddGlyphs
- XRenderCreateGlyphSet
- XGetDefault
- FcNameConstant
- XFreeGC
- XCreateGC
- XScreenNumberOfScreen
- XRenderQuerySubpixelOrder
- XRenderFreePicture
- XFreePixmap
- XRenderSetPictureFilter
- XRenderCreatePicture
- XRenderCreateSolidFill
- XCreatePixmap
- XRenderSetPictureTransform
- XRenderCreateRadialGradient
- XRenderCreateLinearGradient
- XRenderFindVisualFormat
- XGetImage
- XShmGetImage
- XInitImage
- XShmPutImage
- XPutImage
- *cairoxlibsurface\_create*
- *cairoxlibsurfacecreatefor\_bitmap*
- *cairoxlibsurfacecreatewithxrenderformat*
- *cairoxlibsurfacegetxrender\_format*
- *cairoxlibsurfacesetsize*
- *cairoxlibsurfacesetdrawable*
- *cairoxlibsurfacegetdisplay*
- *cairoxlibsurfacegetdrawable*
- *cairoxlibsurfacegetscreen*
- *cairoxlibsurfacegetvisual*
- *cairoxlibsurfacegetdepth*
- *cairoxlibsurfacegetwidth*
- *cairoxlibsurfacegetheight*
- XShmDetach
- XSendEvent
- XEventsQueued
- \_XReadEvents
- shmget
- XShmAttach
- shmctl
- XShmCreatePixmap

- XShmQueryExtension
- XShmQueryVersion
- XLockDisplay
- XUnlockDisplay
- XInitExtension
- XCreateWindow
- XDestroyWindow
- XAllocColor
- XQueryColors
- xcb\_flush
- xcbgenerateid
- xcbgetmaximumrequestlength
- xcbbigrequests\_id
- xcbprefetchextension\_data
- xcbrenderid
- xcbshmid
- xcbprefetchmaximumrequestlength
- xcbgetsetup
- xcbgettextextension\_data
- xcbrenderquery\_version
- xcbrenderquerypicformats
- xcbsetuproots\_iterator
- xcbscreenalloweddepthsiterator
- xcbdepthnext
- xcbscreennext
- xcbrenderqueryversionreply
- xcbrenderquerypicformats\_reply
- xcbcreatepixmap\_checked
- xcbfreepixmap
- xcbrequestcheck
- xcbrenderquerypicformatsformatsiterator
- xcbrenderpicforminfo\_next
- xcbshmquery\_version
- xcbshmqueryversionreply
- xcbshmattach\_checked
- xcbshmdetach\_checked
- xcbrenderquerypicformatsscreensiterator
- xcbrenderpictscreendepthsiterator
- xcbrenderpictdepthvisualsiterator
- xcbrenderpictvisual\_next
- xcbrenderpictdepth\_next
- xcbrenderpictscreen\_next
- cairoxcbdevicegetconnection
- cairoxcbdevicedebugcapxshmversion
- cairoxcbdevicedebugcapxrenderversion
- cairoxcbdevicedebugset\_precision
- cairoxcbdevicedebugget\_precision
- xcbsendrequest
- xcbcreatepixmap
- xcbcreategc

- `xcbfreegc`
- `xcbchangegc`
- `xcbcopyarea`
- `xcbpolyfill_rectangle`
- `xcbputimage`
- `xcbgetimage`
- `xcbgetimage_reply`
- `xcbrendercreate_picture`
- `xcbrenderchange_picture`
- `xcbrendersetpictureclip_rectangles`
- `xcbrenderfree_picture`
- `xcbrendercomposite`
- `xcbrendertrapezoids`
- `xcbrendercreateglyphset`
- `xcbrenderfreeglyphset`
- `xcbrenderadd_glyphs`
- `xcbrenderfree_glyphs`
- `xcbrendercompositeglyphs8`
- `xcbrendercompositeglyphs16`
- `xcbrendercompositeglyphs32`
- `xcbrenderfill_rectangles`
- `xcbrendersetpicturetransform`
- `xcbrendersetpicturefilter`
- `xcbrendercreatesolidfill`
- `xcbrendercreatelineargradient`
- `xcbrendercreateradialgradient`
- `xcbrendercreateconicalgradient`
- `xcbshmattach`
- `xcbshmput_image`
- `xcbshmget_image`
- `xcbshmgetimagereply`
- `xcbshmdetach`
- `xcbwaitfor_reply`
- `xcbpollfor_reply`
- `xcbdiscardreply`
- `xcbgetinput_focus`
- `xcbgetimage_data`
- `cairoxcb_surface_create`
- `xcbconnectionhas_error`
- `xcbdepthvisuals_iterator`
- `xcbvisualtypenext`
- `cairoxcb_surface_create_for_bitmap`
- `cairoxcb_surface_create_with_xrender_format`
- `cairoxcb_surface_set_size`
- `cairoxcb_surface_set_drawable`
- `pngcreateread_struct`
- `pngcreateinfo_struct`
- `pngsetread_fn`
- `pngsetlongjmp_fn`
- `pngreadinfo`

- `pnggetfHDR`
- `pnggetvalid`
- `pngsetfiller`
- `pngreadupdate_info`
- `pngdestroyread_struct`
- `pngsetinterlace_handling`
- `pngsetgraytorgb`
- `pngsetpacking`
- `pngsettRNS $\alpha$`
- `pngsetexpandgray124to8`
- `pngsetstrip_16`
- `pngsetpalette $\rightarrow$ rgb`
- `pngsetread $\rightarrow$ transform_fn`
- `pngreadimage`
- `pngreadend`
- `pnggeterror_ptr`
- `pnggetio_ptr`
- `png_error`
- `pngcreatewrite_struct`
- `pngdestroywrite_struct`
- `pngsetwrite_fn`
- `pngsetfHDR`
- `pngsetbKGD`
- `pngwriteinfo`
- `pngwriteimage`
- `pngwriteend`
- `pngsetpackswap`
- `pngsetwrite $\rightarrow$ transform_fn`
- `cairo $\rightarrow$ surfacewritetopng`
- `cairo $\rightarrow$ surfacewritetopng_stream`
- `cairoimagesurfacecreatefrom_png`
- `cairoimagesurfacecreatefrompngstream`
- `glScissor`
- `glEnable`
- `glTexParameter $\rightarrow$ i`
- `glDrawArrays`
- `glDrawElements`
- `glBlendFunc`
- `glBlendFuncSeparate`
- `glActiveTexture`
- `glBindTexture`
- `glGetError`
- `glDisable`
- `glDepthMask`
- `glClearStencil`
- `glClear`
- `glStencilOp`
- `glStencilFunc`
- `glColorMask`
- `glDrawBuffer`
- `glReadBuffer`

- glClearColor
- glGetIntegerv
- glViewport
- *cairogl/device*setthread\_aware
- dlopen
- dlclose
- glGenTextures
- glTexImage2D
- glDeleteTextures
- glGetString
- *\_strcpychk*
- *\_sprintfchk*
- glIsEnabled
- glPixelStorei
- glReadPixels
- *cairogl/surface*\_create
- *cairogl/surface*createfor\_texture
- *cairogl/surface*setsize
- *cairogl/surface*getwidth
- *cairogl/surface*getheight
- *cairogl/surface*\_swapbuffers
- glTexSubImage2D
- eglMakeCurrent
- eglDestroySurface
- eglSwapBuffers
- eglGetCurrentSurface
- eglGetCurrentContext
- *cairoegl/device*\_create
- eglQueryString
- eglGetProcAddress
- eglQueryContext
- eglChooseConfig
- eglCreatePbufferSurface
- *cairogl/surface*createfor\_egl
- glXMakeCurrent
- glXSwapBuffers
- glXGetCurrentDrawable
- glXGetCurrentContext
- *cairogl/xdevice*\_create
- glXQueryContext
- glXChooseFBConfig
- glXGetVisualFromFBConfig
- XCreateColormap
- XFreeColormap
- XFlush
- glXGetProcAddress
- glXQueryExtensionsString
- *cairogl/xdevice*getdisplay
- *cairogl/xdevice*getcontext
- *cairogl/surface*createfor\_window
- *cairoscript*create

- *cairoscriptcreateforstream*
- *cairoscriptwrite\_comment*
- *cairoscriptset\_mode*
- *cairoscriptget\_mode*
- *cairoscriptsurface\_create*
- *cairoscriptsurfacecreatefor\_target*
- *cairoscriptfromrecordingsurface*
- *FcPatternDestroy*
- *FcPatternGet*
- *FcPatternAddInteger*
- *FcPatternAddBool*
- *FcPatternDel*
- *FTInitFreeType*
- *FcPatternGetBool*
- *FcPatternGetInteger*
- *FcPatternDuplicate*
- *FTVectorTransform*
- *FTOutlineTranslate*
- *FTSetTransform*
- *FTSetChar\_Size*
- *FcPatternCreate*
- *FcPatternAddString*
- *FTDoneFace*
- *FTNewFace*
- *FTGetGlyph\_Name*
- *FTGetFirst\_Char*
- *FTGetNext\_Char*
- *FcFreeTypeCharIndex*
- *FTLoadGlyph*
- *FTRenderGlyph*
- *FTGlyphSlotOblique*
- *FTGlyphSlotEmbolden*
- *FTOutlineGet\_CBox*
- *FTLibrarySetLcdFilter*
- *FTOutlineTransform*
- *FTOutlineDecompose*
- *FTGetX11FontFormat*
- *FTLoadSfnt\_Table*
- *FcPatternGetFTFace*
- *FcPatternGetString*
- *access*
- *FcInitBringUpToDate*
- *FcConfigGetCurrent*
- *FcPatternAddDouble*
- *FcConfigSubstitute*
- *FcDefaultSubstitute*
- *FcFontMatch*
- *cairofffontoptionssubstitute*
- *cairofffontfacecreateforpattern*
- *cairofffontfacecreateforft\_face*
- *cairofffontfaceset\_synthesize*



- `cairoffi``fontfaceunset_synthesize`
- `cairoffi``fontfaceget_synthesize`
- `cairoffi``scaledfontlock_face`
- `cairoffi``scaledfontunlock_face`
- `FTDoneFreeType`
- `tmpfile`
- `rewind`
- `ctime_r`
- `cairo``pssurface_create`
- `cairo``pssurfacecreatefor_stream`
- `cairo``pssurfacerestrictto_level`
- `cairo``psget_levels`
- `cairo``psleveltostring`
- `cairo``pssurfacesteps`
- `cairo``pssurfacegetsteps`
- `cairo``pssurfacessize`
- `cairo``pssurfacedsccomment`
- `cairo``pssurfacedscbegin_setup`
- `cairo``pssurfacedscbeginpagesetup`
- `cairo``pdfsurfacecreatefor_stream`
- `cairo``pdfsurface_create`
- `cairo``pdfsurfacerestrictto_version`
- `cairo``pdfget_versions`
- `cairo``pdfversiontostring`
- `cairo``pdfsurfacessize`
- `cairo``svgsurfacecreatefor_stream`
- `cairo``svgsurface_create`
- `cairo``svgsurfacerestrictto_version`
- `cairo``svgget_versions`
- `cairo``svgversiontostring`
- `cairo``teesurface_create`
- `cairo``teesurface_add`
- `cairo``teesurface_remove`
- `cairo``teesurface_index`
- `libpthread.so.0`
- `libpixmap-1.so.0`
- `libfontconfig.so.1`
- `libfreetype.so.6`
- `libEGL.so.1`
- `libdl.so.2`
- `libpng16.so.16`
- `libxcb-shm.so.0`
- `libxcb-render.so.0`
- `libxcb.so.1`
- `libXrender.so.1`
- `libX11.so.6`
- `libXext.so.6`
- `libz.so.1`
- `libGL.so.1`
- `librt.so.1`
- `libm.so.6`

- libc.so.6
- \_edata
- \_\_bssstart
- libcairo.so.2
- GLIBC\_2.2.5
- GLIBC\_2.14
- GLIBC\_2.3
- GLIBC\_2.11
- GLIBC\_2.3.4
- PNG16\_0
- AWAVAUl
- [AVA]A^A\_
- [AVA]A^A\_
- ffff.
- ffff.
- ffff.
- ffff.
- ffff.
- [AVA]
- [AVA]
- [AVA]
- ffff.
- [AVA]
- ([AVA]
- ffff.
- [AVA]A^
- [AVA]
- [AVA]
- AUATUH
- ([AVA]
- fffff.
- D+\$h+\$`A
- HcD\$hMc
- HcD\$`l)
- AWAVAUATUSH
- +D\$@E)
- T\$@E9W
- t\$Lt?H
- J H;D\$P
- l;\$`L
- H9L\$`t
- [AVA]A^A\_
- AUATUH
- [AVA]
- CPD+@PE
- [AVA]
- AVAUATUSH
- M 9J u
- zTA9{T
- A;zTy.J
- zTA;zTx
- UTA;WP}

- BTE9GTx"
- BTE9GT
- l\$ H;,\$
- []A\A]A^A\_
- l\$ H;,\$
- +H;,\$t
- W 9P u
- zTA9{Tx>A;zT
- AWAVAUATUSH
- 9k(~4H
- []A\A]A^A\_
- AWAVAUATUSH
- []A\A]A^A\_
- AWAVAUUA
- J H;D\$
- 8[]A\A]A^A\_
- AWAVAUATUSH
- []A\A]A^A\_
- AWAVAUATUSH
- []A\A]A^A\_
- ffffff.
- AUATUSH
- []A\A]A^A\_
- D+;\$@D
- HcD\$@HcT\$
- HcD\$DL
- tEE;,\$
- T\$@;S\$
- D\$DA;D\$\$
- AWAVAUl
- VX[]A\A]l
- []A\A]A^A\_
- AWAVAUl
- VX[]A\A]l
- []A\A]A^A\_
- AWAVAUUA
- D9t\$ ~iA
- D;t\$ u
- 8[]A\A]A^A\_
- ffffff.
- []A\A]A^
- ffffff.
- ffffff.
- AWAVAUATUSH
- ~3H9\`\$`t
- E8A+D\$8HcM,lct\$,u4HcU<
- A;:,y,J
- H9\`\$`D
- E8A+D\$8HcM,lct\$,u0HcU<
- E8A+D\$8HcM,lct\$,u:HcU<
- E8A+D\$8lcM,lct\$,u2lcU<
- D\$8+E8lcL\$,Hcu,u6lcT\$<

- G8A+D\$8A
- ,lcL\$,u3lcW<
- |\$ H9 | \$
- 9D\$\$~@
- []A\A]A^A\_
- E8A+D\$8lcu,lc|\$,u7lcU<
- McD\$
- M0E9L\$0
- 1A96x"
- E0E9D\$0
- E8A+F8
- },lcN,u2HcU<
- >A9<\$x(
- []A\A]
- fffff.
- fffff.
- fffff.
- 0USiRA
- []A\A]A^
- ([A\A]
- fffff.
- AWAVAUATA
- JPA+KP
- u)Hcp
- zTA9zT
- A;{Ty+J
- zTA;{Tx
- ETA;GPD
- u4HcU
- u8lcT\$
- zTA9zTxvA;{Ty+J
- zTA;{Tx
- []A\A]A^A\_
- |\$@H;|\$
- D\$
- []A\A]A^A\_
- fffff.
- ffffff.
- fffff.
- fffff.
- ufHcD\$
- uiHcD\$
- ffffff.
- tSHcS H
- fffff.
- ffffff.
- ffffff.
- AWAVAU
- []A\A]A^A\_
- HcW E1
- AWAVAUATUSH
- H[]A\A]A^A\_

- H[]A\A]A^A\_
- H[]A\A]A^A\_
- fffff.
- fffff.
- fffff.
- []A\A]A^
- []A\A]A^
- fffff.
- AWAVAU
- []A\A]A^A\_
- AWAVAUATI
- []A\A]A^A\_
- H#F H#W H9
- F H9G
- fffff.
- fffff.
- fffff.
- fffff.
- []A\A]
- AUATUL
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- |\$8lcl
- Lct\$0D
- H;D\$(t
- HcD\$0HcL\$4
- X[]A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- []A\A]A^
- ffffff.
- []A\A]A^
- []A\A]A^
- e0A9t\$
- []A\A]
- ffffff.
- ffffff.
- ffffff.
- AUATUSH
- []A\A]
- H9w`t=H
- ffffff.
- []A\A]
- []A\A]A^A\_
- 8[]A\A]A^A\_
- ta@8:tw
- AWAVAUATUH
- []A\A]A^A\_
- ffffff.
- []A\A]
- []A\A]

- fffff.
- fffff.
- AUATLc
- t\$(HcT\$8H
- []A\A]A^A\_
- HcD\$(H
- A\A]A^
- []A\A]A^
- ffffff.
- fffff.
- fffff.
- ffffff.
- ffffff.
- ffffff.
- ffffff.
- ffffff.
- .G s@H
- 9T\$,|yH
- fffff.
- ffffff.
- H;|S0t
- L;d\$@t
- AWAVAUATI
- []A\A]A^A\_
- X[]A\A]A^A\_
- fffff.
- AVAUATUSH
- []A\A]A^A\_
- l;1t:M
- []A\A]
- []A\A]
- ffffff.
- AWAVAUUI
- H;|\$(A
- []A\A]A^A\_
- AUATUH
- H[]A\A]A^A\_
- AVAUATI
- lcD\$`lcT\$PL
- []A\A]A^A\_
- AWAVAUATUD
- []A\A]A^A\_
- fffff.
- AUATUSH
- []A\A]A^A\_
- fffff.
- AVAUATUSH
- lcD\$`L
- []A\A]A^A\_
- ,2ATUS
- ffffff.
- AVAUATUS

- []A\A]A^1
- AWAVAUATUSD
- []A\A]A^A\_
- AWAVAUE
- []A\A]A^A\_
- AWAVAUATE
- []A\A]A^A\_
- fffff.
- AWAVAUATE
- []A\A]A^A\_
- AWAVAUATE
- []A\A]A^A\_
- fffff.
- AWAVAUATUSH
- H+;\\$pH
- H;!\$xt
- []A\A]A^A\_
- AWAVAUATUD
- []A\A]A^A\_
- []A\A]A^
- []A\A]A^
- []A\A]A^A\_
- L9L\$(t
- AVAUATUS
- []A\A]A^1
- []A\A]A^A\_
- AWAVAUATUSH
- X[]A\A]A^A\_
- AVAUATUSH
- H[]A\A]A^A\_
- fffff.
- =RDHlu
- fffff.
- L;t\$Ht
- .C@z;u9f
- .KPz\$u"f
- fffff.
- fffff.
- fffff.
- fffff.
- D\$ H9E
- D\$(H9E
- D\$0H9E u
- fffff.
- fffff.
- fffff.
- fffff.
- AWAVAUATUSH
- D\$\$;D\$
- HcD\$\$H
- []A\A]A^A\_
- fffff.

- ffffff.
- []A\A]
- []A\A]
- fffff.
- AVAUATUSH
- @[]A\A]A^
- AWAVAUATUSH
- H[]A\A]A^A\_
- []A\A]A^
- fffff.
- fffff.
- D\$8t>H
- []A\A]A^A\_
- ffffff.
- fffff.
- AVAUATUL
- []A\A]A^A\_
- []A\A]A^A\_
- AWAVAUATUSH
- []A\A]A^A\_
- []A\A]
- fffff.
- AVAUATUSH
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- AVAUATUH
- ([]A\A]A^A\_
- []A\A]A^A\_
- fffff.
- AWAVAUATA
- []A\A]A^A\_
- []A\A]A^A\_
- AVAUATA
- []A\A]A^
- P 9W A
- []A\A]
- fffff.
- AWAVAUATUH
- 8[]A\A]A^A\_
- AUATUH
- []A\A]A^
- fffff.
- AVAUATU
- []A\A]A^A\_
- []A\A]A^A\_
- fffff.
- 01234567AVAUI
- 89abcdef
- 8[]A\A]A^A\_
- AWAVAUATUSH



- []A\A]A^A\_
- fffff.
- AVAUATI
- []A\A]A^
- AWAVAUATUSH
- ([]A\A]A^A\_
- ffffff.
- ffffff.
- fffff.
- H[]A\A]
- fffff.
- t6[]A\
- 8[]A\A]
- 8[]A\A]
- 8[]A\A]
- 8[]A\A]
- ffffff.
- V 9W u
- L9T\$HL
- L9I\$@t4M
- []A\A]1
- []A\A]A^
- []A\A]A^
- fffff.
- fffff.
- fffff.
- AUATUH
- ([]A\A]A^A\_
- AUATUSH
- X[]A\A]A^A\_
- X[]A\A]A^A\_
- X[]A\A]A^A\_
- fffff.
- fffff.
- fffff.
- ffffff.
- []A\A]A^A\_
- ffffff.
- []A\A]A^
- AUATE1
- ~|D)|\$
- ([]A\A]A^A\_
- AUATE1
- ([]A\A]A^A\_
- AWAVAUATUH
- h[]A\A]A^A\_
- t=9G,uL
- ([]A\A]
- h[]A\A]
- fffff.
- []A\A]A^
- D\$0t\$9D\$8u

- x[]A\A]
- fffff.
- D\$Ht!H
- []A\A]
- []A\A]
- []A\A]A^A\_
- h[]A\A]
- []A\A]
- ffffff.
- ffffff.
- []A\A]
- A9!\$xw
- zlugAT
- ffffff.
- fffff.
- fffff.
- ffffff.
- fffff.
- fffff.
- AWAVAUATUSH
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]
- U49S4A
- M89K8u
- H 9J A
- fffff.
- fffff.
- fffff.
- []A\A]A^A\_
- []A\A]A^A\_
- AUATUSH
- ~'=TUU
- X[]A\A]A^A\_
- AUATUSH
- []A\A]
- AWAVE1
- 8[]A\A]A^A\_
- AWAVE1
- 8[]A\A]A^A\_
- w4D;w8H
- AVAUATU1
- D9!\$ D
- X[]A\A]A^A\_
- D\$,D;D\$,t8
- T\$,9T\$(
- LcT\$,)
- t4D9T\$(
- fffff.
- fffff.
- ffffff.
- 8[]A\A]

- fffff.
- fffff.
- fffff.
- AUATUS
- []A\A]1
- HcD\$\$L
- HcD\$ M)
- AUATUH
- PA9~4~8I
- P H;|\$P
- l;|\$ (H
- H9D\$ t
- []A\A]A^A\_
- []A\A]
- Lc>Hco
- HcD\$\$L
- HcD\$ M)
- AWAVAUATUSH
- []A\A]A^A\_
- P H;|\$`
- L\$0L9L\$ D
- fffff.
- fffff.
- fffff.
- fffff.
- fffff.
- []A\A]A^A\_
- fffff.
- AUATUH
- []A\A]A^A\_
- []A\A]A^A\_
- fffff.
- fffff.
- AWAVAUATUH
- []A\A]A^A\_
- []A\A]A^A\_
- AWAVAUATI
- []A\A]A^A\_
- fffff.
- .E@zguef
- .MHZYUWfA
- .MPzOuMfA
- .EXzEuCfA
- .Mhz.u,l
- fffff.
- fffff.
- AVAUATUH
- H[]A\A]A^A\_
- AWAVAUATUSH
- q\$A9u\$x#
- y\$A9}\$
- z\$A9{\$

- A;z\$y+J
- z\$A;z\$x
- []A\A]A^A\_
- z\$A9z\$
- 9C\$tQH
- A9z\$xJA;{\$
- A;z\$y+J
- AWAVAUATI
- []A\A]A^A\_
- fffff.
- []A\A]A^
- ffffff.
- []A\A]
- AWAVAUATI
- \ \$PUSH
- ([]A\A]A^A\_
- ffffff.
- C`[]A\
- fffff.
- A9\ \$ w
- []A\A]
- fffff.
- F(H9G(H
- []A\A]A^A\_
- []A\A]A^A\_
- fffff.
- []A\A]
- fffff.
- AWAVAUATI
- []A\A]A^A\_
- XD\$h fA
- x[]A\A]A^A\_
- ffffff.
- AWAVAUATUSH
- []A\A]A^A\_
- T\$`H9T\$8
- D\$HH9D\$0u
- AWAVAU
- D\$H9D\$@
- []A\A]A^A\_
- AUATUSH
- \\$(u=H
- []A\A]A^A\_
- :H;|\$pt\*
- >H9|\$h
- AWAVAU
- H[]A\A]A^A\_
- H[]A\A]A^A\_
- ffffff.
- fffff.
- []A\A]A^A\_
- AWAVAUATUSH

- []A\A]A^A\_
- AUATUH
- FT9FDI
- []A\A]
- 8[]A\A]
- ;CDtCH
- 8[]A\A]
- X\\${xzUuSf
- []A\A]A^
- 8[]A\A]A^A\_
- AUATUSH
- []A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- fffff.
- ffffff.
- ffffff.
- fffff.
- []A\A]A^
- []A\A]A^
- HcS A;T\$
- ffffff.
- ffffff.
- []A\A]
- ffffff.
- AWAVAUATUSH
- []A\A]A^A\_
- AVAUATUH
- []A\A]A^
- []A\A]A^A\_
- H+D\$XH
- fffff.
- fffff.
- H+D\$(I
- []A\A]A^A\_
- []A\A]A^A\_
- H+D\$HH
- []A\A]A^A\_
- H+D\$XH
- []A\A]A^A\_
- fffff.
- \\$8t9A
- ffffff.
- fffff.
- ffffff.
- .G zjf
- .O(z\_u]f
- .O0zVuTH
- .BhzJf
- .Jpz?u=f
- .Jxz6u4f
- fffff.

- .Fp{vf
- fffff.
- ffffff.
- AWAVAUATUSH
- H9D\$8t
- []A\A]A^A\_
- []A\A]
- fffff.
- H[]A\A]A^A\_
- AWAVAUATUSH
- T\$pD9T\$I
- T\$XHct\$XA
- T\$HL9T\$8
- l\$+l\$XH9
- []A\A]A^A\_
- D9T\$p|
- T\$+T\$XH
- D9T\$p|-E
- D+T\$hH
- T\$@HcL\$I
- 0D)~ A
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]
- fffff.
- []A\A]
- AWAVAUATUSH
- T\$\D9T\$d
- T\$LHct\$LA
- T\$0L9T\$@
- l\$X+l\$LH9
- []A\A]A^A\_
- D9\\$|
- T\$X+T\$LH
- D9T\$|,E
- T\$8HcL\$XI
- AUATUSH
- 0D)f A
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]
- fffff.
- H[]A\A]A^A\_
- AWAVAUATUSH
- L\$,Hc|\$,A
- t.9p H
- []A\A]A^A\_
- L\$(D9L\$8~9lc
- +l\$,H;,\$p
- H;T\$Xu

- D\$Xl9q(l
- L\$(D9L\$8
- L\$(D9L\$8
- Hct\$(l
- AUATUSH
- []A\A^A\_
- C<9E
- AVAUATA
- (D;|){}BA
- []A\A^
- []A\A^
- ffffff.
- (;{,t>Hc
- ffffff.
- AVAUATUH
- X[]A\A^A\_
- X[]A\A^A\_
- AWAVAUATUSH
- []A\A^A\_
- []A\A^A\_
- (D;\_){}b
- D;l u[
- @8D9@0H
- @ D9A@
- AWAVAUATUSH
- ([]A\A^A\_
- X[]A\A]
- ffffff.
- D\$htbD
- +L\$`+T\$XD
- ffffff.
- ffffff.
- AVAUATUSH
- D\$(~/1
- []A\A^
- AVAUATUSH
- []A\A^
- ffffff.
- ffffff.
- VLATUH
- 8[]A\A]
- ffffff.
- FT9FDL
- []A\A]
- ffffff.
- CD9C\$~YH
- CH9C(A
- []A\A^A\_
- p89p0H
- ffffff.
- ffffff.
- []A\A^A\_

- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- fffff.
- AWAVAUATUH
- X[]A\A]A^A\_
- []A\A]A^A\_
- fffff.
- ffffff.
- 8[]A\A]A^A\_
- C@tgMc
- ffffff.
- AWAVAUUI
- []A\A]A^A\_
- ffffff.
- ffffff.
- fffff.
- []A\A]A^A\_
- @[]A\A]A^
- AUATUH
- ([]A\A]
- fffff.
- []A\A]
- AUATUI
- []A\A]A^A\_
- 9Z8viH
- []A\A]
- AWAVAUATUSH
- HcD\$0H
- HcD\$0H
- []A\A]A^A\_
- HcD\$0H
- HcD\$pH
- HcD\$0H
- tPHcl\$4H
- tPHcl\$4H
- ([]A\A]A^A\_
- AVAUATI
- []A\A]A^
- AWAVAUUI
- []A\A]A^A\_
- #A;I\$8
- #A;I\$8
- []A\A]A^A\_
- H0H9J0t'H
- fffff.
- []A\A]A^A\_
- t\_ ;B(~
- U0A;U8t>M
- []A\A]A^1
- []A\A]A^A\_



- ffffff.
- AWAVAUATUH
- h[]A\A]A^A\_
- .notdef
- AWAVAUATI
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- ffffff.
- AWAVAUATUSH
- h[]A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- AWAVAUATUSH
- []A\A]A^A\_
- D\$0H+D\$
- ffffff.
- AVAUATL
- []A\A]A^A\_
- ffffff.
- h[]A\A]A^A\_
- AWAVAUATUH
- []A\A]A^A\_
- C pamc
- ffffff.
- ffffff.
- ffffff.
- d\$0t6H
- ffffff.
- ffffff.
- AVAUATUSH
- H
- D\$p H
- HHHcpt
- @0Hcpx
- []A\A]A^A\_
- []A\A]
- []A\A]
- AWAVAUATUSH
- []A\A]A^A\_
- H[]A\A]A^A\_
- H[]A\A]A^A\_
- 8[]A\A]A^A\_
- []A\A]A^A\_
- 8[]A\A]A^A\_
- []A\A]A^
- H[]A\A]A^A\_
- []A\A]A^A\_
- AVAUATUSH
- []A\A]A^A\_
- []A\A]A^A\_

- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- L+t\$ I
- L+I\$ I
- t\$xL;t\$`
- t\$(vRH
- AWAVAUI
- []A\A]A^A\_
- \tg;S0
- ffffff.
- fffff.
- AUATUSH
- []A\A]A^
- []A\A]A^
- []A\A]A^
- fffff.
- []A\A]A^
- []A\A]A^
- X[]A\A]A^A\_
- X[]A\A]A^A\_
- X[]A\A]A^A\_
- ffffff.
- HLcf H
- H[]A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^
- []A\A]A^
- HcD\$\$H
- []A\A]A^A\_
- AWAVAUI
- h[]A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- C0[]A\A]A^
- ffffff.
- []A\A]A^A\_
- AUATUSH
- []A\A]
- []A\A]
- t+H9k`H
- AWAVAUAUATUH
- t%H9j`u
- []A\A]A^A\_
- ffffff.
- ffffff.
- H9T\$ t
- H9T\$(t
- H9T\$0t
- []A\A]

- fffff.
- AVAUATI
- []A\A]A^A\_
- fffff.
- []A\A]A^A\_
- AWAVAUATUH
- []A\A]A^A\_
- []A\A]A^A\_
- D+\\$XE
- D\\$D+\\$T
- []A\A]A^A\_
- AVAUATUSH
- 3~L=233
- D\$4A9@(  
- D\$PL9D\$8t
- []A\A]A^A\_
- AWAVAUATUSH
- []A\A]A^A\_
- L;t\$(t"H
- T\$8D;J\$
- []A\A]A^A\_
- fffff.
- AWAVAUATU
- HcD\$hH
- H9D\$ps&H=
- []A\A]A^A\_
- []A\A]A^
- []A\A]A^
- fffff.
- ffffff.
- []A\A]A^
- []A\A]A^
- ffffff.
- ffffff.
- AWAVAUI
- L;t\$Ht
- []A\A]A^A\_
- .C@z^u\f
- .KHzQuOf
- .KPzHuFf
- AUATUSH
- []A\A]A^A\_
- D\$ uxH
- AWAVAUATUSH
- []A\A]A^A\_
- HcD\$8E
- D\$(A9G
- t5#D\$I
- []A\A]A^A\_
- HcD\$IH
- ([\A\A]
- ([\A\A]

- []A\A]
- D;\$\$u
- AWAVAUATUSH
- []A\A]A^A\_
- t\$P~[M
- l\$hHc\\$\$8L
- D+D\$XI
- x[]A\A]A^A\_
- HcD\$HH
- AUATUH
- []A\A]
- D\$b33f
- D\$H\$L9\\$\_@
- []A\A]A^A\_
- AWAVAUATUSH
- []A\A]A^A\_
- ffffff.
- ffffff.
- ffffff.
- []A\A]A^A\_
- ffffff.
- AUATUD
- X[]A\A]A^A\_
- X[]A\A]A^A\_
- AVAUATUSH
- x[]A\A]A^A\_
- x[]A\A]A^A\_
- ffffff.
- ffffff.
- l\$\`t\H
- ffffff.
- ffffff.
- AUATUSH
- []A\A]
- AWAVAUATI
- []A\A]A^A\_
- ffffff.
- H[]A\A]A^A\_
- AUATUSH
- ([\A\A]A^A\_
- ([\A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- ffffff.
- ffffff.
- T\$8t\_H
- []A\A]A^A\_
- AWAVAUl
- []A\A]A^A\_
- h[]A\A]A^A\_
- []A\A]
- 0USTRA

- []A\A]A^
- AUATUH
- h[]A\A]
- []A\A]
- fD+L\$H
- f+L\$LfD+L\$H
- f+L\$LfD+L\$H
- fD+L\$H
- []A\A]A^A\_
- ffff.
- AVAUATUH
- L;\$ \$tOL
- []A\A]A^A\_
- []A\A]A^A\_
- []A\A]A^A\_
- fffff.
- ffff.
- L;|\$ (t
- ffff.
- .C@z;u9f
- .KHz.u,f
- .KPz%f
- ffff.
- AWAVAUATI
- HcD\$pH
- []A\A]A^A\_
- ffff.
- AWAVAUATM
- []A\A]A^A\_
- L;t\$hD
- []A\A]A^A\_
- AWAVAU
- []A\A]A^A\_
- AVAUATUSH
- []A\A]A^
- D\$(tuE
- 8[]A\A]A^A\_
- fffff.
- L\$@u"H
- D\$ u#H
- 9C\$~fH
- CX9C(A
- ffff.
- ffff.
- AWAVAUATUSH
- []A\A]A^A\_
- []A\A]
- []A\A]
- AVAUATUSH
- []A\A]A^
- ([]A\A]
- fffff.

- fffff.
- AVAUATUSH
- [A\A]A^A\_
- [A\A]A^A\_
- [A\A]A^A\_
- |\$0v"H
- [A\A]A^A\_
- L\$8uDE
- fffff.
- fffff.
- [A\A]A^A\_
- fffff.
- fffff.
- .w@z:u8f
- .GHz,u\*fA
- .GPz"u fA
- *circle*fA
- *radius*fA
- \_texdimsL
- \_constanfA
- VPH9WPu
- N H9O u
- V09W0u
- N<9O
- N H9O u
- N(H9O(u
- N49O4u
- N89O8u
- V<9W
- fffff.
- AWAVAUATUH
- 8[A\A]A^A\_
- HcD\$(H
- fffff.
- fffff.
- fffff.
- fffff.
- D\$P3D\$@H
- AVAUATUH
- [A\A]A^
- fffff.
- AWAVAUATUSH
- ([A\A]A^A\_
- fffff.
- fffff.
- [A\A]A^A\_
- [A\A]A^A\_
- fffff.
- AUATUSH
- [A\A]A^
- ([A\A]A^A\_
- fffff.

- ([A\A]A^A\_
- [A\A]A^A\_
- [A\A]A^A\_
- AUATUSH
- [A\A]A^
- ffffff.
- fffff.
- ffffff.
- AUATUSH
- [A\A]A^A\_
- fffff.
- fffff.
- X[A\A]
- X[A\A]
- ffffff.
- AWAVAU
- [A\A]A^A\_
- AWAVAUATUSH
- [A\A]A^A\_
- D\$,9D\$\$t
- D\$(9D\$ t
- AUATUSH
- [A\A]
- [A\A]
- AWAVAUATUH
- [A\A]A^A\_
- [A\A]
- AWAVAU
- [A\A]A^A\_
- fffff.
- AVAUATM
- x[A\A]A^A\_
- ffffff.
- fffff.
- AWAVAUATUSH
- [A\A]A^A\_
- ffffff.
- [A\A]
- [A\A]
- ffffff.
- stibu\*H
- ffffff.
- fffff.
- V09W0t
- F H9G
- lcT\$0I
- fffff.
- [A\A]
- [A\A]
- AWAVAUATUSH
- [A\A]A^A\_
- t\$x+t\$`H

- stibu8A
- ffffff.
- AWAVAUATUSH
- x[]A\A]A^A\_
- ffffff.
- AUATUSH
- []A\A]A^A\_
- AVAUATUSH
- []A\A]A^A\_
- ffffff.
- AWAVAUATUSH
- H9\$(t
- D\$ H9D\$(
- []A\A]A^A\_
- []A\A]A^
- []A\A]A^
- AWAVAUATUH
- H[]A\A]A^A\_
- H[]A\A]A^A\_
- ;]8s.H
- D\$09D\$
- AUATUH
- []A\A]A^A\_
- ;]8s&H
- AWAVAUATUSH
- []A\A]A^A\_
- []A\A]A^A\_1
- AWAVAUATUSH
- []A\A]A^A\_
- AUATUSH
- D\$@+D\$0A
- D\$D+D\$4A
- []A\A]A^A\_
- []A\A]A^A\_
- HcT\$THcD\$PH
- ffffff.
- ffffff.
- ffffff.
- ffffff.
- []A\A]
- []A\A]
- []A\A]
- []A\A]A^
- []A\A]A^
- AWAVE1
- []A\A]A^A\_
- ([]A\A]A^A\_
- ([]A\A]A^A\_
- ([]A\A]A^A\_
- ffffff.
- []A\A]
- ffffff.



- AWAVAUUI
- ([\A\A]A^A\_
- AVAUATUH
- [\A\A]A^
- [\A\A]A^
- AVAUATUH
- [\A\A]L
- [\A\A]A^
- ffffff.
- AVAUATUH
- [\A\A]A^
- [\A\A]A^
- fffff.
- fffff.
- [\A\A]A^A\_
- [\A\A]A^A\_
- [\A\A]A^
- [\A\A]A^
- [\A\A]A^A\_
- [\A\A]A^A\_
- AWAVAUATUSH
- [\A\A]A^A\_
- fffff.
- AVAUATUH
- ([\A\A]A^A\_
- ffffff.
- [\A\A]A^A\_
- [\A\A]A^A\_
- [\A\A]A^A\_
- V 9W t
- AVAUATI
- [\A\A]A^A\_
- [\A\A]A^A\_
- AWAVAUATUH
- x[\A\A]A^A\_
- D\$I9D\$(
- A;,\$8r
- ([\A\A]
- fffff.
- [\A\A]
- [\A\A]
- [\A\A]
- AUATUSH
- [\A\A]A^A\_
- tgsWlc
- AWAVAUATUH
- [\A\A]A^A\_
- ffffff.
- l\$(tVH
- ffffff.
- ffffff.
- AWAVAUATUSH

- []A\A]A^A\_
- []A\A]A^A\_
- fffff.
- []A\A]
- []A\A]
- ([\A\A]
- ([\A\A]
- AVAUATI
- ]A\A]A^
- AVAUATUSH
- T\$89P8
- X[]A\A]A^A\_
- L;T\$ t
- []A\A]
- []A\A]
- AWAVAUUI
- []A\A]A^A\_
- t\$ u\I
- ffffff.
- ;k s=H
- ;k sLH
- AWAVAUATUH
- []A\A]A^A\_
- ffffff.
- AWAVAUATUSH
- []A\A]A^A\_
- `H;,\$@u
- []A\A]A^A\_
- AWAVAUE
- H[]A\E
- A]A^A\_
- H[]A\A]A^A\_
- AWAVAUATUSH
- h[]A\A]A^A\_
- h[]A\A]A^A\_
- A\A]A^A\_H
- []A\A]A^A\_
- AWAVAUUI
- A\A]A^A\_
- []A\A]A^A\_
- []A\A]
- []A\A]
- []A\A]
- AUATUH
- []A\A]A^A\_
- []A\A]A^A\_
- AVAUATI
- A\A]A^
- ~&L;(t#H
- []A\A]A^
- []A\A]L
- []A\E1

- `cairo-analysis-surface.c`
- `! (statusa != CAIROINTSTATUSSUCCESS && statusa < CAIROINTSTATUSLAST_STATUS)`
- `! (statusb != CAIROINTSTATUSSUCCESS && statusb < CAIROINTSTATUSLAST_STATUS)`
- `statusa == CAIROINTSTATUSSUCCESS && statusb == CAIROINTSTATUSSUCCESS`
- `pattern->type == CAIROPATTERN_TYPE_SURFACE`
- `surfacepattern->surface->type == CAIRO_SURFACE_TYPE_RECORDING`
- `status == CAIRO_STATUSSUCCESS`
- `cairoanalysis_surface_merge_status`
- `analyze_recordings_surfacepattern`
- `?cairo-arc.c`
- `anglemax >= anglemin`
- `1?es-8R`
- `>es-8R`
- `E>cairo_arc_indirection`
- `?UUUUUU`
- `cairo-array.c`
- `index < array->num_elements`
- `array->num_elements + num_elements <= array->size`
- `cairoarray_index`
- `cairoarray_indexconst`
- `cairoarray_allocate`
- `ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/z`
- `cairo-bentley-ottmann-rectangular.c`
- `left->right == ((void *)0)`
- `traps->is_rectangular`
- `cairo_bentley_ottmann_tessellate_rectangular_traps`
- `active_edge_traps`
- `cairo_bentley_ottmann_tessellate_boxes`
- `cairo-bentley-ottmann-rectilinear.c`
- `traps->is_rectilinear`
- `cairo_bentley_ottmann_tessellate_rectilinear_traps`
- `boxes x %d: (%f, %f) x (%f, %f)`
- `box[%d]: (%f, %f), (%f, %f)`
- `p?cairo-boxes-intersect.c`
- `j == count`
- `cairoboxes_intersect`
- `cairo.c`
- `status == cr->status`
- `cairo_error(status) < CAIRO_STATUS_LAST_STATUS`
- `status != CAIRO_STATUSSUCCESS`
- `((*&(cr->refcount)->refcount) > 0)`
- `cairo_create_in_error`
- `cairo_reference`
- `cairo_destroy`
- `cairo_set_error`
- `$@cairo-cache.c`
- `cache->size == 0`
- `cache->freeze_count >= 0`
- `cache->freeze_count > 0`
- `cairo_cache_fini`
- `cairo_cache_freeze`

- *cairocache\_thaw*
- *cairo-clip.c*
- *clip->num\_boxes*
- *no clip*
- *clip: all-clipped*
- *num\_boxes = %d*
- *[%d] = (%f, %f), (%f, %f)*
- *((\*&clippath->refcount)->ref\_count) > 0)*
- *extents: (%d, %d) x (%d, %d), is-region? %d*
- *path: aa=%d, tolerance=%f, rule=%d:*
- *cairoclippathreference*
- *cairoclippathdestroy*
- *cairoclipcopypath*
- *cairoclipcopyregion*
- *cairo-clip-polygon.c*
- *clip && (clip->path || clip->num\_boxes)*
- *cairoclipgetpolygon*
- *cairo-color.c*
- *!"reached"*
- *cairostock\_color*
- *@cairo-contour.c*
- *tail->next == ((void \*)0)*
- *(\*chain)->next*
- *\*chain != &contour->chain*
- *[%d] = (%f, %f)*
- *contour: direction=%d, num\_points=%d / %d*
- *\_cairocontouraddpoint*
- *first\_inc*
- *last\_dec*
- *cairocontour\_simplify*
- *cairo-debug.c*
- *[box (%d, %d), (%d, %d)]*
- *path: extents=(%f, %f), (%f, %f)*
- *polygon: extents=(%f, %f), (%f, %f)*
- *: limit=(%f, %f), (%f, %f) x %d*
- *[%d] = [(%f, %f), (%f, %f)], top=%f, bottom=%f, dir=%d*
- *cairodebugprintpath*
- *cairo-default-context.c*
- *cairodefaultcontextpop\_group*
- *?cairo-device.c*
- *device->mutex\_depth > 0*
- *device->mutex\_depth == 0*
- *cairodevicecreatein\_error*
- *cairodevicereference*
- *cairodevicedestroy*
- *cairodevicerelease*
- *cairodeviceseterror*
- *((\*&device->refcount)->refcount) > 0)*
- *status < CAIROSTATUSLAST\_STATUS*
- *cairo-error.c*
- *(status != CAIROSTATUSSUCCESS && status < CAIROSTATUSLAST\_STATUS)*

- *cairoerror*
- *cairo-font-face.c*
- *((\*&fontface->refcount)->ref\_count) > 0)*
- *((\*&unscaledfont->refcount)->ref\_count) > 0)*
- *cairofontfaceset\_error*
- *cairofontface\_destroy*
- *cairounscaledfontreference*
- *cairounscaledfontdestroy*
- Normal
- weight
- stretch
- smallcaps
- monospace
- *cairo-font-face-twin.c*
- *n <= 4*
- *n <= 7*
- *twincomputesnap*
- Ultra-Light
- Extra-Light
- Regular
- Medium
- Semi-Bold
- Demi-Bold
- Ultra-Bold
- Extra-Bold
- Ultra-Heavy
- Extra-Heavy
- Ultra-Black
- Extra-Black
- Oblique
- Italic
- Ultra-Condensed
- Extra-Condensed
- Condensed
- Semi-Condensed
- Semi-Expanded
- Expanded
- Extra-Expanded
- Ultra-Expanded
- Small-Caps
- Monospace
- R@UUUUUU
- ?UUUUUU
- eXXXXXX
- eXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
- eXXXXXXXXXXXX
- EXXXXXXXXX
- EXXXXXXXXX
- eXXXXXXXXX
- eXXXXXX
- eXXXXXXXXXXXX
- eXXXXXXXXX

- eXXXXXXXXXX
- eXXXXXX
- eXXXXXXXXXXXXXXXXXX
- eXXXXXXXXXX
- eXXXXXXXXXX
- eXXXXXX
- cairo-gstate.c
- gstate->opacity == 1.0
- gstate->parent\_target == ((void \*)0)
- *cairogstatredirecttarget*
- *cairogstatesetmatrix*
- *cairogstate\_mask*
- *cairogstate\_stroke*
- *cairogstate\_fill*
- @cairo-hash.c
- hashtable->liveentries == 0
- hash\_table->iterating == 0
- predicate != ((void \*)0)
- tmp.tablesize - hashtable\_sizes < ((int) (sizeof (hashtable\_sizes) / sizeof (hashtable\_sizes[0]))
- *cairohashtabledestroy*
- *cairohashtablelookup*
- *cairohashtablerandom\_entry*
- *cairohashtableinsert*
- *cairohashtablemanage*
- *cairohashtablelookupuniquekey*
- *cairohashtablelookupexactkey*
- cairo-image-compositor.c
- *pixmanoperator*
- *inplacerendererinit*
- (((dst->pixman\_format) >> 24) ) == 32
- cairo-image-source.c
- *pixmanimageforpattern*
- *pixmanimageforrecording*
- *pixelto\_solid*
- *pixmanimageforraster*
- image->width == pattern->extents.width
- image->height == pattern->extents.height
- @cairo-image-surface.c
- *cairoformatfromcontent*
- *cairocontentfromformat*
- *cairoformatbitsper\_pixel*
- cairo-lzw.c
- value <= (1 << num\_bits) - 1
- buf->pending\_bits < 8
- buf.status == CAIROSTATUSSUCCESS
- *cairolzw\_compress*
- */zwbustorebits*
- */zwbustorepending*
- >cairo-mask-compositor.c
- src\_pattern == ((void \*)0)
- op == CAIROOPERATORSOURCE

- `boxes->ispixelaligned`
- `fixupunboundedboxes`
- `compositemaskclip_boxes`
- `compositeopacityboxes`
- `@cairo-mesh-pattern-rasterizer.c`
- `mesh->base.status == CAIROSTATUSSUCCESS`
- `mesh->current_patch == ((void *)0)`
- `cairomeshpatternrasterize`
- `?cairo-mempool.c`
- `block != ((void *)0)`
- `offset + (1 << bits) <= pool->num_blocks`
- `((unsigned long) base) & ((1 << min_bits) - 1) == 0`
- `num_sizes < ((int) (sizeof (pool->free) / sizeof (pool->free[0])))`
- `caiomempool_init`
- `buddy_malloc`
- `get_buddy`
- no error has occurred
- out of memory
- no current point defined
- NULL pointer
- input string not valid UTF-8
- input path data not valid
- file not found
- invalid value for stride
- the user-font is immutable
- 
- `cairo-misc.c`
- `cairorestore()` without matching `cairosave()`
- no saved group to pop, i.e. `cairopopgroup()` without matching `cairopushgroup()`
- invalid matrix (not invertible)
- invalid value for an input `cairostatust`
- error while reading from input stream
- error while writing to output stream
- the target surface has been finished
- the surface type is not appropriate for the operation
- the pattern type is not appropriate for the operation
- invalid value for an input `cairocontentt`
- invalid value for an input `cairoformat`
- invalid value for an input `Visual*`
- invalid value for a dash setting
- invalid value for a DSC comment
- invalid index passed to getter
- clip region not representable in desired format
- error creating or writing to a temporary file
- the font type is not appropriate for the operation
- error occurred in a user-font callback function
- negative number used where it is not allowed
- input clusters do not represent the accompanying text and glyph arrays
- invalid value for an input `cairofontslant_t`
- invalid value for an input `cairofontweight_t`
- invalid value (typically too big) for the size of the input (surface, pattern, etc.)

- user-font method not implemented
- the device type is not appropriate for the operation
- an operation to the device caused an unspecified error
- invalid operation during mesh pattern construction
- the target device has been finished
- *cairooperatorboundedby\_mask*
- *cairooperatorboundedby\_source*
- *cairooperatorboundedby\_either*
- cairo-no-compositor.c
- *caironocompositorglyphs*
- *caironocompositorfill*
- *caironocompositorstroke*
- *caironocompositormask*
- *caironocompositorpaint*
- cairo-output-stream.c
- decimalpointlen != 0
- stream != ((void \*)0)
- singlefmtlength + 1 <= 32
- *cairooutputstreamdestroy*
- *cairooutputstreamvprintf*
- *cairottostr*
- *caiomemorystreamdestroy*
- cairo-paginated-surface.c
- analysis->status == CAIROSTATUSSUCCESS
- status != CAIROINTSTATUS\_UNSUPPORTED
- *cairosurfaceispaginated* (surface)
- *paintpage*
- *caiopaginatedsurfaceget\_target*
- *caiopaginatedsurfaceget\_recording*
- *caiopaginatedsurfaceget\_size*
- cairo-path-bounds.c
- !status
- *caioptpathbounderextents*
- cairo-path.c
- cpp.data - path->data == path->num\_data
- *caioptpath\_populate*
- cairo-path-fixed.c
- buf->num\_ops != 0
- has\_extents
- *caioptpathfixedlastop* (path) == CAIROPATHOPLINE\_TO
- prevbuf->numpoints >= 2 - buf->num\_points
- *caioptpathfixedlast\_op*
- *caioptpathfixedpenultimate\_point*
- *caioptpathfixeddroplineto*
- *caioptpathfixedinterpret*
- *caioptpathfixedtransform*
- cairo-path-in-fill.c
- *caioptpathfixedin\_fill*
- cairo-path-stroke.c
- stroker->pen.num\_vertices
- *tessellatefan*



- `cairo-path-stroke-boxes.c`
- `a->x == b->x || a->y == b->y`
- `cairo_path_fixed_stroke_is_rectilinear` (path)
- `status == CAIRO_INTSTATUS_SUCCESS`
- `cairo_path_fixed_stroke_rectilinear_to_boxes`
- `cairo_rectilinear_stroke_line_to`
- `cairo_rectilinear_stroke_line_to_dashed`
- `?cairo-path-stroke-polygon.c`
- `dx0 != 0.0 || dy0 != 0.0`
- `add_fan`
- `normalize_slope`
- `Ccairo-path-stroke-traps.c`
- `cairo_path_fixed_stroke_to_traps`
- `cairo-path-stroke-tristrip.c`
- `normalize_slope`
- `cairo-pattern.c`
- `mesh->current_side >= -1`
- `x0 < x1`
- `y0 < y1`
- `gradient->n_stops >= 1`
- `n >= 1`
- `gradient->n_stops > 0`
- `raster`
- `repeat`
- `reflect`
- `nearest`
- `bilinear`
- `gaussian`
- `pattern: %s`
- `extend: %s`
- `filter: %s`
- `content: %x, size %dx%d`
- `surface type: %d`
- `! linear_pattern_is_degenerate` (linear)
- `other->status == CAIRO_STATUS_SUCCESS`
- `((&pattern->refcount)->refcount) > 0)`
- `pattern->status == CAIRO_STATUS_SUCCESS`
- `pattern->nstops <= pattern->stopssize`
- `gradient->base.type == CAIRO_PATTERN_TYPE_LINEAR || gradient->base.type == CAIRO_PATTERN_TYPE_RADIAL`
- `! radial_pattern_is_degenerate` (radial)
- `fabs(dr) >= ((double)2.22044604925031308085e-16L)`
- `gradient->base.extend != CAIRO_EXTEND_NONE`
- `matrix: [%g %g %g %g %g %g]`
- `cairo_pattern_set_error`
- `cairo_pattern_init_static_copy`
- `cairo_pattern_create_copy`
- `cairo_pattern_reference`
- `cairo_pattern_destroy`
- `cairo_mesh_pattern_curveto`
- `cairo_pattern_gradient_grow`
- `cairo_gradient_pattern_box_top_parameter`

- *cairolinearpatternboxtopparameter*
- *caioradialpatternboxtopparameter*
- *cairogradientpatterninterpolate*
- *cairogradientpatternfittorange*
- *caiopatternalpharange*
- *caiomeshpatterncoord\_box*
- *cairogradientpatternis\_solid*
- *gradientcolor\_average*
- *caiopatternisopaque*
- *caiopatternisclear*
- *caiopatterngettextents*
- *caiopatterngetink\_extents*
- *caiopattern\_hash*
- *caiopattern\_equal*
- *cairodebugprintpattern*
- @cairo-polygon.c
- top < bottom
- *addedge*
- *cairopolygon\_intersect*
- *active\_edges*
- *edgesstartor\_continue*
- *edges\_end*
- cairo-polygon-intersect.c
- j == num\_events
- right->deferred.other == ((void \*)0)
- ((winding)[0] == 0 || (winding)[1] == 0)
- old->deferred.other == ((void \*)0)
- old->edge.line.p2.y > old->edge.line.p1.y
- cairo-recording-surface.c
- ! surface->unbounded
- *cairorecordingsurfacecopy*
- *cairorecordingsurfaceacquiresourceimage*
- *cairorecordingsurfacefinish*
- *cairorecordingsurfaceget\_path*
- *cairorecordingsurfaceplay\_one*
- *cairorecordingsurfaceplay\_internal*
- *cairosurfaceisrecording* (&surface->base)
- (status != CAIRO\_INTSTATUS\_SUCCESS && status < CAIRO\_INTSTATUS\_LAST\_STATUS)
- cairo-rectangle.c
- num\_boxes > 0
- *cairoboxesgettextents*
- *cairoboxaddcurve\_to*
- cairo-region.c
- ! ((\*(&region->refcount)->refcount) > 0)
- ((\*(&region->refcount)->refcount) > 0)
- *cairoregioncreatein\_error*
- *cairoregion\_fini*
- *cairoregionreference*
- *cairoregiondestroy*
- *cairoregionseterror*
- cairo-rtree.c

- `node->pinned == 0`
- `node->state == CAIORTREENODE_DIVIDED`
- `node->state == CAIORTREENODE_AVAILABLE`
- `node->state == CAIORTREENODE_OCCUPIED`
- `nodesize >= (int) sizeof (cairo_treenode_t)`
- `cairo_treenode_collapse`
- `cairo_treenode_insert`
- `cairo_treenode_remove`
- `cairo_tree_init`
- `cairo_scaled_font.c`
- `hash != 0`
- `!scaledfont->cache_frozen`
- `! scaledfont->cache_frozen`
- `font_map != ((void *)0)`
- `! scaled_font->placeholder`
- `num_glyphs`
- `!scaledfont->global_cache_frozen`
- `! cairo_list_is_empty (&page->link)`
- `! cairo_list_is_empty (&scaledfont->glyph_pages)`
- `scaledglyph == &page->glyphs[page->num_glyphs-1]`
- `scaledfont->status == CAIRO_STATUS_SUCCESS`
- `! scaledfont->global_cache_frozen`
- `((*&scaledfont->refcount)->ref_count) > 0)`
- `! ((*&lru->refcount)->refcount) > 0)`
- `scaledfont->hashentry.hash != 0`
- `scaledfont->fontface == font_face`
- `placeholder_scaledfont != ((void *)0)`
- `placeholder_scaledfont->placeholder`
- `! ((*&scaledfont->refcount)->ref_count) > 0)`
- `cairo_scaled_font_set_error`
- `cairo_scaled_font_map_destroy`
- `cairo_scaled_font_compute_hash`
- `cairo_scaled_font_fini_internal`
- `cairo_scaled_font_unregister_placeholder_and_lock_font_map`
- `cairo_scaled_font_freeze_cache`
- `cairo_scaled_font_thaw_cache`
- `cairo_scaled_font_reset_cache`
- `cairo_scaled_glyph_page_destroy`
- `cairo_scaled_font_create`
- `cairo_scaled_font_create_in_error`
- `cairo_scaled_font_reference`
- `cairo_scaled_font_destroy`
- `cairo_scaled_font_glyph_approximate_extents`
- `cairo_scaled_glyph_lookup`
- `cairo_scaled_font_allocate_glyph`
- `cairo_scaled_glyph_page_pluck`
- `cairo_scaled_font_free_last_glyph`
- `cairo-spans.c`
- `cairo_scan_converter_set_error`
- `cairo_scan_converter_create_in_error`

- *cairospanrendererset\_error*
- *cairospanrenderercrateinerror*
- *cairo-spans-compositor.c*
- *clip->path*
- *fixupunboundedboxes*
- *getclipsurface*
- *cairo-stroke-style.c*
- *cairostrokestyledash\_stroked*
- *cairostrokestyledash\_approximate*
- *?cairo-surface.c*
- *extents != ((void \*)0)*
- *surface->owns\_device*
- *surface != snapshot*
- *! surface->finished*
- *!surface->finished*
- *surface->backend->source*
- *image->is\_clear*
- *surface->is\_clear*
- *surface->snapshot\_of == ((void \*)0)*
- *!cairosurfacehassnapshots (surface)*
- *((\*&(surface->refcount)->refcount) > 0)*
- *! cairosurfacehassnapshots (surface)*
- *! ((\*&(surface->refcount)->refcount) > 0)*
- *snapshot->snapshot\_of != ((void \*)0)*
- *snapshot->snapshot\_of != surface*
- *cairosurfacehassnapshot (surface, snapshot->backend) == snapshot*
- *surface->status == CAIROSTATUSSUCCESS*
- *! cairosurfacehasmime\_data (surface)*
- *cairosurfacedetachsnapshot*
- *cairosurfaceattachsnapshot*
- *cairosurfacebeginmodification*
- *cairosurfacecreate\_similar*
- *cairosurfacecreatein\_error*
- *cairosurfacecreatesimilarimage*
- *cairosurfacemapto\_image*
- *cairosurfacereference*
- *cairosurfacedestroy*
- *cairosurface\_finish*
- *cairosurfacereleasedevice\_reference*
- *cairosurfacesetFont\_options*
- *cairosurfacemarkdirtyrectangle*
- *cairosurfacesetdevice\_scale*
- *cairosurfacesetdeviceoffset*
- *cairosurfacefallbackresolution*
- *cairosurfaceacquiresource\_image*
- *cairosurfaceleasesource\_image*
- *cairosurfacegetsource*
- *cairosurfacecopy\_page*
- *r@cairo-surface-clipper.c*
- *!cairoclipisall\_clipped (clip)*
- *cairosurfaceclipperset\_clip*

- op: %s
- source: %s
- mask: %s
- num\_glyphs: %d
- path: %s
- fill rule: %s
- antialias: %s
- clip: %s
- elapsed: %f ns
- cairo-surface-observer.c
- %d %s%s
- path:
- antialias:
- clip:
- elapsed: %f
- surfaces: %d
- contexts: %d
- sources acquired: %d
- slowest paint: %f%%
- slowest mask: %f%%
- fill rule:
- slowest fill: %f%%
- caps:
- joins:
- slowest stroke: %f%%
- slowest glyphs: %f%%
- non-zero
- even-odd
- pixel-aligned
- rectilinear
- straight
- curved
- default
- subpixel
- square
- DEST\_OVER
- DEST\_IN
- DEST\_OUT
- DEST\_ATOP
- SATURATE
- MULTIPLY
- SCREEN
- OVERLAY
- DARKEN
- LIGHTEN
- HARD\_LIGHT
- SOFT\_LIGHT
- DIFFERENCE
- EXCLUSION
- HSL\_HUE
- HSL\_SATURATION
- HSL\_COLOR

- HSL\_LUMINOSITY
- native
- record
- other surface
- region
- single path
- polygon
- general
- mark-dirty (%d, %d) x (%d, %d)
- extents: total %g, avg %g [unbounded %d]
- count < ((int) (sizeof (order) / sizeof (order[0])))
- paint: count %d [no-op %d], elapsed %f [%f%%]
- mask: count %d [no-op %d], elapsed %f [%f%%]
- fill: count %d [no-op %d], elapsed %f [%f%%]
- stroke: count %d [no-op %d], elapsed %f [%f%%]
- glyphs: count %d [no-op %d], elapsed %f [%f%%]
- addrecordglyphs
- add\_record
- addrecordfill
- addrecordstroke
- addrecordmask
- addrecordpaint
- print\_array
- replay\_record
- @cairo-surface-snapshot.c
- clone->status || ! *cairosurface*issnapshot (clone)
- *cairosurfacesnapshotcopyonwrite*
- cairo-surface-subsurface.c
- *caiomatrix*istranslation (&target->device\_transform)
- target->backend->type != CAIROSURFACETYPE\_SUBSURFACE
- *cairosurfacecreateforrectangle*
- *cairosurfacecreateforrectangleint*
- cairo-surface-wrapper.c
- *cairosurfacewrapperpaint*
- *cairosurfacewrappermask*
- *cairosurfacewrapperstroke*
- *cairosurfacewrapperfill\_stroke*
- *cairosurfacewrapperfill*
- *cairosurfacewrappershowtextglyphs*
- *cairosurfacewrappersetinversetransform*
- *cairosurfacewrappergetinversetransform*
- cairo-clip-tor-scan-converter.c
- cell != &cells->tail
- applynonzerofillrulefor\_subrow
- applyevenoddfillrulefor\_subrow
- blit\_coverages
- cairo-toy-font-face.c
- hash\_table != ((void \*)0)
- @cairo:
- toyfontface->owns\_family
- fontface->base.hashentry.hash == key.base.hash\_entry.hash

- *cairotoyfontfacecreate*
- *cairotoyfontface\_fini*
- *cairotoyfontfacescaledfont\_create*
- *cairotoyfontface\_destroy*
- *cairotoyfontfaceget\_family*
- *extents=(%d, %d, %d, %d)*
- *cairo-traps.c*
- *%d %d L:(%d, %d), (%d, %d) R:(%d, %d), (%d, %d)*
- *antialias == CAIROANTIALIASNONE*
- *caiorasterisepolygonto\_traps*
- *cairo-traps-compositor.c*
- *boxes.ispixelaligned*
- *extents->clip->path == ((void \*)0)*
- *addrectwith\_offset*
- *fixup\_unbounded*
- *add\_rect*
- *clipandcomposite\_polygon*
- *P?1.12.14*
- *decode\_real*
- *cairocfffontwriteprivate\_dict*
- *cairocfffontwritelocal\_sub*
- *cairocfffontsettopdictoperator\_tocurpos*
- *cairocfffontwritefdselect*
- *cairocfffontwritecid\_charset*
- *cairocfffontgetsidforwinansi\_char*
- *cairo-cff-subset.c*
- *offset > 0*
- *Identity*
- *font->euro\_sid >= 391*
- *CairoFont-%u-%u*
- *sizeof(buffer) + decimalpointlen < sizeof(buffer2)*
- *MbP?cairo-scaled-font-subsets.c*
- *uni%04X*
- *collection->numglyphs == collection->maxglyph + 1*
- *subsetglyphindex < collection->glyphs\_size*
- *cairosubfontadd\_glyph*
- *cairosubfontcollect*
- *cairosubfontglyph\_collect*
- *cairo-truetype-subset.c*
- *()<>[]{/%#\*
- *cairotruetypefontset\_error*
- *cairo-type1-fallback.c*
- */FontBBox {*
- *dup %d /%s put*
- *dup %d /g%d put*
- */%s %d RD*
- */.notdef %d RD*
- */g%d %d RD*
- *cleartomark*
- *%d %d %d %d*
- *cairoarraysize (data) == origsize*

- [illegible]



- exclamdown
- sterling
- fraction
- florin
- section
- currency
- quotesingle
- quotedblleft
- guillemotleft
- guilsinglleft
- guilsinglright
- endash
- dagger
- daggerdbl
- periodcentered
- paragraph
- bullet
- quotesinglbase
- quotedblbase
- quotedblright
- guillemotright
- ellipsis
- perthousand
- questiondown
- circumflex
- macron
- dotaccent
- dieresis
- cedilla
- hungarumlaut
- ogonek
- emdash
- ordfeminine
- Lslash
- Oslash
- ordmasculine
- dotlessi
- lslash
- oslash
- germandbls
- Scaron
- Zcaron
- trademark
- scaron
- zcaron
- Ydieresis
- brokenbar
- copyright
- logicalnot
- registered
- degree
- plusminus

- twosuperior
- threesuperior
- onesuperior
- onequarter
- onehalf
- threequarters
- Agrave
- Aacute
- Acircumflex
- Atilde
- Adieresis
- Ccedilla
- Egrave
- Eacute
- Ecircumflex
- Edieresis
- Igrave
- Iacute
- Icircumflex
- Idieresis
- Ntilde
- Ograve
- Oacute
- Ocircumflex
- Otilde
- Odieresis
- multiply
- Ugrave
- Uacute
- Ucircumflex
- Udieresis
- Yacute
- agrave
- aacute
- acircumflex
- atilde
- adieresis
- ccedilla
- egrave
- eacute
- ecircumflex
- edieresis
- igrave
- iacute
- icircumflex
- idieresis
- ntilde
- ograve
- oacute
- ocircumflex
- otilde
- odieresis

- [illegible]

- *cairopdflinejoin*
- *cairopdfoperatorsfill*
- *cairopdfoperatorsfill\_stroke*
- *cairopdfoperatorsshowtextglyphs*
- *cairopdfoperatorssettextmatrix*
- *cairopdfoperatorssettextposition*
- >cairo-pdf-shading.c
- is\_valid
- shading->decodearray[1] - shading->decodearray[0] >= ((double)2.22044604925031308085e-16L)
- shading->decodearray[3] - shading->decodearray[2] >= ((double)2.22044604925031308085e-16L)
- p == shading->data + shading->data\_length
- *cairopdfshadinginit*
- *cairopdfshadinggenerateddecodearray*
- *cairopdfshadinggenerate\_data*
- A1.2.8
- CAIRO\_DEBUG
- xrender-version=
- XFree86
- cairo-xlib-display.c
- *cairoxlibdisplaygetxrenderformat*
- cairo-xlib-render-compositor.c
- shm->pixmapformat == image->pixmapformat
- font\_private
- image->depth == dst->depth
- j == boxes->num\_boxes
- format == CAIROFORMATARGB32
- nelt == num\_elts
- src != dst
- d != 0
- *renderoperator*
- *cairoxlibsurfaceadd\_glyph*
- *cairoxlibgetglyphsetindexfor\_format*
- *cairoxlibglyphfini*
- *emitglyphs\_chunk*
- composite\_boxes
- copy\_boxes
- drawimageboxes
- copyimageboxes
- antialias
- lcdfilter
- hinting
- hintstyle
- cairo-xlib-source.c
- display->solid[i]
- transparent\_source
- gradient\_source
- extendforepeat
- display->solid[display->lastsolidcache[1].index]
- cairo-xlib-surface.c
- s->base.damage != ((void \*)0)
- s->shm != ((void \*)0)

- s->shm->damage != ((void \*)0)
- extents->x >= 0
- extents->y >= 0
- surface->base.damage
- ret != 0
- surface->fallback
- extents->x + extents->width <= surface->width
- extents->y + extents->height <= surface->height
- *cairoxlibsurface*draw\_image
- get\_compositor
- *getimage*\_surface
- *swapimage*tonative
- *cairoxlibsurface*unmap\_image
- *cairoxlibsurface*maptoimage
- cairo-xlib-surface-shm.c
- \*ptr != ((void \*)0)
- mem != ((void \*)0)
- shm->active == 0 || will\_sync
- surface->shm
- surface->shm->damage
- shm->active == 0
- MIT-SHM
- surface->base.damage == ((void \*)0)
- *cairoxlibsurface*get\_shm
- *cairoxlibshmsurface*\_create
- *cairoxlibshm*info\_create
- *cairoxlibshm*pool\_create
- *cairoxlibsurface*clear\_shm
- *cairoxlibsurface*createsimilarshm
- *cairoxlibshmsurface*getximage
- cairo-xcb-connection-core.c
- n == entries\_needed
- width > 0
- *cairoxcbconnection*create\_pixmap
- *cairoxcbconnection*put\_image
- *cairoxcbconnection*put\_subimage
- *cairoxcbconnection*doputsubimage
- cairo-xcb-connection-render.c
- connection->flags & CAIROXCBHAS\_RENDER
- connection->flags & CAIROXCBRENDERHASCOMPOSITE
- connection->flags & CAIROXCBRENDERHASCOMPOSITE\_TRAPEZOIDS
- connection->flags & CAIROXCBRENDERHASFILL\_RECTANGLES
- connection->flags & CAIROXCBRENDERHASPICTURE\_TRANSFORM
- connection->flags & CAIROXCBRENDERHASFILTERS
- connection->flags & CAIROXCBRENDERHASGRADIENTS
- *cairoxcbconnection*rendercreatepicture
- *cairoxcbconnection*renderchangepicture
- *cairoxcbconnection*rendersetpicturecliprectangles
- *cairoxcbconnection*renderfreepicture
- *cairoxcbconnection*render\_composite
- *cairoxcbconnection*render\_trapezoids

- *cairoxcbconnectionrendercreateglyph\_set*
- *cairoxcbconnectionrenderfreeglyph\_set*
- *cairoxcbconnectionrenderaddglyphs*
- *cairoxcbconnectionrenderfreeglyphs*
- *cairoxcbconnectionrendercompositemglyphs\_8*
- *cairoxcbconnectionrendercompositemglyphs\_16*
- *cairoxcbconnectionrendercompositemglyphs\_32*
- *cairoxcbconnectionrenderfillrectangles*
- *cairoxcbconnectionrendersetpicture\_transform*
- *cairoxcbconnectionrendersetpicture\_filter*
- *cairoxcbconnectionrendercreatesolid\_fill*
- *cairoxcbconnectionrendercreatelinear\_gradient*
- *cairoxcbconnectionrendercreateradial\_gradient*
- *cairoxcbconnectionrendercreateconical\_gradient*
- *cairo-xcb-connection-shm.c*
- *connection->flags & CAIROXCBHAS\_SHM*
- *cairoxcbconnectionshm\_attach*
- *cairoxcbconnectionshmputimage*
- *cairoxcbconnectionshmgetimage*
- *cairoxcbconnectionshm\_detach*
- *cairo-xcb-shm.c*
- *shm\_info->sync.sequence == 0L*
- *cairolistisempty (&connection->shmpending)*
- *cairoxcbconnectionallocateshminfo*
- *cairoxcbshmprocess\_pending*
- *cairoxcbshminfo\_destroy*
- *cairoxcbconnectionshm mempools\_fini*
- *cairo-xcb-surface.c*
- *x + width <= surface->width*
- *y + height <= surface->height*
- *image->depth == surface->depth*
- *image->stride == (int) (((((((image->pixmapformat) >> 24) ))\*(image->width)+7)/8 + (sizeof (uint32*
- *image->pixmapformat == surface->pixmapformat*
- *surface->fallback == ((void \*)0)*
- *reply->depth == surface->depth*
- *cairoxcb\_surfacecreate\_similar*
- *getimage*
- *putimage\_boxes*
- *putimage*
- *cairo-xcb-surface-core.c*
- *src->depth == dst->depth*
- *cairoxcb\_surfacecorecopyboxes*
- *cairoxcbpixmapfor\_pattern*
- *cairo-xcb-surface-render.c*
- *clip\_picture != 0L*
- *op == CAIROOPERATORADD*
- *dst->base.is\_clear*
- *cairoxcb\_surfaceensure\_picture*
- *cairoxcbpicturefor\_pattern*
- *patternis\_supported*
- *gradientto\_xcb*

- *cairoxcbpictureset\_filter*
- *cairoxcbpictureset\_extend*
- *recordtopicture*
- *renderoperator*
- *getclipsurface*
- *cairoxcbsurfacefixupunboundedboxes*
- *clipandcompositecombine*
- *compositemaskclipboxes*
- *compositemask\_clip*
- *cairoxcbrendercompositor\_stroke*
- *cairoxcbrendercompositor\_fill*
- *cairoxcbrendercompositor\_glyphs*
- *cairoxcbsurfaceadd\_glyph*
- *cairoxcbgetglyphsetindexfor\_format*
- *cairoxcbglyphfini*
- *surface->backend == &cairoxcb\_surfacebackend*
- *cairo\_surfaceisrecording (source)*
- *tmp->base.backend == &cairoxcb\_surfacebackend*
- *clipsurface->base.backend == &cairoxcb\_surface\_backend*
- *surface->connection->flags & CAIROXCBRENDERHASCOMPOSITE*
- *cairo-png.c*
- *image/png*
- *read\_png*
- *cairo-gl-composite.c*
- *numberofnew\_indices > 0*
- *ModelViewProjectionMatrix*
- *setup->dst*
- *! cairogldevicerequirespoweroftwotextures (&ctx->base) || (extend != CAIROEXTENDREPEAT &&*
- *ctx->primitivetype == CAIROGLPRIMITIVETYPE\_TRIANGLES*
- *op < ((int) (sizeof (blendfactors) / sizeof (blendfactors[0])))*
- *!setup->clip\_region || !setup->clip*
- *cairoglcontextdestroy\_operand*
- *cairoglcontextsetup\_operand*
- *cairogltextureset\_filter*
- *cairogltextureset\_extend*
- *cairoglsetoperator*
- *cairoglcompositebegin*
- *cairoglcompositesetup\_clipping*
- *cairoglcompositeflush*
- *cairoglcontextchooseemitspan*
- *cairoglcontextchooseemitglyph*
- *cairoglcompositeappendvertexindices*
- *incomplete attachment*
- *incomplete/missing attachment*
- *incomplete draw buffer*
- *incomplete read buffer*
- *unsupported*
- *incomplete multiple*
- *unknown error*
- *cairo-gl-device.c*

- surface->supports\_msaa
- CAIROGLCOMPOSITOR
- GLARBtexture\_rectangle
- GLOEStexture\_npot
- GLIMGtexture\_npot
- GLARBpixelbufferobject
- GLOESmapbuffer
- EXTreadformat\_bgra
- GLMESApack\_invert
- GLEXTpackeddepthstencil
- GLOESpackeddepthstencil
- GLARBframebuffer\_object
- GLEXTframebuffer\_blit
- destination is framebuffer incomplete: %s [%#x]
- ctx->glflavor == CAIROGLFLAVORDESKTOP
- GLARBtexturenonpoweroftwo
- GLEXTtextureformatBGRA8888
- glflavor == CAIROGLFLAVORES
- GLEXTframebuffer\_multisample
- testcanread\_bgra
- cairoglensuremultisampling
- cairoglactivatesurfaceasnonmultisampling
- cairoglactivatesurfaceasmultisampling
- GLARBvertexbufferobject
- GLARBshader\_objects
- GLEXTframebuffer\_object
- glGenFramebuffers
- glGenFramebuffersEXT
- glBindFramebuffer
- glBindFramebufferEXT
- glFramebufferTexture2D
- glFramebufferTexture2DEXT
- glCheckFramebufferStatus
- glCheckFramebufferStatusEXT
- glDeleteFramebuffers
- glDeleteFramebuffersEXT
- glGenRenderbuffers
- glGenRenderbuffersEXT
- glBindRenderbuffer
- glBindRenderbufferEXT
- glRenderbufferStorage
- glRenderbufferStorageEXT
- glFramebufferRenderbuffer
- glFramebufferRenderbufferEXT
- glDeleteRenderbuffers
- glDeleteRenderbuffersEXT
- glBlitFramebuffer
- glBlitFramebufferEXT
- glCreateShader
- glCreateShaderObjectARB
- glShaderSource



- glShaderSourceARB
- glCompileShader
- glCompileShaderARB
- glGetShaderiv
- glGetObjectParameterivARB
- glGetShaderInfoLog
- glGetInfoLogARB
- glDeleteShader
- glDeleteObjectARB
- glCreateProgram
- glCreateProgramObjectARB
- glAttachShader
- glAttachObjectARB
- glDeleteProgram
- glLinkProgram
- glLinkProgramARB
- glUseProgram
- glUseProgramObjectARB
- glGetProgramiv
- glGetProgramInfoLog
- glGetUniformLocation
- glGetUniformLocationARB
- glUniform1f
- glUniform1fARB
- glUniform2f
- glUniform2fARB
- glUniform3f
- glUniform3fARB
- glUniform4f
- glUniform4fARB
- glUniformMatrix3fv
- glUniformMatrix3fvARB
- glUniformMatrix4fv
- glUniformMatrix4fvARB
- glUniform1i
- glUniform1iARB
- glBindAttribLocation
- glBindAttribLocationARB
- glVertexAttribPointer
- glVertexAttribPointerARB
- glEnableVertexAttribArray
- glEnableVertexAttribArrayARB
- glDisableVertexAttribArray
- glDisableVertexAttribArrayARB
- glGenBuffers
- glGenBuffersARB
- glBindBuffer
- glBindBufferARB
- glBufferData
- glBufferDataARB
- glMapBuffer
- glMapBufferARB

- glMapBufferOES
- glUnmapBuffer
- glUnmapBufferARB
- glUnmapBufferOES
- GL\_IMG\_multisampled\_render\_to\_texture
- GL\_EXT\_multisampled\_render\_to\_texture
- glRenderbufferStorageMultisample
- glRenderbufferStorageMultisampleEXT
- glRenderbufferStorageMultisampleIMG
- glFramebufferTexture2DMultisample
- glFramebufferTexture2DMultisampleEXT
- glFramebufferTexture2DMultisampleIMG
- cairo-gl-glyphs.c
- priv->glyph
- priv->glyph == ((void \*)0)
- cairo-rtree-private.h
- cairoglcontextgetglyph\_cache
- *cairoglglyphfini*
- *cairo\_rtree\_pin*
- *@cairo-gl-gradient.c*
- *((\*&gradient->refcount)->refcount) > 0)*
- *cairoglgradientreference*
- *cairoglgradientdestroy*
- OpenGL ES
- cairo-gl-operand.c
- *%s\_texgen*
- *cairogloperandcopy*
- *cairogloperanddestroy*
- *cairogloperandbindtoshader*
- *cairogloperandneeds\_setup*
- *cairogloperandgetvertexsize*
- *cairogloperandemit*
- *vec2 %sborderfade (vec2 coords, vec2 dims)*
- *return clamp(-abs(dims \* (coords - 0.5)) + (dims + vec2(1.0)) \* 0.5, 0.0, 1.0);*
- *float %sborderfade (float x, float dim)*
- *return clamp(-abs(dim \* (x - 0.5)) + (dim + 1.0) \* 0.5, 0.0, 1.0);*
- *bvec2 in\_tex1 = greaterThanEqual (coords, vec2 (0.0));*
- *bvec2 in\_tex2 = lessThan (coords, vec2 (1.0));*
- *return vec2 (float (all (intex1) && all (intex2)));*
- *bool in\_tex = x >= 0.0 && x < 1.0;*
- *return float (in\_tex);*
- OpenGL shader compilation failed.
- OpenGL shader compilation failed. Shader:
- *return mix(fract(coords), 1.0 - fract(coords), floor(mod(coords, 2.0)));*
- *vec4 get\_%s()*
- *return vec4 (0, 0, 0, 1);*
- *uniform vec4 %s\_constant;*
- *vec4 get\_%s()*
- *return %s\_constant;*
- *uniform sampler2D %s %s\_sampler;*
- *uniform vec2 %s\_texdims;*

- varying vec2 %s\_texcoords;
- vec4 get\_%s()
- vec2 borderfade = %sborderfade (%stexcoords, %s\_texdims);
- vec4 texel = texture2D%*s* (%ssampler, %stexcoords);
- return texel \* borderfade.x \* borderfade.y;
- return texture2D%*s* (%ssampler, %swrap (%s\_texcoords));
- varying vec2 %s\_texcoords;
- uniform vec2 %s\_texdims;
- uniform sampler2D%*s* %s\_sampler;
- vec4 get\_%s()
- float borderfade = %sborderfade (%stexcoords.x, %s\_texdims.x);
- vec4 texel = texture2D%*s* (%ssampler, vec2 (%stexcoords.x, 0.5));
- return texel \* border\_fade;
- return texture2D%*s* (%ssampler, %swrap (vec2 (%s\_texcoords.x, 0.5)));
- varying vec2 %s\_texcoords;
- uniform vec2 %s\_texdims;
- uniform sampler2D%*s* %s\_sampler;
- uniform vec3 %scircled;
- uniform float %sradius0;
- vec4 get\_%s()
- vec3 pos = vec3 (%stexcoords, %sradius\_0);
- float B = dot (pos, %scircled);
- float C = dot (pos, vec3 (pos.xy, -pos.z));
- float t = 0.5 \* C / B;
- float isvalid = step (-%sradius0, t \* %scircle\_d.z);
- float borderfade = %sborderfade (t, %stexdims.x);
- vec4 texel = texture2D%*s* (%s\_sampler, vec2 (t, 0.5));
- return mix (vec4 (0.0), texel \* borderfade, isvalid);
- vec4 texel = texture2D%*s* (%ssampler, %swrap (vec2 (t, 0.5)));
- return mix (vec4 (0.0), texel, is\_valid);
- varying vec2 %s\_texcoords;
- uniform vec2 %s\_texdims;
- uniform sampler2D%*s* %s\_sampler;
- uniform vec3 %scircled;
- uniform float %s\_a;
- uniform float %sradius0;
- vec4 get\_%s()
- vec3 pos = vec3 (%stexcoords, %sradius\_0);
- float B = dot (pos, %scircled);
- float C = dot (pos, vec3 (pos.xy, -pos.z));
- float det = dot (vec2 (B, %s\_a), vec2 (B, -C));
- float sqrt det = sqrt (abs (det));
- vec2 t = (B + vec2 (sqrt det, -sqrt det)) / %s\_a;
- vec2 is\_valid = step (vec2 (0.0), t) \* step (t, vec2(1.0));
- float hascolor = step (0., det) \* max (isvalid.x, is\_valid.y);
- float uppert = mix (t.y, t.x, isvalid.x);
- float borderfade = %sborderfade (uppert, %s\_texdims.x);
- vec4 texel = texture2D%*s* (%ssampler, vec2 (uppert, 0.5));
- return mix (vec4 (0.0), texel \* borderfade, hascolor);
- vec4 texel = texture2D%*s* (%ssampler, %swrap (vec2(upper\_t, 0.5)));
- return mix (vec4 (0.0), texel, has\_color);

- varying vec2 %s\_texcoords;
- uniform sampler2D %s %s\_sampler;
- uniform vec3 %scircled;
- uniform float %s\_a;
- uniform float %sradius0;
- vec4 get\_%s()
- vec3 pos = vec3 (%stexcoords, %sradius\_0);
- float B = dot (pos, %scircled);
- float C = dot (pos, vec3 (pos.xy, -pos.z));
- float det = dot (vec2 (B, %s\_a), vec2 (B, -C));
- float sqrtdet = sqrt (abs (det));
- vec2 t = (B + vec2 (sqrtdet, -sqrtdet)) / %s\_a;
- vec2 isvalid = step (vec2 (-%sradius0), t \* %scircle\_d.z);
- float hascolor = step (0., det) \* max (isvalid.x, is\_valid.y);
- float uppert = mix (t.y, t.x, isvalid.x);
- vec4 texel = texture2D %s (%ssampler, %swrap (vec2(upper\_t, 0.5)));
- return mix (vec4 (0.0), texel, has\_color);
- attribute vec4 MultiTexCoord%d;
- varying vec2 %s\_texcoords;
- uniform mat3 %s\_texgen;
- varying vec2 %s\_texcoords;
- %s\_texcoords = MultiTexCoord%d.xy;
- %stexcoords = (%stexgen \* Vertex.xyw).xy;
- attribute vec4 Vertex;
- attribute vec4 Color;
- uniform mat4 ModelViewProjectionMatrix;
- void main()
- gl\_Position = ModelViewProjectionMatrix \* Vertex;
- OpenGL shader link failed:
- #ifdef GL\_ES
- precision mediump float;
- #endif
- uniform vec4 color;
- void main()
- gl\_FragColor = color;
- Error: The cairo gl backend requires shader support!
- #ifdef GL\_ES
- precision mediump float;
- #endif
- glFragColor = getsource() \* get\_mask().a%s;
- glFragColor = getsource() \* get\_mask() %s;
- glFragColor = getsource().a \* get\_mask() %s;
- cairo-gl-shaders.c
- OpenGL compilation log:
- vec2 %s\_wrap(vec2 coords)
- return fract(coords);
- return coords;
- shader->program == 0
- varying float coverage;
- coverage = Color.a;
- Vertex
- MultiTexCoord0

- MultiTexCoord1
- OpenGL shader link failed.
- GLARBfragment\_shader
- GLARBvertex\_shader
- location != -1
- - coverage
- entry->shader.program
- void main()
- *sourcesampler*
- *masksampler*
- *cairooglshadercompileandlink*
- *cairooglshaderemitvariable*
- *cairooglshaderemitvertex*
- *compileshader*
- *linkshaderprogram*
- *cairooglshaderbindfloat*
- *cairooglshaderbindvec2*
- *cairooglshaderbindvec3*
- *cairooglshaderbindvec4*
- *cairooglshaderbindmatrix*
- *cairooglshaderbindmatrix4f*
- *cairooglgetshaderbytype*
- *cairooglshadergetfragmentsource*
- *cairooglshaderemitcolor*
- *cairogloperandgetvartype*
- *cairo-gl-surface.c*
- *width > 0 && height > 0*
- *issupported*
- *!needsswap*
- *width <= ctx->maxframebuffersize && height <= ctx->maxframebuffersize*
- *cairoglsurfacemaptoimage*
- *cairoglsurfaceinit*
- *createscratchinternal*
- *cairoglsurfacecreatescratchfortexture*
- *cairoglsurfacedrawimage*
- *EGLKHRsurfacelesscontext*
- *EGLKHRsurfacelessopengl*
- *GLXMESAmultithreadmakecurrent*
- *COLORALPHA*
- *<< /content // %s*
- */width %f /height %f*
- */fallback-resolution [%f %f]*
- *>> surface context*
- *cairo-script-surface.c*
- *%d index*
- */target get exch pop*
- *%d -1 roll*
- */s%d undef*
- */f%lu undef /sf%lu undef*

- %f %f %f %f rectangle
- ! surface->active
- exch pop
- %d -1 roll pop
- /s%u undef
- old->emitted
- surface->defined
- s%u context
- %d -1 roll
- show-page
- copy-page
- RGB16565
- *INVALID*
- ~> >> *image*
- *image/jpeg*
- (%s) <~
- ~> *set-mime-data*
- *image/jp2*
- *targetisactive* (surface)
- // %s *set-operator*
- // %s *set-fill-rule*
- %f *set-tolerance*
- dup /s% d exch def
- [%f %f %f %f]
- record
- dup context
- surface->active > 0
- ctx->active > 0
- // %s *set-antialias*
- *identity set-matrix*
- x1 > -9999
- %f %f %f %f rgba
- %f %f %f rgb
- %f %f %f %f linear
- %f %f %f %f %f %f radial
- *begin-patch*
- %f %f m
- %f %f l
- %f %f %f %f %f %f c
- %d %f %f *set-control-point*
- *end-patch*
- s% d pattern
- %d %d %d %d *subsurface*
- pattern
- // %s *set-filter*
- // %s *set-extend*
- *set-source*
- /source get
- %f %f scale
- [%f %f %f %f 0 0] *set-matrix*
- %f *set-line-width*
- // %s *set-line-cap*

- *//%s set-line-join*
- *%f set-miter-limit*
- *] %f set-dash*
- *stroke+*
- *reset-clip*
- */antialias //%s*
- */subpixel-order //%s*
- */hint-style //%s*
- */hint-metrics //%s*
- *>> set-font-options*
- *sf%lu set-scaled-font*
- *f%lu /glyphs get*
- *} >> set*
- *pop pop*
- *[%f %f*
- *~> %f <~*
- *] %f [*
- *~> %f %f <~*
- *] %f %f [*
- *%d %d*
- *//%s show-text-glyphs*
- *] show-glyphs*
- *identity set-font-matrix*
- *%!CairoScript*
- *FILTERFAST*
- *FILTERGOOD*
- *FILTERBEST*
- *FILTERNEAREST*
- *FILTERBILINEAR*
- *FILTERGAUSSIAN*
- *EXTENDNONE*
- *EXTENDREPEAT*
- *EXTENDREFLECT*
- *EXTENDPAD*
- *SUBPIXELORDERDEFAULT*
- *SUBPIXELORDERRGB*
- *SUBPIXELORDERBGR*
- *SUBPIXELORDERVRGB*
- *SUBPIXELORDERVBGR*
- *HINTSTYLEDEFAULT*
- *HINTSTYLENONE*
- *HINTSTYLESLIGHT*
- *HINTSTYLEMEDIUM*
- *HINTSTYLEFULL*
- *HINTMETRICSDEFAULT*
- *HINTMETRICSOFF*
- *HINTMETRICSON*
- *ANTIALIASDEFAULT*
- *ANTIALIASNONE*
- *ANTIALIASGRAY*
- *ANTIALIASSUBPIXEL*

- *ANTIALIASFAST*
- *ANTIALIASGOOD*
- *ANTIALIASBEST*
- *FORWARD*
- *BACKWARD*
- *WINDING*
- *EVENODD*
- *LINECAPBUTT*
- *LINECAPROUND*
- *LINECAPSQUARE*
- *LINEJOINMITER*
- *LINEJOINROUND*
- *LINEJOINBEVEL*
- *%f %f %f %f %f add-color-stop*
- *! cairolistisempty (&surface->operand.link)*
- *%u %u // %s similar dup /s %u exch def context*
- */target get /s %u exch def pop*
- *<< /width %d /height %d /format // %s /mime-type (image/png) /source <~*
- *<< /width %d /height %d /format // %s /source*
- *op < ((int) (sizeof (names) / sizeof (names[0])))*
- *rule < ((int) (sizeof (names) / sizeof (names[0])))*
- *cairosurfacewrapperisactive (&surface->wrapper)*
- *antialias < ((int) (sizeof (names) / sizeof (names[0])))*
- *caiomatrixisidentity (&surface->cr.currentctm)*
- *%lu <<*
- */metrics [%f %f %f %f %f %f]*
- */render {*
- *[%f %f %f %f %f %f] transform*
- *%d %f %f %f %f set-corner-color*
- *filter < ((int) (sizeof (names) / sizeof (names[0])))*
- *extend < ((int) (sizeof (names) / sizeof (names[0])))*
- *[%f %f %f %f %f %f] set-matrix*
- *surface->cr.currentoperator == op*
- *linecap < ((int) (sizeof (names) / sizeof (names[0])))*
- *linejoin < ((int) (sizeof (names) / sizeof (names[0])))*
- *<< /type 42 /index 0 /flags %d /source <|*
- *~> >> font dup /f %lu exch def set-font-face*
- */type 3 set*
- */metrics [%f %f %f %f %f %f] set*
- */glyphs array set*
- *font dup /f %lu exch def set-font-face*
- */scaled-font get /sf %lu exch def*
- *%lu <<*
- */metrics [%f %f %f %f %f %f]*
- */render {*
- *%f %f translate*
- *backward < ((int) (sizeof (names) / sizeof (names[0])))*
- *[%f %f %f %f %f %f] set-font-matrix*
- *[%f %f %f %f %f %f] set-matrix*
- *cairoscriptssurfaceshowtextglyphs*
- *emitcontext*
- *emitsource*



- *emitidentity*
- *emitpattern*
- *emitrecordingsurfacepattern*
- *gettarget*
- *emitimagesurface*
- *formattostring*
- *writeimagesurface*
- *emitrasterpattern*
- *filtertostring*
- *extendtostring*
- *emitscaledfont*
- *emitscalingmatrix*
- *emitfontmatrix*
- *antialias tostring*
- *emitoperator*
- *operator tostring*
- *direction tostring*
- *inactive*
- *emitfillrule*
- *fillrule tostring*
- *emittolerance*
- *emitantialias*
- *emitpath*
- *emitstrokestyle*
- *emitlinecap*
- *linecap tostring*
- *emitlinejoin*
- *linejointostring*
- *emitmiterlimit*
- *emitdash*
- *cairoscriptsurface mask*
- *cairoscriptsurface releasesourceimage*
- *cairoscriptsurface finish*
- *embeddedbitmap*
- *autohint*
- *vertical layout*
- *embolden*
- *cairo-ft-font.c*
- *unscaled->face != ((void \*)0)*
- *unscaled->lock\_count > 0*
- *unscaled->face == ((void \*)0)*
- *stride == bitmap->pitch*
- *own\_buffer != 0*
- *!unscaled->from\_face*
- *font\_face->unscaled*
- *length != ((void \*)0)*
- *Type 1*
- *ftface*
- *pixelsize*
- *fontmap->numopen\_faces == 0*
- *unscaled->from\_face && unscaled->faces->next == ((void \*)0)*

- *bitmap->pixelmode != FTPIXELMODEGRAY*
- *unscaled->faces->next == ((void \*)0)*
- *unscaled->base.hashentry.hash == key.base.hashentry.hash*
- *cairoftloadtype1\_data*
- *cairoftunscaledfontcreateinternal*
- *cairoftunscaledfont\_destroy*
- *cairoftunscaledfont\_fini*
- *cairoftfontface\_create*
- *cairoftfontfacescaledfont\_create*
- *cairoftunscaledfontsetscale*
- *cairoftunscaledfontlockface*
- *cairoftunscaledfontunlockface*
- *cairoftloadtruetype\_table*
- *getbitmap\_surface*
- *cairoftunscaledfontmapdestroy*
- *showpage*
- *cairo-ps-surface.c*
- */DataSource {<*
- *imagemask*
- *LZWDecode*
- *FlateDecode*
- */DeviceRGB*
- */DeviceGray*
- *imagemask*
- */CairoImageData [*
- */CairoImageDataIndex 0 def*
- *%s setcolorspace*
- */CairoData exch def*
- *[ %f %f %f %f %f %f %f ]*
- *makepattern*
- *setpattern*
- *shfill*
- *currentdict /CairoData undef*
- */Glyphs [*
- *Encoding %d /%s put*
- *Encoding %d /g%d put*
- *{ %% %d*
- *f-%d-%d*
- *Encoding %d /g%d put*
- *end readonly def*
- */sfnts [*
- */%s %d def*
- */g%d %d def*
- *EPSF-3.0*
- *%%%%DocumentMedia:*
- *%%%%%+*
- *%s %d %d 0 () ()*
- *%%%%BoundingBox: %d %d %d %d*
- *%%BoundingBox:*
- *%%%%EndComments*
- *%%%%BeginProlog*
- *50 dict begin*

- %%%EndProlog
- %%%BeginSetup
- %%%EndSetup
- %%%Trailer
- end restore
- /Bounds [
- pattern->n\_stops != 0
- /CairoFunction
- >> def
- /Extend [ true true ]
- %f %f %f rg
- %%%Page: %d %d
- %%%BeginPageSetup
- %%PageMedia:
- %%PageBoundingBox:
- %dx%ymm
- %%%PageMedia: %s
- 0 1 0 1 0 1 0 1
- /DeviceCMYK
- 0 g %d %d %d %d rectfill
- /CairoPattern {
- %d g 0 0 %f %f rectfill
- } bind def
- /XStep %f /YStep %f
- /BBox [0 0 %f %f]
- /BBox [0 0 %d %d]
- makepattern setpattern
- res=%fppi
- res=%fx%fppi
- size=%ld
- [%f %f %f %f %f %f] concat
- [%f %f %f %f %f %f] concat
- Letter
- Tabloid
- Ledger
- Statement
- Executive
- Quarto
- PS Level 2
- PS Level 3
- image->format == CAIROFORMAT1
- /ImageType 1
- /Width %d
- /Height %d
- /ImageMatrix [%d 0 0 %d 0 0 %d]
- /Decode [1 0]
- /BitsPerComponent 1
- surface->paginatedmode != CAIROPAGINATEDMODEANALYZE
- %s setcolorspace
- 5 dict dup begin
- /ImageType 3 def
- /InterleaveType 2 def

- */DataDict 8 dict def*
- *DataDict begin*
- */ImageType 1 def*
- */Width %d def*
- */Height %d def*
- */Interpolate %s def*
- */BitsPerComponent %d def*
- */Decode [ %s ] def*
- */DataSource {*
- *CairoImageData CairoImageDataIndex get*
- */CairoImageDataIndex CairoImageDataIndex 1 add def*
- *CairoImageDataIndex CairoImageData length 1 sub gt*
- *{/CairoImageDataIndex 0 def} if*
- *} /ASCII85Decode filter /%s filter def*
- */DataSource currentfile /ASCII85Decode filter /%s filter def*
- */ImageMatrix [ 1 0 0 -1 0 %d ] def*
- */MaskDict 8 dict def*
- *MaskDict begin*
- */ImageType 1 def*
- */Width %d def*
- */Height %d def*
- */Interpolate %s def*
- */BitsPerComponent 1 def*
- */Decode [ 1 0 ] def*
- */ImageMatrix [ 1 0 0 -1 0 %d ] def*
- *8 dict dup begin*
- */ImageType 1 def*
- */Width %d def*
- */Height %d def*
- */Interpolate %s def*
- */BitsPerComponent %d def*
- */Decode [ %s ] def*
- */DataSource {*
- *CairoImageData CairoImageDataIndex get*
- */CairoImageDataIndex CairoImageDataIndex 1 add def*
- *CairoImageDataIndex CairoImageData length 1 sub gt*
- *{/CairoImageDataIndex 0 def} if*
- *} /ASCII85Decode filter /%s filter def*
- */DataSource currentfile /ASCII85Decode filter /%s filter def*
- */Interpolate %s def*
- */ImageMatrix [ 1 0 0 -1 0 %d ] def*
- *currentfile*
- */ASCII85Decode filter /FlateDecode filter /ReusableStreamDecode filter*
- *<< /PatternType 2*
- */Shading*
- *<< /ShadingType %d*
- */ColorSpace /DeviceRGB*
- */DataSource CairoData*
- */BitsPerCoordinate %d*
- */BitsPerComponent %d*
- */BitsPerFlag %d*
- */Decode [*

- 8 dict begin
- /FontType 3 def
- /FontMatrix [1 0 0 1 0 0] def
- /Encoding 256 array def
- 0 1 255 { Encoding exch /.notdef put } for
- /FontBBox [%f %f %f %f] def
- /BuildChar {
- exch /Glyphs get
- exch get
- 10 dict begin exec end
- } bind def
- currentdict
- /f-%d-%d exch definefont pop
- 11 dict begin
- /FontType 42 def
- /FontName /%s def
- /PaintType 0 def
- /FontMatrix [ 1 0 0 1 0 0 ] def
- /FontBBox [ 0 0 0 0 ] def
- /Encoding 256 array def
- 0 1 255 { Encoding exch /.notdef put } for
- /CharStrings %d dict dup begin
- /.notdef 0 def
- /f-%d-%d currentdict end definefont pop
- %%!PS-Adobe-3.0%
- %%%Creator: cairo %s (<http://cairographics.org>)
- %%%CreationDate: %s%%Pages: %d
- %%%DocumentData: Clean7Bit
- %%%LanguageLevel: %d
- /languagelevel where
- { pop languagelevel } { 1 } ifelse
- %d It { /Helvetica findfont 12 scalefont setfont 50 500 moveto
- (This print job requires a PostScript Language Level %d printer.) show
- showpage quit } if
- /q { gsave } bind def
- /Q { grestore } bind def
- /cm { 6 array astore concat } bind def
- /w { setlinewidth } bind def
- /J { setlinecap } bind def
- /j { setlinejoin } bind def
- /M { setmiterlimit } bind def
- /d { setdash } bind def
- /m { moveto } bind def
- /l { lineto } bind def
- /c { curveto } bind def
- /h { closepath } bind def
- /re { exch dup neg 3 1 roll 5 3 roll moveto 0 rlineto
- 0 exch rlineto 0 rlineto closepath } bind def
- /S { stroke } bind def
- /f { fill } bind def
- /f { eofill } bind def
- /n { newpath } bind def

- /W { clip } bind def
- /W\* { eoclip } bind def
- /BT { } bind def
- /ET { } bind def
- /pdfmark where { pop globaldict /?pdfmark /exec load put }
- { globaldict begin /?pdfmark /pop load def /pdfmark
- /cleartomark load def end } ifelse
- /BDC { mark 3 1 roll /BDC pdfmark } bind def
- /EMC { mark /EMC pdfmark } bind def
- /cairostorepoint { /cairopointy exch def /cairopointx exch def } def
- /Tj { show currentpoint cairostorepoint } bind def
- dup
- type /stringtype eq
- { show } { -0.001 mul 0 cairofontmatrix dtransform rmoveto } ifelse
- } forall
- currentpoint cairostorepoint
- } bind def
- /cairoselectfont { cairofontmatrix aload pop pop pop 0 0 6 array astore
- cairofont exch selectfont cairopointx cairopointy moveto } bind def
- /Tf { pop /cairofont exch def /cairofontmatrix where
- { pop cairoselectfont } if } bind def
- /Td { matrix translate cairofontmatrix matrix concatmatrix dup
- /cairofontmatrix exch def dup 4 get exch 5 get cairostorepoint
- /cairofont where { pop cairoselectfont } if } bind def
- /Tm { 2 copy 8 2 roll 6 array astore /cairofontmatrix exch def
- cairostorepoint /cairofont where { pop cairoselectfont } if } bind def
- /g { setgray } bind def
- /rg { setrgbcolor } bind def
- /d1 { setcachedevice } bind def
- << /FunctionType 3
- /Domain [ 0 1 ]
- /Functions [
- << /FunctionType 2
- /Domain [ 0 1 ]
- /C0 [ %f %f %f ]
- /C1 [ %f %f %f ]
- /N 1
- /Encode [ 1 1 %d { pop 0 1 } for ]
- pattern->base.extend == CAIROEXTENDPAD
- /CairoFunction
- << /FunctionType 3
- /Domain [ %d %d ]
- /Functions [ %d {CairoFunction} repeat ]
- /Bounds [ %d 1 %d {} for ]
- /Encode [ %d 1 %d { 2 mod 0 eq {0 1} {1 0} ifelse } for ]
- /Encode [ %d 1 %d { pop 0 1 } for ]
- << /ShadingType 2
- /ColorSpace /DeviceRGB
- /Coords [ %f %f %f %f ]
- << /ShadingType 3
- /ColorSpace /DeviceRGB

- /Coords [ %f %f %f %f %f %f ]
- /Extend [ false false ]
- /Function CairoFunction
- /Function <<
- /FunctionType 3
- /Domain [ 0 1 ]
- /Bounds [ ]
- /Encode [ %f %f ]
- /Functions [ CairoFunction ]
- >>
- [ %f %f %f %f %f %f ]
- makepattern setpattern
- %%%PageBoundingBox: %d %d %d %d
- %%%EndPageSetup
- q %d %d %d %d rectclip q
- *cairo\_surface\_is\_image* (surf)
- %s setcolorspace
- 8 dict dup begin
- /ImageType 1 def
- /Width %d def
- /Height %d def
- /BitsPerComponent %d def
- /Decode [ %s ] def
- /DataSource {
- CairoImageData CairoImageDataIndex get
- /CairoImageDataIndex CairoImageDataIndex 1 add def
- CairoImageDataIndex CairoImageData length 1 sub gt
- { /CairoImageDataIndex 0 def } if
- } /ASCII85Decode filter /DCTDecode filter def
- /DataSource currentfile /ASCII85Decode filter /DCTDecode filter def
- /ImageMatrix [ 1 0 0 -1 0 %d ] def
- source->type == CAIRO\_SURFACE\_TYPE\_IMAGE
- << /PatternType 1
- /PaintType 1
- /TilingType 1
- /BBox [0 0 %d %d]
- /PaintProc {
- CairoPattern
- [-1 0 0 1 %d 0] concat CairoPattern
- [ 1 0 0 -1 0 %d] concat CairoPattern
- [-1 0 0 1 %d 0] concat CairoPattern
- CairoPattern
- } bind
- /PaintProc { CairoPattern }
- *cairo\_surface\_operations\_supported* (surface, op, source, ((void \*)0), &extents.bounded)
- %% Fallback Image: x=%f y=%f w=%d h=%d
- *cairo\_surface\_operations\_supported* (surface, op, source, mask, &extents.bounded)
- *cairo\_surface\_show\_text\_glyphs*
- *patterns\_supported*
- *cairo\_surface\_analyze\_surface\_pattern\_transparency*
- *cairo\_surface\_acquire\_source\_surface\_from\_pattern*
- *cairo\_surface\_release\_source\_surface\_from\_pattern*

- *cairocssurfaceemitpattern*
- *cairocssurfaceemitrecordingsubsurface*
- *cairocssurfaceemitrecordingsurface*
- *cairocssurfaceemitimage*
- *cairocssurfaceemitgradient*
- *cairocssurfaceemitpatternstops*
- *cairocssurfaceemitmeshpattern*
- *cairocssurfacefill*
- *canpaintpattern*
- *cairocssurfacepaintsurface*
- *pathfixedinitrectangle*
- *cairocssurfacepaintgradient*
- *cairocssurfacepaintpattern*
- *cairocssurfacestroke*
- *cairocssurfacemask*
- *cairocssurfacepaint*
- *cairopsemitimagemask*
- *cairocssurfaceemitscaledfontsubset*
- *cairocssurfaceemitunscaledfontsubset*
- *cairocssurfaceclipperintersectclippath*
- *?fffff9@*
- *cairopdfsurfacestextglyphs*
- *patternsupported*
- *surfacepatternsupported*
- *cairopdfsurfacefillstroke*
- *cairopdfsurfacefill*
- *cairopdfsurfaceclosecontentstream*
- *cairopdfsurfaceopencontentstream*
- *cairopdfsurfaceopenstream*
- *canpaintpattern*
- *cairopdfsurfacepaintpattern*
- *cairopdfsurfacepaintgradient*
- *cairopdfsurfacepaintsurfacepattern*
- *cairopdfsurfaceacquiresourceimagefrompattern*
- *cairopdfsurfaceleasesourceimagefrompattern*
- *cairopdfsurfacestroke*
- *cairopdfsurfacemask*
- *cairopdfsurfacepaint*
- *cairopdfsurfaceopengroup*
- *cairopdfsurfaceclosegroup*
- *cairopdfsurfacewritesmaskgroup*
- *cairopdfsurfaceemitpattern*
- *cairopdfsurfaceemitpattern*
- *cairopdfsurfaceemitgradient*
- *cairopdfsurfaceemitpatternstops*
- *cairopdfsurfaceemitmeshpattern*
- *cairopdfsurfaceemitrecordingsurface*
- *cairopdfsurfaceemitsmask*
- *cairopdfemitimagemask*
- *cairopdfsurfaceemitscaledfontsubset*
- *cairopdfsurfaceemitunscaledfontsubset*



- `/a%d gs`
- `/Pattern CS /p%d SCN`
- `/Pattern cs /p%d scn`
- `%%PDF-%s`
- `%%c%c%c%c`
- `cairo-pdf-surface.c`
- `%d 0 obj`
- `<< /Length %d 0 R`
- `/Filter /FlateDecode`
- `bbox != ((void *)0)`
- `/b%d gs`
- `%d 0 obj`
- `/Domain [ %f %f ]`
- `/Functions [`
- `%d 0 R`
- `/Encode [`
- `endstream`
- `endobj`
- `%d 0 obj`
- `%d`
- `endobj`
- `/a0 gs /sh%d sh`
- `/Count %d`
- `0000000000 65535 f`
- `startxref`
- `%%EOF`
- `%010ld`
- `%s 00000 n`
- `Multiply`
- `Screen`
- `Overlay`
- `Darken`
- `Lighten`
- `ColorDodge`
- `ColorBurn`
- `HardLight`
- `SoftLight`
- `Difference`
- `Exclusion`
- `Saturation`
- `Luminosity`
- `/ExtGState <<`
- `/b%d << /BM /%s >>`
- `/s%d %d 0 R`
- `/Pattern <<`
- `/p%d %d 0 R`
- `/Shading <<`
- `/sh%d %d 0 R`
- `/XObject <<`
- `/x%d %d 0 R`
- `/Font <<`
- `/f-%d-%d %d 0 R`

- */K true*
- */Resources*
- *<0000>*
- *<00>*
- *endcodespacerange*
- *endbfchar*
- *endbfchar*
- *%d beginbfchar*
- *<%02x>*
- *<%04x>*
- *%d 0 obj*
- */%d %d 0 R*
- */Widths [*
- */ToUnicode %d 0 R*
- */Subtype /Type1C*
- */Subtype /CIDFontType0C*
- */FontFamily %s*
- *endobj*
- *CairoFont-%d-%d*
- */Length1 %lu*
- *gstateres.id == 0*
- *q /s%d gs /x%d Do Q*
- *application/x-cairo.uuid*
- */a%d gs /x%d Do*
- */s%d gs /sh%d sh*
- */a%d gs /sh%d sh*
- *0 0 %f %f re f*
- *%f %f %f %f re f*
- *q %d 0 0 %d 0 0 cm /x%d Do Q*
- */Length %ld*
- *stream*
- *PDF 1.4*
- *PDF 1.5*
- *surface->pdfstream.oidoutput == ((void \*)0)*
- *surface->pdfstream.active == 0*
- *surface->groupstream.active == 0*
- */Type /XObject*
- */Subtype /Form*
- */BBox [ %f %f %f %f ]*
- */Group <<*
- */Type /Group*
- */S /Transparency*
- */I true*
- */CS /DeviceRGB*
- */Resources %d 0 R*
- */IM true*
- */BPC 1*
- */D [1 0]*
- *<< /Type /Pattern*
- */PatternType 2*
- */Matrix [ %f %f %f %f %f %f ]*
- */Shading*

- << /ShadingType 2
- /ColorSpace %s
- /Coords [ %f %f %f %f ]
- << /ShadingType 3
- /ColorSpace %s
- /Coords [ %f %f %f %f %f %f ]
- /Extend [ true true ]
- /Extend [ false false ]
- /Function %d 0 R
- >>
- %d 0 obj
- << /FunctionType 3
- /Domain [ %d %d ]
- %d 0 obj
- << /FunctionType 2
- /Domain [ 0 1 ]
- /C0 [ %f ]
- /C1 [ %f ]
- /N 1
- endobj
- /Shading
- << /sh%d %d 0 R >>
- /Pattern
- << /p%d %d 0 R >>
- /Type /XObject
- /Subtype /Form
- /FormType 1
- /BBox [ %f %f %f %f ]
- /Resources
- << /ExtGState
- << /a0 << /ca 1 /CA 1 >> >>
- %s >>
- /Group
- << /Type /Group
- /S /Transparency
- /I true
- /CS /DeviceGray
- >>
- /a0 gs
- /Pattern cs /p%d scn
- 0 0 %f %f re
- %d 0 obj
- << /Type /Mask
- /S /Luminosity
- /G %d 0 R
- endobj
- %d 0 obj
- << /Type /ExtGState
- /SMask %d 0 R
- /ca 1
- /CA 1
- /AIS false

- endobj
- image->format == CAIROFORMATARGB32 || image->format == CAIROFORMATA8 || image->format == CAIROF
- *transparency* == CAIROIMAGEISOPAQUE || *transparency* == CAIROIMAGEHASBILEVELALPHA
- /Type /XObject
- /Subtype /Image
- /ImageMask true
- /Width %d
- /Height %d
- /Interpolate %s
- /BitsPerComponent 1
- /Decode [1 0]
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace /DeviceGray
- /Interpolate %s
- /BitsPerComponent %d
- %d 0 obj
- << /Type /Pages
- /Kids [
- %d 0 obj
- << /Creator (cairo %s (<http://cairographics.org>))
- /Producer (cairo %s (<http://cairographics.org>))
- endobj
- %d 0 obj
- << /Type /Catalog
- /Pages %d 0 R
- endobj
- trailer
- << /Size %d
- /Root %d 0 R
- /Info %d 0 R
- /a%d << /CA %f /ca %f >>
- surface->pdfstream.active == 1
- surface->groupstream.active == 1
- %d 0 obj
- << /Type /XObject
- /Length %d
- /Subtype /Form
- /BBox [ %f %f %f %f ]
- /Group <<
- /Type /Group
- /S /Transparency
- /I true
- /CS /DeviceRGB
- %d 0 obj
- << /FunctionType 2
- /Domain [ 0 1 ]
- /C0 [ %f %f %f ]
- /C1 [ %f %f %f ]
- /N 1

- endobj
- %d 0 obj
- << /FunctionType 3
- /Domain [ %f %f ]
- /CIDInit /ProcSet findresource begin
- 12 dict begin
- begincmap
- /CIDSystemInfo
- << /Registry (Adobe)
- /Ordering (UCS)
- /Supplement 0
- >> def
- /CMapName /Adobe-Identity-UCS def
- /CMapType 2 def
- 1 begincodespacerange
- endcmap
- CMapName currentdict /CMap defineresource pop
- %d 0 obj
- << /Type /Encoding
- /Differences [0
- %d 0 obj
- << /Type /Font
- /Subtype /Type3
- /FontBBox [%f %f %f %f]
- /FontMatrix [ 1 0 0 1 0 0 ]
- /Encoding %d 0 R
- /CharProcs %d 0 R
- /FirstChar 0
- /LastChar %d
- %d 0 obj
- << /Type /FontDescriptor
- /FontName /%s+%s
- /Flags 4
- /FontBBox [ %ld %ld %ld %ld ]
- /ItalicAngle 0
- /Ascent %ld
- /Descent %ld
- /CapHeight %ld
- /StemV 80
- /StemH 80
- /FontFile3 %u 0 R
- endobj
- %d 0 obj
- << /Type /Font
- /Subtype /Type1
- /BaseFont /%s+%s
- /FirstChar 32
- /LastChar %d
- /FontDescriptor %d 0 R
- /Encoding /WinAnsiEncoding
- /Widths [
- %d 0 obj

- << /Type /Font
- /Subtype /CIDFontType0
- /BaseFont /%s+%s
- /CIDSystemInfo
- << /Registry (Adobe)
- /Ordering (Identity)
- /Supplement 0
- /FontDescriptor %d 0 R
- /W [0 [
- %d 0 obj
- << /Type /Font
- /Subtype /Type0
- /BaseFont /%s+%s
- /Encoding /Identity-H
- /DescendantFonts [ %d 0 R]
- /Length1 %lu
- /Length2 %lu
- /Length3 %lu
- %d 0 obj
- << /Type /FontDescriptor
- /FontName /%s+%s
- /Flags 4
- /FontBBox [ %ld %ld %ld %ld ]
- /ItalicAngle 0
- /Ascent %ld
- /Descent %ld
- /CapHeight %ld
- /StemV 80
- /StemH 80
- /FontFile %u 0 R
- endobj
- %d 0 obj
- << /Type /Font
- /Subtype /Type1
- /BaseFont /%s+%s
- /FirstChar %d
- /LastChar %d
- /FontDescriptor %d 0 R
- /Encoding /WinAnsiEncoding
- /Flags %d
- /FontBBox [ %ld %ld %ld %ld ]
- /ItalicAngle 0
- /Ascent %ld
- /Descent %ld
- /CapHeight %ld
- /StemV 80
- /StemH 80
- /FontFile2 %u 0 R
- endobj
- %d 0 obj
- << /Type /Font
- /Subtype /TrueType

- /BaseFont /%s+%s
- /FirstChar 32
- /LastChar %d
- /FontDescriptor %d 0 R
- /Encoding /WinAnsiEncoding
- /Widths [
- %d 0 obj
- << /Type /Font
- /Subtype /CIDFontType2
- /BaseFont /%s+%s
- /CIDSystemInfo
- << /Registry (Adobe)
- /Ordering (Identity)
- /Supplement 0
- /FontDescriptor %d 0 R
- /W [0 [
- *cairopdfsurfaceoperationsupported (surface, op, source, &extents.bounded)*
- *cairopdfsurfaceoperationsupported (surface, op, mask, &extents.bounded)*
- %d 0 obj
- << /Type /Mask
- /S /Alpha
- /G %d 0 R
- endobj
- /PatternType 1
- /BBox [ %f %f %f %f ]
- /XStep %f
- /YStep %f
- /TilingType 1
- /PaintType 1
- /Matrix [ %f %f %f %f %f %f ]
- /Resources << /XObject << /x%d %d 0 R >> >>
- q 0 0 %d %d re W n %s Q
- q -1 0 0 1 %d 0 cm 0 0 %d %d re W n %s Q
- q 1 0 0 -1 0 %d cm 0 0 %d %d re W n %s Q
- q -1 0 0 -1 %d %d cm 0 0 %d %d re W n %s Q
- *pdfpattern->gstateres.id != 0*
- %d 0 obj
- << /ShadingType %d
- /ColorSpace /DeviceRGB
- /BitsPerCoordinate %d
- /BitsPerComponent %d
- /BitsPerFlag %d
- /Decode [
- %d 0 obj
- << /Type /Pattern
- /PatternType 2
- /Matrix [ %f %f %f %f %f %f ]
- /Shading %d 0 R
- endobj
- %d 0 obj
- << /ShadingType %d
- /ColorSpace /DeviceGray

- /BitsPerCoordinate %d
- /BitsPerComponent %d
- /BitsPerFlag %d
- /Decode [
- q /a%d gs 0 0 0 rg 0 0 %f %f re f Q
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /Filter /JPXDecode
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace %s
- /BitsPerComponent %d
- /Filter /DCTDecode
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace %s
- /Interpolate %s
- /BitsPerComponent %d
- /SMask %d 0 R
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace %s
- /Interpolate %s
- /BitsPerComponent %d
- %d 0 obj
- << /Type /Page
- /Parent %d 0 R
- /MediaBox [ 0 0 %f %f ]
- /Contents %d 0 R
- /Group <<
- /Type /Group
- /S /Transparency
- /I true
- /CS /DeviceRGB
- /Resources %d 0 R
- endobj
- C %f %f %f %f %f %f
- L %f %f
- M %f %f
- 
- 
- 
- 
-



- 
- 
- 
- spreadMethod="repeat"
- spreadMethod="reflect"
- cairo-svg-surface.c
- evenodd
- nonzero
- 
- comp-op="%s"
- clip-to-self="true"
- comp-op:%s;
- clip-to-self:true;
- 
- transform
- 
- patternTransform
- 
- 
- *isbounded*
- *xlink:href="*
- *text/x-uri*
- *"*
- *data:image/jpeg;base64,*
- *data:image/png;base64,*
- 
- *stroke*
- *%s:url(#pattern%d);*
- *gradientTransform*
- 
- *%s:url(#linear%d);*
- 
- *%s:url(#radial%d);*
- *stroke-dasharray:*
- *stroke-dashoffset:%f;*
- *stroke-miterlimit:%f;*
- 
- 
- *stroke:none;"*
- 
- *%s*
- *mask="url(#mask%d)"*
- 
- 
- *src-over*
- *src-in*
- *src-out*
- *src-atop*
- *dst-over*
- *dst-in*
- *dst-out*
- *dst-atop*

- color-dodge
- multiply
- screen
- overlay
- darken
- lighten
- color-burn
- hard-light
- soft-light
- difference
- exclusion
- SVG 1.1
- SVG 1.2
- 
- 
- 
- %s="matrix(%f,%f,%f,%f,%f,%f)"
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- stroke:rgb(%f%%,%f%%,%f%%);stroke-opacity:%f;
- fill:rgb(%f%%,%f%%,%f%%),fill-opacity:%f;
- 
- 
- 
- 
- 
- 
- 
- 
- 
- stroke-width:%f;stroke-linecap:%s;stroke-linejoin:%s;
- cairosvgsurfaceoperationsupported (surface, op, source)
- cairosvgsurfaceoperationssupported (surface, op, pattern)
- 
- 
- tABCDEFGHIJKLMNOPQRSTUVWXYZ
- tabcdefghijklmnopqrstuvwxyz
- FP{diov}

### Extracted URLs

- <http://cairographics.org>)
- <http://cairographics.org>))
- <http://cairographics.org>))
- <http://www.w3.org/2000/svg>
- <http://www.w3.org/1999/xlink>

### Base64 Strings

No valid Base64-encoded strings found.

### File Entropy Analysis

- **Entropy:** 6.21
- **Status:** This file is likely packed or encrypted.

### VirusTotal Analysis

**\*\*Scan Date\*\*:** 2024-12-10 07:32:40

#### Scan Results

- Malicious: 0
- Suspicious: 0
- Undetected: 65
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 11

#### Community Votes

- Harmless: 0
- Malicious: 0

#### Detailed Engine Results

| Engine Name | Detection Category | Detection  |
|-------------|--------------------|------------|
| No results  | No results         | No results |