

Malware Analysis Report For elf-OpenBSD-x86_64-sh

Binary Type

ELF (Executable and Linkable Format). (Approved)

Analyzing File

- **File Name:** elf-OpenBSD-x86_64-sh
- **File Extension:**
- **File Type:** ELF (Executable and Linkable Format).
- **MD5 Hash:** cd1dc68b53252e85b7c99531148a6964
- **SHA256 Hash:** aab51b11032f58597ea573935943fd2b1c083f79389895b69bc15619780e57c3

File Identification

File detected as a valid Linux executable.

ELF File Analysis

ELF File Analysis: True

ELF File Imports

No Imported functions were found.

ELF File Exports

No Exported functions were found.

String Analysis

ASCII Strings

- AWAVATSI
- [A^A_]
- AWAVSPH
- AWAVATSI
- [A^A_]
- AWAVAUATSPI
- [A^A^A_]
- AWAVAUATSH
- h[A^A^A_]
- AWAVATSH
- [A^A_]
- AWAVAUATSH
- FwSlct
- H[A^A^A_]

- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSH
- H[A^A]A^A_
- AWAVAUATSH
- 8[A^A]A^A_
- 8[A^A]A^A_
- AWAVAUATSH
- ([A^A]A^A_
- AWAVAUATSPH
- [A^A]A^A_
- AWAVAUATSPI
- [A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSPI
- [A^A]A^A_
- AWAVSH
- [A^A_
- AWAVAUATSH
- H[A^A]A^A_
- AWAVSH
- [A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVATSH
- [A^A^A_
- AWAVATSH
- [A^A^A_
- AWAVATSH
- [A^A^A_
- AWAVATSH
- [A^A^A_
- AWAVATSH
- [A^A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSH
- [A^A]A^A_
- AWAVAUATSH
- ([A^A]A^A_
- AWAVSPL
- [A^A_
- AWAVAUATSH
- X[A^A]A^A_
- AWAVAUATSPI
- [A^A]A^A_
- AWAVATSI
- [A^A^A_
- AWAVAUATSH

- [A\A]A^A_]
- AWAVATS
- [A\A^A_]
- AWAVSPA
- [A^A_]
- AWAVAUATSPA
- [A\A]A^A_]A
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- 8[A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- <;\u;A
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- h[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH
- H98wzH
- H98mH
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSPI

- t'H9;t0
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSP
- ([A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSPI
- ,:L;-*{'
- [A\A]A^A_]
- AWAVAUATSPI
- D;= y'
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVSPA
- [A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH

- [A\A]A^A_]
- AWAVATS
- [A\A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- D;5zJ'
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVSH
- ([A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- 8[A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- X[A\A]A^A_]
- X[A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVATSH
- 0[A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- h[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]

- AWAVATSH
- [A^A_]
- AWAVATSH
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVSH
- H[A^A_]
- AWAVAUATSPI
- [A^A]A^A_]
- AWAVATSI
- [A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- L;8v/I
- AWAVATSH
- [A^A_]
- AWAVATSI
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSPA
- [A^A]A^A_]
- AWAVATSH
- [A^A_]
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVATSH
- [A^A_]
- AWAVAUATSH
- M;,\$wVL
- [A^A]A^A_]
- AWAVSPA
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSPL

- 0[A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPA
- AWAVAUATS
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVSH
- 8[A^A_]
- AWAVATSH
- [A^A_]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- <#t6<,
- [A^A]A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVAUATSH
- H[A^A]A^A_]
- AWAVAUATSPA
- [A^A]A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVAUATSH
- 8[A^A]A^A_]
- AWAVAUATSPA
- [A^A]A^A_]
- AWAVAUATSPH
- [A^A]A^A_]
- AWAVAUATSH
- <0/u6H
- 8[A^A]A^A_]
- AWAVATSI
- [A^A_]A^A_]
- [A^A_]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- [A^A]A^A_]
- AWAVATSH
- [A^A_]A^A_]

- AWAVATSH
- [A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVATSH
- [A^A_]
- AWAVAUATSPA
- uOHcS H
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSH
- h[A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVSPL
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSA
- [A^A_]
- AWAVATSA
- [A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSPH
- E8\$(u
- [A\A]A^A_]
- AWAVAUATSH
- E8\$(u
- ([A\A]A^A_]
- AWAVATSH
- [A^A_]
- AWAVSPA
- [A^A_]
- AWAVSH

- L9s(t#L
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSP
- [A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVAUATSPH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- [A^A_]
- N\$[A^]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- AWAVATSH
- P[A\A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVSPA
- [A^A_]
- [A^A_]
- [A^A_]
- AWAVATSL
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVATSL
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSH
- t*A9\$
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPH

- [A\A]A^A_]
- AWAVSPA
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- tE<[uAH
- AWAVATSA
- [A\A^A_]
- [A\A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSH
- sFLc5Nn%
- 4\$IcL\$
- H[A\A]A^A_]
- AWAVAUATSH
- D9%ev%
- [A\A]A^A_]
- AWAVAUATSH
- t&
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- Hc=Ky%
- AWAVSPI
- [A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVSPD
- [A^A_]
- AWAVATSA
- [A\A^A_]
- \\$0L3Y
- \\$8L3Y
- AWAVSPA
- [A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- \\$0L3Y
- \\$8L3Y
- AWAVSPA
- [A^A_]

- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPH
- [A^A_]
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- D95Nn%
- D9=ln%
- ([A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVSPI
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSPL
- [A\A]A^A_]
- AWAVAUATSH

- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- x[A\A]A^A_]
- AWAVAUATSH
- H[A\A]A^A_]
- AWAVATSA
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- D\$P!;D\$X
- [A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- D;kp2H
- AWAVAUATSH
- [A\A]A^A_]
- !;D\$XA
- !;F s&l
- AWAVSPI
- H;K v!H
- [A^A_]
- AWAVAUATSH
- ([A\A]A^A_]

- AWAVAUATSPA
- l;~ u?A
- [A\A]A^A_]
- AWAVATSA
- l+D\$XI
- l;D\$(vCl;D\$ s
- l;T\$Xw
- l;T\$Hr
- [A\A^A_]
- AWAVAUATSH
- lcEpl)
- t-lcEpl)
- uYHc?H
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- X[A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSH
- L\$ uXI
- 8[A\A]A^A_]
- AWAVATSH
- AWAVATSI
- 8[A\A^A_]
- AWAVAUATSH
- t)fA;E"
- 8[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- X[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- X[A\A]A^A_]
- AWAVAUATSH

- ([A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVATSA
- CD[A\A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- X[A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH

- H[A\A]A^A_]
- AWAVATS
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVSPA
- [A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSP
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- lcP H9
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSH
- h[A\A]A^A_]
- AWAVAUATSH

- H[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- [A\A^A_]
- AWAVATSH
- [A\A^A_]
- [A\A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVSPH
- [A^A_]
- [A^A_]
- AWAVATSH
- [A\A^A_]
- [A\A^A_]
- AWAVAUATSPM
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSPD
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVATSH
- [A\A^A_]
- AWAVATS
- [A\A^A_]
- AWAVATSL
- [A\A^A_]
- [A\A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- H9O(u%H
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- [A\A^A_]
- AWAVSPA
- [A^A_]
- AWAVATSI
- [A\A^A_]
- [A\A^A_]

- AWAVATSI
- [A^A_]
- AWAVATSI
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVATSI
- N0[A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVATSL
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- <+t'<-u&H
- <;t]<,tYL
- x[A^A]A^A_]
- AWAVAUATS@
- [A^A]A^A_]
- AWAVAUATSH
- ([A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- SASAVAR
- ([A^A]A^A_]
- AWAVATSH
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVAUATSH
- [A^A]A^A_]
- AWAVSH
- 8[A^A_]
- AWAVATSH
- [A^A_]
- [A^A_]
- [A^A_]
- AWAVSPH
- [A^A_]
- [A^A_]
- AWAVAUATSH
- [A^A]A^A_]

- AWAVAUATSH
- H[A\A]A^A_]
- AWAVSPI
- [A^A_]
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- [A^A_]
- AWAVSH
- [A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVATSA
- [A\A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVSPA
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVATSI
- [A\A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSH
- 8[A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- P<[A^]
- AWAVSH
- [A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPA
- [A^A_]

- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- #C;;C(~
- AWAVSH
- [A^A_]
- AWAVAUATSH
- #C;;C(~
- H[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- h[A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- ([A\A]A^A_]
- AWAVAUATSH
- A;D\$\$|
- ([A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSPI
- [A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- [A\A]A^A_]

- AWAVAUATSH
- ([A\A]A^A_]
- AWAVSPI
- [A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- ([A\A]A^A_]
- AWAVAUATSH
- 8[A\A]A^A_]
- AWAVAUATSPA
- [A\A]A^A_]
- OpenBSD
- *_data*start
- *_edata*
- *_bss*start
- ksh_tmout
- tty_fd
- c_command
- username
- safe_prompt
- current_lineno
- tty_devtty
- xstrcmp
- builtin_argv0
- cur_prompt
- currentwdsiz
- def_path
- ksh_version
- sys_nerr
- sys_siglist
- builtin_opt
- sm_sigchld
- ksheuid
- sys_signame
- x_cols
- j_systime
- tzname
- got_sigwinch
- coproc
- options
- history
- environ
- *touppertab*_
- kshpid
- shell_flags
- source
- tmpdir
- __progname
- keywords
- dbtest_tokens
- builtin_flag

- edchars
- kshname
- __isthreaded
- tty_state
- homedirs
- c_builtin
- fatal_trap
- sys_errlist
- c_exec
- shlstoutok
- intrsig
- current_wd
- __fini
- shf_job
- really_exit
- kshmtoutstate
- aliases
- sm_default
- yylval
- nullauth
- tolowertab_
- ctypes
- ctype
- sigtraps
- histptr
- j_usrttime
- histsize
- procpid
- rpc_createerr
- user_opt
- JvRegisterClasses
- subst_exstat
- kshbuiltins
- unable to allocate memory
- restricted shell - can't cd
- no home directory (HOME not set)
- no OLDPWD
- don't know current directory
- too many arguments
- CDPATH
- %s: bad directory
- can't get current directory - %s
- Rnprsu,
- -p: %s
- -u: %s: %s
- is a reserved word
- is an %salias for
- exported
- alias %s=
- n exported
- traced
- undefined

- (autoload from %s)
- is a%s shell builtin
- special
- a tracked %s alias for
- %s is GOK
- L#R#UZ#fi#lprtux
- only -t, -u and -x options may be used with -f
- function %s %T
- %s() %T
- %s: not identifier
- typeset
- %s[%d]
- dprtUx
- alias: -r flag can only be used with -t and without arguments
- alias
- %s alias not found
- no arguments
- job control not enabled
- bad signal '%s'
- usage: kill [-s signame | -signum | -signame] { job | pid | pgrp } ...
- kill -l [exit_status ...]
- %s: arguments must be jobs or process IDs
- missing options argument
- missing name argument
- %s: is not an identifier
- c_getopts: no argv
- arguments changed since last call
- OPTARG
- +alias
- +command
- *=export
- +getopts
- *=readonly
- +unalias
- whence
- %d %s %s
- %d %d %s
- c_print
- c_typeset
- c_unalias
- c_kill
- c_getopts
- %s: bad number
- nothing to shift
- %#3.3o
- rwxugoXs
- bad mask
- %s is read only
- trap --
- bad signal %s
- %s: bad value
- %s: cannot %s

- %s: can only %s %d level(s)
- real
- user
- system
- time: -%s unknown option
- time: -%s requires an argument
- *=break
- =builtin
- *=continue
- *=eval
- *=exec
- *=exit
- +false
- *=return
- *=shift
- *=times
- *=trap
- +=wait
- +umask
- *=unset
- %s%*lld.%02ld%s
- %s%*lldm%02ld.%02lds%s
- can't suspend a login shell
- c_shift
- c_umask
- c_wait
- c_read
- c_exitreturn
- c_brkcont
- c_times
- timex_hook
- missing]
- internal error: unknown op
- unexpected operator/operand
- missing closing paren
- missing argument
- expression expected
- missing second argument
- missing expression operator
- c_test
- test_eval
- HSat##c#d#s##m
- time(cpu-seconds)
- file(blocks)
- coredump(blocks)
- data(kbytes)
- stack(kbytes)
- lockedmem(kbytes)
- memory(kbytes)
- nofiles(descriptors)
- usage: ulimit [-acdfHlmnpSst] [value]
- ulimit: %c

- %-20s
- unlimited
- invalid limit: %s
- -%c exceeds allowable limit
- bad -%c limit: %s
- unlimited
- c_ulimit
- set_ulimit
- !"#\$%&'()*+,-./:;<=>?[]`{|}
- COLUMNS
- ;|&() `
- complete%. *s%d
- complete_%. *s
- fileglob: substitute error
- check_sigwinch
- x_mode
- x_getc
- xcfglob
- glob_table
- glob_path
- invalid return code
- cannot bind, not a tty
- %s = %s
- auto-insert
- %s: no such function
- beginning-of-history
- complete-command
- complete-file
- delete-char-backward
- delete-word-backward
- delete-char-forward
- delete-word-forward
- kill-line
- redraw
- end-of-history
- eot-or-delete
- goto-history
- macro-string
- kill-to-eol
- kill-region
- list-command
- list-file
- yank-pop
- backward-char
- beginning-of-line
- backward-word
- end-of-line
- forward-char
- forward-word
- newline
- down-history
- newline-and-next

- up-history
- prev-hist-word
- search-character-forward
- search-character-backward
- search-history
- set-mark-command
- transpose-chars
- version
- exchange-point-and-mark
- complete-list
- expand-file
- capitalize-word
- downcase-word
- upcase-word
- set-arg
- duplicate binding for %s
- l-search:
- nothing to yank
- yank something first
- x_emacs
- x_insert
- x_bind
- kb_add
- x_comment
- x_expand
- xsearchhist
- do_complete
- substitute
- expand(NULL)
- %s: bad substitution
- parameter null or not set
- *+?@!
- %s: parameter not set
- funny \$() command: %s
- %s: cannot open \$(<) input
- evalstr
- evalonestr
- glob_str
- globit
- coprocess already exists
- shcomexec: %s
- builtin: %s: not a builtin
- command -p: restricted
- %s: restricted
- %s: can't find function definition file - %s
- %s: can't find function definition file
- %s: can't open function definition file %s - %s
- %s: function not defined by %s
- CFUNC %d
- %s: cannot execute - %s
- %s: not found
- EXECHELL

- /bin/sh
- %s: %s: %s
- cannot %s %s: %s
- could not finish (dup) redirection %s: %s
- here document missing
- can't %s temporary file %s: %s
- herein: yylex
- error writing %s: %s
- %*d) %s
- dbteste_error: %s (offset %d)
- execute
- comexec
- dbteste_isa
- flushcom
- search_access
- pr_menu
- herein
- end of expression
- %s: unexpected `%s'
- %s: bad number `%s'
- %s: expression recurses on parameter `%s'
- %s: %s requires lvalue
- %s: %s applied to read only variable
- missing)
- zero divisor
- missing :
- v_evaluate
- history function called recursively
- history functions not available
- e:glhrs0,1,2,3,4,5,6,7,8,9,
- can't use -e, -l, -n, -r with -s (-e -)
- can't use -l, -n with -e
- cannot create temp file %s - %s
- error writing temporary file - %s
- \${FCEDIT:-/bin/ed} \$_
- cannot open temp file %s
- error reading temp file %s - %s
- no history (yet)
- ignoredups
- ignorespace
- HISTFILE
- ignoring old style history file
- substitution failed
- %s: not in history
- %s: invalid range
- history file is corrupt
- failed to rewrite history file - %s
- hist_get
- sethistcontrol
- hist_init
- histsave
- history_load

- history_write
- internal error:
- %s[%d]:
- shl_stdout not valid
- too many files open in shell
- can't create pipe - try again
- bad file descriptor
- fd not open for reading
- fd not open for writing
- illegal file descriptor name
- no coprocess
- %s/shXXXXXXXX
- warningf
- bi_errorf
- internal_errorf
- shellf
- shprintf
- can_seek
- openpipe
- j_suspend: tcsetpgrp() failed: %s
- j_suspend: setpgid() failed: %s
- j_init: getpgrp() failed: %s
- j_init: tcgetpgrp() failed: %s
- j_init: setpgid() failed: %s
- j_init: tcsetpgrp() failed: %s
- warning: won't have full job control
- exchild: XPIPEI and no last_job - pid %d
- fork failed
- cannot fork - try again
- /dev/null
- exchild: execute() returned
- jw:last proc
- waitlast: no last job
- waitlast: not started
- jw:waitlast
- jw:waitfor
- job not job-controlled
- 1st tcsetpgrp(%d, %d) failed: %s
- fg: 2nd tcsetpgrp(%d, %d) failed: %s
- cannot continue job %s: %s
- jw:resume
- You have %s%s%s jobs
- stopped
- running
- no such job
- ambiguous
- argument must be %job or process id
- j_async: job not started
- j_async: bad nzombie (%d)
- zombie
- j_waitj: tcsetpgrp(%d, %d) failed: %s
- check_job: job started (flags 0x%x)

- checkjob
- -
- Running
- Done (%d)
- [%d] %c
- (core dumped)
- %-20s %s%s%s
- %s%5d %-20s %s%s
- remove_job: job not found (%s)
- j_sigchld
- j_suspend
- j_notify
- exchild
- startlast
- j_lookup
- j_kill
- j_resume
- j_njobs
- j_jobs
- j_print
- j_async
- no closing quote
- here document '%s' unclosed
- %a %b %d
- %l:%M:%S
- missing]
- arraysub
- doprompt
- you have mail in \$_
- mcheck
- stdio rpath wpath cpath fattr flock getpw proc exec tty
- pledge
- /usr/bin:/bin:/usr/sbin:/sbin:/usr/X11R6/bin:/usr/local/bin
- -c requires an argument
-
- Cannot determine current working directory
- /etc/profile
- \$HOME/.profile
- /etc/suid_profile
- include: %d
- shell: %d
- Use `exit` to leave ksh
- KSH_VERSION
- OPTIND=1
- typeset -i RANDOM MAILCHECK="\${MAILCHECK-600}" SECONDS="\${SECONDS-0}" TMOUT="\${TMOUT-0}"
- hash=alias -t
- type=whence -v
- stop=kill -STOP
- autoload=typeset -fu
- functions=typeset -f
- history=fc -l

- integer=typeset -i
- nohup=nohup
- local=typeset
- r=fc -s
- login=exec login
- rpdksh
- pdrksh
- include
- \${PS2=>} \${PS3=#?} \${PS4=+}
- 0123456789ABCDEF
- allexport
- braceexpand
- bgnice
- csh-history
- emacs-usemeta
- erexit
- ignoreeof
- interactive
- keyword
- markdirs
- monitor
- noclobber
- noexec
- noglob
- nounset
- physical
- privileged
- trackall
- verbose
- vi-show8
- vi-tabcomplete
- vi-esccomplete
- xtrace
- %s: deprecated option
- %s: bad option
- parse_args: '%c'
- %s%s-%c: unknown option
- %s%s-%c' requires argument
- Current option settings
- %co %s
- %-*s %s
- xdigit
- getoptions
- change_flag
- parse_args
- bi_getn
- gmatch
- getphyspath
- dopphyspath
- shf_fdopen: missing read/write
- shf_reopen: missing read/write
- shf_reopen: bad shf/buf/bsize

- shf_sopen: flags 0x%x
- shf_flush: no fd
- shf_read: flags %x
- shf_read: bsize %d
- shf_getse: flags %x
- shf_getchar: flags %x
- shf_ungetc: flags %x
- shf_putchar: flags %x
- shf_putchar: no fd
- shf_write: flags %x
- shf_write: nbytes %d
- shf_snprintf: buf %lx, bsize %d
- 0123456789abcdef
- (null %s)
- shf_emptybuf: no fd
- shf_fillbuf: no fd
- shf_putchar
- shf_printf
- shf_vprintf
- shf_snprintf
- shf_smprintf
- select
- too many redirections
- %s: bad identifier
- too many <<'s
- %s: invalid function name
- unexpected
- unmatched
- syntax error: unexpected EOF
- syntax error: '%s' %s
- get_command
- too many vars
- Error handler
- timed out waiting for input
- setexecsig: unset signal %d(%s)
- setsig
- gettrap
- wdscan: unknown char 0x%x (carrying on)
- #no-vars#
- #no-args#
- (%T)
- %T%s %T
- select %s
- for %s
- do%N%T
- %;done
- case %S in
- %;%T%N;;
- %Nesac
- then%N%T
- elif %T
- else%;%T

- function %s %T
- %s() %T
- time %T
-
- fptreef
- snptreef
- wdstrip
- /dev/tty
- No controlling tty (open /dev/tty: %s)
- Can't find tty file descriptor
- j_ttyinit: dup of tty fd failed: %s
- OPTIND
- POSIXLY_CORRECT
- TMPDIR
- HISTCONTROL
- HISTSIZE
- EDITOR
- VISUAL
- MAILCHECK
- MAILPATH
- RANDOM
- SECONDS
- LINENO
- 0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ
- 0123456789abcdefghijklmnopqrstuvwxyz
- %s: is read only
- setstr: %s=%s: assigning to self
- %s: subscript %ld out of range
- %0s%s
- %s%s
- %-s
- global
- setspec
- str_val
- intval
- setint_v
- arrayindexcalc
- @(#)PD KSH v5.2.14 99/07/13.2
- fc -e \${VISUAL:-\${EDITOR:-vi}} --
- grabhist: bad history array
- expand_word
- complete_word
- print_expansions
- strnvis
- tcgetpgrp
- Signal 0
- VTALRM
- /var/run/dev.db
- libcttyname_r
- POSIXV6LP64_OFF64
- POSIXV6LPBIG_OFFBIG
- POSIXV7LP64_OFF64

- POSIX_V7_LPBIG_OFFBIG
- -lpthread
- *libctcsetattr*
- *libcsigaction_wrap*
- *libsigprocmask_wrap*
- *libcsigsuspend_cancel*
- *libctime*
- master.passwd.byname
- master.passwd.byuid
- /var/run/ypbind.lock
- /etc/spwd.db
- /etc/pwd.db
- getpwent
- *_hasypmaster*
- *__ypparse*
- *__hashpw*
- getpwnam
- getpwuid
- *__yppwlookup*
- getpwnam_internal
- *libcgetpwnam_shadow*
- getpwuid_internal
- *libcgetpwuid_shadow*
- *libcypcheck*
- *libcasprintf*
- /etc/netgroup.db
- netgroup
- netgroup.byuser
- netgroup.byhost
- netgroup: Cycle in group '%s'
- addgroup
- *libcinnetgr*
- in_lookup
- in_find
- in_lookup1
- *libcsetnetgrent*
- *libcwarnx*
- *libcgetdomainname*
- *ypmatch: clntcall*
- *ypnext: clntcall*
- *libcyp_match*
- *libcyp_next*
- *ypfirst: clntcall*
- *libcyp_first*
- %s/%s.%d
- /var/yp/binding
- clnttcp_create
- clntudp_create
- fcntl: F_SETFD
- ypdobind
- ; errno = %s

- ; low version = %u, high version = %u
- ; why =
- (unknown authentication error - %d)
- ; s1 = %u, s2 = %u
- RPC: (unknown error code)
- %s: %s - %s
- %s: %s
- RPC: Success
- RPC: Can't encode arguments
- RPC: Can't decode result
- RPC: Unable to send
- RPC: Unable to receive
- RPC: Timed out
- RPC: Incompatible versions of RPC
- RPC: Authentication error
- RPC: Program unavailable
- RPC: Program/version mismatch
- RPC: Procedure unavailable
- RPC: Server can't decode arguments
- RPC: Remote system error
- RPC: Unknown host
- RPC: Port mapper failure
- RPC: Program not registered
- RPC: Failed (unspecified error)
- RPC: Unknown protocol
- Authentication OK
- Invalid client credential
- Server rejected credential
- Invalid client verifier
- Server rejected verifier
- Client credential too weak
- Invalid server verifier
- *libccInt_serror*
- *libccInttcp_create*
- *readtcp*
- *clnttcp_call*
- *__fdopendir*
- *libcreaddir*
- *libcperror*
- *tcsetpgrp*
- *strunvis*
- *libcxdrrec_skiprecord*
- *libcxdrrec_eof*
- *xdrrec_getlong*
- *xdrrec_getbytes*
- *libcfseeko*
- *malloc()* warning: unknown char in MALLOC_OPTIONS
- *malloc*
- out of memory
- *free()* called before allocation
- *freezero()* called before allocation
- *freezero*

- realloc
- calloc
- reallocarray
- posix_memalign
- /etc/malloc.conf
- MALLOC_OPTIONS
- malloc init mmap failed
- recursive call
- mprotect
- internal struct corrupt
- malloc cache
- munmap %p
- munmap round
- malloc cache underflow
- malloc free slot lost
- malloc cache overflow
- chunk info corrupted
- pp & bits %p
- %s(%d) in %s():
- unknown
- bogus pointer (double free?) %p
- recorded size %hu < %zu
- chunk size %zu < %zu
- recorded size %zu < %zu
- bogus pointer %p
- bogus moved pointer %p
- guard size
- double free %p
- modified chunk-pointer %p
- chunk is already free %p
- chunk canary corrupted %p %#tx@%#zx%s
- (double free?)
- regions_total not 2^x
- bogus pointer in validate_junk %p
- use after free %p
- realloc internal inconsistency
- recorded old size %hu != %zu
- recorded old size %zu != %zu
- *libcmalloc*init
- *libcsnprintf*
- invalid
- too small
- *libcstrtonum*
- *libcgethostname*
- !"#\$\$%&'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[]^_`abcdefghijklmnopqrstuvwxyz{|}~
- Unknown error:
- Unknown signal:
- Undefined error: 0
- Operation not permitted
- No such file or directory
- No such process
- Interrupted system call

- Input/output error
- Device not configured
- Argument list too long
- Exec format error
- Bad file descriptor
- No child processes
- Resource deadlock avoided
- Cannot allocate memory
- Permission denied
- Bad address
- Block device required
- Device busy
- File exists
- Cross-device link
- Operation not supported by device
- Not a directory
- Is a directory
- Invalid argument
- Too many open files in system
- Too many open files
- Inappropriate ioctl for device
- Text file busy
- File too large
- No space left on device
- Illegal seek
- Read-only file system
- Too many links
- Broken pipe
- Numerical argument out of domain
- Result too large
- Resource temporarily unavailable
- Operation now in progress
- Operation already in progress
- Socket operation on non-socket
- Destination address required
- Message too long
- Protocol wrong type for socket
- Protocol not available
- Protocol not supported
- Socket type not supported
- Operation not supported
- Protocol family not supported
- Address family not supported by protocol family
- Address already in use
- Can't assign requested address
- Network is down
- Network is unreachable
- Network dropped connection on reset
- Software caused connection abort
- Connection reset by peer
- No buffer space available
- Socket is already connected

- Socket is not connected
- Can't send after socket shutdown
- Too many references: can't splice
- Operation timed out
- Connection refused
- Too many levels of symbolic links
- File name too long
- Host is down
- No route to host
- Directory not empty
- Too many processes
- Too many users
- Disk quota exceeded
- Stale NFS file handle
- Too many levels of remote in path
- RPC struct is bad
- RPC version wrong
- RPC program not available
- Program version wrong
- Bad procedure for program
- No locks available
- Function not implemented
- Inappropriate file type or format
- Need authenticator
- IPsec processing failure
- Attribute not found
- Illegal byte sequence
- No medium found
- Wrong medium type
- Value too large to be stored in data type
- Operation canceled
- Identifier removed
- No message of desired type
- Not supported
- Bad message
- State not recoverable
- Previous owner died
- Protocol error
- Hangup
- Interrupt
- Illegal instruction
- Trace/BPT trap
- Abort trap
- EMT trap
- Floating point exception
- Killed
- Bus error
- Segmentation fault
- Bad system call
- Alarm clock
- Terminated
- Urgent I/O condition

- Suspended (signal)
- Suspended
- Continued
- Child exited
- Stopped (tty input)
- Stopped (tty output)
- I/O possible
- Cputime limit exceeded
- Filesize limit exceeded
- Virtual timer expired
- Profiling timer expired
- Window size changes
- Information request
- User defined signal 1
- User defined signal 2
- Thread AST
- *libcvsnprintf*
- *_recopen*
- *%s/bt.XXXXXXX*
- *_btopen*
- *_btget*
- *_btput*
- *_btdelete*
- *_btdleaf*
- *_btseq*
- *_btfirst*
- *_btsearch*
- *_btcmp*
- *_recsync*
- *_recfpipe*
- *_recvpipe*
- *_recfmap*
- *_recvmap*
- *_recput*
- *_reciput*
- *_ovflput*
- *mpool_new*: page allocation overflow.
- *libcmpool_open*
- *libcfprintf*
- 0123456789abcdef0123456789ABCDEF
- *vfprintf* %%ls NULL in "%s"
- (null)
- *vfprintf* %%s NULL in "%s"
- bug in *vfprintf*: bad base
- *__vfprintf*
- *_findarguments*
- *__smakebuf*
- *__swhatbuf*
- Infinity
- *libc__dtoa*
- *`libc__hldtoa*

- *libc__ldtoa*
- *libc__fpclassify*
- *@libc__gdttoa*
- *citrusutf8ctypewcsnrtombs*
- US-ASCII
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- %a %b %e %H:%M:%S %Y
- %m/%d/%y
- %H:%M:%S
- %l:%M:%S %p
- *libcfreopen*
- *libcgetpagesize*
- *libcfcntl_cancel*
- abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 :+-. _
- Local time zone must be set--see zic manual page
- /etc/localtime
- /usr/share/zoneinfo
- posixrules
- ,M4.1.0,M10.5.0
- localsub
- ctime_r
- tzload
- tzparse
- time2sub
- ??? ??? ?? ??:??:?? ????
- %.3s %.3s%3d %2.2d:%2.2d:%2.2d %-4s
- %.3s %.3s%3d %2.2d:%2.2d:%2.2d %s
- asctime3
- %Y-%m-%d
- %e-%b-%Y
- %a %b %e %T %Y
- %a %b %e %H:%M:%S %Z %Y
- *libcstrftime*
- *libcstrstr*
- *libccntudp_bufcreate*
- *clntudp_call*
- *libcauthnone_create*
- *libcbindresvport_sa*

- *libcpmap_getport*
- *libcxdr_free*
- *libcxdr_int*
- *libcxdruint*
- *xdrint32t*
- *libcxdr_short*
- *xdrint16t*
- *xdruint16_t*
- *xdr_char*
- *xdruchar*
- *libcxdr_bool*
- *libcxdr_enum*
- *libcxdr_bytes*
- *libcxdr_union*
- *xdrint64t*
- *xdruint64_t*
- *libcxdruint32_t*
- *libcxdrushort*
- *libcxdr_string*
- *(((((*
- *AAAAAA*
- *BBBBBB*
- *_trailzD2A*
- *ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789*
- *mktemp_internal*
- *expand 32-byte klibcarc4random*
- *libcarc4random_buf*
- *rsrekey*
- *: backwards memcpy*
- *libcmemcpy*
- *libcopen_cancel*
- *: stack overflow in function*
- *;%\$sniglet^&*
- *_hashopen*
- *flush_meta*
- *hash_access*
- *syslog%s: unknown facility/priority: %x*
- *libcsyslog_r*
- *_vsyslogr*
- *_btsplit*
- *bt_page*
- *HASH: Out of overflow pages. Increase page size*
- *%s/_hash.XXXXXXX*
- *_splitpage*
- *_putpage*
- *_bigsplit*
- *0000000000000000*
- *RuneCT10NONE*
- *.shstrtab*
- *.note.openbsd.ident*
- *.dynsym*

- .dynstr
- .rela.dyn
- .rela.plt
- .rodata
- .ehframehdr
- .eh_frame
- .openbsd.randomdata
- .data.rel.ro
- .dynamic
- .ctors
- .dtors

UTF-8 Strings

No detected.

UTF-16LE Strings

- !"#\$%&'()*+,-./0123456789:;<=>?
@ABCDEFGHIJKLMNOPQRSTUVWXYZ[]^_`abcdefghijklmnopqrstuvwxyz{|}~
- !"#\$%&'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[]^_`abcdefghijklmnopqrstuvwxyz{|}~

Extracted URLs

No detected.

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 6.39
- **Status:** This file is likely packed or encrypted.

VirusTotal Analysis

Scan Date: 2023-10-03 21:31:36

Scan Results

- Malicious: 0
- Suspicious: 0
- Undetected: 63
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 13

Community Votes

- Harmless: 0

- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results
