

Malware Analysis Report For elf-solaris-x86-ls

Binary Type

ELF (Executable and Linkable Format). (Approved)

Analyzing File

- **File Name:** elf-solaris-x86-ls
 - **File Extension:**
 - **File Type:** ELF (Executable and Linkable Format).
 - **MD5 Hash:** 320f67744944a9c753f42ae21877642b
 - **SHA256 Hash:** 9a7b755f4b6cb202a2845c795d6376607122acbd166ae045bd8fb39ba713c492
-

File Identification

File detected as a valid Linux executable.

ELF File Analysis

ELF File Analysis: True

ELF File Imports

- librt.so.1
- libsec.so.1
- libc.so.1

ELF File Exports

- *_doglobaldtorsaux*
- frame_dummy
- *_doglobalctorsaux*
- devinohash
- devinocompare
- sighandler
- stophandler
- revstrcmpdf_ctime
- revxstrcoll_df_mtime
- xstrcoll
- revstrcmpdf_atime
- strcmpdfsize
- gettypeindicator
- clear_files
- freependingent
- devinofree
- printtypeindicator
- indent

- `getfunkystring`
- `is_colored`
- `queue_directory`
- `strcmp_name`
- `revstrcmpname`
- `strcmpdfname`
- `revstrcmppdf_name`
- `file_failure`
- `xstrcolldfextension`
- `formatuserorgroupwidth`
- `formatuserwidth`
- `gobble_file`
- `xstrcoll_name`
- `revxstrcollname`
- `xstrcolldfname`
- `revxstrcolldf_name`
- `revxstrcolldf_version`
- `revxstrcollversion`
- `xstrcolldfversion`
- `xstrcoll_version`
- `extractdirsfrom_files`
- `put_indicator`
- `prepnorfilename_text`
- `restoredefaultcolor`
- `quote_name`
- `lengthoffilenameand_frills`
- `printnamewith_quoting`
- `printfilenameandfrills`
- `formatuseror_group`
- `direddumpobstack`
- `printlongformat`
- `revstrcmpsize`
- `xstrcoll_size`
- `strcmp_size`
- `revxstrcollsize`
- `revxstrcolldf_size`
- `revstrcmppdf_size`
- `xstrcolldfsize`
- `revstrcmpptime`
- `xstrcoll_atime`
- `strcmp_atime`
- `revxstrcollatime`
- `xstrcoll_ctime`
- `strcmp_ctime`
- `revxstrcollctime`
- `revstrcmpptime`
- `xstrcoll_mtime`
- `strcmp_mtime`
- `revxstrcollmtime`
- `revstrcmpptime`
- `xstrcolldfatime`

- *revstrcmpdf_mtime*
- *strcmpdfctime*
- *revxstrcolldf_ctime*
- *xstrcolldfmtime*
- *strcmpdfmtime*
- *xstrcolldfctime*
- *strcmpdfatime*
- *revxstrcolldf_atime*
- *sort_files*
- *calculate_columns*
- *printcurrentfiles*
- *print_dir*
- *revstrcmpextension*
- *strcmp_extension*
- *revxstrcollexension*
- *xstrcoll_extension*
- *revstrcmpdf_extension*
- *strcmpdfextension*
- *revxstrcolldf_extension*
- *_argmatchdie*
- *printnomessage*
- *error_tail*
- *end_wpattern*
- *end_pattern*
- *ext_wmatch*
- *internal_fnwmatch*
- *ext_match*
- *internal_fnmatch*
- *exchange*
- *hashfindentry*
- *mpsortwithtmp*
- *printandabort*
- *quoteargbufferrestyled*
- *quoteargnoptions*
- *strftimecase*
- *bkmscaleby_power*
- *bkmscaleby_power*
- *ranged_convert*
- *multiply*
- *divide*
- *scale10rounddecimal_decoded*
- *decimalpointchar*
- *floorlog10l*
- *scale10rounddecimal_longdouble*
- *floorlog10*
- *scale10rounddecimal_double*
- *quotearg_free*
- *strcmp@@SYSVABI_1.3*
- *iswcntrl@@SUNW_1.1*
- *obstackbegin*
- *wcslen@@SUNW_1.1*

- `__umoddi3`
- `obstackallocated_p`
- `quoteargnmem`
- `dirfd`
- `quote_n`
- `rpl_vfprintf`
- `_flsbuf@@@SYSVABI1.3`
- `tzset@@@SYSVABI_1.3`
- `_start`
- `towlower@@@SUNW_1.1`
- `quoteargnstyle`
- `wctype@@@SUNW_1.1`
- `sigprocmask@@@SYSVABI_1.3`
- `quotearg`
- `_mcount`
- `hash_string`
- `acctrivial@@@SUNW1.2`
- `getgrgid@@@SYSVABI_1.3`
- `filemodestring`
- `quotearg_alloc`
- `atexit@@@SYSVABI_1.3`
- `ldexp@@@SYSVABI_1.3`
- `rpl_strlen`
- `rpl_mktime`
- `strftime@@@SYSVABI_1.3`
- `getpwuid@@@SYSVABI_1.3`
- `rpl_isnanl`
- `printf_fetchargs`
- `gettime`
- `argmatchtoargument`
- `__moddi3`
- `malloc@@@SYSVABI_1.3`
- `setlocale@@@SYSVABI_1.3`
- `xstrtol`
- `sigaction@@@SYSVABI_1.3`
- `toupper@@@SYSVABI_1.3`
- `strlen@@@SYSVABI_1.3`
- `rplgetoptlong`
- `localtime@@@SYSVABI_1.3`
- `_fini`
- `_major@@@SUNW0.7`
- `memchr@@@SYSVABI_1.3`
- `abort@@@SYSVABI_1.3`
- `exit@@@SYSVABI1.3`
- `stat64@@@SUNW_1.1`
- `imaxtostr`
- `getoptinternal_r`
- `versionetcva`
- `obstacknewchunk`
- `readdir64@@@SUNW_1.1`
- `getoptinternal`
- `gmtime@@@SUNW0.7`

- `hashgetmaxbucketlength`
- `isatty@@SYSVABI_1.3`
- `printf_frexp`
- `fputs@@SYSVABI_1.3`
- `sigaddset@@SYSVABI_1.3`
- `signal@@SYSVABI_1.3`
- `__udivdi3`
- `wcwidth@@SUNW_1.1`
- `rpl_getopt`
- `obstackmemory_used`
- `mbsinit@@SUNW_1.18`
- `mpsort`
- `calloc@@SYSVABI_1.3`
- `hashtableok`
- `human_readable`
- `quotearg_style`
- `getgidbyname`
- `strcoll@@SYSVABI_1.3`
- `snprintf@@SUNW_1.1`
- `sprintf@@SYSVABI_1.3`
- `closestoutsetfilename`
- `quotearg_mem`
- `localtimer@@SUNW0.7`
- `wcscat@@SUNW_1.1`
- `getgrnam@@SYSVABI_1.3`
- `strmode`
- `getoptlongonly`
- `raise@@SYSVABI_1.3`
- `umaxtostr`
- `getpwnam@@SYSVABI_1.3`
- `filevercmp`
- `nstrftime`
- `quotearg_char`
- `base_len`
- `getuser`
- `gnu_fnmatch`
- `hashgetnbucketsused`
- `quotearg_n`
- `x2realloc`
- `tolower@@SYSVABI_1.3`
- `hashgetnext`
- `mfilenameconcat`
- `hashdo_for_each`
- `lstat64@@SUNW_1.1`
- `filenameconcat`
- `argmatch`
- `setquotingstyle`
- `getexitframemonitor@@SUNWprivate_1.1`
- `fprintf@@SYSVABI_1.3`
- `argmatch_valid`
- `strncpy@@SYSVABI_1.3`

- iswprint@@SUNW_1.1
- mbsnwidth
- last_component
- longjmp@@SYSVABI_1.3
- free@@SYSVABI_1.3
- quotearg_buffer
- memset@@SYSVABI_1.3
- realloc@@SYSVABI_1.3
- mktime_internal
- obstack_free
- strtoumax@@SUNW_1.22
- hashresetuning
- hashgetfirst
- hash_initialize
- ioctl@@SYSVABI_1.3
- hash_clear
- frexp@@SYSVABI_1.3
- __fsr
- version_etc
- hard_locale
- hash_rehash
- opendir@@SYSVABI_1.3
- strncmp@@SYSVABI_1.3
- memmove@@SYSVABI_1.3
- xalloc_die
- error
- exit@@SYSVABI_1.3
- hashgetn_buckets
- hash_insert
- tcgetpgrp@@SYSVABI_1.3
- setprogramname
- strchr@@SYSVABI_1.3
- quotearg_colonmem
- setcharquoting
- areadlinkwithsize
- filehasacl
- close_stream
- fstat64@@SUNW_1.1
- quotearg_colon
- printf_parse
- getenv@@SYSVABI_1.3
- rpl_frexp
- gettimeofday@@SUNW_0.7
- clonequotingoptions
- sigismember@@SYSVABI_1.3
- quotearg_chamem
- vasnprintf
- _fpending@@SUNW1.18
- iswctype@@SUNW_1.1
- setquotingflags
- strcpy@@SYSVABI_1.3
- getgroup

- xstrtol_fatal
- hash_lookup
- wmemchr@@SUNW_1.18
- close_stdout
- getuidbyname
- fflush@@SYSVABI_1.3
- _fpstart@@SYSVABI_1.3
- __divdi3
- fwrite@@SYSVABI_1.3
- hash_delete
- obstackbegin_1
- xmalloc
- xstrdup
- fseterr
- quoteargstylemem
- closedir@@SYSVABI_1.3
- fclose@@SYSVABI_1.3
- xstrndup
- mbrtowc@@SUNW_1.18
- _minor@@SUNW0.7
- strerrorr@@SUNW1.22
- usage
- printf@@SYSVABI_1.3
- sigemptyset@@SYSVABI_1.3
- erroratline
- setjmp@@SYSVABI_1.3
- quoteargnstyle_mem
- base_name
- readlink@@SYSVABI_1.3
- xcalloc
- quote
- _xargmatchinternal
- hashgetn_entries
- getoptlong_r
- hash_free
- localeconv@@SYSVABI_1.3
- mbrlen@@SUNW_1.18
- xrealloc
- human_options
- xzalloc
- argmatch_invalid
- xmemdup
- strtoul@@SYSVABI_1.3
- mbsrtowcs@@SUNW_1.18
- memcpy@@SYSVABI_1.3
- _assertc99@@SUNWprivate_1.1
- xstrtoumax
- rpl_strndup
- btowc@@SUNW_1.18
- printf_frexp
- quoteargallocmem

- `rplgetoptlong_only`
 - `wmemcpy@@SUNW_1.18`
 - `_i686.getpc_thunk.bx`
 - `getquotingstyle`
 - `hashprintstatistics`
 - `clock_gettime@@SUNW0.7`
 - `main`
 - `_init`
 - `strdup@@SYSVABI_1.3`
 - `strchr@@SYSVABI_1.3`
 - `gnu_mbswidth`
 - `strcat@@SYSVABI_1.3`
 - `hashgetentries`
-

String Analysis

ASCII Strings

- `/usr/lib/libc.so.1`
- `librt.so.1`
- `strlen`
- `lstat64`
- `strchr`
- `malloc`
- `snprintf`
- `clock_gettime`
- `strcmp`
- `strcat`
- `strrchr`
- `memset`
- `strcpy`
- `libsec.so.1`
- `acl_trivial`
- `fprintf`
- `getpwnam`
- `strdup`
- `__ctype`
- `sprintf`
- `getgrnam`
- `getgrgid`
- `fstat64`
- `realloc`
- `getpwuid`
- `memmove`
- `calloc`
- `strncpy`
- `strncmp`
- `getenv`
- `fflush`
- `strtoul`
- `tolower`

- fclose
- libc.so.1
- sigaction
- gmtime_r
- longjmp
- atexit
- mbsinit
- *libversion*
- opendir
- strftime
- __major
- __fpstart
- wcwidth
- iswcntrl
- strtoumax
- isatty
- fwrite
- *getexitframemonitor*
- iswprint
- gettimeofday
- *_assertc99*
- mbsrtowcs
- localtime_r
- wcslen
- strerror_r
- _environ
- tcgetpgrp
- closedir
- toupper
- tolower
- setjmp
- __fpending
- wcscat
- sigprocmask
- localtime
- iswctype
- readlink
- _Argv
- setlocale
- localeconv
- strcoll
- mbrlen
- sigismember
- sigaddset
- __minor
- wmemchr
- mbrtowc
- sigemptyset
- signal
- readdir64
- wmemcpy
- __flsbuf

- `_tznane`
- `_etext`
- `_edata`
- `JvRegisterClasses`
- `_deregisterframeinfobases`
- `_registerframeinfobases`
- `SUNW_0.7`
- `SUNW_1.2`
- `SUNW_1.22`
- `SUNWprivate_1.1`
- `SUNW_1.18`
- `SUNW_1.1`
- `SYSVABI_1.3`
- `<*tL<:`
- `tH<[tP`
- `M$;Y}`
- `D$$u29T$`
- `L$$+D$$`
- Try `%s --help` for more information.
- Usage: `%s [OPTION]... [FILE]...`
- List information about the FILES (the current directory by default).
- Sort entries alphabetically if none of `-ctuvSUX` nor `--sort`.
- Mandatory arguments to long options are mandatory for short options too.
- `-a`, `--all` do not ignore entries starting with `.`
- `-A`, `--almost-all` do not list implied `.` and `..`
- `--author` with `-l`, print the author of each file
- `-b`, `--escape` print octal escapes for nongraphic characters
- `--block-size=SIZE` use SIZE-byte blocks
- `-B`, `--ignore-backups` do not list implied entries ending with `~`
- `-c` with `-lt`: sort by, and show, ctime (time of last modification of file status information)
- with `-l`: show ctime and sort by name
- otherwise: sort by ctime
- `-C` list entries by columns
- `--color[=WHEN]` control whether color is used to distinguish file types. WHEN may be `never`, `always`, or `auto`
- `-d`, `--directory` list directory entries instead of contents, and do not dereference symbolic links
- `-D`, `--dired` generate output designed for Emacs' dired mode
- `-f` do not sort, enable `-aU`, disable `-ls --color`
- `-F`, `--classify` append indicator (one of `*/=>@|`) to entries
- `--file-type` likewise, except do not append `**`
- `--format=WORD` across `-x`, commas `-m`, horizontal `-x`, long `-l`, single-column `-1`, verbose `-l`, vertical `-C`
- `--full-time` like `-l --time-style=full-iso`
- `-g` like `-l`, but do not list owner
- `--group-directories-first`
- group directories before files.
- augment with a `--sort` option, but any
- use of `--sort=none` (`-U`) disables grouping
- `-G`, `--no-group` in a long listing, don't print group names
- `-h`, `--human-readable` with `-l`, print sizes in human readable format

- (e.g., 1K 234M 2G)
- --si likewise, but use powers of 1000 not 1024
- -H, --dereference-command-line
- follow symbolic links listed on the command line
- --dereference-command-line-symlink-to-dir
- follow each command line symbolic link
- that points to a directory
- --hide=PATTERN do not list implied entries matching shell PATTERN
- (overridden by -a or -A)
- --indicator-style=WORD append indicator with style WORD to entry names:
- none (default), slash (-p),
- file-type (--file-type), classify (-F)
- -i, --inode print the index number of each file
- -I, --ignore=PATTERN do not list implied entries matching shell PATTERN
- -k like --block-size=1K
- -l use a long listing format
- -L, --dereference when showing file information for a symbolic
- link, show information for the file the link
- references rather than for the link itself
- -m fill width with a comma separated list of entries
- -n, --numeric-uid-gid like -l, but list numeric user and group IDs
- -N, --literal print raw entry names (don't treat e.g. control
- characters specially)
- -o like -l, but do not list group information
- -p, --indicator-style=slash
- append / indicator to directories
- -q, --hide-control-chars print ? instead of non graphic characters
- --show-control-chars show non graphic characters as-is (default
- unless program is 'ls' and output is a terminal)
- -Q, --quote-name enclose entry names in double quotes
- --quoting-style=WORD use quoting style WORD for entry names:
- literal, locale, shell, shell-always, c, escape
- -r, --reverse reverse order while sorting
- -R, --recursive list subdirectories recursively
- -s, --size print the size of each file, in blocks
- -S sort by file size
- --sort=WORD sort by WORD instead of name: none -U,
- extension -X, size -S, time -t, version -v
- --time=WORD with -l, show time as WORD instead of modification
- time: atime -u, access -u, use -u, ctime -c,
- or status -c; use specified time as sort key
- if --sort=time
- --time-style=STYLE with -l, show times using style STYLE:
- full-iso, long-iso, iso, locale, +FORMAT.
- FORMAT is interpreted like 'date'; if FORMAT is
- FORMAT1FORMAT2, FORMAT1 applies to
- non-recent files and FORMAT2 to recent files;
- if STYLE is prefixed with 'posix-', STYLE
- takes effect only outside the POSIX locale
- -t sort by modification time
- -T, --tabsize=COLS assume tab stops at each COLS instead of 8
- -u with -lt: sort by, and show, access time

- with -l: show access time and sort by name
- otherwise: sort by access time
- -U do not sort; list entries in directory order
- -v sort by version
- -w, --width=COLS assume screen width instead of current value
- -x list entries by lines instead of by columns
- -X sort alphabetically by entry extension
- -Z, --context print any SELinux security context of each file
- -1 list one file per line
- --help display this help and exit
- --version output version information and exit
- SIZE may be (or may be an integer optionally followed by) one of following:
- kB 1000, K 1024, MB 1000 1000, M 1024 1024, and so on for G, T, P, E, Z, Y.
- By default, color is not used to distinguish types of files. That is
- equivalent to using --color=none. Using the --color option without the
- optional WHEN argument is equivalent to using --color=always. With
- --color=auto, color codes are output only if standard output is connected
- to a terminal (tty). The environment variable LS_COLORS can influence the
- colors, and can be set easily by the dircolors command.
- Exit status is 0 if OK, 1 if minor problems, 2 if serious trouble.
- ! command/linearg || inode == NOTANODE_NUMBER
- cannot compare file names %s and %s
- cannot determine device and inode of %s
- %s: not listing already-listed directory
- ignoring invalid value of environment variable QUOTING_STYLE: %s
- ignoring invalid width in environment variable COLUMNS: %s
- ignoring invalid tab size in environment variable TABSIZE: %s
- abcd fghiklmnopqrstuwx:ABCDEFGHI:LNQRST:UXZ1
- sizeof (struct devino) <= obstackobjectsize (&devino_obstack)
- //DIRED-OPTIONS// --quoting-style=%s
- hashgetnentries (activedir_set) == 0
- unparsable value for LS_COLORS environment variable
- dereference-command-line-symlink-to-dir
- bug-coreutils@gnu.org
- Report bugs to <%s>.
- cannot access %s
- cannot read symbolic link %s
- %s %*s
- %s, %s
- sorttype != sortversion
- cannot open directory %s
- reading directory %s
- closing directory %s
- QUOTING_STYLE
- LSBLOCKSIZE
- COLUMNS
- TABSIZE
- invalid line width: %s
- invalid tab size: %s
- --sort
- --time
- --format

- full-iso
- --color
- --indicator-style
- --quoting-style
- David MacKenzie
- Richard M. Stallman
- GNU coreutils
- TIME_STYLE
- invalid time style format %s
- time style
- %Y-%m-%d %H:%M:%S.%N %z
- %Y-%m-%d %H:%M
- %Y-%m-%d
- LS_COLORS
- unrecognized prefix: %s
- target
- //DIREDD//
- //SUBDIREDD//
- escape
- directory
- full-time
- group-directories-first
- human-readable
- numeric-uid-gid
- no-group
- hide-control-chars
- reverse
- almost-all
- ignore-backups
- classify
- file-type
- dereference-command-line
- ignore
- dereference
- literal
- quote-name
- recursive
- show-control-chars
- tabsize
- time-style
- block-size
- context
- author
- extension
- access
- status
- verbose
- commas
- horizontal
- across
- vertical
- single-column

- if-tty
- %b %e %Y
- %b %e %H:%M
- long-iso
- posix-
- gobble_file
- sort_files
- ?pcdb-lswd
- devinopop
- /.libs/
- %s (%s) %s
- Written by %s.
- Written by %s and %s.
- Written by %s, %s, and %s.
- License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>
- This is free software: you are free to change and redistribute it.
- There is NO WARRANTY, to the extent permitted by law.
- Written by %s, %s, %s,
- and %s.
- Written by %s, %s, %s,
- %s, and %s.
- Written by %s, %s, %s,
- %s, %s, and %s.
- Written by %s, %s, %s,
- %s, %s, %s, and %s.
- Written by %s, %s, %s,
- %s, %s, %s, %s,
- and %s.
- Written by %s, %s, %s,
- %s, %s, %s, %s,
- %s, and %s.
- Written by %s, %s, %s,
- %s, %s, %s, %s,
- %s, %s, and others.
- Copyright %s %d Free Software Foundation, Inc.
- memory exhausted
- Valid arguments are:
- - '%s'
- , %s' ambiguous argument %s for %s invalid argument %s for %s write error %s: %s Unknown system error %s:%d: POSIXLY_CORRECT fnmatch_loop.c list != NULL p[-1] == L_('') fnmatch.c mbsinit (&ps) ! "Invalid extended matching operator" gnu_fnmatch ext_wmatch ext_match %s: option %s' is ambiguous
- %s: illegal option -- %c
- %s: invalid option -- %c
- %s: option --%s' doesn't allow an argument %s: option %c%s' doesn't allow an argument
- %s: option %s' requires an argument %s: unrecognized option --%s'
- %s: unrecognized option %c%s' %s: option requires an argument -- %c %s: option -W %s' is ambiguous
- %s: option -W %s' doesn't allow an argument # entries: %lu # buckets: %lu max

- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- GCC: (GNU) 4.3.2
- @(#)SunOS 5.10 Generic January 2005
- *lsmode*
- *Version*
- *filehasacl*
- *areadlinkwithsize*
- *filevercmp*
- *mbsnwidth*
- *gnumbswidth*
- *setprogramname*
- *programname*
- *versionetcva*
- *versionetc*
- *versionetccopyright*
- *xallocdie*
- *argmatchtoargument*
- *argmatchvalid*
- *argmatchinvalid*
- *argmatch*
- *xargmatchinternal*
- *argmatchdie*
- */lastcomponent*
- *baselen*
- *basename*
- *closestdoutsetfilename*
- *closestdout*
- *erroratline*
- *errorprintprograme*
- *errormessagecount*
- *erroroneperline*
- *exitfailure*
- *strmode*
- *filemodestring*

- *mfilenameconcat*
- *filenameconcat*
- *gnufnmatch*
- *getoptinternalr*
- *getoptinternal*
- *rplgetopt*
- *rploptarg*
- *rploptind*
- *rplopterr*
- *rploptopt*
- *getoptlongonlyr*
- *getoptlongr*
- *rplgetoptlongonly*
- *rplgetoptlong*
- *gettime*
- *hard/ocale*
- *hashgetnbuckets*
- *hashgetnbucketsused*
- *hashgetnentries*
- *hashgetmaxbucketlength*
- *hashtableok*
- *hashgetentries*
- *hashdoforeach*
- *hashstring*
- *hashresetuning*
- *hashclear*
- *hashgetnext*
- *hashgetfirst*
- *hashlookup*
- *hashfree*
- *hashinitialize*
- *hashrehash*
- *hashdelete*
- *hashinsert*
- *hashprintstatistics*
- *humanoptions*
- *humanreadable*
- *getgidbyname*
- *getgroup*
- *getuidbyname*
- *getuser*
- *imaxtostr*
- *mpsort*
- *obstackbegin*
- *obstackbegin1*
- *obstacknewchunk*
- *obstackallocatedp*
- *obstackmemoryused*
- *obstackfree*
- *obstackallocfailedhandler*
- *quoten*

- *getquotingstyle*
- *setquotingstyle*
- *setcharquoting*
- *setquotingflags*
- *quoteargfree*
- *quoteargcharmем*
- *quoteargcolonmem*
- *quoteargchar*
- *quoteargcolon*
- *quoteargnstylemem*
- *quoteargstylemem*
- *quoteargnstyle*
- *quoteargstyle*
- *quoteargnmem*
- *quoteargmem*
- *quoteargn*
- *quotearg*
- *quoteargallocmem*
- *quoteargalloc*
- *quoteargbuffer*
- *clonequotingoptions*
- *quotingstyleargs*
- *quotingstylevals*
- *nstrftime*
- *umaxtostr*
- *rp/vfprintf*
- *xcalloc*
- *xrealloc*
- *x2realloc*
- *xmalloc*
- *xmемdup*
- *xstrdup*
- *xzalloc*
- *xstrtolfatal*
- *xstrtoul*
- *fseterr*
- *xstrmdup*
- *xstrtoumax*
- *closestream*
- *mktimeinternal*
- *rp/mktime*
- *rplstrmdup*
- *rp/strlen*
- *vasnprintf*
- *printffrexp*
- *printfrexp1*
- *rplfrexp1*
- *rp/lisnani*
- *printffetchargs*
- *printfparse*
- **divdi3**

- moddi3
- **udivdi3**
- umoddi3
- ../lib
- ../lib/selinux
- /usr/include/sys
- /usr/include/iso
- /usr/include
- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/../lib/gcc/i386-pc-solaris2.10/4.3.2/include
- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/../lib/gcc/i386-pc-solaris2.10/4.3.2/include-fixed/iso
- stat-time.h
- timespec.h
- system.h
- selinux.h
- xalloc.h
- inttypes.h
- types.h
- timeimpl.h
- timeiso.h
- time.h
- select.h
- termios.h
- stdiotag.h
- stdioimpl.h
- stdioiso.h
- stddef.h
- setjmpiso.h
- siginfo.h
- signal.h
- getopt.h
- signaliso.h
- wcharimpl.h
- wchariso.h
- stat.h
- dirent.h
- dirent.h
- argmatch.h
- dev-ino.h
- hash.h
- human.h
- obstack.h
- xstrtol.h
- quotearg.h
- ctypeiso.h
- erno.h
- version.h
- exitfail.h
- progname.h
- !;YY-//
- =;0;[
- t=s>u+M
- Mc=Ye>

- *s=8@TPg*
- *=e/,/=*
- *XYLG1+0*
- *Kv:hvM9>=*
- *[Zma37*
- *r,Zh*
- *y<qF/*
- *ls-ls.c*
- *version.c*
- */usr/include/sys*
- *file-has-acl.c*
- *types.h*
- *timeimpl.h*
- *stat.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- */usr/include/sys*
- */usr/include*
- *areadlink-with-size.c*
- *stddef.h*
- *types.h*
- *errno.h*
- */usr/include/sys*
- *filevercmp.c*
- *types.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- */usr/include*
- */usr/include/iso*
- *mbswidth.c*
- *stddef.h*
- *wcharimpl.h*
- *wchariso.h*
- *ctypeiso.h*
- *progrname.c*
- *-/YW=^=eg*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- */usr/include*
- */usr/include/iso*
- *version-etc.c*
- *stdarg.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *version-etc.h*
- *version-etc-fsf.c*
- *xalloc-die.c*
- *exitfail.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- */usr/include*
- */usr/include/iso*
- *argmatch.c*
- *stddef.h*

- *argmatch.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *quotearg.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- *basename.c*
- *stddef.h*
- */usr/include*
- */usr/include/iso*
- *closeout.c*
- *stdioimpl.h*
- *errno.h*
- *stdioiso.h*
- *exitfail.h*
- *stdiotag.h*
- */usr/include*
- *dirfd.c*
- *dirent.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- */usr/include*
- */usr/include/iso*
- *error.c*
- *stdarg.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *exitfail.c*
- */usr/include/sys*
- *filemode.c*
- *types.h*
- *timeimpl.h*
- *stat.h*
- */usr/include/iso*
- *filenamecat.c*
- *stdlibiso.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- */usr/include/iso*
- */usr/include*
- *fnmatchloop.c*
- *fnmatch.c*
- *stddef.h*
- *wctypeiso.h*
- *wcharimpl.h*
- *wchariso.h*
- *stdlibiso.h*
- *errno.h*
- *w*
- */usr/include*
- */usr/include/iso*
- *getopt.c*

- *stdioimpl.h*
- *stdiotag.h*
- *getopt.h*
- *getoptint.h*
- *stdioiso.h*
- tK;Ml;
- ,?G@|
- ,?G@|
- +?i>,v
- ;>./;==
- *getopt1.c*
- *getopt.h*
- *getoptint.h*
- */usr/include/iso*
- */usr/include/sys*
- *gettime.c*
- *timeiso.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *hard-locale.c*
- */usr/include*
- */usr/include/iso*
- *hash.c*
- *stdioimpl.h*
- *stdiotag.h*
- *stdioiso.h*
- *hash.h*
- t{%).O
- txF@*@
- /-Kh=uz
- xtA7@=;>
- f>+1H=
- vJv,0H
- */usr/include*
- */usr/include/iso*
- *human.c*
- *limits.h*
- *xstrtol.h*
- *localeiso.h*
- *human.h*
- *vdgegg*
- *?qAakh*
- */usr/include/sys*
- */usr/include*
- *idcache.c*
- *types.h*
- *inttostr.c*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/..lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- *mpsort.c*
- *stddef.h*

- /usr/include
- /usr/include/iso
- obstack.c
- obstack.h
- stdiotag.h
- stdioimpl.h
- stdioiso.h
- exitfail.h
- ?F==/?Y-Y0@p
- @:/9=@FB
- z
- ?9=;=v=
- quote.c
- quotearg.h
- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include
- /usr/include
- /usr/include/iso
- quotearg.c
- xalloc.h
- stddef.h
- quotearg.h
- wcharimpl.h
- wchariso.h
- stdlibiso.h
- ermo.h
- W
- LMI=>dGZ=>
- z.@b=Ai
- m9Y;B9?
- {f>;s>
- {f>;s>
- ~tKWX=i,ZL
- ?;=-g/
- !Wf=i:h
- /usr/include/iso
- /usr/include
- strftime.c
- timeiso.h
- wcharimpl.h
- wchariso.h
- time.h
- e/-=-g
- KLHL:h:
- inttostr.c
- /usr/include/sys
- /usr/include
- /usr/include/iso
- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include
- vfprintf.c
- valist.h
- stdiotag.h

- *stdioimpl.h*
- *stdioiso.h*
- *stdarg.h*
- *errno.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- *xmalloc.c*
- *xalloc.h*
- *stddef.h*
- *xstrtol-error.c*
- *getopt.h*
- *xstrtol.h*
- *exitfail.h*
- */usr/include/iso*
- */usr/include*
- *xstrtol.c*
- *ctypeiso.h*
- *errno.h*
- *xstrtol.h*
- */usr/include*
- */usr/include/iso*
- *fseterr.c*
- *stdioimpl.h*
- *stdiotag.h*
- *stdioiso.h*
- */home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include*
- *xstrndup.c*
- *stddef.h*
- */usr/include/iso*
- */usr/include*
- *xstrtol.c*
- *ctypeiso.h*
- *errno.h*
- *xstrtol.h*
- */usr/include*
- */usr/include/iso*
- *close-stream.c*
- *stdioimpl.h*
- *stdiotag.h*
- *stdioiso.h*
- *errno.h*
- */usr/include/iso*
- *mktime.c*
- *timeiso.h*
- *>;>90;>9@:em)g=?*
- *#K---=1*
- */usr/include/iso*
- *strndup.c*
- *stringiso.h*
- */usr/include/iso*
- *strlen.c*
- *stringiso.h*

- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include
- /usr/include/iso
- /usr/include
- vasnprintf.c
- xsize.h
- stdarg.h
- stddef.h
- wchariso.h
- printf-args.h
- printf-parse.h
- fpucw.h
- errno.h
- h;7zl)
- ;b=@8?8C
- k71;=;
- =;/d?
- gC>;=;u;=
- +?I?qj
- e8AEg
- z.B0ge2w
- printf-frexp.c
- printf-frexp.c
- fpucwh
- frexp.c
- fpucwh
- isnan.c
- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include
- /usr/include/sys
- /usr/include/iso
- printf-args.c
- stddef.h
- valist.h
- stdarg.h
- wchariso.h
- printf-args.h
- /home/mabshoff/x8664-solaris-gcc-4.3.2/bin/./lib/gcc/i386-pc-solaris2.10/4.3.2/include
- /usr/include/iso
- /usr/include
- printf-parse.c
- xsize.h
- stddef.h
- wchariso.h
- printf-args.h
- printf-parse.h
- errno.h
- /uuuuuuuw
-
- i9?9>=-
- .././gcc-4.3.2/libgcc/./gcc
- libgcc2.c
- libgcc2.h
- z.0I0?0N

- `../../../../gcc-4.3.2/libgcc/./gcc`
- `libgcc2.c`
- `libgcc2.h`
- `hH?qLN+`
- `~J+LN)O0N`
- `W1+L0+/uWK1G`
- `../../../../gcc-4.3.2/libgcc/./gcc`
- `libgcc2.c`
- `libgcc2.h`
- `}J/L?L`
- `/KV/K=9M-/`
- `../../../../gcc-4.3.2/libgcc/./gcc`
- `libgcc2.c`
- `libgcc2.h`
- `KVh,MH/`
- `KMG/-1`
- `argdirectory`
- `getstatmtime`
- `oldset`
- `stctim`
- `IGNOREDEFAULT`
- `revxstrcollfname`
- `bycolumns`
- `namewidth`
- `tmhour`
- **`value`**
- **`GETOPTHELPCHAR`**
- **`mbstate`**
- `fault`
- `stblksize`
- `stblocks`
- `authorwidth`
- `printnamewithquoting`
- **`ctid`**
- **`newcolumninfoalloc`**
- **`func`**
- **`sortextension`**
- **`int32t`**
- **`revxstrcollname`**
- **`numericids`**
- **`CNORM`**
- **`getlinkname`**
- **`QUOTINGSTYLEOPTION`**
- **`ctidt`**
- **`nlinkt`**
- **`CSETUID`**
- **`indicatorstyletypes`**
- **`revstrcmpextension`**
- **`printfilenameandfrills`**
- **`STGND`**
- **`stmtim`**

- ***timestyleoption***
- ***obstackchunk***
- ***timet***
- ***makelinkname***
- *data*
- *sigsetf*
- *zoneidt*
- *tmpulong*
- *revxstrcollatime*
- *C SOCK*
- *humanspacebeforeunit*
- *wsypixel*
- *fileinfo*
- *printdir*
- *humanbase1024*
- *sicode*
- *indicatorname*
- *calculatecolumns*
- *LONGINTINVALIDSUFFIXCHAR*
- *devinocompare*
- *STOCTAL*
- *putindicator*
- *iscolored*
- *queuedirectory*
- *totalblocks*
- ***status***
- ***cwdnused***
- ***funcptr***
- ***recursive***
- ***initializeexitfailure***
- ***Dereferencesymlink***
- ***rploptind***
- ***indicatorstyleargs***
- ***DEREFERENCECOMMANDLINESYMLINKTODIROPTION***
- ***direddumpobstack***
- ***bufsiz***
- ***maxcols***
- ***timeatime***
- ***processsignals***
- ***blockdev***
- ***cmpversion***
- ***sigatomict***
- ***pendingdirs***
- ***nlinkwidth***
- ***revxstrcolldfversion***
- ***realname***
- ***contents***
- ***hashtable***
- ***entity***
- ***dimamequotingoptions***
- ***failedstrcoll***

- *scontextwidth*
- *hasarg*
- *outputcount*
- *colorextype*
- *quotingstyleargs*
- *addignorepattern*
- *humanceiling*
- UNKNOWNSECURITYCONTEXT
- /tmp/coreutils-7.0/src
- *filenamequotingoptions*
- *clearfiles*
- *dirstat*
- *filetype*
- *stopsignalcount*
- *sortedfile*
- *timenumtypes*
- *sortedfilealloc*
- LSFAILURE
- *ddsize*
- **pdata**
- **emitbugreportingaddress**
- **setexitstatus**
- *stime*
- *filename*
- *stuid*
- *sisigno*
- *classify*
- *lgetfilecon*
- *colorsymlinkasreferent*
- *ownerwidth*
- *timespeccmp*
- *diredpos*
- *ddloc*
- *sortfiles*
- *thispend*
- *getfunkysting*
- *siginfot*
- unsigned char
- CSETGID
- *strdev*
- **seekable**
- **caselongisotimestyle**
- **unknown**
- **samask**
- **dreclen**
- **filetypeindicator**
- **statok**
- **filesno**
- IGNOREDOTANDDOTDOT
- *coloriffty*
- *equalsend*

- *hascapability*
- *timemtime*
- *printdimame*
- *majordevicenumberwidth*
- *timestyletypes*
- *formatuserorgroupwidth*
- *formattypes*
- *indno*
- *unsignedfilesize*
- *linefmt*
- *reallength*
- *humanautoscale*
- GNU C 4.3.2
- DEREFNEVER
- *colortype*
- *revxstrcollextension*
- *timestyleargs*
- *modebuf*
- *chunksizes*
- *qsortFunc*
- *tmin*
- *printowner*
- *alignmentmask*
- *normal*
- *haveacl*
- *sigaction*
- *humanfloor*
- *sierno*
- *humansuppresspointzero*
- STEND
- *absolutename*
- *printcolorindicator*
- *usedcolorthistime*
- *faddr*
- AUTHOROPTION
- *humanB*
- *tmmday*
- *ulonglongt*
- *commandlinearg*
- *devinoobstack*
- FILETYPEINDICATOROPTION
- CORPHAN
- *cmaybequotingstyle*
- *ignoredotanddotdot*
- *colorbuf*
- LONGINTINVALIDSUFFIXCHARWITHOVERFLOW
- *formatneedsstat*
- *lsblocksize*
- *printlongformat*
- *humanSI*
- *tstamp*

- *revxstrcollmtime*
- *ignorepatterns*
- *tmsec*
- *tmisdst*
- **CMISSING**
- *longoptions*
- *patternsmatch*
- *sivalptr*
- *proc*
- *stgid*
- *prof*
- **IGNOREMINIMAL**
- *xnmalloc*
- *fullisotimestyle*
- *timetostr*
- **LONGINTOVERFLOW**
- *revstrcmpdfname*
- *humangroupdigits*
- **CFIFO**
- **STBACKSLASH**
- *dbuf*
- *sixmonthsago*
- *bisdir*
- *indicatorno*
- *printwithcolor*
- *localetimestyle*
- *printtypeindicator*
- *localequotingstyle*
- *colorexlist*
- *revxstrcolldftime*
- *whentimespec*
- *displayedwidth*
- *maybeemptyobject*
- *file*
- *stsize*
- *revstrcmpdfmtime*
- *objectbase*
- *sighandler*
- *isdirectory*
- *chardev*
- *revstrcmpdfctime*
- *linkbuf*
- *sysarg*
- *filetypeletter*
- *freefun*
- *visitdir*
- *revstrcmpdfextension*
- **CSTICKYOTHERWRITABLE**
- *sorttypespecified*
- **INDICATORSTYLEOPTION**
- *wsxpixel*
- **DEREFCOMMANDLINE SYMLINKTODIR**

- *nfiles*
- *fileoutputblocksize*
- *parselscolor*
- *shellquotingstyle*
- **CRIGHT**
- *allocfailed*
- *indent*
- *ignoremode*
- long long int
- *mbstatet*
- *freependingent*
- *currenttime*
- **Version**
- *restoredefaultcolor*
- *tmmon*
- **TIMESTYLEOPTION**
- *maxnamelength*
- *cquotingstyle*
- *devinopop*
- *filefailure*
- *uintt*
- *usedcolor*
- **LONGINTINVALID**
- *usestrcmp*
- **DEREFUNDEFINED**
- *printscontext*
- *rctl*
- *sortsize*
- *stpad1*
- *stpad2*
- *orientation*
- *stpad4*
- *getstatctime*
- **GETOPTVERSIONCHAR**
- *winsize*
- *xnrealloc*
- *blkcntt*
- *caddrt*
- *interruptsignal*
- *attach*
- *quotingstylevals*
- *literalquotingstyle*
- *nsysarg*
- *saresv*
- *revstrcmptsize*
- *revxstrcolldfsiz*
- *printgroup*
- *tempptr*
- **sigbits**
- *timestruct*
- *anyhasacl*
- *prepnonfilenametext*

- **CFILE**
- *stophandler*
- *formatargs*
- *hidepatterns*
- *indicatorstyle*
- *gobblefile*
- *revxstrcollsize*
- *dirent*
- *nextfree*
- *revstrcmpctime*
- *printcurrentfiles*
- **STERROR**
- **CSTICKY**
- *sorttime*
- *stnlink*
- *modet*
- **CLEFT**
- *revxstrcolldftime*
- *ctype*
- *devinofree*
- *smallbuf*
- *extractdirsfromfiles*
- **addr**
- *mstate*
- **BLOCKSIZEOPTION**
- *longtimeformat*
- *validlen*
- *freecon*
- *printauthor*
- *revxstrcollctime*
- *linkname*
- *stdev*
- *ulongt*
- **LONGINTOK**
- *dereference*
- *whiteout*
- *sortfunctions*
- *long long unsigned int*
- **CLINK**
- *clockt*
- *tabsize*
- *colornever*
- **DEREFCOMMANDLINEARGUMENTS**
- *decodeswitches*
- *revxstrcolldfntime*
- *jmpbuf*
- *revxstrcolldfextension*
- *printmanyperline*
- *doderef*
- *sortversion*
- *revstrcmpname*

- *tmwday*
- *minordevicenumberwidth*
- *symboliclink*
- *linkok*
- *filesizewidth*
- *wscol*
- *plimit*
- *tmyday*
- *qmarkfunnychars*
- *formatuser*
- **FILE**
- **widthgap**
- **siginfo**
- **SORTOPTION**
- *linkstats*
- **LSMINORPROBLEM**
- *linelength*
- *revstrcmpdfatime*
- **saflags**
- *touchar*
- *revstrcmpatime*
- **sortreverse**
- **wsrow**
- **Hashtable**
- **blocksizewidth**
- *extendedfd*
- *ignore*
- *cwdnalloc*
- *shellal/waysquotingstyle*
- *directoriesfirst*
- *devino*
- *aisdir*
- *qstyle*
- *basenameisdotordotdot*
- **COLOROPTION**
- *filetype*
- *blankwidth*
- *useextraarg*
- *sivalint*
- **CRESET**
- *formatgroupwidth*
- *escapequotingstyle*
- **COTHERWRITABLE**
- *rploptarg*
- **FORMATOPTION**
- **HIDEOPTION**
- *maxidx*
- *caughtsignals*
- *need/stat*
- *devinohash*
- *dimame*

- *posixprefix*
- *timectime*
- *formatuserwidth*
- *short int*
- ***syscall***
- *ionolock*
- *printblocksize*
- *SHOWCONTROLCHARSOPTION*
- *entfromtable*
- *tvnsec*
- *chunkfun*
- *subdiaredobstack*
- *sortnone*
- *printwithcommas*
- *attlen*
- *TIMESTAMPLENMAXIMUM*
- *stfftype*
- *SIOPTION*
- *GROUPDIRECTORIESFIRSTOPTION*
- *linkmode*
- *DEREFALWAYS*
- *printinode*
- *timetypes*
- ***band***
- ***xfnocheck***
- ***printhorizontal***
- ***humanroundtonearest***
- ***getstatatime***
- ***STCARET***
- ***tempint***
- ***localeformat***
- ***activedirset***
- ***lengthoffilenameandfrills***
- ***CEXEC***
- ***immediatedirs***
- ***revxstrcollversion***
- ***stmode***
- ***whenlocal***
- ***initcolumninfo***
- ***blksizet***
- ***coloralways***
- ***revstrcmpmtime***
- ***CDOOR***
- ***cwdfile***
- *utime*
- *sigval*
- *formatuserorgroup*
- *binstr*
- *formatneedstype*
- *checksymbmlinkcolor*
- *colarr*

- *lsmode*
- *sortnumtypes*
- *FULLTIMEOPTION*
- *inodenumwidth*
- *gettypeindicator*
- *longtimeexpectedwidth*
- ***filler***
- ***recent***
- ***timetype***
- ***tmyear***
- ***xstrcoll***
- ***short unsigned int***
- ***chunklimit***
- ***dirnamep***
- ***sorttypes***
- ***sorttype***
- ***foundmatch***
- ***humanoutputopts***
- ***formatgroup***
- ***serious***
- ***tablesize***
- ***sortargs***
- *kill*
- *initializeorderingvector*
- *revstrcmpdfsize*
- *fileignored*
- *stino*
- *minorbuf*
- *timeargs*
- *linelen*
- *majorbuf*
- *STHEX*
- ***zoneid***
- ***colortypes***
- ***sortname***
- ***tvsec***
- ***argmatchexitfn***
- ***wchart***
- *trapno*
- *quotename*
- *NOTANINODENUMBER*
- *columninfo*growth
- *statim*
- *colorargs*
- *ls-ls.c*
- *version.c*
- */tmp/coreutils-7.0/lib*
- *file-has-acl.c*
- *filehasacl*
- *savedermo*
- *bufsize*

- *symlinkmax*
- *ssizet*
- *linklength*
- *areadlink-with-size.c*
- *areadlinkwithsize*
- *INITIALLIMITBOUND*
- *initiallimit*
- *simplecmp*
- *readalpha*
- *s2pos*
- *s1len*
- *filevercmp*
- *s2suffix*
- *s2len*
- *s1suffix*
- *matchsuffix*
- *firstdiff*
- *s1pos*
- *filevercmp.c*
- *verrevcmp*
- *mbsnwidth*
- *mbswidth.c*
- *gnumbswidth*
- *nbytes*
- *setprogramname*
- *programe.c*
- *versionetcva*
- *builtinvalist*
- *commandname*
- *tmpauthors*
- *gnucvalist*
- *package*
- *versionetc*
- *COPYRIGHTYEAR*
- *nauthors*
- *version-etc.c*
- *versionetccopyright*
- *version-etc-fsf.c*
- *xalloc-die.c*
- *xallocdie*
- *argmatchinvalid*
- *xargmatchinternal*
- *argmatch*
- *argmatchvalid*
- *lastval*
- *ptrdiff*
- *argmatch.c*
- *vallist*
- *problem*
- *valsize*
- *matchind*

- ambiguous
- *argmatchdie*
- *arglist*
- *arglen*
- *argmatchtoargument*
- *prefixlen*
- *basename.c*
- *basename*
- *sawslash*
- *baselen*
- *lastcomponent*
- *closestoutsetfilename*
- *closestout*
- *writeerror*
- *closeout.c*
- *dirfd.c*
- *erroroneperline*
- *oldfilename*
- *oldlinenumber*
- *errorprintprognam*
- *errortail*
- *printerrnomessage*
- *errbuf*
- *errmessagecount*
- *errnum*
- *erroratline*
- *exitfail.c*
- *ftypelet*
- *filemode.c*
- *filemodestring*
- *strmode*
- *dirbaselen*
- *mfilenameconcat*
- *filenamecat.c*
- *pconcat*
- *longestrelativesuffix*
- *needsseparator*
- *dirbase*
- *baseinresult*
- *dirlen*
- *fnmatch.c*
- *ischarclass*
- *wctypet*
- *gnufnmatch*
- *flags2*
- *endvpattern*
- *wstring*
- *normalbracket*
- *matched*
- *strsize*
- *plensize*

- *internalfnmatch*
- *internalfnwmatch*
- *patternlen*
- *patsize*
- *noleadingperiod2*
- *extmatch*
- *startp*
- *normalmatch*
- *wintt*
- *ignorenext*
- *isrange*
- *stringend*
- *newnoleadingperiod*
- *endpattern*
- *newpsize*
- *patternlist*
- *totsize*
- *extwmatch*
- *prnterrors*
- *PERMUTE*
- *initialized*
- *exchange*
- *getoptinternal*
- *ordering*
- *nextchar*
- *bottom*
- *getoptinternalr*
- *pfound*
- *rplopterr*
- *firstnonopt*
- *nameend*
- *lastnonopt*
- *indfound*
- *longind*
- *optstring*
- *longopts*
- *REQUIREORDER*
- *getoptinitialize*
- *POSIXLYCORRECT*
- *getopt.c*
- *rploptopt*
- *getoptdata*
- *RETURN/NORDER*
- *posixlycorrect*
- *middle*
- *optionindex*
- *rplgetopt*
- *getoptlongonlyr*
- *rplgetoptlongonly*
- *getoptlongr*
- *rplgetoptlong*

- *optindex*
- *getopt1.c*
- *susecondst*
- *timeval*
- *tvusec*
- *gettime*
- *gettime.c*
- *hard/locale*
- *category*
- *hard-locale.c*
- *growthfactor*
- *hashgetfirst*
- *newbucket*
- *hash.c*
- *isnbuckets*
- *square*
- *Hashdatafreer*
- *hashgetmaxbucketlength*
- *freeentrylist*
- *Hashcomparator*
- *hashresetuning*
- *shrinkthreshold*
- *hashgetnbucketsused*
- *hashtableok*
- *Hashtuning*
- *defaulttuning*
- *newentry*
- *Hashprocessor*
- *hashfindentry*
- *hashgetnext*
- *hashinsert*
- *hashtuning*
- *newcandidate*
- *hashdoforeach*
- *bucketlimit*
- *growththreshold*
- *allocateentry*
- *hashgetnbuckets*
- *checktuning*
- *processordata*
- *shrinkfactor*
- *hashinitialize*
- *cursor*
- *counter*
- *hashstring*
- *freeentry*
- *hashclear*
- *hashprintstatistics*
- *epsilon*
- *isprime*
- *hashentry*
- *hashlookup*

- *nextprime*
- *Hashhasher*
- *hashfree*
- *buffersize*
- *buckethead*
- *hashdelete*
- *newtable*
- *hashgetnentries*
- *divisor*
- *hashgetentries*
- *hashrehash*
- *humanreadable*
- *exponentmax*
- *currencysymbol*
- *multiplier*
- *nsepbyspace*
- *buflen*
- *nsignposn*
- *psuffix*
- *fromblocksize*
- *mongrouping*
- *pcsprecedes*
- *groupnumber*
- *powerletter*
- *exponent*
- *blocksizeargs*
- *intfracdigits*
- *psepbyspace*
- *monthousandssep*
- *rounding*
- *inexactstyle*
- *dtoblocksize*
- *negativesign*
- *psignposn*
- *humblock*
- *blocksizeopts*
- *ncsprecedes*
- *defaultblocksize*
- *integerlim*
- *thousandsseplen*
- *intcurrsymbol*
- *nonintegerlen*
- *mondecimalpoint*
- *groupplen*
- *decimalpointlen*
- *numberlen*
- *adjustvalue*
- *humanoptions*
- *tenths*
- *useintegerarithmetic*
- *positivesign*
- *human.c*

- *dogrouping*
- *getgroup*
- *pwnname*
- *pwgecos*
- *userid*
- *getgidbyname*
- *idcache.c*
- *grpasswd*
- *pwuid*
- *getuser*
- *pwcomment*
- *grgid*
- *pwgid*
- *gmem*
- *nogroupalist*
- *getuidbyname*
- *pwdir*
- *pwage*
- *gname*
- *nouseralist*
- *pwshell*
- *pwpasswd*
- *imaxtostr*
- *imaxtostr.c*
- *mpsort*
- *mpsortwithtmp*
- *comparisonfunction*
- *mpsort.c*
- *mpsortintotmp*
- *already*
- *newchunk*
- *objsize*
- *printandabort*
- *obstackbegin1*
- *alignment*
- *obstack.c*
- *obstackfree*
- *obstackbegin*
- *oldchunk*
- **DEFAULTROUNDING**
- *obstackallocatedp*
- **DEFAULTALIGNMENT**
- *newsize*
- *obstacknewchunk*
- *obstackmemoryused*
- *obstackallocfailedhandler*
- *quote.c*
- *quoten*
- *elideouterquotes*
- *quotestringlen*
- *quoteargbufferrestyled*
- *buffersize*

- *forceouterquotingstyle*
- *clonequotingoptions*
- *storec*
- *backslashesescapes*
- *quoteargfree*
- *quotingoptionsfromstyle*
- *QASPLITTRIGRAPHS*
- *slotvec0*
- *QAEUIDEOUTERQUOTES*
- *quoteargcharm*
- *quoteargnoptions*
- *setcharquoting*
- *setquotingflags*
- *candshellescape*
- *quoteargstylemem*
- *quoteargnmem*
- *unibyte locale*
- *nslots*
- *quoteargnstylemem*
- *quotearg.c*
- *quotethesetoo*
- *quoteargmem*
- *quoteargstyle*
- *quoteargchar*
- *quoteargalloc*
- *gettextquote*
- *argsize*
- *xcharalloc*
- *cescape*
- *quoteargcolonmem*
- *translation*
- *quoteargallocmem*
- *quotearg*
- *printable*
- *quoteargnstyle*
- *bufsize*
- *quoteargbuffer*
- *storeescape*
- *QAEUIDENULLBYTES*
- *slotvec*
- *quoteargcolon*
- *setquotingstyle*
- *preallocated*
- *quotestring*
- *quoteargn*
- *getquotingstyle*
- *defaultquotingoptions*
- *tzhhmmss*
- *badformat*
- *colons*
- *secdiff*
- *tzhhmm*

- *tolowercase*
- *mindiff*
- *unumbervalue*
- *maxsize*
- *bigenoughmultipleof7*
- *dosignednumber*
- *formatend*
- *strftime.c*
- *tzcolonmask*
- *memcpylowcase*
- *nstrftime*
- *touppercase*
- *negativenumber*
- *century*
- *formatchar*
- *tzname*
- *donumbersignandpadding*
- *ftimecmdiff*
- *alwaysoutputasign*
- *subformat*
- *change-case*
- *strftimecase*
- *modifier*
- *interveningleapdays*
- *yearadjust*
- *signchar*
- *dozconversion*
- *delta*
- *subfmt*
- *mbstatezero*
- *upcase*
- *memcpyuppercase*
- *dotzoffset*
- *isoweekdays*
- *hourdiff*
- *donumberbody*
- *hour12*
- *underlyingstrftime*
- *donumberspacepad*
- *donumber*
- *umaxtostr.c*
- *umaxtostr*
- *rp/vfprintf*
- *fprintf.c*
- *lenbuf*
- *output*
- *xmalloc.c*
- *xzalloc*
- *xmemdup*
- *xcalloc*
- *xmalloc*
- *xstrdup*

- **x2nrealloc**
- **xrealloc**
- **HAVEGNUCALLOC**
- **x2realloc**
- *optionbuffer*
- *xstrtofatal*
- *xstrtolerror*
- *xstrtol-error.c*
- *optidx*
- *hyphens*
- *strtolbase*
- *xstrtoul*
- *overflow*
- *validsuffixes*
- *bkmscalebypower*
- *xstrtoul.c*
- *bkmscale*
- *scalefactor*
- *fseterr*
- *fseterr.c*
- *xstrndup.c*
- *xstrndup*
- *xstrtoumax.c*
- *xstrtoumax*
- *somepending*
- *close-stream.c*
- *closestream*
- *prevfail*
- *fclosefail*
- *durationmax*
- *direction*
- **ALOG2HOURSPERBIENNIUM**
- *secrequested*
- *overflowthreshold*
- *localtimeoffset*
- *rplmktime*
- *repairedt0*
- *mktime.c*
- *secadjustment*
- *approxbiennia*
- *guesstimetm*
- *ydhmsdiff*
- *timetmax*
- *monyears*
- *absdiff*
- **ALOG2MINUTESPERBIENNIUM**
- *approxrequestedbiennia*
- *seconds*
- *tyear1*
- *minutes*
- *deltabound*
- **LOG2YEASPERBIENNIUM**

- *remainingprobes*
- *offsetfound*
- *stride*
- *timetmin*
- *monyday*
- *leapyear*
- **ALOG2SECONDSPERBIENNIUM**
- **ALOG2DAYSPERBIENNIUM**
- *rangedconvert*
- *mktimeinternal*
- *guessedoffset*
- *negativemonremainder*
- *lyearrequested*
- *rplstrndup*
- *maxlen*
- *rplstrnlen*
- *strnlen.c*
- **TYPECOUNTLONGLONGINTPOINTER**
- *precisionargindex*
- *nzeroes*
- *zmemory*
- *bufneededlength*
- *decodeiongdouhle*
- *smallpow5*
- *keepq*
- **TYPECOUNTSCHARPOINTER**
- *adouble*
- *padourselves*
- *digits2*
- *isborderline*
- *mantissa*
- *auchar*
- **TYPEWIDECCHAR**
- *bufmalloce*
- **TYPESHORT**
- *retcount*
- *prefixes*
- *biggerneed*
- **TYPECOUNTSHORTPOINTER**
- *denominator*
- *arguments*
- *chardirective*
- *floorlog10*
- *awidestring*
- *tmpmemsize*
- *widthend*
- *digit1*
- *digit2*
- *haswidth*
- *widthargindex*
- *subtract*
- **TYPENONE**

- *decimalpointchar*
- *memorysize*
- *floorlog10l*
- *TYPECHAR*
- *digitp*
- *dirend*
- *TYPELONGDOUBLE*
- *TYPEUSHORT*
- *tmproomptr*
- *TYPEDOUBLE*
- *afloat*
- *widthstart*
- *sbits*
- *resultbuf*
- *precisionend*
- *TYPESCHAR*
- *destptr*
- *extrazeroes*
- *TYPECOUNTLONGINTPOINTER*
- *multiply*
- *b2msd*
- *bufmemsiz*
- *TYPECOUNTINTPOINTER*
- *accountscharpointer*
- *TYPEPOINTER*
- *scale10rounddecimallongdouble*
- *incrementq*
- *decimalformat*
- *sourceptr*
- *TYPEULONGLONGINT*
- *aulongint*
- *awidechar*
- *vasnprintf.c*
- *outofmemory1*
- *vasnprintf*
- *accountsshortpointer*
- *precisionstart*
- *accountintpointer*
- *pow5ptr*
- *numptr*
- *ndigits*
- *prefixcount*
- *astring*
- *apointer*
- *ashort*
- *tmpbuf*
- *numerator*
- *aint*
- *maxwidthlength*
- *TYPELONGINT*
- *alonglongint*
- *augmentedlength*

- **TYPEUCHAR**
- *aulonglongint*
- **TYPELONGLONGINT**
- *qstar*
- *scale10rounddecimaldouble*
- *slimbs*
- *acountlongintpointer*
- *source1*
- *source2*
- *maxprecisionlength*
- *nlimbs*
- *converttodecimal*
- *mptwolimbt*
- *pointbuf*
- *mplimbt*
- *padptr*
- **TYPESTRING**
- *outofmemory*
- *aschar*
- *dirstart*
- *bmsdd*
- *divide*
- *scale10rounddecimaldecoded*
- *alongint*
- **TYPEUINT**
- *tmplength*
- **TYPEWIDESTRING**
- *argtype*
- *lengthp*
- *adjusted*
- *tmpmemory*
- *hasprecision*
- *alongdouble*
- **TYPEINT**
- *decodeddouble*
- *chardirectives*
- *acountlonglongintpointer*
- *pow5len*
- **TYPEULONGINT**
- *fpucwt*
- *aushort*
- *achar*
- *printf-frexp.c*
- *printffrexp*
- *expptr*
- *powhi*
- *pow2i*
- *printf-frexpl.c*
- *printffrexpl*
- *rplfrexpl*
- *rplisnani*
- *memorydouble*

- *isnanl.c*
- *widenullstring*
- *printffetchargs*
- *printf-args.c*
- *printfparse*
- *printf-parse.c*
- *argposn*
- *aallocated*
- *dallocated*
- *divdi3*
- *udivmoddi4*
- *USltype*
- *DWunion*
- *complex float*
- *complex long double*
- *UDltype*
- *complex double*
- *DWstruct*
- *../././gcc-4.3.2/libgcc/./gcc/libgcc2.c*
- */tmp/BUILD/tmp/i386-pc-solaris2.10/libgcc*
- *moddi3*
- *udivdi3*
- *umoddi3*
- *CN=SunOS 5.10, OU=Solaris Signed Execution, O=Sun Microsystems IncH0#>*
- *L^HD9*
- *1.2.840.113549.1.1.55b66f75a2475a0*
- *.symtab*
- *.strtab*
- *.shstrtab*
- *.interp*
- *.dynsym*
- *.dynstr*
- *.gnu.version*
- *.gnu.versionr*
- *.rel.dyn*
- *.rel.plt*
- *.rodata*
- *.ehframe*
- *.ctors*
- *.dtors*
- *.dynamic*
- *.got.plt*
- *.comment*
- *.debugaranges*
- *.debugpubnames*
- *.debuginfo*
- *.debugabbrev*
- *.debugline*
- *.debugframe*
- *.debugstr*
- *.debugloc*
- *.debugranges*

- *.SUNWsignature*
- *getexitframemonitorptr*
- *doexitcodeptr*
- *traptable*
- *crti.s*
- *crtstuff.c*
- **CTORLIST**
- **DTORLIST**
- **EHFRAMEBEGIN**
- **JCRLIST**
- *doglobaldtorsaux*
- *completed.3988*
- *dtoridx.3990*
- *framedummy*
- *object.4010*
- **CTOREND**
- **FRAMEEND**
- **JCREND**
- *doglobalctorsaux*
- *crtn.s*
- *values-Xa.c*
- *devinohash*
- *devinocompare*
- *sighandler*
- *interruptsignal*
- *stophandler*
- *stopsignalcount*
- *revstrcmpdfctime*
- *revxstrcollfdmtime*
- *xstrcoll*
- *revstrcmpdfatime*
- *strcmpdfsize*
- *gettypeindicator*
- *indicatorstyle*
- *clearfiles*
- *cwdnused*
- *sortedfile*
- *anyhasacl*
- *inodenumwidth*
- *blocksizewidth*
- *nlinkwidth*
- *ownerwidth*
- *groupwidth*
- *authorwidth*
- *scontextwidth*
- *majordevicenumwidth*
- *minordevicenumwidth*
- *filesizewidth*
- *freependingent*
- *devinofree*
- *printypeindicator*

- *diredpos*
- *indent*
- *tabsize*
- *getfunkystring*
- *iscolored*
- *colorindicator*
- *queuedirectory*
- *pendingdirs*
- *strcmpname*
- *revstrcmpname*
- *strcmpdfname*
- *revstrcmpdfname*
- *filefailure*
- *exitstatus*
- *xstrcolldfextension*
- *formatuserorgroupwidth*
- *formatuserwidth*
- *numericids*
- *gobblefile*
- *cwdnalloc*
- *cwdfile*
- *dereference*
- *format*
- UNKNOWNSECURITYCONTEXT
- *printblocksize*
- *outputblocksize*
- *humanoutputopts*
- *printowner*
- *printgroup*
- *printauthor*
- *printscontext*
- *printinode*
- *formatneedsstat*
- *colorsymlinkasreferent*
- *checksymlinkcolor*
- *formatneedstype*
- **func.5961**
- *printwithcolor*
- *fileoutputblocksize*
- *immediatedirs*
- *failedstrcoll*
- *xstrcollname*
- *revxstrcollname*
- *xstrcolldfname*
- *revxstrcolldfname*
- *revxstrcolldfversion*
- *revxstrcollversion*
- *xstrcolldfversion*
- *xstrcollversion*
- *extractdirsfromfiles*

- *activedirset*
- *putindicator*
- *usedcolor*
- *prepnorfilenameametext*
- *restoredefaultcolor*
- *quotename*
- *qmarkfunnychars*
- *lengthoffilenameandfrills*
- *filenamequotingoptions*
- *printrnamewithquoting*
- *caughtsignals*
- *filetypeindicator.7554*
- *colorexlist*
- *printfilenameandfrills*
- *formatuserorgroup*
- *direddumpobstack*
- *printlongformat*
- *timetype*
- *width.7009*
- *diredobstack*
- *filetypeletter*
- *currenttime*
- *longtimeformat*
- *revstrcmpsize*
- *xstrcollsize*
- *strcmpsize*
- *revxstrcollsize*
- *revxstrcolldfsize*
- *revstrcmpdfsize*
- *xstrcolldfsize*
- *revstrcmpmtime*
- *xstrcollatime*
- *strcmpatime*
- *revxstrcollatime*
- *xstrcollctime*
- *strcmpctime*
- *revxstrcollctime*
- *revstrcmpctime*
- *xstrcollmtime*
- *strcmpmtime*
- *revxstrcollmtime*
- *revstrcmpatime*
- *xstrcolldfatime*
- *revstrcmpdfmtime*
- *strcmpdfctime*
- *revxstrcolldfctime*
- *xstrcolldfmtime*
- *strcmpdfmtime*
- *xstrcolldfctime*
- *strcmpdfatime*
- *revxstrcolldfatime*

- *sortfiles*
- *sortedfilealloc*
- *sorttype*
- *directoriesfirst*
- *sortreverse*
- *sortfunctions*
- **func.6947**
- *calculatecolumns*
- *maxidx*
- *columninfoalloc.7804*
- *columninfo*
- *linelength*
- *printcurrentfiles*
- *printdir*
- *devinoobstack*
- *ignoremode*
- *hidepatterns*
- *ignorepatterns*
- *recursive*
- *printdimame*
- *first.5802*
- *dimamequotingoptions*
- *subdiredobstack*
- *longoptions*
- *sorttypes*
- *sortargs*
- *timetypes*
- *timeargs*
- *indicatorstyletypes*
- *indicatorstyleargs*
- *formattypes*
- *formatargs*
- *colortypes*
- *colorargs*
- *posixprefix.5488*
- *timestyletypes*
- *timestyleargs*
- *sig.5268*
- **func.5108**
- **func.5271**
- *colorbuf*
- *indicatomame*
- *revstrcmpextension*
- *strcmpextension*
- *revxstrcollextension*
- *xstrcollextension*
- *revstrcmpdfextension*
- *strcmpdfextension*
- *revxstrcolldfextension*
- *ls-ls.c*
- *version.c*

- file-has-acl.c
- areadlink-with-size.c
- filevercmp.c
- mbswidth.c
- progname.c
- version-etc.c
- version-etc-fsf.c
- xalloc-die.c
- argmatch.c
- *argmatchdie*
- *basename.c*
- *closeout.c*
- *filename*
- *dirfd.c*
- *error.c*
- *prntermomessage*
- *errortail*
- *oldlinenumber.2924*
- *oldfilename.2923*
- *exitfail.c*
- *filemode.c*
- *filenameecat.c*
- *fnmatch.c*
- *endwpattern*
- *posixlycorrect*
- *endpattern*
- *extwmatch*
- **func.3945**
- *internalfnwmatch*
- *extmatch*
- **func.3480**
- *internalfnmatch*
- **func.4080**
- *getopt.c*
- *exchange*
- *getoptdata*
- *getopt1.c*
- *gettime.c*
- *hard-locale.c*
- *hash.c*
- *hashfindentry*
- *defaulttuning*
- *human.c*
- *blocksizeopts*
- *blocksizeargs*
- *powerletter*
- *idcache.c*
- *groupalist*
- *nogroupalist*
- *useralist*
- *nouseralist*

- *imaxtostr.c*
- *mpsort.c*
- *mpsortwithtmp*
- *obstack.c*
- *printandabort*
- *quote.c*
- *quotearg.c*
- *defaultquotingoptions*
- *slotvec*
- *nslots*
- *slotvec0*
- *quoteargbufferrestyled*
- *quoteargnoptions*
- *strftime.c*
- *strtimecase*
- *mbstatezero*
- *umaxtostr.c*
- *vfprintf.c*
- *xmalloc.c*
- *xstrtol-error.c*
- *xstrtoul.c*
- *bkmscalebypower*
- ***func.3032***
- *fseterr.c*
- *xstrndup.c*
- *xstrtoumax.c*
- *close-stream.c*
- *mktime.c*
- *rangedconvert*
- *monyday*
- *localtimeoffset*
- *strndup.c*
- *strlen.c*
- *vasnprintf.c*
- *multiply*
- *divide*
- *scale10rounddecimaldecoded*
- *smallpow5.4646*
- *decimalpointchar*
- *floorlog10l*
- *scale10rounddecimalongdouble*
- *floorlog10*
- *scale10rounddecimaldouble*
- *decimalformat.5210*
- *decimalformat.5252*
- *printf-frexp.c*
- *printf-frexpl.c*
- *frexpl.c*
- *isnanl.c*
- *printf-args.c*
- *widenullstring.2214*

- *printf-parse.c*
- *libgcc2.c*
- *GLOBALOFFSETTABLE*
- *DYNAMIC*
- *quoteargfree*
- *strcmp@@SYSVABI1.3*
- *iswcntrl@@SUNW1.1*
- *obstackbegin*
- *wcslen@@SUNW1.1*
- *umoddi3*
- *obstackallocatedp*
- *quoteargnmem*
- *quoten*
- *rplvfprintf*
- *flsbuf@@SYSVABI1.3*
- *tzset@@SYSVABI1.3*
- *start*
- *towlower@@SUNW1.1*
- *quoteargnstyle*
- *wctype@@SUNW1.1*
- *sigprocmask@@SYSVABI1.3*
- *quotearg*
- *mcount*
- *hashstring*
- *acltrivial@@SUNW1.2*
- *getgrgid@@SYSVABI1.3*
- *filemodestring*
- *quoteargalloc*
- *atexit@@SYSVABI1.3*
- *ldexp@@SYSVABI1.3*
- *rplstrlen*
- *JvRegisterClasses*
- *rplmktime*
- *strftime@@SYSVABI1.3*
- *getpwuid@@SYSVABI1.3*
- *rplisnani*
- *printffetchargs*
- *gettime*
- *argmatchtoargument*
- *moddi3*
- *malloc@@SYSVABI1.3*
- *setlocale@@SYSVABI1.3*
- *xstrtol*
- *sigaction@@SYSVABI1.3*
- *toupper@@SYSVABI1.3*
- *strlen@@SYSVABI1.3*
- *tzname@@SYSVABI1.3*
- *rplgetoptlong*
- *localtime@@SYSVABI1.3*
- *major@@SUNW0.7*
- *memchr@@SYSVABI1.3*

- *abort@@SYSVABI1.3*
- *exit@@SYSVABI1.3*
- *stat64@@SUNW1.1*
- *imaxtostr*
- *getoptinternalr*
- *versionetcva*
- *obstacknewchunk*
- *deregisterframeinfo*
- *readdir64@@SUNW1.1*
- *getoptinternal*
- *gmtime@@SUNW0.7*
- *hashgetmaxbucketlength*
- *isatty@@SYSVABI1.3*
- *printfrexp*
- *fputs@@SYSVABI1.3*
- *sigaddset@@SYSVABI1.3*
- *lsmode*
- *signal@@SYSVABI1.3*
- *udivdi3*
- *wcwidth@@SUNW1.1*
- *longdoubleused*
- *quotingstylevals*
- *rplgetopt*
- *obstackmemoryused*
- *mbsinit@@SUNW1.18*
- *environ*
- *ctype@@SYSVABI1.3*
- *mpsort*
- *calloc@@SYSVABI1.3*
- *hashtableok*
- *humanreadable*
- *quoteargstyle*
- *getgidbyname*
- *strcoll@@SYSVABI1.3*
- *snprintf@@SUNW1.1*
- *sprintf@@SYSVABI1.3*
- *closestoutsetfilename*
- *quoteargmem*
- *localtimer@@SUNW0.7*
- *wscat@@SUNW1.1*
- *getgrnam@@SYSVABI1.3*
- *obstackallocfailedhandler*
- *strmode*
- *getoptlongonlyr*
- *raise@@SYSVABI1.3*
- *umaxtostr*
- *getpwnam@@SYSVABI1.3*
- *filevercmp*
- *nstrftime*
- *quoteargchar*
- *baselen*

- *getuser*
- *gnufnmatch*
- *hashgetnbucketsused*
- *quoteargn*
- *x2realloc*
- *tolower@@SYSVABI1.3*
- *hashgetnext*
- *mfilenameconcat*
- *hashdoforeach*
- *lstat64@@SUNW1.1*
- *filenameconcat*
- *argmatch*
- *setquotingstyle*
- *argmatchdie*
- *rplopterr*
- *getexitframemonitor@@SUNWprivate1.1*
- *fprintf@@SYSVABI1.3*
- *argmatchvalid*
- *errno@@SUNW0.7*
- *strncpy@@SYSVABI1.3*
- *iswprint@@SUNW1.1*
- *mbsnwidth*
- *lastcomponent*
- *longjmp@@SYSVABI1.3*
- *free@@SYSVABI1.3*
- *registerframeinfobases*
- *quoteargbuffer*
- *memset@@SYSVABI1.3*
- *rploptarg*
- *realloc@@SYSVABI1.3*
- *dsohandle*
- *exitfailure*
- *mktimeinternal*
- *etext*
- *rploptopt*
- *obstackfree*
- *DTOREND*
- *strtoumax@@SUNW1.22*
- *hashresetuning*
- *hashgetfirst*
- *hashinitialize*
- *ioctl@@SYSVABI1.3*
- *hashclear*
- *frexp@@SYSVABI1.3*
- *versionetc*
- *hardlocale*
- *hashrehash*
- *versionetccopyright*
- *opendir@@SYSVABI1.3*
- *strncmp@@SYSVABI1.3*
- *memmove@@SYSVABI1.3*
- *xallocdie*

- ***exit@@SYSVABI1.3***
- ***hashgetnbuckets***
- ***hashinsert***
- ***tcgetpgrp@@SYSVABI1.3***
- ***setprogramname***
- ***strchr@@SYSVABI1.3***
- ***quoteargcolonmem***
- ***setcharquoting***
- ***errorprintprogrname***
- ***areadlinkwithsize***
- ***bssstart***
- ***filehasacl***
- ***closeststream***
- ***environ***
- ***fstat64@@SUNW1.1***
- ***quoteargcolon***
- ***printfparse***
- ***getenv@@SYSVABI1.3***
- ***Argv***
- ***rpffrexpl***
- ***gettimeofday@@SUNW0.7***
- ***clonequotingoptions***
- ***sigismember@@SYSVABI1.3***
- ***quoteargcharmем***
- ***vasnprintf***
- ***fpending@@SUNW1.18***
- ***1cGCrunMdoexitcode6Fv***
- ***iswctype@@SUNW1.1***
- ***setquotingflags***
- ***strcpy@@SYSVABI1.3***
- ***getgroup***
- ***job@@SYSVABI1.3***
- ***xstrtolfatal***
- ***hashlookup***
- ***wmemchr@@SUNW1.18***
- ***closestdout***
- ***getuidbyname***
- ***fflush@@SYSVABI1.3***
- ***fpstart@@SYSVABI1.3***
- ***quotingstyleargs***
- ***divdi3***
- ***fwrite@@SYSVABI1.3***
- ***hashdelete***
- ***obstackbegin1***
- ***xmalloc***
- ***xstrdup***
- ***fseterr***
- ***quoteargstylemem***
- ***closedir@@SYSVABI1.3***
- ***fclose@@SYSVABI1.3***
- ***xstrndup***
- ***mbrtowc@@SUNW1.18***

- *tzname@@SYSVABI1.3*
- *minor@@SUNW0.7*
- *rploptind*
- *sterrorr@@SUNW1.22*
- *printf@@SYSVABI1.3*
- *sigemptyset@@SYSVABI1.3*
- *errormessagecount*
- *erroratline*
- *setjmp@@SYSVABI1.3*
- *quoteargnstylemem*
- *basename*
- *readlink@@SYSVABI1.3*
- *xcalloc*
- *xargmatchinternal*
- *edata*
- *hashgetnentries*
- *getoptlongr*
- *hashfree*
- *localeconv@@SYSVABI1.3*
- *mbrlen@@SUNW1.18*
- *xrealloc*
- *humanoptions*
- *xzalloc*
- *argmatchinvalid*
- *xmemdup*
- *strtoul@@SYSVABI1.3*
- *mbsrtowcs@@SUNW1.18*
- *memcpy@@SYSVABI1.3*
- *erroroneperline*
- *assertc99@@SUNWprivate1.1*
- *libversion*
- *xstrtoumax*
- *programname*
- *rp/strndup*
- *btowc@@SUNW1.18*
- *printfrexpl*
- *Version*
- *quoteargallocmem*
- *rplgetoptlongonly*
- *wmemcpy@@SUNW1.18*
- *i686.getpcthunk.bx*
- *getquotingstyle*
- *hashprintstatistics*
- *clock_gettime@@SUNW0.7*
- *strdup@@SYSVABI1.3*
- *strchr@@SYSVABI1.3*
- *gnumbswidth*
- *strcat@@SYSVABI1.3*
- *fsrinitvalue*
- *hashgetentries*

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

- <http://gnu.org/licenses/gpl.html>

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 5.89
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

****Scan Date**:** 2024-12-13 07:24:36

Scan Results

- Malicious: 0
- Suspicious: 0
- Undetected: 62
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 2
- Type-unsupported: 12

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results